



## Green Glue Noiseproofing Compound

Date of Preparation: May 24, 2022

SAFETY DATA SHEET according to the US OSHA Hazard Communication Standard (29 CFR 1910.1200) and the Canadian Hazardous Products Regulations

### Section 1: IDENTIFICATION

<b>Product Name:</b>	Green Glue Noiseproofing Compound
<b>Synonyms:</b>	Green Glue Compound.
<b>Product Use:</b>	Acoustic damping polymer for use between wall board layers or other similar firm construction materials for noiseproofing.
<b>Restrictions on Use:</b>	This product is not a structural adhesive and it is not to be used outdoors.
<b>Manufacturer/Supplier:</b>	Saint-Gobain Performance Plastics - Granville One Sealants Park Granville, NY 12832 United States
<b>Website:</b>	<a href="http://www.GreenGlueCompany.com">www.GreenGlueCompany.com</a>
<b>Phone Number:</b>	518-642-2200 (8:00am to 4:30pm)
<b>Emergency Phone:</b>	Chemtrec: 1-800-424-9300
<b>Date of Preparation of SDS:</b>	May 24, 2022

### Section 2: HAZARD(S) IDENTIFICATION

#### GHS INFORMATION

**Classification:** Not hazardous according to OSHA criteria (29 CFR 1910.1200).  
Not hazardous according to WHMIS 2015 criteria.

#### LABEL ELEMENTS

**Hazard** None.

**Pictogram(s):**

**Signal Word:** None.

**Hazard** Not applicable.

**Statements:**

#### Precautionary Statements

**Prevention:** Not applicable.

**Response:** Not applicable.

**Storage:** Not applicable.

**Disposal:** Not applicable.

**Hazards Not Otherwise Classified:** Not applicable.

**Ingredients with Unknown Toxicity:** 40% of this product mixture consists of ingredient(s) of unknown acute toxicity.

This material is not considered hazardous by the OSHA Hazard Communication Standard, (29 CFR 1910.1200).

This material is not considered hazardous by the Hazardous Products Regulations.

**Section 3: COMPOSITION / INFORMATION ON INGREDIENTS**

Ingredient(s)	Common name / Synonyms	CAS No.	% wt./wt.
Isocyanic acid, polymethylenepolyphenylene ester, 1-(2-butoxy-1-methylethoxy)-2-propanol- and polyethylene glycol mono-Me ether-blocked	Not available.	Not available.	15 - 40

**Section 4: FIRST-AID MEASURES**

**Inhalation:** If inhaled: Call a poison center or doctor if you feel unwell.  
**Acute and delayed symptoms and effects:** May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. Use personal protection recommended in Section 8.

**Eye Contact:** If in eyes: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center or doctor if you feel unwell.  
**Acute and delayed symptoms and effects:** May cause eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision. Use personal protection recommended in Section 8.

**Skin Contact:** If on skin: Wash with plenty of water. Call a poison center or doctor if you feel unwell.  
**Acute and delayed symptoms and effects:** May cause skin irritation. Signs/symptoms may include localized redness, swelling, and itching. Use personal protection recommended in Section 8.

**Ingestion:** If swallowed: Call a poison center or doctor if you feel unwell. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.  
**Acute and delayed symptoms and effects:** May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

**General Advice:** In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

**Note to Physicians:** Symptoms may not appear immediately.

**Section 5: FIRE-FIGHTING MEASURES**

**FLAMMABILITY AND EXPLOSION INFORMATION**  
Not flammable or combustible by OSHA/WHMIS criteria.

**Sensitivity to Mechanical Impact:** This material is not sensitive to mechanical impact.  
**Sensitivity to Static Discharge:** This material is not sensitive to static discharge.

**MEANS OF EXTINCTION**



## Green Glue Noiseproofing Compound

Date of Preparation: May 24, 2022

SAFETY DATA SHEET according to the US OSHA Hazard Communication Standard (29 CFR 1910.1200) and the Canadian Hazardous Products Regulations

<b>Suitable Extinguishing Media:</b>	Small Fire: Dry chemical, CO <sub>2</sub> , water spray or regular foam. Large Fire: Water spray, fog or regular foam. Move containers from fire area if you can do it without risk.
<b>Unsuitable Extinguishing Media:</b>	Not available.
<b>Products of Combustion:</b>	Oxides of carbon. Oxides of nitrogen. Isocyanates. Hydrogen cyanide.
<b>Protection of Firefighters:</b>	Fire may produce irritating, corrosive and/or toxic gases. Runoff from fire control or dilution water may cause pollution. Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection.

### Section 6: ACCIDENTAL RELEASE MEASURES

<b>Emergency Procedures:</b>	Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Ventilate closed spaces before entering.
<b>Personal Precautions:</b>	Do not touch or walk through spilled material. Use personal protection recommended in Section 8.
<b>Environmental Precautions:</b>	Keep out of drains, sewers, ditches, and waterways.
<b>Methods for Containment:</b>	Stop leak if without risk. Do not flush to sewer or allow to enter waterways.
<b>Methods for Clean-Up:</b>	Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.
<b>Other Information:</b>	See Section 13 for disposal considerations.

### Section 7: HANDLING AND STORAGE

**Handling:**  
Do not swallow. Wash hands thoroughly after handling. See Section 8 for information on Personal Protective Equipment.

**Storage:**  
Store away from incompatible materials. See Section 10 for information on Incompatible Materials. Keep out of the reach of children.

### Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Exposure Guidelines Component

Isocyanic acid, polymethylenepolyphenylene ester, 1-(2-butoxy-1-methylethoxy)-2-propanol- and polyethylene glycol mono-Me ether-blocked [CAS No. Not available.] \*

**ACGIH:** No TLV established.

**OSHA:** No PEL established.

**PEL:** Permissible Exposure Limit  
**TLV:** Threshold Limit Value

SAFETY DATA SHEET according to the US OSHA Hazard Communication Standard (29 CFR 1910.1200) and the Canadian Hazardous Products Regulations

**Engineering Controls:** Not normally required.

**PERSONAL PROTECTIVE EQUIPMENT (PPE)**



**Eye/Face Protection:** Wear safety glasses. Use equipment for eye protection that meets the standards referenced by CSA Standard CAN/CSA-Z94.3:20 and OSHA regulations in 29 CFR 1910.133 for Personal Protective Equipment.

**Hand Protection:** Wear protective gloves. Consult manufacturer specifications for further information.

**Skin and Body Protection:** Wear protective clothing.

**Respiratory Protection:** If engineering controls and ventilation are not sufficient to control exposure to below the allowable limits then an appropriate NIOSH/MSHA approved air-purifying respirator that meets the requirements of CSA Standard CAN/CSA-Z94.4-18 and OSHA regulations in 29 CFR 1910.134 Respiratory Protection, or self-contained breathing apparatus must be used. Supplied air breathing apparatus must be used when oxygen concentrations are low or if airborne concentrations exceed the limits of the air-purifying respirators.

**General Hygiene Considerations:** Handle according to established industrial hygiene and safety practices. Consult a competent industrial hygienist to determine hazard potential and/or the PPE manufacturers to ensure adequate protection.

**Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance:</b>	Green, viscous liquid.
<b>Colour:</b>	Green.
<b>Odour:</b>	Slight latex.
<b>Odour Threshold:</b>	Not available.
<b>Physical State:</b>	Liquid.
<b>pH:</b>	7 to 10
<b>Melting Point / Freezing Point:</b>	0 °C (32 °F)
<b>Initial Boiling Point:</b>	Not available.
<b>Boiling Range:</b>	100 °C (212 °F)
<b>Flash Point:</b>	Not available.
<b>Evaporation Rate:</b>	< 1 (n-BuAc = 1)



## Green Glue Noiseproofing Compound

Date of Preparation: May 24, 2022

SAFETY DATA SHEET according to the US OSHA Hazard Communication Standard (29 CFR 1910.1200) and the Canadian Hazardous Products Regulations

<b>Flammability (solid, gas):</b>	Not applicable.
<b>Lower Flammability Limit:</b>	Not available.
<b>Upper Flammability Limit:</b>	Not available.
<b>Vapor Pressure:</b>	< 1 mmHg
<b>Vapor Density:</b>	Not available.
<b>Relative Density:</b>	1.03 to 1.08 (Water = 1)
<b>Solubilities:</b>	Appreciable solubility in water (10 to 99%).
<b>Partition Coefficient: n-Octanol/Water:</b>	Not available.
<b>Auto-ignition Temperature:</b>	Not available.
<b>Decomposition Temperature:</b>	Not available.
<b>Viscosity:</b>	Not available.
<b>Percent Volatile, wt. %:</b>	Not available.
<b>VOC content, wt. %:</b>	Not available.
<b>Density:</b>	Not available.
<b>Coefficient of Water/Oil Distribution:</b>	Not available.

### Section 10: STABILITY AND REACTIVITY

<b>Reactivity:</b>	Contact with incompatible materials. Exposure to heat.
<b>Chemical Stability:</b>	Stable under normal storage conditions.
<b>Possibility of Hazardous Reactions:</b>	None known.
<b>Conditions to Avoid:</b>	Contact with incompatible materials. Exposure to heat.
<b>Incompatible Materials:</b>	Strong acids. Strong bases. Strong oxidizers.
<b>Hazardous Decomposition Products:</b>	Isocyanates may be generated if material is strongly heated.

### Section 11: TOXICOLOGICAL INFORMATION

#### EFFECTS OF ACUTE EXPOSURE

##### Product Toxicity

<b>Oral:</b>	Not available.
<b>Dermal:</b>	Not available.
<b>Inhalation:</b>	Not available.



## Green Glue Noiseproofing Compound

Date of Preparation: May 24, 2022

SAFETY DATA SHEET according to the US OSHA Hazard Communication Standard (29 CFR 1910.1200) and the Canadian Hazardous Products Regulations

### Component Toxicity

Component	CAS No.	LD <sub>50</sub> oral	LD <sub>50</sub> dermal	LC <sub>50</sub>
Isocyanic acid, polymethylenepolyphenylene ester, 1-(2-butoxy-1-methylethoxy)-2-propanol- and polyethylene glycol mono-Me ether-blocked	Not available.	Not available.	Not available.	Not available.

**Likely Routes of Exposure:** Eye contact. Skin contact. Inhalation. Ingestion.

**Target Organs:** Skin. Eyes. Gastrointestinal tract. Respiratory system. Liver.

### Symptoms (including delayed and immediate effects)

**Inhalation:** May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. Use personal protection recommended in Section 8.

**Eye:** May cause eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision. Use personal protection recommended in Section 8.

**Skin:** May cause skin irritation. Signs/symptoms may include localized redness, swelling, and itching. Use personal protection recommended in Section 8.

**Ingestion:** May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

**Skin Sensitization:** Prolonged skin contact may cause redness, swelling, blistering and possible skin sensitization (dermatitis).

**Respiratory Sensitization:** Use personal protection recommended in Section 8.

**Medical Conditions Aggravated By Exposure:** Not available.

### EFFECTS OF CHRONIC EXPOSURE (from short and long-term exposure)

**Target Organs:** Skin. Eyes. Gastrointestinal tract. Respiratory system. Liver. Kidneys.

**Chronic Effects:** Prolonged skin contact may cause redness, swelling, blistering and possible skin sensitization (dermatitis).

**Carcinogenicity:** This product does not contain any carcinogens or potential carcinogens above reportable thresholds as listed by ACGIH, IARC, OSHA, or NTP.

**Mutagenicity:** Not available.

**Reproductive Effects:** Not available.

### Developmental Effects

**Teratogenicity:** Not available.

**Embryotoxicity:** Not available.



## Green Glue Noiseproofing Compound

Date of Preparation: May 24, 2022

SAFETY DATA SHEET according to the US OSHA Hazard Communication Standard (29 CFR 1910.1200) and the Canadian Hazardous Products Regulations

**Toxicologically Synergistic Materials:** Not available.

### Section 12: ECOLOGICAL INFORMATION

**Ecotoxicity:** Not available.

**Persistence / Degradability:** Not available.

**Bioaccumulation / Accumulation:** Not available.

**Mobility in Environment:** Not available.

**Other Adverse Effects:** Not available.

### Section 13: DISPOSAL CONSIDERATIONS

**Disposal Instructions:** Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

### Section 14: TRANSPORT INFORMATION

#### U.S. Department of Transportation (DOT)

**Proper Shipping Name:** Not regulated.

**Class:** Not applicable.

**UN Number:** Not applicable.

**Packing Group:** Not applicable.

**Placard(s):** Not applicable.

#### Canada Transportation of Dangerous Goods (TDG)

**Proper Shipping Name:** Not regulated.

**Class:** Not applicable.

**UN Number:** Not applicable.

**Packing Group:** Not applicable.

**Placard(s):** Not applicable.

### Section 15: REGULATORY INFORMATION

#### Federal Regulations

##### United States

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

##### SARA Title III

No components are listed.



## Green Glue Noiseproofing Compound

Date of Preparation: May 24, 2022

SAFETY DATA SHEET according to the US OSHA Hazard Communication Standard (29 CFR 1910.1200) and the Canadian Hazardous Products Regulations

### State Regulations

#### Massachusetts

US Massachusetts Commonwealth's Right-to-Know Law (Appendix A to 105 Code of Massachusetts Regulations Section 670.000)

No components are listed.

#### New Jersey

US New Jersey Worker and Community Right-to-Know Act (New Jersey Statute Annotated Section 34:5A-5)

No components are listed.

#### Pennsylvania

US Pennsylvania Worker and Community Right-to-Know Law (34 Pa. Code Chap. 301-323)

No components are listed.

#### California

##### California Prop 65:



**WARNING** This product can expose you to chemicals including Ethylene glycol and 2-Methoxyethanol, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### Section 16: OTHER INFORMATION

#### Disclaimer:

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for their own particular use.

**Date of Preparation of SDS:** May 24, 2022

**Version:** 1.0

**GHS SDS Prepared by:** Aegis Regulatory Inc.

**Phone:** 1 (519) 488-0351

**[www.aegisreg.com](http://www.aegisreg.com)**