



# Disability Tax Credit Certificate

**Need help?**  
[canada.ca/disability-tax-credit](http://canada.ca/disability-tax-credit)  
1-800-959-8281

The information provided in this form will be used by the Canada Revenue Agency (CRA) to determine the eligibility of the individual applying for the disability tax credit (DTC). For more information, see the general information on page 16.

## Part A – Individual's section

### 1) Tell us about the person with the disability

First name: \_\_\_\_\_

Last name: \_\_\_\_\_

Social insurance number: | | | | | | | | | |

Mailing address: \_\_\_\_\_

City: \_\_\_\_\_

Province or territory: \_\_\_\_\_

Postal code: | | | | | |

Date of birth: | | | | | | | | | |  
Year Month Day

### 2) Tell us about the person claiming the disability amount

The person with the disability is claiming the disability amount

**or**

A supporting family member is claiming the disability amount (the spouse or common-law partner of the person with the disability, or a parent, grandparent, child, grandchild, brother, sister, uncle, aunt, nephew, or niece of that person or their spouse or common-law partner).

First name: \_\_\_\_\_

Last name: \_\_\_\_\_

Relationship: \_\_\_\_\_

Social insurance number: | | | | | | | | | |

Does the person with the disability live with you?  Yes  No

Indicate which of the basic necessities of life have been regularly and consistently provided to the person with the disability, and the years for which it was provided:

Food \_\_\_\_\_ Year(s)     Shelter \_\_\_\_\_ Year(s)     Clothing \_\_\_\_\_ Year(s)

Provide details regarding the support you provide to the person with the disability (regularity of the support, proof of dependency, if the person lives with you, etc.):

If you want to provide more information than the space allows, use a separate sheet of paper, sign it, and attach it to this form. Make sure to include the name of the person with the disability.

As the supporting family member claiming the disability amount, I confirm that the information provided is accurate.

Signature: \_\_\_\_\_

**Part A – Individual's section (continued)****3) Previous tax return adjustments**

Are you the person with the disability or their legal representative, or if the person is under 18, their legal guardian?

Yes  No

If eligibility for the disability tax credit is approved, would you like the CRA to apply the credit to your previous tax returns?

Yes, adjust my previous tax returns for all applicable years.

No, do not adjust my previous tax returns at this time.

**4) Individual's authorization**

As the person with the disability or their legal representative:

- I certify that the above information is correct.
- I give permission for my medical practitioner(s) to provide the CRA with information from their medical records in order for the CRA to determine my eligibility.
- I authorize the CRA to adjust my returns, as applicable, if I opted to do so in question 3.

Signature: \_\_\_\_\_

Telephone number: \_\_\_\_\_

Date: 

Year			Month			Day			

Personal information (including the SIN) is collected for the purposes of the administration or enforcement of the Income Tax Act and related programs and activities including administering tax, benefits, audit, compliance, and collection. The information collected may be used or disclosed for purposes of other federal acts that provide for the imposition and collection of a tax or duty. It may also be disclosed to other federal, provincial, territorial, or foreign government institutions to the extent authorized by law. Failure to provide this information may result in interest payable, penalties, or other actions. Under the Privacy Act, individuals have a right of protection, access to and correction of their personal information, or to file a complaint with the Privacy Commissioner of Canada regarding the handling of their personal information. Refer to Personal Information Bank CRA PPU 218 on Info Source at [canada.ca/cra-info-source](http://canada.ca/cra-info-source).

**This marks the end of the individual's section of the form.** Ask a medical practitioner to fill out Part B (pages 3-16). Once the medical practitioner certifies the form, it is ready to be submitted to the CRA for assessment.

**Next steps:**

**Step 1** – Ask your medical practitioner(s) to fill out the remaining pages of this form.

**Note**

Your medical practitioner provides the CRA with your medical information but does not determine your eligibility for the DTC.

**Step 2** – Make a copy of the filled out form for your own records.

**Step 3** – Refer to page 16 for instructions on how to submit your form to the CRA.

## Part B – Medical practitioner's section

If you would like to use the digital application for medical practitioners to fill out your section of the T2201, it can be found at [canada.ca/dtc-digital-application](https://canada.ca/dtc-digital-application).

### Important notes on patient eligibility

- Eligibility for the DTC is not based solely on the presence of a medical condition. It is based on the impairment resulting from a condition and the effects of that impairment on the patient. Eligibility, however, is not based on the patient's ability to work, to do housekeeping activities, or to engage in recreational activities.
- A person may be eligible for the DTC if they have a severe and prolonged impairment in physical or mental functions resulting in a marked restriction. A marked restriction means that, even with appropriate therapy, devices, and medication, they are unable or take an inordinate amount of time in one impairment category, **all or substantially all** (generally interpreted as 90% or more) of the time. If their limitations do not meet the criteria for one impairment category alone, they may still be eligible if they experience significant limitations in two or more categories.

For more information about the DTC, including examples and eligibility criteria, see [Guide RC4064, Disability-Related Information](#), or go to [canada.ca/disability-tax-credit](https://canada.ca/disability-tax-credit).

---

### Next steps

**Step 1** – Fill out the sections of the form on pages 4-16 that are applicable to your patient.

When considering your patient's limitations, assess them compared to someone of similar age who does not have an impairment in that particular category. If your patient experiences limitations in more than one category, they may be eligible under the "Cumulative effect of significant limitations" section on page 14.

If you want to provide more information than the space allows, use a separate sheet of paper, sign it, and attach it to this form. Make sure to include the name of the patient at the top of all pages.

**Step 2** – Fill out the "Certification" section on page 16 and sign the form.

**Step 3** – You or your patient can send this form to the CRA when both Part A and Part B are filled out and signed (refer to page 16 for instructions).

The CRA will review the information provided to determine your patient's eligibility and advise your patient of our decision. If more information is needed, the CRA may contact you.

Initial your designation if this category is applicable to your patient:

\_\_\_\_\_ medical doctor \_\_\_\_\_ nurse practitioner \_\_\_\_\_ optometrist

### Vision

1) Indicate the aspect of vision that is impaired in each eye (visual acuity, field of vision, or both):

#### Left eye after correction

##### Visual acuity

Measurable on the Snellen chart (provide acuity)

(        /        ) Example: 20/200, 6/60

Count fingers (CF)

No light perception (NLP)

Light perception (LP)

Hand motion (HM)

##### Field of vision (provide greatest diameter)

(        ) degrees

#### Right eye after correction

##### Visual acuity

Measurable on the Snellen chart (provide acuity)

(        /        ) Example: 20/200, 6/60

Count fingers (CF)

No light perception (NLP)

Light perception (LP)

Hand motion (HM)

##### Field of vision (provide greatest diameter)

(        ) degrees

2) Is the patient considered blind in both eyes according to at least one of the following criteria:

- The visual acuity is 20/200 (6/60) or less on the Snellen Chart (or an equivalent).
- The greatest diameter of the field of vision is 20 degrees or less.

Yes (provide the year they became blind) 

--	--	--	--	--

 Year

or

No (provide the year the vision limitations began) 

--	--	--	--	--

 Year

**Medical doctors and nurse practitioners only:** If your patient experiences limitations in more than one category, tell us more about the patient's limitations in vision. They may be eligible under the "Cumulative effect of significant limitations" section on page 14.

Provide examples of how their limited vision impacts other activities of daily living (for example, walking, feeding). Also provide any other relevant details such as devices the patient uses to aid their vision (for example, cane, magnifier, service animal).

--

3) Has the patient's impairment in vision lasted, or is it expected to last, for a continuous period of at least 12 months?

Yes     No

4) Has the patient's impairment in vision improved or is it likely to improve to such an extent that they would no longer be impaired?

Yes (provide year) 

--	--	--	--	--

 Year     No     Unsure

Patient's name: \_\_\_\_\_

Initial your designation if this category is applicable to your patient:

**Speaking**

\_\_\_\_\_ medical doctor \_\_\_\_\_ nurse practitioner \_\_\_\_\_ speech-language pathologist

1) List any medical conditions that impact the patient's ability to speak so as to be understood and provide the year of diagnosis (if available):

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_



2) Does the patient take medication that aids their speaking limitations?

Yes  No  Unsure

3) Describe if the patient uses any devices or therapy to aid their speaking limitations (for example, voice amplifier, behavioural therapy):

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

4) Provide examples of the factors that limit the patient's ability to speak using the severity and frequency scales provided as a guide (for example, they often require repetition to be understood, always experience mild difficulty with articulation, selective mutism, they use sign language as their primary means of communicating):



\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

5) Tell us in the table below about the patient's ability to speak so as to be understood by a familiar person in a quiet setting (more than one answer may apply, given that the patient's ability may change over time). Evaluate their ability to speak so as to be understood when using the medication, devices, and therapy listed above, if applicable.

Limitations in speaking	Is this the case all or substantially all of the time (see page 3)?	Year this began
<input type="checkbox"/> The patient is unable to speak or takes an inordinate amount of time to speak so as to be understood (at least three times longer than someone of similar age without a speech impairment) by a familiar person in a quiet setting.	<input type="checkbox"/> Yes <input type="checkbox"/> No	_____ _____ _____ _____ _____
<input type="checkbox"/> The patient has difficulty, but does not take an inordinate amount of time to speak so as to be understood by a familiar person in a quiet setting. <sup>1</sup>	<input type="checkbox"/> Yes <input type="checkbox"/> No	_____ _____ _____ _____ _____

<sup>1</sup>If your patient experiences limitations in more than one category, they may be eligible under the "Cumulative effect of significant limitations section" on page 14.

6) Has the patient's impairment in speaking lasted, or is it expected to last, for a continuous period of at least 12 months?

Yes  No

7) Has the patient's impairment in speaking improved or is it likely to improve to such an extent that they would no longer be impaired?

Yes (provide year) \_\_\_\_\_  No  Unsure  
Year

Patient's name: \_\_\_\_\_

Initial your designation if this category is applicable to your patient:

\_\_\_\_\_ medical doctor

\_\_\_\_\_ nurse practitioner

\_\_\_\_\_ audiologist

### Hearing

1) Indicate the option that best describes the patient's level of hearing loss in each ear with any applicable devices (normal: 0-25dB, mild: 26-40dB, moderate: 41-55dB, moderate-to-severe: 56-70dB, severe: 71-90dB, profound: 91dB+, or unknown):

Left ear

Right ear


2) Provide the patient's overall word discrimination score in both ears:

 % Unknown


3) Describe if the patient uses any devices to aid their hearing (for example, cochlear implant, hearing aid):

4) Provide the medical condition causing hearing loss and examples of the impacts of hearing loss on your patient using the severity and frequency scales as a guide (for example, they often require the use of repetition, lip-reading or sign-language to understand verbal communication, they have severely impaired awareness of risks to personal safety):

#### Severity



#### Frequency



5) Tell us in the table below about the patient's ability to hear so as to understand a familiar person in a quiet setting (more than one answer may apply, given that the patient's ability may change over time). Evaluate their ability to hear when using the devices listed above, if applicable.

Limitations in hearing	Is this the case all or substantially all of the time (see page 3)?	Year this began
<input type="checkbox"/> The patient is unable to hear or takes an inordinate amount of time to hear so as to understand (at least three times longer than someone of similar age without a hearing impairment) a familiar person in a quiet setting.	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="text"/>
<input type="checkbox"/> The patient has difficulty, but does not take an inordinate amount of time to hear so as to understand a familiar person in a quiet setting. <sup>1</sup>	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="text"/>

<sup>1</sup>If your patient experiences limitations in more than one category, they may be eligible under the "Cumulative effect of significant limitations" section on page 14.

6) Has the patient's impairment in hearing lasted, or is it expected to last, for a continuous period of at least 12 months?

Yes     No

7) Has the patient's impairment in hearing improved or is it likely to improve to such an extent that they would no longer be impaired?

Yes (provide year)  Year     No     Unsure

Patient's name: \_\_\_\_\_

Initial your designation if this category is applicable to your patient:

**Walking**

\_\_\_\_\_ medical doctor \_\_\_\_\_ nurse practitioner \_\_\_\_\_ occupational therapist \_\_\_\_\_ physiotherapist

1) List any medical conditions that impact the patient's ability to walk and provide the year of diagnosis (if available):

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

2) Does the patient take medication to aid their limitations in walking?

Yes  No  Unsure



3) Describe if the patient uses any devices or therapy to aid their limitation in walking (for example: cane, occupational therapy):

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

4) Provide examples of the factors that limit the patient's ability to walk using the severity and frequency scales provided as a guide (for example, they have severe pain in their legs, they often have moderately impaired balance, they experience shortness of breath upon mild exertion):

**Severity**

**Frequency**



\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

5) Tell us in the table below about the patient's ability to walk, for example, a short distance such as 100 metres (more than one answer may apply, given that the patient's ability may change over time). Evaluate their ability to walk when using the devices and therapy listed above, if applicable.

Limitations in walking	Is this the case all or substantially all of the time (see page 3)?	Year this began
<input type="checkbox"/> The patient is unable or takes an inordinate amount of time to walk (at least three times longer than someone of a similar age without an impairment in walking).	<input type="checkbox"/> Yes <input type="checkbox"/> No	____ ____ ____ ____ ____
<input type="checkbox"/> The patient has difficulty, but does not take an inordinate amount of time to walk. <sup>1</sup>	<input type="checkbox"/> Yes <input type="checkbox"/> No	____ ____ ____ ____ ____

<sup>1</sup>If your patient experiences limitations in more than one category, they may be eligible under the "Cumulative effect of significant limitations" section on page 14.

6) Has the patient's impairment in walking lasted, or is it expected to last, for a continuous period of at least 12 months?

Yes  No

7) Has the patient's impairment in walking improved or is it likely to improve to such an extent that they would no longer be impaired?

Yes (provide year) \_\_\_\_|\_\_\_\_|\_\_\_\_|\_\_\_\_|\_\_\_\_|  No  Unsure  
Year

Patient's name: \_\_\_\_\_

Initial your designation if this category is applicable to your patient:

\_\_\_\_\_ medical doctor

\_\_\_\_\_ nurse practitioner

### Eliminating

1) List any medical conditions that impact the patient's ability to personally manage bowel or bladder functions and provide the year of diagnosis (if available):

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

2) Does the patient take medication to aid their limitations in bowel or bladder functions?


Yes     No     Unsure

3) Describe if the patient uses any devices or therapy to aid their limitations in bowel or bladder functions (for example, ostomy, biological therapy):

\_\_\_\_\_  
\_\_\_\_\_

4) Provide examples of the factors that limit the patient's ability to personally manage their bowel or bladder functions using the severity and frequency scales provided as a guide (for example, they always require assistance from another person to manage bowel or bladder functions, they have chronic constipation or diarrhea, they often have fecal or urinary incontinence, they usually require intermittent catheterization):

**Severity**



**Frequency**



\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

5) Tell us in the table below about the patient's ability to personally manage their bowel or bladder functions (more than one answer may apply, given that the patient's ability may change over time). Evaluate their ability to personally manage bowel or bladder functions when using the medication, devices, and therapy listed above, if applicable.

Limitations in eliminating	Is this the case all or substantially all of the time (see page 3)?	Year this began
<input type="checkbox"/> The patient is unable or takes an inordinate amount of time to personally manage bowel or bladder functions (at least three times longer than someone of similar age without an impairment in these functions).	<input type="checkbox"/> Yes <input type="checkbox"/> No	_____
<input type="checkbox"/> The patient has difficulty, but does not take an inordinate amount of time to personally manage bowel or bladder functions. <sup>1</sup>	<input type="checkbox"/> Yes <input type="checkbox"/> No	_____

<sup>1</sup>If your patient experiences limitations in more than one category, they may be eligible under the "Cumulative effect of significant limitations" section on page 14.

6) Has the patient's impairment in bowel or bladder functions lasted, or is it expected to last, for a continuous period of at least 12 months?

Yes     No

7) Has the patient's impairment in bowel or bladder functions improved or is it likely to improve to such an extent that they would no longer be impaired?

Yes (provide year) \_\_\_\_\_  No     Unsure  
Year



Patient's name: \_\_\_\_\_

Initial your designation if this category is applicable to your patient:

\_\_\_\_\_ medical doctor \_\_\_\_\_ nurse practitioner \_\_\_\_\_ occupational therapist

### Feeding

This impairment category includes the acts of feeding oneself as well as preparing food, except when the time spent on food preparation is related to a dietary restriction or regime. It does not include identifying, finding, shopping for, or obtaining food.

1) List any medical conditions that impact the patient's ability to feed themselves and provide the year of diagnosis (if available):

\_\_\_\_\_


2) Does the patient take medication to aid their limitations in feeding themselves?

Yes  No  Unsure

3) Describe if the patient uses any devices or therapy to aid their limitations in feeding themselves (for example, assistive utensils, occupational therapy):

\_\_\_\_\_

4) Provide examples of the factors that limit the patient's ability to feed themselves using the severity and frequency scales provided as a guide (for example, they often require assistance from another person to prepare their meals or feed themselves, their dexterity is always severely impaired, they have moderate tremors, they rely exclusively on tube feeding):



\_\_\_\_\_

5) Tell us in the table below about the patient's ability to feed themselves (more than one answer may apply, given that the patient's ability may change over time). Evaluate their ability to feed themselves when using the medication, devices, and therapy listed above, if applicable.

Limitations in feeding oneself	Is this the case all or substantially all of the time (see page 3)?	Year this began
<input type="checkbox"/> The patient is unable or takes an inordinate amount of time to feed themselves (at least three times longer than someone of similar age without an impairment in that ability).	<input type="checkbox"/> Yes <input type="checkbox"/> No	_____
<input type="checkbox"/> The patient has difficulty, but does not take an inordinate amount of time to feed themselves. <sup>1</sup>	<input type="checkbox"/> Yes <input type="checkbox"/> No	_____

<sup>1</sup>If your patient experiences limitations in more than one category, they may be eligible under the "Cumulative effect of significant limitations" section on page 14.

6) Has the patient's impairment in feeding themselves lasted, or is it expected to last, for a continuous period of at least 12 months?

Yes  No

7) Has the patient's impairment in feeding themselves improved or is it likely to improve to such an extent that they would no longer be impaired?

Yes (provide year) \_\_\_\_\_  No  Unsure  
Year

Patient's name: \_\_\_\_\_

Initial your designation if this category is applicable to your patient:

\_\_\_\_\_ medical doctor \_\_\_\_\_ nurse practitioner \_\_\_\_\_ occupational therapist

### Dressing

This impairment category does not include identifying, finding, shopping for, or obtaining clothing.

1) List any medical conditions that impact the patient's ability to dress themselves and provide the year of diagnosis (if available):

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

2) Does the patient take medication to aid their limitations in dressing?


Yes  No  Unsure

3) Describe if the patient uses any devices or therapy to aid their limitations in dressing themselves (for example, button hook, occupational therapy):


\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

4) Provide examples of the factors that limit the patient's ability to dress themselves using the severity and frequency scales provided as a guide (for example, they often require assistance from another person to dress themselves, they have severe pain in their upper extremities, they often have moderately limited range of motion):

#### Severity



#### Frequency



\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

5) Tell us in the table below about the patient's ability to dress themselves (more than one answer may apply, given that the patient's ability may change over time). Evaluate their ability to dress themselves when using the medication, devices, and therapy listed above, if applicable.

Limitations in dressing oneself	Is this the case all or substantially all of the time (see page 3)?	Year this began
<input type="checkbox"/> The patient is unable or takes an inordinate amount of time to dress themselves (at least three times longer than someone of similar age without an impairment in that ability).	<input type="checkbox"/> Yes <input type="checkbox"/> No	____ ____ ____ ____ ____
<input type="checkbox"/> The patient has difficulty, but does not take an inordinate amount of time to dress themselves. <sup>1</sup>	<input type="checkbox"/> Yes <input type="checkbox"/> No	____ ____ ____ ____ ____

<sup>1</sup>If your patient experiences limitations in more than one category, they may be eligible under the "Cumulative effect of significant limitations" section on page 14.

6) Has the patient's impairment in dressing themselves lasted, or is it expected to last, for a continuous period of at least 12 months?

Yes  No

7) Has the patient's impairment in dressing themselves improved or is it likely to improve to such an extent that they would no longer be impaired?

Yes (provide year) \_\_\_\_|\_\_\_\_|\_\_\_\_|\_\_\_\_|  No  Unsure  
Year

Patient's name: \_\_\_\_\_

**Protected B** when completed

**Mental functions  
necessary for everyday life**

Initial your designation if this category is applicable to your patient:

\_\_\_\_\_ medical doctor    \_\_\_\_\_ nurse practitioner    \_\_\_\_\_ psychologist

Mental functions necessary for everyday life include:

• **Adaptive functioning** which includes abilities related to:

- self-care such as attending to personal hygiene
- health and safety
- initiating and responding to social interactions
- common, simple transactions such as grocery shopping or paying a bill

• **Memory** which includes the ability to remember:

- simple instructions
- basic personal information such as date of birth and address, or material of importance and interest

• **Judgment, problem-solving, and goal-setting** taken together (for example, complying with prescribed treatments, selecting weather appropriate clothing)

1) List any medical conditions that impact the patient's ability to perform mental functions necessary for everyday life and provide the year of diagnosis (if available):

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

2) Does the patient take medication that aids their ability to perform mental functions necessary for everyday life?

Yes     No     Unsure

Does the patient require supervision or reminders from another person to take their medication?  
This question is not applicable to children.

Yes     No     Unsure

Select the option that best describes how effectively the medication treats their condition:

Effective     Moderately effective     Mildly effective     Ineffective     Unsure

3) Describe any devices or therapy the patient uses that aid their ability to perform mental functions necessary for everyday life (for example, memory aids, assistive technology, cognitive-behavioural therapy):

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

The Mental functions section continues on pages 12 and 13.

**Mental functions (continued)**

4) Does the patient have an impaired capacity to live independently (or to function at home or at school in the case of a child under 18) without daily supervision or support from others?

- No  Yes

Select all types of support received by the adult or child under 18:

**Adult**

- Assisted living or long-term facility
- Community-based health services
- Hospitalization
- Support from family members

**Child under 18**

- Adult supervision at home beyond an age-appropriate level
- Additional support from educational staff at school

Provide additional details about support received (optional):

**Adaptive functioning**

5) Select the option that best describes the severity of the patient's difficulties with adaptive functioning:

- No difficulty  Mild  Mild to moderate  Moderate  Moderate to severe  Severe

If they have difficulty with adaptive functioning, select all the examples that apply to the patient.

The patient has an impaired capacity to:

- Adapt to change
- Exhibit socially appropriate behaviour
- Express basic needs
- Demonstrate basic impulse control
- Go out in the community
- Initiate common, simple transactions
- Perform basic hygiene or self-care activities
- Perform necessary everyday tasks
- Process basic verbal information
- Recognize danger and risks to their safety

**Memory**

6) Select the option that best describes the severity of the patient's memory difficulties:

- No difficulty  Mild  Mild to moderate  Moderate  Moderate to severe  Severe

If they have difficulty with memory, select all the examples that apply to the patient.

The patient has an impaired capacity to:

- Remember basic personal information such as date of birth and address
- Remember simple instructions
- Remember material of importance and interest to the patient

### Mental functions (continued)

#### Judgment, problem-solving, and goal-setting taken together

7) Select the option that best describes the severity of the patient's overall difficulties with judgment, problem-solving, and goal-setting:

- No difficulty   
  Mild   
  Mild to moderate   
  Moderate   
  Moderate to severe   
  Severe

If they have difficulty with judgment, problem-solving, and goal-setting, select all the examples that apply to the patient.

The patient has an impaired capacity to:

- Comply with prescribed treatments  
 Make and carry out simple day-to-day plans  
 React appropriately in unfamiliar situations

#### Additional information

8) Provide any examples related to the patient's adaptive functioning, memory, or judgment, problem-solving, and goal-setting difficulties that were not captured above.

---

---

---

---

---

---

9) Tell us in the table below about the patient's ability to perform mental functions necessary for everyday life (more than one answer may apply, given that the patient's ability may change over time). Evaluate their ability to perform mental functions when using the medication, devices, and therapy listed above, if applicable.

Mental functions	Is this the case all or substantially all of the time (see page 3)?	Year this began
<input type="checkbox"/> The patient is unable to perform these functions by themselves or takes an inordinate amount of time compared to someone of similar age without an impairment.	<input type="checkbox"/> Yes <input type="checkbox"/> No	<div style="border: 1px solid black; width: 100px; height: 20px; display: flex; justify-content: space-between;"> <span style="width: 20px; height: 10px;"></span> <span style="width: 20px; height: 10px;"></span> <span style="width: 20px; height: 10px;"></span> <span style="width: 20px; height: 10px;"></span> </div>
<input type="checkbox"/> The patient has difficulty performing these functions, but does not take an inordinate amount of time. <sup>1</sup>	<input type="checkbox"/> Yes <input type="checkbox"/> No	<div style="border: 1px solid black; width: 100px; height: 20px; display: flex; justify-content: space-between;"> <span style="width: 20px; height: 10px;"></span> <span style="width: 20px; height: 10px;"></span> <span style="width: 20px; height: 10px;"></span> <span style="width: 20px; height: 10px;"></span> </div>

<sup>1</sup>If your patient experiences limitations in more than one category, they may be eligible under the "Cumulative effect of significant limitations" section on page 14.

10) Has the patient's impairment in performing mental functions necessary for everyday life lasted, or is it expected to last, for a continuous period of at least 12 months?

- Yes     No

11) Has the patient's impairment in performing mental functions necessary for everyday life improved or is it likely to improve to such an extent that they would no longer be impaired?

- Yes (provide year) 
 Year   
  No   
  Unsure

Patient's name: \_\_\_\_\_

**Protected B** when completed

Initial your designation if this category is applicable to your patient:

\_\_\_\_\_ medical doctor \_\_\_\_\_ nurse practitioner \_\_\_\_\_ occupational therapist<sup>2</sup>

<sup>2</sup>An occupational therapist can only certify limitations for walking, feeding, and dressing.

### Cumulative effect of significant limitations

When a person's limitations in one category do not quite meet the criteria to qualify for the DTC, they may still qualify if they experience significant limitations in two or more categories.

1) Select all categories you completed in previous pages and in which your patient has significant limitations, even with therapy and the use of appropriate devices and medication:

- |   |   |
|---|---|
| <input type="checkbox"/> Vision                                   | <input type="checkbox"/> Speaking                                     |
| <input type="checkbox"/> Hearing                                  | <input type="checkbox"/> Walking                                      |
| <input type="checkbox"/> Eliminating (bowel or bladder functions) | <input type="checkbox"/> Feeding                                      |
| <input type="checkbox"/> Dressing                                 | <input type="checkbox"/> Mental functions necessary for everyday life |

**Important:** If you checked a box for a particular category on this page but did not complete the corresponding section on the applicable page of this form, fill out that section prior to completing this page. The CRA will need that information to determine your patient's eligibility under the cumulative effect of significant limitations.

2) Do the patient's limitations in at least two of the categories selected above exist together all or substantially all of the time (see page 3)?

**Note:** Although a person may not engage in the activities simultaneously, "together" in this context means that they are affected by the limitations during the same period of time.

- Yes     No

3) Is the cumulative effect of these limitations equivalent to being unable or taking an inordinate amount of time in one single category of impairment, all or substantially all of the time (see page 3)?

- Yes     No

4) Provide the year the cumulative effect of the limitations described above began:

\_\_\_\_\_ Year

Patient's name: \_\_\_\_\_

Initial your designation if this category is applicable to your patient:

\_\_\_\_\_ medical doctor \_\_\_\_\_ nurse practitioner

## Life-sustaining therapy

Eligibility criteria for life-sustaining therapy are as follows:

- The therapy supports a **vital function**.
- The therapy is needed at least **3 times per week**.
- The therapy is needed for an average of at least **14 hours per week** including only the time that your patient must dedicate to therapy, that is, the time spent on activities requiring the patient to take time away from normal everyday activities to receive the therapy.

Refer to the following table as a guide for the types of activities to include in the 14-hour requirement.

### Examples of eligible activities:

- Activities related to adjusting and administering medication
- Cleaning or maintaining equipment used to administer the therapy
- Maintaining a log related to the therapy
- Receiving life-sustaining therapy at home or at an appointment
- Time spent by the child's primary caregiver(s) to do or supervise the therapy or perform activities like those listed above

### Examples of ineligible activities:

- Medical appointments that do not involve receiving the therapy
- Shopping for medication
- Time a portable/implanted device takes to deliver therapy
- Time spent on dietary restrictions or regimens, or exercising
- Travel to receive therapy
- Recuperation after therapy

1) Which type of life-sustaining therapy is your patient receiving?

Specify the life-sustaining therapy: \_\_\_\_\_

Specify the medical condition: \_\_\_\_\_

2) List the eligible activities for which the patient dedicates time in order to receive the life-sustaining therapy:


3) Does your patient need the therapy to support a vital function?

Yes  No

4) Provide the minimum number of times per week the patient needs to receive the life-sustaining therapy: \_\_\_\_\_

\_\_\_\_\_ times per week

5) Provide the average number of hours per week the patient needs to dedicate to activities related to life-sustaining therapy: \_\_\_\_\_

\_\_\_\_\_ hours per week

6) Enter the year the patient began to need the therapy at least 3 times per week for an average of 14 hours per week. If it does not meet these criteria, enter the year they began to receive the therapy:

\_\_\_\_\_|\_\_\_\_\_|\_\_\_\_\_|\_\_\_\_\_|  
Year

7) Has the impairment that necessitated the life-sustaining therapy lasted, or is it expected to last, for a continuous period of at least 12 months?

Yes  No

8) Has the impairment that necessitated the life-sustaining therapy improved or is it likely to improve to such an extent that they would no longer be in need of the life-sustaining therapy?

Yes (provide year) \_\_\_\_\_  No  Unsure  
Year

### Certification – Mandatory

1) For which year(s) has the person with the disability been your patient? \_\_\_\_\_ to \_\_\_\_\_

2) Do you have medical information on file for all the year(s) you certified on this form?  Yes  No

Select the medical practitioner type that applies to you:

- Medical doctor   
  Nurse practitioner   
  Optometrist   
  Occupational therapist  
 Audiologist   
  Physiotherapist   
  Psychologist   
  Speech-language pathologist

As a **medical practitioner**, I certify that the information given in Part B of this form is correct and complete. I understand that this information will be used by the CRA to make a decision if my patient is eligible for the DTC.

Signature: \_\_\_\_\_  
 It is a serious offence to make a false statement.

Name (print): \_\_\_\_\_

Medical license or registration number (optional): \_\_\_\_\_

Telephone number: \_\_\_\_\_

Date: \_\_\_\_\_  
 Year                      Month                      Day

Address

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

### General information

#### What is the DTC?

The disability tax credit (DTC) is a non-refundable tax credit that helps persons with disabilities or their supporting persons reduce the amount of income tax they may have to pay.

For more information, go to [canada.ca/disability-tax-credit](http://canada.ca/disability-tax-credit) or see [Guide RC4064, Disability-Related Information](#).

#### Are you eligible?

A person with a severe and prolonged impairment in physical or mental functions **may be eligible** for the DTC. To find out if you may be eligible for the DTC, fill out the self-assessment questionnaire in Guide RC4064, Disability-Related Information.

#### What happens after you send the form?

Make sure to keep a copy of your application for your records. After we receive your application, we will review it and make a decision based on the information provided by your medical practitioner. We will then send you a notice of determination to inform you of our decision.

You are responsible for any fees that the medical practitioner charges to fill out this form or to give us more information. You may be able to claim these fees as medical expenses on line 33099 or line 33199 of your income tax and benefit return.

#### What if you have questions or need help?

If you need more information after reading this form, go to [canada.ca/disability-tax-credit](http://canada.ca/disability-tax-credit) or call **1-800-959-8281**.

#### Forms and publications

To get our forms and publications, go to [canada.ca/cra-forms](http://canada.ca/cra-forms) or call **1-800-959-8281**.

#### How do you send in your form?

You can send your completed form at **any time** during the year online or by mail. Sending your form before you file your annual income tax and benefit return may help us assess your return faster.

##### Online

Submitting your form online is secure and efficient. You will get immediate confirmation that it has been received by the CRA. To submit online, scan your form and send it through the "Submit documents" service in My Account at [canada.ca/my-cra-account](http://canada.ca/my-cra-account). If you're a representative, you can access this service in Represent a Client at [canada.ca/taxes-representatives](http://canada.ca/taxes-representatives).

##### By mail

You can send your application to the tax centre closest to you:

Winnipeg Tax Centre  
 Post Office Box 14000, Station Main  
 Winnipeg MB R3C 3M2

Sudbury Tax Centre  
 Post Office Box 20000, Station A  
 Sudbury ON P3A 5C1

Jonquière Tax Centre  
 2251 René-Lévesque Blvd  
 Jonquière QC G7S 5J2