





M Shape

ape Small





#### **6-TIER RACK TROLLEY**

- -Designed to pack GN and transport them
- -Suitable for GN sizes 2/1,1/1,1/2,1/3,2/3 in 65mm depth
- -PVC/TPR wheels are available2 with brakes
- -M shape layers,its construction is enough strong to support 15kg/shelf
- -Stop lever at diagonal sides, to avoid the pans sliding out

s.s.	XI	100MG

code	mm
111701	380x550x950
111702	590x670x950

#### **GN RACK TROLLEY WITH TABLE TOP**

- -Desiged to pock GN and offer a table top
- -Suitable for GN sizes 2/1,1/1,1/2,1/3,2/3 in 65mm depth
- -PVC/TPR wheek are availble 2 with brakes
- -M shape layers,its construction is enough strong to support 15kg/shelf
- -Stop lever at dagonal sides, to aoid the pans shcing out



code	mm
111601	380x550x950
111602	380x550x950
111603	590x670x950
111604	590x670x950



-Bending square tube as the mainly frame



Connection between tubes



-The layers was welded on the tubes, suitable for the GN pan



-Stop lever for preventing pans from slipping off





- -Material: Stainless steel 201
- -Special layer design for 1/1 GN pans and 40x60cm baking trays
- -Tiers with stop ridge, width 15mm
- -Distance between tiers: 75mm
- -Payload: max.150kg
- -Customized height to meet different occasions
- -Fitted with four castors of which have two brakes .
- -Extra heavy construction
- -Delivered in a carton, flat packed



code	CBM	mm	
110410	0.162	465x620xH1735	



#### **GN & BAKING 2 IN 1 SHELF CART**

- -Material: Stainless steel 201
- -Special layer design for 1/1 GN pans and 40x60cm baking trays
- -Tiers with stop ridge, width 15mm
- -Distance between tiers: 75mm
- -Payload: max.150kg
- -Customized height to meet different occasions
- -Fitted with four castors of which have two brakes .
- -Extra heavy construction
- -Delivered in a carton, flat packed



code	CBM	mm
110411	0.087	465x620xH1000







- -Special layers design, suitable for GN pan and baking tray
- -Smooth edge of the layers, without any sharp burs , safety for used.
- -Each size with stop lever for preventing pans from slipping off

#### **Z-TYPE SHELF CART**

- -In order to save space during storage trolleys can be pushed into one another.
- -GN 1/1with 15 layers- inters paced at 80mm.
- -Tray locks on either side.
- -Fitted with four castors of which two have brakes.
- -Flat pack delivery.

code	CBM	mm
110301	0.085	380x550x1700
110302	0.107	590x670x1700
110303	0.110	470x620x1700



110303







Runner Option:







Small L

BM Shape




110301



-Spot welding layers and the stop lever



-Stackable structure for space saving



-Stackable structure for space saving













- -In order to pack and storage the baking pans
- -Tray locks on either side.
- -Max loading 150kg
- -Smooth edge without sharp burs , safety for used
- -Customized height from 12 tiers to 20 tiers
- -Layers fixed on the tube by strong spot welding , stable and durable
- -Fitted with four castors of which two have brakes.
- -15-tier, for 15pcs 40x60 pans



code	CBM	mm
110102	0.113	470x620xH1700





- -In order to pack and storage the baking pans
- -Tray locks on either side.
- -Max loading 150kg
- -Smooth edge without sharp burs , safety for used
- -Customized height from 12 tiers to 20 tiers
- -Layers fixed on the tube by strong spot welding , stable and durable
- -Fitted with four castors of which two have brakes.
- -15-tier, for 15pcs 40x60 pans



code	CBM	mm
110101	0.146	620x820xH1700



#### **18-TIER BAKERY TROLLEY**

- -In order to pack and storage the baking pans
- -Max loading 150kg
- -Smooth edge without sharp burs , safety for used
- -Customized height from 12 tiers to 20 tiers
- -Fitted with four castors of which two have brakes.
- -Flat pack delivery.

		s.s.
code	CBM	mm
110411	0.158	1200x800xH1800

# VISION DISTRIBUTION 16-TIER ROTARY OVEN TROLLEY

- -In order to pack and storage the baking pans
- -Tray locks on either side.
- -Max loading 150kg
- -Smooth edge without sharp burs , safety for used
- -Customized height from 12 tiers to 20 tiers
- -Layers fixed on the tube by strong spot welding, stable and durable
- -Fitted with four castors of which two have brakes.
- -16pcs 40x60 pans/ 32pcs 40x60 pans

	s.s.	II	100KG
	mm		
(10 (1	0 11450	_	

code	CBM	mm
110201	0.087	610x468xH1700
110202	0.090	658x810xH1700



#### **ROTARY OVEN RACK TROLLEY** WITH WINDOW



code	CBM	mm
111201	0.184	510x730xH1800
111202	0.259	650x860xH1800











#### **ROTARY OVEN RACK TROLLEY WITH WINDOW**

s.s. X

code	CBM	mm
111301	0.254	670x840xH1850









# 6-TIER DUAL-ROW GN RACK TROLLEY (111801) 7-TIER DUAL-ROW GN RACK TROLLEY (111901)

- -Designed to pack GN and offer a table top
- -Suitable for GN sizes 2/1,1/1,1/2,1/3,2/3 in 65mm depth
- -PVC / TPR wheels are available,2 with brakes
- -M shape layers, its construction is enough strong to support 15kg/shelf
- -Stop lever at diagonal sides, to avoid the pans sliding out

#### **GN RACK DUAL-ROW TROLLEY WITH TABLE TOP**

- -Designed to pack GN and offer a table top
- -Suitable for GN sizes 2/1,1/1,1/2,1/3,2/3 in 65mm depth
- -PVC / TPR wheels are available,2 with brakes
- -M shape layers, its construction is enough strong to support 15kg/shelf
- -Stop lever at diagonal sides, to avoid the pans sliding out



code	CBM	mm
111801	0.064	740x550xH950
111901	0.079	740x670xH950



code	CBM	mm
111401	0.064	740x550xH950
111501	0.079	740x670xH950



#### **Runner Option:**



M Shap





		s.s.
code	CBM	mm
111412	0.717	550x738xH1725

code	CBM	mm
190202	0.457	900x620xH800


s.s.




#### **BASE FRANE**

- Material; Stainless steel
- Number bf drawers:4
- Format dawers: 600 x 400 mm
- Size: 675 x835 X 855 mm
- Weight: 14 kg

code 190301







#### **BASE FRANE**

- Material; Stainless steel
- Number bf drawers:4
- Format dawers: 600 x 400 mm
- Size: 675 x835 X 855 mm
- Weight: 14 kg

	, i
code	mm
190302	675 x835 X 855



YI

- Gastronome trolleys ideal for a wide range of food transport, serving and storage taskswithin the catering industry.
- -100% avoid rails-dropping by strong spot welding.
- -Fitted with GN sizes 1/1, 1/2, 2/3, 1/3 and 2/1 from 6 tiers to 20tiers.-Single or double row designs will meet your different demands
- -Stable layers option for supporting heavy duty service, max loading 15kg/shelf-Tray locks on either side for anti-sliding the pans

- -Smooth edge of each bars caring your hand
- -Fitted with 4pcs TPR / PVC swivel castors, 2 with brakes



-The layers was welded on the tubes, suitable for the GN pan



-Stop lever for preventing pans from slipping off



-Bending square tube as the mainly frame



-Connection between tubes

Small L







#### 15-TIER DUAL-ROW GN RACK TROLLEY **16-TIER DUAL-ROW GN RACK TROLLEY**



code	CBM	mm
160101	0.132	740x550xH1700
160201	0.132	740x550xH1700


#### 1/1 GN RACK TROLLEY 2/1 GN RACK TROLLEY

s.s.

code	CBM	mm
112001	0.092	380x550xH1700
112101	0.092	380x550xH1700
112201	0.095	385x555xH1750
112401	0.109	590x670xH1700
112501	0.109	590x670xH1700

#### **12-TIER WIRE RACK TROLLEY**

- -Material : stainless steel 201
- -Suitable for packing the GN pan , fast food tray
- -Customized height from 12 tiers to 20 tiers.
- -Side panels designs for your selection
- -max loading 8kg/shelf
- -Fitted with 4pcs TPR / PVC swivel castors,
- 2 with brakes











-Suitable for GN size 1/1 x 65







-Spot welding to connect the tubes and tube

-Bumper protector and wheels with brake

code	CBM	mm	Remark
110801	0.174	380x550xH1800	12tiers, single row, w/o side panels
111901	0.205	380x550xH1800	12tiers single row, wi th side panels
111001	0.349	850x570xH1800	12tiers, dual rows, w/o side panes
111101	0.410	850x 570xH1800	12tiers, dual rows, with side panes









-Design to packing plates and trays



-Each tubes fitted with the anti-skidding pipe



-Suitable for the plates no less than dia.230mm



-With 4pcs swivel castors, 2 with brakes

#### PLATES RACK TROLLEY, FOR DISH PLATES & FAST FOOD TRAY



code	CBM	meas.	mm	Remark
180101	0.181	755x640xH375	606x598xH1635	20 tiers, for 80pcs dia.230mm plates







Runner Option:



#### 7-TIER BAKERY TROLLEY

code	CBM	mm	
170101	0.085	740x460xH1800	

#### **RACK TROLLEY FOR DISHWASHER BASKETS**

code	CBM	Remark	mm
110601	0.052	4 tiers	505x550xH 1000
110602	0.096	7 tiers	505x550xH 1800
110501	0.178	9tiers, dlual rows	1095x505xH1700

#### **18-TIER ALUMINUM BAKING TROLLEY**

- -In order to pack and storage the baking pans / trays
- -Max loading 150kg
- -Aluminum baking trolley
- -Smooth edge without sharp burs , safety for used
- -Customized height from 12 tiers to 20 tiers
- -Layers fixed on the tube by strong screw , stable and durable
- -Fitted with four castors of which two have brakes.
- -With / without door designed for meeting different demands
- -Surface: Anodizing / Suitable for 600x400mm pans
- -Flat pack delivery.
- -With PC board / door, fixed layers





-Door designed



-Wheel with brakes



-Layers fixed by screw

# Big L





For 40x60mm Bakery pan









## Xi

## s.s.

s.s.

#### 9 TIERS RACK TROLLEY FOR DISHWASHER BASKETS

code	mm	mm
805109	0.104	605x465xH980

# 15 TIERS RACK TROLLEY FOR DISHWASHER BASKETS

Y 1

code	mm	mm
805020	0.144	605x465xH1485

# 18 TIERS RACK TROLLEY FOR DISHWASHER BASKETS

code	mm	mm
805021	0.175	605x465xH1790

#### **2-TIER WOODEN TROLLEY**

- Material: oak
- Fungus proofing
- Easy maintenance
- Anti-corrosion
- Include 4 TPR castors, dia. 100mm, 2 with brakes
- Color light/bark/brown
- Flatpack delivery

		, t
code	CBM	mm
102013	0.144	700x500xH800
102014	0.144	700x500xH800

#### 2-TIER WOODEN TROLLEY

- Material: oak
- Fungus proofing
- Easy maintenance
- Anti-corrosion
- Include 4 TPR castors, dia. 100mm, 2 with brakes
- Color light/bark/brown
- Flatpack delivery

	,	X i
code	CBM	mm
102015	0.220	900x450xH800
102016	0.220	900x450xH800







#### **2 TIERS-HEAVY DUTY TROLLEY**

Material :SS201+pp	PP S.S. X
code CBM	mm
150101 0.120	910x600xH920
150102 0.080	730x490xH890



Material :SS201+pp		PP S.S.
code	CBM	mm
150201	0.143	910x600xH920
150202	0.096	730x480xH890



#### **MULTIFUNCTIONAL TROLLEY**

code	CBM	mm
120401	0.065	820x440x950

s.s.

PP S.S. X



## (KNOCK-DOWNED)

code	CBM	mm
120501	0.095	910x600x920
120502	0.057	730x480x890

#### **HEAVY DUTY PLATFORM TROLLEY** (FOLDING TYPE)

- -Material: Stainless steel 201 and polypropylene
- -Fitted with 4 PVC heavy duty swivel castors
- -Round tube handles
- -Anti-skid design on the PP board
- -Folding structure
- -Qty / ctn :1pcs
- -Flat pack delivery

	•	
code	CBM	mm
120301	0.095	910x600x920
120302	0.057	730x480x890



# VISION





#### **FOLDABLE PLATFORM TROLLEY**

- -Material: stainless steel 201
- -Tube: dia.38 mm,0.8mm thickness
- -S/S board: Ss201, 0.8mm thickness

_		
[	s.s.	T1

code	CBM	mm
120301	0.076	820x520x970
120302	0.059	720x450x850

#### **KNOCK-DOWNED PLATFORM CART**

- -Material: stainless steel 201
- -Tube: dia.38 mm,0.8mm thickness
- -S/S board: Ss201, 0.8mm thickness



code	CBM	mm
120501	0.092	900x550x770

#### **PLATES COLLECTING TROLLEY**



code	CBM	mm
140601	0.088	975x515x800







#### **KNOCK-DOWNED PLATFORM CART**



code	CBM	mm
140101	0.423	720x520x930

#### **PLATES COLLECTING TROLLEY**



code	CBM	mm
140102	0.333	810x515x905







Removable PP tray



Suitable for 1/1,1/2,2/3,1/3 GN pan





#### **MULTI-FUNCTION STORAGE SHELF**

- -Material: stainless steel 201 tube, 1.2mmT + Nylon + PP tray, 3.5mmT
- -Adjustable shelf distance, offer more different selection, more flexible
- -Assembly without screws,
- -Can remove the tray and put the GN pans
- -As the roles of storage rack and GN rack
- -Add the handles and wheels, the storage rack / GN shelf can be removed conveniently
- -Max loading: 50kg/shelf,total 200kg

	L	Ï	i	
n				
<b>610</b>				

	ODM	
code	CBM	mm
320701	0.091	846x372xH1610
320702	0.127	1196x372xH1610
320703	0.139	1546x372xH1610
320704	0.163	1896x372xH1610


# VISION DISTRIBUTION

#### REMOVABLE MULTI-FUNCTION STORAGE SHELF

- -Material: stainless steel 201 tube, 1.2mmT + Nylon + PP tray, 3.5mmT
- -Adjustable shelf distance, offer more different selection, more flexible
- -Assembly without screws,
- -Can remove the tray and put the GN pans
- -As the roles of storage rack and GN rack
- -Add the handles and wheels, the storage rack / GN shelf can be removed conveniently
- -Max loading: 50kg/shelf,total 200kg



code	CBM	mm
320705	0.049	856x372xH1021
320706	0.057	1033x372xH1021




design

screw

#### X. **WIRE STORAGE RACK** code CBM mm 320601 0.097 1200×450×H1550 320602 0.137 1200×600×H1550 320603 0.130 1500×450×H1550 320604 0.171 1500×600×H1550 320605 1800×450×H1550 0.156 320606 0.204 1800×600×H1550

#### ADJUSTABLE STORAGE RACK

- -Ideal for home use or commercial purposes
- -Customized size available
- -Knocked-down structure, low transportation cost and easy to assemble
- -Material: stainless steel 201, 0.9mm thickness
- -Adjustable bullet feet



# VISION DISTRIBUTION









Adjustable bullet feet









## **SQUARE TUBE STORAGE RACK**

S.S.	(
------	---

code	CBM	mm
320401	0.170	1200×500×H1550
320402	0.201	1200×600×H1550
320403	0.170	1500×500×H1550
320404	0.201	1500×600×H1550
320405	0.196	1800×500×H1550
320406	0.233	1800×600×H1550

#### **ROUND TUBE STORAGE RACK(BOARD TYPE)**

code	CBM	mm
320201	0.140	1200×500×H1550
320202	0.166	1200×600×H1550
320203	0.142	1500×500×H1550
320204	0.169	1500×600×H1550
320205	0.169	1800×500×H1550
320206	0.200	1800×600×H1550

#### **ROUND TUBE STORAGE RACK(LADDER TYPE)**

code	CBM	mm
320301	0.140	1200×500×H1550
320302	0.166	1200×600×H1550
320303	0.142	1500×500×H1550
320304	0.169	1500×600×H1550
320305	0.169	1800×500×H1550
320306	0.200	1800×600×H1550

s.s. X

#### **FOLDABLE TROLLEY**

- -Material:SS201+PP+TPR
- -3 or 4 shelves design, the shelf distance is 2pcm
- -Folded structure could help you to save space
- -Portable carrying, especially could put in your car easily
- -Plastic tray without any smells, with a long ierving life







#### 3 TIERS / SHELVES

code	CBM	mm
102103	0.210	930x510xH930

#### **4 TIERS / SHELVES**

code	CBM	mm
102104	0.210	930x510xH1196



- -Supporting bar underneath the tray, which could make the structure more stable
- -Smooth plastic handle
- -Each tray with profile edge



- -Fully folded view -with the stop brake
- -3-Tier cart fully folded
- dirmensions:93x20.5xH110cm



- -Fully folded structure could be packed in thecart for outdoor activities using
- -Portable and fexible

**NEW** 

#### **FOLDABLE TROLLEY**

- -Material:SS201;
- -Folded structure could help you to save space
- -Suitable for the hotel ,restaurant , outdoor or parties
- -Assembly delivery could save your time for immediately use-Easy to operate
- -Outstanding loading capacity, max loading 250kg-TPR wheels,2 with brakes

#### **FOLDABLE TROLLEY**

code	CBM	mm
102101	0.135	635x401xH960
102102	0.194	885x501xH960



VISION
DISTRIBUTION
S.S.







#### **ROUND TUBE SERVING TROLLEY**

- -Material: SS201 / SS430 / SS304 is available
- -Tray thickness:0.5/ 0.6 / 0.8mm, Tube thickness:0.6 / 0.8mm
- -Brushed polished surface
- -Knocked-down or sold welding structure is by your choice
- -Max. load capacity: 50kg/per shelf
- -Fitted with 4 PCS TPR swivel castors, 2 with brakes, can stop on the slobe
- -Flat pack delivery







## VISION DISTRIBUTION

#### **2-TIERS S/S TROLLEY**

- -Round tube structure
- -There's mute damper underneath the tray
- -With the corner protectors
- -Max loading 100kg,50kg per shelf

code	CBM	mm
101001	0.094	1040x625xH1030
101002	0.062	845x525xH940
101003	0.050	805x460xH900
101004	0.041	705x405xH810



#### **3-TIERS S/S TROLLEY**

- -Material: SS201/SS430/SS304
- -Max loading capacity 150kg,50kg each shelf

code	CBM	mm
101101	0.119	1100x600xH1200
101102	0.079	845x525xH940
101103	0.064	805x460xH900
101104	0.053	705x405xH810











- -Fitted with 4 shelves
- -Especially for hotel, restaurant, lab, kitchen, library used
- -Max loading capacity 200kg,50kg each shelf


code	CBM	mm
101201	0.124	845x525xH1240
101202	0.100	805x460xH1180
101203	0.079	705x405xH1070

# VISION















Profile Edge



#### **5-TIERS S/S TROLLEY**

- -Fitted with 5 shelves
- -Material stainless steel 201 / 430 / 304 may meet your specific requirements
- -Thickness 0.5 /0.6/0.8 mm is available, satisfy different markets
- -Customized logo is available
- -Brushed polishing surface-Shelf distance: 270mm
- -Fitted with 4TPR swivel castors, less noise, including 2 brakes, can stop on the 10 degree slope when loading weights
- -Especially for hotel, restaurant, lab, kitchen, library used
- -Max loading capacity 200kg, from bottom to top is 50/50/50/30/20kg-Flatpack delivery

code	CBM	mm
101101	0.157	845x525xH1540
101102	0.128	805x460xH1460
101103	0.099	705x405xH1250





-Tightly connected between tube and tray



-With 4pcs TPR swivel castors ,dia. 100x27mm,2 with brakes


-With impact protection

TROLLEY	W/O HANDLES	s.s.
code	CBM	mm
101401	845x525xH800	0.062
101402	805x460xH755	0.052
101403	705x405xH690	0.041

# VISION

#### **BEVERAGE TROLLEY**

- -Material:SS201,0.8mm thickness
- -Both tray with the mute damper
- -Max loading capacity 100kg,50kg each shelf-Qty/ctn: 1pcs
- -with side support bars
- -Round stainless steel tube structure
- -Sound deadening castors with bumpers and two brakes
- -TPR wheels, soft texture and low noise,can fully stop at the 10-15degree slope
- -Flat pack delivery







#### **CLEARING TROLLEY**

- -Material Stainless steel 201f 430 is available
- -Tube thickness: 0.8mm
- -Packing size:860x555x140mm ( L ),820x485x140mm(M) , 720x435x140mm(S)
- -Flat pack delivery

		s.s.
code	CBM	mm
101501	0.067	850x525xH945
101502	0.056	805x460xH905
101503	0.044	705x405xH805



#### **CLEARING TROLLEY**

- -Material Stainless steel 201/430 is awailable
- -Tube thickness: 0.8mm
- -Fitted with 1pcs tray and 1pcs deep tray
- -Max loading 100kg,50kg/shelf
- -Qty/ctn:1pcs
- -Packaging: each tray packs in 1 poly bag, each tube packs in poly bag
- -Flat pack delivery


code	CBM	mm
101601	0.062	845x525xH940
101602	0.051	805x460xH900
101603	0.040	705x405xH810

s.s. XI



#### **CLEARING TROLLEY**

- -Material Stainless steel 201/430 is awailable
- -Tube thickness : 0.8mm
- -Fitted with 1pcs tray and 1pcs deep tray
- -Max loading 100kg,50kg/shelf
- -Qty/ctn:1pcs
- -Packaging: each tray packs in 1 poly bag, each tube packs in poly bag
- -Flat pack delivery







#### WATER TRANSFER SERVING TROLLEY

- -Made of stainless steel
- -Water transfer printing technology
- -Max. load capacity: 50kg/per shelf
- -Include 4 TPR castors, dia.100mm, 2 with brakes
- -with plastic bumper to protect the corner
- -Flatpack delivery

#### 2-TIER WATER TRANSFER SERVING TROLLEY

code	CBM	mm
102301	0.079	845x525xH940
102302	0.064	805x460xH900
102303	0.052	705x405xH810

## VISION DISTRIBUTION





#### WATER TRANSFER SERVING TROLLEY

- -Made of stainless steel 201 or 430
- -Water transfer printing technalogy, customized color available
- -Mute damper underneath the tray, less noise level
- -Max. load capacity: 50kg/per shelf
- -Include 4 TPR castors, dia.100x27(D)mm, 2 with brakes
- -with plastic burmper to protect the corner
- -Especially for the hotel, restaurant, buffet, parties
- -Flatpack delivery

code	CBM	mm
102201	0.079	845x525xH940
102202	0.064	805x460xH900
102203	0.052	705x405xH810



# 3-TIER WATER TRANSFER SERVING TROLLEY (Single handle)

- -Made of stainless steel 201 or 430
- -Water transfer printing technology, customized color available
- -Mute damper underneath the tray, less noise level
- -Max. load capacity: 50kg/per shelf
- -Fitted with 3 shelves, wooden color, single handle
- -Include 4 TPR castors, dia. 100x27[D]mm, 2 with brakes
- -with plastic bumper to protect the corner
- -Especially for the hotel, restaurant, buffet, parties
- -Flatpack delivery

code	CBM	mm
102101	0.079	845x525xH940
102102	0.064	805x460xH900
102103	0.052	705x405xH810

#### WATER TRANSFER SERVING TROLLEY

- -Material stainless steel 201/430 are availlable
- -Thickness:0.6/0.8 mm
- -Qty/ctn:1pcs
- -Flatpack delivery

•	,	
code	CBM	mm
102010	0.079	845x525xH940
102011	0.064	805x460xH900
102012	0.052	705x405xH810





VISION EXAMPLE ASTOR SWITCH CASTOR WITH BRAKE

wood grain pattern color



dark wood grain pattern color



-Nice quality TPR wheels



-Tightly connected between tube and trays



-Customized color













- -Fitted with square tubes and 2 trays
- -With f without the protective bumper is available

code	CBM	mm
100101	0.074	950x500xH940
100102	0.058	850x450xH895
100103	0.049	750x400xH840



#### **4-TIERS SQUARE TUBE TROLLEY**

- -Material stainless steell 201/430 / 304 are awailable
- -Qty/ctn:1pcs,flatpack delivery

code	CBM	mm
100401	0.110	950x500xH1255
100402	0.093	850x450xH1175
100403	0.075	750x400xH1140



-Mute damper, less noise level



-Swivel castors with brakes, tightconnection between tubes and trays



-Triangle board for supporting heavy loading

# VISION

#### **3-TIERS SQUARE TUBE TROLLEY**

- -Material stainless 201 / 430 are available
- -Designed to use the 25x25mm square tube
- -Fitted with 4 castors while 2 with brakes
- -Qty/ctn:1pcs
- -Flatpack delivery

code	CBM	mm
100201	0.074	950x500xH940
100202	0.058	850x450xH895
100203	0.049	750x400xH840



81

#### **BEVERAGE TROLLEY**

# VISION DISTRIBUTION

- -Square tube style
- -Suitable for the hotel, kitchen, salons, restaurants for transferring
- -Fitted with the protective bars and to prevent the barrels / articles for dropping
- -With plastic bumper to protect the corner for crashing
- -Fitted with 4 swivel castors,2 with brakes
- -Tight connection between the tubes and the trays
- -Max loading capacity total 100kg,50kg I shelf
- -Brushed polishing surface

-Brushed polishing surface		s.s. X
code	CBM	mm
100501	0.077	950x500xH955
100502	0.061	850x450xH905
100503	0.045	750x400xH855



#### **KETTLE TROLLEY**

- -Materiall stainless steel 201f 430 can be met
- -No sharp burrs and smooth edge
- -Fitted with 3 trays, one tray is with 8holes for packing the kettles
- -Qty/ctn: 1pcs
- -Flat pack delivery

s.s.	<b>I</b> I	100KG
	-	_

code	CBM	mm
100601	0.077	950x500xH945
100602	0.061	850x450xH895
100603	0.045	750x400xH840



#### **SEASONING TROLLEY**

- -Materiall stainless steel 201/430 are available
- -Fitted with small size, suitable for the restaurant use
- -Qty/ctn: 1pcs
- -Flat pack delivery

·	,		s.s. 🛕
code	CBM	remark	mm
100801	0.024	3 tiers / shelves	625x305xH785
100802	0.026	3 tiers / shelves	480x305xH785
100901	0.030	4 tiers / shelves	625x305xH785
100902	0.036	4 tiers / shelves	480x305xH785







#### **CLEARING TROLLEY**

- -Fitted with 2 square tubes and 2 deep trays
- -Dimension of the tray:
- L size--900x500x100mm,inside--850x450x95mm M size--80x450x100mm,inside--800x400x95mm
- S size--700x400x100mm,inside--700x350x95mm
- -Material stainless steel 201 or 430 or 304 is available
- -Qty/ctn:1pcs
- -Flat pack delivery

		s.s. X
code	CBM	mm
100701	0.073	950x500xH945
100702	0.057	850x450xH905
100703	0.042	750x400xH855



#### **COLLECTING TROLLEY**

- -Fitted with 5 square tubes and 5 stainless steel boards
- -2 S/S board was welding on the square tube, the lowest shelf was a slope in order to prevent goods from sliding
- -Material: stainless steel 201
- -Thickness: 0.8mm
- -With plastic bumper to protect the corner
- -Include 4 TPR swivel castors, 2 with brakes
- -Especially for packing the GN pan, fast food tray, plates and other goods

		s.s.
code	CBM	mm
100904	0.216	975x515xH800



#### **CLEARING TROLLEY**

- -Fitted with 4 square tubes and 4 stainless steel boards
- -Material: stainless steel 201
- -Thickness: 0.8mm
- -With plastic bumper to protect the corner
- -Include 4 TPR swivel castors,2 with brakes
- -Especially for packing the GN pan, fast food tray, plates and other goods

	S.S. I
CBM	mm
0.162	975x515xH800







#### **Z-TYPE SQUARE TUBE CATERING TROLLEY**

- -Material stainless steel 201
- -Knocked-down / stable structure
- -Suitable for transferring 1pcs 2/1 GN,2PC5 1/1 GN,4pcs 2/4 GN

code aty/ctn	mm
104502 1 7	705x555xH860

## VISION DISTRIBUTION








Z-TYPE SQUARE TUBE TROLLEY			s.s.
code	CBM	remark	mm
100907	1	2 tiers / shelves	900x495xH955



#### **WIRES TROLLEY**

- -Material: Acero carbono+Chromium plating
- -Max loading capacity: 50kg /shelf
- -Fitted with 2 or 3 shelves
- -Knocked-down structure, without using any screws
- -with 4 TPR swivel castors, 2 with brakes
- -Flat pack delivery







#### **WIRE BASKET TROLLEY**

- Product size: 508\*610\*H914mm
- Tube:  $\phi$  19, 1mm thickness
- Work table top: SS443, 0.8mm thickness
- Wire:  $\phi$  5.0/4.0/2.5mm±0.2mm
- Wheels: 3" TPR

s.s.	X!	105NG
mn	า	

code	mm
105602	508x610xH914





# **NEW**



#### **GN PAN TROLLEY**

- Product size: 815x530xH940mm
- Suitable for 12 pieces 1/6 GN pan in one layer
- Tube: SS201, 25.4x25.4x0.8mm
- Board: SS201, 0.8mm thickness
- Packing size: 845x570xH110mm









#### **RED WINE TROLLEY**

-Material: stainless steel 201 -packing size: 450x820xH300mm

-Qty/ctn: 1pcs

-Suitable for 24pcs wines



code	CBM	mm
140403	0.1107	800x400xH800

#### **PLATES COLLECTING TROLLEY**

-Material : stainless steel 201 or 430 are available

-Packing size: 800x580xH140mm

-Qty/ctn: 1pcs

-Max loading 100kg



code	CBM	mm
141101	0.065	610x450xH900







PP S.S. X

PP S.S. X



#### **CUTLERY CART /HOLDER**

code	CBM	mm
141201	0.049	536x510xH1055

#### **CUTLERY CART / HOLDER**

code	CBM	mm
141301	0.025	536x510xH330

#### **CUTLERY CART /HOLDER**

	code	CBM	mm
0	141401	0.044	536x510xH580





- -Fitted with the single round tube as the handle
- -Easy to carry and touch comfortable
- -Enough stable to support carrying in thousands of times



- -Thick stainless steel board with holes
- -Easy to clean and keep dry
- -Strong tube and tray design for carrying/transferring Heavy duty works
- -Screws to assembly and fasten the tray



-Table-top with the thick non-fumigation wooden board, smooth and flat surface -Stable and strong designed for supporting heavy duty works on it.

#### **COLLECTING TROLLEY**

code	CBM	mm
100910	0.079	556x856xH860

# VISION DISTRIBUTION





-Round smooth handle



-Front view

#### **COLLECTING TROLLEY**

- -Material: Be made of stainless steel 201
- -Fitted with 3 trays and 4 swivel swivel castors wheels
- -Trays with profile edges
- -TPR wheels, dia.100x27mm, 2 with brakes
- -Max loading capacity is 150kg, 50kg each shelf
- -Qty/ctn: 1pcs
- -Flat pack delivery

Flat pack delivery		s.s.
code	CBM	mm
100905	0.065	800x450xH935



#### 3 TIER WITH COLOURFUL TRAYS

- -Material stainless 201/430 are available
- -Designed to use the 25x25mm square tube
- -Fitted with 4 castors while 2 with brakes
- -Qty/ctn:1pcs
- -Flatpack delivery


		3.3. 1
code	CBM	mm
100301	0.074	950x500xH945
100302	0.058	850x450xH895
100303	0.049	750x400xH840

6 c Y 1 👗











-Connected by screws between shelf and tube

#### **3 TIER WITH COLOURFUL TRAYS**

- -Material stainless 201/430 are available
- -Designed to use the 25x25mm square tube
- -Fitted with 4 castors while 2 with brakes
- -Qty/ctn:1pcs
- -Flatpack delivery

r tatpack activery		s.s.
code	CBM	mm
100301	0.074	950x500xH945
100302	0.058	850x450xH895
100303	0.049	750x400xH840






-Knocked-down structure



-Card slot for locating the GN

#### STORAGE RACK FOR GN PANS

- -Material: Made of Stainless steel 201
- -Fitted with 2 shelves, it consists of 2 single rack and connects by fastening the screws
- -Suitable for packing the GN pan for storage, airing after washing
- -Suitable for packing the GN 2/1 ,1/1,1/2,2/3
- -Especially for the kitchen, hotel using
- -Qty/ctn: 1pcs
- -Flat pack delivery







#### **PLATE STORAGE**

- -Material: Made of Stainless steel 201
- -Suitable for packing the GN pan for storage, airing after washing
- -Suitable for packing the GN 2/1 ,1/1 1/2,2/3
- -Especially for the kitchen, hotel using
- -Qty/ctn: 1pcs
- -Flat pack delivery



code	CBM	mm
140504	0.037	600x550xH600

#### **PLATE STORAGE**

- -Material: made of stainless steel 201
- -Suitable for 40 pcs plates
- -Plates size in diameter 20cm-23cm is available
- -Knocked-down struicture
- -Wall mounted plates rack
- -Qty/ctn: 1pcs
- -Packing size:1025x.280x155mm
- -Flat pack delivery



code	CBM	mm
150501	0.040	1000x255xH500







#### **PLATE STORAGE TROLLEY**

- -Material: made of stainless steel 201
- -Suitable for 120 pcs plates
- -Plates size in diameter 20cm-23cm is available
- -Knocked-down structure
- -Fitted with 6pcs plates racks
- -Qty/ctn: 1pcs
- -packing size:1230x685x200mm-Flat pack delivery



code	CBM	mm
150501	0.040	1000x255xH500

# INSULATED CONTAINER TOP LOADING STYLE LAUNDRY TROLLEY

- -Fitted with 4 TPR wheels,2 with brakes
- -With 4 tubes and supporting frame
- -Nylon bag with button, yellow or blue color available
- -Assembled or fully welding

		S.S.
code	CBM	mm
130201	U U84	910 x560xH920











#### **CONE LAUNDRY TROLLEY**

- -Fitted with 4 TPR wheels,2 with brakes
- -With 4 tubes and supporting frame
- -Nylon bag with button, yellow or blue color available
- -Assembled or fully welding

s	s	

code	CBM	mm	
130401	0.211	900 x650xH850	



3	5

#### **ROUND LAUNDRY TROLLEY**

- -Fitted with 4 TPR wheels,2 with brakes
- -With 4 tubes and supporting frame
- -Nylon bag with button, yellow or blue color available
- -Assembled or fully welding



code	CBM	mm	
130301	0.063	600x600xH810	
130302	0.054	500x500xH810	



#### X-FRAME LAUNDRY TROLLEY

- -Fitted with 4 TPR wheels,2 with brakes
- -With 4 tubes and supporting frame
- -Nylon bag with button, yellow or blue color available
- -Assembled or fully welding



code	CBM	mm
130101	0.156	770x550xH1020
130102	0.114	600x600xH1060

# VISION DISTRIBUTION



# VISION





- -Material: Stainless steel 201
- -Designed base on the 2-tier serving trolley
- -Fitted with 4 TPR swivel castors,2 with brakes
- -With the plastic bumper to protect the corner
- -Shelf distance is 560mm
- -Easy to transport the trash in a long distance and keep clean
- -Suitable for the hotel ,outdoor, restaurant , lab, social occasions using
- -Qty / ctn :1pcs







-Fasten the waste bag by the rubber ring

-Stainless steel handle

-Swivel castors with 2 brakes

#### **CLASSIFYING GARBAGE CART**



code	CBM	mm
140702	0.062	845 x525xH940

#### **REFUSE-SACK CART**

code	CBM	mm	
140702	0.062	845 x525xH940	



## **CLASSIFYING GARBAGE CART STATION**

0 = / 100   1	THIS OF THE OF		_
code	CBM	mm	
140902	0.141	1000 x600xH800	



The front

the back

-Material: stainless steel 201 or 304 available

### TOW-IN-ONE GARBAGE CAN



TOW-IN-ONE DANDAGE CAN				
	code	CBM	mm	
	180101	0.058	Ф250xH900	

#### **CLEARING TROLLEY**

VISION

-Clearing Trolleys with 5 plastic bowls are effective in dishes collecting and classification after meals. There are 5 structure designs for your choice.



#### **ROUND TUBE DISH COLLECTING TROLLEY**

code	CBM	mm
120901	0.070	850x455xH935
102018	0.087	950x475xH920
102903	0.099	1065x560xH970



#### **SQUARE TUBE DISH COLLECTING TROLLEY**

code	CBM	mm	
120602	0.059	810x440xH935	



PP S.S. X

**SQUARE TUBE DISH COLLECTING TROLLEY** 

code	CBM	mm	
120702	0.059	810x440xH935	

#### **ROUND TUBE DISH COLLECTING TROLLEY**

code	CBM	mm
120701	0.059	810x440xH935



#### **ROUND TUBE DISH COLLECTING TROLLEY**

code	CBM	mm
190301	0.163	500x500xH600
190302	0.230	600x600xH600



S.S.

PP S.S. X





TRANS	PORT	CART	FOR '	STOCK I	⊃NT.

S.S.

code	CBM	mm
140301	0.034	Φ420xH130
140302	0.042	Ф470xH130
140303	0.052	Ф520xH130
140304	0.062	Ф570xH130
140305	0.073	Ф620xH130

#### TRANSPORT CART FOR STOCKPOT

S.S.

		L
code	CBM	mm
140201	0.034	Ф380xH400
140202	0.042	Ф480xH400
140203	0.052	Ф580xH400
140204	0.062	Ф680хH400



-Fasten the wasted bag by rubber ring





#### TRASH BIN BAG HOLDER

Trash Trolley range provide an easy way to dispose trash.

- -Waste bag holder is extraordinarily flexible to collect garbage anywhere by portable-lightweight structure.
- -Material: stainless steel 201
- -Multi functional using in hotel ,kitchen ,restaurant , school , street, hospital, supermarket ,etc.
- -Portable and easy to operate it or deal with the waste bag

code	CBM	mm	
14070	0.078	450 x600xH960	



-Rubber pipe for anti-skid when food operating



-Tubes connected without gap





#### **WORK TABLE**

- -Material: Stainless steel 201 / 304 / Galvanized is available
- -S/S Board thickness: 0.8mm / 1.0mm / 1.2mm
- -Reinforced bars for supporting the heavy duty
- -S/S Tube thickness: 0.9mm,galvanized tube is 1.3mm
- -Second floor is removable to everywhere
- -Adjustable feet , stainless bullet feet or plastic bullet feet can be met
- -Flat pack delivery



-Folded edge design, without the straight angle



-Classical straight design is available



#### **ECONOMIC WORKING TABLE IN 600 WIDTH**

code	CBM	mm
302203	0.091	750x600xH800
302206	0.107	1000x600xH800
302208	0.128	1200x600xH800
302210	0.149	1400x600xH800
302211	0.159	1500x600xH800
302212	0.169	1600x600xH800
302214	0.190	1800x600xH800
302216	0.211	2000x600xH800
302220	0.253	2400x600xH800

#### **ECONOMIC WORKING TABLE IN 700 WIDTH**

code	CBM	mm
302303	0.106	750x700xH800
302306	0.124	1000x700xH800
302308	0.148	1200x700xH800
302310	0.172	1400x700xH800
302311	0.184	1500x700xH800
302312	0.196	1600x700xH800
302314	0.220	1800x700xH800
302316	0.245	2000x700xH800
302320	0.291	2400x700xH800

#### **ECONOMIC WORKING TABLE IN 750 WIDTH**

code	CBM	mm
302403	0.113	750x750xH800
302406	0.133	1000x750xH800
302408	0.158	1200x750xH800
302410	0.184	1400x750xH800
302411	0.197	1500x750xH800
302412	0.210	1600x750xH800
302414	0.236	1800x750xH800
302416	0.261	2000x750xH800
302420	0.313	2400x750xH800

#### **ECONOMIC WORKING TABLE IN 800 WIDTH**

code	CBM	mm
302503	0.121	750x800xH800
302506	0.141	1000x800xH800
302508	0.168	1200x800xH800
302510	0.196	1400x800xH800
302511	0.210	1500x800xH800
302512	0.223	1600x800xH800
302514	0.251	1800x800xH800
302516	0.278	2000x800xH800
302520	0.333	2400x800xH800

# ECONOMIC WORKING TABLE WITH BACK SPLASH

- -Material: Stainless steel 201 / 304 / Galvanized is available
- -S/S Board thickness: 0.8mm / 1.0mm / 1.2mm
- -Reinforced bars for supporting the heavy duty
- -S/S Tube thickness: 0.9mm,galvanized tube is 1.3mm
- -Adjustable feet , stainless bullet feet or plastic bullet

feet can be met

-Flat pack delivery



-Aluminum corner designed



-Pipe tube designed



# ECONOMIC WORKING TABLE WITH BACK SPLASH IN 600 WIDTH

code	CBM	mm
301803	0.116	750x600xH800+100
301806	0.136	1000x600xH800+100
301808	0.163	1200x600xH800+100
301810	0.189	1400x600xH800+100
301811	0.202	1500x600xH800+100
301812	0.216	1600x600xH800+100
301814	0.242	1800x600xH800+100
301816	0.269	2000x600xH800+100
301820	0.321	2400x600xH800+100

# ECONOMIC WORKING TABLE WITH BACK SPLASH IN 700 WIDTH

code	CBM	mm
301903	0.135	750x700xH800+100
301906	0.158	1000x700xH800+100
301908	0.189	1200x700xH800+100
301910	0.219	1400x700xH800+100
301911	0.235	1500x700xH800+100
301912	0.520	1600x700xH800+100
301914	0.281	1800x700xH800+100
301916	0.311	2000x700xH800+100
301920	0.373	2400x700xH800+100

# ECONOMIC WORKING TABLE WITH BACK SPLASH IN 750 WIDTH

code	CBM	mm
302003	0.144	750x750xH800+100
302006	0.169	1000x750xH800+100
302008	0.201	1200x750xH800+100
302010	0.234	1400x750xH800+100
302011	0.251	1500x750xH800+100
302012	0.267	1600x750xH800+100
302014	0.300	1800x750xH800+100
302016	0.333	2000x750xH800+100
302020	0.398	2400x750xH800+100

# ECONOMIC WORKING TABLE WITH BACK SPLASH IN 800 WIDTH

code	CBM	mm
301803	0.153	750x800xH800+100
301806	0.180	1000x800xH800+100
301808	0.214	1200x800xH800+100
301810	0.249	1400x800xH800+100
301811	0.267	1500x800xH800+100
301812	0.284	1600x800xH800+100
301814	0.319	1800x800xH800+100
301816	0.354	2000x800xH800+100
301820	0.424	2400x800xH800+100





s.s. X

#### **ROUND TUBE WORK TABLE WITH BACKSPLASH**

-Material: SS201

-Board thickness: 0.8mm -Tube thickness: 0.9mm

-Adjustable feets



#### **IN 800 WIDTH**

code	CBM	mm
300402	0.173	1000x800xH910+100
300403	0.206	1200x800xH910+100
300404	0.240	1400x800xH910+100
300405	0.256	1500x800xH910+100
300406	0.306	1800x800xH910+100
300407	0.340	2000x800xH910+100

#### **IN 700 WIDTH**


code	CBM	mm
300410	0.152	1000x700xH910+100
300411	0.182	1200x700xH910+100
300412	0.211	1400x700xH910+100
300413	0.226	1500x700xH910+100
300414	0.270	1800x700xH910+100
300415	0.299	2000x700xH910+100

#### **IN 600 WIDTH**

code	CBM	mm
300418	0.131	1000x600xH910+100
300419	0.157	1200x600xH910+100
300420	0.182	1400x600xH910+100
300421	0.195	1500x600xH910+100
300422	0.233	1800x600xH910+100
300423	0.258	2000x600xH910+100



Screw assembling the lower tray



Reinforcing Rid



Foaming



#### **IN 800 WIDTH**

code	CBM	mm
300302	0.086	1000x800xH910
300303	0.103	1200x800xH910
300304	0.120	1400x800xH910
300305	0.128	1500x800xH910
300306	0.153	1800x800xH910
300307	0.170	2000x800xH910

#### **IN 700 WIDTH**

code	CBM	mm
300310	0.076	1000x700xH910
300311	0.091	1200x700xH910
300312	0.105	1400x700xH910
300313	0.113	1500x700xH910
300314	0.135	1800x700xH910
300315	0.150	2000x700xH910

#### **IN 600 WIDTH**

code	CBM	mm
300318	0.066	1000x600xH910
300319	0.078	1200x600xH910
300320	0.091	1400x600xH910
300321	0.097	1500x600xH910
300322	0.117	1800x600xH910
300323	0.129	2000x600xH910

#### **SQUARE TUBE FOLDING WORK TABLE W/O BACKSPLASH**

-Material: SS201

-Board thickness: 0.8mm -Tube thickness: 0.9mm

-Adjustable feets

-Pcs/Ctn: 1

#### **IN 800 WIDTH**



code	CBM	mm
300802	0.116	1000x800xH910
300803	0.138	1200x800xH910
300804	0.161	1400x800xH910
300805	0.172	1500x800xH910
300806	0.206	1800x800xH910
300807	0.228	2000x800xH910

#### **IN 700 WIDTH**

code	CBM	mm
300809	0.082	700x700xH910
300810	0.102	1000x700xH910
300811	0.122	1200x700xH910
300812	0.141	1400x700xH910
300813	0.151	1500x700xH910
300814	0.181	1800x700xH910
300815	0.201	2000x700xH910



#### IN 600 WIDTH

code	CBM	mm
300817	0.071	600x600xH910
300818	0.088	1000x600xH910
300819	0.105	1200x600xH910
300820	0.122	1400x600xH910
300821	0.131	1500x600xH910
300822	0.156	1800x600xH910
300823	0.173	2000x600xH910



#### SQUARE TUBE WORK TABLE W/O BACKSPLASH IN 600 WIDTH **IN 700 WIDTH**

code	CBM	mm
300716	0.099	800x600xH850
300717	0.115	1000x600xH850
300718	0.138	1200x600xH850
300719	0.160	1400x600xH850
300720	0.171	1500x600xH850
300721	0.197	1800x600xH850
300722	N 218	2000~400~H850

code	CBM	mm
300709	0.113	800x700xH850
300710	0.132	1000x700xH850
300711	0.158	1200x700xH850
300712	0.184	1400x700xH850
300713	0.196	1500x700xH850
300714	0.227	1800x700xH850
300715	0.252	2000x700xH850



#### **IN 800 WIDTH**

code	CBM	mm
300701	0.128	800x800xH850
300702	0.149	1000x800xH850
300703	0.178	1200x800xH850
300704	0.207	1400x800xH850
300705	0.222	1500x800xH850
300706	0.257	1800x800xH850
300707	0.285	2000x800xH850

#### SQUARE TUBE WORK TABLE WITH BACKSPLASH

# IN 600 WIDTH

14 000 1	וווטוו	
code	CBM	mm
300916	0.124	800x600xH850+100
300917	0.145	1000x600xH850+100
300918	0.173	1200x600xH850+100
300919	0.200	1400x600xH850+100
300920	0.214	1500x600xH850+100
300921	0.256	1800x600xH850+100
300922	0.284	2000x600xH850+100

#### **IN 700 WIDTH**

code	CBM	mm
300909	0.143	800x700xH850+100
300910	0.167	1000x700xH850+100
300911	0.200	1200x700xH850+100
300912	0.232	1400x700xH850+100
300913	0.248	1500x700xH850+100
300914	0.297	1800x700xH850+100
300915	0.329	2000x700xH850+100

#### **IN 800 WIDTH**

code	CBM	mm
300901	0.163	800x800xH850+100
300902	0.190	1000x800xH850+100
300903	0.227	1200x800xH850+100
300904	0.264	1400x800xH850+100
300905	0.282	1500x800xH850+100
300906	0.337	1800x800xH850+100
300907	0.374	2000x800xH850+100







#### STRONGEST STYLE WORK TABLE

Other sizes and materials are available

- -Three shelf is available
- -Screws to assemble the shelves
- -Stainless steel 201 / 304 can be met
- -Brushed surface
- -Flat pack delivery





# STRONGEST STYLE ROUND TUBE WORK TABLE IN 450 WIDTH

code	CBM	mm
301601	0.036	300×450×H800
301602	0.040	350×450×H800
301603	0.049	400×450×H800
301604	0.049	450×450×H800
301605	0.049	500×450×H800
301606	0.049	600×450×H800
301607	0.049	700×450×H800
301608	0.049	750×450×H800
301609	0.049	800×450×H800
301610	0.052	900×450×H800
301611	0.058	1000×450×H800
301612	0.069	1200×450×H800
301613	0.086	1500×450×H800

#### **IN 600 WIDTH**

code	CBM	mm
301701	0.036	300×600×H800
301702	0.040	350×600×H800
301703	0.040	400×600×H800
301704	0.040	450×600×H800
301705	0.040	500×600×H800
301706	0.062	600×600×H800
301707	0.062	700×600×H800
301708	0.062	750×600×H800
301709	0.062	800×600×H800
301710	0.066	900×600×H800
301711	0.073	1000×600×H800
301712	0.088	1200×600×H800
301713	0.109	1500×600×H800
301714	0.130	1800×600×H800