

**VISION**  
DISTRIBUTION



# PRODUCT CATALOG

[www.distribution-vision.com](http://www.distribution-vision.com)

Tél : (514)492-1234

Email : [info@distribution-vision.com](mailto:info@distribution-vision.com)

# Contents

## 01



### High Speed Blender

769S-----	P3
728-----	P5
735D-----	P7
735H-----	P8
732E-----	P9
722A-----	P10
735L-----	P11
732G-----	P12
732F-----	P13
711U-----	P14
767A-----	P15
710-----	P16
388-----	P17
8002-----	P18
770-----	P19
827N-----	P20

## 02



### Nut Milk Blender

726P-----	P23
719T-----	P25
731U-----	P27
726K-----	P29
718W-----	P30
716P-----	P31
726Q-----	P32
818I-----	P33
726S-----	P34
756P-----	P35
718M-----	P36
739X-----	P37
1036P-----	P38
819N-----	P39
816Q-----	P40

## 03



### Slow Juicer

616A-----	P43
613-----	P44
615-----	P45

## 04



### Food Processor

316-----	P49
309-----	P50
224A-----	P51
826A-----	P52
216G-----	P53
238B-----	P54
914B-----	P55
914C-----	P56
919E-----	P57
935A-----	P58

## 05



### Portable kettle

1015A-----	P61
1016A-----	P62
1026I-----	P63
1026R-----	P64
1026U-----	P65
1017Q-----	P66

## 06



### Cooker&Fryer

139E-----	P69
1026X-----	P71
1219D-----	P73
1316G-----	P74
1016W-----	P75
1028F-----	P76
1217A-----	P77
1328C-----	P78

## 07



### Boutique series

136D-----	P81
1106A-----	P83
1136C-----	P84
134D-----	P85
136B-----	P86

01

# High Speed Blender

Product Reviews →





# 769S

High speed blender with heating

- 1.75L for family usage
- Nut milk, soup,soybean milk, tea,milkshake,juicer etc function at your service
- 12hrs appointment, make food at night enjoy breakfast in the morning
- Auto self cleaning



Patent for airduct design



1.75L glass cup



Easy to operate

### Parameter

- Model type: High speed blender
- Model number: 769S
- Product dimension: 205x205x520mm
- Container loading: 20GP 800/40GP1660/40HQ 1890PCS
- Certificate: CE / RoHS / CB / GB / ETL

### Main components

- Cup: 1.75L High borosilicate glass cup with four ribs
- Motor: 9525# Class F with PTC protector
- Spare parts: Measuring cup, Filter, Hairbrush, Steamer

- Rated power: 800W
- Rated voltage: AC220V
- Rated frequency: 50Hz
- N.W.: 5.03kg
- G.W.: 5.98kg

- Blade: SUS304, 8 blades
- Housing material: ABS with painting





**728**

Vacuum blender

- Unique vacuum blender, 4 technical patents
- With negative voltage inspection technology
- 24hrs vacuum foo fresh
- Cold/Heating usage.



Vacuum technology



1.75L glass cup



Hot & cold all-in-one

**Parameter**

- Model type: Vacuum blender
- Model number: RBM-728
- Product dimension: 250x180x460mm
- Container loading: 20GP 570/40GP 1180/40HQ 1345PCS
- Certificate: CE / RoHS / CB / GB / ETL

**Main components**

- Cup: 1.75L High borosilicate glass cup with four ribs
- Motor: 9525# Class F with PTC protector
- Spare parts: Measuring cup, Filter, Hairbrush, Steamer

- Rated power: 800W
- Rated voltage: AC220V
- Rated frequency: 50Hz
- N.W.: 7.01kg
- G.W.: 7.38kg

- Blade: SUS304, 8 blades
- Housing material: ABS with painting





## 735D

### Parameter


- Model type: Vacuum blender
- Model number: 735D
- Product dimension: 160x185x385mm
- Container loading: 20GP 848/40GP 1755/40HQ 2000PCS
- Certificate: CE / RoHS / CB / GB / ETL

### Main components

- Cup: 750ml tempered glass
- Motor: 8220# Class F with PTC protector
- Spare parts: Portable storage cup



750mL glass cup



Vacuum technology



Pure copper motor

- Rated power: 550W
- Rated voltage: AC220V
- Rated frequency: 50Hz
- N.W.: 4.22kg
- G.W.: 5.2kg

- Blade: SUS304, 6 blades
- Housing material: ABS with painting



## 735H

### Parameter

- Model type: High speed blender
- Model number: 735H
- Product dimension: 220x215x485mm
- Packing size: 455x265x325mm

### Main components

- Cup: 1.75L High borosilicate glass cup with four ribs
- Motor: 9525# Class F with PTC protector
- Spare parts: Measuring cup, Filter, Hairbrush

- Rated power: 800W
- Rated voltage: AC220V
- Rated frequency: 50Hz
- Certificate: CE / RoHS / CB / GB / ETL

- Blade: SUS304, 8 blades
- Housing material: ABS with painting



Touch screen panel



The lid lock



Bottom Side Heat Sinking



## 732E

### Parameter

- Model type: High speed blender
- Model number: 732E
- Product dimension: 210×240×480mm
- Container loading: 20GP 780/40GP 1630/40HQ 1850PCS
- Certificate: CE / RoHS / CB / GB / ETL

### Main components

- Cup: 1.75L High borosilicate glass cup with four ribs
- Motor: 9525# Class F with PTC protector
- Spare parts: Measuring cup, Filter, Hairbrush, Steamer



360° stereo heating



15 kinds of function



Titanium steel blade

- Rated power: 800W
- Rated voltage: AC220V
- Rated frequency: 50Hz
- N.W.: 5.22kg
- G.W.: 6.17kg

- Blade: SUS304, 8 blades
- Housing material: ABS with painting



## 722A

### Parameter

- Model type: Vacuum blender
- Model number: 722A
- Product dimension: 170×170×460mm
- Container loading: 20GP 900/40GP 1870/40HQ 2130PCS
- Certificate: CE / RoHS / CB / GB / ETL

### Main components

- Cup: 1.2L High borosilicate glass cup with four ribs
- Motor: 8230# Class F with PTC protector
- Spare parts: Measuring cup, Filter, Hairbrush



Big touch screen



Vacuum stirring



High-horsepower machine

- Rated power: 800W
- Rated voltage: AC220V
- Rated frequency: 50Hz
- N.W.: 4.3kg
- G.W.: 5.1kg

- Blade: SUS304, 8 blades
- Housing material: ABS with painting






## 735L

### Parameter

- Model type: High speed blender
- Product dimension: 236x208x496mm
- Packing size: 410x250x347mm
- Certificate: CE / RoHS / CB / GB / ETL

### Main components

- Cup: 1.75L High borosilicate glass cup with four ribs
- Motor: 8230# Class F with PTC protector
- Spare parts: Measuring cup, Filter, Hairbrush



Uniform stirring



Exquisite and no residue



Safety microswitch

- Model number: 735L
- Rated power: 800W
- Rated voltage: AC220V
- Rated frequency: 50Hz

- Blade: SUS304, 8 blades
- Housing material: ABS with painting



## 732G

### Parameter

- Model type: High speed blender
- Model number: 732G
- Product dimension: 210x240x480mm
- Container loading: 20GP 780/40GP 1630/40HQ 1850PCS
- Certificate: CE / RoHS / CB / GB / ETL

### Main components

- Cup: 1.75L High borosilicate glass cup with four ribs
- Motor: 9525# Class F with PTC protector
- Spare parts: Measuring cup, Filter, Hairbrush, Steamer



Cleaning procedures



Fine and smooth



Cold heat resistant

- Rated power: 800W
- Rated voltage: AC220V
- Rated frequency: 50Hz
- N.W.: 5.22kg
- G.W.: 6.17kg

- Blade: SUS304, 8 blades
- Housing material: ABS with painting





## 732F

### Parameter

- Model type: High speed blender
- Rated power: 800W
- Product dimension: 210x240x480mm
- Packing size: 410x250x347mm
- Container loading: 20GP 780/40GP 1630/40HQ 1850PCS
- Certificate: CE / RoHS / CB / GB

### Main components

- Motor: 9525 # F
- Cup: high borosilicate glass



The lid lock



360° stereo heating



Exquisite free filter

- Capacity: 1.75L
- Rated voltage: AC220V
- Rated frequency: 50Hz
- N.W.: 5.3kg
- G.W.: 6.19kg

- Body shell: ABS injection injection oil
- Blade: SUS304 eight-blade knife



## 711U

### Parameter


- Model type: High speed blender
- Rated power: 450W
- Product dimension: 217x249x419mm
- Packing size: 420x290x310mm
- Container loading: 20GP 780/40GP 1630/40HQ 1850PCS
- Certificate: CE / RoHS / CB / GB / ETL

### Main components

- Cup: borosilicate glass cup, cold cup-1.7L hot cup-1.4L
- Motor: 7625# Class B
- Spare parts: Measuring cup, Brush



Exquisite free filter



High borosilicate glass




High-horsepower machine

- Model number: 711U
- Rated voltage: AC220V
- Rated frequency: 50Hz
- N.W.: 3.9kg
- G.W.: 4.8kg

- Blade: SUS304, 8 blades
- Inside the Cover: PP




**767A**



Stainless steel shaft



Stainless steel blade



Uniform stirring

**Parameter**

- Model type: High speed blender
- Model number: 767A
- Rated voltage: AC220V
- Rated frequency: 50/60Hz
- Rated power: 800W
- Capacity: 2L
- Product dimension: 220x230x490mm
- Packing size: 320x262x375mm
- Certificate: CE / RoHS / CB / GB / ETL




**710**



Control knob



High-horsepower machine



Stainless steel blade

**Parameter**

- Model type: High speed blender
- Model number: 710
- Rated power: 1200W
- Product dimension: 200x200x505mm
- Capacity: 2.2L
- Certificate: CE / RoHS / CB / GB / ETL



**388**



2L capacity



Stainless steel blade



Automatic cleaning

**Parameter**

- Model type: High speed blender
- Model number: 388
- Rated voltage: AC220~240V
- Rated frequency: 50/60Hz
- Rated power: 1500W
- Capacity: 2L
- Product dimension: 210×230×600mm
- Packing size: 285×285×545mm
- Certificate: CE / CB

- N.W.: 4.3kg
- G.W.: 5kg



**8002**



Mute with cover



Texture knob



Stainless steel blade

**Parameter**

- Model type: High speed blender
- Model number: 8002
- Rated voltage: AC220~240V
- Rated power: 1600W
- Capacity: 3.8L
- Product dimension: 256×249×570mm
- Packing size: 325×300×630mm
- Certificate: CE / CB

- N.W.: 8.4kg
- G.W.: 9.1kg





**770**

**Parameter**

- Model type: High speed blender
- Model number: 770
- Rated voltage: AC220V
- Rated frequency: 50Hz
- Rated power: 800W
- Product dimension: 215x186x446mm
- Capacity: 1.2L
- Certificate: CE / RoHS / CB / GB / ETL



**827N**

**Parameter**

- Model type: High speed blender
- Model number: 827N
- Rated power: 800W
- Rated voltage: AC220V
- Rated frequency: 50Hz
- Certificate: CE / RoHS / CB / GB

**Main components**


- Cup: 1.75l tall borosilicate glass
- Motor: 9525# F class with PTC protector



1.75L capacity



Smart touch



Uniform stirring

- Capacity: 1.75L
- N.W.: 4.22kg
- G.W.: 5.2kg
- Product dimension: 237x237.8x490mm

- Blade: SUS304, 8 blade
- Shell material: ABS with paint





02

# Nut Milk Blender



# 726P

Multifunctional portable blender



- Serve as Nut milk, juicer, bolt water, keep warm
- 350ml capacity available for your usage at home/work
- 18hrs appointment, 55°C keep warm



multi-function



350ml capacity



18hrs appointment

### Parameter

- Model type: Multifunctional portable blender
- Model number: 726P
- Rated power: 400W
- Rated voltage: AC220V
- Rated frequency: 50Hz
- Certificate: CE / RoHS / CB / GB / ETL

- Capacity: 350ml
- Product dimension: 152x112x227mm
- Packing size: 150x150x264mm
- N.W.: 1.08kg
- G.W.: 1.29kg

### Main components

- Inner lid: PP
- Gasket: Silicone
- Blade: SUS304, 4 blades
- Housing material: PC

- Stainless inner tank: SUS304
- Motor: 5420# Class F
- Spare parts: Measuring cup, Hairbrush



# 719T

Multifunctional heating blender

- 1.2L capacity for couple or 3-person family usage
- Integrated cute design
- Anti-open lock protection



1.2L capacity



cute design



one piece cleaning



### Parameter

- Model type: All-in-one soymilk maker
- Model number: 737T
- Heating power: 800W
- Rated voltage: AC220V
- Rated frequency: 50Hz
- Certificate: CE / RoHS / CB / GB

- Capacity: 1.2L(cold drink), 1.0L(hot drink)
- Product dimension: 185x158x307mm
- Packing size: 200x200x307mm
- N.W.: 2.85kg
- G.W.: 3.2kg

### Main components

- Cup:400ML High borosilicate glass cup
- Motor: 7620 Class F with PTC protector
- Spare parts: Measuring cup, Filter,Hairbrush, power cable

- Blade: SUS304,4 blades
- Housing material: ABS





# 731U

Multifunctional heating blender

- 1.2L capacity for couple or 3-person family usage
- Integrated cute design
- Anti-open lock protection



small and exquisite



Stainless steel blade



Intelligent heating

### Parameter

- Model type: All-in-one soymilk maker
- Model number: 731U
- Heating power: 1000W
- Rated voltage: AC220V
- Rated frequency: 50Hz
- Certificate: CE / RoHS / CB / GB

### Main components

- Motor: 7620#F class
- Cup: high borosilicate glass

- Capacity: 1.2L(cold drink), 1.0L(hot drink)
- Product dimension: 195x158x307mm
- Packing size: 200x200x385mm
- N.W.: 2.85kg
- G.W.: 3.2kg

- Body housing: ABS
- HBlade: SUS304,8 blades





## 726K



Four leaf steel knife



Four leaf steel knife



A key to clean

### Parameter

- Model type: Blender with heating
- Rated power: 300W
- Product dimension: 165×118×302mm
- Packing size: 260×170×235mm
- Container loading: 20GP2621PCS / 40GP4660PCS / 40HQ6400PCS
- Certificate: CE / RoHS / CB / GB / ETL

### Main components

- Cup: 400ml Glass cup

- Model number: 726K
- Rated voltage: AC220V
- Rated frequency: 50Hz
- N.W.: 2.1kg
- G.W.: 2.47kg


- Housing material: ABS



## 718W



The seven function



Uniform stirring



1.75L capacity

### Parameter

- Model type: Blender with heating
- Model number: 718W
- Product dimension: 219×166×370mm
- Packing size: 230×230×405mm
- Container loading: 20GP2621PCS / 40GP4660PCS / 40HQ6400PCS
- Certificate: CE / RoHS / CB / GB / ETL

### Main components

- Cup: borosilicate glass cup, cold cup-1.75L hot cup-1.4L

- Rated voltage: AC220V
- Rated power: 800W
- Rated frequency: 50Hz
- N.W.: 3.35kg
- G.W.: 4.1kg

- Motor: 7625# Class B



## 716P

### Parameter

- Model type: Blender with heating
- Model number: 716P
- Product dimension: 150x104x223mm
- Capacity: 600ml
- Certificate: CE / RoHS / CB / GB / ETL

### Main components

- Inside the Cover: PP
- Shell: PP injection
- Sealing Ring: Silica gel



750mL capacity



Top cover visualization



Exquisite free filter

- Rated power: 400W
- Rated voltage: AC220V
- Rated frequency: 50Hz
- N.W.: 0.9kg
- G.W.: 1.11kg

- Blade: SUS304, 4 blades
- Steel cup: SUS304
- Motor: DC motor2328# Class F



## 726Q

### Parameter

- Model type: Multifunctional portable blender
- Model number: 726Q
- Rated power: 300W
- Rated voltage: AC220V
- Rated frequency: 50Hz
- Certificate: CE / RoHS / CB / GB / ETL

### Main components

- Inner lid: PP
- Gasket: Silicone
- Blade: SUS304, 4 blades
- Housing material: PC



Small and portable



12-hour booking



Four blade steel blade

- Capacity: 250ml
- Product dimension: 90x95x247mm
- Packing size: 125x125x284mm
- N.W.: 1.04kg
- G.W.: 1.17kg

- Stainless inner tank: SUS304
- Motor: 5420# Class F
- Handel: Leather handel
- Spare parts: Measuring cup, Hairbrush



## 818I

### Parameter

- Model type: Blender with heating
- Model number: 818I
- Rated power: 500W
- Rated voltage: AC220V
- Rated frequency: 50Hz
- Certificate: CE / RoHS / CB / GB / ETL

### Main components

- Blade: SUS304, 6 blades

- Capacity: 600ml
- Product dimension: 191×141×265mm
- Packing size: 208×208×316mm
- N.W.: 1.167kg
- G.W.: 1.35kg

- Stainless inner tank: SUS304



Small and portable



Multi-function



Four blade steel blade



## 726S

### Parameter


- Model type: Multifunctional portable blender
- Model number: 726S
- Rated power: 300W
- Rated voltage: AC220V
- Rated frequency: 50Hz
- Certificate: CE / RoHS / CB / GB / ETL

### Main components

- Inner lid: PP
- Gasket: Silicone
- Blade: SUS304, 4 blades
- Housing material: PC



The handle design



Stainless steel blade



Make gourmet food

- Capacity: 250ml
- Product dimension: 90×95×247mm
- Packing size: 125×125×284mm
- N.W.: 1.05kg
- G.W.: 1.28kg

- Stainless inner tank: SUS304
- Motor: 5420# Class F
- Handel: Leather handel
- Spare parts: Measuring cup, Hairbrush



## 756P

### Parameter

- Model type: Multifunctional portable blender
- Model number: 756P
- Rated power: 400W
- Rated voltage: AC220V
- Rated frequency: 50Hz
- Certificate: CE / RoHS / CB / GB / ETL

### Main components

- Inside the Cover: PP
- Steel cup: SUS304
- Blade: SUS304, 4 blades
- Spare parts: Measuring cup, Hairbrush, Steamer



Small and portable



55°C heat preservation



350mL capacity

- Capacity: 350ml
- Product dimension: 152x112x240mm
- Packing size: 150x150x270mm
- N.W.: 1.2kg
- G.W.: 1.44kg

- Shell: PP injection
- Motor: 5420# Class F
- Sealing Ring: Silica gel



## 718M

### Parameter

- Model type: Multifunctional portable blender
- Model number: 718M
- Heating power: 800W
- Rated voltage: AC220V
- Rated frequency: 50Hz
- Certificate: CE/ROHS/CB/GB/TEL

### Main components


- Inner lid: PP
- Gasket: Silicone
- Blade: SUS304, 4 blades
- Housing material: PC

- Product dimension: 200x136x265mm
- Packing size: 190x195x310mm
- N.W.: 1.25kg
- G.W.: 1.7kg
- Capacity: 600ml

- Stainless inner tank: SUS304
- Motor: 5420# Class F
- Spare parts: Measuring cup, Hairbrush



Small and portable



Stainless steel blade



The touch panel






**739X**



Four blade steel blade



304 stainless steel screen



Delicate panel

**Parameter**

- Model type: Milk tea maker
- Model number: 739X
- Heating power: 400W
- Rated voltage: AC220V
- Rated frequency: 50Hz

**Main components**

- Cup: 400ML High borosilicate glass cup
- Motor: 5425 Class B with PTC protector
- Spare parts: Measuring cup, Strainer, Hairbrush, Stew pot

- Product dimension: 173x112x255mm
- Packing size: 190x195x310mm
- N.W.: 1.25kg
- G.W.: 1.7kg
- Certificate: CE/ROHS/CB/GB/TEL


- Blade: SUS304, 4 blades
- Housing material: ABS with painting



**1036P**



Glass stew



Stainless steel screen



Multi-function

**Parameter**

- Model type: Milk tea maker
- Model number: 1036P
- Heating power: 400W
- Capacity: 600ML
- Rated voltage: AC220V
- Rated frequency: 50Hz

**Main components**

- Cup: High borosilicate glass cup Inner cover: SUS304
- Spare parts: 30ML Measuring, power cable

- Product dimension: 162x102x235mm
- Packing size: 173x173x278mm
- N.W: 0.675kg
- G.W: 1.05kg
- Certificate: CE/ROHS/CB/GB/TEL

- Housing material: PP
- Decorative ball: ABS



## 819N

### Parameter

- Model type: Blender with heating
- Model number: 819N
- Heating power: 500W
- Capacity: 800ml
- Rated voltage: AC100~220V
- Rated frequency: 50~60Hz

### Main components

- Motor: 5425#F class
- Blade: SUS304 six blade knife



Touch screen



800ml capacity



2 color optional

- Product dimension: 188x146x258mm
- Packing size: 205x206x314mm
- N.W.: 1.45kg
- G.W.: 1.77kg
- Certificate: CE/ROHS/CB/GB

- Body shell: PP
- Cup body: SUS304



## 816Q



### Parameter

- Model type: Blender with heating
- Model number: 816Q
- Heating power: 500W
- Capacity: 700ml
- Rated voltage: AC100~220V
- Rated frequency: 50~60Hz

### Main components

- Motor: 5425#F
- Class Body housing: PP

- Product dimension: 200x135x255mm
- Packing size: 205x206x314mm
- N.W: 1.35kg
- G.W: 1.8kg
- Certificate: CE/ROHS/CB/GB

- Blade: SUS304,4 blades

**03**

# Slow Juicer

Product Reviews →





## 616A

### Parameter

- Model type: Juicer
- Model number: 616A
- Power: 500W
- Capacity: 200ML
- Rated voltage: AC220V
- Rated frequency: 50Hz

### Main components

- Juice bodt: PC
- Gyro: PMMA
- Axle: SUS304
- Spare parts: Cleaning brush、manual、juice cup、fruit dregs cup
- Motor: 5512#Class F



Freshly squeezed juice



The high rate of juice



DIY drinks



## 613

### Parameter

- Model type: Slow juicer
- Rated power: 150W
- Rated voltage: AC220V
- Rated frequency: 50Hz
- N.W.: 7.5kg
- G.W.: 9.5kg
- Container loading: 20GP 525/40GP 1090/40HQ 1245PCS
- Certificate: CE / RoHS / CB /
- Model number: 613
- Product dimension: 240×190×455mm
- Packing size: 410×360×360mm
- Pomace cup capacity: 1000mL



Large diameter



Cooling inlet



The high rate of juice






**615**



Two large diameters



Electromagnetic lock



The heat dissipation base

**Parameter**

- Model type: Slow juicer
- Rated voltage: AC220V
- N.W.: 7.5kg
- Model number: 615
- Product dimension: 240×190×455mm
- Packing size: 410×360×360mm
- Container loading: 20GP 525/40GP 1090/40HQ 1245PCS
- Certificate: CE / RoHS / CB / GB / ETL

- Rated power: 150W
- Rated frequency: 50Hz
- G.W.: 9.5kg

# Product Reviews





**04**

# Food Processor




**316**

**Parameter**

- Model type: Blender
- Rated power: 300W
- Product dimension: 150×130×330mm
- Packing size: 345×180×255mm
- Container loading: 20GP 1770/40GP 3670/40HQ 4170PCS
- Certificate: CE / RoHS / CB / GB / ETL

**Main components**

- Cup: 700ml Glass cup/600ml PC
- Motor: 5430# Class B
- Spare parts: Vacuum cup, grinding cup



Hollow out heat dissipation



Split blade



Control knob



**309**

**Parameter**

- Model type: Blender
- Rated power: 300W
- Product dimension: 120×131×370mm
- Packing size: 230×180×242mm
- Container loading: 20GP 28000/40GP 58000/40HQ 66000PCS
- Certificate: CE / RoHS / CB / GB / ETL

**Main components**

- Cup: 650ml Tritan
- Motor: 5425# Class B
- Spare parts: Vacuum cover



Freshly squeezed juice



Dry grinding cup



Safety microswitch

- Model number: 309
- Rated voltage: AC220V
- Rated frequency: 50Hz
- N.W.: 1.1kg
- G.W.: 1.5kg

- Blade: SUS304
- Housing material: ABS



**224A**

**Parameter**

- Model type: Food processor
- Model number: 224A
- Rated power: 300W
- Jar capacity: 2L

**Main components**

- Jar material: Glass
- Speed: 2 speeds

- Rated voltage: AC220V
- Rated frequency: 50Hz
- Product dimension: 210x210x240mm
- Certificate: CE / RoHS / CB / GB / ETL

- Blade: SUS304, 4 blades



**826A**

**Parameter**

- Model type: USB portable blender
- Jar capacity: 300ml
- Rated voltage: 7.4V
- Certificate: CE / RoHS / CB / GB / ETL
- Container loading: 20GP 7235/40GP 14980/40HQ 17360PCS

**Main components**

- Cup: 350ml Tritan
- Blade: SUS304
- Housing material: ABS
- Spare parts: Cup cover



Small and portable



Magnetic induction



USB charging

- Model number: 826A
- N.W.: 0.55kg
- G.W.: 0.68kg
- Product dimension: 82x82x215mm
- Packing size: 110x110x320mm

- Motor: DC 7.4V





## 216G

### Parameter

- Model type: USB Food Processor
- Capacity: 300ml
- Lithium battery capacity: 1300mAh
- N.W.: 0.6kg
- Certificate: CE / RoHS / CB / GB / ETL

### Main components

- Blade: SUS420

- Model number: 216G
- Power: 25W
- Voltage: 3.7V
- Continuous Working Time: ≤30s
- Product dimension: 100x100x158mm

- Nife Shaftble: SUS304



Stainless steel blade



USB charging



Tempered glass



## 238B

### Parameter

- Model type: Food processor
- Rated power: 100W
- Jar capacity: 600ml
- Battery capacity: 2000mAh
- Product dimension: 119x119x211mm
- Packing size: 280x160x165mm
- Certificate: CE / RoHS / CB / GB / ETL

### Main components

- Jar material: Glass
- Blade: SUS304,4 blades



600ml capacity



Uniform stirring



USB charging

- Model number: 238B
- Continuous running time: ≤30 seconds
- Interval: 1 minute
- Rated operating voltage/current: 7.4V 12A
- Motor: 7.4V 16000r/min
- N.W.: 1.25kg
- G.W.: 1.46kg

- Speed type: 2 speed



**914B**

**Parameter**

- Model type: Grinder
- Model number: 914B
- Rated power: 150W
- Product dimension: 95×95×185mm
- Packing size: 125×125×200mm
- Container loading: 20GP 9330/40GP 19330/40HQ 22000PCS
- N.W.: 0.66kg
- G.W.: 0.8kg
- Rated voltage: AC220V
- Rated frequency: 50Hz
- Grinding capacity: 50g
- Certificate: CE/RoHS/CB/GB/ETL

**Main components**

- Motor: 5420# Class B
- Spare parts: Hairbrush
- Blade: SUS304
- Housing material: ABS



**914C**

**Parameter**

- Model type: Grinder
- Model number: 914C
- Rated power: 150W
- Rated voltage: AC220V
- Rated frequency: 50Hz

**Main components**

- Cup: SUS304
- Housing material: ABS with painting
- Blade: SUS304

- Product dimension: 80×95×167mm
- Grinding capacity: 50g
- N.W.: 0.6kg
- G.W.: 0.78kg
- Certificate: CE / RoHS / CB / GB / ETL

- Motor: 5420# Class B
- Spare parts: Hairbrush



Small and portable



Low noise grinding



Stainless steel blade



## 919E

### Parameter

- Model type: Grinder
- Rated power: 200W
- Rated voltage: AC220V
- Rated frequency: 50Hz

### Main components

- Cup: PC
- Motor: 5435# Class B
- Spare parts: 3C plug-in wire



Multifunction menu



Visual upper cover



Grind fine and even

- Model number: 919E
- Product dimension: 110×110×246mm
- Grinding capacity: 100g
- Certificate: CE / RoHS / CB / GB / ETL

- Blade: SUS4
- Housing material: ABS



## 935A

### Parameter

- Model type: Grinder
- Model number: 935A
- Rated power: 300W
- Product dimension: 70×70×200mm
- Packing size: 195×94×240mm
- Container loading: 20GP 7000/40GP 14500/40HQ 16500PCS

### Main components

- Cup: SUS304
- Motor: 5440# Class B
- Spare parts: Hairbrush



Cryogenic grinding powder



Stainless steel blade



Can unpick and wash

- N.W.: 1kg
- G.W.: 1.3kg
- Rated voltage: AC220V
- Rated frequency: 50Hz
- Grinding capacity: 200g
- Certificate: CE/RoHS/CB/GB/ETL

- Blade: SUS304
- Housing material: Aluminum painting



05

# Portable kettle

Product Reviews →







## 1015A



Small and portable



304 stainless steel



Separation power cord

### Parameter

- Model type: Portable kettle
- Model number: 1015A
- Rated power: 300W
- Product dimension: 93x93x213mm
- Packing size: 120x120x250mm
- Master carton :380x255x275mm (6pcs)
- Container loading: 20GP6222PCS / 40GP10666PCS / 40HQ14666PCS
- N.W.: 0.65kg
- G.W.: 0.8kg
- Rated voltage: AC220V
- Rated frequency: 50Hz
- Capacity: 350mL
- Certificate: CE / RoHS / CB / GB / ETL

### Main components

- Cup: SUS304
- Housing material: ABS



## 1016A



Close the cover heat



Small and portable



Waterproof protection

### Parameter

- Model type: Portable kettle
- Model number: 1016A
- Rated power: 300W
- Product dimension: 93x93x213mm
- Packing size: 120x120x250mm
- Master carton :380x255x275mm (6pcs)
- Container loading: 20GP6222PCS / 40GP10666PCS / 40HQ14666PCS
- N.W.: 0.65kg
- G.W.: 0.8kg
- Rated voltage: AC220V
- Rated frequency: 50Hz
- Certificate: CE / RoHS / CB / GB / ETL
- Capacity: 350mL

### Main components

- Cup: SUS304
- Housing material: ABS

## 1026I

- Anti-try protection
- Food-grade silicone, easy to clean
- Multiple temper setting



### Parameter

- Model type: Foldable Travel Kettle
- Model number: 1026I
- Rated power: 850W
- Unfold dimension: 180x128x181mm
- Fold dimension: 180x128x76mm
- Packing size: 180x160x100mm

### Main components

- Cup: Food grade silicone

- N.W.: 0.62kg
- G.W.: 0.71kg
- Rated voltage: AC220V
- Rated frequency: 50Hz
- Capacity: 600mL
- Certificate: CE / RoHS / CB / GB / ETL

- Power cord: Detachable



## 1026R

### Parameter

- Model type: Portable kettle
- Model number: 1026R
- Rated power: 300W
- Capacity: 350ml
- Rated voltage: AC220V
- Rated frequency: 50Hz

### Main components

- Cup: SUS304
- Power cord length: 1M

- Product dimension: 86x86x249mm
- Packing size: 113x113x280mm
- N.W.: 0.7kg
- G.W.: 0.8kg
- Certificate: CE / RoHS / CB / GB / ETL

- Housing material: PC



Hot & cold all-in-one



Hot & cold all-in-one



Points in control



## 1026U

### Parameter

- Model type: Portable kettle
- Model number: 1026U
- Rated power: 300W
- Rated voltage: AC220V
- Rated frequency: 50Hz
- Capacity: 230mL
- Product dimension: 80x80x190mm

### Main components

- Cup: SUS304



Small and portable



Status lamp



Waterproof protection

- Sealing ring: Silicone



## 1017Q

### Parameter

- Model type: Portable kettle
- Model number: 1017Q
- Rated power: 45W
- Capacity: 300ml
- Battery capacity: 5200mAh
- Rated voltage: DC 7.4V

### Main components

- Cup: Tritan
- Heating plate: SUS316#+ ceramic heating element



Constant temperature heating



Baby material



Digital display

- Product dimension: 244x80x80mm
- Packing size: 330x125x110mm
- N.W.: 0.67kg
- G.W.: 1.05kg
- Certificate: CE / CB

- Pan: PP



06

# Cooker&Fryer



# 139E

Multi-function breakfast maker



- 8in1 breakfast maker, integrated with waffle maker&blender
- Grill toast, almond milk,scented tea,milk tea, coffee,smoothie,soup, boil water at your service
- Multiple color options




8in1 breakfast maker



cute design



multi-function



### Parameter

- Model type: Breakfast Maker
- Model number: 139E
- Heating power of sandwich pan: 600W
- Heating power of blender:300W
- Rated voltage: AC220V
- Certificate: CE / RoHS / CB / GB / ETL

- Product dimension: 370x223x278mm
- Capacity: 400mL
- N.W.: 3.14kg
- G.W.: 3.7kg
- Rated frequency: 50Hz

### Main components

- Cup:400ML High borosilicate glass cup with four ribs
- Motor: 5420 Class F with PTC protector
- Spare parts:Measuring cup,Strainer,Hairbrush, Stew pot

- Blade:SUS304,4 blades
- Housing material:ABS、bakelite

# 1026X

Electric frying pan



- 4L large capacity
- 3 blocks fire, 5 functions
- Non-stick coating



4L capacity



Smart menu



Non-stick coating

### Parameter

- Model type: Electric frying pan
- Model number: 1026X
- Rated power: 1400W
- Rated voltage: AC220V
- Rated frequency: 50Hz
- Certificate: CE / RoHS / CB / GB

### Main components

- Lid: SUS304
- Stainless steel inner tank: SUS304
- Non-stick coating: water based oil

- Capacity: 4L
- Product dimension: 371×200×124mm
- Packing size: 501×335×182mm
- N.W.: 1.76kg
- G.W.: 2.43kg

- Gasket: Silicone
- Seal ring: silica gel
- Body: PP



## 1219D

### Parameter

- Model type: Air oven
- Model number: 1219D
- Rated power: 1300W
- Rated voltage: AC220~230V
- Certificate: CE / CB

### Main components

- Shell: SUS304
- Bottom and back plate: SGCD
- PCB support: PA66+30%GF



No oil added



15L capacity



Visual design

- Capacity: 15L
- Product dimension: 334x343x320mm
- Packing size: 382x372x372mm
- N.W.: 3.8kg

- Tank: SGCD
- Shell: SPCC powder sprayed



## 1316G

### Parameter

- Model type: Electric steamer
- Model number: 1316G
- Rated voltage: AC220V
- Rated frequency: 50Hz
- Rated power: 800W
- Certification: CE / RoHS / CB / GB

### Main components

- Heat plate: SUS304
- Steam grid component: PC
- The steamer rack: PP



Cool touch & Double wall



Visual design



Multi-function

- Water tank capacity: 1.2L
- Steamer capacity: 1.5L

- Transparent top cover: PC
- Body: PP
- Seal ring: Silica gel



## 1016W

- Non-stick pan, Perfect for steak, egg, fried rice, ramen, oatmeal and soup.
- 1.5L Multi-function, mini hot pot with an over-heating protection and dry burn protection

### Parameter

- Model type: Multifunctional Electric pot
- Model number: 1016W
- Rated power: 700W
- Rated voltage: AC220V
- Rated frequency: 50Hz
- Product dimension: 371\*200\*124mm (without steamer)
- Product dimension: 371\*200\*185mm (steamer)
- Packing size: 520x455x550mm(6pcs)
- Certificate: CE/ROHS/CB/GB/TEL

### Main components

- Cover: Glass
- Coating: ceramic coated
- Cup holder: PP
- Gasket: Silicone
- Spare parts: steamer, power cable



## 1028F

### Parameter

- Model type: Multifunctional electric cooker
- Model number: 1028F
- Rated power: 500W
- Rated voltage: AC220V
- Rated frequency: 50Hz

### Main components

- Inner lid: US304
- Stainless steel inner tank: SUS304



Heat the food



small and exquisite



The handle design

- Capacity: 600ml
- Product dimension: 130x132x193mm
- Packing size: 165x165x230mm
- N.W.: 0.825kg
- G.W.: 1.1kg

- Gasket: Silicone





## 1217A

**Parameter**

- Model type: Air fryer
- Model number: 1017A
- Rated power: 1000W
- Product dimension: 280x240x305mm

**Main components**

- Fuselage material: PP



Make delicious dishes



Pull out power



ventilation

- Rated voltage: AC220V
- Rated frequency: 50Hz
- Capacity: 3.5L
- Certificate: CE / RoHS / CB / GB / ETL

- Tank material: Teflon non-stick pan



## 1328C

**Parameter**

- Model type: Electric hot pot
- Model number: 1328C
- Rated power: 1000W
- Product dimension: 337x271x250mm
- Capacity: 3L

**Main components**

- Top decoration: ABS electroplating
- Lid: tempered glass

- N.W.: 1.6kg
- Rated voltage: AC220V
- Rated frequency: 50Hz
- Rated frequency: 50Hz
- Certificate: CE / RoHS / CB / GB / ETL

- Housing material: ABS
- Fuselage: PP



Multi-functione



Bamboo steamer



Knob to adjust

07

# Boutique series

Product Reviews →



# 136D

Intelligent body dryer



- Dry body after shower, hot/cool wind optional
- Negative ion skin care make you feel fresh air by the waterfall.
- Waterproof protect your safety.
- Intelligent gravity induction, foot contact automatic start.



Dry body



Intelligent



fresh air


### Parameter

- Product Name: body dryer
- PTC: 500W
- Product model: 136D
- Rated frequency: 50 Hz
- Net weight: 4.7kg
- Gross weight: 5.9kg
- Product size: 480x470x250mm
- Packing size: 490x480x270mm

- Cool power: 700W
- Heating power: 300W
- Rated voltage: AC220V




## 1106A



Small and portable



Large steam



The thermostat

### Parameter

- Model type: Portable garment steamer
- Rated power: 1000W
- Rated voltage: AC220V
- Rated frequency: 50Hz

### Main components

- Housing material: ABS

- Model number: 1106A
- N.W.: 1kg
- Product dimension: 136x208x76mm
- Certificate: CE / RoHS / CB / GB / ETL



## 1136C



Handheld use



Trim the bulb



USB charging

### Parameter

- Model type: Portable garment steamer
- Model number: 1136C
- Rated power: 100W
- Rated voltage: 3.7V

### Main components

- Housing material: ABS

- Product dimension: 206x96x70mm
- Packing size: 239x132x78.5mm
- N.W.: 0.38kg
- G.W.: 0.61kg

- Power cord length: 1M





## 134D

**Parameter**


- Model type: Toothbrush disinfecting cup
- Model number: 134D
- Battery capacity: 3000mAh
- N.W.: 380g

**Main components**

- Cup lid: PC



For home use and travel



Constant temperature drying



USB charging

- Rated power: 2W
- Product dimension: 84.5×84.5×254mm
- Rated voltage: DC 3.7V
- Certificate: CE / RoHS / CB / GB / ETL




## 136B

**Parameter**

- Model type: Chopsticks sterilizer
- Model number: 136B
- Rated power: 80W
- Rated voltage: AC220V
- Rated frequency: 50Hz

**Main components**

- Housing material: ABS



Hot air drying



One key operation



Can unpick and wash

- Product dimension: 200×140×218mm
- Packing size: 240×178×290mm
- N.W.: 1.1kg
- G.W.: 1.4kg

- Power cord length: 1M