

BUY IT AT LESSER PRICES



TOASTER



Model: HET-4
4-Slice Toaster

Model:	HET-4
Dimension:	370x210x225mm
Volts:	220-240V/50-60Hz
Power:	2.3KW
N/W:	4Kg



Model: HET-6
6-Slice Toaster

Model:	HET-6
Dimension:	460x210x225mm
Volts:	220-240V/50-60Hz
Power:	3.24KW
N/W:	5Kg



Model: HT-01
9-Slice Toaster (Sandblast Finish)

Model:	HT-01
Dimension:	350x450x290mm
Volts:	220-240V/50-60Hz
Power:	2.2KW
N/W:	12Kg



Model: HET-150 / 300 / 450
Electric Conveyor Toaster

Model:	HET-150	HET-300	HET-450
Dimension:	540x400x290mm	370x420x380mm	470x420x380mm
Volts:	220-240V/50-60Hz	220-240V/50-60Hz	220-240V/50-60Hz
Power:	2.2KW	1.94KW	2.64KW
N/W:	12Kg	16Kg	20.5Kg

VISION
DISTRIBUTION



CREPE MAKER



Model: HCM-1
1-Plate Electric Crepe Maker



Model: HCM-1G
1-Plate Gas Crepe Maker



Model: HCM-1D / HCM-2D
Single / Double Electric Crepe Maker (Shinning Surface)

Model:	Dimensions(mm):	Volts:	Gas:	Power:	N/W:
HCM-1	450x470x230	220V/50Hz	-	3KW	23Kg
HCM-1G	450x470x230	-	LPG	4KW/Hour	23Kg
HCM-1D	450x490x225	220V/50Hz	-	3KW	16Kg
HCM-2D	860x470x230	220V/50Hz	-	6KW	44Kg



Model: HCM-2G
2-Plate Gas Crepe Maker



Model: HCM-400G
1-Plate Gas Crepe Maker



Model: HCM-2
2-Plate Electric Crepe Maker



Model: HCM-400
1-Plate Electric Crepe Maker

Model:	Dimensions(mm):	Volts:	Gas:	Power:	N/W:
HCM-2	860x470x230	220V/50Hz	-	6KW	44Kg
HCM-2G	860x470x230	-	LPG	8KW/Hour	44Kg
HCM-400	400x400x190	220V/50Hz	-	2.2KW	20Kg
HCM-400G	400x400x200	-	LPG	4KW/Hour	20Kg

BUY IT AT LESSER PRICES

Towel Warmer



Model: KDJ-8BS/F



Model: KDJ-13BS/F



Model: KDJ-20BS/F



Model: KDJ-45S/F

Electronic towel warmer

Model:	Dimensions(mm):	N/W:	Volts:	Power:	Cabinet volume:	Cabinet temperature:
KDJ-8BS/F	330x280x260	4.9Kg	50/60	130/6	8L/30PC	75°C±10%
KDJ-13BS/F	422x285x280	6.5Kg	50/60	180/6	13L/50PC	75°C±10%
KDJ-20BS/F	450x285x330	7.5Kg	50/60	180/6	20L/70PC	75°C±10%
KDJ-45S/F	450x310x595	12.5Kg	50/60	180x2/6x2	2x20L/140PC	75°C±10%



Model: KD-8BSL/FL



Model: KD-13BSL/FL



Model: KD45SL

Hot&Cool Towel Cabinet

Model:	Dimensions(mm):	N/W:	Volts:	Power:	Cabinet volume:	Cabinet temperature:
KD-8BSL/FL	330x340x280	7.5Kg	50/60	130/65	6L/20PC	75°C±10%
KD-13BSL/FL	330x340x280	10Kg	50/60	180/120	12L/30PC	75°C±10%
KD45SL	450x340x595	20Kg	50/60	180x2/20x2	2x15L/80PC	75°C±10%

Temperature control for refrigeration 0°C



Model: KD-8BS/F



Model: KD-13S/F



Model: KD-20S/F



Model: KD-45S

Ultraviolet Ray Towel Warmer

Model:	Dimensions(mm):	N/W:	Volts:	Power:	Cabinet volume:	Cabinet temperature:
KD-8BS/F	330x280x260	4.9Kg	50/60	130	8L/30PC	75°C±10%
KD-13S/F	420x285x280	7.0Kg	50/60	180	13L/50PC	75°C±10%
KD-20S/F	450x285x300	8.5Kg	50/60	200	20L/70PC	75°C±10%
KD-45S	450x310x595	14Kg	50/60	200x2	2x20L/140PC	75°C±10%

FOOD MIXER



● FBT-10N



● FBT-20N



● FBT-30N



● FBT-40N

Model	Diameter,Highly	Bowl Volume	Dough Weight	Flour : Water	Motor	Speed
FBT-10N	248x250mm	10L	3.75-4Kg	1:0.5-0.6	6 Level(poles)0.6KW	118/234/460(RPM)
FBT-20N	318x292mm	20L	7.5-8Kg	1:0.5-0.6	6 Level(poles)0.9KW	118/234/460(RPM)
FBT-30N	370x388mm	30L	10.5-11.2Kg	1:0.5-0.6	6 Level(poles)1.3KW	125/204/430(RPM)
FBT-40N	402x392mm	40L	12-12.8Kg	1:0.5-0.6	6 Level(poles)1.3KW	125/204/430(RPM)

Food Mixer

- Competitive price with reliable quality
- Easy operation and convenience for repairing
- High efficiency, it's a good partner for the chefs
- S series is gear driving, F series is belt driving
- B series only with a cover on the basis of S or F series.
- Silver and white color optional
- Wheel and EI rockero handle optional



Model: B10S/B15S
Food Mixer



Model: B20S/B30S
Food Mixer



Model: B25F/B40F
Food Mixer



Model: B50F/B60F
Food Mixer



Model: B10B/B15B
Food Mixer



Model: B20B/B30B
Food Mixer



Model: B25B/B40B
Food Mixer



Model: B50B/B60B
Food Mixer

Model	Dimensions(mm)	Bowl Volume	Rated Voltage	Power	Max.Kneading Capacity	Mixing Speed	N/W
B10S	450x366x606	10L	220-240V	0.72KW	5Kg	110/178/139r/min	56Kg
B15S	474x372x676	15L	220-240V	0.50KW	6Kg	110/178/355r/min	65Kg
B20S	520x420x760	20L	220-240V	1.0KW	7Kg	110/200/420r/min	82Kg
B30S	545x440x882	30L	220-240V	1.1KW	10Kg	80/163/310 r/min	148Kg
B25F	515x440x860	25L	220-240V	1.0KW	8Kg	110/200/422 r/min	84Kg
B40F	620x630x1011	40L	220-240V	2.KW	12Kg	80/160/310 r/min	150Kg
B50F	690x622x1200	50L	3N~380V	1.8KW	15Kg	74/150/288 r/min	195Kg
B60F	724x652x1300	60L	3N~380V	2.5KW	20Kg	74/150/288 r/min	230Kg

S series is gear driving, F series is belt driving. B series only added a cover on the basis of S or F series.



Food Mixer



- * All series are used strong gear construction with European technology
- * CE Standard with Emergency stop and double safety system, motor protection system
- * Fashion design with satisfied quality, low noise, heavy duty, strong body and high efficiency
- * Silver and white color optional
- * Wheel and EI rockero handle optional



Model: B10K/B15K
Food Mixer



Model: B20K/B30K
Food Mixer



Model: B25K/B40K/B50K/B60K
Food Mixer



Model: B80K
Food Mixer



Model: B100K
Food Mixer

Model	Dimensions(mm)	Bowl Volume	Rated Voltage	Power	Max.Kneading Capacity	Mixing Speed	N/W
B10K	450x366x606	10L	220-240V	0.45KW	5Kg	110/178/390r/min	56Kg
B15K	474x372x676	15L	220-240V	0.50KW	6Kg	110/178/390r/min	58Kg
B20K	520x420x760	20L	220-240V	1.1KW	6Kg	105/180/408r/min	78Kg
B25K	515x440x860	25L	220-240V	1.0KW	8Kg	110/200/422 r/min	84Kg
B30K	545x440x882	30L	220-240V	1.5KW	10Kg	105/180/408r/min	86Kg
B40K	620x630x1011	40L	3N~380V	1.5KW	12Kg	80/160/288r/min	150Kg
B50K	690x622x1200	50L	3N~380V	1.8KW	15Kg	74/150/288r/min	195Kg
B60K	724x652x1300	60L	3N~380V	2.5KW	20Kg	74/150/288r/min	230Kg
B80K	1205x740x1620	80L	3N~380V	4.0KW	25Kg	75/111/147/220r/min	550Kg
B100K	1300x840x1750	100L	3N~380V	4KW	60Kg	75/111/200r/min	820Kg



Cake Mixer



(optional color)

Model:	Dimensions(mm):	Bowl Volume:	Rated Voltage:	Power:	Dough MD:
B5	430x240x430	5L	220V/50Hz	0.5KW	0.5Kg
B7	430x240x430	7L	220V/50Hz	0.5KW	0.8Kg
B10	430x240x430	10L	220V/50Hz	0.5KW	1.2Kg



Model: B5SA



Model: B7SA



Model: B7S

Model:	Dimensions(mm):	Power:	Volts:	Capacity:	Dough Mixing:	Cream Mixing:	Max Output:	Speed	Weight
B5SA	370x230x410	0.3KW	220~240V	5L	0.5-0.8Kg	1.5Kg	-	-	25Kg
B7SA	410x250x425	0.35KW	220~240V	7L	0.8-1.2Kg	5Kg	-	-	28.4Kg
B7S	412x235x430	0.38KW	220~240V	7L	-	-	0.4Kg	780RPM	22Kg

Stick Blender



GENERAL FEATURE:

Professional equipment Particularly suited for ice cream shops, confectioner's, restaurants, hotels

Exclusive body design made from plastic Heavy duty hand mixer available in 3 motor sizes to meet the demands of any Kitchens

220W, 350W and 500W ventilated motor Thermal overload protection included Variable speed control switch

Ergonomic handle for comfortable use

Fully detachable stainless steel shafts available in 5 lengths, 200mm, 250mm 300mm, 400mm and 500mm, and 250mm and 350mm whisk attachments also available

Bayonet attachments clutch, and double sealed shafts for hygienic use

Full stainless steel, high performance blade. All food contact parts instainless steel



Model:	Power:	Speed:	Voltage:	Blender Tube:	Whisk For Blender:	N/W:	Dimension:
IB220MF	220W	15000rpm	100-120V/60Hz 220V-240V/50Hz	BLD160	WIK185	1.1Kg	304x75mm
IB220MV	220W	2000-15000rpm		BLD160	WIK185	1.1Kg	304x75mm
IB350CF	350W	15000rpm		BLD200/ BLD250/ BLD300/ BLD400/ BLD500	WIK250/ WIK350	2.5Kg	359x91mm
IB350CV	350W	2000-13000rpm				2.8Kg	359x91mm
IB500LF	500W	16000rpm				3.1Kg	359x91mm
IB500LV	500W	2000-14000rpm		3.1Kg	359x91mm		

Spiral Mixer



▲ **HS20/HS30/HS40**
Spiral Mixer



▲ **HS50/HS60**
Spiral Mixer



▲ **HS80/HS100/HS130**
Spiral Mixer



▲ **HS200/HS260**
Spiral Mixer

Model:	Dimensions(mm):	Packing Size(mm):	Voltage:	Power:	Capacity:	Bowl:	Mixing Speed:	Bowl Speed:	Weight:
HS20	710x390x900	720x430x950	200-240V/50Hz	1.5KW	8Kg	21L	150/200r/min	15/20r/min	99Kg
HS30	740x440x900	770x480x950	200-240V/50Hz	1.5KW	12Kg	35L	150/200r/min	15/20r/min	100Kg
HS40	820x470x1000	1010x530x1100	200-240V/50Hz	3KW	16Kg	40L	150/200r/min	15/20r/min	164Kg
HS50	870x520x1000	1060x580x1100	200-240V/50Hz	3KW	20Kg	54L	150/200r/min	15/20r/min	165Kg
HS60	870x520x1000	1060x580x1100	200-240V/50Hz	3KW	25Kg	64L	150/200r/min	15/20r/min	170Kg
HS80	1000x680x1380	1080x740x1570	380V/50Hz	3.15KW	32Kg	80L	150/200r/min	15/20r/min	350Kg
HS100	1080x730x1380	1150x780x1570	380V/50Hz	5.25KW	40Kg	100L	150/200r/min	15/20r/min	380Kg
HS130	1160x760x1380	1220x820x1570	380V/50Hz	6.05KW	50Kg	130L	150/200r/min	15/20r/min	410Kg
HS200	1320x840x1460	1450x920x1610	380V/50Hz	8.25KW	75Kg	200L	150/200r/min	15/20r/min	580Kg
HS260	1320x840x1460	1450x920x1610	380V/50Hz	8.25KW	100Kg	260L	150/200r/min	15/20r/min	600Kg



▲ **FHS20A/FHS30A**
Frequency Conversion Dough Mixer



▲ **FHS40A**
Frequency Conversion Dough Mixer



▲ **BS-20A/BS-30A**
Spiral Mixer



▲ **BS-40A/BS-50A/BS-60A**
Spiral Mixer

Model:	Dimensions(mm):	Packing Size(mm):	Power:	Voltage:	Capacity:	Bowl Speed:	Stir Speed:	N/W:
FHS20A	660x490x840	770x550x920	1.5KW	220V/50Hz	< 8Kg	12.5/25rpm	125/250rpm	91Kg
FHS30A	760x520x920	850x600x100	2KW	220V/50Hz	< 12Kg	12.5/25rpm	125/250rpm	114Kg
FHS40A	760x520x920	850x600x100	2.2KW	220V/50Hz	< 15Kg	12.5/25rpm	125/250rpm	116Kg
BS-20A	630x390x800	760x500x920	0.45/0.75KW	380V/50Hz	< 8Kg	12.5/25rpm	125/250rpm	92Kg
BS-30A	720x440x870	860x540x1000	0.85/1.5KW	380V/50Hz	< 12Kg	12.5/25rpm	125/250rpm	97Kg
BS-40A	720x440x870	860x540x1000	0.85/1.5KW	380V/50Hz	< 15Kg	12.5/25rpm	125/250rpm	117Kg
BS-50A	830x530x930	940x600x1050	1.5/2.4KW	380V/50Hz	< 22Kg	12.5/25rpm	125/250rpm	170Kg
BS-60A	830x530x930	940x600x1050	1.5/2.4KW	380V/50Hz	< 25Kg	12.5/25rpm	125/250rpm	178Kg



**DOUBLE ACTION
DOUBLE SPEED DOUGH MIXER**



The Performance Characteristics Of

● Super capacity rapid prototyping, on the basis of the original increase in the frame. The strength of each part and the selected accessories are all high-quality accessories on the market at present. Moreover, the appearance of the machine has been redesigned, and all parts of the machine are designed by arc. Beautiful, generous, low noise, suitable for customers with high requirements.

Model:	Dimensions(mm):	Voltage:	Power:	Capacity:	Dough mixing:	Mixer speed:	Rotating speed:	N/W:
SD20B	400x730x900	220V/50Hz	1.1KW	20L	8Kg	220/120R/min	22/12R/min	95Kg
SD30B	440x800x930	220V/50Hz	1.5KW	30L	12Kg	220/120R/min	22/12R/min	103Kg
SD40B	480x860x930	380V/50Hz	2.2KW	40L	16Kg	220/120R/min	22/12R/min	115Kg
SD80B	580x1000x1050	380V/50Hz	3KW	80L	25Kg	220/160R/min	18/13R/min	252Kg
SD130B	770x1220x1330	380V/50Hz	6.5KW	130L	50Kg	200/140R/min	16/11R/min	295Kg
SD200B	770x1270x1330	380V/50Hz	7KW	200L	75Kg	200/140R/min	16/11R/min	320Kg

SPIRAL MIXER



HS10A/HS20A



HS30A/HS40A/HS50A



HS80A/HS100A



HS130A/HS200A

Model:	Dimensions(mm):	Voltage:	Power:	Volume:	Shaft speed:	Bowl speed:	Max flour quantity:	N/W:
HS10A	680x360x750	220V/50Hz	0.55KW	10L	185R/min	15R/min	5Kg	68Kg
HS20A	690x380x730	380V/50Hz	0.86/0.85KW	21L	101/200R/min	15R/min	8Kg	76Kg
HS30A	770x430x810	380V/50Hz	0.86/1.1KW	35L	101/200R/min	16R/min	12Kg	95Kg
HS40A	865x480x925	380V/50Hz	1.1/2.2KW	40L	101/202R/min	16R/min	16Kg	127Kg
HS50A	950x530x970	380V/50Hz	2.2KW	50L	101/202R/min	8/16R/min	20Kg	135Kg
HS80A	1100x660x1300	380V/50Hz	1.5/2.4KW	80L	101/202R/min	16R/min	25Kg	429Kg
HS100A	1160x700x1400	380V/50Hz	6.3KW	100L	107/210R/min	16R/min	40Kg	470Kg
HS130A	1250x830x1450	380V/50Hz	7.4KW	130L	107/210R/min	16R/min	50Kg	507Kg
HS200A	1400x970x1580	380V/50Hz	12KW	200L	107/210R/min	16R/min	75Kg	675Kg



Dough series



Model: APD30(Automatic)
Pizza Dough Sheeter



Model: APD40 (Semi-Automatic)
Pizza Dough Sheeter



Model: TR31
Bread Slicer

Model:	Dimensions(mm):	Power:	Volts:	Thickness:	Dough Weight:	Pizza Diameter:	N/W:
APD30	530x480x560	0.37KW	220V/50Hz	-	50~500g	30cm	37Kg
APD40	530x530x650	0.37KW	220V/50Hz	-	50~500g	40cm	39Kg
TR31	650x740x780	0.37KW	220-240V/50-60Hz	31pcs, 1.2cm	37-45pcs, 0.8-1.2cm	can be made too	



Model: DD36
Dough Divider



Model: FK-30
Semi-auto Rounder & Divider



Model: FK-30A
Fully-auto Rounder & Divider



Model: CG-38
Dough Moulder

Model:	Dimensions(mm):	Volts:	Mtor Power:	Weight:
DD36	520x420x1230	220-240V/50-60Hz	0.75KW	220Kg
FK-30	650x540x2100	380V	1KW	345Kg
FK-30A	650x730x1440	380V	2KW	440Kg
CG-38	1300x500x1050	220V/380V	0.75KW	208Kg

Meat Mincer



TC-42



TC-52



Meat Mincer (All SS Body)

Model:	Dimensions:	Power:	Voltage:	Productivity:	Weight:
TC-42	530x1020x950	4000W	3~380V,50Hz	650Kg/h	107Kg
TC-52	800x1350x1220	5500W	3~380V,50Hz	1300Kg/h	438Kg



TC-8



TC-12



TC-22



TC-32

Meat Mincer (All SS Body)

Model:	Dimensions:	Power:	Voltage:	Productivity:	Weight:
TC-8	350x230x375	600W	220V/50HZ	80kg/h	11Kg/12Kg
TC-12	400x190x410	850W	220V,50Hz	120Kg/h	27Kg
TC-22	410x240x450	1200W	220V,50Hz	220Kg/h	35Kg
TC-32	530x270x500	1500W	220V,50Hz	320Kg/h	76Kg



TT-8



TT-12



TT-22



TT-32

Meat Mincer (SS Body, Chroming T-branch Pipe)

Model:	Dimensions:	Power:	Voltage:	Productivity:	Weight:
TT-8	350x230x375	600W	220V,50Hz	80Kg/h	11Kg/12Kg
TT-12	400x190x410	850W	220V,50Hz	120Kg/h	27Kg
TT-22	410x240x450	1200W	220V,50Hz	220Kg/h	35Kg
TT-32	530x270x500	1500W	220V,50Hz	320Kg/h	76Kg

BUY IT AT LESSER PRICES

VISION
DISTRIBUTION

Meat Slicer/Meat Grinder



Model:	Dimensions:	Power:	Voltage:	Blade diameter:	N/W:
220ES-8	440x380x340	120W	220V/50Hz	Ø220mm	14.3Kg
250ES-10	490x390x380	150W	220V/50Hz	Ø250mm	15.5Kg
300ES-12	530x460x460	250W	220V/50Hz	Ø300mm	24.3Kg




Model:	Dimensions:	Power:	Voltage:	Capacity:	N/W:	G/W:
MG12MD	500x315x550	0.75HP/550W	220V/50Hz	100Kg/hr	21Kg	24Kg
MG22MD	500x315x550	1HP/735W	220V/50Hz	180Kg/hr	23.5Kg	26.5Kg
MG32MD	550x330x580	1.2HP/900W	220V/50Hz	200Kg/hr	29Kg	31.6Kg
CG55SH	490x320x485	0.75HP/550W	220V/50Hz	40Kg/hr	16Kg	18Kg
CG22DM	680x335x580	1.2HP/900W	220V/50Hz	60Kg/hr	28Kg	32Kg



Food Cutting Machine

Model:	Packing Size:	Current:	N/W:	G/W:
HR-6	565x365x440	230V/50Hz/750W 110V/60Hz/750W	18.86Kg 6L 4L	20.36Kg
HR-9	570x385x460	230V/50Hz/750W 110V/60Hz/1200W	19.92Kg 9L 6L	21.26Kg
HR-15	350x580x550	230V/50Hz/1500W 110V/60Hz/1500W	23Kg 15L 15L	25Kg

MANUAL SAUSAGE FILLER



Model:	Dimensions:	Bowl Volume:	N/W:
TV-3L	550x330x305	3L	11Kg
TV-5L	670x330x305	5L	12Kg
TV-7L	820x330x305	7L	13Kg

Model:	Dimensions:	Bowl Volume:	N/W:
TV-10L	670x450x350	10L	20Kg
TV-12L	730x450x350	12L	21Kg
TV-15L	800x450x350	15L	22Kg

ELECTRIC SAUSAGE FILLER



Model:	Packing Size:	Power:	Voltage:	G/W:
EV-10L	770x430x330mm	120W	220V/50Hz	36Kg
EV-15L	890x430x330mm	120W	220V/50Hz	39Kg
EV-20L	880x460x360mm	250W	220V/50Hz	49Kg
EV-25L	990x460x360mm	250W	220V/50Hz	52Kg
EV-30L	1100x460x360mm	250W	220V/50Hz	54Kg

LIE TOP SAUSAGE FILLER



Model:	Dimensions:	Packing Size(mm):	N/W:	G/W:
HV-3L	450x210x160	450x320x300	9.5Kg	10.5Kg
HV-5L	580x210x160	570x320x300	11Kg	12Kg
HV-7L	710x210x160	700x320x300	12Kg	13Kg

Rapid Sausage Filler



Model:	Dimensions(mm):	Power:	Voltage:	Bowl Volume:	Productivity:	N/W:	G/W:
SF-150	600x400x1240	0.75KW	220V/380V	15L	300Kg/h	120Kg	140Kg
SF-260	640x485x1240	1.1KW	220V/380V	26L	400Kg/h	160Kg	180Kg
SF-350	735x460x1240	1.1KW	220V/380V	35L	600Kg/h	180Kg	210Kg

Dough Sheeter




Model: LSP-400 / 520 / 650
Free Standing Dough Sheeter

Model: TSP-400 / 520 / 650
Table Top Dough Sheeter

Model:	Dimensions(mm):	Packing Size(mm):	Conveyor Belt Size(mm):	Power:	Volts:	N/W:
LSP-400	2000x760x1040	-	400x1600	0.4KW	220V/380V/50Hz	170Kg
LSP-520	2550x880x1180	960x730x1650	500x2000	0.55KW	220V/380V/50Hz	190Kg
LSP-650	2950x1100x1180	1180x1130x1650	630x2400	0.75KW	220V/380V/50Hz	225Kg
TSP-400	1690x780x590	850x640x820	400x1600	0.4KW	220V/50HZ	110Kg
TSP-520	2080x1100x620	960x660x1060	500x2000	0.55KW	220V/380V/50Hz	125Kg
TSP-650	2950x1100x620	1180x1130x1060	630x2400	0.75KW	220V/380V/50HZ	190Kg

BONE SAW (ALL SHINNING ALUMINUM BODY)



Model: J210

Internal Display

Model: J310

Model:	J210
Dimensions:	525x470x850mm
Work Size:	500x380mm
Voltage:	220V/50Hz
Motor Power:	0.65KW

Model:	J310
Dimensions:	700x600x900mm
Packing Size:	740x640x940mm
Voltage:	220V/50Hz
Motor Power:	1.6KW
Capacity:	200-300Kg/h
N.W:	75Kg



Model: JG-210P
Bone Saw(Outside painting)

Model: J210S
Stainless Steel Bone Saw

Model: J310A
Bone Saw Machine

Model:	JG-210P	J-210S
Voltage(v):	110/220/240	110/220
Frequency(HZ):	50/60	50/60
Saw Blade Speed(m/s):	15/19	15
Motor Power(w):	850	1100
Wheel Diameter(mm):	210	210
Table Specification:	380x365mm	610x530mm
Cutting Thickness(mm):	4-180	-
Gross /Net Weight:	50/45kgs	65/53
Size of Product:	480x455x880mm	-
Size of Package:	550x545x975mm	-

Model:	J310A
Dimensions:	748x710x1630mm
Power:	1.5KW
Voltage:	220V/50Hz
Wheel Directly:	300mm
Saw Blade Length:	1650mm
Cutting Height:	347mm
Net Weight:	92Kg
Gross Weight:	125Kg
Packing Size:	850x740x1280mm

BUY IT AT LESSER PRICES

VISION
DISTRIBUTION



Food cut up machine



Model: TQ-5(Painting)
TQ-5A(SS body)
Food Cut Up Machine



Model: TQ-8(Painting)
TQ-8A(SS body)
Food Cut Up Machine



Model: QS-620(Painting)
QS-620A(SS body)
Food Cut Up Machine



Model: QS-630/QS-650
Food Cut Up Machine(SS body)

Model:	Dimensions(mm):	Volts:	Power:	Productivity:	Capacity:	Weight:	Knife Motor Power:	Bowl Motor Power:
TQ-5/TQ-5A	530x420x540	220V/50Hz	0.37KW	80Kg/Hour	-	62Kg	-	-
TQ-8/TQ-8A	800x550x550	220V/50Hz	0.75KW	120Kg/Hour	-	90Kg	-	-
QS-620/QS-620A	775x710x940	220V/50Hz	1.1KW	120Kg/Hour	20L	126Kg	-	-
QS-630	990x810x980	220V/50Hz	1.1KW	300kg/Hour	25L	318kg	2.2/2.8KW	1.1KW
QS-650	1200x1000x1138	220V/50Hz	1.1KW	1000Kg/Hour	50L	360Kg	2.2/2.8KW	1.1KW



Model: VC-55MF
Multi-Purpose Electric Vegetable Cutter



Model: VC-60MS
Multi-Purpose Electric Vegetable Cutter



Model: VC-65MS
Multi-Purpose Electric Vegetable Cutter

Model:	Dimensions(mm):	Volts:	Power:	N/W:	G/W:
VC-55MF	650x315x535	220V/50Hz	3/4HP/0.55KW	27.5Kg	18Kg
VC-60MS	650x315x535	220V/50Hz	3/4HP/0.55KW	25Kg	18Kg
VC-65MS	650x325x535	220V/50Hz	1HP/0.75KW	25Kg	18Kg

VEGETABLE CUTTER



Model: JG-12
Cut The Lettuce, Dicing Machine



Model: JG-13
Easy Onion Slicer



Model: JG-14
Vegetable Cutting Machine/Butyl

Model:	JG-12	Model:	JG-13	Model:	JG-14
Dimensions:	18"(L)13"(W)20"(H)	Dimensions:	18"(L)13"(W)20"(H)	Head Type:	6mm,9mm,13mm
Case Pack:	2pcs/ctn	Case Pack:	4pcs/ctn	Case Pack:	4pcs/ctn
Product Material:	Aluminum die casting	Product Material:	Aluminum die casting	Product Material:	Aluminum die casting



Model: JG-15
Fruit Block Machine



Model: JG-25
Wave Cutter Slitting Machine

WAVE CUTTER SLITTING MACHINE

* Quick clipping is more convenient
* Safety, environmental protection stainless steel
easy slicing, cutting, creative modeling

Model:	JG-15	Model:	JG-25
Dimensions:	18"(L)13"(W)20"(H)	Dimensions:	500x130x190mm
Case Pack:	4pcs/ctn	Net Weight:	2.5Kg
Product Material:	Aluminum die casting	Gross Weight:	3Kg

ALL STAINLESS STEEL MULTI-FUNCTION CUTTER



FQS-4L FQS-6L FQS-10L FQS-15L

Model:	Dimensions(mm):	Volts:	Power:	Capacity:	N/W:	G/W:	Material:
FQS-4L	355x310x510	220V/50-60Hz, 110V/60Hz	370W	4L	13Kg	14Kg	Stainless steel 304 420(blade)
FQS-6L	425x365x560	220V/50-60Hz, 110V/60Hz	550W	6L	22Kg	23Kg	Stainless steel 304 420(blade)
FQS-10L	435x410x585	220V/50-60Hz, 110V/60Hz	1100W	10L	31Kg	32Kg	Stainless steel 304 420(blade)
FQS-15L	500x460x690	220V/50-60Hz, 110V/60Hz	750W	15L	34Kg	38.5Kg	Stainless steel 304 420(blade)

LARGE SCALE CUTTER



FQS-830

Model:	FQS-830
Volts:	110V/60Hz, 220V/50-60Hz
Power:	2200W
Motor Speed:	2800r/min
Production:	30L/3-4min
Net Weight:	30Kg
Gross Weight:	31Kg
Dimensions:	670x620x1050mm
Material:	Stainless Steel



FQS-832

Model:	FQS-832
Capacity:	32L
Volts:	110V/60Hz, 220V/50-60Hz
Power:	1500W
Net Weight:	32Kg
Gross Weight:	35Kg
Dimensions:	670x620x1050mm



Potato Peeler



Model: PP8 Model: PP15 Model: PP30
Potato Peeler Potato Peeler Potato Peeler

Model:	Dimensions(mm):	Power:	Voltage:	Frequency:	Efficiency:	Capacity:	N.W:
PP8	460x460x785	0.65KW	110/220/230V	50/60Hz	240-480Kg/h	10Kg	42Kg
PP15	520x520x850	1.1KW	110/220/230V	50/60Hz	490-900Kg/h	15Kg	53Kg
PP30	600x580x1020	1.5KW	110/220/230/380V	50/60Hz	1080-2160Kg/h	30Kg	72Kg



Model: PP8A
Potato Peeler



Model: PP15A/30A
Potato Peeler



Model: QP-350/500/800
Potato Peeler

Model:	Dimensions(mm):	Power:	Voltage:	Frequency:	Efficiency:	Capacity:	N.W:
PP8A	490x470x850mm	0.55KW	110/220/230V	50/60Hz	240-480Kg/h	10Kg	48Kg
PP15A	550x520x910mm	1.1KW	110/220/230V	50/60Hz	490-900Kg/h	15Kg	60Kg
PP30A	630x590x1075mm	1.5KW	110/220/230/380V	50/60Hz	1080-2160Kg/h	30Kg	78Kg
QP-350	400x450x800mm	0.75KW	110/220/230V	50/60Hz	350Kg/h	10Kg	65Kg
QP-500	480x500x900mm	1.1KW	110/220/230V	50/60Hz	500Kg/h	15Kg	85Kg
QP-800	800x700x1050mm	2.2KW	110/220/230/380V	50/60Hz	800Kg/h	30Kg	110Kg



Model: HWB-1
1-Plate Waffle Baker



Model: HCB-1
1-Plate Cone Baker



Model: HWB-1H
1-Plate Heart Shape Waffle Baker

Model:	Dimensions(mm):	Volts:	Power:	N/W:
HWB-1	250x350x260	220-240V/50-60Hz	1KW	5.4Kg
HCB-1	282x380x230	220-240V/50-60Hz	1KW	6.4Kg
HWB-1H	250x350x260	220-240V/50-60Hz	1KW	5.4Kg



Model: HWB-2
2-Plate Waffle Baker



Model: HCB-2
2-Plate Cone Baker



Model: HWB-2H
2-Plate Heart Shape Waffle Baker

Model:	Dimensions(mm):	Volts:	Power:	N/W:
HWB-2	500x350x260	220-240V/50-60Hz	2KW	10.4Kg
HCB-2	570x380x230	220-240V/50-60Hz	2KW	12.4Kg
HWB-2H	500x350x260	220-240V/50-60Hz	2KW	10.4Kg



Model: HWB-1A
Rotary Waffle Baker



Model: HWB-1AD



Model: HWB-1AT

Model:	Dimensions(mm):	Volts:	Power:	Control Type:
HWB-1A	220x500x270	220V	1.4KW	Manual
HWB-1D	220x500x270	220V	1.4KW	Digital
HWB-1AT	220x500x270	220V	1.4KW	Touch

EGG WAFFLE BAKER



Model: HES-30
Electric Egg Waffle Baker



Model: HGG-30
Gas Egg Waffle Baker

Model:	Dimensions(mm):	Volts:	Gas:	N/W:
HEG-30	440x265x270	220V	-	5.5Kg
HGG-30	420x220x210	220V	LPG	5.5Kg

DONUT MAKER



Model: HDM-5
Donut Maker



Model: HDM-6
Donut Maker



Model: HDM-12
Donut Maker



Model: EES-10 / GES-10
Electric / Gas Egg-Sausage Fryer

Model:	Dimensions(mm):	Volts:	Power:	N/W:
HDM-5	385x410x320	220-240V/50-60Hz	1.5KW	10Kg
HDM-6	385x410x320	220-240V/50-60Hz	1.5KW	8.5Kg
HDM-12	385x410x320	220-240V/50-60Hz	1.5KW	8Kg
EES-10	410x200x230	220V/50Hz	1.6KW	-
GES-10	520x250x465	LPG	1.4KW	-

BUY IT AT LESSER PRICES

Snack machine



VISION
DISTRIBUTION



Model: EG-5B
Corn crisp maker



Model: EG-5X
Crisp Machine (five parts)



Model: EG-6X
Crisp Machine (six parts)



Model: EG-6D
Crisp Machine

Model:	Dimensions(mm):	Volts:	Power:	Material:	N/W:
EG-5B	435x410x325	220V	1.5KW	Stainless Steel 201	9Kg
EG-5X	385x410x315	220V	1.5KW	Stainless Steel 201	8Kg
EG-6X	435x410x315	220V	1.5KW	Stainless Steel 201	9Kg
EG-6D	380x300x265	220/110V/50-60Hz	1.6KW	Stainless Steel 201	10Kg



Model: ZH-118A
Lolly Waffle Baker



Model: ZH-118C
Lolly Waffle Baker



Model: ZH-118B
Electric Lolly Waffle Baker



Model: ZH-118D
Big Lolly Waffle Baker

Model:	Dimensions(mm):	Volts:	Power:	Material:	Net Weight:	Gross Weight:
ZH-118A	320x450x280	220~240V	-	Stainless Steel 201	15Kg	-
ZH-118C	300x400x290	220/110V/50Hz	1.5KW	Stainless Steel 201	12Kg	13Kg
ZH-118B	350x400x270	220/110V/50-60Hz	-	Stainless Steel 201	11Kg	-
ZH-118D	380x350x280	220/110V/50-60Hz	1.5KW	Stainless Steel 201	12Kg	13Kg



Model: HWB-2B
Waffle Baker



Model: HWB-2C
Waffle Maker



Model: HWB-1S
1-Plate Waffle Baker



Model: HWB-2S
2-Plate Waffle Baker

Model:	Volts:	Waffle Size:	Dimensions:	Power:	Material:	N/W:	G/W:	Packing Size:
HWB-2B	220V/50Hz	-	305x455x290mm	2.0KW	SS 201	28Kg	-	-
HWB-2C	220V/50Hz, 110V/60Hz	65x40x20mm	300x400x290mm	1.5KW	SS 201	11Kg	13Kg	425x370x320mm
HWB-1S	220~240V/50~60Hz	-	282x380x230mm	1.6KW	SS 201	11.6Kg	-	-
HWB-2S	220~240V/50~60Hz	-	570x380x230mm	3.2KW	SS 201	20.5Kg	-	-



Model: HWB-111
1-Plate Waffle Maker



Model: HWB-114
4-Plate Waffle Maker



Model: HWB-119
9-Plate Waffle maker



Model: HWB-120
Waffle Maker

Model:	Volts:	Waffle Size:	Dimensions:	Power:	Material:	N/W:	G/W:	Packing Size:
HWB-111	220V/50Hz, 110V/60Hz	265x265x16mm	340x380x270mm	1.8KW	SS 201	10Kg	12Kg	490x410x275mm
HWB-114	220V/50Hz, 110V/60Hz	115x115x16mm	300x400x290mm	1.5KW	SS 201	11Kg	13Kg	425x370x320mm
HWB-119	220V/50Hz, 110V/60Hz	-	390x340x295mm	1.5KW	SS 201	13Kg	-	-
HWB-120	220V/50Hz, 110V/60Hz	115x115x16mm	300x400x290mm	1.5KW	SS 201	11Kg	13Kg	425x370x320mm



Model: BW-223
Cone Baker Machine



Model: HWB-4H
Heart Shape



Model: HWB-4T
Smile face waffle maker



Model: HWB-4F
Bowl shape cone waffle maker

Model:	Volts:	Waffle Size:	Dimensions:	Power:	Material:	N/W:	G/W:	Packing Size:
BW-223	220V/50Hz, 110V/60Hz	-	300x400x290mm	1.5KW	SS 201	11Kg	13Kg	-
HWB-4H	220V/50Hz, 110V/60Hz	108x105x18mm	300x400x290mm	1.5KW	SS 201	11Kg	13Kg	425x370x320mm
HWB-4T	220V/50Hz, 110V/60Hz	105x105x18mm	300x400x290mm	1.5KW	SS 201	11Kg	13Kg	425x370x320mm
HWB-4F	220V/50Hz, 110V/60Hz	108x108x30mm	300x400x290mm	1.5KW	SS 201	11Kg	13Kg	425x370x320mm



Model: BW-226
Korean fish crisp maker



Model: BW-229
Fish Waffle Maker



Model: BW-302
4 Slice sandwich waffle maker

Model:	Volts:	Waffle Size:	Dimensions:	Power:	Material:	N/W:	G/W:	Packing Size:
BW-226	220V	-	385x330x300mm	1.5KW	SS 201	8Kg	-	-
BW-229	220V/50Hz, 110V/60Hz	-	380x300x265mm	1.6KW	SS 201	12Kg	13Kg	-
BW-302	220V/50Hz, 110V/60Hz	125x125x24mm	380x350x280mm	1.5KW	SS 201	10Kg	12Kg	425x370x320mm



Model: BW-303
Flower shape donut maker



Model: BW-304
Donut machine



Model: BW-305
Gayke Penis Shaped Waffle Maker

Model:	Volts:	Waffle Size:	Dimensions:	Power:	Material:	N/W:	G/W:	Packing Size:
BW-303	220V/50Hz, 110V/60Hz	75x30x24mm	380x350x280mm	1.5KW	SS 201	10Kg	12Kg	450x370x320mm
BW-304	220V/50Hz, 110V/60Hz	50x10x24mm	380x350x280mm	1.5KW	SS 201	10Kg	12Kg	450x370x320mm
BW-305	220V/50Hz, 110V/60Hz	165x52x30mm	380x350x280mm	1.5KW	SS 201	11Kg	12.5Kg	425x370x320mm



Model: HWB-4L
Waffle Maker



Model: HWB-5B
Mickey waffle maker



Model: HWB-6S
Commercial 6pcs Square Waffle Machine

Model:	Volts:	Waffle Size:	Dimensions:	Power:	Material:	N/W:	G/W:	Packing Size:
HWB-4L	220V/50Hz, 110V/60Hz	215x45x20mm	300x400x290mm	1.5KW	SS 201	11Kg	13Kg	425x370x320mm
HWB-5B	220V/50Hz, 110V/60Hz	80x78x28mm	300x400x290mm	1.5KW	SS 201	11Kg	13Kg	425x370x320mm
HWB-6S	220V/50Hz, 110V/60Hz	100x60x24mm	300x400x290mm	1.5KW	SS 201	11Kg	13kg	425x370x320mm



Model: FCS-2E
Egg Waffle Maker



Model: FCS-2R
Electric Flip Waffle Maker

Model:	Dimensions(mm):	Volts:	Power:	Material:	Net Weight:	Gross Weight:
FCS-2E	550x320x210mm	220/110V/50Hz	1.3KW	Stainless Steel 201	16Kg	19Kg
FCS-2R	610x540x330mm	220V/50Hz, 110V/60Hz	3.2KW	Stainless Steel 201	21Kg	36Kg



Model: FCS-4W
Waffle Maker



Model: FCS-8W
Waffle Maker

Model:	Dimensions(mm):	Volts:	Power:	Material:	Net Weight:	Gross Weight:
FCS-4W	500x270x100mm	220V/50Hz, 110V/60Hz	2KW	Stainless Steel 201	21Kg	-
FCS-8W	410x580x280mm	220V/50Hz, 110V/60Hz	1.5KW	Stainless Steel 201	12Kg	14Kg



Model: FCS-1101
Taiyaki Maker



Model: FCS-1102B
Commercial taiyaki machine big fish waffle maker



Model: FCS-1102S
Ice cream Taiyaki machine

Model:	Volts:	Dimensions:	Power:	Material:	N/W:	G/W:
FCS-1101	220/110V/50Hz	380x440x330mm	1.56KW	Stainless Steel 304	12Kg	15Kg
FCS-1102B	220V/50Hz, 110V/60Hz	610x570x340mm	3.2KW	Stainless Steel 201	21Kg	24Kg
FCS-1102S	220V/50Hz, 110V/60Hz	600x460x330mm	3.12KW	Stainless Steel 304	23Kg	25Kg



Model: FCS-1104B
The Carp Waffle Maker



Model: FCS-1104P
Pipeapple Taiyaki Machine

Model:	Volts:	Dimensions:	Power:	Material:	N/W:	G/W:
FCS-1104B	220V/50Hz, 110V/60Hz	320x600x210mm	3.2KW	Stainless Steel 201	23Kg	-
FCS-1104P	220V/50Hz, 110V/60Hz	600x460x330mm	3.2KW	Stainless Steel 201	22Kg	25Kg



Model: PM-H25

25 Holes heart shape poffertjes grill pancake maker



Model: DM-H50

50 Holes Heart Shape Poffertjes Grill Pancake

Model:	Volts:	Dimensions:	Power:	Material:	N/W:	G/W:
PM-H25	220V/50Hz, 110V/60Hz	340x310x200mm	0.8KW	Stainless Steel 201	7Kg	9Kg
DM-H50	220V/50Hz, 110V/60Hz	620x310x200mm	1.6KW	Stainless Steel 201	11Kg	15Kg



Model: FCS-1104S

Electric open mouth ice cream taiyaki machine



Model: FCS-1105

Ice Cream Taiyaki Cake Maker

Model:	Volts:	Dimensions:	Power:	Material:	N/W:	G/W:
FCS-1104S	220V/50Hz, 110V/60Hz	600x370x380mm	2.1KW	Stainless Steel 201	22Kg	25Kg
FCS-1105	220V/50Hz, 110V/60Hz	650x450x260mm	3.2KW	Stainless Steel 201	21Kg	24Kg



Model: PM-H50-2

50 holes heart shape Poffertjes grill pancake



Model: PM-H100

100 Holes Heart Shape Poffertjes Grill Pancake

Model:	Volts:	Waffle Size:	Dimensions:	Power:	Material:	N/W:	G/W:
PM-H50-2	220V/50Hz, 110V/60Hz	-	620x310x200mm	1.6KW	SS 201	11Kg	15Kg
PM-H100	220V/50Hz, 110V/60Hz	45x45x10mm	620x310x200mm	1.6KW	SS 201	13Kg	-



Model: FCS-1106F

Taiyaki Fish Waffle Maker



Model: FCS-1105B

Dog Head Waffle Machine

Model:	Volts:	Dimensions:	Power:	Material:	N/W:	G/W:
FCS-1106F	220V/50Hz, 110V/60Hz	680x400x280mm	3.2KW	Stainless Steel 201	21Kg	24Kg
FCS-1105B	220V/50Hz, 110V/60Hz	690x380x290mm	3.2KW	Stainless Steel 201	21Kg	24Kg



Model: PG-Q25

Poffertjes Grill



Model: PG-Q50

Poffertjes Grill



Model: PG-Q25-2

Poffertjes Grill

Model:	Dimensions(mm):	Volts:	Power:	Material:	Net Weight:	Gross Weight:
PG-Q25	350x300x200	220V/50Hz, 110V/60Hz	1.0KW	Stainless Steel 201	7Kg	12Kg
PG-Q50	620x310x200	220V/50Hz, 110V/60Hz	1.6KW	Stainless Steel 201	13Kg	20Kg
PG-Q25-2	620x310x200	220V/50Hz, 110V/60Hz	1.5KW	Stainless Steel 201	13Kg	20Kg



Model: PCS-1108M

A Piece Of Gayke



Model: FCS-1106K

Korea Fat Burning

Model:	Volts:	Waffle Size:	Dimensions:	Power:	Material:	N/W:	G/W:	Packing Size:
PCS-1108M	220V/50Hz, 110V/60Hz	165x52x30mm	620x390x450mm	3KW	SS 201	24Kg	30Kg	660x400x460mm
FCS-1106K	220V/50Hz, 110V/60Hz	100x90x35mm	620x390x450mm	3KW	SS 201	18Kg	21Kg	640x410x470mm

DONUT FRYER



Model: HGF-100B
Gas Donut Fryer

Model:	HGF-100B
Volts:	220-240V/110-130V
Power:	200W
Yield:	1200PC
Production Size:	30-120mm
Material:	All Stainless Steel
Mould	3PC/25mm, 35mm, 45mm
Tank Capacity:	7L
Oil Tank Size:	805x310x115mm 29L
Tank Size:	845x345x260mm
Transport Dimensions:	1010x350x170mm
Whole Size:	1200x550x720mm
Packing Size:	1100x600x570mm
Net Weight:	55Kg
Gross Weight	90Kg

DONUT FRYER



Model: HDF-1400
Auto Electric Donut Fryer



Model:	HDF-1400
Volts:	220-240V/110-130V
Power:	6000W
Yield:	300-1200PC
Production Size:	30-120mm
Material:	All Stainless Steel
Mould	3PC/25mm, 35mm, 45mm
Tank Capacity:	7L
Oil Tank Size:	805x310x115mm 29L
Tank Size:	845x345x125mm
Transport Dimensions:	1010x350x170mm
Whole Size:	1200x550x720mm
Packing Size:	1100x600x470mm
Net Weight:	48Kg
Gross Weight	62Kg



Model: HDF-101
Electric Donut Fryer



Model: HDF-102
Desktop Hand Wave Electric Donut Fryer



Model:	HDF-101	HDF-102
Volts:	220-240V/110-130V	200-240V/110-130V
Power:	3000W	3000W
Yield:	450PC	500PC
Production Size:	30-100mm	50-90mm
Material:	All Stainless Steel	All Stainless Steel
Mould	3PC/25mm, 35mm, 45mm	Botti, ophelia, circle, dragon ball: 1PC
Tank Capacity:	7L	9L
Oil Tank Size:	815x175x100mm 15L	500x500x100mm 15L
Tank Size:	850x205x180mm	530x530x160mm
Transport Dimensions:	815x205x125mm	Support Plate: 480x540x50mm
Whole Size:	1050x400x650mm	1050x700x650mm
Packing Size:	1040x400x470mm	1000x740x370mm
Net Weight:	28Kg	35Kg
Gross Weight	40Kg	52Kg

DONUT FRYER



Model: HDF-9T
Model: HDF9T-3
One/Three Shape Economic
Electric Donut Fryer



Model:	HDF-9T	HDF-9T-3
Dimensions:	980x550x330	980x550x330
Volts:	220-240V	220-240V
Frequency:	50-60Hz	50-60Hz
Power:	3KW	3KW
N/W:	36Kg	39Kg
Output:	-	-



Model: HDF-480
4-Row Full Automatic Electric Donut Fryer

Model:	HDF-480
Volts:	220-240V/110-130V/380V/50Hz
Power:	10KW
Yield:	1900PC
Production Size:	30-120mm
Material:	All Stainless Steel
Mould	12PC/25mmx4, 35mmx4, 45mmx4
Tank Capacity:	30L
Oil Tank Size:	1520x480x100mm 73L
Tank Size:	1550x500x110mm
Transport Dimensions:	1520x515x130mm
Whole Size:	1740x680x720mm
Packing Size:	1810x740x700mm
Net Weight:	80Kg
Gross Weight	145Kg



Fishball Grill



Model: HX-34
Electric 1-Head Fishball Grill

Model:	HX-34
Dimension:	270x470x260mm
Volts:	220V/50Hz
Power:	2KW
N/W:	14Kg



Model: HX-34R
Gas 1-Head Fishball Grill

Model:	HX-34
Dimension:	270x470x260mm
Gas:	LPG
Heating:	12053BTU/Hour
N/W:	14Kg



Model: HX-56
Electric 2-Head Fishball Grill

Model:	HX-56
Dimension:	470x470x260mm
Volts:	220V/50Hz
Power:	4KW
N/W:	28Kg



Model: HX-56R
Gas 2-Head Fishball Grill

Model:	HX-56R
Dimension:	470x470x260mm
Gas:	LPG
Heating:	26700BTU/Hour
N/W:	28Kg



Model: HX-65
Electric 2-Head Fishball Grill

Model:	HX-65
Dimension:	740x470x260mm
Volts:	220V/50Hz
Power:	6KW
N/W:	42Kg



Model: HX-65R
Gas 3-Head Fishball Grill

Model:	HX-65R
Dimension:	470x470x260mm
Gas:	LPG
Heating:	36160BTU/Hour
N/W:	42Kg



Contact Grill



Model: HEG-811 / HEG-811E
Electric Contact Grill



Model: HEG-813 / HEG-813E
Electric Contact Grill



Model: HET-815
HET-815A (All Grooved)
Electric Contact Grill



Model: HEG-811T
Electric Contact Grill
(Touch-Screen Control)

Model:	Dimensions(mm):	Volts:	Power:	N/W:
HEG-811	305x400x210	220V/50Hz	1.8KW	14Kg
HEG-811E	425x400x210	220V/50Hz	2.2KW	21Kg
HEG-813	580x400x210	220V/50Hz	1.8+1.8KW	26Kg
HEG-813E	845x400x210	220V/50Hz	4.4KW	37Kg
HET-815	450x360x220	220V/50Hz	2.5KW	19Kg
HET-815A	450x360x220	220V/50Hz	2.5KW	19Kg
HEG-811T	305x400x210	220V/50Hz	1.8KW	14Kg



Model: HEG-811ET
Electric Contact Grill
(Touch-Screen Control)



Model: HEG-813T
Electric Contact Grill
(Touch-Screen Control)



Model: HEG-811A (Down Flat)
HEG-811EA (Down Flat)
Electric Contact Grill



Model: HEG-813A (Down Flat)
HEG-813EA (Down Flat)
Electric Contact Grill

Model:	Dimensions(mm):	Volts:	Power:	N/W:
HEG-811ET	425x400x210	220V/50Hz	2.2KW	21Kg
HEG-813T	580x400x210	220V/50Hz	1.8+1.8KW	26Kg
HEG-811A	305x400x210	220V/50Hz	1.8KW	14Kg
HEG-811EA	425x400x210	220V/50Hz	2.2KW	21Kg
HEG-813A	580x400x210	220V/50Hz	1.8+1.8KW	26Kg
HEG-813EA	845x400x210	220V/50Hz	4.4KW	37Kg