

BUY IT AT LESSER PRICES



Juice dispenser



VISION
DISTRIBUTION

Juice dispenser



Color-FCS Series



Model: LSJ20L-1/LSJ20L-2

Juice Dispenser

Model: LSP50L

Juice Dispenser

CH5L

Hot Chocolate Machine

CH10L

Hot Chocolate Machine

Model	Dimensions	Packing Size	Volts	Power	Capacity	N/W	G/W
LSJ20L-1	420x350x680mm	440x380x700mm	220V/50Hz	0.28KW(Cold)/0.6KW(Heat)	20L	23Kg	25Kg
LSJ20L-2	600x350x680mm	670x420x700mm	220V/50Hz	0.35KW(Cold)/1KW(Heat)	20Lx2	29Kg	32Kg
LSP50L	500x500x720mm	540x540x750mm	220V/50Hz	0.38KW	50L	25Kg	28Kg
CH5L	400x320x470mm	420x360x500mm	220V/50Hz	0.44KW	5L	8Kg	10Kg
CH10L	400x320x570mm	420x360x600mm	220V/50Hz	0.44KW	10L	10Kg	12Kg



Model: JD-81

Juice Dispenser



Model: JD-82

Juice Dispenser



Model: JD-83

Juice Dispenser

Model	Dimensions	Volts	Power	Rotation Speed	Capacity	Weight
JD-81	350x260x580mm	-	-	-	8L	-
JD-82	350x540x580mm	-	-	-	2x8L	-
JD-83	350x820x580mm	-	-	-	3x8L	-



PL-161A



PL-162A



PL-163A



PL-164A

Model	Function	Capacity	Dimensions	Packing Size	Power	Volts	N/W
PL-161A	Spraying/Stirring	16L	265x375x700mm	350x490x730mm	145W	220V	10Kg
PL-162A	Spraying/Stirring	16Lx2	420x450x680mm	505x505x750mm	235W	220V	26Kg
PL-163A	Spraying/Stirring	16Lx3	620x450x680mm	690x505x750mm	330W	220V	36Kg
PL-164A	Spraying/Stirring	16Lx4	820x450x680mm	890x490x760mm	590W	220V	45Kg



FCS-122C



FCS-123C



FCS-162C



FCS-163C

Model	Function	Capacity	Pans	Colding temperature	Colding power	Heating temperature	Heating power
FCS-122C	Spraying/Stirring	12L	2	6~12°C	238W	52~57°C	1012W
FCS-123C	Spraying/Stirring	12L	3	6~12°C	283W	52~57°C	1783W
FCS-162C	Spraying/Stirring	16L	2	6~12°C	238W	52~57°C	1012W
FCS-163C	Spraying/Stirring	16L	3	6~12°C	283W	52~57°C	1783W



PL-230A



PL-351A

Model	Function	Capacity	Dimensions	Packing Size	Power	Volts	N/W
PL-230A	Spraying/Stirring	15Lx2	410x450x665mm	460x500x715mm	spraying:360W,stirring:250W	220V/50Hz	27Kg
PL-351A	Spraying/Stirring	15Lx3	610x450x665mm	660x500x715mm	spraying:530W,stirring:370W	220V/50Hz	38Kg

BUY IT AT LESSER PRICES

VISION
DISTRIBUTION



Juice dispenser



Model: JD-121/JD-181
Juice Dispenser



Model: JD-122/JD-182
Juice Dispenser



Model: JD-123/JD-183
Juice Dispenser

Model	Dimensions	Volts	Power	Capacity	N/W
JD-121	480x360x750mm	220V-240V/50Hz	0.18KW	12Lx1	24Kg
JD-181	480x360x750mm	220V-240V/50Hz	0.18KW	18Lx1	27Kg
JD-122	470x450x700mm	220V-240V/50Hz	0.28KW	12Lx2	28Kg
JD-182	510x470x750mm	220V-240V/50Hz	0.28KW	18Lx2	40Kg
JD-123	640x450x700mm	220V-240V/50Hz	0.32KW	12Lx3	36Kg
JD-183	750x470x750mm	220V-240V/50Hz	0.32KW	18Lx3	54Kg



Slush Machine



Model: SM-101
Slush Machine



Model: SM-102
Slush Machine



Model: SM-103
Slush Machine

Model	Dimensions	Volts	Power	Capacity	Weight
SM-101	350x620x840mm	220V-240V/50Hz	300W	10Lx1	40Kg
SM-102	470x620x840mm	220V-240V/50Hz	400W	10Lx2	55kg
SM-103	620x670x840mm	220V-240V/50Hz	500W	10Lx3	74Kg



Model: LSP10Lx1
Juice Dispenser



Model: LSP10Lx2
Juice Dispenser



Model: LSP10Lx3
Juice Dispenser



Model: LSP10Lx4
Juice Dispenser

Model	Dimensions	Packing Size	Volts	Power	Capacity	N/W	G/W
LSP10Lx1	210x360x670mm	240x400x700mm	220V/50Hz	0.18KW	10L	13Kg	15Kg
LSP10Lx2	430x360x670mm	440x400x700mm	220V/50Hz	0.28KW	10Lx2	22Kg	24Kg
LSP10Lx3	430x360x670mm	490x400x700mm	220V/50Hz	0.32KW	10Lx3	27Kg	30Kg
LSP10Lx4	550x360x670mm	580x400x700mm	220V/50Hz	0.38KW	10Lx4	33Kg	36Kg



Model: SM-151
Slush Machine



Model: SM-152
Slush Machine



Model: SM-153
Slush Machine

Model	Dimensions	Volts	Power	Capacity	Weight
SM-151	350x620x840mm	220V-240V/50Hz	300W	15Lx1	40Kg
SM-152	470x620x840mm	220V-240V/50Hz	400W	15Lx2	55Kg
SM-153	620x670x840mm	220V-240V/50Hz	500W	15Lx3	74Kg

BUY IT AT LESSER PRICES

VISION DISTRIBUTION



SLUSH MACHINE



XRJ15X1



XRJ15LX2



SM-122



SM-123

Model	Dimensions	Carton size	Volts	Frequency	Cold Power	Temperature	N/W	G/W
XRJ15LX1	270x580x790mm	300x640x860mm	220-240V/110-115V	50/60Hz	400W	-2°C~-3°C	28Kg	40Kg
XRJ15LX2	470x580x790mm	490x640x810mm	220-240V/110-115V	50/60Hz	500W	-2°C~-3°C	44Kg	59Kg
XRJ15LX3	660x580x790mm	690x640x810mm	220-240V/110-115V	50/60Hz	600W	-2°C~-3°C	61Kg	81Kg
SM-122	470x550x870mm	-	220V-240V	50Hz	500W	Capacity:12Lx2	68Kg	-
SM-123	660x550x870mm	-	220V-240V	50Hz	600W	Capacity:12Lx3	78Kg	-

SLUSH MACHINE



SM112



SM212



SM312

Model	Dimensions	Carton size	Volts	Frequency	Power	Temperature	Volume	N/W	G/W
SM112	230x550x800mm	295x600x860mm	220V/110V	50/60Hz	570W	0~-6°C	12L	15Kg	18Kg
SM212	430x550x800mm	490x600x860mm	220V/110V	50/60Hz	850W	0~-6°C	12Lx2	26Kg	28Kg
SM312	630x550x800mm	650x600x860mm	220V/110V	50/60Hz	900W	0~-6°C	12Lx3	35Kg	40Kg



Commercial Blender



CB-767



CB-787A



CB-787B



CB-986/CB-958



CB-968

Commercial Blender	Commercial Blender	Commercial Blender	Commercial Blender
<p>Model: CB-767</p> <p>Size: 170x235x530mm</p> <p>Volts: 220V/50Hz</p> <p>Power: 1.2KW</p> <p>Speed: 23000~26000R/M</p> <p>N/W:3.7Kg</p> <p>Capacity: 2L</p>	<p>Model: CB-787A / CB-787B</p> <p>Size: 170x235x530mm</p> <p>Volts: 220V/50Hz</p> <p>Power: 1.6KW</p> <p>Speed: 23000~26000R/M</p> <p>N/W:3.7Kg</p> <p>Capacity: 2L</p>	<p>Model: CB-986/CB958</p> <p>Size: 280x275x535mm</p> <p>Volts: 220V/50Hz</p> <p>Power: 2.2KW</p> <p>Speed: 23000~26000R/M</p> <p>N/W:4.7Kg</p> <p>Capacity: 2.5L</p>	<p>Model: CB-968</p> <p>Size: 280x275x515mm</p> <p>Volts: 220V/50Hz</p> <p>Power: 2.5KW</p> <p>Speed: 23000~26000R/M</p> <p>N/W:6Kg</p> <p>Capacity: 3.9L</p>



CB-608



CB-958



CB-699



CB-699D



CB-999Z

Heavy Duty Commercial Blender	Commercial Juicer	Mute Broken Wall Machine	Commercial Blender
<p>Model: CB-608</p> <p>Maximum power: 1680W</p> <p>Rated voltage: 210V~240V</p> <p>Rated frequency: 50/60Hz</p> <p>Capacity: 2.5L</p> <p>Maximum speed: 30000RPM</p> <p>Product Weight: 5.2Kg</p> <p>Box size: 350x290x450mm</p> <p>Number of packing boxes: 2 sets/box</p>	<p>Model: CB-958</p> <p>Volts: 220-240V/50-60Hz</p> <p>Power: 2.8KW</p> <p>N/W: 4Kg</p> <p>Capacity: 6L</p>	<p>Model: CB-699 / CB-699D</p> <p>Maximum power: 2200W</p> <p>Rated voltage: 220V~</p> <p>Rated frequency: 50/60Hz</p> <p>Capacity: 2.0L</p> <p>Maximum speed: 42000RPM</p> <p>Product Weight: 7.2Kg</p> <p>Colour: Black/White</p> <p>Number of packing boxes: 2 sets/box</p>	<p>Model: CB-999Z</p> <p>Size: 200x220x500mm</p> <p>Volts: 220V/50Hz</p> <p>Power: 1.8KW</p> <p>Speed: 23000~26000R/M</p> <p>N/W:7.3Kg</p> <p>Capacity: 2.7L</p>

BUY IT AT LESSER PRICES



Cup Sealing Machine



Cup Sealing Machine



Model: FS-H8

Manual Sealing Machine



Model: FS-H85

Digital Manual Sealing Machine



Model:	FS-H8
Dimension:	210x270x435mm
Color:	Yellow
N/W:	11Kg
Power:	300W
Volts:	220V/50Hz



Model:	FS-H85
Dimension:	210x270x435mm
Color:	Yellow
N/W:	11Kg
Power:	300W
Volts:	220V/50Hz



Model: FS-HJ9

Manual Sealing Machine



Model: FS-H9

Digital Manual Sealing Machine

Manual Sealing Machine

1. Single side high body design, manual roll film sealing cup
2. Can 700 cc cup

Digital Manual Sealing Machine

1. Single side high body design, manual roll film sealing cup
2. Can sealing cup 700 cc cup
3. With mechanical counter, can show the sealing cup quantity



Model:	FS-HJ9
Dimension:	210x270x530mm
Color:	Yellow
N/W:	12Kg
Power:	300W
Volts:	220V/50Hz

Model:	FS-H9
Dimension:	210x270x530mm
Color:	Yellow
N/W:	12Kg
Power:	300W
Volts:	220V/50Hz



Model: FS-D8

Manual Sealing Machine



Model: FS-D85

Digital Manual Sealing Machine

Manual Sealing Machine

1. High body stenciled design, manual roll film sealing cup
2. Can 700 cc cup

Digital Manual Sealing Machine

1. High body stenciled design, manual roll film sealing cup
2. Can 700 cc cup
3. With mechanical counter, can show the sealing cup quantity



Model:	FS-D8
Dimension:	210x270x485mm
Color:	Yellow
N/W:	11Kg
Power:	300W
Volts:	220V/Hz

Model:	FS-D85
Dimension:	210x270x485mm
Color:	Yellow
N/W:	11Kg
Power:	300W
Volts:	220V/50Hz



Model: FS-Y68

Automatic Sealing Machine



Model: FS-Y66

Fully Automatic Sealing Machine

FULL TOUCHSCREEN ELECTRONIC VERSION

AUTOMATIC ROLL FILM AUTOMATIC SEALING CUP



Model:	FS-Y68
Dimension:	260x320x550mm
Material:	Stainless Steel
N/W:	21Kg
Power:	360W
Volts:	220V/50Hz

Model:	FS-Y66
Dimension:	260x320x550mm
Material:	Stainless Steel
N/W:	21Kg
Power:	380W
Volts:	220V/50Hz



Model: FS-Q10

Automatic Sealing Machine



Model: FS-A9

Semi-automatic Sealing Machine

Automatic Sealing Machine

1. Automatic roll film, automatic lower pressure
2. Can 700 cc cup

Semi-automatic Sealing Machine

1. Automatic roll film, manual sealing cup
2. With mechanical counter, can show the sealing cup quantity
3. Can 700 cc cup



Model:	FS-Q10
Dimension:	390x310x580mm
Color:	Pink
N/W:	23Kg
Power:	360W
Volts:	220V/50Hz

Model:	FS-A9
Dimension:	270x300x600mm
Color:	Pink
N/W:	16Kg
Power:	315W
Volts:	220V/50Hz



Model: FS-D3

Manual Sealing Machine



Model: FS-D35

Digital Manual Sealing Machine

Automatic Sealing Machine

1. Short body design, manual roll film, sealing cup
2. Can 700 cc cup

Semi-automatic Sealing Machine

1. Short body design, manual roll film, sealing cup
2. Can 700 cc cup
3. With electronic digital counter, can display the cup quantity



Model:	FS-D3
Dimension:	210x360x370mm
Color:	Yellow
N/W:	11Kg
Power:	300W
Volts:	220V/50Hz

Model:	FS-D35
Dimension:	210x360x370mm
Color:	Yellow
N/W:	11Kg
Power:	300W
Volts:	220V/50Hz

BUY IT AT LESSER PRICES



Beverage Equipment



VISION
DISTRIBUTION



Orange Juicer



Milk Shaker (1-Head)

Model: **HBL-015**
Dimension: 230x250x570mm
Volts: 220-240V/50-60Hz
Power: 0.3KW

Milk Shaker (2-Head)

Model: **HBL-018**
Dimension: 340x270x510mm
Volts: 220-240V/50-60Hz
Power: 0.6KW

Milk Shaker (1-Head)

Model: **HBL-11**
Dimension: 190x160x530mm
Volts: 220V/50Hz
Hp: 1.5KW

Milk Shaker (2-Head)

Model: **HBL-22**
Dimension: 230x230x530mm
Volts: 220V/50Hz
Hp: 1.5+1.5KW



Model: **2000E-1**

Auto Orange Juicer



Model: **2000E-2**

Auto Orange Juicer



Model: **2000E-3**

Auto Orange Juicer

Model:	2000E-1	2000E-2	2000E-3
Size:	400x330x780mm	400x300x770mm	400x330x780mm
Power:	220V/50Hz	220V/50Hz	220V/50Hz, 110V/60Hz
HP:	0.12KW	0.12KW	0.12KW
Size of Orange:	40-80mm (Diameter)	40-80mm (Diameter)	40-80mm (Diameter)
Output:	20 Oranges/Min	20 Oranges/Min	20 Orange/Minute
Yield:	40%-50%	40%-50%	40%-50%
N/W:	45Kg	40Kg	50Kg



Ice Crusher(Aluminum)

Model: **HCC-6S**
Dimension: 425x200x305mm
Volts: 220-240V/50-60Hz
Power: 300W
Rotation Speed: 1450R/M
Capacity: 65Kg/h
N/W: 5.5Kg

Ice Crusher(Plastic)

Model: **HCC-6P**
Dimension: 425x200x305mm
Volts: 220-240V/50-60Hz
Power: 300W
Rotation Speed: 1450R/M
Capacity: 65Kg/h
N/W: 5.5Kg

Ice Crusher(Stainless Steel)

Model: **FS-X10**
Size: 410x230x430mm
Power Supply: 220V/50Hz
Power: 300W

Milk Tea Warmer Bucket

Model: **KY-313**
Machine Size: 350x300x340mm
Capacity: 13L
N/W: 2.7Kg



Model: **2000E-4**

Auto Orange Juicer



Model: **2000E-5**

Mini Auto Orange Juicer



Model: **2000A-1**

Auto Orange Juicer



Model: **2000C-4**

Auto Orange Juicer

Model:	2000E-4	2000E-5	2000A-1	2000C-4
Size:	400x480x900mm	420x450x680mm	660x700x1720mm	520x540x1620mm
Power:	220V/50Hz, 110V/60Hz	220V/50Hz, 110V/60Hz	220V/50Hz, 110V/60Hz	220V/50Hz, 110V/60Hz
HP:	0.12KW	0.12KW	0.37KW	0.12KW
Size of Orange:	40-80mm (Diameter)	40-75mm (Diameter)	40-90mm (Diameter)	40-80mm (Diameter)
Output:	20 Orange/Minute	20 Oranges/Min	40 Orange/Minute	20 Orange/Minute
Yield:	40%-50%	40%-50%	40%-50%	40%-50%
N/W:	55Kg	38Kg	92Kg	76Kg