



# BAKING OVEN



Model: WFC-102DF

Electric Fermentation With Baking



Model: WFC-204DF

Electric Fermentation With Baking



Model: WFC-102QF

Gas Fermentation With Baking



Model: WFC-204QF

Gas Fermentation With Baking

Model:	Machine Size(mm):	Packing Size(mm):	Volt:	Power:	Capacity:
WFC-102DF	1220x850x1520	1265x900x1520	220-240V/50Hz	9.4KW	1 Layer with 2 Trays, 10Pans
WFC-204DF	1220x850x2080	1265x900x2080	380V	15.3KW	2 Layer with 4 Trays, 10Pans
WFC-102QF	1340x900x1620	1265x900x2130	220V/50Hz	LPG	1 Layer with 2 Trays, 10Pans
WFC-204QF	1340x900x2120	1265x900x1620	220V/50Hz	LPG	2 Layer with 4 Trays, 10Pans



Model: WFF-13A / WFF-16A  
Classic Electric Proofer



Model: WFF-13B / WFF-16B  
Luxury Electric Proofer



Model: WFF-26A / WFF-32A  
Classic Electric Proofer



Model: WFF-26B / WFF-32B  
Luxury Electric Proofer

Model:	Dimensions(mm):	Packing Size(mm):	Power:	N/W:	Capacity:	Material:	Thickness:
WFF-13A	690x490x1660	740x630x1640	2.1KW	28Kg	13 Pans	SS430	0.5mm
WFF-16A	690x480x1800	740x530x1950	2.1KW	32Kg	16 Pans	SS430	0.5mm
WFF-13B	680x500x1800	740x530x1680	2.1KW	36Kg	13 Pans	SS201	0.6mm
WFF-16B	680x500x2000	740x530x1960	2.1KW	40Kg	16 Pans	SS201	0.6mm
WFF-26A	1000x690x1660	1050x740x1640	2.6KW	44Kg	26 Pans	SS430	0.5mm
WFF-32A	1000x690x1880	1050x740x950	2.6KW	50Kg	32 Pans	SS430	0.5mm
WFF-26B	1000x680x1800	1050x740x1680	2.8KW	60Kg	26 Pans	SS201	0.6mm
WFF-32B	1000x680x2000	1050x740x1980	2.8KW	65Kg	32 Pans	SS201	0.6mm



# BAKING OVEN



- \* Rack can be added separately;
- \* Stone can be added separately for pizza baking.



## Electric Oven

- Microcomputer control panel, furnace, furnace bottom being dual independent temperature control, operate freely. Advanced microcomputer pulse ignition and flame monitoring system, high DianHuoLv, accidental stall or gas in the stall, automatic alarm, safe & convenient.
- Choose efficient baking heat pipes, heating up fast, long working life, high combustion efficiency, low gas consumption, economic and practical.



▲ HEO-416



▲ HEO-11



▲ HEO-12/13



▲ HEO-22/24/26



▲ HEO-36/39

Model:	Machine Size(mm):	Packing Size(mm):	Volts:	Power:	N/W:	Capacity:
HEO-11	880x580x350	930x650x420	220-240V/50Hz	3.2KW	40Kg	1-deck 1-tray
HEO-12	1220x815x580	1270x890x590	220-240V/50Hz	6.6KW	83Kg	1-deck 2-tray
HEO-13	1650x815x580	1670x890x590	220-240V/380V	8KW	120Kg	1-deck 3-tray
HEO-22	880x580x770	930x650x790	220-240V/50Hz	6.4KW	60Kg	2-deck 2-tray
HEO-24	1220x815x1260	1270x890x1290	220-240V/380V	13.2KW	140Kg	2-deck 4-tray
HEO-26	1650x815x1260	1670x890x1290	3N-380V/50Hz	16KW	250Kg	2-deck 6-tray
HEO-36	1220x815x1530	1270x890x1550	3N-380V/50Hz	25KW	202Kg	3-deck 6-tray
HEO-39	1650x815x1530	1670x890x1550	3N-380V/50Hz	19.5KW	268Kg	3-deck 9-tray
HEO-416	1650x1065x1845	1690x1130x1880	380V/50Hz	33KW	-	-





## BAKING OVEN



- \* Rack can be added separately;
- \* Stone can be added separately for pizza baking.



### Gas Oven

- Microcomputer control panel, furnace, furnace bottom being dual independent temperature control, operate freely. Advanced microcomputer pulse ignition and flame monitoring system, high DianHuoLv, accidental stall or gas in the stall, automatic alarm, safe & convenient.
- Choose efficient baking heat pipes, heating up fast, long working life, high combustion efficiency, low gas consumption, economic and practical.



▲ HGO-416



▲ HGO-11



▲ HGO-12/13



▲ HGO-24/26



▲ HGO-36/39

Model:	Machine Size(mm):	Packing Size(mm):	Volts:	Power:	N/W:	Capacity:
HGO-11	810x890x650	850x950x680	220-240V/50Hz	0.05KW	48Kg	1-deck 1-tray
HGO-12	1330x890x650	1380x950x680	220-240V/50Hz	0.05KW	109Kg	1-deck 2-tray
HGO-13	1760x890x650	1800x950x680	220-240V/50Hz	0.05KW	150Kg	1-deck 3-tray
HGO-24	1330x890x1430	1380x950x1750	220-240V/50Hz	0.1 KW	196Kg	2-deck 4-tray
HGO-26	1760x890x1430	1800x950x1750	220-240V/50Hz	0.1KW	310Kg	2-deck 6-tray
HGO-36	1330x890x1660	1380x950x1750	220-240V/50Hz	0.15KW	267Kg	3-deck 6-tray
HGO-39	1760x890x1660	1800x950x1750	220-240V/50Hz	0.15KW	330Kg	3-deck 9-tray
HGO-416	1760x1140x2210	1800x1190x2230	220V-300W/50Hz	0.15KW	-	-



## BAKING OVEN



### Electric Baking Oven

Adopts full glass Windows, convenient, beautiful generous, microcomputer control panel, furnace, furnace bottom double independent temperature control, operate freely. Advanced microcomputer pulse ignition and flame monitoring system, high DianHuoLv, accidental stall or gas in the stall, automatic alarm, safe & convenient. Choose efficient baking heat pipes, heating up fast, long working life, high combustion efficiency, low gas consumption, economic and practical.

- \* Rack can be added separately;
- \* Stone can be added separately for pizza baking.



Model:	Machine Size(mm):	Packing Size(mm):	Volts:	Power:	N/W:	Capacity:
HEO-12A	1220x815x580	1270x890x590	220-240V/50Hz	6.6KW	85Kg	1-deck 2-tray
HEO-13A	1650x815x580	1670x890x590	220-240V/380V	8KW	122Kg	1-deck 3-tray
HEO-24A	1220x815x1260	1270x890x1290	220-240V/380V	13.2KW	144Kg	2-deck 4-tray
HEO-26A	1650x818x1260	1670x890x1290	3N-380V/50Hz	16KW	254Kg	2-deck 6-tray
HEO-36A	1220x815x1530	1270x890x1550	3N-380V/50Hz	19.5KW	208Kg	3-deck 6-tray
HEO-39A	1650x815x1530	1670x890x1550	3N-380V/50Hz	25KW	277Kg	3-deck 9-tray





**BAKING OVEN**



*Gas Baking Oven*

Adopts full glass windows, convenient, beautiful generous, microcomputer control panel, furnace, furnace bottom double independent temperature control, operate freely. Advanced microcomputer pulse ignition and flame monitoring system, high DianluLv, accidental stall or gas in the stall, automatic alarm, safe & convenient. Choose efficient baking heat pipes, heating up fast, long working life, high combustion efficiency, low gas consumption, economic and practical.

- \* Rack can be added separately;
- \* Stone can be added separately for pizza baking.



Model:	Machine Size(mm):	Packing Size(mm):	Volts:	Power:	N/W:	Capacity:
HGO-12A	1330x890x650	1380x950x680	220-240V/50Hz	0.05KW	111Kg	1-deck 2-tray
HGO-13A	1760x890x650	1800x950x680	220-240V/50Hz	0.05KW	152Kg	1-deck 3-tray
HGO-24A	1330x890x1430	1380x950x1750	220-240V/50Hz	0.1KW	200Kg	2-deck 4-tray
HGO-26A	1760x890x1430	1800x950x1750	220-240V/50Hz	0.1KW	314Kg	2-deck 6-tray
HGO-36A	1330x890x1660	1380x950x1750	220-240V/50Hz	0.15KW	273Kg	3-deck 6-tray
HGO-39A	1760x890x1660	1800x950x1750	220-240V/50Hz	0.15KW	339Kg	3-deck 9-tray



**NEW MICROCOMPUTER LUXURY GAS OVEN**



*The Performance Characteristics Of*

- Microcomputer control panel, furnace surface, furnace bottom temperature double independent control, easy to operate;
- Advanced microcomputer pulse ignition and flame monitoring system;
- High ignition rate, accidental flame out or the gas out, automatic alarm, safety worry;
- Select high efficiency baking heating tube, heating time fast, long service life;
- High thermal efficiency and low gas consumption.



▲ HMB-9Q 3-Deck 9-Tray



▲ HMB-2Q  
1-Deck 2-Tray



▲ HMB-4Q  
2-Deck 4-Tray



▲ HMB-6Q  
3-Deck 6-Tray

Model:	Machine Size(mm):	Packing Size(mm):	Volts:	Power:	N/W:	Capacity:
HMB-2Q	1330x900x640	1380x960x680	220-240V/50Hz	0.05KW	120Kg	1-deck 2-tray
HMB-4Q	1330x900x1310	1380x960x1330	220-240V/50Hz	0.1KW	210Kg	2-deck 4-tray
HMB-6Q	1330x900x1800	1380x960x1820	220-240V/50Hz	0.15KW	310Kg	3-deck 6-tray
HMB-9Q	1760x900x1800	1810x960x1820	220-240V/50Hz	0.15KW	420Kg	3-deck 9-tray