

**ELECTRIC HOT DRINKS BOILERS
(SINGLE WALLED CONSTRUCTION)**

**VISION
DISTRIBUTION**



- Ideal partner for mulled wine, boiling water for tea and hot drinks
- Stainless steel 304 for body, 430 for base
- Temperature control: 30 - 110 degree
- Automatic turn- off or turn-on temperature control
- Time to boiling: 5L-10L around 30mins, 15L-25L around 50mins
- ON/OFF switch, knob location and light indicator
- Protected against boiling dry

Tel : (514) 492-1234

Email : info@distribution-vision.com

Site web : www.distribution-vision.com




| Item no. | Dimension (mm) | Cap. (Max line) | Meas. (mm) | CBM |
|------------|------------------|-------------------|-----------------|-------|
| HLB050D-A1 | dia. 220 x H412 | 6.3 L / 42 cups | 290 x 290 x 450 | 0.038 |
| HLB068D-A1 | dia. 220 x H430 | 7.7 L / 51 cups | 290 x 290 x 468 | 0.039 |
| HLB088D-A1 | dia. 220 x H465 | 7.8 L / 52 cups | 290 x 290 x 502 | 0.042 |
| HLB100D-A1 | dia. 220 x H490 | 9.3 L / 62 cups | 290 x 290 x 530 | 0.045 |
| HLB150D-A1 | dia. 290 x H460 | 14.8 L / 99 cups | 350 x 350 x 515 | 0.063 |
| HLB180D-A1 | dia. 290 x H500 | 17.8 L / 119 cups | 350 x 350 x 550 | 0.067 |
| HLB220D-A1 | dia. 290 x H560 | 21.8 L / 145 cups | 350 x 350 x 610 | 0.074 |
| HLB250D-A1 | dia. 290 x H620 | 25.6 L / 171 cups | 350 x 350 x 675 | 0.083 |

BUY IT AT LESSER PRICES



ELECTRIC HOT DRINKS BOILERS(DOUBLE WALLED CONSTRUCTION)

- Insulated double wall designed reduce the heat than single wall
- Ideal for mulled wine, boiling water for tea and hot drinks
- Stainless steel 304 for body,430 for base
- Temperature control:30-110 degree
- Automatic turn- off or turn-on temperature control
- Time to boiling:5L-10L around 30mins,15L-25L around 50mins
- ON/OFF switch, knob location and light indicator
- Safe locking lid and cool touch handles
- Stainless brushed
- Anti-drip tap
- Protected against boiling dry



| Item no. | Dimension (mm) | Cap. (Max line) | Meas. (mm) | CBM |
|------------|-----------------|-------------------|-----------------|-------|
| HLB050S-A1 | dia. 220 x H420 | 6.3 L / 42 cups | 290 x 290 x 450 | 0.038 |
| HLB068S-A1 | dia. 220 x H437 | 6.5 L / 43 cups | 290 x 290 x 475 | 0.040 |
| HLB088S-A1 | dia. 220 x H472 | 8.0 L / 53 cups | 290 x 290 x 515 | 0.043 |
| HLB100S-A1 | dia. 220 x H504 | 8.7 L / 58 cups | 290 x 290 x 550 | 0.045 |
| HLB150S-A1 | dia. 290 x H485 | 13.8 L / 92 cups | 350 x 350 x 545 | 0.067 |
| HLB180S-A1 | dia. 290 x H517 | 15.8 L / 105 cups | 350 x 350 x 570 | 0.070 |
| HLB220S-A1 | dia. 290 x H581 | 20.5 L / 137 cups | 350 x 350 x 630 | 0.077 |
| HLB250S-A1 | dia. 290 x H640 | 23.5 L / 157 cups | 350 x 350 x 695 | 0.085 |

BUY IT AT LESSER PRICES

ELECTRIC HOT DRINKS BOILERS(SINGLE WALLED CONSTRUCTION)



- Only for single walled
- Stainless steel 304 for body,430 for base
- Automatic re-boiled temperature control
- Locking lid and cool touch handles
- Adapt to offer a lot hot drinks in the parties, especially for keeping the heat temperature when having the activity at the hotel, coffee store, school, office and restaurant

**VISION
DISTRIBUTION**



| Item no. | Dimension (mm) | Cap. (Max line) | Meas. (mm) | CBM |
|-------------|------------------|-------------------|-----------------|-------|
| HLB050D-A1G | dia. 220 x H412 | 6.3 L / 42 cups | 290 x 290 x 450 | 0.038 |
| HLB068D-A1G | dia. 220 x H430 | 7.7 L / 51 cups | 290 x 290 x 468 | 0.039 |
| HLB088D-A1G | dia. 220 x H465 | 7.8 L / 52 cups | 290 x 290 x 502 | 0.042 |
| HLB100D-A1G | dia. 220 x H490 | 9.3 L / 62 cups | 290 x 290 x 530 | 0.045 |
| HLB150D-A1G | dia. 290 x H460 | 14.8 L / 99 cups | 350 x 350 x 515 | 0.063 |
| HLB180D-A1G | dia. 290 x H500 | 17.8 L / 119 cups | 350 x 350 x 550 | 0.067 |
| HLB220D-A1G | dia. 290 x H560 | 21.8 L / 145 cups | 350 x 350 x 610 | 0.074 |
| HLB250D-A1G | dia. 290 x H620 | 25.6 L / 171 cups | 350 x 350 x 675 | 0.083 |



BUY IT AT LESSER PRICES



DIGITAL CONTROL HOT WATER BOILERS (SINGLE WALLED CONSTRUCTION)

**VISION
DISTRIBUTION**

- Time to boiling:5L-10L around 30mins,15L-25L around 50mins
- Safe locking lid and cool touch handles
- Digital controlled and electronic signs indicator, visual temperature degree



| Item no. | Dimension (mm) | Cap. (Max line) | Meas. (mm) | CBM |
|-------------|------------------|-------------------|--------------|-------|
| HLB050D-A1F | dia.220xH420 | 6.3 L / 42 cups | 290x290x450 | 0.038 |
| HLB068D-A1F | dia.220xH430 | 7.0 L / 47 cups | 290x290x468 | 0.039 |
| HLB088D-A1F | dia.220xH465 | 8.0 L / 53 cups | 290x290x502 | 0.042 |
| HLB100D-A1F | dia.220xH490 | 9.0 L / 60 cups | 290x290x530 | 0.045 |
| HLB150D-A1F | dia.290xH460 | 14.3 L / 95 cups | 350x350x515 | 0.063 |
| HLB180D-A1F | dia.290xH500 | 16.5 L / 110 cups | 350x350x550 | 0.067 |
| HLB220D-A1F | dia.290xH560 | 20.5 L / 137 cups | 350x350x610 | 0.074 |
| HLB250D-A1F | dia.290xH620 | 23.5 L / 157 cups | 350x350x675 | 0.083 |

Twist-lock lid Safety locking design Cool touch handle



Digital controlled Electronic signs indicator Visual temperature degree



With non-drip water tap





BUY IT AT LESSER PRICES



DIGITAL CONTROL HOT WATER BOILERS (DOUBLE WALLED CONSTRUCTION)

- Ideal for mulled wine, boiling water for tea and hot drinks
- Temperature control:30°C-110°C
- Automatic turn- off or turn-on temperature control
- Time to boiling:5L-10L around 30mins,15L-25L around 50mins
- Dry heat protection
- ON/OFF switch with silicone rubber cover,waterproof design to safety use.

VISION
DISTRIBUTION



Feet of assembling drip tray



| Item no. | Dimension (mm) | Cap. (Max line) | CBM |
|-------------|------------------|-------------------|-------|
| HLB050S-A1D | dia. 220 x H420 | 6.3 L / 42 cups | 0.038 |
| HLB068S-A1D | dia. 220 x H437 | 7.0 L / 47 cups | 0.040 |
| HLB088S-A1D | dia. 220 x H472 | 8.0 L / 53 cups | 0.043 |
| HLB100S-A1D | dia. 220 x H504 | 9.0 L / 60 cups | 0.045 |
| HLB150S-A1D | dia. 290 x H485 | 14.3 L / 95 cups | 0.067 |
| HLB180S-A1D | dia. 290 x H517 | 16.5 L / 110 cups | 0.070 |
| HLB220S-A1D | dia. 290 x H581 | 20.5 L / 137 cups | 0.077 |
| HLB250S-A1D | dia. 290 x H640 | 23.5 L / 157 cups | 0.085 |

BUY IT AT LESSER PRICES



ELECTRIC HOT WATER BOILERS(STAINLESS STEEL BOTTOM)

- Single wall construction
- Mulled wine, hot water for tea and hot drinks helper
- Automatic turn- off or turn-on temperature control
- Protected against boiling dry

S/S Bottom with skidproof feet



Strong & non-drip tap



| Item no. | Dimension (mm) | Cap. (Max line) | CBM |
|-------------|-----------------|-------------------|-------|
| HLB050D-A1J | dia. 220 x H420 | 7.0 L / 47 cups | 0.038 |
| HLB068D-A1J | dia. 220 x H430 | 8.0 L / 53 cups | 0.039 |
| HLB088D-A1J | dia. 220 x H465 | 9.0 L / 60 cups | 0.042 |
| HLB100D-A1J | dia. 220 x H490 | 10.0 L / 67 cups | 0.045 |
| HLB150D-A1J | dia. 290 x H460 | 15.0 L / 100 cups | 0.063 |
| HLB180D-A1J | dia. 290 x H500 | 18.0 L / 120 cups | 0.067 |
| HLB220D-A1J | dia. 290 x H560 | 22.0 L / 147 cups | 0.074 |
| HLB250D-A1J | dia. 290 x H620 | 25.5 L / 170 cups | 0.074 |

**ELECTRIC HOT WATER BOILERS
(STAINLESS STEEL BOTTOM DOUBLE WALLED CONSTRUCTION)**

- Double wall construction
- Mulled wine, hot water for tea and hot drinks helper
- Automatic turn- off or turn-on temperature control
- Time to boiling:5L-10L around 30mins,15L-25L around 50mins
- Safe locking lid and cool touch handles
- Protected against boiling dry

Temperature knob Silk-screen indicator Clarity and permanent



Stamping words



| Item no. | Dimension (mm) | Cap. (Max line) | Meas. (mm) | CBM |
|-------------|------------------|-------------------|-----------------|-------|
| HLB050S-A1J | dia. 220 x H420 | 6.3 L / 42 cups | 290 x 290 x 465 | 0.038 |
| HLB068S-A1J | dia. 220 x H437 | 7.0 L / 47 cups | 290 x 290 x 475 | 0.040 |
| HLB088S-A1J | dia. 220 x H472 | 8.0 L / 53 cups | 290 x 290 x 515 | 0.043 |
| HLB100S-A1J | dia. 220 x H504 | 9.0 L / 60 cups | 290 x 290 x 550 | 0.045 |
| HLB150S-A1J | dia. 290 x H485 | 14.3 L / 95 cups | 350 x 350 x 545 | 0.067 |
| HLB180S-A1J | dia. 290 x H517 | 16.5 L / 110 cups | 350 x 350 x 570 | 0.070 |
| HLB220S-A1J | dia. 290 x H581 | 20.5 L / 137 cups | 350 x 350 x 630 | 0.077 |
| HLB250S-A1J | dia. 290 x H640 | 23.5 L / 157 cups | 350 x 350 x 695 | 0.085 |

ELECTRIC HOT WATER BOILERS(SINGLE WALLED CONSTRUCTION)

- Ideal partner for mulled wine, boiling water for tea and hot drinks
- Stainless steel 304 for body, 430 for base
- Temperature control:30 to 110 degree
- Automatic turn- off or turn-on temperature control
- Time to boiling:5L-10L around 30mins,15L-25L around 50mins
- ON/OFF switch, knob location and light indicator
- Protected against boiling dry



| Item no. | Dimension (mm) | Cap. (Max line) | Meas. (mm) | CBM |
|-------------|------------------|-------------------|-----------------|-------|
| HLB050D-A1E | dia. 220 x H412 | 6.3 L / 42 cups | 290 x 290 x 450 | 0.038 |
| HLB068D-A1E | dia. 220 x H430 | 7.0 L / 47 cups | 290 x 290 x 468 | 0.039 |
| HLB088D-A1E | dia. 220 x H465 | 8.8 L / 59 cups | 290 x 290 x 502 | 0.042 |
| HLB100D-A1E | dia. 220 x H490 | 9.3 L / 62 cups | 290 x 290 x 530 | 0.045 |
| HLB150D-A1E | dia. 290 x H460 | 14.8 L / 99 cups | 350 x 350 x 515 | 0.063 |
| HLB180D-A1E | dia. 290 x H500 | 17.8 L / 119 cups | 350 x 350 x 550 | 0.067 |
| HLB220D-A1E | dia. 290 x H560 | 21.8 L / 145 cups | 350 x 350 x 610 | 0.074 |
| HLB250D-A1E | dia. 290 x H620 | 25.6 L / 171 cups | 350 x 350 x 675 | 0.083 |

Anti-drip tap & Food grade PP



Rubber cover on the switch



Temperature control range: 30 to 110




BUY IT AT LESSER PRICES



ELECTRIC HOT WATER URNS

- Single or Double wall construction
- Mulled wine, hot water for tea and hot drinks helper
- Automatic turn- of f or turn-on temperature control
- Time to boiling:5L-10L around 30mins,15L-25L around 50mins
- Safe locking lid and cool touch handles
- Protected against boiling dry

Temperature control. range: 30 to 110



Strong & non-drip tap



SINGLE WALL WATER BOILERS

| Item no. | Dimension (mm) | Cap. (Max line) | Meas. (mm) | CBM |
|-------------|------------------|-------------------|-----------------|-------|
| HLB050D-A1B | dia. 220 x H412 | 6.3L/42 cups | 290 x 290 x 450 | 0.038 |
| HLB068D-A1B | dia. 220 x H430 | 7.7L/ 51 cups | 290 x 290 x 468 | 0.039 |
| HLB088D-A1B | dia. 220 x H465 | 8.8L/ 59 cups | 290 x 290 x 502 | 0.042 |
| HLB100D-A1B | dia. 220 x H490 | 9.3L/ 62 cups | 290 x 290 x 530 | 0.045 |
| HLB150D-A1B | dia. 290 x H460 | 14.8L/ 99 cups | 350 x 350 x 515 | 0.063 |
| HLB180D-A1B | dia. 290 x H500 | 17.8L/ 119 cups | 350 x 350 x 550 | 0.067 |
| HLB220D-A1B | dia. 290 x H560 | 21.8L/ 145 cups | 350 x 350 x 610 | 0.074 |
| HLB250D-A1B | dia. 290 x H620 | 25.6L/ 171 cups | 350 x 350 x 675 | 0.083 |

DOUBLE WALL WATER BOILERS

| Item no. | Dimension (mm) | Cap. (Max line) | Meas. (mm) | CBM |
|-------------|------------------|-------------------|-----------------|-------|
| HLB050S-A1B | dia. 220 x H420 | 6.3 L / 42 cups | 290 x 290 x 465 | 0.038 |
| HLB068S-A1B | dia. 220 x H437 | 7.0 L / 47 cups | 290 x 290 x 475 | 0.040 |
| HLB088S-A1B | dia. 220 x H472 | 8.0 L / 53 cups | 290 x 290 x 515 | 0.043 |
| HLB100S-A1B | dia. 220 x H504 | 9.0 L / 60 cups | 290 x 290 x 550 | 0.045 |
| HLB150S-A1B | dia. 290 x H485 | 14.3 L / 95 cups | 350 x 350 x 545 | 0.067 |
| HLB180S-A1B | dia. 290 x H517 | 16.5 L / 110 cups | 350 x 350 x 570 | 0.070 |
| HLB220S-A1B | dia. 290 x H581 | 20.5 L / 137 cups | 350 x 350 x 630 | 0.077 |
| HLB250S-A1B | dia. 290 x H640 | 23.5 L / 157 cups | 350 x 350 x 695 | 0.085 |



ELECTRIC HOT WATER BOILERS(SINGLE WALLED CONSTRUCTION)

- Single wall construction
- Mulled wine, hot water for tea and hot drinks helper
- Automatic turn- off or turn-on temperature control
- Time to boiling:5L-10L around 30mins,15L-25L around 50mins
- Safe locking lid and cool touch handles
- Protected against boiling dry
- Integrated body

Twist-lock cover



Stamping max line



| Item no. | Dimension [mm] | Cap. [Max line] | Meas. [mm] | CBM |
|-------------|------------------|-------------------|-----------------|-------|
| HLB050D-A1L | dia. 220 x H420 | 7.0 L / 47 cups | 290 x 290 x 450 | 0.038 |
| HLB068D-A1L | dia. 220 x H430 | 8.0 L / 53 cups | 290 x 290 x 468 | 0.039 |
| HLB088D-A1L | dia. 220 x H465 | 9.0 L / 60 cups | 290 x 290 x 502 | 0.042 |
| HLB100D-A1L | dia. 220 x H490 | 10.0 L / 67 cups | 290 x 290 x 530 | 0.045 |
| HLB150D-A1L | dia. 290 x H460 | 15.0 L / 100 cups | 350 x 350 x 515 | 0.063 |
| HLB180D-A1L | dia. 290 x H500 | 18.0 L / 120 cups | 350 x 350 x 550 | 0.067 |
| HLB220D-A1L | dia. 290 x H560 | 22.0 L / 147 cups | 350 x 350 x 610 | 0.074 |
| HLB250D-A1L | dia. 290 x H620 | 25.5 L / 170 cups | 350 x 350 x 675 | 0.083 |

Electric Hot Drinks Boilers / Round Cover Construction

- Only for single walled
- Stainless steel 304 for body, 430 for base
- Automatic turn- off or turn-on temperature control
- ON/OFF switch, knob location and light indicator
- Stainless brushed
- Anti-drip tap
- Protected against boiling dry



HOT DRINKS BOILERS

| Item no. | Dimension (mm) | Cap. (Max line) | CBM | MOQ |
|-------------|-----------------|-----------------|-------|-----|
| HLB050D-A1C | dia. 220 x H412 | 6.3 L / 42 cups | 0.038 | 500 |
| HLB068D-A1C | dia. 220 x H430 | 7.7 L / 51 cups | 0.039 | 500 |
| HLB088D-A1C | dia. 220 x H465 | 8.8 L / 59 cups | 0.042 | 500 |
| HLB100D-A1C | dia. 220 x H490 | 9.3 L / 62 cups | 0.045 | 500 |

Heat resistant plastic protected handle



Anti-drip water tap



Closely connection, without water leaking



Long service life water dripping dish



ELECTRIC HOT WATER BOILERS / ROUND COVER CONSTRUCTION

- Only for single walled
- Suit for 5L,6.8L,8.8L,10L boilers.
- Stainless steel 304 for body, 430 for base
- Automatic turn- off or turn-on temperature control
- ON/OFF switch, knob location and light indicator
- Stainless brushed
- Protected against boiling dry



HOT DRINKS BOILERS

| Item no. | Dimension (mm) | Cap. (Max line) | Meas. (mm) | CBM | MOQ |
|-------------|------------------|-------------------|-----------------|-------|-----|
| HLB050D-A1D | dia. 220 x H412 | 6.3 L / 42 cups | 290 x 290 x 450 | 0.038 | 500 |
| HLB068D-A1D | dia. 220 x H430 | 7.7 L / 51 cups | 290 x 290 x 468 | 0.039 | 500 |
| HLB088D-A1D | dia. 220 x H465 | 8.8 L / 59 cups | 290 x 290 x 502 | 0.042 | 500 |
| HLB100D-A1D | dia. 220 x H490 | 9.3 L / 62 cups | 290 x 290 x 530 | 0.045 | 500 |

Anti-dripping water tap



Heat resistant handle



Heat resistant handle



BUY IT AT LESSER PRICES



ELECTRIC STEAM BOILER / STERILIZER SINGLE WALL CONSTRUCTION

- ON/OFF switch with silicone rubber cover
- Heating and keep warm indicator light
- Automatically re-boil temperature control
- Four pieces steam outlet on the lid for safety used
- Add heat-sink window on the permanent seat, make sure the long service life and safety used
- Adjustable timer, available to continuously make steam in the boiler for 2 hours
- Twist-lock safety designed cover
- Simple steam sterilizer for the kitchen
- Good partner for heating the jam and tools



- Especially for heating the jam and tools to make a sterilization.
- Effective sterilization time is 30mins-1h.



HLB250D-A1H1

STEAM BOILERS

| Item no. | Dimension (mm) | Cap. (Max line) | Meas. (mm) | CBM |
|--------------|-----------------|-------------------|-----------------|-------|
| HLB250D-A1H1 | dia. 290 x H640 | 25.0 L / 167 cups | 350 x 350 x 695 | 0.085 |
| HLB250D-A1H2 | dia. 290 x H640 | 25.0 L / 167 cups | 350 x 350 x 695 | 0.085 |

Heat resistant plastic protected handle



Anti-drip water tap



Closely connection, without water leaking



Long service life water dripping dish



ELECTRIC STEAM BOILER / STERILIZER SINGLE WALL CONSTRUCTION

VISION
DISTRIBUTION


- Only for single walled
- Stainless steel 304 for body, 430 for base
- Automatic re-boiled temperature control
- Locking lid and cool touch handles
- Adapt to offer a lot hot drinks in the parties, especially for keeping the heat temperature when having the activity at the hotel, coffee store, school, office and restaurant



Lid with steam outlet



Inner view



Anti-drip water tap



| Item no. | Dimension (mm) | Cap. (Max line) | Meas. (mm) | CBM |
|--------------|------------------|-------------------|-----------------|-------|
| HLB250D-A1H2 | dia. 290 x H640 | 25.0 L / 100 cups | 350 x 350 x 695 | 0.085 |

Adjustable timer
0-120min



Temperature knob
30-110°C



ON / OFF Switch



BUY IT AT LESSER PRICES



ELECTRIC HOT WATER BOILERS DOUBLE WALL CONSTRUCTION

- Only for double walled
- Automatic re-boiled temperature control
- Locking lid and cool touch handles
- Adapt to offer a lot hot drinks in the parties, especially for keeping the heat temperature when having the activity at the hotel, coffee store, school, office and restaurant
- Customized color available



HOT DRINKS BOILERS

| Item no. | Dimension (mm) | Cap. (Max line) | Meas. (mm) | CBM |
|-------------|------------------|-------------------|-----------------|-------|
| HLB050S-A1E | dia. 220 x H420 | 6.3 L / 42 cups | 290 x 290 x 465 | 0.039 |
| HLB068S-A1E | dia. 220 x H437 | 6.5 L / 43 cups | 290 x 290 x 475 | 0.040 |
| HLB088S-A1E | dia. 220 x H472 | 8.0 L / 53 cups | 290 x 290 x 515 | 0.044 |
| HLB100S-A1E | dia. 220 x H504 | 8.7 L / 58 cups | 290 x 290 x 550 | 0.045 |
| HLB150S-A1E | dia. 290 x H485 | 13.8 L / 92 cups | 350 x 350 x 545 | 0.067 |
| HLB180S-A1E | dia. 290 x H517 | 15.8 L / 105 cups | 350 x 350 x 570 | 0.070 |
| HLB220S-A1E | dia. 290 x H581 | 20.5 L / 137 cups | 350 x 350 x 630 | 0.077 |
| HLB250S-A1E | dia. 290 x H640 | 23.6 L / 157 cups | 350 x 350 x 695 | 0.085 |

Double wall Construction

Stainless steel 304


Triple Insulation

Additional insulation
Keep warm after boiling

Temperature control
range: 30 to 110

Rubber cover on the switch

Anti-drip tap & Food grade PP



BUY IT AT LESSER PRICES



ELECTRIC COFFEE PERCOLATORS SINGLE WALLED CONSTRUCTION

VISION
DISTRIBUTION

- Safety locking lid, brushed single wall S/S housing and lid
- Working temperature can reach to 95 to 98 degree when coffee brewing, keeps temp. around 90 degree.
- Boiling thermostat, without adjusted temperature knob is 90 to 92 degree, with adjusted knob is 30 to 100 degree.
- Dry heat protection
- Silicone protected ON/OFF switch and with indicator lights/words
- Visual temperature degree



COFFEE MAKER

| Item no. | Dimension (mm) | Cap. (Max line) | Meas. (mm) | CBM |
|-------------|------------------|-------------------|-----------------|-------|
| HLB050D-A2K | dia. 220 x H412 | 5.6 L / 37 cups | 290 x 290 x 450 | 0.038 |
| HLB068D-A2K | dia. 220 x H430 | 6.3 L / 42 cups | 290 x 290 x 468 | 0.039 |
| HLB088D-A2K | dia. 220 x H465 | 7.6 L / 51 cups | 290 x 290 x 502 | 0.042 |
| HLB100D-A2K | dia. 220 x H490 | 8.5 L / 57 cups | 290 x 290 x 530 | 0.045 |
| HLB150D-A2K | dia. 290 x H460 | 12.7 L / 85 cups | 350 x 350 x 515 | 0.063 |
| HLB180D-A2K | dia. 290 x H500 | 14.7 L / 98 cups | 350 x 350 x 550 | 0.067 |
| HLB220D-A2K | dia. 290 x H560 | 19.3 L / 129 cups | 350 x 350 x 610 | 0.074 |

BUY IT AT LESSER PRICES





HOT DRINKS BOILERS

| Item no. | Dimension (mm) | Cap. (Max line) | Meas. (mm) | CBM |
|-------------|------------------|-------------------|-----------------|-------|
| HLB050S-A2K | dia. 220 x H420 | 5.6 L / 37 cups | 290 x 290 x 465 | 0.039 |
| HLB068S-A2K | dia. 220 x H437 | 5.7 L / 38 cups | 290 x 290 x 475 | 0.040 |
| HLB088S-A2K | dia. 220 x H472 | 6.9 L / 46 cups | 290 x 290 x 515 | 0.043 |
| HLB100S-A2K | dia. 220 x H504 | 7.8 L / 52 cups | 290 x 290 x 550 | 0.045 |
| HLB150S-A2K | dia. 290 x H485 | 11.3 L / 75 cups | 350 x 350 x 545 | 0.067 |
| HLB180S-A2K | dia. 290 x H517 | 13.8 L / 92 cups | 350 x 350 x 570 | 0.070 |
| HLB220S-A2K | dia. 290 x H581 | 18.2 L / 121 cups | 350 x 350 x 630 | 0.077 |



**ELECTRIC COFFEE PERCOLATORS
TEMPERATURE CONTROLLED**

- Safety locking lid, brushed single wall S/S housing and lid
- Working temperature can reach to 95 to 98 degree centigrade when coffee brewing, keeps temp. around 90°C.
- Dry heat protection
- Silicone protected ON/OFF switch and with indicator lights/words



COFFEE MAKER

| Item no. | Dimension [mm] | Cap. [Max line] | Meas. [mm] | CBM |
|-------------|------------------|-------------------|-----------------|-------|
| HLB050D-A1K | dia. 220 x H412 | 5.6 L / 37cups | 290 x 290 x 450 | 0.038 |
| HLB068D-A1K | dia. 220 x H430 | 6.3 L / 42 cups | 290 x 290 x 468 | 0.039 |
| HLB088D-A1K | dia. 220 x H465 | 7.6 L / 51 cups | 290 x 290 x 502 | 0.042 |
| HLB100D-A1K | dia. 220 x H490 | 8.5 L / 57 cups | 290 x 290 x 530 | 0.045 |
| HLB150D-A1K | dia. 290 x H460 | 12.7 L / 85 cups | 350 x 350 x 515 | 0.063 |
| HLB180D-A1K | dia. 290 x H500 | 14.7 L / 98 cups | 350 x 350 x 550 | 0.067 |
| HLB220D-A1K | dia. 290 x H560 | 19.3 L / 129 cups | 350 x 350 x 610 | 0.074 |



**ELECTRIC COFFEE PERCOLATORS
TEMPERATURE CONTROLLED**

- Safety locking lid, brushed single wall S/S housing and lid
- Working temperature can reach to 95 to 98 degree centigrade when coffee brewing, keeps temp. around 90°C.
- Dry heat protection
- Silicone protected ON/OFF switch and with indicator lights/words



COFFEE MAKER

| Item no. | Dimension [mm] | Cap. (Max line) | Meas. [mm] | CBM |
|-------------|------------------|-------------------|-----------------|-------|
| HLB050S-A1K | dia. 220 x H420 | 5.1 L / 34 cups | 290 x 290 x 465 | 0.039 |
| HLB068S-A1K | dia. 220 x H437 | 5.7 L / 38 cups | 290 x 290 x 475 | 0.040 |
| HLB088S-A1K | dia. 220 x H472 | 6.9 L / 46 cups | 290 x 290 x 515 | 0.043 |
| HLB100S-A1K | dia. 220 x H504 | 7.8 L / 52 cups | 290 x 290 x 550 | 0.045 |
| HLB150S-A1K | dia. 290 x H485 | 11.3 L / 75 cups | 350 x 350 x 545 | 0.067 |
| HLB180S-A1K | dia. 290 x H517 | 13.8 L / 92 cups | 350 x 350 x 570 | 0.070 |
| HLB220S-A1K | dia. 290 x H581 | 18.2 L / 121 cups | 350 x 350 x 630 | 0.077 |



ELECTRIC COFFEE PERCOLATORS
DOUBLE WALLED CONSTRUCTION / CUSTOMIZED COLOR

VISION
DISTRIBUTION



COFFEE MACHINES, BOILERS, ACCESSORIES

COFFEE MAKER

| Item no. | Dimension [mm] | Cap. [Max line] | Meas. [mm] | CBM |
|--------------|------------------|-------------------|-----------------|-------|
| HLB050S-A2K1 | dia. 220 x H420 | 5.1 L / 34 cups | 290 x 290 x 465 | 0.039 |
| HLB068S-A2K1 | dia. 220 x H437 | 5.7 L / 38 cups | 290 x 290 x 475 | 0.040 |
| HLB088S-A2K1 | dia. 220 x H472 | 6.9 L / 46 cups | 290 x 290 x 515 | 0.043 |
| HLB100S-A2K1 | dia. 220 x H504 | 7.8 L / 52 cups | 290 x 290 x 550 | 0.045 |
| HLB150S-A2K1 | dia. 290 x H485 | 11.3 L / 75 cups | 350 x 350 x 545 | 0.067 |
| HLB180S-A2K1 | dia. 290 x H517 | 13.8 L / 92 cups | 350 x 350 x 570 | 0.070 |
| HLB220S-A2K1 | dia. 290 x H581 | 18.2 L / 121 cups | 350 x 350 x 630 | 0.077 |

BUY IT AT LESSER PRICES

**ELECTRIC COFFEE PERCOLATORS
TEMPERATURE CONTROLLED**

- Safety locking lid, brushed single wall S/S housing and lid
- Working temperature can reach to 95 to 98 degree centigrade when coffee brewing, keeps temp. around 90°C.
- Dry heat protection
- Silicone protected ON/OFF switch and with indicator lights/words



COFFEE MAKER

| Item no. | Dimension [mm] | Cap. (Max line) | Meas. [mm] | CBM |
|-------------|------------------|-------------------|-----------------|-------|
| HLB050S-A1K | dia. 220 x H420 | 5.1 L / 34 cups | 290 x 290 x 465 | 0.039 |
| HLB068S-A1K | dia. 220 x H437 | 5.7 L / 38 cups | 290 x 290 x 475 | 0.040 |
| HLB088S-A1K | dia. 220 x H472 | 6.9 L / 46 cups | 290 x 290 x 515 | 0.043 |
| HLB100S-A1K | dia. 220 x H504 | 7.8 L / 52 cups | 290 x 290 x 550 | 0.045 |
| HLB150S-A1K | dia. 290 x H485 | 11.3 L / 75 cups | 350 x 350 x 545 | 0.067 |
| HLB180S-A1K | dia. 290 x H517 | 13.8 L / 92 cups | 350 x 350 x 570 | 0.070 |
| HLB220S-A1K | dia. 290 x H581 | 18.2 L / 121 cups | 350 x 350 x 630 | 0.077 |



beer
maker,
smooth
& tasty.



STERILIZATION OF BEERMAKER BEFORE BREWING

COFFEE MACHINES, BOILERS, ACCESSORIES



Help to DIY beer

BUY IT AT LESSER PRICES

ELECTRIC BEER MAKER

NEW

- Material: made of stainless steel 304
- Fitted with the magnetic drive pump, saccharified barrel, condenser pipe
- Magnetic drive pump,6V 2600r/mins
- Temperature display help you know the temperature and use to temperature knob to adjust or control the heat/temp..
- The barrel with the grain strainers to prevent the wheat blocking the pump
- With 2 power switch, one for heating the water, the other for controlling the magnetic drive pump
- Dry-heat protection circuit design to make sure the safety use.
- Use it near the water boiler and the water faucet, you may need the hot water and cold water in the brewing processing




COFFEE MACHINES, BOILERS, ACCESSORIES

BEER MAKER

| Item no. | Dimension [mm] | Cap. [Max line] | V | W |
|-------------|------------------|-------------------|---------|------|
| HLB290D-NP1 | 390x330xH772 | 29L | 220-240 | 2000 |

BUY IT AT LESSER PRICES



COFFEE MACHINE KITCHEN LINE

- Top and bottom hotplate, indicator light.
- Fast filtering system with flow-through element
- 1.8 litres in 5 minutes.
- Continuous temperature of 93 - 96 .
- Casing and filter holder made of stainless steel.
- 2x 1.8l decanters and 25 [90/250] filters are included.

| code | v | w | mm |
|--------|-----|------|-------------|
| 890101 | 230 | 2100 | 515x420x370 |



605810

GLASS COFFEE PRESERVATION POT

| code | cap | CBM | mm |
|--------|------|-------|--------------|
| 605810 | 1800 | 0.080 | 195x370xH430 |



| code | v | w | mm |
|--------|-----|------|------------|
| 605901 | 220 | 1100 | 210x172x60 |



| code | v | w | mm |
|--------|-----|------|------------|
| 605902 | 220 | 1100 | 210x172x60 |





STAINLESS STEEL PULL FLOWER CUP

-Colour:Gold/Bule/Red/Black/White

S.S.

| code | CBM | cap. | mm |
|--------|-------|-------|-------------|
| 600501 | 0.041 | 0.35L | 355x330x235 |
| 600502 | 0.060 | 0.5L | 380x380x360 |
| 600503 | 0.087 | 0.75L | 440x450x300 |



THREAD PRESS POINT

| code | mm |
|--------|-----|
| 602001 | 49# |
| 602002 | 51# |
| 602003 | 53# |
| 602004 | 55# |



THE BULLET PEDESTAL

| code | mm |
|--------|--------|
| 601001 | Ø30x55 |



THREAD PRESS POIN

| code | mm |
|--------|--------|
| 601901 | Ø58x80 |






1L cup



Skidproof feet



Indicator Light



Unique Power Switch

MILK SHAKER

- Stainless steel housing:
- Micro switch: intelligent sensing design, open the switch, buckle the cup, the machine immediately start
- Stirring shaft: Accurate stirring shaft, disc design for uniform mixing
- Milkshake Cups: Food grade stainless steel brushed cups, healthy and environmentally friendly

| code | v | w | mm |
|--------|-----|-----|-----------------|
| 451201 | 230 | 150 | 190 x 160 x 530 |

- Mixing fresh milk, ice cream and ice cubes in a blender is a simple milkshake.
- There are many kinds of milkshake, strawberry Milkshake, vanilla milkshake,
- Mango milkshake and so on, health milk shake, leisure milkshake also gradually seep into people's lives.
- Silky smooth texture, cold sweet, delicious, with milk and fruit fragrance.

| code | v | w | mm |
|--------|-----|-----|-----------------|
| 451202 | 230 | 300 | 280 x 200 x 580 |



8/18 OUNCES PLASTIC ICE SHOVEL

P.C.

| code | CBM | size | mm |
|--------|-------|------|-------------|
| 605101 | 0.034 | 8 | 400x240x350 |
| 605102 | 0.034 | 18 | 400x240x350 |



32/64 OUNCES PLASTIC ICE SHOVEL

P.C.

| code | CBM | size | mm |
|--------|-------|------|-------------|
| 605103 | 0.134 | 32 | 560x470x510 |
| 605104 | 0.080 | 64 | 530x360x420 |



S.S.
stainless steel

S.S.
stainless steel



SAUCE BOAT

| code | CBM | mm |
|--------|-------|-------------|
| 604401 | 0.075 | 440x380x450 |
| 604402 | 0.126 | 510x450x550 |
| 604403 | 0.129 | 560x420x550 |
| 604404 | 0.138 | 540x490x520 |
| 604405 | 0.108 | 610x490x360 |

MEASURING CUP

| code | CBM | mm |
|--------|------|-------------|
| 501301 | 0.40 | 420x348x250 |
| 501302 | 0.05 | 540x345x255 |
| 501303 | 0.07 | 525x445x310 |
| 501304 | 0.10 | 625x470x340 |
| 501305 | 0.12 | 620x470x395 |



8/18 OUNCES PLASTIC ICE SHOVEL

| code | CBM | mm |
|--------|-------|-------------|
| 605101 | 0.034 | 400x240x350 |
| 605102 | 0.034 | 400x240x350 |

32/64 OUNCES PLASTIC ICE SHOVEL

| code | CBM | mm |
|--------|-------|-------------|
| 605103 | 0.134 | 560x470x510 |
| 605104 | 0.080 | 530x360x420 |



PP MEASURING CUP

| code | CBM | capacity |
|--------|-------|----------|
| 605302 | 0.079 | 250ml |
| 605303 | 0.079 | 500ml |
| 605304 | 0.046 | 1000ml |
| 605305 | 0.092 | 2000ml |
| 605306 | 0.129 | 3000ml |
| 605307 | 0.046 | 5000ml |

PC MEASURING CUP

| code | CBM | mm |
|--------|------|--------|
| 605401 | 0.40 | 500ml |
| 605402 | 0.05 | 1000ml |
| 605403 | 0.07 | 2000ml |
| 605404 | 0.10 | 3000ml |
| 605405 | 0.12 | 5000ml |



500901

**STAINLESS STEEL
MEASURING SPOON**

| code | CBM | mm |
|--------|------|-----------|
| 500901 | 0.02 | 43x130x16 |



500903

**STAINLESS STEEL
MEASURING SPOON**

| code | CBM | mm |
|--------|------|-----------|
| 500901 | 0.02 | 45x136x19 |



500902

**STAINLESS STEEL
MEASURING SPOON**

| code | CBM | mm |
|--------|------|-----------|
| 500901 | 0.02 | 45x140x20 |

**VISION
DISTRIBUTION**



PC COLD WATER BOTTLE

| code | CBM | capacity | mm |
|--------|-------|----------|-------------|
| 605801 | 0.154 | 2000ml | 650x440x540 |



**GLASS COFFEE HEAT
PRESERVATION POT**

| code | CBM | capacity | mm |
|--------|-------|----------|-------------|
| 605801 | 0.080 | 1800ml | 515x420x370 |



**STAINLESS STEEL
SHAKER**

| code | CBM | mm |
|--------|-------|---------|
| 606101 | 350ml | 76xH160 |
| 606102 | 500ml | 83xH175 |
| 606103 | 700ml | 83xH210 |



**STAINLESS STEEL
MEASURING CUP**

| code | mm |
|--------|-------|
| 606201 | SS304 |
| 606202 | SS304 |