



REBSTOCK®
Precision made in Germany



CRANIO- MAXILLOFACIAL OSTEOSYNTHESIS



1,2

mm

Mikro-Platten-System *Micro Plate System*

Standard-Set	<i>Standard Set</i>	04-05
Platten	<i>Plates</i>	06-10
Schrauben	<i>Screws</i>	11
Instrumente	<i>Instruments</i>	12-15

1,6

mm

Medium-Platten-System *Medium Plate System*

Standard-Set	<i>Standard Set</i>	19-23
Platten	<i>Plates</i>	24-36
Schrauben	<i>Screws</i>	37
Instrumente	<i>Instruments</i>	38-42

2,0

mm

Mini-Platten-System *Mini Plate System*

Standard-Set	<i>Standard Set</i>	46-47
Platten	<i>Plates</i>	48-76
Schrauben	<i>Screws</i>	77
Instrumente	<i>Instruments</i>	78-83

2,3

mm

Fraktur-Platten-System *Fracture Plate System*

Platten	<i>Plates</i>	86-88
Schrauben	<i>Screws</i>	89
Instrumente	<i>Instruments</i>	90

2,7

mm

Rekonstruktionsplatten-System *Reconstruction Plate System*

Platten	<i>Plates</i>	94-96
Schrauben	<i>Screws</i>	97
Instrumente	<i>Instruments</i>	98

Mesh

Gitter-Platten *Mesh Plates*

102-108



Artikel-Nr.
Cat. No.

50-30-000

Mikro-Platten Standard Set
Standard Set Micro Plate

Artikel-Nr.
 Cat. No.

Artikel-Nr. Cat. No.	Standard Set Micro Plate, consisting of:
50-30-000	Mikro-Platten Standard Set, bestehend aus: Standard Set Micro Plate, consisting of:
50-30-001	1 x Sterilisier-Container 300 x 200 x 70 mm <i>sterilisation container 300 x 200 x 70 mm</i>
50-30-002	1 x Rack für Instrumente <i>rack for instruments</i>
50-30-003	1 x Rack für Platten und Schrauben <i>rack for plates and screws</i>
50-30-501	1 x Plattenschneidezange, 160 mm, TC <i>plate cutting forceps, 160 mm, TC</i>
50-30-502	1 x Flachzange, 135 mm <i>flat pliers, 135 mm</i>
50-30-503	1 x ADERER Plattenbiegezange, 130 mm <i>ADERER plate bending pliers, 130 mm</i>
50-30-505	1 x Platten/Schrauben-Haltepinzette, 150 mm, abgewinkelt, TITAN <i>plates and screws holding forceps, 150 mm, angled, TITANIUM</i>
50-30-510	1 x Schraubendreher, selbthaltend, 180 mm für Kreuzschlitz-Schrauben <i>screwdriver, self-holding, 180 mm for cross head screws</i>
50-30-525	1 x Spiralbohrer mit Stryker-Anschluss, ø 1,0 x 46 mm, Arbeitslänge 4 mm <i>twist drill with Stryker coupling, ø 1.0 x 46 mm, working length 4 mm</i>
50-30-526	1 x Spiralbohrer mit Stryker-Anschluss, ø 1,0 x 50 mm, Arbeitslänge 8 mm <i>twist drill with Stryker coupling, ø 1.0 x 50 mm, working length 8 mm</i>
50-30-101	1 x Platte, gerade, 4-Loch / VE = 5 Stück <i>plate, straight, 4-holes / pack. of 5 pcs.</i>
50-30-102	1 x Platte, gerade, 6-Loch / VE = 5 Stück <i>plate, straight, 6-holes / pack. of 5 pcs.</i>
50-30-103	1 x Platte, gerade, 8-Loch / VE = 5 Stück <i>plate, straight, 8-holes / pack. of 5 pcs.</i>
50-30-104	1 x Platte, gerade, 12-Loch / VE = 5 Stück <i>plate, straight, 12-holes / pack. of 5 pcs.</i>
50-30-105	1 x Platte, gerade, 16-Loch / VE = 5 Stück <i>plate, straight, 16-holes / pack. of 5 pcs.</i>
50-30-106	1 x Platte, gerade, 24-Loch / VE = 5 Stück <i>plate, straight, 24-holes / pack. of 5 pcs.</i>
50-30-107	1 x L-Platte, 5-Loch, rechts / VE = 5 Stück <i>L-plate, 5-holes, right / pack. of 5 pcs.</i>
50-30-108	1 x L-Platte, 5-Loch, links / VE = 5 Stück <i>L-plate, 5-holes, left / pack. of 5 pcs.</i>
50-30-109	1 x L-Platte, 8-Loch, rechts / VE = 5 Stück <i>L-plate, 8-holes, right / pack. of 5 pcs.</i>
50-30-110	1 x L-Platte, 8-Loch, links / VE = 5 Stück <i>L-plate, 8-holes, left / pack. of 5 pcs.</i>
50-30-111	1 x T-Platte, 5-Loch / VE = 5 Stück <i>T-plate, 5-holes / pack. of 5 pcs.</i>
50-30-112	1 x T-Platte, 7-Loch / VE = 5 Stück <i>T-plate, 7-holes / pack. of 5 pcs.</i>
50-30-113	1 x Y-Platte, 6-Loch / VE = 5 Stück <i>Y-plate, 6-holes / pack. of 5 pcs.</i>
50-30-114	1 x Doppel-Y-Platte, 6-Loch / VE = 5 Stück <i>Double-Y-plate, 6-holes / pack. of 5 pcs.</i>
50-30-115	1 x Doppel-Y-Platte, 7-Loch / VE = 5 Stück <i>Double-Y-plate, 7-holes / pack. of 5 pcs.</i>
50-30-116	1 x Doppel-Y-Platte, 9-Loch / VE = 5 Stück <i>Double-Y-plate, 9-holes / pack. of 5 pcs.</i>
50-30-117	1 x Orbita Platte, 8-Loch / VE = 5 Stück <i>orbita plate, 8-holes / pack. of 5 pcs.</i>
50-30-303	2 x Schraube, Kreuzschlitz, 1,2 mm x 4 mm, selbstschneidend, VE = 5 Stück <i>screw, cross head, 1.2 mm x 4 mm, self tapping, pack of 5 pcs.</i>
50-30-304	2 x Schraube, Kreuzschlitz, 1,2 mm x 5 mm, selbstschneidend, VE = 5 Stück <i>screw, cross head, 1.2 mm x 5 mm, self tapping, pack of 5 pcs.</i>
50-30-305	2 x Schraube, Kreuzschlitz, 1,2 mm x 6 mm, selbstschneidend, VE = 5 Stück <i>screw, cross head, 1.2 mm x 6 mm, self tapping, pack of 5 pcs.</i>
50-30-306	2 x Schraube, Kreuzschlitz, 1,2 mm x 7 mm, selbstschneidend, VE = 5 Stück <i>screw, cross head, 1.2 mm x 7 mm, self tapping, pack of 5 pcs.</i>
50-30-307	2 x Schraube, Kreuzschlitz, 1,2 mm x 8 mm, selbstschneidend, VE = 5 Stück <i>screw, cross head, 1.2 mm x 8 mm, self tapping, pack of 5 pcs.</i>
50-30-308	2 x Schraube, Kreuzschlitz, 1,2 mm x 9 mm, selbstschneidend, VE = 5 Stück <i>screw, cross head, 1.2 mm x 9 mm, self tapping, pack of 5 pcs.</i>
50-30-310	2 x Schraube, Kreuzschlitz, 1,2 mm x 11 mm, selbstschneidend, VE = 5 Stück <i>screw, cross head, 1.2 mm x 11 mm, self tapping, pack of 5 pcs.</i>
50-30-314	2 x Notfallschraube, Kreuzschlitz, 1,4 mm x 5 mm, selbstschneidend, VE = 5 Stück <i>emergency screw, cross head, 1.4 mm x 5 mm, self tapping, pack. of 5 pcs.</i>










Gerne können Sie Ihr individuelles Set zusammenstellen. Wir passen die Lagerungsracks entsprechend an.
 You can always compose your individual set. We will adapt the rack accordingly.

Mikro-Platten 1,2 mm, Profil 0,6 mm, TITAN
Micro Plates 1.2 mm, Profile 0.6 mm, TITANIUM

TITAN

5

Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.







	Artikel-Nr. Cat. No.	
1/1 	50-30-101	Platte, gerade, 4-Loch <i>plate, straight, 4-holes</i>
1/1 	50-30-102	Platte, gerade, 6-Loch <i>plate, straight, 6-holes</i>
1/1 	50-30-103	Platte, gerade, 8-Loch <i>plate, straight, 8-holes</i>
1/1 	50-30-127	Platte, gerade, 10-Loch <i>plate, straight, 10-holes</i>
1/1 	50-30-104	Platte, gerade, 12-Loch <i>plate, straight, 12-holes</i>
1/1 	50-30-105	Platte, gerade, 16-Loch <i>plate, straight, 16-holes</i>
1/1 	50-30-106	Platte, gerade, 24-Loch <i>plate, straight, 24-holes</i>
1/1 	50-30-107	L-Platte, 5-Loch, rechts <i>L-plate, 5-holes, right</i>
1/1 	50-30-108	L-Platte, 5-Loch, links <i>L-plate, 5-holes, left</i>

Mikro-Platten 1,2 mm, Profil 0,6 mm, TITAN
 Micro Plates 1.2 mm, Profile 0.6 mm, TITANIUM

TITAN

5 Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

Artikel-Nr.
 Cat. No.

50-30-109	L-Platte, 8-Loch, rechts <i>L-plate, 8-holes, right</i>	1/1 
50-30-110	L-Platte, 8-Loch, links <i>L-plate, 8-holes, left</i>	1/1 
50-30-111	T-Platte, 5-Loch <i>T-plate, 5-holes</i>	1/1 
50-30-112	T-Platte, 7-Loch <i>T-plate, 7-holes</i>	1/1 
50-30-128	T-Platte, breit, 7-Loch <i>T-plate, broad, 7-holes</i>	1/1 
50-30-130	T-Platte, breit, 12-Loch <i>T-plate, broad, 12-holes</i>	1/1 

1,2








Mikro-Platten 1,2 mm, Profil 0,6 mm, TITAN
Micro Plates 1.2 mm, Profile 0.6 mm, TITANIUM

TITAN

5

Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

Artikel-Nr.
Cat. No.









1/1		50-30-131	T-Platte, breit, 16-Loch <i>T-plate, broad, 16-holes</i>
1/1		50-30-129	Doppel-T-Platte, 6-Loch <i>double T-plate, 6 holes</i>
1/1		50-30-113	Y-Platte, 6-Loch <i>Y-plate, 6-holes</i>
1/1		50-30-114	Doppel-Y-Platte, 6-Loch <i>double Y-plate, 6-holes</i>
1/1		50-30-115	Doppel-Y-Platte, 7-Loch <i>double Y-plate, 7-holes</i>
1/1		50-30-116	Doppel-Y-Platte, 9-Loch <i>double Y-plate, 9-holes</i>
1/1		50-30-117	Orbita Platte, 8-Loch <i>orbita plate, 8-holes</i>

Mikro-Platten 1,2 mm, Profil 0,6 mm, TITAN
 Micro Plates 1.2 mm, Profile 0.6 mm, TITANIUM

TITAN

5 Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

Artikel-Nr.
 Cat. No.

50-30-132	H-Platte, 11-Loch <i>H-plate, 11-holes</i>	1/1 
50-30-133	H-Platte, 12-Loch <i>H-plate, 12-holes</i>	1/1 
50-30-134	Dreiecksplatte <i>Triangle-plate</i>	1/1 
50-30-136	Rechteckplatte 8-Loch, gebogen <i>square plate, 8-holes, curved</i>	1/1 
50-30-118	Rechteckplatte, symmetrisch, 2 x 2-Loch <i>square-plate, symmetrical 2 x 2-holes</i>	1/1 
50-30-119	Rechteckplatte, asymmetrisch, 2 x 2-Loch <i>square-plate, asymmetrical 2 x 2-holes</i>	1/1 
50-30-120	Rechteckplatte, symmetrisch, 3 x 2-Loch <i>square-plate, symmetrical 3 x 2-holes</i>	1/1 
50-30-121	Rechteckplatte, asymmetrisch, 3 x 2-Loch <i>square-plate, asymmetrical 3 x 2-holes</i>	1/1 

1,2






Mikro-Platten 1,2 mm, Profil 0,6 mm, TITAN
Micro Plates 1.2 mm, Profile 0.6 mm, TITANIUM

TITAN

5

Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

Artikel-Nr.
Cat. No.

1/1	50-30-122	Rechteckplatte, symmetrisch, 4 x 2-Loch <i>square-plate, symmetrical</i> 4 x 2-holes
		
1/1	50-30-123	Rechteckplatte, asymmetrisch, 4 x 2-Loch <i>square-plate, asymmetrical</i> 4 x 2-holes
		
1/1	50-30-135	Rechteckplatte, asymmetrisch, 4 x 4-Loch <i>square-plate, asymmetrical</i> 4 x 4-holes
		
1/1	50-30-126	Rechteckplatte, symmetrisch, 6 x 4-Loch <i>square-plate, symmetrical</i> 6 x 4-holes
		
1/1	50-30-125	Rechteckplatte, asymmetrisch, 6 x 4-Loch <i>square-plate, asymmetrical</i> 6 x 4-holes
		

Mikro-Knochenschrauben 1,2 mm, TITAN
 Micro Bone Screws, 1.2 mm, TITANIUM

TITAN

5 Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.



Schrauben im handlichen Spendermagazin zur Direktentnahme. Sterilisierbar im Autoklav bei 134° C.

In convenient dispenser unit for direct extraction. Sterilizable in the vacuum autoclave with 134 °C.



3/1



1/1



3/1



1/1

vergrößerte Ansicht
 enlarged view

Kreuzschlitz-Schrauben
 Cross Head Screws

Notfallschrauben, Kreuzschlitz
 Emergency Screws, Cross Head

Ø Gewinde Ø Thread	1.2 mm		1.4 mm
Ø Kopf Ø Head	1.8 mm		1.8 mm
Länge Length	Selbstschneidend Self tapping	Selbstbohrend Self drilling	Selbstschneidend Self tapping
2 mm	50-30-301		
3 mm	50-30-302	50-30-352	50-30-323
4 mm	50-30-303	50-30-353	50-30-324
5 mm	50-30-304	50-30-354	50-30-325
6 mm	50-30-305	50-30-355	50-30-326
7 mm	50-30-306	50-30-356	50-30-327
8 mm	50-30-307	50-30-357	50-30-328
9 mm	50-30-308	50-30-358	50-30-329
10 mm	50-30-309	50-30-359	
11 mm	50-30-310	50-30-360	
12 mm	50-30-311	50-30-361	
13 mm	50-30-312	50-30-362	

Instrumente für Mikro-Platten System 1,2 mm
Instruments for Micro Plate System 1.2 mm

 2/3
50-30-501
 160 mm
 6¼"


TC

Artikel-Nr.
Cat. No.
Gesamtlänge
Total length

50-30-501

160 mm / 6¼"

 Plattenschneidezange, TC
 plate cutting pliers, TC

 2/3
50-30-502
 135 mm
 5¼"

Artikel-Nr.
Cat. No.
Gesamtlänge
Total length

50-30-502

135 mm / 5¼"

 Flachzange
 flat pliers

 2/3
ADERER
50-30-503
 130 mm
 5⅞"

Artikel-Nr.
Cat. No.
Gesamtlänge
Total length

ADERER

50-30-503

130 mm / 5⅞"

 Plattenbiegezange
 plate bending pliers

Instrumente für Mikro-Platten System 1,2 mm
 Instruments for Micro Plate System 1.2 mm


TITAN

Artikel-Nr. Cat. No.	Gesamtlänge Total length	
50-30-505	150 mm / 6"	
	Platten-/Schrauben-Haltepinzette, abgewinkelt, TITAN plate and screw holding forceps, angled, TITANIUM	



2/3
50-30-505
 150 mm
 6"

TC

Artikel-Nr. Cat. No.	Gesamtlänge Total length	
04-16-552	120 mm / 4¾"	1/1
	Draht-/Bleischere, TC wire cutting scissors, TC	



1/2
04-16-552
 120 mm
 4¾"

Instrumente für Mikro-Platten System 1,2 mm
Instruments for Micro Plate System 1.2 mm

 1/2
50-30-510
 180 mm
 7"

Artikel-Nr.
Cat. No.
Gesamtlänge
Total length
50-30-510

180 mm / 7"

 Schraubendreher komplett, selbsthaltend
 für Kreuzschlitz-Schrauben

*screwdriver complete, self-holding
 for cross head screws*

 1/2
50-30-513
Artikel-Nr.
Cat. No.
50-30-513

 Schraubendrehergriff allein,
 für alle Schraubendreherklingen

*screwdriver handle only,
 for all screwdriver blades*

 1/2
50-30-514
Artikel-Nr.
Cat. No.
50-30-514

 Schraubendreherklinge allein,
 selbsthaltend,
 für Kreuzschlitz-Schrauben

*screwdriver blade only, self-holding,
 for cross head screws*

Instrumente für Mikro-Platten System 1,2 mm
Instruments for Micro Plate System 1.2 mm

Artikel-Nr.
Cat. No.

	Spiralbohrer mit Stryker-Anschluss <i>Twist Drill with Stryker Coupling</i>	
50-30-525	Spiralbohrer \varnothing 1,0 x 46 mm, Arbeitslänge 4 mm <i>twist drill \varnothing 1.0 x 46 mm,</i> <i>working length 4 mm</i>	
50-30-526	Spiralbohrer \varnothing 1,0 x 50 mm, Arbeitslänge 8 mm <i>twist drill \varnothing 1.0 x 50 mm,</i> <i>working length 8 mm</i>	

Artikel-Nr.
Cat. No.

	Spiralbohrer mit Dental-Anschluss <i>Twist Drill with Dental Coupling</i>	
50-30-527	Spiralbohrer \varnothing 1,0 x 30 mm, Arbeitslänge 4 mm <i>twist drill \varnothing 1.0 x 30 mm,</i> <i>working length 4 mm</i>	
50-30-528	Spiralbohrer \varnothing 1,0 x 34 mm, Arbeitslänge 8 mm <i>twist drill \varnothing 1.0 x 34 mm,</i> <i>working length 8 mm</i>	



1/1
50-30-525

1,2

1,2

mm

Mikro-Platten-System *Micro Plate System*

Standard-Set	<i>Standard Set</i>	04-05
Platten	<i>Plates</i>	06-10
Schrauben	<i>Screws</i>	11
Instrumente	<i>Instruments</i>	12-15

1,6

mm

Medium-Platten-System *Medium Plate System*

Standard-Set	<i>Standard Set</i>	19-23
Platten	<i>Plates</i>	24-36
Schrauben	<i>Screws</i>	37
Instrumente	<i>Instruments</i>	38-42

2,0

mm

Mini-Platten-System *Mini Plate System*

Standard-Set	<i>Standard Set</i>	46-47
Platten	<i>Plates</i>	48-76
Schrauben	<i>Screws</i>	77
Instrumente	<i>Instruments</i>	78-83

2,3

mm

Fraktur-Platten-System *Fracture Plate System*

Platten	<i>Plates</i>	86-88
Schrauben	<i>Screws</i>	89
Instrumente	<i>Instruments</i>	90

2,7

mm

Rekonstruktionsplatten-System *Reconstruction Plate System*


Platten	<i>Plates</i>	94-96
Schrauben	<i>Screws</i>	97
Instrumente	<i>Instruments</i>	98

Mesh

Gitter-Platten *Mesh Plates*

102-108

Schädel-Verplattungs-System, 1,6 mm, TITAN
Cranio Plate System, 1.6 mm, TITANIUM



Artikel-Nr.
Cat. No.

50-31-011	Schädel-Verplattungs-Set zur Fixierung der Knochendeckel, komplett, bestehend aus: <i>Cranio Plate Set for fixation of cranio lids, complete, consisting of:</i>
50-31-015	1x Rack mit Deckel, 170 x 90 x 25 mm, für Instrumente und Implantate <i>rack with lid, 170 x 90 x 25 mm, for instruments and implants</i>
50-31-505	1x Platten-/Schrauben-Haltepinzette, 150 mm, abgewinkelt, TITAN <i>plate and screw holding forceps, 150 mm, angled, TITANIUM</i>
50-31-510	1x Schraubendreher, selbsthaltend, 180 mm, für Kreuzschlitz-Schrauben <i>screwdriver, self-holding, 180 mm, for cross head screws</i>
50-31-101	1x Platte, gerade, 2-Loch mit 8 mm Steg, VE = 5 Stück <i>plate, straight, 2-holes with 8 mm bar, pack. of 5 pcs.</i>
50-31-102	1x Platte, gerade, 2-Loch mit 12 mm Steg, VE = 5 Stück <i>plate, straight, 2-holes with 12 mm bar, pack. of 5 pcs.</i>
50-31-139	3x Bohrlochplatte, ø 15 mm <i>burr hole plate, ø 15 mm</i>
50-31-352	3x Schraube, Kreuzschlitz, 1,6 mm x 4 mm, selbstbohrend, VE = 5 Stück <i>screw, cross head, 1.6 mm x 4 mm, self drilling, pack. of 5 pcs.</i>

1,6



Artikel-Nr.
Cat. No.

50-31-000

Medium-Platten Standard Set für die Neurochirurgie
Standard Set Medium Plate for Neurosurgery

Artikel-Nr.
 Cat. No.

50-31-000	Medium-Platten Standard Set für die Neurochirurgie, bestehend aus: <i>Standard Set Medium Plate for Neurosurgery, consisting of:</i>	
50-31-001	1x	Sterilisier-Container 300 x 200 x 70 mm <i>sterilisation container 300 x 200 x 70 mm</i>
50-31-002	1x	Rack für Instrumente <i>rack for instruments</i>
50-31-003	1x	Rack für Platten und Schrauben <i>rack for plates and screws</i>
50-31-501	1x	Plattenschneidezange, 160 mm, TC <i>plate cutting forceps, 160 mm, TC</i>
50-31-502	1x	Flachzange, 135 mm <i>flat pliers, 135 mm</i>
50-31-503	1x	ADERER Plattenbiegezange, 130 mm <i>ADERER plate bending pliers, 130 mm</i>
50-31-505	1x	Platten-/Schrauben-Haltepinzette, 150 mm, abgewinkelt, TITAN <i>plate and screw holding forceps, 150 mm, angled, TITANIUM</i>
50-31-510	1x	Schraubendreher, selbsthaltend, 180 mm für Kreuzschlitz-Schrauben <i>screwdriver, self-holding, 180 mm for cross head screws</i>
50-31-525	1x	Spiralbohrer mit Stryker-Anschluss, ø 1,3 x 47 mm, Arbeitslänge 5 mm <i>twist drill with Stryker coupling, ø 1.3 x 47 mm, working length 5 mm</i>
50-31-526	1x	Spiralbohrer mit Stryker-Anschluss, ø 1,3 x 50 mm, Arbeitslänge 8 mm <i>twist drill with Stryker coupling, ø 1.3 x 50 mm, working length 8 mm</i>
50-31-101	1x	Platte, gerade, 2-Loch mit 8 mm Steg, VE = 5 Stück <i>plate, straight, 2-holes with 8 mm bar, pack. of 5 pcs.</i>
50-31-102	1x	Platte, gerade, 2-Loch mit 12 mm Steg, VE = 5 Stück <i>plate straight, 2-holes with 12 mm bar, pack. of 5 pcs.</i>
50-31-104	1x	Platte gerade, 4-Loch mit 6 mm Steg, VE = 5 Stück <i>plate, straight, 4-holes with 6 mm bar, pack. of 5 pcs.</i>
50-31-105	1x	Platte, gerade, 4-Loch mit 8 mm Steg, VE = 5 Stück <i>plate, straight, 4-holes with 8 mm bar, pack. of 5 pcs.</i>
50-31-106	1x	Platte, gerade, 4-Loch mit 10 mm Steg, VE = 5 Stück <i>plate, straight, 4-holes with 10 mm bar, pack. of 5 pcs.</i>
50-31-129	1x	Y-Platte, 5-Loch mit 12 mm Steg, VE = 5 Stück <i>Y-plate, 5-holes with 12 mm bar, pack. of 5 pcs.</i>
50-31-132	1x	Doppel-Y-Platte, 6-Loch mit 8 mm Steg, VE = 5 Stück <i>double-Y-plate, 6-holes with 8 mm bar, pack. of 5 pcs.</i>
50-31-141	1x	Rechteckplatte, symmetrisch, 2 x 2-Loch, VE = 5 Stück <i>square-plate, symmetrical 2 x 2-holes, pack. of 5 pcs.</i>
50-31-143	1x	Rechteckplatte, symmetrisch, 3 x 2-Loch, VE = 5 Stück <i>square-plate, symmetrical 3 x 2-holes, pack. of 5 pcs.</i>
50-31-145	1x	Rechteckplatte, symmetrisch, 4 x 2-Loch, VE = 5 Stück <i>square-plate, symmetrical 4 x 2-holes, pack. of 5 pcs.</i>
50-31-138	5x	Bohrlochplatte, ø 11,5 mm <i>burr hole plate, ø 11.5 mm</i>
50-31-139	5x	Bohrlochplatte, ø 15 mm <i>burr hole plate, ø 15 mm</i>
50-31-140	5x	Bohrlochplatte, ø 18 mm <i>burr hole plate, ø 18 mm</i>
50-31-158	5x	Bohrlochplatte, mit Drainage, ø 11,5 mm <i>burr hole plate, with drainage, ø 11.5 mm</i>
50-31-159	5x	Bohrlochplatte, mit Drainage, ø 15 mm <i>burr hole plate, with drainage, ø 15 mm</i>
50-31-160	5x	Bohrlochplatte, mit Drainage, ø 18 mm <i>burr hole plate, with drainage, ø 18 mm</i>
50-31-351	2x	Schraube, Kreuzschlitz, 1,6 mm x 3 mm, selbstbohrend, VE = 5 Stück <i>screw, cross head, 1.6 mm x 3 mm, self drilling, pack. of 5 pcs.</i>
50-31-352	2x	Schraube, Kreuzschlitz, 1,6 mm x 4 mm, selbstbohrend, VE = 5 Stück <i>screw, cross head, 1.6 mm x 4 mm, self drilling, pack. of 5 pcs.</i>
50-31-353	2x	Schraube, Kreuzschlitz, 1,6 mm x 5 mm, selbstbohrend, VE = 5 Stück <i>screw, cross head, 1.6 mm x 5 mm, self drilling, pack. of 5 pcs.</i>
50-31-304	2x	Schraube, Kreuzschlitz, 1,6 mm x 6 mm, selbstschneidend, VE = 5 Stück <i>screw, cross head, 1.6 mm x 6 mm, self tapping, pack. of 5 pcs.</i>

1,6



Artikel-Nr.
Cat. No.

50-31-010

Medium-Platten Standard Set
Standard Set Medium Plate

Artikel-Nr.
Cat. No.

50-31-010	Medium-Platten Standard Set Standard Set Medium Plate	
50-31-001	1x	Sterilisier-Container 300 x 200 x 70 mm <i>sterilisation container 300 x 200 x 70 mm</i>
50-31-002	1x	Rack für Instrumente <i>rack for instruments</i>
50-31-003	1x	Rack für Platten und Schrauben <i>rack for plates and screws</i>
50-31-501	1x	Plattenschneidezange, 160 mm, TC <i>plate cutting forceps, 160 mm, TC</i>
50-31-502	1x	Flachzange, 135 mm <i>flat pliers, 135 mm</i>
50-31-503	1x	ADERER Plattenbiegezege, 130 mm <i>ADERER plate bending pliers, 130 mm</i>
50-31-505	1x	Platten-/Schrauben-Haltepinzette, 150 mm, abgewinkelt, TITAN <i>plate and screw holding forceps, 150 mm, angled, TITANIUM</i>
50-31-510	1x	Schraubendreher, selbsthaltend, 180 mm für Kreuzschlitz-Schrauben <i>screwdriver, self-holding, 180 mm for cross head screws</i>
50-31-525	1x	Spiralbohrer mit Stryker-Anschluss, ø 1,3 x 47 mm, Arbeitslänge 5 mm <i>twist drill with Stryker coupling, ø 1.3 x 47 mm, working length 5 mm</i>
50-31-526	1x	Spiralbohrer mit Stryker-Anschluss, ø 1,3 x 50 mm, Arbeitslänge 8 mm <i>twist drill with Stryker coupling, ø 1.3 x 50 mm, working length 8 mm</i>
50-31-103	1x	Platte, gerade, 4-Loch, VE = 5 Stück <i>plate, straight, 4-holes, pack. of 5 pcs.</i>
50-31-104	1x	Platte, gerade, 4-Loch mit 6 mm Steg, VE = 5 Stück <i>plate, straight, 4-holes with 6 mm bar, pack. of 5 pcs.</i>
50-31-105	1x	Platte, gerade, 4-Loch mit 8 mm Steg, VE = 5 Stück <i>plate, straight, 4-holes with 8 mm bar, pack. of 5 pcs.</i>
50-31-106	1x	Platte, gerade, 4-Loch mit 10 mm Steg, VE = 5 Stück <i>plate, straight, 4-holes with 10 mm bar, pack. of 5 pcs.</i>
50-31-107	1x	Platte, gerade, 6-Loch, VE = 5 Stück <i>plate, straight, 6-holes, pack. of 5 pcs.</i>
50-31-109	1x	Platte, gerade, 8-Loch, VE = 5 Stück <i>plate, straight, 8-holes, pack. of 5 pcs.</i>
50-31-110	1x	Platte, gerade, 16-Loch, VE = 5 Stück <i>plate, straight, 16-holes, pack. of 5 pcs.</i>
50-31-111	1x	Platte, gerade, 18-Loch, VE = 5 Stück <i>plate, straight, 18-holes, pack. of 5 pcs.</i>
50-31-112	1x	Platte, gerade, 30-Loch, VE = 5 Stück <i>plate, straight, 30-holes, pack. of 5 pcs.</i>
50-31-115	1x	L-Platte, 4-Loch mit 6 mm Steg, rechts, VE = 5 Stück <i>L-plate, 4-holes with 6 mm bar, right, pack. of 5 pcs.</i>
50-31-116	1x	L-Platte, 4-Loch mit 6 mm Steg, links, VE = 5 Stück <i>L-plate, 4-holes with 6 mm bar, left, pack. of 5 pcs.</i>
50-31-117	1x	L-Platte, 4-Loch mit 8 mm Steg, rechts, VE = 5 Stück <i>L-plate, 4-holes with 8 mm bar, right, pack. of 5 pcs.</i>
50-31-118	1x	L-Platte, 4-Loch mit 8 mm Steg, links, VE = 5 Stück <i>L-plate, 4-holes with 8 mm bar, left, pack. of 5 pcs.</i>
50-31-123	1x	T-Platte, schmal, 4-Loch mit 8 mm Steg, VE = 5 Stück <i>T-plate, narrow, 4-holes with 8 mm bar, pack. of 5 pcs.</i>
50-31-124	1x	T-Platte, schmal, 4-Loch mit 12 mm Steg, VE = 5 Stück <i>T-plate, narrow, 4-holes with 12 mm bar, pack. of 5 pcs.</i>
50-31-125	1x	T-Platte, breit, 6-Loch, VE = 5 Stück <i>T-plate, broad, 6-holes, pack. of 5 pcs.</i>
50-31-128	1x	Y-Platte, 5-Loch, VE = 5 Stück <i>Y-plate, 5-holes, pack. of 5 pcs.</i>
50-31-129	1x	Y-Platte, 5-Loch mit 12 mm Steg, VE = 5 Stück <i>Y-plate, 5-holes with 12 mm bar, pack. of 5 pcs.</i>
50-31-131	1x	Doppel-Y-Platte, 6-Loch, VE = 5 Stück <i>double-Y-plate, 6-holes, pack. of 5 pcs.</i>
50-31-132	1x	Doppel-Y-Platte, 6-Loch mit 8 mm Steg, VE = 5 Stück <i>double-Y-plate, 6-holes with 8 mm bar, pack. of 5 pcs.</i>
50-31-133	1x	Doppel-Y-Platte, 7-Loch, VE = 5 Stück <i>double-Y-plate, 7-holes, pack. of 5 pcs.</i>
50-31-135	1x	Orbita Platte, 6-Loch, VE = 5 Stück <i>orbita plate, 6-holes, pack. of 5 pcs.</i>
50-31-136	1x	Orbita Platte, 8-Loch, VE = 5 Stück <i>orbita plate, 8-holes, pack. of 5 pcs.</i>
50-31-301	2x	Schraube, Kreuzschlitz, 1,6 mm x 3 mm, selbstschneidend, VE = 5 Stück <i>screw, cross head, 1.6 mm x 3 mm, self tapping, pack. of 5 pcs.</i>
50-31-302	2x	Schraube, Kreuzschlitz, 1,6 mm x 4 mm, selbstschneidend, VE = 5 Stück <i>screw, cross head, 1.6 mm x 4 mm, self tapping, pack. of 5 pcs.</i>
50-31-303	2x	Schraube, Kreuzschlitz, 1,6 mm x 5 mm, selbstschneidend, VE = 5 Stück <i>screw, cross head, 1.6 mm x 5 mm, self tapping, pack. of 5 pcs.</i>
50-31-304	2x	Schraube, Kreuzschlitz, 1,6 mm x 6 mm, selbstschneidend, VE = 5 Stück <i>screw, cross head, 1.6 mm x 6 mm, self tapping, pack. of 5 pcs.</i>
50-31-305	2x	Schraube, Kreuzschlitz, 1,6 mm x 7 mm, selbstschneidend, VE = 5 Stück <i>screw, cross head, 1.6 mm x 7 mm, self tapping, pack. of 5 pcs.</i>
50-31-306	2x	Schraube, Kreuzschlitz, 1,6 mm x 8 mm, selbstschneidend, VE = 5 Stück <i>screw, cross head, 1.6 mm x 8 mm, self tapping, pack. of 5 pcs.</i>
50-31-307	2x	Notfallschraube, Kreuzschlitz, 1,9 mm x 5 mm, selbstschneidend, VE = 5 Stück <i>emergency screw, cross head, 1.9 mm x 5 mm, self tapping, pack. of 5 pcs.</i>
50-31-339	2x	Notfallschraube, Kreuzschlitz, 1,9 mm x 7 mm, selbstschneidend, VE = 5 Stück <i>emergency screw, cross head, 1.9 mm x 7 mm, self tapping, pack. of 5 pcs.</i>















1,6

Medium-Platten 1,6 mm, Profil 0,6 mm, TITAN
Medium Plates 1.6 mm, Profile 0.6 mm, TITANIUM

TITAN

5

Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

	Artikel-Nr. Cat. No.	
1/1 	50-31-101	Platte, gerade, 2-Loch mit 8 mm Steg <i>plate, straight, 2-holes with 8 mm bar</i>
1/1 	50-31-102	Platte, gerade, 2-Loch mit 12 mm Steg <i>plate, straight, 2-holes with 12 mm bar</i>
1/1 	50-31-103	Platte, gerade, 4-Loch <i>plate, straight, 4-holes</i>
1/1 	50-31-104	Platte, gerade, 4-Loch mit 6 mm Steg <i>plate, straight, 4-holes with 6 mm bar</i>
1/1 	50-31-105	Platte, gerade, 4-Loch mit 8 mm Steg <i>plate, straight, 4-holes with 8 mm bar</i>
1/1 	50-31-106	Platte, gerade, 4-Loch mit 10 mm Steg <i>plate, straight, 4-holes with 10 mm bar</i>
1/1 	50-31-107	Platte, gerade, 6-Loch <i>plate, straight, 6-holes</i>
1/1 	50-31-108	Platte, gerade, 6-Loch mit 12 mm Steg <i>plate, straight, 6-holes with 12 mm bar</i>
1/1 	50-31-109	Platte, gerade, 8-Loch <i>plate, straight, 8-holes</i>
1/1 	50-31-161	Platte, gerade, 12-Loch <i>plate, straight, 12-holes</i>
1/1 	50-31-110	Platte, gerade, 16-Loch <i>plate, straight, 16-holes</i>
1/1 	50-31-111	Platte, gerade, 18-Loch <i>plate, straight, 18-holes</i>
1/1 	50-31-203	Platte, gerade, 24-Loch <i>plate, straight, 24-holes</i>
1/1 	50-31-112	Platte, gerade, 30-Loch <i>plate, straight, 30-holes</i>

Medium-Platten 1,6 mm, Profil 0,6 mm, TITAN
 Medium Plates 1.6 mm, Profile 0.6 mm, TITANIUM

TITAN

5 Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

Artikel-Nr.
 Cat. No.

50-31-113	L-Platte, 4-Loch, rechts <i>L-plate, 4-holes, right</i>	1/1 
50-31-114	L-Platte, 4-Loch, links <i>L-plate, 4-holes, left</i>	1/1 
50-31-115	L-Platte, 4-Loch mit 6 mm Steg, rechts <i>L-plate 4-holes with 6 mm bar, right</i>	1/1 
50-31-116	L-Platte, 4-Loch mit 6 mm Steg, links <i>L-plate, 4-holes with 6 mm bar, left</i>	1/1 
50-31-117	L-Platte, 4-Loch mit 8 mm Steg, rechts <i>L-plate, 4-holes with 8 mm bar, right</i>	1/1 
50-31-118	L-Platte, 4-Loch mit 8 mm Steg, links <i>L-plate, 4-holes with 8 mm bar, left</i>	1/1 
50-31-119	L-Platte, 4-Loch mit 10 mm Steg, rechts <i>L-plate, 4-holes with 10 mm bar, right</i>	1/1 
50-31-120	L-Platte, 4-Loch mit 10 mm Steg, links <i>L-plate, 4-holes with 10 mm bar, left</i>	1/1 

1,6

Medium-Platten 1,6 mm, Profil 0,6 mm, TITAN
Medium Plates 1.6 mm, Profile 0.6 mm, TITANIUM

TITAN

5

Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

Artikel-Nr.
Cat. No.





1/1 	50-31-167	L-Platte, 4-Loch mit 12 mm Steg, rechts <i>L-plate, 4-holes with 12 mm bar, right</i>
1/1 	50-31-166	L-Platte, 4-Loch mit 12 mm Steg, links <i>L-plate, 4-holes with 12 mm bar, left</i>
1/1 	50-31-169	L-Platte, 4-Loch mit 6 mm Steg, rechts, 110° <i>L-plate, 4-holes with 6 mm bar, right, 110°</i>
1/1 	50-31-168	L-Platte, 4-Loch mit 6 mm Steg, links, 110° <i>L-plate, 4-holes with 6 mm bar, left, 110°</i>
1/1 	50-31-171	L-Platte, 4-Loch mit 8 mm Steg, rechts, 110° <i>L-plate, 4-holes with 8 mm bar, right, 110°</i>
1/1 	50-31-170	L-Platte, 4-Loch mit 8 mm Steg, links, 110° <i>L-plate, 4-holes with 8 mm bar, left, 110°</i>
1/1 	50-31-173	L-Platte, 4-Loch mit 10 mm Steg, rechts, 110° <i>L-plate, 4-holes with 10 mm bar, right, 110°</i>

Medium-Platten 1,6 mm, Profil 0,6 mm, TITAN
 Medium Plates 1.6 mm, Profile 0.6 mm, TITANIUM

TITAN

5 Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

Artikel-Nr.
 Cat. No.

50-31-172	L-Platte, 4-Loch mit 10 mm Steg, links, 110° <i>L-plate, 4-holes with 10 mm bar, left, 110°</i>	1/1 
50-31-121	L-Platte, 5-Loch mit 12 mm Steg, rechts <i>L-plate, 5-holes with 12 mm bar, right</i>	1/1 
50-31-122	L-Platte, 5-Loch mit 12 mm Steg, links <i>L-plate, 5-holes with 12 mm bar, left</i>	1/1 
50-31-175	L-Platte, 5-Loch mit 8 mm Steg, rechts, 110° <i>L-plate, 5-holes with 8 mm bar, right, 110°</i>	1/1 
50-31-174	L-Platte, 5-Loch mit 8 mm Steg, links, 110° <i>L-plate, 5-holes with 8 mm bar, left, 110°</i>	1/1 
50-31-177	L-Platte, 6-Loch mit 6 mm Steg, rechts, 110° <i>L-plate, 6-holes with 6 mm bar, right, 110°</i>	1/1 
50-31-176	L-Platte, 6-Loch mit 6 mm Steg, links, 110° <i>L-plate, 6-holes with 6 mm bar, left, 110°</i>	1/1 

1,6

Medium-Platten 1,6 mm, Profil 0,6 mm, TITAN
Medium Plates 1.6 mm, Profile 0.6 mm, TITANIUM

TITAN

5

Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

Artikel-Nr.
Cat. No.









	1/1 50-31-179	L-Platte, 6-Loch mit 8 mm Steg, rechts, 110° <i>L-plate, 6-holes with 8 mm bar, right, 110°</i>
	1/1 50-31-178	L-Platte, 6-Loch mit 8 mm Steg, links, 110° <i>L-plate, 6-holes with 8 mm bar, left, 110°</i>
	1/1 50-31-181	L-Platte, 6-Loch mit 10 mm Steg, rechts, 110° <i>L-plate, 6-holes with 10 mm bar, right, 110°</i>
	1/1 50-31-180	L-Platte, 6-Loch mit 10 mm Steg, links, 110° <i>L-plate, 6-holes with 10 mm bar, left, 110°</i>
	1/1 50-31-183	L-Platte, 7-Loch mit 8 mm Steg, rechts, 110° <i>L-plate, 7-holes with 8 mm bar, right, 110°</i>
	1/1 50-31-182	L-Platte, 7-Loch mit 8 mm Steg, links, 110° <i>L-plate, 7-holes with 8 mm bar, left, 110°</i>

Medium-Platten 1,6 mm, Profil 0,6 mm, TITAN
 Medium Plates 1.6 mm, Profile 0.6 mm, TITANIUM

TITAN

5 Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

Artikel-Nr.
 Cat. No.

50-31-128	Y-Platte, 5-Loch Y-Plate, 5-holes	1/1 
50-31-162	Y-Platte, 5-Loch mit 8 mm Steg Y-Plate, 5-holes with 8 mm bar	1/1 
50-31-129	Y-Platte, 5-Loch mit 12 mm Steg Y-Plate, 5-holes with 12 mm bar	1/1 
50-31-130	Y-Platte, 5-Loch mit 16 mm Steg Y-Plate, 5-holes with 16 mm bar	1/1 
50-31-131	Doppel-Y-Platte, 6-Loch Double-Y-plate, 6-holes	1/1 
50-31-132	Doppel-Y-Platte, 6-Loch mit 8 mm Steg Double-Y-plate, 6-holes with 8 mm bar	1/1 
50-31-133	Doppel-Y-Platte, 7-Loch Double-Y-plate, 7-holes	1/1 
50-31-123	T-Platte, schmal, 4-Loch mit 8 mm Steg T-plate, narrow, 4-holes with 8 mm bar	1/1 

1,6









Medium-Platten 1,6 mm, Profil 0,6 mm, TITAN
Medium Plates 1.6 mm, Profile 0.6 mm, TITANIUM

TITAN

5

Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

Artikel-Nr.
Cat. No.

1/1 	50-31-124	T-Platte, schmal, 4-Loch mit 12 mm Steg <i>T-plate, narrow, 4-holes with 12 mm bar</i>
1/1 	50-31-186	T-Platte, breit, 4-Loch <i>T-plate, broad, 4-holes</i>
1/1 	50-31-187	T-Platte, breit, 4-Loch mit 12 mm Steg <i>T-plate, broad, 4-holes with 12 mm bar</i>
1/1 	50-31-188	T-Platte, breit, 5-Loch <i>T-plate, broad, 5-holes</i>
1/1 	50-31-126	T-Platte, breit, 5-Loch mit 10 mm Steg <i>T-plate, broad, 5-holes with 10 mm bar</i>
1/1 	50-31-125	T-Platte, breit, 6-Loch <i>T-plate, broad, 6-holes</i>
1/1 	50-31-189	T-Platte, breit, 6-Loch, 110° positiv <i>T-plate, broad, 6-holes, 110° positive</i>
1/1 	50-31-190	T-Platte, breit, 6-Loch, 110° negativ <i>T-plate, broad, 6-holes, 110° negative</i>

Medium-Platten 1,6 mm, Profil 0,6 mm, TITAN
 Medium Plates 1.6 mm, Profile 0.6 mm, TITANIUM

TITAN

5 Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

Artikel-Nr.
 Cat. No.

50-31-191	T-Platte, breit, 7-Loch <i>T-plate, broad, 7-holes</i>	1/1 
50-31-201	Z-Platte, 4-Loch mit 6 mm Steg, rechts <i>Z-plate, 4-holes with 6 mm bar, right</i>	1/1 
50-31-200	Z-Platte, 4-Loch mit 6 mm Steg, links <i>Z-plate, 4-holes with 6 mm bar, left</i>	1/1 
50-31-127	Doppel-T-Platte, schmal, 6-Loch <i>Double-T-plate, narrow, 6-holes</i>	1/1 
50-31-192	Doppel-T-Platte, 11-Loch mit 6 mm Steg <i>Double-T-plate, 11-holes with 6 mm bar</i>	1/1 
50-31-193	Doppel-T-Platte, 12-Loch <i>Double-T-plate, 12-holes</i>	1/1 







1,6

Medium-Platten 1,6 mm, Profil 0,6 mm, TITAN
Medium Plates 1.6 mm, Profile 0.6 mm, TITANIUM

TITAN

5

Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.







	Artikel-Nr. Cat. No.	
1/1 	50-31-134	Orbita Platte, 4-Loch <i>Orbita plate, 4-holes</i>
1/1 	50-31-135	Orbita Platte, 6-Loch <i>Orbita plate, 6-holes</i>
1/1 	50-31-136	Orbita Platte, 8-Loch <i>Orbita plate, 8-holes</i>
1/1 	50-31-137	Orbita Platte, 10-Loch <i>Orbita plate, 10-holes</i>
1/1 	50-31-198	Dreiecksplatte, 3-Loch <i>Triangle-plate, 3-holes</i>
1/1 	50-31-199	Kreuz-Platte, 4-Loch mit 10 mm Steg <i>cross-plate, 4-holes with 10 mm bar</i>

Bohrlochplatten für Trepanation
Burr hole plates for Trepanation

TITAN

1 Verpackungseinheit/VE = 1 Stück / packing unit 1 pcs.

Artikel-Nr.
Cat. No.

50-31-138	Bohrlochplatte, ø 11,5 mm <i>burr hole plate, ø 11.5 mm</i>	1/1 
50-31-139	Bohrlochplatte, ø 15 mm <i>burr hole plate, ø 15 mm</i>	1/1 
50-31-140	Bohrlochplatte, ø 18 mm <i>burr hole plate, ø 18 mm</i>	1/1 
50-31-158	Bohrlochplatte, mit Drainage, ø 11,5 mm <i>burr hole plate, with drainage, ø 11.5 mm</i>	1/1 
50-31-159	Bohrlochplatte, mit Drainage, ø 15 mm <i>burr hole plate, with drainage, ø 15 mm</i>	1/1 
50-31-160	Bohrlochplatte, mit Drainage, ø 18 mm <i>burr hole plate, with drainage, ø 18 mm</i>	1/1 

1,6








Medium-Platten 1,6 mm, Profil 0,6 mm, TITAN
 Medium Plates 1.6 mm, Profile 0.6 mm, TITANIUM

TITAN

5

Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

 Artikel-Nr.
 Cat. No.






1/1		50-31-141	Rechteckplatte, symmetrisch, 2 x 2-Loch <i>square-plate, symmetrical</i> 2 x 2-holes
1/1		50-31-142	Rechteckplatte, asymmetrisch, 2 x 2-Loch <i>square-plate, asymmetrical</i> 2 x 2-holes
1/1		50-31-143	Rechteckplatte, symmetrisch, 3 x 2-Loch <i>square-plate, symmetrical</i> 3 x 2-holes
1/1		50-31-144	Rechteckplatte, asymmetrisch, 3 x 2-Loch <i>square-plate, asymmetrical</i> 3 x 2-holes
1/1		50-31-145	Rechteckplatte, symmetrisch, 4 x 2-Loch <i>square-plate, symmetrical</i> 4 x 2-holes
1/1		50-31-146	Rechteckplatte, asymmetrisch, 4 x 2-Loch <i>square-plate, asymmetrical</i> 4 x 2-holes
1/1		50-31-194	Rechteckplatte, asymmetrisch, 4 x 4-Loch <i>square-plate, asymmetrical</i> 4 x 4-holes

Medium-Platten 1,6 mm, Profil 0,6 mm, TITAN
 Medium Plates 1.6 mm, Profile 0.6 mm, TITANIUM

TITAN

1 Verpackungseinheit/VE = 1 Stück / packing unit 1 pcs.

Artikel-Nr.
 Cat. No.

50-31-163	Rechteckplatte, symmetrisch, 6 x 2-Loch <i>square-plate, symmetrical</i> 6 x 2-holes	1/1 
50-31-148	Rechteckplatte, symmetrisch, 6 x 4-Loch <i>square-plate, symmetrical</i> 6 x 4-holes	1/1 
50-31-147	Rechteckplatte, asymmetrisch, 6 x 4-Loch <i>square-plate, asymmetrical</i> 6 x 4-holes	1/1 
50-31-164	Rechteckplatte, symmetrisch, 6 x 6-Loch <i>square-plate, symmetrical</i> 6 x 6-holes	1/1 
50-31-165	Rechteckplatte, symmetrisch, 8 x 2-Loch <i>square-plate, symmetrical</i> 8 x 2-holes	1/1 



1,6

Medium-Platten 1,6 mm, Profil 0,6 mm, TITAN
 Medium Plates 1.6 mm, Profile 0.6 mm, TITANIUM

TITAN

1 Verpackungseinheit/VE = 1 Stück / packing unit 1 pcs.

	Artikel-Nr. Cat. No.	
1/1 	50-31-149	Neuro-Spaltenplatte, Bohrungsabstand 25 mm <i>neuro gap plate, hole separation 25 mm</i>
1/1 	50-31-150	Neuro-Spaltenplatte, Bohrungsabstand 35 mm <i>neuro gap plate, hole separation 35 mm</i>
1/1 	50-31-151	Neuro-Spaltenplatte, Bohrungsabstand 45 mm <i>neuro gap plate, hole separation 45 mm</i>

	Artikel-Nr. Cat. No.	
1/1 	50-31-152	Neuro-Sub-temporale Platte, Bohrungsabstand 34 / 21 mm <i>neuro sub temporal plate, hole separation 34 / 21 mm</i>
1/1 	50-31-153	Neuro-Sub-temporale Platte, Bohrungsabstand 42 / 24 mm <i>neuro sub temporal plate, hole separation 42 / 24 mm</i>

Medium-Knochenschrauben 1,6 mm, TITAN
 Medium Bone Screws, 1.6 mm, TITANIUM

TITAN

5 Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.



Schrauben im handlichen Spendermagazin zur Direktentnahme. Sterilisierbar im Autoklav bei 134° C.

In convenient dispenser unit for direct extraction. Sterilizable in the vacuum autoclave with 134 °C.



3/1



3/1

vergrößerte Ansicht
 enlarged view



1/1



1/1

Kreuzschlitz-Schrauben
 Cross Head Screws

Notfallschrauben, Kreuzschlitz
 Emergency Screws, Cross Head

Ø Gewinde Ø Thread	1.6 mm		1.9 mm
Ø Kopf Ø Head	2.55 mm		2.55 mm
Länge Length	Selbstschneidend Self tapping	Selbstbohrend Self drilling	Selbstschneidend Self tapping
3 mm	50-31-301	50-31-351	50-31-335
4 mm	50-31-302	50-31-352	50-31-336
5 mm	50-31-303	50-31-353	50-31-307
6 mm	50-31-304	50-31-354	50-31-338
7 mm	50-31-305	50-31-355	50-31-339
8 mm	50-31-306	50-31-356	50-31-340
9 mm	50-31-320	50-31-357	50-31-341
10 mm	50-31-321	50-31-358	
11 mm	50-31-322	50-31-359	
12 mm	50-31-323	50-31-360	
13 mm	50-31-324	50-31-361	
14 mm	50-31-325	50-31-362	
15 mm	50-31-326	50-31-363	
16 mm	50-31-327		
17 mm	50-31-328		
18 mm	50-31-329		
19 mm	50-31-330		

1,6

Instrumente für Medium-Platten System 1,6 mm
Instruments for Medium Plate System 1.6 mm

 1/2
50-31-501
 160 mm
 6¼"


TC

Artikel-Nr.
Cat. No.
Gesamtlänge
Total length

50-31-501

160 mm / 6¼"

 Plattenschneidezange, TC
 plate cutting pliers, TC

 2/3
50-31-502
 135 mm
 5¼"

Artikel-Nr.
Cat. No.
Gesamtlänge
Total length

50-31-502

135 mm / 5¼"

 Flachzange
 flat pliers

 2/3
ADERER
50-31-503
 130 mm
 5⅞"

Artikel-Nr.
Cat. No.
Gesamtlänge
Total length

ADERER

50-31-503

130 mm / 5⅞"

 Plattenbiegezange
 plate bending pliers

Instrumente für Medium-Platten System 1,6 mm
 Instruments for Medium Plate System 1.6 mm


TITAN

Artikel-Nr. Cat. No.	Gesamtlänge Total length	
50-31-505	150 mm / 6"	
	Platten-/Schrauben-Haltepinzette, abgewinkelt, TITAN	
	<i>plate and screw holding forceps, angled, TITANIUM</i>	



2/3
50-31-505
 150 mm
 6"

TC

Artikel-Nr. Cat. No.	Gesamtlänge Total length	
04-16-552	120 mm / 4¾"	1/1
	Draht-/Bleischere, TC	
	<i>wire cutting scissors, TC</i>	



2/3
04-16-552
 120 mm
 4¾"

Instrumente für Medium-Platten System 1,6 mm
Instruments for Medium Plate System 1.6 mm

 1/2
50-31-507
 180 mm
 7"

Artikel-Nr.
Cat. No.
Gesamtlänge
Total length
50-31-507

180 mm / 7"

 Schraubendreher komplett, selbsthaltend
 für Kreuzschlitz-Schrauben

*screwdriver complete, self-holding
 for cross drive screws*

 1/2
50-31-509
Artikel-Nr.
Cat. No.
50-31-509

 Schraubendrehergriff allein,
 für alle Schraubendreherklingen

*screwdriver handle only,
 for all screwdriver blades*

 1/2
50-31-510
 180 mm
 7"

Artikel-Nr.
Cat. No.
Gesamtlänge
Total length
50-31-510

180 mm / 7"

 Schraubendreher komplett, selbsthaltend
 für Kreuzschlitz-Schrauben

*screwdriver complete, self-holding
 for cross head screws*

Instrumente für Medium-Platten System 1,6 mm
Instruments for Medium Plate System 1.6 mm

Artikel-Nr.
Cat. No.

50-31-513 Schraubendrehergriff allein,
 für alle Schraubendreherklingen
*screwdriver handle only,
 for all screwdriver blades*



1/2
50-31-513

Artikel-Nr.
Cat. No.

50-31-514 Schraubendreherklinge allein,
 selbsthaltend,
 für Kreuzschlitz-Schrauben
*screwdriver blade only, self-holding,
 for cross head screws*



1/2
50-31-514

Artikel-Nr.
Cat. No.

50-31-518 Tiefenmesser, Messtiefe 50 mm
depth gauge, measuring depth 50 mm



1/2
50-31-518

1,6

Instrumente für Medium-Platten System 1,6 mm
Instruments for Medium Plate System 1.6 mm

 1/1
 50-31-525

Artikel-Nr.
Cat. No.

		Spiralbohrer mit Stryker-Anschluss Twist Drill with Stryker Coupling
50-31-525	Spiralbohrer \varnothing 1,3 x 47 mm, Arbeitslänge 5 mm <i>twist drill \varnothing 1.3 x 47 mm,</i> <i>working length 5 mm</i>	
50-31-526	Spiralbohrer \varnothing 1,3 x 50 mm, Arbeitslänge 8 mm <i>twist drill \varnothing 1.3 x 50 mm,</i> <i>working length 8 mm</i>	

Artikel-Nr.
Cat. No.

		Spiralbohrer mit Dental-Anschluss Twist Drill with Dental Coupling
50-31-527	Spiralbohrer \varnothing 1,3 x 31 mm, Arbeitslänge 5 mm <i>twist drill \varnothing 1.3 x 31 mm,</i> <i>working length 5 mm</i>	
50-31-528	Spiralbohrer \varnothing 1,3 x 50 mm, Arbeitslänge 8 mm <i>twist drill \varnothing 1.3 x 50 mm,</i> <i>working length 8 mm</i>	

A large area of horizontal light green lines, intended for taking notes. The lines are evenly spaced and cover most of the page's width and height.

1,6

1,2

mm

Mikro-Platten-System *Micro Plate System*

Standard-Set	<i>Standard Set</i>	04-05
Platten	<i>Plates</i>	06-10
Schrauben	<i>Screws</i>	11
Instrumente	<i>Instruments</i>	12-15

1,6

mm

Medium-Platten-System *Medium Plate System*

Standard-Set	<i>Standard Set</i>	19-23
Platten	<i>Plates</i>	24-36
Schrauben	<i>Screws</i>	37
Instrumente	<i>Instruments</i>	38-42

2,0

mm

Mini-Platten-System *Mini Plate System*

Standard-Set	<i>Standard Set</i>	46-47
Platten	<i>Plates</i>	48-76
Schrauben	<i>Screws</i>	77
Instrumente	<i>Instruments</i>	78-83

2,3

mm

Fraktur-Platten-System *Fracture Plate System*

Platten	<i>Plates</i>	86-88
Schrauben	<i>Screws</i>	89
Instrumente	<i>Instruments</i>	90

2,7

mm

Rekonstruktionsplatten-System *Reconstruction Plate System*

Platten	<i>Plates</i>	94-96
Schrauben	<i>Screws</i>	97
Instrumente	<i>Instruments</i>	98

Mesh

Gitter-Platten *Mesh Plates*

102-108


Artikel-Nr.
Cat. No.

50-32-000

Mini-Platten Standard Set, bestehend aus:
Standard Set Mini Plate, consisting of:

- 50-32-001** 1x Sterilisier Container 300 x 200 x 70 mm
sterilisation container 300 x 200 x 70 mm
- 50-32-002** 1x Rack für Instrumente
rack for instruments
- 50-32-003** 1x Rack für Platten und Schrauben
rack for plates and screws
- 50-32-500** 1x Plattenschneidezange, 180 mm, TC
plate cutting pliers, 180 mm, TC
- 50-32-502** 1x Flachzange, 150 mm
flat pliers, 150 mm
- 50-32-503** 1x ADERER Plattenbiegezange, 130 mm
ADERER plate bending pliers, 130 mm

- 50-32-505** 1x Platten/Schrauben-Haltepinzette, 150 mm,
abgewinkelt, TITAN
plates and screws holding forceps, 150 mm,
angled, TITANIUM
- 50-32-510** 1x Schraubendreher, selbsthaltend, 180 mm
für Kreuzschlitz-Schrauben
screwdriver, self-holding, 180 mm
for cross head screws
- 50-32-525** 1x Spiralbohrer mit Stryker-Anschluss,
ø 1,5 x 50 mm, Arbeitslänge 7 mm
twist drill with Stryker coupling,
ø 1.5 x 50 mm, working length 7 mm
- 50-32-526** 1x Spiralbohrer mit Stryker-Anschluss,
ø 1,5 x 50 mm, Arbeitslänge 20 mm
twist drill with Stryker coupling,
ø 1.5 x 50 mm, working length 20 mm

Artikel-Nr.
Cat. No.

50-32-122	1 x Orbita Platte, 8-Loch / VE = 5 Stück <i>orbita plate, 8-holes / pack. of 5 pcs.</i>	50-32-186	1 x T-Platte, breit, 5-Loch, mit 12 mm Steg, 100° positiv, VE = 5 Stück <i>T-plate, broad, 5-holes, with 12 mm bar, 100°, positive, pack. of 5 pcs.</i>
50-32-123	1 x Orbita Platte, 10-Loch / VE = 5 Stück <i>orbita plate, 10-holes / pack. of 5 pcs.</i>	50-32-187	1 x T-Platte, breit, 5-Loch, mit 12 mm Steg, 100° negativ, VE = 5 Stück <i>T-plate, broad, 5-holes, with 12 mm bar, 100°, negative, pack. of 5 pcs.</i>
50-32-124	1 x Orbita Platte, 12-Loch / VE = 5 Stück <i>orbita plate, 12-holes / pack. of 5 pcs.</i>	50-32-188	1 x Doppel-T-Platte, schmal, 6-Loch, VE = 5 Stück <i>double-T-plate, narrow, 6-holes, pack. of 5 pcs.</i>
50-32-157	1 x Platte, gerade, 4-Loch, VE = 5 Stück <i>plate, straight, 4-holes, pack. of 5 pcs.</i>	50-32-189	1 x Y-Platte, 5-Loch, Y-Steg 6x6 mm, VE = 5 Stück <i>Y-plate, 5-holes, Y-bar 6x6 mm, pack. of 5 pcs.</i>
50-32-158	1 x Platte, gerade, 4-Loch mit 9 mm Steg, VE = 5 Stück <i>plate, straight, 4-holes with 9 mm bar, pack. of 5 pcs.</i>	50-32-190	1 x Y-Platte, 5-Loch, mit 12 mm Steg, Y-Steg 6x6 mm, VE = 5 Stück <i>Y-plate, 5-holes, with 12 mm bar, Y-bar 6x6 mm, pack. of 5 pcs.</i>
50-32-161	1 x Platte, gerade, 6-Loch, VE = 5 Stück <i>plate, straight, 6-holes, pack. of 5 pcs.</i>	50-32-191	1 x Y-Platte, 5-Loch, mit 6 mm Steg, Y-Steg 6x6 mm, VE = 5 Stück <i>Y-plate, 5-holes, with 6 mm bar, Y-bar 6x6 mm, pack. of 5 pcs.</i>
50-32-162	1 x Platte, gerade, 6-Loch mit 12 mm Steg, VE = 5 Stück <i>plate, straight, 6-holes with 12 mm bar, pack. of 5 pcs.</i>	50-32-321	1 x Schraube, Kreuzschlitz, 2,0 mm x 5 mm, selbstschneidend, VE = 5 Stück <i>screw, cross head, 2.0 mm x 5 mm, self tapping, pack. of 5 pcs.</i>
50-32-163	1 x Platte, gerade, 8-Loch, VE = 5 Stück <i>plate, straight, 8-holes, pack. of 5 pcs.</i>	50-32-323	2 x Schraube, Kreuzschlitz, 2,0 mm x 7 mm, selbstschneidend, VE = 5 Stück <i>screw, cross head, 2.0 mm x 7 mm, self tapping, pack. of 5 pcs.</i>
50-32-165	1 x Platte, gerade, 16-Loch, VE = 5 Stück <i>plate, straight, 16-holes, pack. of 5 pcs.</i>	50-32-325	2 x Schraube, Kreuzschlitz, 2,0 mm x 9 mm, selbstschneidend, VE = 5 Stück <i>screw, cross head, 2.0 mm x 9 mm, self tapping, pack. of 5 pcs.</i>
50-32-168	1 x L-Platte, 4-Loch, rechts, VE = 5 Stück <i>L-plate, 4-holes, right, pack. of 5 pcs.</i>	50-32-327	2 x Schraube, Kreuzschlitz, 2,0 mm x 11 mm, selbstschneidend, VE = 5 Stück <i>screw, cross head, 2.0 mm x 11 mm, self tapping, pack. of 5 pcs.</i>
50-32-169	1 x L-Platte, 4-Loch, links, VE = 5 Stück <i>L-plate, 4-holes, left, pack. of 5 pcs.</i>	50-32-329	2 x Schraube, Kreuzschlitz, 2,0 mm x 13 mm, selbstschneidend, VE = 5 Stück <i>screw, cross head, 2.0 mm x 13 mm, self tapping, pack. of 5 pcs.</i>
50-32-170	1 x L-Platte, 4-Loch mit 9 mm Steg, rechts, VE = 5 Stück <i>L-plate, 4-holes with 9 mm bar, right, pack. of 5 pcs.</i>	50-32-331	2 x Schraube, Kreuzschlitz, 2,0 mm x 15 mm, selbstschneidend, VE = 5 Stück <i>screw, cross head, 2.0 mm x 15 mm, self tapping, pack. of 5 pcs.</i>
50-32-171	1 x L-Platte, 4-Loch mit 9 mm Steg, links, VE = 5 Stück <i>L-plate, 4-holes with 9 mm bar, left, pack. of 5 pcs.</i>	50-32-333	2 x Schraube, Kreuzschlitz, 2,0 mm x 17 mm, selbstschneidend, VE = 5 Stück <i>screw, cross head, 2.0 mm x 17 mm, self tapping, pack. of 5 pcs.</i>
50-32-180	1 x T-Platte, breit, 5-Loch mit 12 mm Steg, VE = 5 Stück <i>T-plate, broad, 5-holes with 12 mm bar, pack. of 5 pcs.</i>	50-32-335	2 x Notfallschraube, Kreuzschlitz, 2,3 mm x 7 mm, selbstschneidend, VE = 5 Stück <i>emergency screw, cross head, 2.3 mm x 7 mm, self tapping, pack. of 5 pcs.</i>
50-32-181	1 x T-Platte, breit, 6-Loch, VE = 5 Stück <i>T-plate, broad, 6-holes, pack. of 5 pcs.</i>		
50-32-182	1 x T-Platte, schmal, 4-Loch, VE = 5 Stück <i>T-plate, narrow, 4-holes, pack. of 5 pcs.</i>		
50-32-183	1 x T-Platte, schmal, 4-Loch mit 12 mm Steg, VE = 5 Stück <i>T-plate, narrow, 4-holes with 12 mm bar, pack. of 5 pcs.</i>		
50-32-184	1 x T-Platte, schmal, 6-Loch, VE = 5 Stück <i>T-plate, narrow, 6-holes, pack. of 5 pcs.</i>		
50-32-185	1 x T-Platte, schmal, 6-Loch mit 7,5 mm Steg, VE = 5 Stück <i>T-plate, narrow, 6-holes with 7.5 mm bar, pack. of 5 pcs.</i>		

2,0











Gerne können Sie Ihr individuelles Set zusammenstellen. Wir passen die Lagerungsracks entsprechend an.
You can always compose your individual set. We will adapt the rack accordingly.

Mini-Platten 2,0 mm, Profil 0,6 mm, TITAN
Mini Plates 2.0 mm, Profile 0.6 mm, TITANIUM

TITAN

5

Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

	Artikel-Nr. Cat. No.	
1/1 	50-32-129	Platte, gerade, 2-Loch mit 9 mm Steg <i>plate, straight, 2-holes with 9 mm bar</i>
1/1 	50-32-130	Platte, gerade, 2-Loch mit 12 mm Steg <i>plate, straight, 2-holes with 12 mm bar</i>
1/1 	50-32-101	Platte, gerade, 4-Loch <i>plate, straight, 4-holes</i>
1/1 	50-32-102	Platte, gerade, 4-Loch mit 9 mm Steg <i>plate, straight, 4-holes with 9 mm bar</i>
1/1 	50-32-103	Platte, gerade, 4-Loch mit 12 mm Steg <i>plate, straight, 4-holes with 12 mm bar</i>
1/1 	50-32-131	Platte, gerade, 4-Loch mit 15 mm Steg <i>plate, straight, 4-holes with 15 mm bar</i>
1/1 	50-32-104	Platte, gerade, 6-Loch <i>plate, straight, 6-holes</i>
1/1 	50-32-132	Platte, gerade, 6-Loch mit 12 mm Steg <i>plate, straight, 6-holes with 12 mm bar</i>
1/1 	50-32-105	Platte, gerade, 8-Loch <i>plate, straight, 8-holes</i>
1/1 	50-32-133	Platte, gerade, 10-Loch <i>plate, straight, 10-holes</i>

Mini-Platten 2,0 mm, Profil 0,6 mm, TITAN
Mini Plates 2.0 mm, Profile 0.6 mm, TITANIUM

TITAN

5 Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

Artikel-Nr.
Cat. No.

50-32-134	Platte, gerade, 16-Loch plate, straight, 16-holes	1/1	
50-32-135	Platte, gerade, 20-Loch plate, straight, 20-holes	1/1	
50-32-210	Platte, gerade, 24-Loch plate, straight, 24-holes	1/1	
50-32-211	Platte, gerade, 30-Loch plate, straight, 30-holes	1/1	
50-32-212	Platte, gerade, 38-Loch plate, straight, 38-holes	1/1	
50-32-106	L-Platte, 4-Loch, rechts L-plate, 4-holes, right	1/1	
50-32-107	L-Platte, 4-Loch, links L-plate, 4-holes, left	1/1	

2,0

Mini-Platten 2,0 mm, Profil 0,6 mm, TITAN
 Mini Plates 2.0 mm, Profile 0.6 mm, TITANIUM

TITAN

5

Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

 Artikel-Nr.
 Cat. No.

	1/1 50-32-108	L-Platte, 4-Loch mit 9 mm Steg, rechts <i>L-plate, 4-holes with 9 mm bar, right</i>
	1/1 50-32-109	L-Platte, 4-Loch mit 9 mm Steg, links <i>L-plate, 4-holes with 9 mm bar, left</i>
	1/1 50-32-110	L-Platte, 4-Loch mit 12 mm Steg, rechts <i>L-plate, 4-holes with 12 mm bar, right</i>
	1/1 50-32-111	L-Platte, 4-Loch mit 12 mm Steg, links <i>L-plate, 4-holes with 12 mm bar, left</i>
	1/1 50-32-213	L-Platte, 4-Loch mit 15 mm Steg, rechts <i>L-plate, 4-holes with 15 mm bar, right</i>
	1/1 50-32-214	L-Platte, 4-Loch mit 15 mm Steg, links <i>L-plate, 4-holes with 15 mm bar, left</i>

Mini-Platten 2,0 mm, Profil 0,6 mm, TITAN
 Mini Plates 2.0 mm, Profile 0.6 mm, TITANIUM

TITAN

5 Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

Artikel-Nr.
 Cat. No.

50-32-215	L-Platte, 4-Loch mit 9 mm Steg, 110°, rechts <i>L-plate, 4-holes with 9 mm bar, 110°, right</i>	1/1 
50-32-216	L-Platte, 4-Loch mit 9 mm Steg, 110°, links <i>L-plate, 4-holes with 9 mm bar, 110°, left</i>	1/1 
50-32-217	L-Platte, 4-Loch mit 12 mm Steg, 110°, rechts <i>L-plate, 4-holes with 12 mm bar, 110°, right</i>	1/1 
50-32-218	L-Platte, 4-Loch mit 12 mm Steg, 110°, links <i>L-plate, 4-holes with 12 mm bar, 110°, left</i>	1/1 
50-32-112	L-Platte, 5-Loch mit 12 mm Steg, rechts <i>L-plate, 5-holes with 12 mm bar, right</i>	1/1 
50-32-113	L-Platte, 5-Loch mit 12 mm Steg, links <i>L-plate, 5-holes with 12 mm bar, left</i>	1/1 






2,0

Mini-Platten 2,0 mm, Profil 0,6 mm, TITAN
 Mini Plates 2.0 mm, Profile 0.6 mm, TITANIUM

TITAN

5 Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

 Artikel-Nr.
 Cat. No.







	1/1 50-32-219	L-Platte, 5-Loch mit 15 mm Steg, rechts <i>L-plate, 5-holes with 15 mm bar, right</i>
	1/1 50-32-220	L-Platte, 5-Loch mit 15 mm Steg, links <i>L-plate, 5-holes with 15 mm bar, left</i>
	1/1 50-32-221	L-Platte, 6-Loch mit 9 mm Steg, rechts <i>L-plate, 6-holes with 9 mm bar, right</i>
	1/1 50-32-222	L-Platte, 6-Loch mit 9 mm Steg, links <i>L-plate, 6-holes with 9 mm bar, left</i>
	1/1 50-32-115	T-Platte, breit, 5-Loch mit 12 mm Steg <i>T-plate, broad, 5-holes with 12 mm bar</i>

Mini-Platten 2,0 mm, Profil 0,6 mm, TITAN
 Mini Plates 2.0 mm, Profile 0.6 mm, TITANIUM

TITAN

5 Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

Artikel-Nr.
 Cat. No.

50-32-226	T-Platte, breit, 5-Loch mit 12 mm Steg, 100° positiv <i>T-plate, broad, 5-holes with 12 mm bar, 100° positive</i>	1/1 
50-32-225	T-Platte, breit, 5-Loch mit 12 mm Steg, 100° negativ <i>T-plate, broad, 5-holes with 12 mm bar, 100° negative</i>	1/1 
50-32-114	T-Platte, breit, 6-Loch <i>T-plate, broad, 6-holes</i>	1/1 
50-32-117	Doppel-T-Platte, schmal, 4-Loch mit 12 mm Steg <i>double-T-plate, narrow, 4-holes with 12 mm bar</i>	1/1 
50-32-116	Doppel-T-Platte, schmal, 6-Loch <i>double-T-plate, narrow, 6-holes</i>	1/1 
50-32-118	Y-Platte, 5-Loch, Y-Steg 6x6 mm <i>Y-plate, 5-holes, Y-bar 6x6 mm</i>	1/1 

2,0






Mini-Platten 2,0 mm, Profil 0,6 mm, TITAN
 Mini Plates 2.0 mm, Profile 0.6 mm, TITANIUM

TITAN

5

Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

 Artikel-Nr.
 Cat. No.

1/1		50-32-119	Y-Platte, 5-Loch mit 12 mm Steg, Y-Steg 6x6 mm <i>Y-plate, 5-holes with 12 bar, Y-bar 6x6 mm</i>
1/1		50-32-227	Y-Platte, 6-Loch <i>Y-plate, 6-holes</i>
1/1		50-32-120	Doppel-Y-Platte, 6-Loch, Y-Steg 6x6 mm <i>double-Y-plate, 6-holes, Y-bar 6x6 mm</i>
1/1		50-32-121	Doppel-Y-Platte, 6-Loch mit 12 mm Steg, Y-Steg 6x6 mm <i>double-Y-plate, 6-holes with 12 mm bar, Y-bar 6x6 mm</i>
1/1		50-32-636	Doppel-Y-Platte, 7-Loch <i>double-Y-plate, 7-holes</i>

Mini-Platten 2,0 mm, Profil 0,6 mm, TITAN
Mini Plates 2.0 mm, Profile 0.6 mm, TITANIUM

TITAN

5 Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

Artikel-Nr.
Cat. No.

50-32-125	Z-Platte, 4-Loch mit 9 mm Steg, rechts <i>Z-plate, 4-holes with 9 mm bar, right</i>	1/1 
50-32-126	Z-Platte, 4-Loch mit 9 mm Steg, links <i>Z-plate, 4-holes with 9 mm bar, left</i>	1/1 
50-32-228	Z-Platte, 4-Loch mit 12 mm Steg, rechts <i>Z-plate, 4-holes with 12 mm bar, right</i>	1/1 
50-32-229	Z-Platte, 4-Loch mit 12 mm Steg, links <i>Z-plate, 4-holes with 12 mm bar, left</i>	1/1 
50-32-127	Z-Platte, 4-Loch mit 15 mm Steg, rechts <i>Z-plate, 4-holes with 15 mm bar, right</i>	1/1 
50-32-128	Z-Platte, 4-Loch mit 15 mm Steg, links <i>Z-plate, 4-holes with 15 mm bar, left</i>	1/1 
50-32-230	Rechteckplatte 2 x 2 Loch <i>square plate 2 x 2 holes</i>	1/1 

2,0






Mini-Platten 2,0 mm, Profil 0,6 mm, TITAN
 Mini Plates 2.0 mm, Profile 0.6 mm, TITANIUM

TITAN

5

Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

 Artikel-Nr.
 Cat. No.

1/1		50-32-223	Orbita Platte, 4-Loch <i>orbita plate, 4-holes</i>
1/1		50-32-224	Orbita Platte, 6-Loch <i>orbita plate, 6-holes</i>
1/1		50-32-122	Orbita Platte, 8-Loch <i>orbita plate, 8-holes</i>
1/1		50-32-123	Orbita Platte, 10-Loch <i>orbita plate, 10-holes</i>
1/1		50-32-124	Orbita Platte, 12-Loch <i>orbita plate, 12-holes</i>

2,0

Mini-Platten 2,0 mm, Profil 0,75 mm, TITAN
 Mini Plates 2.0 mm, Profile 0.75 mm, TITANIUM

TITAN

5

Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

Artikel-Nr.
 Cat. No.

50-32-136	Platte, gerade, 2-Loch mit 12 mm Steg <i>plate, straight, 2-holes with 12 mm bar</i>	1/1 
50-32-137	Platte, gerade, 4-Loch mit 9 mm Steg <i>plate, straight, 4-holes with 9 mm bar</i>	1/1 
50-32-138	Platte, gerade, 4-Loch mit 12 mm Steg <i>plate, straight, 4-holes with 12 mm bar</i>	1/1 
50-32-231	Platte, gerade, 4-Loch mit 15 mm Steg <i>plate, straight, 4-holes with 15 mm bar</i>	1/1 
50-32-232	Platte, gerade, 30-Loch <i>plate, straight, 30-holes</i>	1/1 
50-32-233	Platte, gerade, 38-Loch <i>plate, straight, 38-holes</i>	1/1 
50-32-139	Platte, gerade, 40-Loch <i>plate, straight, 40-holes</i>	1/1 

2,0





Mini-Platten 2,0 mm, Profil 0,75 mm, TITAN
Mini Plates 2.0 mm, Profile 0.75 mm, TITANIUM

TITAN

5

Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

Artikel-Nr.
Cat. No.

1/1		50-32-140	L-Platte, 5-Loch mit 12 mm Steg, 100°, rechts <i>L-plate, 5-holes with 12 mm bar, 100°, right</i>
1/1		50-32-141	L-Platte, 5-Loch mit 12 mm Steg, 100°, links <i>L-plate, 5-holes with 12 mm bar, 100°, left</i>
1/1		50-32-142	L-Platte, 7-Loch mit 12 mm Steg, 100°, rechts <i>L-plate, 7-holes with 12 mm bar, 100°, right</i>
1/1		50-32-143	L-Platte, 7-Loch mit 12 mm Steg, 100°, links <i>L-plate, 7-holes with 12 mm bar, 100°, left</i>



2,0

Mini-Platten 2,0 mm, Profil 0,75 mm, TITAN
Mini Plates 2.0 mm, Profile 0.75 mm, TITANIUM

TITAN

5 Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

Artikel-Nr.
Cat. No.

50-32-144	L-Platte, 9-Loch mit 12 mm Steg, 100°, rechts <i>L-plate, 9-holes with 12 mm bar, 100°, right</i>	1/1 
50-32-145	L-Platte, 9-Loch mit 12 mm Steg, 100°, links <i>L-plate, 9-holes with 12 mm bar, 100°, left</i>	1/1 

2,0






Mini-Platten 2,0 mm, Profil 0,75 mm, TITAN
 Mini Plates 2.0 mm, Profile 0.75 mm, TITANIUM

TITAN

5

Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

 Artikel-Nr.
 Cat. No.

1/1		50-32-146	T-Platte, 4-Loch mit 15 mm Steg T-plate, 4-holes with 15 mm bar
1/1		50-32-147	T-Platte, 10-Loch mit 18 mm Steg T-plate, 10-holes with 18 mm bar
1/1		50-32-148	Y-Platte, 5-Loch Y-plate, 5-holes
1/1		50-32-149	Y-Platte, 8-Loch Y-plate, 8-holes
1/1		50-32-150	Doppel-Y-Platte, 8-Loch mit 10 mm Steg double-Y-plate, 8-holes with 10 mm bar

Mini-Platten 2,0 mm, Profil 0,75 mm, TITAN
Mini Plates 2.0 mm, Profile 0.75 mm, TITANIUM

TITAN

5 Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

Artikel-Nr.
Cat. No.

50-32-152	Orbita Platte, 6-Loch <i>orbita plate, 6-holes</i>	1/1	
50-32-153	Orbita Platte, 8-Loch <i>orbita plate, 8-holes</i>	1/1	
50-32-154	Orbita Platte, 10-Loch <i>orbita plate, 10-holes</i>	1/1	









2,0

Mini-Platten 2,0 mm, Profil 1,0 mm, TITAN
Mini Plates 2.0 mm, Profile 1.0 mm, TITANIUM

TITAN

5

Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

	Artikel-Nr. Cat. No.	
1/1 	50-32-237	Platte, gerade, 2-Loch mit 9 mm Steg <i>plate, straight, 2-holes with 9 mm bar</i>
1/1 	50-32-238	Platte, gerade, 2-Loch mit 12 mm Steg <i>plate, straight, 2-holes with 12 mm bar</i>
1/1 	50-32-157	Platte, gerade, 4-Loch <i>plate, straight, 4-holes</i>
1/1 	50-32-158	Platte, gerade, 4-Loch mit 9 mm Steg <i>plate, straight, 4-holes with 9 mm bar</i>
1/1 	50-32-159	Platte, gerade, 4-Loch mit 12 mm Steg <i>plate, straight, 4-holes with 12 mm bar</i>
1/1 	50-32-160	Platte, gerade, 4-Loch mit 15 mm Steg <i>plate, straight, 4-holes with 15 mm bar</i>
1/1 	50-32-239	Platte, gerade, 5-Loch <i>plate, straight, 5-holes</i>
1/1 	50-32-161	Platte, gerade, 6-Loch <i>plate, straight, 6-holes</i>
1/1 	50-32-162	Platte, gerade, 6-Loch mit 12 mm Steg <i>plate, straight, 6-holes with 12 mm bar</i>
1/1 	50-32-163	Platte, gerade, 8-Loch <i>plate, straight, 8-holes</i>

Mini-Platten 2,0 mm, Profil 1,0 mm, TITAN
Mini Plates 2.0 mm, Profile 1.0 mm, TITANIUM

TITAN

5

Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

Artikel-Nr.
Cat. No.

50-32-240	Platte, gerade, 10-Loch plate, straight, 10-holes	1/1	
50-32-164	Platte, gerade, 12-Loch plate, straight, 12-holes	1/1	
50-32-165	Platte, gerade, 16-Loch plate, straight, 16-holes	1/1	
50-32-241	Platte, gerade, 18-Loch plate, straight, 18-holes	1/1	
50-32-242	Platte, gerade, 20-Loch plate, straight, 20-holes	1/1	
50-32-166	Platte, gerade, 24-Loch plate, straight, 24-holes	1/1	
50-32-244	Platte, gerade, 30-Loch plate, straight, 30-holes	1/1	
50-32-245	Platte, gerade, 38-Loch plate, straight, 38-holes	1/1	
50-32-167	Platte, gerade, 40-Loch plate, straight, 40-holes	1/1	

2,0







Mini-Platten 2,0 mm, Profil 1,0 mm, TITAN
Mini Plates 2.0 mm, Profile 1.0 mm, TITANIUM

TITAN

5

Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

Artikel-Nr.
Cat. No.







1/1	50-32-168	L-Platte, 4-Loch, rechts <i>L-plate, 4-holes, right</i>
		
1/1	50-32-169	L-Platte, 4-Loch, links <i>L-plate, 4-holes, left</i>
		
1/1	50-32-170	L-Platte, 4-Loch mit 9 mm Steg, rechts <i>L-plate, 4-holes with 9 mm bar, right</i>
		
1/1	50-32-171	L-Platte, 4-Loch mit 9 mm Steg, links <i>L-plate, 4-holes with 9 mm bar, left</i>
		
1/1	50-32-172	L-Platte, 4-Loch mit 12 mm Steg, rechts <i>L-plate, 4-holes with 12 mm bar, right</i>
		
1/1	50-32-173	L-Platte, 4-Loch mit 12 mm Steg, links <i>L-plate, 4-holes with 12 mm bar, left</i>
		

Mini-Platten 2,0 mm, Profil 1,0 mm, TITAN
 Mini Plates 2.0 mm, Profile 1.0 mm, TITANIUM

TITAN

5 Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

Artikel-Nr.
 Cat. No.

50-32-246	L-Platte, 4-Loch mit 15 mm Steg, rechts <i>L-plate, 4-holes with 15 mm bar, right</i>	1/1 
50-32-247	L-Platte, 4-Loch mit 15 mm Steg, links <i>L-plate, 4-holes with 15 mm bar, left</i>	1/1 
50-32-174	L-Platte, 4-Loch, 100°, rechts <i>L-plate, 4-holes, 100°, right</i>	1/1 
50-32-175	L-Platte, 4-Loch, 100°, links <i>L-plate, 4-holes, 100°, left</i>	1/1 
50-32-176	L-Platte, 4-Loch mit 12 mm Steg, 100°, rechts <i>L-plate, 4-holes with 12 mm bar, 100°, right</i>	1/1 
50-32-177	L-Platte, 4-Loch mit 12 mm Steg, 100°, links <i>L-plate, 4-holes with 12 mm bar, 100°, left</i>	1/1 

2,0

Mini-Platten 2,0 mm, Profil 1,0 mm, TITAN
 Mini Plates 2.0 mm, Profile 1.0 mm, TITANIUM

TITAN

5

Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

 Artikel-Nr.
 Cat. No.



1/1 	50-32-248	L-Platte, 4-Loch mit 9 mm Steg, 110°, rechts L-plate, 4-holes with 9 mm bar, 110°, right
1/1 	50-32-249	L-Platte, 4-Loch mit 9 mm Steg, 110°, links L-plate, 4-holes with 9 mm bar, 110°, left
1/1 	50-32-257	L-Platte, 4-Loch mit 12 mm Steg, 110°, rechts L-plate, 4-holes with 12 mm bar, 110°, right
1/1 	50-32-258	L-Platte, 4-Loch mit 12 mm Steg, 110°, links L-plate, 4-holes with 12 mm bar, 110°, left
1/1 	50-32-178	L-Platte, 5-Loch mit 12 mm Steg, rechts L-plate, 5-holes with 12 mm bar, right
1/1 	50-32-179	L-Platte, 5-Loch mit 12 mm Steg, links L-plate, 5-holes with 12 mm bar, left

Mini-Platten 2,0 mm, Profil 1,0 mm, TITAN
 Mini Plates 2.0 mm, Profile 1.0 mm, TITANIUM

TITAN

5 Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

Artikel-Nr.
 Cat. No.

50-32-601	L-Platte, 5-Loch mit 15 mm Steg, rechts <i>L-plate, 5-holes with 15 mm bar, right</i>	1/1 
50-32-602	L-Platte, 5-Loch mit 15 mm Steg, links <i>L-plate, 5-holes with 15 mm bar, left</i>	1/1 
50-32-603	L-Platte, 6-Loch mit 9 mm Steg, recht <i>L-plate, 6-holes with 9 mm bar, right</i>	1/1 
50-32-604	L-Platte, 6-Loch mit 9 mm Steg, links <i>L-plate, 6-holes with 9 mm bar, left</i>	1/1 

2,0





Mini-Platten 2,0 mm, Profil 1,0 mm, TITAN
 Mini Plates 2.0 mm, Profile 1.0 mm, TITANIUM

TITAN

5

Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

Artikel-Nr.
 Cat. No.






1/1		50-32-605	L-Platte, 6-Loch mit 12 mm Steg, rechts L-plate, 6-holes with 12 mm bar, right
1/1		50-32-606	L-Platte, 6-Loch mit 12 mm Steg, links L-plate, 6-holes with 12 mm bar, left
1/1		50-32-182	T-Platte, schmal, 4-Loch T-plate, narrow, 4-holes
1/1		50-32-183	T-Platte, schmal, 4-Loch mit 12 mm Steg T-plate, narrow, 4-holes with 12 mm bar
1/1		50-32-615	T-Platte, schmal, 5-Loch mit 9 mm Steg T-plate, narrow, 5-holes with 9 mm bar

Mini-Platten 2,0 mm, Profil 1,0 mm, TITAN
 Mini Plates 2.0 mm, Profile 1.0 mm, TITANIUM

TITAN

5 Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

Artikel-Nr.
 Cat. No.

50-32-184	T-Platte, schmal, 6-Loch <i>T-plate, narrow, 6-holes</i>	1/1 
50-32-185	T-Platte, schmal, 6-Loch mit 7,5 mm Steg <i>T-plate, narrow, 6-holes with 7.5 mm bar</i>	1/1 
50-32-616	T-Platte, schmal, 6-Loch mit 9 mm Steg <i>T-plate, narrow, 6-holes with 9 mm bar</i>	1/1 
50-32-617	T-Platte, schmal, 6-Loch mit 13 mm Steg <i>T-plate, narrow, 6-holes with 13 mm bar</i>	1/1 
50-32-180	T-Platte, breit, 5-Loch mit 12 mm Steg <i>T-plate, broad, 5-holes with 12 mm bar</i>	1/1 

2,0






Mini-Platten 2,0 mm, Profil 1,0 mm, TITAN
 Mini Plates 2.0 mm, Profile 1.0 mm, TITANIUM

TITAN

5

Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

 Artikel-Nr.
 Cat. No.






1/1		50-32-186	T-Platte, breit, 5-Loch mit 12 mm Steg, 100° positiv <i>T-plate, broad, 5-holes with 12 mm bar, 100° positive</i>
1/1		50-32-187	T-Platte, breit, 5-Loch mit 12 mm Steg, 100° negativ <i>T-plate, broad, 5-holes with 12 mm bar, 100° negative</i>
1/1		50-32-181	T-Platte, breit, 6-Loch <i>T-plate, broad, 6-holes</i>
1/1		50-32-611	T-Platte, breit, 6-Loch mit 12 mm Steg <i>T-plate, broad, 6-holes with 12 mm bar</i>
1/1		50-32-612	T-Platte, breit, 7-Loch <i>T-plate, broad, 7-holes</i>

Mini-Platten 2,0 mm, Profil 1,0 mm, TITAN
 Mini Plates 2.0 mm, Profile 1.0 mm, TITANIUM

TITAN

5 Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

Artikel-Nr.
 Cat. No.

50-32-613	T-Platte, breit, 7-Loch mit 12 mm Steg <i>T-plate, broad, 7-holes with 12 mm bar</i>	1/1 
50-32-614	T-Platte, breit, 7-Loch mit 15 mm Steg <i>T-plate, broad, 7-holes with 15 mm bar</i>	1/1 
50-32-618	Doppel-T-Platte, schmal, 4-Loch mit 12 mm Steg <i>double-T-plate, narrow, 4-holes with 12 mm bar</i>	1/1 
50-32-188	Doppel-T-Platte, schmal, 6-Loch <i>double-T-plate, narrow, 6-holes</i>	1/1 
50-32-619	Y-Platte, 5-Loch <i>Y-plate, 5-holes</i>	1/1 

2,0

Mini-Platten 2,0 mm, Profil 1,0 mm, TITAN
 Mini Plates 2.0 mm, Profile 1.0 mm, TITANIUM

TITAN

5

Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

 Artikel-Nr.
 Cat. No.






1/1 	50-32-620	Y-Platte, 5-Loch mit 12 mm Steg Y-plate, 5-holes with 12 mm bar
1/1 	50-32-621	Y-Platte, 6-Loch Y-plate, 6-holes
1/1 	50-32-189	Y-Platte, 5-Loch, Y-Steg 6x6 mm Y-plate, 5-holes, Y-bar 6x6 mm
1/1 	50-32-191	Y-Platte, 5-Loch mit 6 mm Steg, Y-Steg 6x6 mm Y-plate, 5-holes with 6 mm bar, Y-bar 6x6 mm
1/1 	50-32-190	Y-Platte, 5-Loch mit 12 mm Steg, Y-Steg 6x6 mm Y-plate, 5-holes with 12 mm bar, Y-bar 6x6 mm
1/1 	50-32-622	Doppel-Y-Platte, 6-Loch double-Y-plate, 6-holes

Mini-Platten 2,0 mm, Profil 1,0 mm, TITAN
 Mini Plates 2.0 mm, Profile 1.0 mm, TITANIUM

TITAN

5 Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

Artikel-Nr.
 Cat. No.

50-32-623	Doppel-Y-Platte, 6-Loch mit 12 mm Steg <i>double-Y-plate, 6-holes with 12 mm bar</i>	1/1 
50-32-192	Doppel-Y-Platte, 6-Loch, Y-Steg 6x6 mm <i>double-Y-plate, 6-holes, Y-bar 6x6 mm</i>	1/1 
50-32-193	Doppel-Y-Platte, 6-Loch mit 12 mm Steg, Y-Steg 6x6 mm <i>double-Y-plate, 6-holes with 12 mm bar, Y-bar 6x6 mm</i>	1/1 
50-32-624	Doppel-Y-Platte, 7-Loch <i>double-Y-plate, 7-holes</i>	1/1 
50-32-194	Doppel-Y-Platte, 7-Loch, Y-Steg 6x6 mm <i>double-Y-plate, 7-holes, Y-bar 6x6 mm</i>	1/1 

2,0








Mini-Platten 2,0 mm, Profil 1,0 mm, TITAN
 Mini Plates 2.0 mm, Profile 1.0 mm, TITANIUM

TITAN

5

Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

 Artikel-Nr.
 Cat. No.

1/1		50-32-625	Doppel-Y-Platte, 8-Loch double-Y-plate, 8-holes
1/1		50-32-195	Kreuz-Platte, 4-Loch cross-plate, 4-holes
1/1		50-32-607	Orbita Platte, 4-Loch orbita plate, 4-holes
1/1		50-32-638	Orbita Platte, 6-Loch orbita plate, 6-holes
1/1		50-32-639	Orbita Platte, 8-Loch orbita plate, 8-holes
1/1		50-32-640	Orbita Platte, 10-Loch orbita plate, 10-holes
1/1		50-32-641	Orbita Platte, 12-Loch orbita plate, 12-holes








Mini-Platten 2,0 mm, Profil 1,0 mm, TITAN
 Mini Plates 2.0 mm, Profile 1.0 mm, TITANIUM

TITAN

5

Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

Artikel-Nr.
 Cat. No.

50-32-199	Rechteckplatte, symmetrisch, 2 x 2-Loch <i>square-plate, symmetrical</i> <i>2 x 2-holes</i>	1/1 
50-32-200	Rechteckplatte, asymmetrisch, 2 x 2-Loch <i>square-plate, asymmetrical</i> <i>2 x 2-holes</i>	1/1 
50-32-201	Rechteckplatte, symmetrisch, 3 x 2-Loch <i>square-plate, symmetrical</i> <i>3 x 2-holes</i>	1/1 
50-32-202	Rechteckplatte, asymmetrisch, 3 x 2-Loch <i>square-plate, asymmetrical</i> <i>3 x 2-holes</i>	1/1 
50-32-203	Rechteckplatte, symmetrisch, 4 x 2-Loch <i>square-plate, symmetrical</i> <i>4 x 2-holes</i>	1/1 
50-32-204	Rechteckplatte, asymmetrisch, 4 x 2-Loch <i>square-plate, asymmetrical</i> <i>4 x 2-holes</i>	1/1 
50-32-206	Rechteckplatte, symmetrisch, 4 x 4-Loch <i>square-plate, symmetrical</i> <i>4 x 4-holes</i>	1/1 

2,0

Mini-Platten 2,0 mm, Profil 1,0 mm, TITAN
 Mini Plates 2.0 mm, Profile 1.0 mm, TITANIUM

TITAN

5


Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.

Artikel-Nr.
 Cat. No.

1/1

50-32-205


Rechteckplatte, asymmetrisch,
 4 x 4-Loch
square-plate, asymmetrical
4 x 4-holes



1/1

50-32-609


Rechteckplatte, symmetrisch,
 6 x 4-Loch
square-plate, symmetrical
6 x 4-holes



1/1

50-32-610

Rechteckplatte, asymmetrisch,
 6 x 4-Loch
square-plate, asymmetrical
6 x 4-holes



Mini-Knochenschrauben 2,0 mm, TITAN
Mini Bone Screws, 2.0 mm, TITANIUM

TITAN

5 Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.



Schrauben im handlichen Spendermagazin zur Direktentnahme. Sterilisierbar im Autoklav bei 134° C.

In convenient dispenser unit for direct extraction. Sterilizable in the vacuum autoclave with 134 °C.



3/1



1/1



3/1



1/1

vergrößerte Ansicht
enlarged view

Kreuzschlitz-Schrauben
Cross Head Screws

Notfallschrauben, Kreuzschlitz
Emergency Screws, Cross Head

Ø Gewinde Ø Thread	2.0 mm		2.3 mm	
Ø Kopf Ø Head	3.0 mm		3.0 mm	
Länge Length	Selbstschneidend Self tapping	Selbstbohrend Self drilling	Selbstschneidend Self tapping	Selbstbohrend Self drilling
4 mm	50-32-320	50-32-350		
5 mm	50-32-321	50-32-351	50-32-334	50-32-364
6 mm	50-32-322	50-32-352	50-32-375	
7 mm	50-32-323	50-32-353	50-32-335	50-32-365
8 mm	50-32-324	50-32-354	50-32-376	
9 mm	50-32-325	50-32-355	50-32-377	
10 mm	50-32-326	50-32-356	50-32-378	
11 mm	50-32-327	50-32-357	50-32-379	
12 mm	50-32-328	50-32-358	50-32-380	
13 mm	50-32-329	50-32-359	50-32-381	
14 mm	50-32-330	50-32-360	50-32-382	
15 mm	50-32-331	50-32-361	50-32-383	
16 mm	50-32-332	50-32-362	50-32-384	
17 mm	50-32-333	50-32-363		
18 mm	50-32-370			
19 mm	50-32-371			
20 mm	50-32-372			
21 mm	50-32-373			

2,0

Instrumente für Mini-Platten System 2,0 mm
Instruments for Mini Plate System 2.0 mm

 2/3
 50-32-500
 180 mm
 7"


TC

Artikel-Nr.
Cat. No.
Gesamtlänge
Total length

50-32-500

180 mm / 7"

 Plattenschneidezange, TC
 plate cutting pliers, TC

 2/3
 50-32-502
 150 mm
 6"

Artikel-Nr.
Cat. No.
Gesamtlänge
Total length

50-32-502

150 mm / 6"

 Flachzange
 flat pliers

 2/3
 ADERER
 50-32-503
 130 mm
 5 1/8"

Artikel-Nr.
Cat. No.
Gesamtlänge
Total length

ADERER

50-32-503

130 mm / 5 1/8"

 Plattenbiegezange
 plate bending pliers

Instrumente für Mini-Platten System 2,0 mm
 Instruments for Mini Plate System 2.0 mm

Artikel-Nr. Cat. No.	Gesamtlänge Total length	
50-32-504	135 mm / 5¼"	
	Plattenbiegezange mit Stift plate bending forceps with pin	




2/3
 50-32-504
 135 mm
 5¼"

TITAN		
Artikel-Nr. Cat. No.	Gesamtlänge Total length	
50-32-505	150 mm / 6"	
	Platten-/Schrauben-Haltepinzette, abgewinkelt, TITAN plate and screw holding forceps, angled, TITANIUM	



2/3
 50-32-505
 150 mm
 6"

TC		
Artikel-Nr. Cat. No.	Gesamtlänge Total length	
04-16-552	120 mm / 4¾ mm"	1/1
	Draht-/Bleischere, TC wire cutting scissors, TC	



2/3
 04-16-552
 120 mm
 4¾"

2,0

Instrumente für Mini-Platten System 2,0 mm
Instruments for Mini Plate System 2.0 mm


1/2
50-32-510
 180 mm
 7"

Artikel-Nr.
Cat. No.

Gesamtlänge
Total length

50-32-510

180 mm / 7"

Schraubendreher, selbsthaltend
 für Kreuzschlitz-Schrauben
*screwdriver, self-holding,
 for cross head screws*



1/2
50-32-513

Artikel-Nr.
Cat. No.

50-32-513

Schraubendrehergriff allein,
 für alle Schraubendreherklingen
*screwdriver handle only,
 for all screwdriver blades*

Instrumente für Mini-Platten System 2,0 mm
Instruments for Mini Plate System 2.0 mm

Artikel-Nr.
Cat. No.

50-32-514	Schraubendreherklinge allein, selbsthaltend, für Kreuzschlitz-Schrauben <i>screwdriver blade only, self-holding, for cross head screws</i>	
-----------	---	--



1/2
 50-32-514

Artikel-Nr.
Cat. No.

Gesamtlänge
Total length

50-32-507	Schraubendreher komplett, selbsthaltend für Kreuzschlitz-Schrauben <i>screwdriver complete, self-holding for cross drive screws</i>	180 mm / 7"
-----------	--	-------------



1/2
 50-32-507
 180 mm
 7"

Artikel-Nr.
Cat. No.

50-32-509	Schraubendrehergriff allein, für alle Schraubendreherklingen <i>screwdriver handle only for all screwdriver blades</i>	
-----------	---	--



1/2
 50-32-509

2,0



50-32-520

Artikel-Nr.
Cat. No.

50-32-520

 Transbucale Bohrhülse
 transbuccal drilling guide

2,0


 1/2
 50-32-518

Artikel-Nr.
Cat. No.

50-32-518

 Tiefenmesser, Messtiefe 50 mm
 depth gauge, measuring depth 50 mm

Artikel-Nr.
Cat. No.

	Spiralbohrer mit Stryker-Anschluss Twist Drill with Stryker Coupling
50-32-525	Spiralbohrer ø 1,5 x 50 mm, Arbeitslänge 7 mm <i>twist drill ø 1.5 x 50 mm, working length 7 mm</i>
50-32-526	Spiralbohrer ø 1,5 x 50 mm, Arbeitslänge 20 mm <i>twist drill ø 1.5 x 50 mm, working length 20 mm</i>
50-32-527	Spiralbohrer ø 1,5 x 70 mm, Arbeitslänge 7 mm <i>twist drill ø 1.5 x 70 mm, working length 7 mm</i>
50-32-528	Spiralbohrer ø 1,5 x 105 mm, Arbeitslänge 20 mm <i>twist drill ø 1.5 x 105 mm, working length 20 mm</i>



1/1
50-32-525

andere Anschlüsse auf Anfrage erhältlich
other couplings on request available

2,0

1,2

mm

Mikro-Platten-System *Micro Plate System*

Standard-Set	<i>Standard Set</i>	04-05
Platten	<i>Plates</i>	06-10
Schrauben	<i>Screws</i>	11
Instrumente	<i>Instruments</i>	12-15

1,6

mm

Medium-Platten-System *Medium Plate System*

Standard-Set	<i>Standard Set</i>	19-23
Platten	<i>Plates</i>	24-36
Schrauben	<i>Screws</i>	37
Instrumente	<i>Instruments</i>	38-42

2,0

mm

Mini-Platten-System *Mini Plate System*

Standard-Set	<i>Standard Set</i>	46-47
Platten	<i>Plates</i>	48-76
Schrauben	<i>Screws</i>	77
Instrumente	<i>Instruments</i>	78-83

2,3

mm

Fraktur-Platten-System *Fracture Plate System*

Platten	<i>Plates</i>	86-88
Schrauben	<i>Screws</i>	89
Instrumente	<i>Instruments</i>	90

2,7

mm

Rekonstruktionsplatten-System *Reconstruction Plate System*

Platten	<i>Plates</i>	94-96
Schrauben	<i>Screws</i>	97
Instrumente	<i>Instruments</i>	98

Mesh












Gitter-Platten *Mesh Plates*

102-108

Fraktur-Platten 2,3 mm, Profil 1,5 mm, TITAN
Fracture Plates 2,3 mm, Profile 1.5 mm, TITANIUM

TITAN

1 Verpackungseinheit/VE = 1 Stück / packing unit 1 pcs.


	Artikel-Nr. Cat. No.	
1/1 	50-33-157	Platte, gerade, 4-Loch mit 2 mm Steg <i>plate, straight, 4-holes with 2 mm bar</i>
1/1 	50-33-158	Platte, gerade, 4-Loch mit 5 mm Steg <i>plate, straight, 4-holes with 5 mm bar</i>
1/1 	50-33-159	Platte, gerade, 4-Loch mit 10 mm Steg <i>plate, straight, 4-holes with 10 mm bar</i>
1/1 	50-33-167	Platte, gerade, 4-Loch mit 17 mm Steg <i>plate, straight, 4-holes with 17 mm bar</i>
1/1 	50-33-160	Platte, gerade, 6-Loch mit 2 mm Steg <i>plate, straight, 6-holes with 2 mm bar</i>
1/1 	50-33-161	Platte, gerade, 6-Loch mit 5 mm Steg <i>plate, straight, 6-holes with 5 mm bar</i>
1/1 	50-33-162	Platte, gerade, 6-Loch mit 10 mm Steg <i>plate, straight, 6-holes with 10 mm bar</i>
1/1 	50-33-168	Platte, gerade, 8-Loch mit 2 mm Steg <i>plate, straight, 8-holes with 2 mm bar</i>
1/1 	50-33-163	Platte, gerade, 8-Loch mit 5 mm Steg <i>plate, straight, 8-holes with 5 mm bar</i>
1/1 	50-33-164	Platte, gerade, 14-Loch mit 2 mm Steg <i>plate, straight, 14-holes with 2 mm bar</i>
1/1 	50-33-169	Platte, gerade, 16-Loch mit 2 mm Steg <i>plate, straight, 16-holes with 2 mm bar</i>

Fraktur-Platten 2,3 mm, Profil 1,5 mm, TITAN
Fracture Plates 2,3 mm, Profile 1.5 mm, TITANIUM

TITAN

1 Verpackungseinheit/VE = 1 Stück / packing unit 1 pcs.

Artikel-Nr.
Cat. No.

50-33-165	C-Platte, 4-Loch mit 2 mm Steg <i>C-plate, 4 holes with 2 mm bar</i>	1/1	
50-33-170	C-Platte, 4-Loch mit 10 mm Steg <i>C-plate, 4 holes with 10 mm bar</i>	1/1	
50-33-171	Kieferwinkelplatte 4-Loch mit 5 mm Steg <i>Mandibular angled plate 4-holes with 5 mm bar</i>	1/1	
50-33-172	Kieferwinkelplatte 4-Loch mit 10 mm Steg <i>Mandibular angled plate 4-holes with 10 mm bar</i>	1/1	
50-33-166	Kieferwinkelplatte 6-Loch <i>Mandibular angled plate 6-holes</i>	1/1	
50-33-173	Kieferwinkelplatte 8-Loch <i>Mandibular angled plate 8-holes</i>	1/1	

2,3

Fraktur-Platten 2,3 mm, Profil 1,5 mm, TITAN
Fracture Plates 2,3 mm, Profile 1.5 mm, TITANIUM

TITAN

1 Verpackungseinheit/VE = 1 Stück / packing unit 1 pcs.

Artikel-Nr.
Cat. No.

	1/1 50-33-174	Platte, gerade, 4-Loch mit 2 mm Steg, Außenbohrung 45° <i>plate, straight, 4-holes with 2 mm bar, outside drill hole 45°</i>
	1/1 50-33-175	Platte, gerade, 4-Loch mit 5 mm Steg, Außenbohrung 45° <i>plate, straight, 4-holes with 5 mm bar, outside drill hole 45°</i>

Knochenschrauben 2,3 mm, TITAN
Bone Screws 2.3 mm, TITANIUM

TITAN

5 Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.



vergrößerte Ansicht
enlarged view

4/1

1/1



1/1



Kreuzschlitz-Schrauben
Cross Head Screws

Notfallschrauben, Kreuzschlitz
Emergency Screws, Cross Head

Ø Gewinde Ø Thread	2.3 mm	2.7 mm
Ø Kopf Ø Head	3.6 mm	3.6 mm
Länge Length	Selbstschneidend Self tapping	Selbstschneidend Self tapping
4 mm	50-33-320	
5 mm	50-33-321	50-33-370
6 mm	50-33-322	
7 mm	50-33-323	50-33-371
8 mm	50-33-324	
9 mm	50-33-325	50-33-372
10 mm	50-33-326	
11 mm	50-33-327	50-33-373
12 mm	50-33-328	
13 mm	50-33-329	50-33-374
14 mm	50-33-330	
15 mm	50-33-331	50-33-375
16 mm	50-33-332	
17 mm	50-33-333	
18 mm	50-33-334	
19 mm	50-33-335	
20 mm	50-33-336	
21 mm	50-33-337	
22 mm	50-33-338	

2,3

Instrumente für Fraktur-Platten System 2,3 mm
Instruments for Fracture Plate System 2.3 mm

1/2
50-33-507
 180 mm
 7"



Artikel-Nr.
Cat. No.

Gesamtlänge
Total length

50-33-507

180 mm / 7"

Schraubendreher komplett, selbsthaltend
 für Kreuzschlitz-Schrauben
*screwdriver complete, self-holding
 for cross drive screws*

2,3



1/2
50-33-509

Artikel-Nr.
Cat. No.

50-33-509

Schraubendrehergriff allein,
 für alle Schraubendreherklingen
*screwdriver handle only
 for all screwdriver blades*

1/2
50-33-514



Artikel-Nr.
Cat. No.

50-33-514

Schraubendreherklinge allein,
 selbsthaltend, für Kreuzschlitz-Schrauben
*screwdriver blade only,
 self-holding, for cross head screws*

A large area of horizontal pink lines, intended for taking notes. The lines are evenly spaced and cover most of the page's width and height.

2,3

1,2

mm

Mikro-Platten-System *Micro Plate System*

Standard-Set	<i>Standard Set</i>	04-05
Platten	<i>Plates</i>	06-10
Schrauben	<i>Screws</i>	11
Instrumente	<i>Instruments</i>	12-15

1,6

mm

Medium-Platten-System *Medium Plate System*

Standard-Set	<i>Standard Set</i>	19-23
Platten	<i>Plates</i>	24-36
Schrauben	<i>Screws</i>	37
Instrumente	<i>Instruments</i>	38-42

2,0

mm

Mini-Platten-System *Mini Plate System*

Standard-Set	<i>Standard Set</i>	46-47
Platten	<i>Plates</i>	48-76
Schrauben	<i>Screws</i>	77
Instrumente	<i>Instruments</i>	78-83

2,3

mm

Fraktur-Platten-System *Fracture Plate System*

Platten	<i>Plates</i>	86-88
Schrauben	<i>Screws</i>	89
Instrumente	<i>Instruments</i>	90

2,7

mm

Rekonstruktionsplatten-System *Reconstruction Plate System*

Platten	<i>Plates</i>	94-96
Schrauben	<i>Screws</i>	97
Instrumente	<i>Instruments</i>	98

Mesh


Gitter-Platten *Mesh Plates*

102-108










Mandibular Rekonstruktionsplatten 2,7 mm, TITAN
Mandibular Reconstruction Plates 2.7 mm, TITANIUM

TITAN

1 Verpackungseinheit/VE = 1 Stück / packing unit 1 pcs.



1/1


	Artikel-Nr. Cat. No.	
	1/2 50-34-008	Platte, gerade, 8-Loch plate, straight, 8-holes
	1/2 50-34-011	Platte, gerade, 11-Loch plate, straight, 11-holes
	1/2 50-34-014	Platte, gerade, 14-Loch plate, straight, 14-holes
	1/2 50-34-017	Platte, gerade, 17-Loch plate, straight, 17-holes
	1/2 50-34-112	Kieferwinkelplatte, 4/8 Loch, links mandibular angle plate, 4/8 holes, left
	1/2 50-34-212	Kieferwinkelplatte, 4/8 Loch, rechts mandibular angle plate, 4/8 holes, right
	1/2 50-34-115	Kieferwinkelplatte, 4/11 Loch, links mandibular angle plate, 4/11 holes, left
	1/2 50-34-215	Kieferwinkelplatte, 4/11 Loch, rechts mandibular angle plate, 4/11 holes, right
	1/2 50-34-118	Kieferwinkelplatte, 4/14 Loch, links mandibular angle plate, 4/14 holes, left

Mandibular Rekonstruktionsplatten 2,7 mm, TITAN
Mandibular Reconstruction Plates 2.7 mm, TITANIUM

TITAN

1 Verpackungseinheit/VE = 1 Stück / packing unit 1 pcs.

Artikel-Nr.
 Cat. No.




50-34-218	Kieferwinkelplatte, 4/14 Loch, rechts <i>mandibular angle plate, 4/14 holes, right</i>	1/2	
50-34-120	Kieferwinkelplatte, 6/14 Loch, links <i>mandibular angle plate, 6/14 holes, left</i>	1/2	
50-34-220	Kieferwinkelplatte, 6/14 Loch, rechts <i>mandibular angle plate, 6/14 holes, right</i>	1/2	
50-34-425	Kieferwinkelplatte beidseitig, 4/17/4 Loch <i>full mandibular plate, 4/17/4 holes</i>	1/2	
50-34-427	Kieferwinkelplatte beidseitig, 4/19/4 Loch <i>full mandibular plate, 4/19/4 holes</i>	1/2	
50-34-429	Kieferwinkelplatte beidseitig, 6/17/6 Loch <i>full mandibular plate, 6/17/6 holes</i>	1/2	
50-34-431	Kieferwinkelplatte beidseitig, 6/19/6 Loch <i>full mandibular plate, 6/19/6 holes</i>	1/2	

2,7

Mandibular Rekonstruktionsplatten 2,7 mm, TITAN
Mandibular Reconstruction Plates 2.7 mm, TITANIUM

TITAN

1 Verpackungseinheit/VE = 1 Stück / packing unit 1 pcs.


Artikel-Nr.
Cat. No.

<p>1/1</p> 	<p>50-34-500</p>	<p>Gelenkkopfaufsatz mit Kugel \varnothing 11 mm mit 2 Schrauben <i>joint head cup with ball \varnothing 11 mm with 2 fixing screws</i></p>
<p>1/1</p> 	<p>50-34-501</p>	<p>Gelenkkopfaufsatz mit Kugel \varnothing 11 mm, allein <i>joint head cup with ball \varnothing 11 mm, only</i></p>

Knochenschrauben 2,7 mm, TITAN
Bone Screws, 2.7 mm, TITANIUM

TITAN

5 Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.



vergrößerte Ansicht
enlarged view

4/1



1/1

Kreuzschlitz-Schrauben
Cross Head Screws

Sechskant-Schrauben
Hex Screws

ø Gewinde ø Thread	2.7 mm	2.7 mm
ø Kopf ø Head	3.9 mm	4.0 mm
Länge Length	Selbstschneidend Self tapping	Selbstschneidend Self tapping
7 mm	50-34-350	50-34-323
8 mm	50-34-351	50-34-324
9 mm	50-34-352	50-34-325
10 mm	50-34-353	50-34-326
11 mm	50-34-354	50-34-327
12 mm	50-34-355	50-34-340
13 mm	50-34-356	50-34-328
14 mm	50-34-357	50-34-341
15 mm	50-34-358	50-34-329
16 mm	50-34-359	50-34-342
17 mm	50-34-360	50-34-330
18 mm	50-34-361	50-34-343
19 mm	50-34-362	50-34-331
20 mm	50-34-363	50-34-344
21 mm	50-34-364	50-34-332



1/1

Notfallschrauben, Kreuzschlitz
Emergency Screws, Cross Head

Notfallschrauben, Sechskant
Emergency Screws, Hex

ø Gewinde ø Thread	3.0 mm	3.0 mm
ø Kopf ø Head	3.9 mm	
Länge Length	Selbstschneidend Self tapping	Selbstschneidend Self tapping
7 mm	50-34-367	50-34-334
9 mm	50-34-369	50-34-335
11 mm	50-34-371	50-34-336
13 mm	50-34-373	50-34-337

2,7

Instrumente für Mandibular Rekonstruktionsplatten System 2,7 mm
Instruments for Mandibular Reconstruction Plate System 2.7 mm

1/2
50-34-507
 180 mm
 7"



Artikel-Nr.
Cat. No.

Gesamtlänge
Total length

50-34-507

180 mm / 7"

Schraubendreher komplett, selbsthaltend
 für Kreuzschlitz-Schrauben
*screwdriver complete, self-holding
 for cross drive screws*

2,7

1/2
50-34-509



Artikel-Nr.
Cat. No.

50-34-509

Schraubendrehergriff allein,
 für alle Schraubendreherklingen
*screwdriver handle only
 for all screwdriver blades*

1/2
50-34-514



Artikel-Nr.
Cat. No.

50-34-514

Schraubendreherklinge allein,
 selbsthaltend, für Kreuzschlitz-Schrauben
*screwdriver blade only,
 self-holding, for cross head screws*

A large area of horizontal yellow lines, intended for taking notes, occupying the central portion of the page.

2,7

1,2

mm

Mikro-Platten-System *Micro Plate System*

Standard-Set	<i>Standard Set</i>	04-05
Platten	<i>Plates</i>	06-10
Schrauben	<i>Screws</i>	11
Instrumente	<i>Instruments</i>	12-15

1,6

mm

Medium-Platten-System *Medium Plate System*

Standard-Set	<i>Standard Set</i>	19-23
Platten	<i>Plates</i>	24-36
Schrauben	<i>Screws</i>	37
Instrumente	<i>Instruments</i>	38-42

2,0

mm

Mini-Platten-System *Mini Plate System*

Standard-Set	<i>Standard Set</i>	46-47
Platten	<i>Plates</i>	48-76
Schrauben	<i>Screws</i>	77
Instrumente	<i>Instruments</i>	78-83

2,3

mm

Fraktur-Platten-System *Fracture Plate System*

Platten	<i>Plates</i>	86-88
Schrauben	<i>Screws</i>	89
Instrumente	<i>Instruments</i>	90

2,7

mm


Rekonstruktionsplatten-System *Reconstruction Plate System*

Platten	<i>Plates</i>	94-96
Schrauben	<i>Screws</i>	97
Instrumente	<i>Instruments</i>	98

Mesh

Gitter-Platten *Mesh Plates*

102-108

Gitter Platten für 1,2 mm / 1,6 mm / 2,0 mm Schrauben
Mesh Plates for 1.2 mm / 1,6 mm / 2,0 mm Screws
TITAN
1 Verpackungseinheit/VE = 1 Stück / packing unit 1 pcs.

Artikel-Nr.
Cat. No.
Maße
Measurements

50-31-251

60 x 60 x 0,1 mm

50-31-252

60 x 120 x 0,1 mm

50-31-253

120 x 120 x 0,1 mm

50-31-254

60 x 60 x 0,2 mm

50-31-255

60 x 120 x 0,2 mm

50-31-256


120 x 120 x 0,2 mm


Gitter Platten für 1,6 mm Schrauben
Mesh Plates for 1.6 mm Screws

TITAN

1 Verpackungseinheit/VE = 1 Stück / packing unit 1 pcs.

Artikel-Nr. Cat. No.	Maße Measurements
50-31-257	50 x 80 x 0,3 mm
50-31-258	50 x 80 x 0,6 mm



Gitter Platten für 1,6 mm / 2,0 mm Schrauben
Mesh Plates for 1.6 mm / 2.0 mm Screws
TITAN
1 Verpackungseinheit/VE = 1 Stück / packing unit 1 pcs.

Artikel-Nr.
Cat. No.
Maße
Measurements


50-36-200	40 x 60 x 0,3 mm
50-36-201	50 x 70 x 0,3 mm
50-36-202	60 x 80 x 0,3 mm
50-36-203	70 x 90 x 0,3 mm
50-36-204	90 x 90 x 0,3 mm
50-36-100	40 x 60 x 0,6 mm
50-36-101	50 x 70 x 0,6 mm
50-36-102	60 x 80 x 0,6 mm
50-36-103	70 x 90 x 0,6 mm
50-36-104	90 x 90 x 0,6 mm
50-36-105	80 x 120 x 0,6 mm
50-36-106	90 x 120 x 0,6 mm
50-36-107	100 x 120 x 0,6 mm
50-36-108	120 x 120 x 0,6 mm
50-36-109	100 x 150 x 0,6 mm
50-36-110	120 x 150 x 0,6 mm
50-36-111	150 x 150 x 0,6 mm
50-36-112	150 x 200 x 0,6 mm
50-36-115	150 x 180 x 0,6 mm
50-36-116	180 x 180 x 0,6 mm
50-36-113	200 x 200 x 0,6 mm


Gitter Platten für 1,6 mm / 2,0 mm Schrauben
 Mesh Plates for 1.6 mm / 2.0 mm Screws

TITAN

1 Verpackungseinheit/VE = 1 Stück / packing unit 1 pcs.

Artikel-Nr. Cat. No.	Maße Measurements
50-36-240	40 x 60 x 0,3 mm
50-36-241	50 x 70 x 0,3 mm
50-36-242	60 x 80 x 0,3 mm
50-36-243	70 x 90 x 0,3 mm
50-36-244	90 x 90 x 0,3 mm
50-36-140	40 x 60 x 0,6 mm
50-36-141	50 x 70 x 0,6 mm
50-36-142	60 x 80 x 0,6 mm
50-36-143	70 x 90 x 0,6 mm
50-36-144	90 x 90 x 0,6 mm
50-36-145	80 x 120 x 0,6 mm
50-36-146	90 x 120 x 0,6 mm
50-36-147	100 x 120 x 0,6 mm
50-36-148	120 x 120 x 0,6 mm
50-36-149	100 x 150 x 0,6 mm
50-36-150	120 x 150 x 0,6 mm
50-36-151	150 x 150 x 0,6 mm
50-36-152	150 x 200 x 0,6 mm
50-36-153	150 x 180 x 0,6 mm
50-36-154	180 x 180 x 0,6 mm
50-36-155	200 x 200 x 0,6 mm



Gitter Platten für 1,6 mm / 2,0 mm Schrauben
Mesh Plates for 1.6 mm / 2.0 mm Screws
TITAN
1 Verpackungseinheit/VE = 1 Stück / packing unit 1 pcs.

Artikel-Nr.
Cat. No.
Maße
Measurements



50-36-220	40 x 60 x 0,3 mm
50-36-221	50 x 70 x 0,3 mm
50-36-222	60 x 80 x 0,3 mm
50-36-223	70 x 90 x 0,3 mm
50-36-224	90 x 90 x 0,3 mm
50-36-120	40 x 60 x 0,6 mm
50-36-121	50 x 70 x 0,6 mm
50-36-122	60 x 80 x 0,6 mm
50-36-123	70 x 90 x 0,6 mm
50-36-124	90 x 90 x 0,6 mm
50-36-125	80 x 120 x 0,6 mm
50-36-126	100 x 100 x 0,6 mm
50-36-127	100 x 120 x 06 mm
50-36-128	120 x 120 x 0,6 mm
50-36-129	100 x 150 x 0,6 mm
50-36-130	120 x 150 x 0,6 mm
50-36-131	150 x 150 x 0,6 mm
50-36-132	150 x 200 x 0,6 mm
50-36-133	150 x 180 x 0,6 mm
50-36-134	180 x 180 x 0,6 mm
50-36-135	200 x 200 x 0,6 mm

Gitter Platten für 1,6 mm / 2,0 mm Schrauben
 Mesh Plates for 1.6 mm / 2.0 mm Screws



TITAN

1 Verpackungseinheit/VE = 1 Stück / packing unit 1 pcs.

Artikel-Nr. Cat. No.	Maße Measurements
50-36-521	40 x 60 x 0,6 mm
50-36-522	60 x 80 x 0,6 mm
50-36-523	90 x 90 x 0,6 mm
50-36-524	100 x 120 x 0,6 mm
50-36-525	150 x 150 x 0,6 mm



Artikel-Nr. Cat. No.	Maße Measurements
50-36-514	50 x 50 x 0,6 mm
50-36-511	100 x 100 x 0,6 mm
50-36-512	150 x 150 x 0,6 mm
50-36-513	150 x 200 x 0,6 mm



TITAN

5

Verpackungseinheit/VE = 5 Stück / packing unit 5 pcs.




	Kreuzschlitz Cross Head	Kreuzschlitz Cross Head
∅ Gewinde ∅ Thread	1.6 mm	2.0 mm
∅ Kopf ∅ Head	3.5 mm	3.5 mm
Länge Length	Selbstbohrend Self drilling	Selbstbohrend Self drilling
6 mm	50-35-016	50-35-030
8 mm	50-35-018	50-35-032
10 mm	50-35-020	50-35-034
12 mm	50-35-022	50-35-036
14 mm		50-35-046

CRANIO-
MAXILLOFACIAL
OSTEOSYNTHESIS

© Copyright by Rebstock Instruments GmbH. Alle Rechte vorbehalten. Nachdruck, auch auszugsweise, verboten. Kein Teil dieses Katalogs darf ohne schriftliche Genehmigung der Firma Rebstock Instruments GmbH in irgendeiner Form reproduziert oder unter Verwendung elektronischer Systeme verarbeitet, vervielfältigt oder verbreitet werden. Modell- und technische Änderungen vorbehalten.

© Copyright by Rebstock Instruments GmbH. All rights reserved. Full or partial reproduction prohibited. No part of this catalogue may be reproduced, processed or transmitted in any form or manner, electronic or mechanical without written permission of Rebstock Instruments GmbH.
Models and technical specifications are subject to change.



REBSTOCK INSTRUMENTS GmbH

In Weiheräcker 7
78589 Dürbheim-Tuttlingen
GERMANY

Fon +49 7424/98230-30

Fax +49 7424/98230-50

info@rebstock.de

/// www.rebstock.de