

STANLEY


ONE MAN, ONE VISION, 170 YEARS OF SUCCESS


In 1843, Frederick T. Stanley founded "The Stanley Works" – a small company that manufactured hinges, bolts and other door hardware in New Britain, Connecticut. His vision was to offer products that would become the first choice among professionals around the world.

Thanks to the increasing demand for his high-quality products, Mr. Stanley began exporting in the 1870s. Soon his rapidly growing business established its first production facilities outside the U.S. By 1920, STANLEY® brand hardware was preferred, and could be found on every continent.


Today STANLEY® is one of the world's most recognized and trusted brand names for hardware products. Providing outstanding quality and maximum security, STANLEY® has gained an excellent reputation as an expert for padlocks. You can count on STANLEY® as a strong retail partner just as you can count on its successful products presented in the following.
















THREE PADLOCK RANGES AND BIKE LOCKS OFFERED BY STANLEY®

RELIABLE PADLOCKS FOR EVERY DAY-USE

INDOOR OUTDOOR ALL-WEATHER

- meet all demands of the mass market and drive your sales and profit
- ✓ cover all relevant price points
- always providing the security and quality of a branded product







A MUST-HAVE PRODUCT FOR TRAVELERS

- drive additional sales
- available in different types
- various attractive colors and finishes



TSA: the international standard for Travel Security. Travel Sentry Approved (TSA) locks can be opened and re-locked with a special key by international security administration at every airport.





SPECIAL LOCKS

- ✓ offer special promotional padlocks
- drive additional sales
- ✓ Love Lock for emotional moments
- Carabiner Lock incl. 180cm leash in 2 different styles





BIKE LOCKS FOR MOBILE SAFETY

- ✓ wide range of convenient & reliable Bike
- ✓ U-Shape, Cable Key, Cable Combination & Reflective
- ✓ solutions for quick stop or an all-day lock-up





COLOR CONCEPT

✓ For different application areas ✓ Better orientation ✓ Quick purchase decision



The Stanley® All Weather Padlocks with the blue label offer additional protection against corrosion near coastal environments by using exterior chrome plating. Perfect for use with boats and boat trailers.

The Stanley® Outdoor Brass Padlocks are the allaround padlocks for nearly every outdoor use: constructed with brass pins, stainless steel springs and a double locking hardened steel shackle, these padlocks are perfect for securing fences, sheds, containers or chains.



The green-labeled Stanley® Indoor Combination Padlocks are made with a high quality solid brass cage and wheels designed to provide basic protection for indoor applications like lockers or tool boxes.

The Stanley® TSA Padlocks are the perfect companion for travelers around the world. Travel Sentry Approved (TSA) padlocks can be opened and re-locked with a special key by the international security administration at every airport worldwide without destruction, and can even show you if your luggage was screened. They are available in different colors, surfaces, and shapes to personalize your baggage.



Stanley® offers a variety of specialty locks like a Love Lock to show your love in a unique way or a Carabiner Lock with a leash to secure your belongings while you are on the go.

Stanley® High Security Bike Locks are ideal for all-day & overnight lock-ups in suburban and metropolitan areas when locking valuable bikes and scooters.



Medium Security Bike Locks with a flexible steel cable are made for locking bikes in suburban and public areas for a few hours or all-day long. Available in combination and keyed versions.

Standard Security Bike Locks are ideal for quick stops and hourly lock-ups. Available in combination and keyed versions.

WARRANTY EXTENSION



- Increase awareness on products
- ✓ Increase awareness for webpage
- Give consumer a truly secure feeling in quality and customer service
- Make them feel that they are in "good hands"














Standard warranty period Warranty extension _____







RATING PRINCIPLE

	Standard Security	M edium Security 6 7 8 9 10	High Security 11 12 13 14 15	
CORROSION LEVEL	DRY (< 12 hours)	WET (48 hours)	EXTREME (96 hours)	
APPLICATION LEVEL	Quick stop / Couple of hour lock-up	All day lock-up	Overnight lock-up	
LOCK-UP AREAS	Rural	Suburban	Metropolitan	
SHACKLE / CABLE DIAM.	8mm	10mm, 12mm, 13mm	14mm, 15mm	
COMFORT FEATURES	Traditional look / Includes bike holders	Vynil covered shackle/ cable, includes holders	Cylinder dust covers, inlaudes holders	
DESIGN FEATURES	Easy to mount	Attractive packaging/product design	High security cylinders	



POS SUPPORT – FOR DRIVING YOUR SALES






2 SHELF STOPPERS

Coated paper 350g/qm 4/4 coloured. dispersion Dimensions: 140 x 850 mm

STANLEY.


BIKE LOCKS








3 SHELF RAILS













STANLEY.

PADLOCKS




SOLID BRASS CHROME PLATED

ALL-WEATHER



The STANLEY® Marine Padlocks offer additional protection against corrosion near coastal environments. Utilizing the same features found on our Brass Padlocks, the Marine line of padlocks features an exterior chrome plating that makes them an ideal choice for securing property in outdoor applications. Available in standard or long shackle.



Standard Shackle Padlock

- Double Locking Hardened Steel Shackle.
- Solid Brass Body.
- Anti-Pick Pin.
- Stainless Steel Springs.
- 3 Keys.






For more details please see page 24

SOLID BRASS ARMORED PADLOCKS

OUTDOOR



The Stanley® Armored Padlock with a hardened steel case provides a high level of security for both professional and daily use. These padlocks utilize a hardened steel transverse bar that rotates to prevent saw attacks. To protect against drill attacks on the keyway, the cylinder employs an anti-drill plate. These features deliver the security that many other padlocks fail to provide which often results in property loss or damage.



Armored Padlock

- Steel Hardened Case.
- Hardened Steel Transverse Bar.
 Dell Bergins Leaking Systems
- $\ensuremath{ \bullet} \ensuremath{ \mbox{ Ball-Bearing Locking System}. }$

13

- Solid Brass Body.
- 3 Keys.

				Solid Brass Armored Padlocks
Container	Shutter door	Factory gate	Fence	Solid Brass Armored 60mm
				Solid Brass Armored 80mm
	A			Solid Brass Armored 90mm
STEEL	0-3	STEEL		

For more details please see page 25

SOLID BRASS BAYONETTE PADLOCKS

OUTDOOR

The Stanley® Bayonette Padlock is a great choice for both STANLEY 0 8000


professional and daily use security needs. The bayonette design is ideal for rolling shutter doors or truck doors and prevents against bolt cutter attacks. These Solid Brass Padlocks utilize a hardenedsteel transverse bar that rotates to prevent saw attacks. In addition, the brass pins in the keyway and stainless steel springs deliver the long term performance you expect from the Stanley® brand.

Bayonette Padlock

- Hardened Steel Transverse Bar.
- Solid Brass Body.
- Ball-Bearing Locking System.
- Stainless Steel Springs.



DESCRIPTION OF THE PARTY OF THE




For more details please see page 25

BARREL BRASS PADLOCKS

OUTDOOR




The Stanley® line of Barrel Padlocks offers you the protection required at the job site. The special design and construction allows for double the strength and security against crowbar attacks. Ideal for cargo trucks, vans, chains and hasps. The oversized shackle allows more strength against saw attacks.



Barrel Brass Padlock

- Double Locking Hardened Steel Shackle.
- Double Locking Lever.
- Extra Wide And Extra Strong Solid Brass Body.
- Anti-Pick Pins.
- Stainless Steel Springs.



High SECURITY Barrel Brass Padlocks Barrel Brass 30mm Barrel Brass 70mm Barrel Brass 40mm **Barrel Brass 80mm** Barrel Brass 50mm

For more details please see page 28


SOLID BRASS PADLOCKS

OUTDOOR





and commercial applications.



The line of Stanley® standard Shackle Brass Padlocks are suited for

both indoor or outdoor use. Constructed with brass pins, stainless

steel springs and a double locking hardened steel shackle, these

locks deliver strength, security and peace of mind for residential

Standard Shackle Padlock


- Double Locking Hardened Steel Shackle.
- Solid Brass Body. Anti-Pick Pins.
- Stainless Steel Springs.
- 3 keys for single blister 5 kevs for keved alike multihlister




BRASS COMBINATION PADLOCKS

INDOOR





Stanley® Combination Padlocks are made with a high quality solid brass case and wheels designed to provide basic protection for indoor applications. Combination Brass Padlocks are superior for light duty usage such as securing luggage or storage lockers. They are available in both three and four number combinations.



Combination Padlock

- Easy To Reset Combination. Up To 9999 Unique Combinations.
- Solid Brass Body.
- Brass Pins.

Brass Combination 4 Digit 30mm
Brass Combination 4 Digit 40mm

For more details please see page 29

PRODUCTS



For more details please see page 30-31



TSA approved padlocks are a must-have product for travelers.
Locking your luggage with a TSA approved luggage lock helps to protect your possessions from theft, tampering and misuse by smugglers. Travel Sentry Approved padlocks can be opened and re-locked with a special key by the international security administration at every airport worldwide. This 3 Digit TSA approved Combination Padlock allows you to personalize your padlock with a marker for easy identification while securing your luggage.

3 Digit TSA approved Whiteboard

3 Digit 30mmTSA approved Whiteboard

For more details please see page 31

FEATURES & APPLICATIONS















For more details please see page 34


4 DIGIT CARABINER LOCK

INCL. 180 CM REMOVABLE AND FLEXIBLE LEASH










- Dual wire flat cable with double strength.
- **O** Special carbon textured lock housing.



FEATURES & APPLICATIONS
























Cable Key Reflective Bike Locks

Key Cable Reflective Lock ø 12x1200 mm

Key Cable Reflective Lock ø 12x2400 mm

For more details please see page 33















The Stanley® 4 Digit Carabiner Lock available in black and silver, including a 180cm flexible and removable leash, can be used to help prevent casual theft of your valuables while on quick stops (e.g. your helmet, bag, handbag,baby buggy, or your jacket.) 4 Digits allow you to set up to 9999 unique and individual code variations to secure your belongings.



Carabiner Locks

Carabiner Lock 4 Digit 85mm silver

Carabiner Lock 4 Digit 85mm black

For more details please see page 34

STANLEY.


BIKE LOCKS



HIGH SECURITY U-SHAPE LOCK

HIGH SECURITY





The Stanley® U-Shape Lock offers you the protection you require when you want to lock your bike. The double deadbolt locking mechanism, the anti-drill disc cylinder, the frost tested and hardened steel shackle underline the high security performance. The U-Shape Lock is due to its security features ideal for high

High Security U-Shape Lock



- Double Deadbolt Locking Mechanism That Resists Pry Attacks.
- High Security Anti-Drill Disc Cylinder.
- ABS Housing Design With Special Rotating **Dust Cover To Prevent Dirt And Water From** Accessing The Mechanism.
- 6 Includes Holder That Mounts Almost Anywhere. 3 Keys.

U-Shape 25cm ø14mm


High SECURITY U-Shape Lock

For more details please see page 32

KEY CABLE BIKE LOCK

MEDIUM SECURITY





High Security Wafer Cylinder Bike Lock

The Stanley® Cable Lock with its flexible vinyl coated galvanized steel cable and its high security wafer cylinder provides the best operability when a flexible, light cable is needed. The cable locks

- High Quality Metallic Lock Body With **Reinforced ABS Housing For Added Strenght** And Durability.
- Flexible Vinyl Coated Galvanized Steel Cable For Strenght, Flexibility And Rust Resistance.
- (3) Includes Holder That Mounts Almost Anywhere. 3 Keys.

Cable Key Bike Locks

Cable Key Bike Lock 90cm ø12mm

Cable Key Bike Lock 180cm ø12mm

For more details please see page 32

COMBINATION CABLE BIKE LOCK


MEDIUM SECURITY





The Stanley® Cable Combination Lock with its flexible vinyl coated galvanized steel cable provides the best operability when a flexible, light cable is needed. With its 4 digits resettable combinations it is the best solution for people who do not want to carry a key.

- 4-Digit Resettable Combination
- Set Your Own Combination, No Key
- **②** High Quality Metallic Lock Body With ABS Housing.
- Flexible Vinyl Coated Galvanized Steel Cable For Strenght, Flexibility And Rust Resistance.
- 4 Includes Holder That Mounts Almost Anywhere.





Cable Combination Bike Lock 90cm ø12mm

Cable Combination Bike Lock 180cm ø12mm


For more details please see page 32

KEY CABLE FAMILY LOCKS

MEDIUM SECURITY

3 years quarantee 3 and de gurantis Gurantie 3 and

Stanley® Cable Locks offer great protection for securing multiple bikes. These locks are ideal to secure bicycles in rural or suburban areas



Cable Key Family Lock

- Strong Zinc Alloy Lock Body With Reinforced ABS Housing.
- Plexible Vinyl Coated Steel Cable.
- 3 Keys.

Standard Standard City bike Mountain bike BMX

Cable Key Family Lock

Medium Cable Key Family Lock 240cm ø12mm
Standard Cable Key Family Lock 240cm ø10mm

For more details please see page 33

KEY CABLE REFLECTIVE LOCK

MEDIUM SECURITY




Reflective

Reflective

Scooter

Frost
Learner

Stanley® Cable Locks offer great protection for all-day lock-ups. These locks are ideal to use in metropolitan areas during the day or night.



Cable Key Reflective Lock

- Strong Zinc Alloy Lock Body With Reinforced ABS Housing.
- 2 12mm Double-Wired Flat Cable Design For Added Strength.
- Reflective Cable For Added Safety During Night Rides.
- 3 Keys.



12mm Double-Wired Flat

Cable Key Reflective Lock

Cable Key Reflective Lock 120cm ø12mm


For more details please see page 33

KEY CABLE BIKE LOCKS

STANDARD SECURITY




Stanley® Cable Locks are ideal for securing bikes, tool boxes, ladders, and small equipment for short-term lockup in rural areas and suburban areas.



Cable Key Bike Lock

- Strong Zinc Alloy Lock Body With Reinforced ABS Housing.
- Flexible Vinyl Coated Steel Cable.
- Includes Holder That Mounts Almost Anywhere. 3 Keys.



Cable Key Bike Locks

Cable Key Bike Lock 180cm ø10mm

Cable Key Bike Lock 90cm ø10mm


For more details please see page 33

COMBINATION CABLE BIKE LOCKS

STANDARD SECURITY



Stanley® Cable Locks are ideal for securing bikes, tool boxes, ladders, and small equipment for short-term lockup in rural areas and suburban areas.



Cable Combination Bike Lock

- Set Your Own Combination, No Key Needed.
- Strong Zinc Alloy Lock Body With Reinforced ABS Housing.
- Flexible Vinyl Coated Steel Cable.
- Includes Holder That Mounts Almost Anywhere.

23



Cable Combination Bike Lock 180cm ø10mm

Cable Combination Bike Lock 90cm ø10mm

For more details please see page 33

CHROME PLATED, STEEL















			A	LL-WEATHER	R		
	Product	Solid Brass Chrome Plated 30mm Std. Shackle	Solid Brass Chrome Plated 40mm Std. Shackle	Solid Brass Chrome Plated 50mm Std. Shackle	Solid Brass Chrome Plated 30mm Long Shackle	Solid Brass Chrome Plated 40mm Long Shackle	Solid Brass Chrome Plated 50mm Long Shackle
	VKB-No.	81050 371 401	81051 371 401	81052 371 401	81060 371 401	81061 371 401	81062 371 401
	S-No.	\$742-011	\$742-012	\$742-013	\$742-015	\$742-016	\$742-017
	Consumer unit	1	1	1	1	1	1
	Width (mm)	30	40	50	30	40	50
Padlock	Height (mm) total	49	62,4	78	79,1	104	124,4
Pad	Depth (mm)	12,8	14	16,6	12,7	14	16,6
	Weight (g)	76	134	247	83	155	281
	Width (mm)	97	97	97	97	97	147
Blister	Height (mm)	192	192	192	192	192	192
Blis	Depth (mm)	20	22	25	20	22	25
	Weight (g)	96	158	277	105	178	315
	Units Innercarton	6	6	6	6	6	6
	Units Mastercarton	18	18	18	18	18	18
	Keys	3	3	3	3	3	3
	Additional Key Information	KeyType: Universal					
	Body	Solid Brass					
	Shackle	Stainless Steel					
	Guarantee	25 + 5 Years					
	Details	Page 13					
	EAN	4	4 260709" 70015 >	4 260709 170022 >	4 260709 70039 >	4 260709"170046">	4 260709"170053">

ARMORED & BAYONETTE BRASS PADLOCKS















				OUTDOOR			
	Product	Solid Brass Armored 60mm	Solid Brass Armored 80mm	Solid Brass Armored 90mm	Solid Brass Bayonette 50mm	Solid Brass Bayonette 70mm	Solid Brass Bayonette 90mm
	VKB-No.	81080 372 401	81081 372 401	81082 372 401	81090 371 401	81091 371 401	81092 371 401
	S-No.	\$742-022	\$742-023	\$742-024	\$742-025	\$742-026	\$742-027
	Consumer unit	1	1	1	1	1	1
	Width (mm)	60	80	90	50	70	90
Padlock	Height (mm) total	54,5	68,9	76	38	48	60
Padl	Depth (mm)	25	29	30	15	17	18
	Weight (g)	437	796	1.001	181	375	592
	Width (mm)	147	147	147	97	147	147
Blister	Height (mm)	192	192	192	192	192	192
Blis	Depth (mm)	30	37	35	21,5	23	22
	Weight (g)	486	834	1.059	216	446	639
	Units Innercarton	6	6	6	6	6	6
	Units Mastercarton	18	18	18	18	18	18
	Keys	3	3	3	3	3	3
	Additional Key Information	KeyType: Universal	KeyType: Universal	KeyType: Universal	KeyType: Universal	KeyType: Universal	KeyType: Universal
	Body	Solid Brass	Solid Brass	Solid Brass	Solid Brass	Solid Brass	Solid Brass
	Shackle	Hardened Steel	Hardened Steel	Hardened Steel	Hardened Steel	Hardened Steel	Hardened Steel
	Guarantee	25 + 5 Years	25 + 5 Years	25 + 5 Years			
	Details	Page 13	Page 13	Page 13	Page 14	Page 14	Page 14
	EAN	4 260709"170060" >	4 260709 170077 >	4 260709"170084">	4 260709"170091" >	4 260709"170107" >	4 260709 170114 >

BRASS PADLOCKS

















					DUTDOOF	R			
	Product	Solid Brass 20mm Std. Shackle	Solid Brass 25mm Std. Shackle	Solid Brass 30mm Std. Shackle	Solid Brass 40mm Std. Shackle	Solid Brass 50mm Std. Shackle	Solid Brass 60mm Std. Shackle	Solid Brass 70mm Std. Shackle	2 Solid Brass 30mm Std. Shackle
	VKB-No.	81100 371 401	81101 371 401	81102 371 401	81103 371 401	81104 371 401	81105 371 401	81106 371 401	81102 371 402
	S-No.	\$742-028	\$742-029	\$742-030	S742-031	\$742-032	\$742-033	\$742-034	\$742-035
	Consumer unit	1	1	1	1	1	1	1	2
	Width (mm)	20	25	30	40	50	60	70	30
ock	Height (mm) total	35,5	43,5	49,5	62,3	77,7	88,8	101	49,5
Padlock	Depth (mm)	10	11,4	12,7	14,3	16,5	18	19,3	12,7
	Weight (g)	28,8	46,5	74,2	132	244	350	519	74,2
	Width (mm)	97	97	97	97	97	147	147	147
Blister	Height (mm)	192	192	192	192	192	192	192	192
Biis	Depth (mm)	22	18	21	23	25	27	25	22
	Weight (g)	57	74	110	170	286	422	585	194
	Units Innercarton	6	6	6	6	6	6	6	6
	Units Mastercarton	18	18	18	18	18	18	18	18
	Keys	3	3	3	3	3	3	3	5
	Additional Key Information	KeyType: Universal	KeyType: Universal	KeyType: Universal	KeyType: Universal	KeyType: Universal	KeyType: Universal	KeyType: Universal	KeyType: Uni- versal, keyed alike
	Body	Solid Brass	Solid Brass	Solid Brass	Solid Brass				
	Shackle	Hardened Steel	Hardened Steel	Hardened Steel	Hardened Steel	Hardened Steel	Hardened Steel	Hardened Steel	Hardened Steel
	Guarantee	25 + 5 Years	25 + 5 Years	25 + 5 Years	25 + 5 Years				
	Details	Page 15	Page 15	Page 15	Page 15				
	EAN	4	4 260709 170138 >	4 260709 170145 >	4 260709 170152 >	4 260709 170169 >	4 260709 170176 >	4 260709 170183 >	4

BRASS PADLOCKS















27

	OUTDOOR							
2 Solid Brass 40mm Std. Shackle	2 Solid Brass 50mm Std. Shackle	4 Solid Brass 40mm Std. Shackle	4 Solid Brass 50mm Std. Shackle	Solid Brass 20mm long Shackle	Solid Brass 25mm Iong Shackle	Solid Brass 30mm Iong Shackle	Solid Brass 40mm Iong Shackle	Solid Brass 50mm Iong Shackle
81103 371 402	81104 371 402	81103 371 404	81104 371 404	81110 371 401	81111 371 401	81112 371 401	81113 371 401	81114 371 401
\$742-036	\$742-037	\$742-038	S742-039	S742-040	S742-041	S742-042	S742-043	S742-044
2	2	4	4	1	1	1	1	1
40	50	40	50	20	25	30	40	50
62,3	77,7	62,3	77,7	47,2	55,6	66	81,1	124,7
14,3	16,5	14,3	16,5	10,4	11,4	12,7	14,3	17,2
132	244	132	244	30	49,5	78,1	142,2	277
147	147	147	147	97	97	97	97	147
192	192	267	267	192	192	192	192	192
25	26	24	28	21	21	22	23	24
336	557	590	1.063	51	80	114	181	349
6	6	6	6	6	6	6	6	6
18	18	18	18	18	18	18	18	18
5	5	5	5	3	3	3	3	3
KeyType: Univer- sal, keyed alike	KeyType: Univer- sal, keyed alike	KeyType: Uni- versal, keyed alike	KeyType: Uni- versal, keyed alike	KeyType: Universal	KeyType: Universal	KeyType: Uni- versal	KeyType: Universal	KeyType: Uni- versal
Solid Brass	Solid Brass	Solid Brass	Solid Brass	Solid Brass	Solid Brass	Solid Brass	Solid Brass	Solid Brass
Hardened Steel	Hardened Steel	Hardened Steel	Hardened Steel	Hardened Steel	Hardened Steel	Hardened Steel	Hardened Steel	Hardened Steel
25 + 5 Years	25 + 5 Years	25 + 5 Years	25 + 5 Years	25 + 5 Years	25 + 5 Years	25 + 5 Years	25 + 5 Years	25 + 5 Years
Page 15	Page 15	Page 15	Page 15	Page 15	Page 15	Page 15	Page 15	Page 15
4 260709 170206 >	4 260709 170213 >	4 260709 170220 >	4	4 260709 170244 >	4 260709"170251" >	4 260709 170268 >	4 260709 170275 >	4 260709 170282 >

BARREL BRASS PADLOCKS













	OUTDOOR							
	Product	Barrel Brass 30mm	Barrel Brass 40mm	Barrel Brass 50mm	Barrel Brass 70mm	Barrel Brass 80mm		
	VKB-No.	81120 371 401	81121 371 401	81122 371 401	81123 371 401	81124 371 401		
	S-No.	S742-045	S742-046	S742-047	S742-048	\$742-049		
	Consumer unit	1	1	1	1	1		
	Width (mm)	30	40	50	70	80		
Padlock	Height (mm) total	35,5	51,9	60,6	78,2	89,9		
Pad	Depth (mm)	16,5	21,7	23,6	33,5	30,8		
	Weight (g)	59,1	142	213	479	676		
	Width (mm)	97	97	97	147	147		
Blister	Height (mm)	192	192	192	192	192		
Bis	Depth (mm)	22	25	29	32	36		
	Weight (g)	87	177	242	527	731		
	Units Innercarton	6	6	6	6	6		
	Units Mastercarton	18	18	18	18	18		
	Keys	3	3	3	3	3		
	Additional Key Information	KeyType: Universal	KeyType: Universal	KeyType: Universal	KeyType: Universal	KeyType: Universal		
	Body	Solid Brass	Solid Brass	Solid Brass	Solid Brass	Solid Brass		
	Shackle	Hardened Steel	Hardened Steel	Hardened Steel	Hardened Steel	Hardened Steel		
	Guarantee	25 + 5 Years	25 + 5 Years	25 + 5 Years	25 + 5 Years	25 + 5 Years		
	Details	Page 14	Page 14	Page 14	Page 14	Page 14		
	EAN	4 260709 170299 >	4	4	4	4 260709 170336 >		

COMBINATION BRASS PADLOCKS











29

			INDOOR		
	Product	Brass Combination 3 Digit 20mm	Brass Combination 3 Digit 30mm	Brass Combination 4 Digit 30mm	Brass Combination 4 Digit 40mm
	VKB-No.	81130 371 401	81131 371 401	81132 371 401	81133 371 401
	S-No.	S742-050	S742-051	\$742-052	S742-053
	Consumer unit	1	1	1	1
	Width (mm)	20	30	30	40
lock	Height (mm) total	54,8	73,4	86,1	86,7
Padlock	Depth (mm)	13,5	15,9	15,8	15,8
	Weight (g)	47,8	118,7	177	212
	Width (mm)	97	97	97	97
ter	Height (mm)	192	192	192	192
Blister	Depth (mm)	18	20	20	22
	Weight (g)	53	124	182	211
	Units Innercarton	6	6	6	6
	Units Mastercarton	18	18	18	18
	Keys	-	-	-	-
	Additional Key Information	-	-	-	-
	Body	Solid Brass	Solid Brass	Solid Brass	Solid Brass
	Shackle	Hardened Steel	Hardened Steel	Hardened Steel	Hardened Steel
	Guarantee	25 + 5 Years			
	Details	Page 15	Page 15	Page 15	Page 15
	EAN	4 260709 170343 >	4 260709 170350 >	4 260709 170367 >	4 260709 170374 >

TSA PADLOCKS















	TRAVEL PADLOCKS							
	Product	3 Digit black 30mm Zinc Security Indicator	3 Digit red 30mm Zinc Security Indicator	3 Digit yellow 30mm Zinc Security Indicator	4 Digit black 30mm Zinc	4 Digit red 30mm Zinc	4 Digit yellow 30mm Zinc	
VKB-No.		81140 393 401	81141 393 401	81142 393 401	81150 393 401	81151 393 401	81152 393 401	
S-No.		\$742-054	\$742-055	\$742-056	\$742-057	\$742-058	\$742-059	
	Consumer unit	1	1	1	1	1	1	
	Width (mm)	30	30	30	30	30	30	
ock	Height (mm) total	60,4	60,4	60,4	65,5	65,5	65,5	
Padlock	Depth (mm)	14,1	14,1	14,1	15	15	15	
	Weight (g)	64,7	64,7	64,7	58,7	58,7	58,7	
	Width (mm)	97	97	97	97	97	97	
Blister	Height (mm)	192	192	192	192	192	192	
Blis	Depth (mm)	20	20	20	22	22	22	
	Weight (g)	87	87	87	81	81	81	
	Units Innercarton	6	6	6	6	6	6	
	Units Mastercarton	36	36	36	36	36	36	
	Keys	-	-	-	-	-	-	
	Additional Key Information	-	-	-	-	-	-	
	Body	Zinc	Zinc	Zinc	Zinc	Zinc	Zinc	
	Shackle	Steel	Steel	Steel	Steel	Steel	Steel	
	Guarantee	10 + 5Years	10 + 5Years	10 + 5Years	10 + 5Years	10 + 5Years	10 + 5Years	
	Details	Page 16	Page 16	Page 16	Page 16	Page 16	Page 16	
	EAN	4 260709 170381 >	4 260709 170398 >	4 260709 170404 >	4 260709 170428 >	4 260709 170435 >	4 260709 170442 >	

TSA PADLOCKS











	TDA	VEL PADLOCKS		
3 Digit black 20mm Zinc Vinyl Steel Cable	3 Digit yellow 20mm Zinc Vinyl Steel Cable	Combo 2 Keyed Alike, Black/Yellow 20mm Zinc	3 Digit white 30mm Zinc	Keyed Soccer Shaped 30 mm
81160 393 401	81161 393 401	81181 393 401	81144 393 401	81201 373 401
\$742-060	S742-061	S742-064	\$741-165	S742-067
1	1	1	1	1
20	20	20	30	30
83,2	83,2	40,4	59,5	45,6
19,2	19,2	14,3	12,15	30,8
46,4	46,4	94	22,5	34,4
97	97	97	97	97
192	192	192	192	192
24	24	21	20	37
70	70	95	45	55
6	6	6	6	5
36	36	36	36	30
-	-	2	-	2
-	-	No Key Copy possible	-	No Key Copy possible
Zinc	Zinc	Zinc	Zinc	Zinc
Plastic Coated + Wire	Plastic Coated + Wire	Steel	Steel	Steel
10 + 5Years	10 + 5Years	10 + 5Years	10 + 5Years	10 + 5Years
Page 16	Page 16	Page 16	Page 17	Page 16
4 260709 170459 >	4 "260709"170466" >	4 "260709"170473" >	4 "260709"170411"	4 260709 170480 >

BIKE LOCKS













		HIGH		MED	IUM		
	Product	U-Shape Bike Lock ø 14x247	Key Cable Bike Lock ø 12x1800	Key Cable Bike Lock ø 12x900	Combination Cable Bike Lock ø 12x1800	Combination Cable Bike Lock ø 12x900	
	VKB-No.	81301 385 111	81310 385 111	81311 385 111	81320 385 111	81321 385 111	
	S-No.	S755-201	\$755-202	\$755-203	\$755-204	S755-205	
	Consumer unit	1	1	1	1	1	
	Width (mm)	167	130	175	130	175	
Padlock	Height (mm) total	247	180	225	180	225	
Padl	Depth (mm)	55	65	37	65	37	
	Weight (g) *incl. holder	1066	550	339	618	415	
	Width (mm)	167	130	175	130	175	
Blister	Height (mm)	247	180	225	180	225	
Bis	Depth (mm)	55	65	37	65	37	
	Weight (g)	1.118	602	391	658	455	
	Units Innercarton	4	4	4	4	4	
	Units Mastercarton	8	8	8	8	8	
	Keys	3	3	3	-	-	
	Additional Key Information	-	-	-	-	-	
	Body	-	Strong Zinc Alloy Lock Body with ABS Housing				
	Shackle	Hardened Steel	-	-	-	-	
	Guarantee	5 + 1Years	3 + 1Years	3 + 1Years	3 + 1Years	3 + 1Years	
	Details	Page 20	Page 21	Page 21	Page 21	Page 21	
	EAN	4 260709 170527 >	4 260709 70534 >	4 260709 170541 >	4 260709 170602 >	4 2607099 170619 >	

BIKE LOCKS













		-				
MED	NUM		STANDARD			
Key Cable Reflective Lock ø 12x1200	Key Cable Family Lock ø 12x2400	Key Cable Family Lock ø 10x2400	Key Cable Bike Lock ø 10x900	Key Cable Bike Lock ø 10x1800	Combination Cable Bike Lock ø 10x900	Combination Cable Bike Lock ø 10x1800
81316 385 111	81315 385 111	81314 385 111	81313 385 111	81312 385 111	81323 385 111	81322 385 111
S741-161	S741-163	S741-159	S741-155	\$741-157	\$741-151	S741-153
1	1	1	1	1	1	1
176	160	130	177	131	177	150
197	345	255	209	160	167	128
55	50	48	38	63	40	63
740	777	477	214	343	199	314
176	160	130	177	131	177	150
197	345	255	209	160	167	128
55	50	48	38	63	40	63
770	804	509	236	358	217	330
4	4	4	4	4	4	4
8	8	8	8	8	8	8
3	3	3	3	3	-	-
-	-	-	-	-	-	-
Strong Zinc Alloy Lock Body with ABS Housing						
-	-	-	-	-	-	-
3 + 1Years	3 + 1Years	3 + 1Years	3 + 1 Years	3 + 1Years	3 + 1Years	3 + 1Years
Page 22	Page 22	Page 22	Page 23	Page 23	Page 23	Page 23
4 260709 170596 >	4 260709 170589 >	4 260709 170572 >	4 260709 170565 >	4	4 260709 170633 >	4 260709 170626 >

SPECIAL LOCKS



34







SPECIAL LOCKS								
	Product	3 Digit Love Lock	4 Digit Carabiner Lock, silver	4 Digit Carabiner Lock, black				
	VKB-No.	81200 373 401	81204 396 401	81203 396 401				
	S-No.	\$742-065	\$744-031	\$744-030				
	Consumer unit	1	1	1				
	Width (mm)	30	87	87				
Padlock	Height (mm) total	64,3	52,5	52,5				
Pad	Depth (mm) 9,9		3,8	3,8				
	Weight (g)	55,2	83	83				
	Width (mm)	97	97	97				
Blister	Height (mm)	192	192	192				
Bis	Depth (mm)	17	29	29				
	Weight (g)	80	107	107				
	Units Innercarton	6	6	6				
	Units Mastercarton	36	18	18				
	Keys	-	-	-				
	Additional Key Information	-	-	-				
	Body	Zinc	Zinc	Zinc				
	Shackle Steel		Steel	Steel				
	Guarantee -		3+1Years	3+1Years				
	Details Page 17		Page 19	Page 19				
	EAN 4		4 260709 170510 >	4 260709 170503 >				

OUR PADLOCK FEATURES

STANLEY® PADLOCKS



Solid Brass **Chrome Plated**















Solid Brass Armored















Solid Brass Bayonette



















Solid Brass

















Barrel Brass









Locker



STANLEY® TSA



TSA Padlock

OUR BIKE LOCK FEATURES

















High Security U-Shape Lock

























Mountain bike

€

A

0

₫







Key Cable Family Lock

Combination

Cable Bike Lock



Key Cable Reflective Lock



Key Cable Bike Lock



Combination Cable Bike Lock



Key Cable Family Lock





























GOOD TO KNOW



DOUBLE LOCKING SHACKLE

Internal locking mechanism engages both side of shackle providing higher security compared to single locking mechanism.



CHROME PLATED

This padlock has an outer layer of chrome which increases the hardness of the padlock and provides higher corrosion resistance for salty or caustic environments.



DUAL BALL BEARING

Stainless Steel ball-bearing mechanism which holds the shackle firmly in place and adds maximum protection against pry attacks.



ANTI PICK PIN

The anti pick pin has a special mushroom shape which makes it harder to pick and prevents the cylinder from being operated without a key.



SOLID BRASS BODY

The brass body provides protection for the internal mechanism of the lock. Brass is also a metal alloy with high corrosion resistance.



NU KEA BEMUATI

Key can be removed in closed position. Prevents accidentally locking the key inside or losing keys.



SHROUDED BODY

The padlock shackle is covered providing maximum protection against cutting and pry attacks. It prevents the use of traditional bolt cutters.



PROTECTION AGAINST DRILLING ATTACKS

A special disc rotates when the padlock cylinder is attacked by a drill. The drill turns loose and cannot penetrate the cylinder.



FROST TESTER

Frost tested Bike Locks are tested to 20 degrees celsius to ensure that the products can withstand extreme temperatures.





IT RESISTANCE

Cable / shackle with good cut resistance.





SAWING RESISTANCE

Cable / shackle with good saw resistance

WEBPAGE WITH PRODUCT FINDER



HOWTO CHOOSE A PADLOCK?

Use our padlock finder to find the right padlock for your application.

Just enter whether you prefer a padlock with a key or a combination padlock and what you want to secure with it. For example, do you want to secure your bag when travelling? Then a TSA Padlock is the right one for you. Or do you need a padlock for your chain? Then a Barrel Brass Padlock is the one you should use.

The padlock finder will provide you with padlock options according to your needs – even for bike locks.

PADLOCKS CERTIFICATION

Stanley key operated padlocks are internally tested and measured against the standards of several different certification institutions, including the Australian Standard (AS), American Standard for Testing and Materials (ASTM), and British Standard European Norm (BS EN) testing standards. Our goal is to be transparent with all of our quality and security claims, helping you choose the right products for all of your security needs



Intertek Certification

Our key operated padlocks are also tested by an independent third party lab, Intertek, an industry leader in assurance, testing, inspection and certification services, under the Australian Standard. The Intertek certification grades drive the security level claims on our packaging, and the testing certificates are available on www.safeguard-lock.com



SBSC Certification

SBSC is an accredited Swedish certification institute that certifies products in the fields of fire protection and crime prevention. Their unique expertise contributes to maintaining a high level of quality in the products that they test and certify. These tests cover durability, corrosion resistance and security features, and products that receive this certification will include the SBSC logo on the packaging.

KEYED ALIKE




Keyed alike = one key fits all!

All multipacks are "keyed alike" – this means that you can open all padlocks in the packaging with the same key. All multipacks come with 5 keys.







WHICH ITEM DOYOU WANTTO SECURE AND HOW VALUABLE IS IT?

- If the item is not so valuable you can use a padlock with a lower security level.
- If the item is valuable you should buy a padlock with a higher security level.

FOR WHICH APPLICATION DOYOU NEEDTHE PADLOCK?

- Define the usage of your padlock indoor, outdoor or travel-high security or low security.
- Check if the padlock chosen matches the required performance of the padlock.
- Please notice that size alone is not the only indicator to choose the right padlock, it needs to have the right security level to match its purpose.
- Check to make sure the shackle will fit into the item you would like to secure.

ARETHERE SPECIAL REQUIREMENTS **CONCERNINGTHE LOCK SYSTEM/ MECHANISM?**

- If you need more padlocks that can be locked and unlocked with a single key, you should use "Keyed Alike" padlocks.
- If many people would like to share one padlock, you can use a combination padlock. The advantage is that you do not need many keys for lots of people. Please notice that combination padlocks are suitable for applications with a lower security level.


WHAT ISTHE RIGHT PADLOCK AND SHACKLE SIZE?

- The padlock should be the appropriate size for the required usage.
- Check additional padlock features like shackle size, diameter & material, body material & finish and to match the surrounding components and area.
- Short or long shackle size? The shackle size depends on the usage of the padlock. To pass through hasps and fittings with a long distance, a long shackle is required.
- Additionally the diameter and material of the shackle are further points to take into consideration for better security. Please pay attention to the shackle diameter and that it fits into the desired hole for locking.


WHATTYPE OF BODY SHOULD I CHOOSE?

- The purpose of the padlock body is to protect the lock system against attacks.
- The main body types are Solid Brass, Laminated Steel and Armored Encased Brass.
- Solid Brass: Brass is a softer material that is easy for manufacturers to machine resulting in lower prices for customers, but brass padlocks are moresusceptible to drill attacks than padlocks made of harder materials. Brass Padlocks typically have sharp corners which can scratch some surfaces.
- Laminated Steel: The body of this type is designed from seperate thin steel plates which are riveted together. Low production costs enable low prices for customers.
- Armored Encased Brass: The brass body is encased in hardened steel for better protection against drilling attacks and to achieve a higher security level.

FAQS: PADLOCKS







KEY PADLOCKS

WHAT CAN I DO IF I HAVE LOST ALL KEYS FOR MY PADLOCK?

If you have lost all keys for your padlock it is not possible to make key copies to unlock the padlock.

ARE KEY COPIES POSSIBLE?

Yes. You can generate copies of your existing key in locksmith or security shops.

ISTHERE A POSSIBILITYTO GET AN ADDITIONAL NEW PADLOCKTHAT WORKS WITH MY ALREADY EXISTING KEY?

No. If you want to operate more padlocks with a single key, please purchase multiple pack "Keyed Alike" padlocks.

ISTHERE AN OPTIONTO HAVE PADLOCKSTHAT ARE OPERABLE WITH A SINGLE KEY?

Yes. Please purchase multiple pack "Keyed Alike" padlocks that can be locked and unlocked with a single

WHAT DOES "KEYED ALIKE" MEAN?

"Keyed Alike" means that you can lock and unlock several padlocks with a single key.

COMBINATION PADLOCKS

ARE COMBINATION PADLOCKS SAFERTHAN **KEY PADLOCKS?**

No. For a higher security you should use a key padlock, because the lock mechanism is stronger.

TRAVEL PADLOCKS



WHICH PADLOCK SHOULD I USE FOR TRAVELING?

For traveling you should use a TSA (Travel Sentry Approved) padlock. If you use a padlock that is not Travel Sentry Approved, you are taking a chance that the airport security will destroy the lock during their security check.

WHAT ISTHE MEANING OF TSA?

TSA (Travel Sentry Approved) is the international standard for Travel Security. TSA (Travel Sentry

Approved) padlocks can be opened and re-locked with a special key by international security administration at every airport.


ISTHERE A CHANCETHAT "NON AIRPORT SECURITY PEOPLE" CAN GETTHE "GENERAL **KEY" FORTSA LOCKS?**


No. Only airport security people have access to the general key to open and re-lock the TSA (Travel Sentry Approved) padlocks.

STANLEY® SECURITY FACTBOOK

Find out more on www.safeguard-locks.com














REMEMBER!



WHILE IT'S NOT ALWAYS AN INDICATOR ON QUALITY, IN THE SECURITY WORLD, YOU GET WHAT YOU PAY FOR. A CHEAP LOCK WILL OFFER LITTLE RESISTANCETO ATHIEF.

THERE IS NO LOCKTHAT CANNOT BE BROKEN.THE ONLY THING YOU CAN BUY IS THE TIMETHAT IS NEEDED TO **BREAKTHE LOCK.**



VIDEOS: STANLEY IN MOTION



GENERAL TSA APPROVED PADLOCKS VIDEO

BRAND STRENGHTENING -

Shows Stanley as an expert & experienced brand

• Implemented on Stanley webpage in English

HISTORY VIDEO

• Build up trust in brand • Trend for innovations Sponsorships Stanley

• Supports Sales argumentation

- Supports Sales argumentation
- Helps consumer to find rightTSA approved padlock
- Interesting Facts about travel security, travel suggestions and StanleyTSA approved padlocks
- Implemented on Stanley webpage in English

HOWTO USE-VIDEO FOR EVERY BIKE LOCK

- Supports Sales argumentation
- Helps consumer to find rightTSA approved padlock
- Interesting Facts about travel security, travel suggestions and StanleyTSA approved padlocks
- Implemented on Stanley webpage in English

PADLOCK CARE AND MAINTENANCE



Normally padlocks & bike locks need minimal care. For combination padlocks and bike locks there is no special maintenance required.

To care for outdoor padlocks and key operated bike locks, lubricate the cylinder once or twice a year.

BIKE LOCK SECURITYTIPS





LOCK YOUR BIKE TO A FIXED OBJECT

such as streetlight or secure fence. To make sure the lock is secured properly, pull your bike away from the lock to create a small amount of pressure.

THE BIKE LOCK SHOULD NOT TOUCH THE GROUND.

so thieves cannot benefit from creating leverage to break the lock.

CHOOSE BUSY STORAGE LOCATIONS

with high visibility, where thieves are less likely to operate.

ENSURE BOTH YOUR TIRE AND FRAME are securely locked.

IT IS BEST TO USE A TWO-LOCK METHOD,

such as a U-Lock & Cable Lock, to maximize security when locking your bike.

WHEN SECURING YOUR BIKE FOR LONGER PERIODS OF TIME.

use the quick release function to remove the front tire, and lock it together with the frame and the back tyre to a secure fixed object such as street light or secure fence.

THE LATEST TRICK OF THIEVES

is to fill the keyhole of your Bike Lock with super glue, so you can't open it but they can come back later to steal your bike. So when locking your Bike Lock, make sure to fix it with the keyhole faced down.

HIGH SALES IN EVERY SEASON

Our recommendation: STANLEY® calendar 2021. For covering all sales opportunities.

START INTO THE YEAR





FOR TRAVELLING AND OUTDOOR



MAKE SURE YOUR VALUABLES AREWINTERPROOF



STANLEY

"Stanley and the Stanley Logo are trademarks of Stanley Black & Decker, Inc. or an affiliate thereof and are used under license"

© 2021 CJP Marketing Pte Ltd. http://www.safeguard-locks.com

EU, MEA: CJP Europe B.V., Kingsfordweg 151, 1043 GR Amsterdam, www.safeguard-locks.com, contact@cjppl.com Asia: CJP Marketing Pte Ltd, 2 Gambas crescent #09-14, Nordcom II, Singapore 757044, www.cjppl.com, contact@cjppl.com