

# At Hozelock, we aspire for a more sustainable future

Our goal is to help gardeners enjoy their garden in a more sustainable way through our innovative product solutions. Our initiatives focus on improving the sustainability of our products, packaging, and manufacturing processes. We are also committed to developing sustainable practices in product development and operational activities.

## Reuse

Our objective is to continue researching and testing new ways to use recycled materials in the manufacturing of Hozelock products, without compromising their quality and durability.

Since the beginning of 2022, all Hozelock knitted hoses have been manufactured using 40% recycled PVC.

Renew

Our after-sales service offers a wide range of spare parts and accessories for both our current and obsolete products, providing a sustainable solution for the environment.

Over 80% of our products are manufactured in our factories in the UK and Europe.

> Spare parts are available for all products for a minimum of 10 years.

> > Our products are designed to save water. Our irrigation systems can help save up to 70% on your water usage. There is also the option to link Hozelock watering timers with rainwater harvesting setups.

For 2024, we have increased this to 70% recycled PVC.

This amounts to saving 45 million plastic bottles per year.

The EasyMix 2-in-1 composter is made from 90% recycled plastic, and is 100% recyclable.

HOZELOCK Sustainability

**RECYCLE** 



We're reducing the weight, dimensions and materials of our packaging to continue on the path to a more sustainable future. To achieve this, we aim to use as much recycled, recyclable, and compostable

material as possible. We're also making our packaging smaller and lighter, further reducing our carbon footprint.







Superhoze packaging has transitioned from plastic boxes to sustainable cardboard that is 100% recyclable, compostable and made from renewable FSC sources. This change saves over 94 tonnes of plastic waste per year.

The amount of card used for our spray gun headers has been reduced by a third. The new headers are 34% smaller and 100% recyclable. The change is being made across our standard guns range, saving 2.5 tonnes of card per year.







A sleek indoor composter for recycling organic waste

### Bokashi 15L

For consumers who don't have an outside space or who want a composter that's always close at hand in the home, the Bokashi is the ideal ally, thanks to its compact 15L format and sleek design that will fit in with any interior.

### Bokashi allows you to:

- Reduce and recycle household waste (by up to 30%).
- Make your own compost juice to enrich the soil for your plants (dilute 1/100).

## Thanks to its innovative design, the Bokashi is easy to use:

- Telescopic tap for collecting compost juice.
- Clever system for storing accessories under the lid so they're always to hand.
- Ergonomic lid with hermetic seal to prevent odours.



# The compost bucket, compact and stylish for the kitchen

### Kitchen 3,5L

## Ideal for storing kitchen waste before composting:

- To avoid opening the Bokashi several times a day, bearing in mind that fermentation must take place without air (anaerobic bacteria).
- To collect kitchen peelings for several days before putting them in the garden composter, not always easy to access.
- To reduce handling and odours.
   With its discreet, elegant design, it will blend in perfectly with your kitchen worktop.
- Easy to clean, dishwasher safe.
- Made in France from 50% recycled plastic.



### T0.80, Kaléido, Pulsar 1L, T1/T2 Evolution

For 2024, the range of Hozelock triggers and small sprayers is changing colours to match the latest garden and home trends: terracotta pink, beige, olive green, turmeric yellow and deep blue.

Most models also come with a 360° function for spraying anywhere, even under inaccessible leaves.







## At Hozelock, sustainability lies at the heart of our mission.



We are excited to share our commitment to increase the eco-friendliness of our products, packaging, and manufacturing processes. For the upcoming 2024 season, we are proud to announce that our entire knitted hose range, including the popular Ultimate, Ultramax, and Ultraflex hoses, will be crafted from an impressive 70% recycled materials.

This substantial achievement is the result of our dedication to evolving our hose construction and transitioning to recycled PVC materials. In 2022, we took a significant step towards sustainability by producing the knitted hose range with 40% recycled materials. Now, we are taking it even further!

Throughout this transformative journey, our top priority has been to ensure that quality and performance remain uncompromised. Rigorous testing has been conducted to guarantee that every hose maintains the high standard our customers expect from Hozelock.

By implementing this change, we are proud to remove more than 900 tonnes of virgin PVC material from our range, making a positive impact on the environment while providing gardeners with

reliable, eco-conscious watering solutions.

70%
RECYCLED PVC



## Auto Reel Mobile - the automatic rewind hose system

This new hybrid hose system blends the premium features of our best-selling Auto Reel range with optimum portability, for effortless watering like never before

# The hose that puts itself away... anywhere

### 1 Automatic rewind cart with brake system

Pull the hose to easily unwind; the mechanism automatically locks at regular intervals to prevent accidental retraction. The braking mechanism and layering system ensures a smooth, controlled rewind with no kinks or tangles.

### 2 Large wide wheels

Large wide wheels ensure exceptional manoeuvrability and mobility.

### 3 Front kickstand

Unfold the front leg and click into place for stability when watering, then fold away for easy storage.

### 4 Premium kink-resistant hose

The premium 35m hose, including an extra-long 5m of feeder hose, is kink resistant, ensuring your garden is watered with minimal fuss.

### G Child lock

Features a child lock to secure the hose for reassurance.

### 6 3-in-1 Nozzle included

A 3 spray pattern nozzle for all your cleaning and garden tasks, including a fine rose spray for gentle watering of roots and flowers and an improved cone pattern for quick watering of larger beds or vegetables. A jet pattern provides powerful cleaning for garden tools and outdoor furniture.



The adjustable handle with park points keeps the feeder hose and nozzle tidy.

### 8 Accessory storage

The rear basket allows for convenient storage of accessories and garden tools.



	IVLVV
Code	
SAP Code	100-100-488
Product	35m Auto Reel Mobile  • Wheeled automatic hose system
Includes	30m + 5m
Pack Quantity	1
Barcode	5 010646 064835 >



















### **Auto Reel** - the automatic rewind hose reel



Terms and conditions apply. www.hozelock.com/guarantee

Watering your garden and storing your hose is so easy with Auto Reel.

It smoothly unwinds only the amount of hose that you need.

When you are finished, the automatic rewind system effortlessly stores the hose away, with no kinks or tangles.



### Use all over your garden

The multi direction wall hanger rotates 180° to follow you around the garden or sit neatly against the wall.



### Always ready to go

The built in hose stop prevents the hose fully retracting so it is easily available every time.



### Convenient storage

The hanger on the 2401, 2402 and 2403 has storage space for spray guns and accessories to help keep your garden tidy.



### Quick to fit or remove

The wall hanger design and carrying handle means you can quickly put the Auto Reel on the wall or take it off again.



### Safe and secure

Features a child lock for reassurance and a padlock\* fixing point for security. Padlock not included.



### 2402 0000

100-000-873

25m Auto Reel

Wall mounted

25m 



### 2403 0000

100-000-880

30m Auto Reel

Wall mounted

‱ 30m 



### 2597 0000

100-001-154

### 30m Auto Reel Flowmax

• Wall mounted

• +35% increased flow rate

‱ 30m



### 2595R0000 100-001-145

40m Auto Reel Wall mounted

‱ 40m 구 등 등 ~ **(1)** 







10m Auto Reel

 Wall mounted Includes





Pack Quantity

Product

Includes



# Pro

### 2401 0000

100-000-866

### 20m Auto Reel

Wall mounted









## Compact Reel Storage - keep your small garden or patio clutter free





Product

Includes

Barcode


**Pack Quantity** 

### 2427 0000

### 100-000-95

### Micro Reel

- Rotating Drum with handle: for quick and tidy hose storage without tangles
- 'Click & Go': Connector clicks onto tap, nozzle clips onto front of reel and handle allows easy winding/unwinding of hose as you walk
- Water at any length no need to fully unwind
- Perfect size for small gardens: keep it near the tap, or store away neatly
- Ready to use: Hose, fittings and nozzle all included

















5





Product

2362 0000

100-000-83° Hose Hanger

- Wall mounted
- Stores up to 30m of ø19mm hose
- $\bullet$  Park points for connectors and hose end accessories when not in use
- Additional storage space to the front of the hanger



Pack Quantity Barcode

Includes





Hose Hanger

Starter Set



















**Hose Box** 

Free standing

Enclosed to protect hose

• Large carry handle to easily move around the garden





## Open Reel Storage - tidy storage, fewer kinks and tangles











2422R0000

100-000-940

30m Hose Reel



Product

Barcode

### 2410R0000

### 100-000-890

30m Hose Reel Free standing

100-000-89 30m Hose Reel

> Free standina **⋘⋘** 15m



100-000-939

30m Hose Reel

Wall mounted







100-000-860

60m Hose Reel

Wall mounted













2412R0000







## 2-in-1 Open Reel Storage - use free standing or wall mounted











2431R0000

45m Assembled **Hose Reel** 

60m Hose Reel

60m Hose Reel





##0















## Enclosed Reel Storage - added protection for your hose











Product

Compact Reel

• Free standing or wall mounted hose reel with assisted hose layering



2415R0000 100-000-91













Wall Mounted Fast Reel

Easy rewind and automatic hose



### 2496R0000

layering

Includes

Pack Quantity

- Free standing reel with easy rewind and automatic hose layering

• Portable with folding carry handle With hose guide

‱ 40m









## Open Cart Storage - easy to move around the garden





### 2432R0000

45m Assembled Hose Cart • Wheeled hose reel

20m







### 60m Hose Cart

Wheeled hose reel





2488R0000

### 60m Hose Cart

Wheeled hose reel







Product

Includes

Pack Quantity

Product

Pack Quantity



### 60m Assembled Hose Cart

• Accessory storage on handle







### 60m Assembled Hose Cart

• Accessory storage on handle

‱ 50m <del>-</del>





### 2448R0000

### 90m Assembled Hose Cart • Accessory storage on handle

• Large wheels for stability





Product

Includes

Pack Quantity Barcode

60m Assembled Metal Hose Cart

• Accessory storage on handle



2





### 2436R0000

60m Assembled Metal Hose Cart

• Accessory storage on handle









## Open Cart Storage - easy to move around the garden







### 2460R0000

### 100-001-028

### 90m Assembled Metal Hose Cart

- Accessory storage on handle
- Large wheels for stability




Includes

Pack Quantity



## Enclosed Cart Storage - quicker and more comfortable to rewind









## 2416R0000

### 100-000-93

### **Compact Cart**

· Wheeled hose reel with assisted hose layering

30m -









2450R0000

### Fast Cart

• Wheeled with easy rewind and automatic hose layering

• Available assembled, or in a part-assembled retail box option

Includes

Pack Quantity

‱ 40m =







## Wonderhoze - woven expanding hose





This woven, durable, lightweight hose **expands up to x3** its original length, with guaranteed leak-free fittings to give you a water tight connection.













## **Superhoze** - the expanding hose

This amazing hose expands up to x3 its original length, with guaranteed leak-free fittings to give you a water tight connection.

### Superhoze

Expands up to x3 its original length and quickly shrinks back to its original size after use.

### **Outdoor Tap Connectors**

21mm G½ (½"BSP) -26mm G¾ (¾"BSP)

### **AquaStop Connectors**

Allow you to change your hose end without turning off the tap.

### Adjustable Nozzle

Allows you to adjust from a jet to a fine spray.

















- 1 Hozelock compatible system
- Quality leak-free connection
- 3 Highly elastic core

- 4 Smooth inner to enhance water flow
- Woven textile outer layer

\*Phthalate free <0.1%



Superhoze **7.5**m



Superhoze **15**m



8230A1240

Superhoze **30**m



Superhoze **3** 40m



Superhoze with Hose Hanger



Product









Pack Quantity









Product

Display Include Pack Quantity

8215A9012 Superhoze 15m DQP

32 x 8215A





Superhoze 30m DQP

24 x 8230A





Superhoze 15m & 30m DQP 12 x 8215A, 16 x 8230A

## Tuffhoze - advanced hybrid hose technology

Advanced hybrid garden hose, combining the best of two hose technologies.

### Traditional PVC:

- Dura-Tech inner core for incredible flexibility and maximum strength.
- High pressure burst resistance 40+ bar, in conjunction with the outer textile layer.
- Constant, high water flow even at low temperatures.
- Guaranteed length.

### Textile:

- Tuff-Fibre woven technology ensures enhanced durability for long lasting wear.
- Amazingly flexible, effortless to manoeuvre and store.
- Kink free & ultra lightweight.
- UV resistant & easy to clean.

### **Includes:**










## Compared to traditional hoses:

Up to 50% lighter

Kink free & easy to manoeuvre Super tough & durable






2 Durable Flexi-Nut

Lightweight, flexible anti-fold collar to avoid creases in the hose and maximise water-flow.

Oura-Tech PVC inner core For maximum flexibility and strength.


Tuff-Fibre woven technology Ensures enhanced durability and ultra light-weight.

\*Phthalate free < 0.1%











## Tricoflex Ultraflex

### Flexible, anti-kink hose

- 1 Weather proof with UV and frost protection
- 2 Soft & Flex™ technology
- 3 TNT™ anti-twist technology
- Soft & Flex™ technology
- 5 Smooth inner layer







4/2				Anti-Kink	Anti-Twist Anti-UV
	Code	117000	117001	117002	117004
	SAP Code	100-001-896	100-000-103	100-000-105	100-000-107
	Product	<b>⋘⋘</b> 10m	25 15m	20m	20m
	Includes	-	-	-	T
	Pack Quantity	88	72	64	66
Ø	Barcode	3 506111 170009 >	3 506111 70016 >	3 506111 170023 >	3 506111 170047 >
12,5mm	Code	117006	117008	117009	
<u>3</u>	SAP Code	100-000-109	100-000-111	100-000-113	
3	Product	25m	30m	50m	
	Includes		-	-	
	Pack Quantity	54	54	30	
	Barcode			110 1 01 110 00 0 0 1110 01 1 0 10 10 10	

Code	117006	117008	117009
SAP Code	100-000-109	100-000-111	100-000-113
Product	25m	30m	50m
Includes		•	-
Pack Quantity	54	54	30
Barcode	3 "506111"170061" >	3 506111 170085 >	3 506111 170092 >


	Code	117020	117021	117023	117024
	SAP Code	100-002-654	100-002-655	100-000-115	100-000-117
	Product	25 15m	20m	25m	50m
Ø 15	Includes	-	7 H H	-	-
	Pack Quantity	60	48	48	30
mm	Barcode	3 506111 170207	3 506111 70216	3 506111 170238	3 506111 1702/5


$\sim$							
8	Includes	-	· ·		-		-
궁	Pack Quantity	60	48		48		30
5mm	Barcode	3 506111 170207	3 "506111"170	214 >	3 50611	1"170238" >	3 506111 170245 >
	Code	117035	117036	117037		100	ATTENDED TO THE
	SAP Code	100-000-119	100-000-121	100-00	0-123		
	Product	20m	25m		<b>∞</b> 50m		的公司
<b>©</b>	Includes	7 2 2	-	-			

	Code	117035	117036	117037	
	SAP Code	100-000-119	100-000-121	100-000-123	
	Product	20m	25m	50m	<b>一种人人的</b>
Ø	Includes	T	-		
19	Pack Quantity	30	30	25	
19mm	Barcode	3 506111 170351 >	3 506111 170368 >	3 506111 70375 >	
	Code	117040	117041	117042	A CONTRACTOR OF THE SAME OF TH
	SAP Code	100-002-656	100-000-127	100-002-657	
	Product	<b>⋘</b> 7m	25m	∞∞∞ 50m	
Ø	Includes	-	-	-	
	Pack Quantity	70	20	10	A STATE OF THE STA
25mm	Barcode	3 506111 170405 >	3 506111 170412 >	3 506111 170429 >	




	Code
	SAP Code
	Product
Ø 1	Includes
12,5	Pack Quantity
<u> </u>	Davasda














116248
100-002-635
100-002-033
25m
-
48
3 506111 162486 >







116252
100-000-094
50m
-
25
3 506111 162523 >







<u>•</u>
25
3 506111 162523 >
116256
100-002-637
50m
-
10
3 "506111"162561" >

## Super Tricoflex Ultimate

The best by any measure, ultra-light, flexible and robust hose

- 1 Weather proof with UV and frost protection
- 2 Re-enforced PVC layering
- 3 Soft & Flex™ technology
- 4 TNT™ anti-twist technology
- 5 Foamed Soft & Flex™ Technology
- 6 Smooth inner layer







			W. L. Consider, V.	Ultralite Anti-Crush	Anti-Kink Anti-Twist Anti-UV
	Code	116758	116761	116774	116787
	SAP Code	100-002-647	100-000-098	100-004-024	100-003-888
	Product	20m	25m	30m	50m
Ø	Includes	•	-	-	-
12,	Pack Quantity	66	48	42	30
12,5mm	Barcode	3 506111 167580 >	3 506111 167610 >	3 506111 167740 >	3 506111 167870 >
	Code	142584	139068	140834	139071
	SAP Code	100-002-829	100-002-789	100-002-813	100-002-790

Code	142584	139068	140834	139071
SAP Code	100-002-829	100-002-789	100-002-813	100-002-790
Product	10m	15m	20m	25m
Includes		-		-
Pack Quantity	80	48	36	42
Barcode	3 506111 425840 >	3 291671 390683 >	3 506111 408348 >	3 291671 390713 >

	0 000111 120010 7	
Code	139084	
SAP Code	100-100-030	
Product	50m	
Includes	-	
Pack Quantity	24	
Barcode	3 291671 390843 >	

	Code	048290	048291
19mm	Barcode	3 291671 391420 >	3 291671 391550 >
	Pack Quantity	30	20
Ø	Includes		-
	Product	25m	50m
	SAP Code	100-000-168	100-002-796
	Code	139142	139155
		3 231071 330043 7	

mm	Barcode	3 291671 391420 >	3    291671    391550    >
	Code	048290	048291
	SAP Code	100-002-403	100-002-404
	Product	25m	50m
Ø	Includes	-	-
25mm	Pack Quantity	20	10
	Barcode	3 "506110"482905" >	3 506110 482912 >
	- 4		





## Outdoor Tap Connectors - for outdoor threaded taps



Product

## 2184P9240

## 100-000-65

### 1/2" & 3/4" Outdoor Tap Connector

- For outdoor threaded taps
- Includes adaptor for older tap styles
- ø 21mm G½ ø 26,5mm - G¾

100



### 2167P9000

### 100-000-604

### ¾" Outdoor Tap Connector

• For outdoor threaded taps

ø 26,5mm - G¾

10



### 2158P9000

### 100-000-594

### 1" Outdoor **Tap Connector**

ø 33,3mm - G1

• For outdoor threaded taps

2181P9000 100-000-64

### Non Return Tap Connector

- Prevents backflow of contaminated water into mains
- ø 21mm G½
- ø 26,5mm G¾





Size

**Pack Quantity** 

Pack Quantity

Barcode



### 2184A6002

25



### 2167A6002

25



### 2158A6002

10





### Product

## Tap Connector

- For outdoor threaded taps
- Brass for durability

Size

**Pack Quantity** 



## 1/2" & 3/4" Outdoor

- Made from Nickel Plated

ø 21mm - G½ ø 26,5mm - G¾

10





### 2046P0000

### ½" Outdoor Tap Connector

- For outdoor threaded taps
- Made from Nickel Plated Brass for durability

ø 21mm - G½

10





### 1" Outdoor Tap Connector

- For outdoor threaded taps
- Made from Nickel Plated Brass for durability

ø 33,3mm - G1

10





## Indoor Tap Connectors - adapt your indoor tap



Size Pack Quantity



### 100-000-784

### Indoor Threaded

Tap Connector For kitchen tap with aerator head

ø 22mm M22 (Female)



### 2159P9000

100-000-596

### Indoor Threaded Tap Connector

 For kitchen tap with aerator head

ø 24mm M24 (Male)





### 2274P90<u>00</u>

### 100-000-724

### Mixer Tap Connector

- For square, round and oval kitchen mixer taps
- Comes with a choice of sealing washers

Max. 34mm wide x 43mm 10







## Outdoor and Indoor Tap Connectors - for round or oval taps





### 2176P9000

100-000-634

### **Round Tap Connector**

 Adjustable stainless steel clip for simple fitting

Min. ø 14mm, Max. ø 18mm







### 2177P9000

100-000-645

### **Round Mixer** Tap Connector

 Adjustable stainless steel clip for simple fitting

Min. ø 20mm, Max. ø 24mm





## Multi-Tap Outlets - create multiple outlets from one tap

Pack Quantity

Pack Quantity Barcode





### 2256 0000





### **Dual Control Valve**

- Creates two outlets from a single
- Individual outlet control
- Includes 2289 connector for making a 3 way connection



2252 0000



### 2-Way Tap Connector

- Creates two outlets from a single
- With individual outlet control (adjust flow or switch off)



### 2250 0000





- Creates three outlets from a single
- Additional Flowmax outlet can be positioned to easily dispense water into α vessel





### 4-Way Tap Connector

- Creates four outlets from a single
- With individual outlet control (adjust flow or switch off)

Barcode

ø 21mm - G½ ø 26,5mm - G¾

Pack Quantity

ø 21mm - G½

ø 26.5mm - G¾ ø 33,3mm - G1



ø 21mm - G½

ø 26.5mm - G¾ ø 33,3mm - G1





## Hose Connectors - connect your tap to the hose











Code	

### Product

### Size Pack Quantity

Barcode







**Pack Quantity** 





2070 0000

100-000-547

Hose End Connector

• Soft touch for comfort



## 2070 6025

25 (Twin Pack)



## 2080 0000

### 100-000-561

### **Hose End Connector**

• Soft touch for comfort

ø 19mm



### 2080 6002



### Plus

### 2050P0000

### 100-000-517

### **Hose End Connector** Plus

- Soft touch for comfort
- Flexible tail prevents kinking
- ø 12,5mm & 15mm

10



### 2050 6000



### Plus

### 2050P0025

### 100-000-518

### **Hose End Connector** Plus Twin Pack

- Soft touch for comfort
- Flexible tail prevents kinking
- ø 12,5mm & 15mm

10



### 2050 6025



### Plus

### 2060P0000

### 100-000-538

### **Hose End Connector** Plus

- Soft touch for comfort
- Flexible tail prevents kinking
- ø 15mm & 19mm



### 2060 6000







- Soft touch for comfort

Pack Quantity

Size



- Flexible tail prevents kinking
- Made from zinc alloy for durability



### **Hose End Connector Pro**

ø 12,5mm & 15mm

10







### 2040P0000

### **Hose End Connector Pro**

- · Soft touch for comfort
- Flexible tail prevents kinking
- Made from zinc alloy for durability

ø 15mm & 19mm



### **Connector Sets**

### Product

### Includes

Pack Quantity

### 2354 0000

### 100-004-5

### Essentials Set

177m<sup>2</sup> Round Sprinkler, Rose Spray, nozzle and connectors for ø 12,5mm & 15mm hose









### Product

Includes

Display Includes Pack Quantity

## **Hose Connector Set**



## 100-100-228

### **Watering Starter Set**

 Nozzle and soft touch connectors for ø 12.5mm



10



### 100-100-276 **Watering Starter Set**

DQP • ø 12.5mm & 15mm hose









HOZELOO!

## Plus

## Watering Starter Set

Nozzle and soft touch connectors for ø 15mm







### 100-100-238 Fittings and Nozzle

Grab Bag Nozzle and connectors for





## **Connector Sets**



## 6005R0000

### 100-001-867

Connects hose system to an outdoor tap


















## Not all connectors are made equal, see what makes ours the best









### 1 Water Stop Valve (AquaStop only)

Manufactured from ABS for impact resistance and rigidity. Stops water after removing the watering device.

### 2 Connection Grip

Manufactured from Dupont Delrin® Acetal with a silicone additive for ease of use. Triple connect point for the strongest possible connection.

### 3 Outer Sleeve

Manufactured from ABS for impact resistance and strength with soft touch over-moulding for an enhanced grip.

### 4 Tough Inner Core

Manufactured from Dupont Delrin® Acetal, one of the most crystalline engineering thermoplastics, to bridge the gap between plastics and metals.

### **5** Connection Grip

Polypropylene teeth stay resistant to repeated stress and provide a secure hose

### 6 Hose Tail (Plus and Pro only)

Manufactured from tough, but flexible Polypropylene for α secure hose connection that prevents kinking.

## AquaStop Connectors - switch accessories without wasting water



AquaStop Connector

Soft touch for comfort

ø 12,5mm & 15mm

2075 0000







### 2085 0000 100-000-565

### AquaStop Connector

Soft touch for comfort



## 2055P0000

### AquaStop Connector Plus

- Soft touch for comfort
- Flexible tail prevents kinking

ø 12,5mm & 15mm



AquaStop Connector Plus · Soft touch for comfort

2065P0000

• Flexible tail prevents kinking

ø 15mm & 19mm



Product

Size

Pack Quantity Barcode

Pack Quantity Barcode

### 2075 6002

25





25





25





### 2065 6000

25













- · Soft touch for comfort
- Flexible tail prevents kinking
- Made from zinc alloy for durability

ø 12,5mm & 15mm

Pack Quantity

Product

Size



### AquaStop Connector Pro

10





### 2045P0000

### AquaStop Connector Pro

- · Soft touch for comfort
- Flexible tail prevents kinking
- Made from zinc alloy for durability

ø 15mm & 19mm

10





## Hose Extend and Repair

2293P0000



Product



### Y Connector

Allows three hoses to be joined using 3 hose



2289P9000



¾" Accessory Adaptor

Can be used to turn a female connector into a male connector



2170P9000



Flat Hose & Spiral Hose Adaptor

• Converts the hose end into a female connector



2291P9000



**Double Male Connector** 

• Allows two hoses to be joined using two hose



2044P0000



## **Double Male Connector**

 Allows two hoses to be joined using two hose connectors

• Made from Nickel Plated Brass for durability

Size



ø 26,5mm - G¾

2289A6002

10



ø 26,5mm - G¾

10







Pack Quantity Barcode



2293A6002



2170A6002






2291A6002



Product



**Inlet Adaptor** 

• Hose reel and cart inlet

**Pack Quantity** Barcode

Size





### 2100P9000



Hose Repair Connector

• For repairing damaged hose

ø 12,5mm & 15mm

25





### 2200P9000

100-000-665





## 2043P0<u>000</u>

## 2047P0000





### Hose Repair Connector Pro

• For repairing damaged hose

• Made from Nickel Plated Brass for durability

ø 12,5mm & 15mm

ø 15mm & 19mm



### Bulk Code

Pack Quantity

Barcode

### 2100 6012

### 2200A6002

ø 15mm & 19mm

10





## 3-in-1 Nozzle - for quick cleaning









## 100-100-226

### 3-in-1 Nozzle & AquaStop

Nozzle and soft touch connector for ø12.5mm & 15mm hose







Pack Quantity

Barcode

100-100-222

25



## Nozzle & Gun Spray Patterns





















Jet

Cone

Fast Fill

Flat

Fine Rose

Mist

Aerated

Angle

Shower

Centre

## Jet Spray Guns - ideal for cleaning tasks





2675 0000



Jet Spray

• Lockable on/off trigger and thumb operated flow control



2682P0000



Jet Spray Plus

 Lockable variable flow trigger and separate flow control




2690P6001





Jet Spray Pro

- Premium guns with durable metal accents
- Lockable variable flow trigger and separate flow control



2696 0000

- Die cast metal body with soft over moulding
- Lockable on/off trigger and separate flow control

Spray Patterns

Product

**Pack Quantity** 

Barcode









Jet Plus

metal body

Powder coated die cast

• Lockable on/off trigger











## Rose Spray Gun - ideal for watering plants



Product

Spray Patterns

## 2672A6000

### Rose Spray

• Gentle watering ideal for plants

24

- Thumb-operated flow control
- Lockable on/off trigger



2672A9016

100-004-591

48 x 2672A6000



### 2353A6000

Rose Spray Starter Set Gun and connectors for ø12,5mm & 15mm hose



2353A9016

100-004-568

48 x 2353A6000



## Nozzle & Gun Spray Patterns























Cone

Fast Fill

Flat

**Fine Rose** 

Mist

Aerated

Centre

## Multi Spray Guns - perfect for watering your garden



## 2684P0000 2679 0000



2694 0000 2691P6001



2698 0000




Multi Spray Lockable on/off trigger and thumb operated flow



Multi Spray Plus Lockable variable flow trigger and separate flow




Multi Plus Powder coated die cast metal body • Lockable on/off trigger





• Premium guns with durable metal accents





Multi Spray Ultramax Die cast metal body with soft overmoulding

Lockable on/off trigger and separate flow control



Pack Quantity



























## **Spray Gun Displays**



100-004-561



100-004-564



100-000-809



2371 9018 100-000-847

6 x 2690P6001





2691P6001 100-001-243

Display Includes Barcode



45 x 2342 9019



40 x 2351P9016



6 x 2691P6001



## Nozzle & Gun Spray Patterns



Jet



















Cone

Fast Fill

**Fine Rose** 

Mist

Aerated

Angle

Shower

Centre

## Multi-function Hose End - convert your gun into a sprinkler







### 2695 00<u>00</u>

### 100-001-262 Ultra Twist

- Unique multi-purpose spray gun that quickly converts into a sprinkler
- Gun with three spray patterns: jet, fast fill & fine rose
- Sprinkler (area coverage 69m²)
- Lockable variable flow trigger and separate flow control



Product

Spray Patterns

Pack Quantity













### Flexi Spray

• Lockable variable flow trigger and separate flow control 4 Functions:

- Lance (60cm long)
- Gun with three spray patterns: jet, fast fill & fine rose
- Sprinkler (area coverage 69m²)
- Hands free watering

Spray Patterns

Barcode















## Lances - for long-reach watering







### Lance Spray Plus 90

- Long reach handle of 90cm
- Adjustable head angle provides convenience for watering plants at different heights
- Lockable variable flow trigger and separate flow control



Pack Quantity Barcode



## Plus

### 2699 0000

### Telescopic Lance Spray Plus 140

- Long reach telescopic handle
   up to 140cm
- Adjustable head angle provides convenience for watering plants at different heights
- Lockable variable flow trigger and separate flow control





## **Multi-function & Lance Spray Patterns**

















Fast Fill

**Fine Rose** 

Mist

Aerated

Small Circle

Cone



## Round Area Sprinklers - for small or larger round gardens







Product

2510P0000



### Round Sprinkler

- 8 jets ensure very even water coverage
- Ideal for established plants and turf

Area Coverage

Pack Quantity

Max. Coverage 177m<sup>2</sup> 15m diameter





### 2515P0000



### Multi Sprinkler

- 8 differently shaped spray patterns: small semi circle, large semi circle, mist, strip, small circle, large circle, square and remote jet
- Ideal for small gardens

Max. Coverage 79m<sup>2</sup> 10m diameter



### **Round Sprinkler Plus**

- Rotating sprinkler on sled, two spray patterns.
- Fine spray for seeds and seedlings, jet spray for turf and established plants

Max. Coverage 254m<sup>2</sup> 18m diameter





Product



### **Pulsating Sprinkler Plus**

- Powerful watering for large areas
- Water a full circle or a part of a circle, from 65° to 360°
- Adjustable distance and jet shape, between a jet or wide fan
- Metal spike

Area Coverage

Max. Coverage 450m<sup>2</sup>

Pack Quantity





Plus 2332P0000



### **Round Sprinkler Plus**

- Ultra even coverage due to water powered motor and 5 jets
- Metal spike, can water circle or part

Max. Coverage 314m<sup>2</sup> 20m diameter





2335P0000

100-000-789



### **Round Sprinkler Pro**

- Ultra even coverage due to water powered motor, two spray patterns
- Metal spike, can water circle or part circle. Fine spray for seeds and seedlings, jet spray for turf and established plants

Max. Coverage 314m<sup>2</sup> 20m diameter





2336P0000



### **Round Sprinkler Pro**

- Ultra even coverage due to water powered motor, two spray patterns
- Water circle or part circle. Fine spray for seeds and seedlings, jet spray for turf and established

Max. Coverage 314m<sup>2</sup> 20m diameter





## Rectangular Area Sprinklers - perfect for square or rectangular areas





Product

Includes Pack Quantity Barcode

### Rectangular Sprinkler AquaSave Pro 220 M

- Ultra even coverage due to water powered motor
- Adjustable width with 12-16 jets
- Control the area watered with adjustable oscillation control
- Stop water at the sprinkler
- Maximum area coverage 220m²







## Product

### 100-100-265

### Rectangular Sprinkler

- AquaSave Pro 350 XL Ultra even coverage
- due to water powered motor • Adjustable width with 14-20 jets
- Control the area watered with adjustable oscillation control
- Stop water at the sprinkler
- Maximum area coverage 350m²

Includes


4

Pack Quantity






## Oscillators with full 3D control



- 1 Flow Control Fine tune the spray area
- 2 Stop Water at the Sprinkler Stay dry when moving or adjusting the sprinkler.

to make every drop count.



- 3 Adjustable Direction Choose how far to water on each side of the sprinkler.
- 4 Class Leading Motor Giving larger coverage without moving the sprinkler.

### **5** Adjustable Width

Take control of individual jets and avoid wasted water by changing the width to suit your garden.

**6** Metal Spray Bar High precision jets give a more defined spray pattern.



7041

2788


**2787** 

## **Automatic Watering**




Water more efficiently Easy to install See your garden bloom









## Universal System - why Easy Drip?



Hozelock Easy Drip is a quick and easy automatic watering system for any garden. Simple to install, the system saves time, water and effort, whilst improving plant growth.

• Modular kits allow you to easily grow your system

vegetable patch

- Simple to build from scratch or add to an existing irrigation system
- Easy Drip works seamlessly with all existing systems allowing you to join or extend them together with no fuss.

## Easy Drip System - installing Easy Drip is quick and simple















Hedgerows

## Product

### Universal Kit

- · Complete watering kit for an area up to 10m2
- Perfect for watering borders, beds and vegetable patches
- Multiple kits can be connected together to make a larger system

### 7024 0000

- Micro Kit • Complete watering kit for up to 15 containers
- Great for watering pot plants and hanging baskets
- Multiple kits can be connected to make a larger system

### 7005 0000

## Easy Drip Universal Sprinkler/ Dripper (3 Pack)

- Safe and smooth piercing of the hose for an easy, water tight
- Water flow can be regulated from 0
- Each dripper can water up to 100cm in diameter providing extensive coverage
- Supplied with an innovative ground peg for easy positioning and angle selection from 0 to 90°

### 7021 0000

### Flexi Hose

- Micro hose effectively carries water from your tap to individual drippers
- Ultra flexible for easy installation and cutting
- UV stable construction providing excellent durability and longevity
- Can be buried underground for discreet installation

Includes







**20m** (ø13mm)



**Pack Quantity** 





# Ready-to-Use Automatic Watering Kits - the simple way to install your system















#### Product

#### 100-001-396

#### 15 Pot Watering Kit

- Water your pots, hanging baskets, borders, veg patches and greenhouse plants
- Control how you water your garden from 5 minutes up to 2 hours to save time, water and

effort		
2210	Mechanical Timer	x1
7022	Pressure Reducer	x1
2772	Micro Tube (4mm)	15m
2777	T-Piece Connectors (4mm)	x14
2778	Straight Connectors (4mm)	x5
2782	Wall Clips (4mm)	x5
7043	Drippers with Stake (4LPH)	x15

# 2803 1240

#### 100-001-400

#### 20 Pot Watering Kit

- Automatic watering for patio pots, hanging baskets, borders, veg patches and greenhouse plants
- The Select Controller provides the flexibility to adjust watering duration, frequency and start time, providing extensive control

time, providing extensive control			
2220	Select Controller	x1	
7022	Pressure Reducer	x1	
2772	Micro Tube (4mm)	15m	
2777	T-Piece Connectors (4mm)	x19	
2778	Straight Connectors (4mm)	x5	
2782	Wall Clips (4mm)	x5	
7043	Drippers with Stake (4LPH)	x20	


### 2804 1240

### 100-001-402

#### 25 Pot Watering Kit

- Automatically control how you water your garden, saving you time, water and effort
- The Select Controller provides extensive control and flexibility to adjust watering duration, frequency and start time


2220	Select Controller	x1
7022	Pressure Reducer	x1
2764	Supply Tube (13mm)	15m
2766	Elbow Connectors (13mm)	x2
2767	T-Piece Connector (13mm)	x1
7031	End Plug (13mm)	x2
2779	Blanking Plugs (13mm)	x10
2770	Stakes (13mm)	x10
2771	Wall Clips (13mm)	x5
2799	Hole Punch	x1
2772	Micro Tube (4mm)	10m
2777	T-Piece Connectors (4mm)	x14
2778	Straight Connectors (4mm)	x10
2782	Wall Clips (4mm)	x5
7043	Drippers with Stake (4LPH)	x15
2785	End of Line Drippers (4LPH)	x10



Pack Quantity



15m (ø4mm)










# Automatic Watering Hose - water your garden without the effort



# **Dripper Hose**

- Dripper hose with drippers integrated every 30cm
- Combine with micro irrigation fittings to efficienty water flowerbeds
- Water flow rate 4 LPH





### **Porous Soaker Hose**

• Ideal for watering borders, vegetable patches and greenhouses without waste

• Seeps water along the full length of hose







SAP Code	100-001-917
Product	Porous Soaker Hose
Size	10m
Includes	
Pack Quantity	5













# **Sprinkler Hose**

- Perforated flat hose, produces a fine spray
- $\bullet$  Using the fitting supplied, two can be joined together







Code
Product
Size
Max. Coverage
Pack Quantity
Barcode

	6/33PUUUU		
e	100-001-908		
	Sprinkler Hose		
	7.5m		
/erage	27m²		
intity	10		

6765 0000			
100-001-932			
Sprinkler Hose			
10m			
36m²			
5			

6765 0000	6756P0000
100-001-932	100-001-912
Sprinkler Hose	Sprinkler Hose
10m	15m
36m²	54m²
5	5
5 010646 058674 >	5 010646 009454 >

# Build Your Own: A Tap Connection - connect the system to your tap



The tap connection is vital. It connects the watering system to the mains water supply.

There are three different ways to make this connection.

Always use a pressure regulator to control the water pressure to ensure the best performance.

All installations below can be automated by adding a Hozelock Water Contoller.

#### **Remote Connection**

To connect to an area that does not reach your tap:

Cut a section of hose.

Add Hose Connectors to each end. Connect the hose and Pressure Regulator (7022) together.

Attach to a tap with a Threaded Tap Connector.

- Hose Pages 13-20, 36, 38 & 42
- Tap Connectors Pages 22-23
- Hose Connectors Pages 24-25

### **Direct Connection**

To make a direct connection to the watering system, screw the Pressure Regulator (7022) directly onto your outside tap or Automatic Water Controller.


• Controllers - Pages 40-41



### **Total Flexibility**

For the most flexible connection, use a 4-Way Tap Connector (2150) and screw the Pressure Regulator (7022) onto one of the four outlets.

• Multi Tap Outlets - Page 23



















Pressure Regulator (1 Pack)

Reduces tap water pressure to 1,5 bar for optimum performance

Ø 21mm - G1/2 Ø 26,5mm - G¾

Product

Pack Quantity



# Build Your Own: A Tap Connection - connect the system to your tap



Automate your system by adding an Automatic Watering Controller.

Water even when you're away on holiday.

Automatic Watering Controllers are easy to set up and operate.

Simply attach them to your garden tap, set the timer for when you want the water to come on, for how long, and how often, turn on and forget about it!







de	2210 0000		
IP Code	100-000-666		
oduct	Mechanical Controller  • Manually select, timed watering		
atering Schedule	Once a day		
atering Duration	Up to 120 minutes		
let Size	ø21mm - G½, ø26,5mm - G¾, ø33,3mm - G1		
ck Quantity	5		
rcode	5 010646 057943 >		

### **Select Plus Controller**

For ultimate control of your automatic watering, the new Select Plus Controller has the flexibility to programme any time, any day and for any duration, the user may schedule watering with a maximum of three programmes per day.

- The large LCD screen displays all the programme information and can be set up and easily adjusted using the 'Rotate and Push button'.
- Further features include a 'Rain delay' to pause watering as per the weather forecast and a 'Water now' function for immediate watering that will override the schedules for a quick soak of the garden.
- Not sure how to programme your watering? With the Select Controller (2220) you needn't worry, it comes with 16 pre-set programmes to suit you and your garden.







# Build Your Own: A Tap Connection - connect the system to your tap



### **Sensor Controller**

Sunrise and sunset is the best time to water your garden to avoid leaf scorch and exessive evaporation.

- Sensor Controllers include a daylight sensor that automatically adjusts your daily watering schedule to start at sunrise or sunset.
- Both units are supplied ready to use with the most popular watering schedule of twice a day for 10 minutes.
- Simply insert batteries to get started.



Code	2212 0000
SAP Code	100-000-671
Product	Sensor Controller  • Daylight sensor
Watering Schedule	Daily up to twice a day
Watering Duration	Up to 60 minutes
Water Now Function	<b>√</b>
Batteries Required	2 x AA (LR6) Alkaline
Battery Level Check	<b>✓</b>
Use with a Water Butt	<b>✓</b>
Inlet Size	ø21mm - G½, ø26,5mm - G¾, ø33,3mm - G1
Pack Quantity	2
Barcode	



Plus



#### **Cloud Controller**

Control your garden watering from your mobile phone! It doesn't matter if you are on holiday or at work - your plants will no longer need to suffer if weather conditions change.


- Easy to use app to control your garden watering from your mobile (Apple or Android operating system) with Hozelock hub and remote tap unit.
- App allows you to remotely set, pause and adjust watering schedules.
- App includes a local weather summary and push notifications to keep you informed about changes to weather patterns.
- Ideal for when you are away from home and weather conditions change, to remotely pause and adjust schedules.
- Each hub can control up to 4 remote tap units.



	Moor			
Code	2216 0000			
SAP Code	100-000-686			
Product	Cloud Controller Kit • Requires smartphone with Apple iOS or Android operating system, ethernet port and internet			
Watering Schedule	Up to ten times a day Up to 180 minutes			
Watering Duration				
Water Now Function	✓			
Batteries Required	2 x AA (LR6) Lithium/Alkaline			
Battery Level Check	✓			
Use with a Water Butt	✓			
Inlet Size	Ø21mm - G½, Ø26.5mm - G¾, Ø33.3mm - G1			
Pack Quantity	1			
Barcode	5 010646 057974 >			

2216 0000

# Build Your Own: B Pipeline & Components - carries water around your system



# Build Your Own: B Pipeline - carries water around your system

### **Supply Tube**

- $\bullet \ High \ quality \ 13mm \ central \ supply \ hose \ for \ transporting \ water \ around \ your \ garden.$
- Flexible for easy installation and cutting
- UV stable construction providing excellent durability and longevity

Can be buried underground for discreet installation			
	ø13mm	ø13mm	ø13mm
Code	7007 0000	2764R0000	2764 0050
	100-004-660	100-001-324	100-003-124
Product	Supply Tube	Supply Tube	Supply Tube
Size	15m	25m	50m
Pack Quantity		5	5
Barcode	5 010646 063142 >	5 010646 040181 >	5 010646 060745 >
			·





# **Micro Tube**

- 4mm Micro Tube effectively carries water from your tap to individual drippers
- Flexible for easy installation and cutting
- UV stable construction providing excellent durability and longevity
- Can be buried underground for discreet installation

	ø4mm	Ø4mm			
Code	2772P0000	2772 0025			
SAP Code	100-001-344	100-003-125			
Product	Micro Tube	Micro Tube			
Size	10m	25m			
Pack Quantity	5	5			
Barcode	5 010646 040303 >	5 010646 060769 >			

# Build Your Own: B Pipeline Components - create your network of pipeline





90° Elbow Connectors

'kinking' when going around

Operating pressure range up to 300 kPa

Designed to prevent

UV stabilised for long

lasting durability and

2766 0005












T-Piece Connectors (5 Pack)

Used with 13mm Supply Used with 13mm Supply Tube (2764) to branch off Tube (2764) to make an extra line, or split the repairs or extend pipe in two directions



Straight Connectors

(5 Pack)

 UV stabilised for long lasting durability and performance

Saddle Clamps (12 Pack)

- Secures 13mm Supply Tube (2764) to fences and walls
- Requires 2 x screws/nails
- UV stabilised for long lasting durability and performance

Product



#### Flow Control Valves (2 Pack)

- Used to control the flow of the water within the 13mm Supply Tube (2764)
- Ideal for isolating zones of an irrigation system and for reducing flow
- UV stabilised for long lasting durability and performance '



performance

(5 Pack)

corners

Operating pressure range up to 300 kPa

. UV stabilised for long lasting durability and performance



**T-Piece Connectors** (12 Pack)

2767 0012

2771 0024

Saddle Clamps (24 Pack)



Barcode

Pack Quantity

Product

Pack Quantity

2770 0010

Product



#### Stakes (10 Pack)

- Secures the 13mm Supply Tube (2764) in place
- UV stabilised for long lasting durability and performance

#### 2779 0010



#### **Blanking Plugs** (10 Pack)

- Used to seal holes in 13mm Supply Tube (2764)
- Operating pressure range up to 300 kPa
- UV stabilised for long lasting durability and performance
- Can be used at the end of 4mm Micro Tube (2772)





#### End Plugs (12 Pack)

- Used to terminate runs of 13mm Supply Tube (2764)
- Operating pressure range up to 300 kPa
- UV stabilised for long lasting durability and performance





#### **Cross Connectors** (2 Pack)

- For use with 13mm Supply Tube (2764) to split the flow of water
- Operating pressure range up to 300 kPa
- UV stabilised for long lasting durability and performance





#### **Ratchet Clamps** (12 Pack)

- Ratchet clamps are used to secure fittings to 13mm Supply Tube (2764) to make a tight and secure
- Requires no tool for installation
- Can be twisted and unclamped if required
- UV stabilised for long lasting durability and performance

Pack Quantity











# Build Your Own: B Pipeline Components - create your network of pipeline



### 2799 0001



### Key Punch (1 Pack)

- Punch holes in 13mm Supply Tube (2764)
- Includes a hex spanner for fitting parts to 4mm Micro Tube (2772)
- UV stabilised for long lasting durability and performance



ø4mm ø13mm

#### 7033 0012



#### **Reducing T-Connectors** (12 Pack)

- Designed to quickly and easily fit 4mm Micro Tube (2772) to 13mm Supply Tube (2764) to allow for branching off to drippers
- Operating pressure range up to 300 kPa
- . UV stabilised for long lasting durability and performance



#### 2776 0005



#### Flow Control Valves 4mm (5 Pack)

- Used to control the flow of the water within a 4mm Micro Tube (2772)
- Ideal for isolating zones of an irrigation system and for reducing flow
- UV stabilised for long lasting durability and performance



#### 2782 0012



#### Wall Clips 4mm (12 Pack)

- Secures 4mm Micro Tube (2772) to wall and fences
- Comes complete with fitting



2778 0012



#### **Straight Connectors** 4mm (12 Pack)

- Used with 4mm Micro Tube (2772) to make repairs or extend and branching from 13mm Supply Tube (2764)
- Operating pressure range up to 300 kPa
- UV stabilised for long lasting durability and performance

**Pack Quantity** 

Product

Pack Quantity

Product









2782 0024

Wall Clips 4mm (24 Pack)





2778 0024

Straight Connectors 4mm (24 Pack)







Product

2781 0012



#### Peg/Stakes 4mm (12 Pack)

- Secures the 4mm Micro Tube (2772) in place
- UV stabilised for long lasting durability and performance

#### ø4mm

7029 0010



#### Micro Support Stakes 4mm (10 Pack)

- Anchors securely into the ground to lift micro sprinklers, sprayers above crops allowing the water to fall from above in a natural rain pattern
- UV stabilised for long lasting durability and performance

#### ø4mm

7030 0010



#### Micro Extension Tube 4mm (10 Pack)

- Extend the height of the dripper by 24cm
- Several extension pipes can be screwed together
- UV stabilised for long lasting durability and



2777 0012



#### T piece Connectors 4mm (12 Pack)

- Used with 4mm Micro Tube (2772) to route irrigation system around the garden
- Operating pressure range up to 300 kPa
- UV stabilised for long lasting durability and performance '



7037 0012



#### **Elbow Connectors 4mm** (12 Pack)

- Barb joiner for easy connection to 4mm Micro Tube (2772)
- Directing flow of water around corners and preventing pipe kinking
- Operating pressure range up to 300 kPa
- UV stabilised for long lasting durability and performance













# Build Your Own: C Drippers for precise watering



To prevent leaf scorch and plant diseases, the micro drippers deliver the water at the base of the plant.

Drippers are used at the base of plants to provide very precise watering to the roots - perfect for saving water!

They are very versatile and can be used in pots on balconies or to water shrubs in your flowerbed.

Some of the drippers, with an integrated pressure compensating technology, guarantee the water flow rate even for sloping ground.



Patio Pots














7042 0005

ø4mm 7043 0005

Product



Compensating Dripper

Self-regulating dripper

that gives a constant

4 LPH, regardless of water

• Built in filter, automatically

self cleans and shuts off


when pressure is below

(5 Pack)

pressure



2785P0000



4 LPH, regardless of water

pressure Built in filter, automatically self cleans and shuts off when pressure is below



- Pressure compensating dripper with a turbulent flow path
- Maintains a constant and uniform drip rate of 4 LPH



**CETA® In-Line Pressure** Compensating Dripper Spikes (5 Pack)

- Pressure compensating dripper with a turbulent flow path - delivering a pre-set amount of water at different water pressure
- Blockages minimised with in-built filter
- Spike model to anchor dripper at the base of the plant



**Dripper Spikes** (5 Pack) Pressure compensating dripper with a turbulent

- flow path Sealed to maintain pre-set discharge rates and uniformity
- Blockages minimised with in built filter
- Spike allows easy and precise positioning for accurately targeting the root zone of plants

Installation

Adjustable Flow

Flow Rate

Compensating Pack Quantity

In-Line - ø4mm 4 LPH (1,5 bar)



In-Line – ø13mm End-of-Line – ø4mm

4 LPH (1,5 bar)



In-Line – ø13mm End-of-Line – ø4mm

4 LPH (1,5 bar)



In-line - ø4mm

0 ≒ 40 LPH (1,5 bar)

End-of-Line - ø4mm

4 LPH (1,5 bar)



Product

Pack Quantity

7040 0024

Pinch Drip™ Pressure Compensating Dripper (24 Pack)



7043 0012

Asta® End-of-Line Pressure Compensating **Dripper Spikes** 









#### 360° In-Line Adjustable Sprinkler Spikes (12 Pack)

- Flow and coverage adjusted by rotating the cap
- Spike model to anchor dripper at the base of the plant





#### 360° Adjustable Sprinklers (12 Pack)

 Flow and coverage adjusted by rotating the cap



#### End-of-Line Adjustable Sprinkler Spikes (12 Pack)

- Flow and coverage adjusted by rotating the cap
- Includes 4mm inlet to connect 4mm Micro Tube (2772) to 13mm Supply Tube (2764)



#### 360° Spectrum® Adjustable Spray (5 Pack)

- Flow and coverage altered by rotating the cap
- Spike model to anchor dripper at the base of the plant
- Includes 4mm inlet to connect 4mm Micro Tube (2772) to 13mm Supply Tube (2764)

Installation

Watering Angle

Area Coverage

Adjustable Flow

Flow Rate Pack Quantity

In-Line - ø4mm

360°

60 cm

0 ≒ 40 LPH (1.5 bar)



In-Line - ø13mm

End-of-Line - ø4mm 360°

60 cm

0 ≒ 40 LPH (1,5 bar)



End-of-Line - ø4mm

360°

60 cm

0 ≒ 40 LPH (1,5 bar)



End-of-Line - ø4mm

360°

350 cm

0 ≒ 80 LPH (1,5 bar)



360° Adjustable Sprinklers



360° Spectrum® Adjustable Spray (12 Pack)



Product

Pack Quantity

# Build Your Own: D Sprinklers for larger areas













2796 0012





2797 0012



Product

2790 0012





180° Micro Spray Jets (12 Pack)

• Use with Micro Support Stake (7029) and Micro Extension Tube (7030) to elevate sprav



360° Micro Spray Jets (12 Pack)

• Use with Micro Support Stake (7029) and Micro Extension Tube (7030) to elevate sprav

In-Line – ø13mm

68 LPH (1,5 bar)

3609

700 cm

ø4mm

ø13mm

2795P0000

360° Vari-Jets™

• Produces a fine spray

elevate spray

Adjustable (3 Pack)

Use with Micro Support

Stake (7029) and Micro

Extension Tube (7030) to


End-of-Line - ø4mm



Strip Micro Spray Jets (12 Pack)

• Produce a fine jet over a narrow strip

Use with Micro Support Stake (7029) and Micro Extension Tube (7030) to elevate spray



2 x 20°

560 cm

42 LPH (1,5 bar) 6



360° Mist Micro Spray Jet (12 Pack)

• Produces a fine mist spray • Use with Micro Support

Stake (7029) and Micro Extension Tube (7030) to elevate spray

In-Line – ø13mm End-of-Line - ø4mm

360

90 cm

22 LPH (1,5 bar)

ø13mm

7005 0000

6



Installation

Waterina Anale Area Coverage

Adjustable Flow

Pack Quantity

Barcode

Product

Installation

Watering Angle

Area Coverage

Adjustable Flow

Pack Quantity

Barcode

In-Line – ø13mm End-of-Line - ø4mm

• Use with Micro Support

Stake (7029) and Micro

Extension Tube (7030) to

900

(12 Pack)

elevate spray

260 cm

68 LPH (1,5 bar)





180°

460 cm

68 LPH (1,5 bar)

2794P0000









ø4mm











#### 360° Vari Rotor Spray™ Adjustable sprinkler (5 Pack)

alter flow and coverage

strength and high distribution uniformity

Designed to be adjusted to 'C' Frame design for

In-Line – ø13mm

End-of-Line - ø4mm 360°

600 cm

0 ≒ 82 LPH (1,5 bar)



Sprinkler (3 Pack)

ground peg for easy

positioning and angle selection from 0 to 90°

Safe and smooth piercing of the hose for an easy, water tight installation

Supplied with an innovative

100 cm

0 ≒ 40 LPH (1,5 bar)



### 2793P0000



# 90° Adjustable Vari-Jets™ (3 Pack)

• Produces a fine spray

In-Line – ø13mm

90°

10

200 cm


End-of-Line - ø4mm

0 ≒ 55 LPH (1,5 bar)

• Use with Micro Support Stake (7029) and Micro Extension Tube (7030) to elevate spray


#### 180° Vari-Jets™ Adjustable (3 Pack) • Produces a fine spray

- Use with Micro Support Stake (7029) and Micro Extension Tube (7030) to elevate spray



200 cm

0 ≒ 55 LPH (1,5 bar) 10



0 ≒ 55 LPH (1,5 bar) 10







# Aquasolo® Outdoor









Size
Pack Quantity
Barcode

Area Coverage

#### NEW

# Aquasolo Outdoor 1.5L

Aquasolo Outdoor 5L • Water level indicator included. No need to open the lid to see if there's still water inside

- Cork lid: resistant and minimises evaporation
- Cylindrical shape: easy to bury and dig up

45cm x 45cm	80cm x 80cm
1.5L	5L
6	4

NEW





# Aquasolo® - watering cones





2710 8000



#### Aquasolo Small

### Aquasolo Medium

- Ceramic watering cones with plastic screw adaptor
- Perfect for holiday watering
- Water plants up to 28 days, depending on cone and pot size
- Suitable for indoor and outdoor use
- 1 cone per Pack
- English language only

Size Pack Quantity



# 2711 8000

#### 100-001-305

- Compatible with most bottle types from 0.5L to 2L

- Easy to use

For pots up to ø 25cm 12



For pots up to ø 30-40cm



# 2715 8000

### 100-001-310

#### Aquasolo Small

- 4 cones per Pack
- English language only




2717 8000

#### 100-001-315

#### Aquasolo Medium

- 4 cones per Pack
- English language only











For pots up to ø 30-40cm



# Waterers - stress-free growing for a range of plants









- 4 capillary water spikes deliver water from 15 litre reservoir directly
- Integrated water level indicator and quick refill access point

Includes

Product

Pack Quantity



# **Growbag Waterer**

- to plant roots
- Base includes three vertical bamboo cane holders



010646 055215

2811 0000

to plant roots

100-001-410

Easy Plant 3-in-1



4 capillary water spikes deliver water from 15 litre reservoir directly

Integrated water level indicator

and quick refill access point

Base includes three vertical

bamboo cane holders

# 2813 0000

### 100-001-415

#### Replacement Capillary Mat Set

- Contains 8 pieces
- Compatible with 2810 and 2811







# Bokashi composter - kitchen composter



#### How to use it?

- Pour in your food waste
- Pack the waste to eliminate air pockets
- Place 20g of Bokashi activator between each layer of waste and close the lid.
- Collect the liquid fertiliser every 3-5 days. This juice is used as plant fertiliser, dosage 1/100.
- Once the Bokashi has been filled, leave to ferment for 14 days, then empty the contents of the bucket into a garden compost bin or bury it in the ground.

\*Depending on the waste, it may take longer to extract the "juice".











Size

Pack Quantity

Product

### 100-100-496

### Compost Bucket 3.5L

- Compost bucket for storing kitchen waste before composting
- To avoid opening the Bokashi several times a day, bearing in mind that fermentation must take place without air (anaerobic bacteria)
- To reduce handling and odours and
- For emptying waste into both kitchen and garden compost bins
- Compact, designer 3.5L bin with wide opening for easy filling
- Easy to clean, dishwasher safe

3.5L



#### 100-100-498

#### Bokashi Composter 15L

- The best way to reduce and recycle your kitchen waste, including fish and meat, without unpleasant odours
- $\bullet$  Provides a rich fermenting liquid that can be used as a fertiliser and a base for making quality compost
- 15L bin with ergonomic lid and hermetic seal to prevent odours
- Telescopic tap for easy juice collection
- Clever system for storing accessories under the lid, always within easy reach
- Dishwasher safe
- Supplied with 350g of Bokashi bran activator

15L







#### 100-100-500

#### Bokashi Composter 15L x2

- Set of 2 Bokashi for continuous composting
- 1 compost being filled
- 1 maturing compost (once the vat is full, 15 days without opening it to complete the fermentation process)
- The best way to reduce and recycle your kitchen waste, including fish and meat, without unpleasant odours
- Provides a rich fermentation liquid that can be used as a fertiliser and a base for making quality compost
- Supplied with 350g of Bokashi bran activator







#### 4194 0000

### 100-001-70

### Bokashi Activator

- Refill for 100-100-498 and 100-100-500
- Bokashi Activator is a blend of bran, molasses and micro-organisms and effective micro-organisms
- These micro-organisms speed up the process of decomposing waste by causing it to dehydrate

1kg

10



# EasyMix 2-in-1 Composter















# Tumbling composter for the easy mixing of home and garden waste.

- 3 times faster than conventional composters: compost ready in just 6 to 8 weeks.
- Roll the drum around your garden to distribute the compost with ease.
- Reservoir collects the compost juice, with integrated "Click & Spray" hose applicator to enrich your garden soil.
- The enclosed lid with lockable lid prevents pests and bad smells.
- Compact design it will easily find a place in the garden, garage or balcony.
- Manufactured with more than 90% recycled plastic and 100% recyclable.

#### How to use it?

- 1 Put the waste in the composter and lock the lid.
- 2 Turn the drum to mix the waste and accelerate decomposition for quicker composting.
- 3 The compost is ready after only 6 to 8 weeks of resting. Roll the drum around your garden to distribute the compost.
- 4 Collect your compost juice, a rich liquid plant food, using the tank under the composter.
- Senrich your garden soil by connecting the "Click & Spray" tank to your garden hose.
- 6 Rinse the tank after use.



## **BioMix** - the eco-friendly solution to take care of your plants



Produce homemade nutrient-rich liquid feed out of plants such as nettles and comfrey.

An efficient way to fertilise your plants and to prevent plant diseases.

The closed tank has a lid and mixing action to ensure that the leaves decompose quickly whilst the pungent smell is contained within the mixer.

Easy to use filter to drain the liquid and integrated tap to recover the fertiliser.

#### How to use it?

- 1 Cut 1kg of plants and place them inside the tank.
- Add 10L water.
- 3 Close the lid, and stir thoroughly every 2 days.
- After about 10-15 days, when there are no longer bubbles rising to the surface, the maceration is complete.
- Filter.
- Recover the liquid fertiliser in an opaque drum.
- Dilute your plant fertiliser with water. The dilution is indicated in the usage booklet. (between 5% and 20%)

Use it with a sprayer or watering can.













Size Pack Quantity

Barcode



100-000-472

BioMix

ISL



# Hozelock Pure - spray your homemade natural recipes





### 4200 0000

#### P. Codo

SAP Code
Product

### 100-001-709

#### Pure Sprayer

- A translucent and graduated bottle for accurate dosing
- 11cm long reach nozzle and high-resistance connectors, resistant to corrosive products such as vinegar
- Equipped with a filter for liquid manures/infusions
- 360° function for spraying the underside of leaves

Size 2L

6

Pack Quantity

Barcode





#### 4550 0000

# 100-001-790

#### Pure Sprayer

- A translucent and graduated bottle for accurate dosing
- A fibreglass lance and high-resistance seals,
- resistant to corrosive products such as vinegar
   Equipped with a filter for liquid manure/infusions

5L

6







# Electrical Thermal Weeders - weed without chemicals



#### Product

#### Green Power XL Thermal Weeder

- Weed 5 times faster with Green Power XL
- It has a powerful 2000W Engine, with 600°C temperature across the whole shield area for efficiency
- Comes with two easy-to-change shields:
  - XLarge 25cm rectangular shield for gravel, paths, borders
  - Smaller round shield for lawn, vegetable garden and lighter function
- Heating elements are in a ceramic material to increase the product life cycle
- Comfortable ergonomic handle, with a second handle to move the product around
- Cooling function can be applied when in a horizontal position to cool the product efficiently and safely

Pack Quantity

Barcode





# Gas Thermal Weeders - weed without chemicals





The most powerful cordless weeder on the market. Safe weeding, 2x faster, 4x more economical.\*

- Secure weed control thanks to infrared technology: the flame, safely inside the shield, heats the ceramic plate up to 800 °C which will cause a thermal shock to kill the weed.
- Weed large areas with the large 12 x 20cm ceramic plate.
- This product is 2-in-1: it can be used with a gas cartridge and also with a gas bottle.
- Gaz cartridge: up to 3 hours. Gas cylinder: up to 122 hours. \*compared to a standard Gas Weeder operating with a gas cartridge











## 4177 0000 100-004-648

### Green Power Turbo Gas Thermal Weeder

- Ergonomic handle with piezo ignition and ON / OFF valve
- Adapter supplied for connection to a gas cylinder
- · Wheel for greater freedom of movement







#### 4187 0000

# 100-003-468

### Gas Thermal Weeder

- Weed burner suitable for use with a gas cartridge
- Effective treatment of weeds thanks to the precision of the accurate burner
- Equipped with piezo ignition on the handle, placed at hand for safe operation
- Ergonomic handle

Includes

Barcode

Product

Pack Quantity


**Gas Cartridge (284057)** 



### 284057

# 100-003-406

#### Gas Cartridge



GA2

- Content 600ml/330g
- 70% Butane, 30% Propane
- Universal connection









# Trigger Sprayers - for small tasks in the home or garden





#### NEW

#### 4119 0000

#### 100-001-673

#### Kaléïdo

Decorative trigger with 3 different colours: sage green, beige and terracotta

- Adjustable conical nozzle from straight spray to mist
- 360° function for spraying even under leaves
- Wide base for greater stability

0.7L

20

Pack Quantity





#### 4118 0000

### 100-001-669

#### Trigger Sprayer 0.8L

Decorative trigger with 5 different colours: fir green, turmeric yellow, beige, deep blue, terracotta

 Adjustable conical nozzle from straight spray to mist







#### 4023 0000

#### 100-001-675

#### Pulsar 1L

#### Decorative trigger with opening on the translucent tank for easy filling

- Colours: water blue, ocean blue, olive green
- 360° function for spraying even under leaves
- Adjustable conical nozzle from straight spray to mist
- Ergonomic 3-finger trigger











Pack Quantity









#### 100-100-655

**T2** Evolution

#### 100-100-653 T1 Evolution

#### • 360° function for spraying, even under leaves at night

- 11cm extension wand for fine spray or mist
- Adjustable nozzle for fine spray or mist
- 3 different colours: olive green, terracotta red, grey

1<sub>L</sub> 12 1.5L 12







# 4120P0000

#### Product

### Spraymist Trigger Sprayer

- Perfect for indoor or balcony watering
- Translucent, graduated bottle
- Nozzle adjustment from jet to mist



#### 4124 0000

### 100-001-666

#### Pressure Sprayer

- Translucent gauge to check volume level
- Lockable on/off spraying
- 11cm long reach nozzle
- Nozzle adjustment from jet to mist



### 4122P0000

#### 100-001-659

#### Spraymist Pressure Sprayer

- Lockable on/off spraying
- Wide opening for an easy filling and emptying
- Anti-theft nozzle
- Easy to pressurise pump Nozzle adjustment
- from jet to mist







# 5102P0000

### Viton

# Pressure Sprayer

- Equipped with Viton fluoroelastomer seals for use with agressive chemicals
- Lockable on/off spraying
- Adjustable nozzle from jet
- Anti-theft nozzle

1.25L 6



#### Size

Pack Quantity







4121P0000





# Pressure Sprayers - easy and accurate application for all uses







经验		and refere						-
	STANDARD			PULSAR PLU	S		PULSAR VIT	ON 🔿
				Plus	Plus	Plus		
	3	3	3	3	<b>3</b>	3	3	3
Code	4230 0000	4231 0000	4232 0000	4310 0000	4311 0000	4312 0000	5310 0000	5311 0000
SAP Code	100-001-718	100-001-720	100-001-723	100-001-728	100-001-729	100-001-732	100-001-853	100-001-855
Product	Standard 5L	Standard 7L	Standard 10L	Pulsar Plus 5L	Pulsar Plus 7L	Pulsar Plus 12L	Pulsar Viton 5L	Pulsar Viton 7L
3 bar Safety valve	<b>√</b>	<b>√</b>	<b>√</b>	✓	1	1	<b>√</b>	<b>✓</b>
Translucent Graduated Tank								
Lance clip stores equipment	<b></b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>/</b>	/	<b>√</b>	<b>✓</b>
Spillproof trigger - not one drop of treatment lost	<b>√</b>			<b>√</b>	<b>√</b>	<b>√</b>	<b>✓</b>	✓
Adjustable Carrying Strap	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>/</b>	<b></b>	<b>√</b>
2-handed				<b>√</b>				<b>√</b>
pumping handle Tank Base for	_	_	_	-		<b>✓</b>	•	<b>✓</b>
Stability  Dosing Cap								
Ergonomic trigger with filter	-	-	-	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>
1 bar pressure	-	_	<b>✓</b>	_	_		_	_
regulator  Adjustable Nozzle (jet to mist)	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>√</b>	-	-		-
Multi Nozzle - 3in1 spray patterns		-	-	-	<b>√</b>	<b>√</b>	<b>✓</b>	<b>✓</b>
Viton Seals	-	-	-	-	-	-	<b>√</b>	<b>✓</b>
Polypropylene lance	20cm	30cm	30cm	-	-	-	-	-
Aluminium lance	-	-	-	30cm	40cm	60cm	-	-
Composite lance + 20 cm flexible nozzle	-	-	-	-	-	-	40cm + 20cm	40cm + 20cm
Size	5L	7L	10L	5L	7L	12L	5L	7L
Pack Quantity	6	6	6	6	6	6	6	6
Barcode	5 010646 062619 >	5 010646 062633 >	5 010646 062664 >	5 010646 062671 >	5 010646 062688 >	5 010646 062695	5 010646 062701 >	5   010646 062718   >

# Pressure Sprayers - easy and accurate application for all uses





#### 4140A0000

#### 4-in-1 Portashower

- Compact, portable shower
- Handy-sized, measuring only 46cm high for easy storage
- Integral lance handle storage facility

7L

Pack Quantity

6





# 4507 0000FR

### Disinfection Sprayer

- A high quality, convenient sprayer designed for the safe use of bleach (Liquid bleach diluted at 2% 5% maximum)
- Flat fan nozzle for large treatment areas and high chemical resistance fibreglass lance 30 cm
- 3 bar pressure valve
- Large tank opening, for easy filling, emptying and mixing
- Ergonomic trigger handle with integrated filter
- Translucent, graduated bottle for accurate chemical mixing and dosing

7L

6

Pack Quantity

Product





# Knapsack Sprayers - ideal for large gardens





#### 4712B0000

#### Pulsar Plus Comfort 12L

- Pulsar Plus Comfort 16L • Maximum comfort: a unique ergonomic design with a curved tank is easy to use left-handed or right-handed
- Easy pumping action: the perfect compromise between power and frequency, with an ergonomic handle
- Lockable lever, either in use or in storage
- Comes with a filter, mixer, Multi Nozzle (3in1 spray patterns to suit your treatment) and 60cm aluminium lance
- 1 bar pressure regulator
- Reinforced and adjustable comfort carry straps

12L 2

Pack Quantity



4716B0000





# Electric Sprayer





# 4615 1240

### Product

#### 100-001-793

#### Electric Sprayer 15L

- 15L tank with translucent graduated marks and shoulder straps
- 3 levels of pressure = 1 bar, 3 bar and one position for high
- Duration between 2.5 to 4.5 hours (depending of the level of pressure used)
- Lithium ion battery, easy to fit. Battery charge indicator and quick charging in 4 hours
- Wide opening hole (130 cm) with filter to prevent pump blockages
- Comes with 60cm aluminium lance and compatible with all Hozelock accessories

Pack Quantity Barcode

15L 1



# Syringe Sprayers



#### Product

- Seringa Sprayer
- Double action trombone sprayer • High operating pressure (8-10 bar) for high treatments (up to 7m)
- Adjustable nozzle from jet to mist
- Ergonomic lance handle
- $\bullet$  Tank stays on floor at all times connected to a 5m hose so the user stays safe
- Strainer to filter liquids to avoid clogging the nozzle

Size

Pack Quantity





# Sprayer Accessories - sprayer spares available from www.hozelock.com

### 4424 0000 100-001-764

#### Multi Jet Nozzle

- A unique, practical and compact nozzle holder with 3 integrated nozzles, for all types of treatment
- Wide flat fan nozzle 35-95cm for spraying weeding treatments over large areas
- Narrow fan nozzle 20-60cm for spraying DIY applications more precisely
- Conical mist nozzle for a good coverage of insecticide or fungicide application on a shrub or bush
- Compatible with all 8mm lances and easy to take apart to clean

Pack Quantity

Product



INNOVATION











### https://www.hozelock.com/support/catalogues/

As part of our commitment to continuous product improvement we reserve the right to make design and manufacturing changes which may mean that products supplied differ in certain respects from those illustrated and specified in this catalogue.

Please note that not all products are available in all markets

For spare & accessory information please visit, https://spares.hozelock.com/



# **CJP Marketing Pte Ltd**

2 Gambas Crescent, Nordcom II #09-14, Singapore 757044 Email: Sales@cjppl.com

www.hozelock.com

