

STANLEY

0210120 403 85 DE505012100120

TIE-DOWNS & BUNGEE CORDS 2022 CATALOG



INDEX



05 HEAVY DUTY RATCHET TIE-DOWNS

SXCM-S1000 SXCM-S1001 SXCM-S1002 SXCM-S1003 SXCM-S1004 SXCM-S1005



07 LIGHT LOAD CAM BUCKLES SXCM-S1023 SXCM-S1024 SXCM-S102?

SXCM-S102? **OB** RETRACTABLE RATCHET TIE-DOWNS SXCM-S1023

SXCM-S1024



06 HEAVY DUTY RATCHET TIE-DOWNS

SXCM-S1006 SXCM-S1007 SXCM-S1008 SXCM-S1009 SXCM-S1010 SXCM-S1011 SXCM-S1012 SXCM-S1013 SXCM-S1015 SXCM-S1016



O9 FATMAX RATCHET TIE-DOWNS SXCM-S1027 SXCM-S1028 SXCM-S1029 SXCM-S1030





06 MEDIUM DUTY RATCHET TIE-DOWNS SXCM-S1017 SXCM-S1018





O7 CAM BUCKLE TIE-DOWNS SXCM-S1018 SXCM-S1019 SXCM-S1020 SXCM-S1021 SXCM-S1022



TIE-DOWNS

To make using a strap easier, safer and more convenient for customers, STANLEY has developed an exclusive new range of straps, designed with a clever combination of shapes and curves, which make them more ergonomic and practical to use. Stanley ratchet tie downs, spring clamp tie downs and lashing straps feature strapping for added durability and strength.

THE RIGHT TIE-DOWN FOR THE JOB.



Pick a hook that suits your needs, some hooks are lockable, some are hooks can grip other hooks.



Straps come in various lengths. Make sure you have some spare length.



Make sure the die-down you chose can withstand the workload.





AGS



Different ratchets for each application. Some include rubber coated grips. STANLEY products are packaged in an environmentally friendly box. Interactive packaging means the product can be touched and felt in stores. A guide on the packaging makes information on the products easy to understand.

HEAVY DUTY RATCHET TIE-DOWNS



The STANLEY tiedowns S1000 - 1005 are the perfect solutions to a wide variety of light-weight tasks. The combination of speed and durability make them a great choice for securing appliances, lawn equipment or small personal motor-sports onto a trailer.



AVAILABLE WITH VARIOUS HOOK TYPES!



S-HOOK ENDS SI





CODE	BARCODE	НООР ТҮРЕ	FEATURES	STRAP DIMENSIONS	BREAK STRENGTH	RATED WORK LOAD	SET
SXCM-S1000	8717496638281	NO HOOK	RUBBER COATED GRIP	38 MM X 5 MTR	2000 KG	1000 KG	1 PC
SXCM-S1001	8717496638298	S-HOOK	RUBBER COATED GRIP	38 MM X 5 MTR	1500 KG	750 KG	1 PC
SXCM-S1002	8717496638304	SPRING CLAMP	RUBBER COATED GRIP	38 MM X 5 MTR	1500 KG	750 KG	1 PC
SXCM-S1003	8717496638311	Ј-НООК	RUBBER COATED GRIP	38 MM X 5 MTR	1500 KG	750 KG	1 PC
SXCM-S1004	8717496638328	V-НООК	RUBBER COATED GRIP	38 MM X 5 MTR	1500 KG	750 KG	1 PC
SXCM-S1005	8717496638335	NO HOOK	RUBBER COATED GRIP	35 MM X 6 MTR	2000 KG	1000 KG	2 PC SET

HEAVY DUTY RATCHET TIE-DOWNS



The STANLEY tiedowns S1006 – S1016 Ratchet tiedowns are the choice when reliability is the goal. Ideal for ATVs, hunting, fishing, and camping, the ergonomically-designed handle with a rubber grip and durable ratcheting component easily and safely secure cargo and keep loads from shifting.



AVAILABLE WITH VARIOUS HOOK TYPES!





J-HOOK ENDS




CODE	BARCODE	НООР ТҮРЕ	FEATURES	STRAP DIMENSIONS	BREAK STRENGTH	RATED WORK LOAD	SET
SXCM-S1006	8717496638342	NO HOOK	RUBBER COATED GRIP	38 MM X 5 MTR	3000 KG	1500 KG	1PC
SXCM-S1007	8717496638359	S-HOOK	RUBBER COATED GRIP	38 MM X 5 MTR	1500 KG	750 KG	1PC
SXCM-S1008	8717496638366	SPRING CLAMP	RUBBER COATED GRIP	38 MM X 5 MTR	1500 KG	750 KG	1PC
SXCM-S1009	8717496638373	J-HOOK	RUBBER COATED GRIP	38 MM X 5 MTR	1500 KG	750 KG	1PC
SXCM-S1010	8717496638380	V-HOOK	RUBBER COATED GRIP	38 MM X 5 MTR	1500 KG	750 KG	1PC
SXCM-S1011	8717496638397	S-HOOK	RUBBER COATED GRIP	35 MM X 3 MTR	1500 KG	750 KG	2PC SET
SXCM-S1012	8717496638403	NO HOOK	RUBBER COATED GRIP	35 MM X 6 MTR	3000 KG	1500 KG	1PC
SXCM-S1013	8717496638410	J-HOOK	RUBBER COATED GRIP	35 MM X 4,5 MTR	1500 KG	750 KG	1PC
SXCM-S1015	8717496638434	S-HOOK	RUBBER COATED GRIP	27 MM X 5 MTR	1500 KG	750 KG	2PC SET
SXCM-S1016	8717496638441	S-HOOK	RUBBER COATED GRIP	27 MM X 5 MTR	1500 KG	750 KG	4PC SET

MEDIUM DUTY RATCHET TIE-DOWNS

Easy To Secure Cargo, Quick Release.



AVAILABLE WITH TWO HOOK TYPES!



CODE	BARCODE	НООР ТҮРЕ	FEATURES	STRAP DIMENSIONS	BREAK STRENGTH	RATED WORK LOAD	SET
SXCM-S1017	8717496638458	NO-HOOK	ELECTROPHORIS BLACK	25 MM X 5 MTR	1000 KG	500 KG	4PC SET
SXCM-S2018	8717496639127	S-HOOK	ELECTROPHORIS BLACK	25 MM X 5 MTR	500 KG	250 KG	4PC SET



CAM BUCKLE TIE-DOWNS







AVAILABLE WITH VARIOUS HOOK TYPES!



CODE	BARCODE	НООР ТҮРЕ	STRAP DIMENSIONS	BREAK STRENGTH	RATED WORK LOAD	SET
SXCM-S1018	8717496638465	S-HOOK	25 MM X 2 MTR	300 KG	150 KG	1PC
SXCM-S1019	8717496638472	J-HOOK	25 MM X 2 MTR	300 KG	150 KG	1PC
SXCM-S1020	8717496638489	NO HOOK	25 MM X 2 MTR	600 KG	300 KG	1PC
SXCM-S1021	8717496638496	S-HOOK	25 MM X 3 MTR	300 KG	150 KG	8PC SET
SXCM-S1022	8717496638502	J-HOOK	25 MM X 3 MTR	300 KG	150 KG	8PC SET

LIGHT LOAD CAM BUCKLES

These STANLEY light load cambuckle straps are suitable for car trunks, car roof racks, bicycle racks, motorcycle trailers and for securing camping and sports equipment. These ratchet straps ensure your cargo position is maintained throughout transportation. Simple metal buckle design for easy use & quick release.



APPELEX

STANLEY

CAM BUCKLES HAVE NO HOOKS



CODE	BARCODE	НООР ТҮРЕ	STRAP DIMENSIONS	BREAK STRENGTH	RATED WORK LOAD	SET
SXCM-S1023	8717496638519	NO HOOK	25 MM X 2 MTR	500 KG	250 KG	36PC DISPLAY
SXCM-S1024	8717496638526	NO HOOK	25 MM X 4 MTR	370 KG	185 KG	36PC DISPLAY

RETRACTABLE RATCHET TIE-DOWNS

STANLEY has developed a retractable ratchet tiedown, which makes it easier and more practical to use. It's easy to use, push and hold the button and it automatically winds up. Superior plastic moulded grips protect loads and makes the straps easier to use.













TANLEY



CODE	BARCODE	HOOP TYPE	FEATURES	STRAP DIMENSIONS	BREAK STRENGTH	RATED WORK LOAD	SET
SXCM-S1025	8717496638533	J-HOOK	RETRACTABLE DESIGN	38 MM X 4 MTR	1000 KG	500 KG	1PC
SXCM-S1026	8717496638540	S-HOOK	RETRACTABLE DESIGN	38 MM X 4 MTR	1000 KG	500 KG	1PC

FATMAX RATCHET TIE-DOWNS



Heavy duty ratchet tiedowns. These are made for standard tie down applications on flatbed trailers, interior van trailers, moving trucks etc. Working length 8m and 50mm wide. Quality polyester webbing.



AVAILABLE WITH VARIOUS HOOK TYPES!



	CODE	BARCODE	HOOP TYPE	FEATURES	STRAP DIMENSIONS	BREAK STRENGTH	RATED WORK LOAD	SET
	SXCM-S1027	8717496638557	NO HOOK	RUBBER COATED GRIP	50 MM X 8 MTR	10000 KG	5000 KG	1PC
-	SXCM-S1028	8717496638564	S-HOOK	RUBBER COATED GRIP	50 MM X 8 MTR	5000 KG	2500 KG	1PC
-	SXCM-S1029	8717496638571	J-HOOK	RUBBER COATED GRIP	50 MM X 8 MTR	5000 KG	2500 KG	1PC
_	SXCM-S1030	8717496638588	V-HOOK	RUBBER COATED GRIP	50 MM X 8 MTR	5000 KG	2500 KG	1PC





BUNGEE CORDS

STANLEY premium quality bungee cords come in a variety of lengths to suit any application. This product has been designed to offer added consumer benefits and increased security.

ELASTIC BUNGEE CORDS



STANLEY bungees to secure and attach loads on bicycles load, during house moving or during camping. GS MARK - CERTIFICATION trusted quality and safety of the bungees. premium quality cord with two wire hook offers more strength than traditional bungees.



AVAILABLE WITH VARIOUS HOOK TYPES!



CODE	BARCODE	НООР ТҮРЕ	STRAP DIMENSIONS	BREAK STRENGTH	RATED WORK LOAD	SET
SXCM-S1031	8717496638595	OPPOSITE HOOK	8 MM X 120 CM	70 N	35 N	2PC SET
SXCM-S1032	8717496638601	OPPOSITE HOOK	8 MM X 100 CM	70 N	35 N	2PC SET
SXCM-S1033	8717496638618	OPPOSITE HOOK	8 MM X 80 CM	70 N	35 N	2PC SET
SXCM-S1034	8717496638625	OPPOSITE HOOK	8 MM X 60 CM	70 N	35 N	2PC SET
SXCM-S1035	8717496638632	OPPOSITE HOOK	8 MM X 45 CM	70 N	35 N	2PC SET
SXCM-S1038	8717496638663	OPPOSITE HOOK	4 MM X 25 CM	20 N	10 N	4PC SET
SXCM-S1039	8717496638670	OPPOSITE HOOK	8 MM X 60/80/100 CM	200 N	100 N	4X60CM, 4X80CM, 4X100CM
SXCM-S1040	8717496638687	OPPOSITE HOOK	8 MM X 60/80/100 CM	200 N	100 N	2X60CM,2X 80CM, 2X100CM
SXCM-S1042	8717496638700	CARABINER HOOK	8 MM X 60 CM	70 N	35 N	2PC SET
SXCM-S1043	8717496638717	CARABINER HOOK	8 MM X 100 CM	70 N	35 N	2PC SET
SXCM-S1044	8717496638724	CARABINER HOOK	8 MM X 150 CM	70 N	35N	2PC SET
SXCM-S1045	8717496638731	CARABINER HOOK	8 MM X 80 CM	70 N	35 N	1PC

ELASTIC BUNGEE CORDS



Made with the highest grade polyester and latex material, elastic design provides constant tension and firm hold. Strong and Durable Nylon elastic bungee cord loop with plastic ball end; Weatherproof, long lasting and fray resistant. Easy to Use Pull the cord through the hooks / eyelets and pull the loop over the plastic ball.



AVAILABLE WITH BALL ENDS



CODE	BARCODE	HOOP TYPE	STRAP DIMENSIONS	BREAK STRENGTH	RATED WORK LOAD) SET
SXCM-S10	36 8717496638649	BALL	4.5 MM X 20 CM	20 N	10 N	4PC SET
SXCM-S10	37 8717496638656	BALL	4.5 MM X 40 CM	20 N	10 N	4PC SET
SXCM-S10	41 8717496638694	BALL	4.5 MM X 20/30/40/50 CM	20 N	10 N	2X 20CM, 3X 30CM, 3X 40CM, 2X 50CM



Distributed by CJP MARKETING PTE LTD 2 Gambas Crescent #09-14 Nordcom II, Singapore 757044 Email : Sales@cjppl.com

Stanley® is a registered trademark of The Stanley Works or its affiliates and is used under license.

All rights reserved. Neither this catalogue, nor its text, illustration, drawings or part thereof, may be reproduced, stored in a retrieval system, photocopied, recorded or transmitted in any form, whether electronic or otherwise, without Stanley's consent. To the best of Stanley's knowledge, all descriptions and illustrations contained in this catalogue are correct at the time of going to print.