

STANLEY®



**E-SERIES
LOCKSETS**

THE MEASURE OF A PRO™


BOLA



- Fits all standard doors
- Easy to install
- 200,000 cycle tested
- Door thickness 35mm or 44mm

ITEM NO	DESCRIPTION	TYPE	BACKSET	FINISH
SXLS-BCKP5	BOLA CYLINDRICAL KNOB BSET 60MM PRIVACY 5	PRIVACY	60MM	ANITIQUE BRASS
SXLS-BCKP3	BOLA CYLINDRICAL KNOB BSET 60MM PRIVACY 3	PRIVACY	60MM	BRIGHT BRASS
SXLS-BCKP32D	BOLA CYLINDRICAL KNOB BSET 60MM PRIVACY 32D	PRIVACY	60MM	SATIN STAINLESS STEEL
SXLS-BCKE5	BOLA CYLINDRICAL KNOB BSET 60MM ENTRY 5	ENTRANCE	60MM	ANITIQUE BRASS
SXLS-BCKE3	BOLA CYLINDRICAL KNOB BSET 60MM ENTRY 3	ENTRANCE	60MM	BRIGHT BRASS
SXLS-BCKE32D	BOLA CYLINDRICAL KNOB BSET 60MM ENTRY 32D	ENTRANCE	60MM	SATIN STAINLESS STEEL


CEVA



- Fits all standard doors
- Easy to install
- 200,000 cycle tested
- Door thickness 35mm or 44mm

ITEM NO	DESCRIPTION	TYPE	BACKSET	FINISH
SXLS-CCKP5	CEVA CYLINDRICAL KNOB BSET 60MM PRIVACY 5	PRIVACY	60MM	ANITIQUE BRASS
SXLS-CCKP3	CEVA CYLINDRICAL KNOB BSET 60MM PRIVACY 3	PRIVACY	60MM	BRIGHT BRASS
SXLS-CCKP32D	CEVA CYLINDRICAL KNOB BSET 60MM PRIVACY 32D	PRIVACY	60MM	SATIN STAINLESS STEEL
SXLS-CCKE5	CEVA CYLINDRICAL KNOB BSET 60MM ENTRY 5	ENTRANCE	60MM	ANITIQUE BRASS
SXLS-CCKE3	CEVA CYLINDRICAL KNOB BSET 60MM ENTRY 3	ENTRANCE	60MM	BRIGHT BRASS
SXLS-CCKE32D	CEVA CYLINDRICAL KNOB BSET 60MM ENTRY 32D	ENTRANCE	60MM	SATIN STAINLESS STEEL


PELE



- Fits all standard doors
- Easy to install
- 200,000 cycle tested
- Door thickness 35mm or 44mm

ITEM NO	DESCRIPTION	TYPE	BACKSET	FINISH
SXLS-PTKP5	PELE TUBULAR KNOB BSET 60/70MM PRIVACY 5	PRIVACY	60/70MM	ANITIQUE BRASS
SXLS-PTKP3	PELE TUBULAR KNOB BSET 60/70MM PRIVACY 3	PRIVACY	60/70MM	BRIGHT BRASS
SXLS-PTKP32D	PELE TUBULAR KNOB BSET 60/70MM PRIVACY 32D	PRIVACY	60/70MM	SATIN STAINLESS STEEL
SXLS-PTKE5	PELE TUBULAR KNOB BSET 60/70MM ENTRY 5	ENTRANCE	60/70MM	ANITIQUE BRASS
SXLS-PTKE3	PELE TUBULAR KNOB BSET 60/70MM ENTRY 3	ENTRANCE	60/70MM	BRIGHT BRASS
SXLS-PTKE32D	PELE TUBULAR KNOB BSET 60/70MM ENTRY 32D	ENTRANCE	60/70MM	SATIN STAINLESS STEEL

BOLA



- Fits all standard doors
- Easy to install
- 200,000 cycle tested
- Door thickness 35mm or 44mm

ITEM NO	DESCRIPTION	TYPE	BACKSET	FINISH
SXLS-BTKP5	BOLA TUBULAR KNOB BSET 60/70MM PRIVACY 5	PRIVACY	60/70MM	ANITIQUE BRASS
SXLS-BTKP3	BOLA TUBULAR KNOB BSET 60/70MM PRIVACY 3	PRIVACY	60/70MM	BRIGHT BRASS
SXLS-BTKP32D	BOLA TUBULAR KNOB BSET 60/70MM PRIVACY 32D	PRIVACY	60/70MM	SATIN STAINLESS STEEL
SXLS-BTKE5	BOLA TUBULAR KNOB BSET 60/70MM ENTRY 5	ENTRANCE	60/70MM	ANITIQUE BRASS
SXLS-BTKE3	BOLA TUBULAR KNOB BSET 60/70MM ENTRY 3	ENTRANCE	60/70MM	BRIGHT BRASS
SXLS-BTKE32D	BOLA TUBULAR KNOB BSET 60/70MM ENTRY 32D	ENTRANCE	60/70MM	SATIN STAINLESS STEEL


SEOUL



- Fits all standard doors
- Easy to install
- 200,000 cycle tested
- Door thickness 35mm or 44mm

ITEM NO	DESCRIPTION	TYPE	BACKSET	FINISH
SXLS-SETLP5	SEOUL TUBULAR LEVER PRIVACY 5	PRIVACY	60/70MM	ANITIQUE BRASS
SXLS-SETLP3	SEOUL TUBULAR LEVER PRIVACY 3	PRIVACY	60/70MM	BRIGHT BRASS
SXLS-SETLP15	SEOUL TUBULAR LEVER PRIVACY 15	PRIVACY	60/70MM	SATIN STAINLESS STEEL
SXLS-SETLE5	SEOUL TUBULAR LEVER ENTRY 5	ENTRANCE	60/70MM	ANITIQUE BRASS
SXLS-SETLE3	SEOUL TUBULAR LEVER ENTRY 3	ENTRANCE	60/70MM	BRIGHT BRASS
SXLS-SETLE15	SEOUL TUBULAR LEVER ENTRY 15	ENTRANCE	60/70MM	SATIN STAINLESS STEEL

SHANGHAI



- Fits all standard doors
- Easy to install
- 200,000 cycle tested
- Door thickness 35mm or 44mm

ITEM NO	DESCRIPTION	TYPE	BACKSET	FINISH
SXLS-SHTLP5	SHANGHAI TUBULAR LEVER PRIVACY 5	PRIVACY	60/70MM	ANITIQUE BRASS
SXLS-SHTLP3	SHANGHAI TUBULAR LEVER PRIVACY 3	PRIVACY	60/70MM	BRIGHT BRASS
SXLS-SHTLP15	SHANGHAI TUBULAR LEVER PRIVACY 15	PRIVACY	60/70MM	SATIN STAINLESS STEEL
SXLS-SHTLE5	SHANGHAI TUBULAR LEVER ENTRY 5	ENTRANCE	60/70MM	ANITIQUE BRASS
SXLS-SHTLE3	SHANGHAI TUBULAR LEVER ENTRY 3	ENTRANCE	60/70MM	BRIGHT BRASS
SXLS-SHTLE15	SHANGHAI TUBULAR LEVER ENTRY 15	ENTRANCE	60/70MM	SATIN STAINLESS STEEL


LONDON



- Fits all standard doors
- Easy to install
- 200,000 cycle tested
- Door thickness 35mm or 44mm

ITEM NO	DESCRIPTION	TYPE	BACKSET	FINISH
SXLS-LTLE15	LONDON TUBULAR LEVER ENTRY 15	ENTRANCE	60/70MM	SATIN NICKEL
SXLS-LTLE5	LONDON TUBULAR LEVER ENTRY 5	ENTRANCE	60/70MM	ANITQUE BRASS
SXLS-LTLE3	LONDON TUBULAR LEVER ENTRY 3	ENTRANCE	60/70MM	BRIGHT BRASS
SXLS-LTLP15	LONDON TUBULAR LEVER PRIVACY 15	PRIVACY	60/70MM	SATIN NICKEL
SXLS-LTLP5	LONDON TUBULAR LEVER PRIVACY 5	PRIVACY	60/70MM	ANITQUE BRASS
SXLS-LTLP3	LONDON TUBULAR LEVER PRIVACY 3	PRIVACY	60/70MM	BRIGHT BRASS



FRANKFURT



- Fits all standard doors
- Easy to install
- 200,000 cycle tested
- Door thickness 35mm or 44mm

ITEM NO	DESCRIPTION	TYPE	BACKSET	FINISH
SXLS-FTLE15	FRANKFURT TUBULAR LEVER ENTRY 15	ENTRANCE	60/70MM	SATIN NICKEL
SXLS-FTLE5	FRANKFURT TUBULAR LEVER ENTRY 5	ENTRANCE	60/70MM	ANITQUE BRASS
SXLS-FTLE3	FRANKFURT TUBULAR LEVER ENTRY 3	ENTRANCE	60/70MM	BRIGHT BRASS
SXLS-FTLP15	FRANKFURT TUBULAR LEVER PRIVACY 15	PRIVACY	60/70MM	SATIN NICKEL
SXLS-FTLP5	FRANKFURT TUBULAR LEVER PRIVACY 5	PRIVACY	60/70MM	ANITQUE BRASS
SXLS-FTLP3	FRANKFURT TUBULAR LEVER PRIVACY 3	PRIVACY	60/70MM	BRIGHT BRASS


AMSTERDAM



- Fits all standard doors
- Easy to install
- 200,000 cycle tested
- Door thickness 35mm or 44mm

ITEM NO	DESCRIPTION	TYPE	BACKSET	FINISH
SXLS-ATLE15	AMSTERDAM TUBULAR LEVER ENTRY 15	ENTRANCE	60/70MM	SATIN NICKEL
SXLS-ATLE5	AMSTERDAM TUBULAR LEVER ENTRY 5	ENTRANCE	60/70MM	ANITQUE BRASS
SXLS-ATLE3	AMSTERDAM TUBULAR LEVER ENTRY 3	ENTRANCE	60/70MM	BRIGHT BRASS
SXLS-ATLP15	AMSTERDAM TUBULAR LEVER PRIVACY 15	PRIVACY	60/70MM	SATIN NICKEL
SXLS-ATLP5	AMSTERDAM TUBULAR LEVER PRIVACY 5	PRIVACY	60/70MM	ANITQUE BRASS
SXLS-ATLP3	AMSTERDAM TUBULAR LEVER PRIVACY 3	PRIVACY	60/70MM	BRIGHT BRASS


PARIS



- Fits all standard doors
- Easy to install
- 200,000 cycle tested
- Door thickness 35mm or 44mm

ITEM NO	DESCRIPTION	TYPE	BACKSET	FINISH
SXLS-PTLE15	PARIS TUBULAR LEVER ENTRY 15	ENTRANCE	60/70MM	SATIN NICKEL
SXLS-PTLE5	PARIS TUBULAR LEVER ENTRY 5	ENTRANCE	60/70MM	ANITQUE BRASS
SXLS-PTLE3	PARIS TUBULAR LEVER ENTRY 3	ENTRANCE	60/70MM	BRIGHT BRASS
SXLS-PTLP15	PARIS TUBULAR LEVER PRIVACY 15	PRIVACY	60/70MM	SATIN NICKEL
SXLS-PTLP5	PARIS TUBULAR LEVER PRIVACY 5	PRIVACY	60/70MM	ANITQUE BRASS
SXLS-PTLP3	PARIS TUBULAR LEVER PRIVACY 3	PRIVACY	60/70MM	BRIGHT BRASS


MILAN



- Fits all standard doors
- Easy to install
- 200,000 cycle tested
- Door thickness 35mm or 44mm

ITEM NO	DESCRIPTION	TYPE	BACKSET	FINISH
SXLS-MTLE15	MILAN TUBULAR LEVER ENTRY 15	ENTRANCE	60/70MM	SATIN NICKEL
SXLS-MTLE5	MILAN TUBULAR LEVER ENTRY 5	ENTRANCE	60/70MM	ANITQUE BRASS
SXLS-MTLE3	MILAN TUBULAR LEVER ENTRY 3	ENTRANCE	60/70MM	BRIGHT BRASS
SXLS-MTLP15	MILAN TUBULAR LEVER PRIVACY 15	PRIVACY	60/70MM	SATIN NICKEL
SXLS-MTLP5	MILAN TUBULAR LEVER PRIVACY 5	PRIVACY	60/70MM	ANITQUE BRASS
SXLS-MTLP3	MILAN TUBULAR LEVER PRIVACY 5	PRIVACY	60/70MM	BRIGHT BRASS


TOKYO



- Fits all standard doors
- Easy to install
- 200,000 cycle tested
- Door thickness 35mm or 44mm

ITEM NO	DESCRIPTION	TYPE	BACKSET	FINISH
SXLS-TTLE15	TOKYO TUBULAR LEVER ENTRY 15	ENTRANCE	60/70MM	SATIN NICKEL
SXLS-TTLE5	TOKYO TUBULAR LEVER ENTRY 5	ENTRANCE	60/70MM	ANITQUE BRASS
SXLS-TTLE3	TOKYO TUBULAR LEVER ENTRY 3	ENTRANCE	60/70MM	BRIGHT BRASS
SXLS-TTLP15	TOKYO TUBULAR LEVER PRIVACY 15	PRIVACY	60/70MM	SATIN NICKEL
SXLS-TTLP5	TOKYO TUBULAR LEVER PRIVACY 5	PRIVACY	60/70MM	ANITQUE BRASS
SXLS-TTLP3	TOKYO TUBULAR LEVER PRIVACY 3	PRIVACY	60/70MM	BRIGHT BRASS


SINGAPORE



- Fits all standard doors
- Easy to install
- 200,000 cycle tested
- Door thickness 35mm or 44mm

ITEM NO	DESCRIPTION	TYPE	BACKSET	FINISH
SXLS-STLE15	SINGAPORE TUBULAR LEVER ENTRY 15	ENTRANCE	60/70MM	SATIN NICKEL
SXLS-STLE5	SINGAPORE TUBULAR LEVER ENTRY 5	ENTRANCE	60/70MM	ANITQUE BRASS
SXLS-STLE3	SINGAPORE TUBULAR LEVER ENTRY 3	ENTRANCE	60/70MM	BRIGHT BRASS
SXLS-STLP15	SINGAPORE TUBULAR LEVER PRIVACY 15	PRIVACY	60/70MM	SATIN NICKEL
SXLS-STLP5	SINGAPORE TUBULAR LEVER PRIVACY 5	PRIVACY	60/70MM	ANITQUE BRASS
SXLS-STLP3	SINGAPORE TUBULAR LEVER PRIVACY 3	PRIVACY	60/70MM	BRIGHT BRASS

BANGKOK



- Fits all standard doors
- Easy to install
- 200,000 cycle tested
- Door thickness 35mm or 44mm

ITEM NO	DESCRIPTION	TYPE	BACKSET	FINISH
SXLS-BTLE15	BANGKOK TUBULAR LEVER ENTRY 15	ENTRANCE	60/70MM	SATIN NICKEL
SXLS-BTLE5	BANGKOK TUBULAR LEVER ENTRY 5	ENTRANCE	60/70MM	ANITQUE BRASS
SXLS-BTLE3	BANGKOK TUBULAR LEVER ENTRY 3	ENTRANCE	60/70MM	BRIGHT BRASS
SXLS-BTLP15	BANGKOK TUBULAR LEVER PRIVACY 15	PRIVACY	60/70MM	SATIN NICKEL
SXLS-BTLP5	BANGKOK TUBULAR LEVER PRIVACY 5	PRIVACY	60/70MM	ANITQUE BRASS
SXLS-BTLP3	BANGKOK TUBULAR LEVER PRIVACY 3	PRIVACY	60/70MM	BRIGHT BRASS


SINGLE CYLINDER



- Fits all standard doors
- Easy to install
- 200,000 cycle tested
- Door thickness 35mm or 44mm

ITEM NO	DESCRIPTION	BACKSET	FINISH
SXLS-DSC5	DEADBOLT SINGLE CYLINDER BSET 60/70MM 5	60/70MM	ANITIQUE BRASS
SXLS-DSC3	DEADBOLT SINGLE CYLINDER BSET 60/70MM 3	60/70MM	BRIGHT BRASS
SXLS-DSC32D	DEADBOLT SINGLE CYLINDER BSET 60/70MM 32D	60/70MM	SATIN STAINLESS STEEL

DOUBLE CYLINDER



- Fits all standard doors
- Easy to install
- 200,000 cycle tested
- Door thickness 35mm or 44mm

ITEM NO	DESCRIPTION	BACKSET	FINISH
SXLS-DDC5	DEADBOLT DD CYLINDER 60/70MM 5	60/70MM	ANITIQUE BRASS
SXLS-DDC3	DEADBOLT DD CYLINDER 60/70MM 3	60/70MM	BRIGHT BRASS
SXLS-DDC32D	DEADBOLT DD CYLINDER 60/70MM 32D	60/70MM	SATIN STAINLESS STEEL

SAN FRANCISCO

SINGLE / DOUBLE CYLINDER



- Fits all standard doors
- Easy to install
- 200,000 cycle tested
- Door thickness 35mm or 44mm

ITEM NO	DESCRIPTION	BACKSET	FINISH
SXLS-SFHD5	SAN FRANCISCO ENTRANCE HANDLESET DOUBLE CYLINDER 5	60/70MM	ANITIQUE BRASS
SXLS-SFHD3	SAN FRANCISCO ENTRANCE HANDLESET DOUBLE CYLINDER 3	60/70MM	BRIGHT BRASS
SXLS-SFHD15	SAN FRANCISCO ENTRANCE HANDLESET DOUBLE CYLINDER 15	60/70MM	SATIN STAINLESS STEEL
SXLS-SFHS5	SAN FRANCISCO ENTRANCE HANDLESET SINGLE CYLINDER 5	60/70MM	ANITIQUE BRASS
SXLS-SFHS3	SAN FRANCISCO ENTRANCE HANDLESET SINGLE CYLINDER 3	60/70MM	BRIGHT BRASS
SXLS-SFHS15	SAN FRANCISCO ENTRANCE HANDLESET SINGLE CYLINDER 15	60/70MM	SATIN STAINLESS STEEL

SEATTLE

SINGLE CYLINDER



- Fits all standard doors
- Easy to install
- 200,000 cycle tested
- Door thickness 35mm or 44mm

ITEM NO	DESCRIPTION	BACKSET	FINISH
SXLS-SHS15	SEATTLE ENTRANCE HANDLESET SINGLE CYLINDER 15	60/70MM	SATIN NICKEL
SXLS-SHS5	SEATTLE ENTRANCE HANDLESET SINGLE CYLINDER 5	60/70MM	ANITQUE BRASS
SXLS-SHS3	SEATTLE ENTRANCE HANDLESET SINGLE CYLINDER 3	60/70MM	BRIGHT BRASS

LOS ANGELES

SINGLE CYLINDER



- Fits all standard doors
- Easy to install
- 200,000 cycle tested
- Door thickness 35mm or 44mm

ITEM NO	DESCRIPTION	BACKSET	FINISH
SXLS-LAHS15	LOS ANGELES ENTRANCE HANDLESET SINGLE CYLINDER 15	60/70MM	SATIN NICKEL
SXLS-LAHS5	LOS ANGELES ENTRANCE HANDLESET SINGLE CYLINDER 5	60/70MM	ANITQUE BRASS
SXLS-LAHS3	LOS ANGELES ENTRANCE HANDLESET SINGLE CYLINDER 3	60/70MM	BRIGHT BRASS

HOUSTON

SINGLE CYLINDER



- Fits all standard doors
- Easy to install
- 200,000 cycle tested
- Door thickness 35mm or 44mm

ITEM NO	DESCRIPTION	BACKSET	FINISH
SXLS-HHS15	HOUSTON ENTRANCE HANDLESET SINGLE CYLINDER 15	60/70MM	SATIN NICKEL
SXLS-HHS5	HOUSTON ENTRANCE HANDLESET SINGLE CYLINDER 5	60/70MM	ANITQUE BRASS
SXLS-HHS3	HOUSTON ENTRANCE HANDLESET SINGLE CYLINDER 3	60/70MM	BRIGHT BRASS






HOUSTON SINGLE CYLINDER



- Fits all standard doors
- Easy to install
- 200,000 cycle tested
- Door thickness 35mm or 44mm

ITEM NO	DESCRIPTION	BACKSET	FINISH
SXLS-HLS15	HOUSTON ENTRANCE LEVER SINGLE CYLINDER 15	60/70MM	SATIN NICKEL
SXLS-HLS5	HOUSTON ENTRANCE LEVER SINGLE CYLINDER 5	60/70MM	ANITQUE BRASS
SXLS-HLS3	HOUSTON ENTRANCE LEVER SINGLE CYLINDER 3	60/70MM	BRIGHT BRASS

STANLEY®

Entrance 	<i>Latchbolt operated by lever from either side. Outside lever locked by push button from inside. Unlocked by key from outside or rotating inside lever. When outside lever locked by push and turn button from inside, key from outside or rotating inside lever retracts latch, does not unlock outside lever.</i>
Classroom 	<i>Latchbolt operated by knob from each side. Outside knob locked or unlocked by key from outside. Inside knob always operates latch</i>
Storeroom 	<i>Latch operated by rotating inside lever or key in outside lever. Outside lever always fixed</i>
Privacy 	<i>Latchbolt operated by lever from either side. Outside lever locked by push button on inside. Unlocked by emergency release on outside, rotating inside lever, or closing door</i>
Passage 	<i>Latchbolt operated by lever from either side at all times</i>

Measurements

If you're replacing a door knob on an existing door then it's important that you make all the required measurements before you make a purchase. The main measurements you should determine are:


- Backset — The distance from the edge of the door to the center of the knob. Usually this will be either 2 3/8 inches or 2 3/4 inches.
- Cross Bore — The hold along the edge of the door frame. This is often about 2 1/8 inches.
- Door Thickness — This usually ranges from 1 1/4 inches to 3", with exterior doors frequently being thicker than interior ones.

Residential Hardware

FINISH CHART

 CR003 PVD Polished Brass	 US1B Flat Black	 US3 Polished Brass	 US3-UNL Unlacquered Brass
 US4 Satin Brass	 US5 Antique Brass	 US10B Oil Rubbed Bronze	 US14 Polished Nickel
 US15 Satin Nickel	 US15A Antique Nickel	 US19 Matte Black	 US26 Polished Chrome
 US26D Brushed Chrome	 US32 Polished Stainless Steel	 US32D Brushed Stainless Steel	

DOOR OPENING CHART



STANLEY®

@ 2022 Stanley Black & Decker, Inc. STANLEY® and the STANLEY® logo are trademarks of Stanley Black & Decker, Inc. or an affiliate thereof and are used under license

CJP MARKETING PTE LTD
2 GAMBAS CRESENT
#09-14 NORDCOM II
SINGAPORE 757044

Website : www.cjppl.com
Email : sales@cjppl.com

