

**SAFETY DATA SHEET** 

REVISED EDITION NO: 1 DATE: 24 / 01 / 2017

SUPERSEDES: 26 / 08 / 2016

**Atlantis Fire & Safety Services** 

U 3/17 Linmax Court, Point Cook, Victoria, 3030, Australia.

Ph: +61 418 372 325 Fax: +61 383 607 540 E: atlantis@atlantisfiresafety.com

## SECTION 1 - IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

#### PRODUCT IDENTIFIER:

# ALCOHOL RESISTANT EXTINGUISHER

## OTHER MEANS OF IDENTIFICATION:

M50AR 50 LITRE ALCOHOL RESISTANT MOBILE EXTINGUISHER M70AR 70 LITRE ALCOHOL RESISTANT MOBILE EXTINGUISHER M90AR 90 LITRE ALCOHOL RESISTANT MOBILE EXTINGUISHER G9LAR 9.0 LITRE AFFF ALCOHOL RESISTANT EXTINGUISHER

#### RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST:

**Use of substance / mixture:** fire extinguishing agent

## DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET:

**Supplier:** Atlantis Fire & Safety Services

Street: U 3/17 Linamx Court

Postal code/city: Point Cook, Victoria, 3030.

Country: Australia

Telephone: +61 418 372 325
Telefax: +61 383 607 540

E-mail: atlantis@atlantisfiresafety.com

Website: www.atlantisfiresafety.com

EMERGENCY CONTACT NUMBER: +61 418 372 325

PREPARED IN ACCORDANCE WITH THE NATIONAL CODE OF PRACTICE FOR THE PREPARATION OF MATERIAL SAFETY DATA SHEETS 2ND EDITION [NOHSC:2011(2003)]

# SECTION 2 - HAZARD(S) IDENTIFICATION

## **CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:**

Classification according to the the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia

Classidied as dangerous - Gases under Pressure - Compressed Gas

Classification according to the the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th Edition)

Classified as Dangerous Goods

## **LABEL ELEMENTS:**

Hazard pictograms	
Pictogram name	GHS04 Gas Cylinder
Signal word	WARNING
	Hazard statements
Physical Hazards	H280 Contains gas under pressure; may explode if heated.
Health Hazards	
Environmental Hazards	
Combinations	
	Precautionary statements
General	
Prevention	
Response	
Storage	P410+P403 Protect from sunlight. Store in a well ventilated space.

## **OTHER HAZARDS:**

None.

## SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

## **SUBSTANCES**

This product is a mixture

## MIXTURE INGREDIENTS

Ingredient (Designation)	CAS No.	Concentration
Sodium alkyl ether sulphate	73665-22-2	1 - <5%
Diethylene glycol monobutyl	112-34-5	1 - < 5%
Ethanol, ethyl alcohol	64-17-5	1 - <5%
Nitrogen UN1066	7727-37-9	not known, gas

# **SECTION 4: FIRST AID MEASURES**

## **DESCRIPTION OF FIRST AID MEASURES:**

#### After inhalation

If signs or symptoms occur, remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, get immediate medical attention.

#### After skin contact

Immediately wash skin with soap and large amounts of water. Remove contaminated clothing. If signs/symptoms occur, call a medical doctor. Wash contaminated clothing before reuse and dispose of contaminated shoes.

#### After eye contact

Immediately flush eyes with large amounts of water. Get immediate medical attention.

## After ingestion

If swallowed, call a medical doctor immediately. Only induce vomiting at the instruction of a medical doctor. Never give anything by mouth to an unconscious person.

## MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE, DELAYED AND AGGREVATED

No information available

## INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

See above. If symptoms persist, call a physician.

## **SECTION 5: FIREFIGHTING MEASURES**

## **EXTINGUISHING MEDIA**

This is an extinguishing agent.

#### SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

At high temperature: concentrate gives toxic products. Thermal decomposition of usage concentrations does not present a hazard.

## ADVICE FOR FIREFIGHTERS

In case of fire the product may be violently or explosively reactive. If safe to do so, remove containers from path of fire. Keep containers and fire-exposed surfaces cool with water spray. This product should be prevented from entering drains and watercourses.

#### Appropriate personal protective equipment for fire fighters:

Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) and full protective clothing to prevent exposure to vapours, fumes or products of combustion. Avoid eye and skin contact.

#### Hazchem code:

No Hazchem Code issued to these articles. No HIN issued under RID and ADR.

## SECTION 6 - ACCIDENTAL RELEASE MEASURES

## PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

Avoid skin and eye contact

## **ENVIRONMENTAL PRECAUTIONS**

If possible contain the spill.

## METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

Ventilate area. Contain spill. Cover with absorbent material. Collect spilled material. Clean up residue with water.

Place in a closed container.

## **SECTION 7 - HANDLING AND STORAGE**

#### PRECAUTIONS FOR SAFE HANDLING

#### Advice on safe use of product:

Maintain high standards of personal hygiene i.e. Washing hands prior to eating, drinking, smoking or using toilet facilities.

## Advice on safe handling:

Avoid inhalation of vapours and mists and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mist or vapours in the work atmosphere.

#### **Environmental precautions:**

Prevent the build up of mist or vapours in the work atmosphere.

## CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

#### **Technical measures and storage conditions:**

Store at temperatures above 0°C and below 60°C.

#### Requirements for storage rooms and containers:

Store away from areas where product may come into contact with food or pharmaceuticals. Keep container closed when not in use.

Store and cover in shade. Ensure that storage conditions comply with applicable local and national regulations.

#### Unsuitable container/equipment material:

No information available.

#### Information on combines storage:

No information available.

## SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

## **CONTROL PARAMETERS / OCCUPATIONAL EXPOSURE LIMIT VALUES**

No exposure standards have been established for this material. However, the available exposure limits for the mixtures ingredients are listed below:

#### Safe Work, Australia Exposure Standards:

Substance	CAS No.	TWA*	STEL**
Ethyl Alcohol	64-17-5	ppm - 1000 mg/m <sup>3</sup>	No value assigned
(Ethanol)		ppm - 1880 mg/m <sup>3</sup>	

<sup>\*</sup>TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.

## **EXPOSURE CONTROLS**

#### **Appropriate engineering controls:**

Use with good general ventilation. If solids/dusts are produced, local exhaust ventilation should be used. Systems under pressure should be regularly checked for leakages.

#### Individual protective measures, e.g. Personal Protective Equipment:

The following recommendations should be considered: Wear chemical goggles, chemical resistant gloves and in poor ventilated areas use appropriate respiratory protection.

#### **Environmental exposure controls**

Not known

## SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

## INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Appearance	
- Physical state:	Liquid
- Colour:	'Pale straw'
Odour:	Mild pleasant
Odour threshold:	no information available
pH:	7.0-9.0
Melting point (°C):	no information available
Boiling point (°C):	97
Molar mass:	no information available
Critical temperature (°C):	no information available
Flash point (°C):	no information available
Evaporation rate (ether=1):	no information available
Flammability range (vol% in air):	Non flammable.
Vapour pressure (at 20°C):	no information available
Vapour density:	no information available
Relative density, gas (air=1):	no information available

<sup>\*\*</sup>STEL (Short Term Exposure Limit): The average airborne concentration over a minute period which should not be exceeded at any time during a normal eight-hour workday.

# SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES (CONTINUED)

Relative density, liquid (water =1):	no information available	
Solubility in water:	no information available	
Partition coefficient n-octanol/water:	no information available	
Viscosity at 20°C (mPa.s):	no information available	
Explosive properties:	Not explosive	
Molecular weight:	no information available	
Stability in temperature (°C):	0~+60	
Other information:	Apparent density (g/m³): 1.02	
	Does not ignite.	

# **SECTION 10 - STABILITY AND REACTIVITY**

## **REACTIVITY**

None

## **CHEMICAL STABILITY**

Stable under normal ambient storage and handling conditions.

## **POSSIBILITY OF HAZARDOUS REACTIONS**

No information available

## **CONDITIONS TO AVOID**

None

## **INCOMPATIBLE MATERIALS**

Materials to avoid:

None

## **HAZARDOUS DECOMPOSITION PRODUCTS**

No decomposition if stored and applied as directed.

# SECTION 11 - TOXILOGICAL INFORMATION

## INFORMATION ON TOXICOLOGICAL EFFECTS

Toxicity Information	
This chemical formulation has not been tested for health effects.	
Acute toxicity:	This product has not been tested
Skin corrosion/irritation:	This product has not been tested
Serious eye damage/irritation:	This product has not been tested
Respiratory or skin sensitisation:	This product has not been tested
Respiratory or skin sensitisation:	This product has not been tested
Germ cell mutagenicity:	This product has not been tested
Carcinogenicity:	This product has not been tested
Reproductive toxicity:	This product has not been tested
Specific Target Organ Toxicity (STOT)– single exposure:	This product has not been tested
Specific Target Organ Toxicity (STOT) – repeated exposure:	This product has not been tested
Aspiration hazard:	This product has not been tested

## **INFORMATION ON POSSIBLE ROUTES OF EXPOSURE**

Eye contact:	Mildly irritating for short periods of time
Skin contact:	May be mildly irritating
Inhalation:	Irritant to the respiratory tract
Ingestion:	Not an expected route of entry
Acute overexposure:	See above
Chronic overexposure:	Allergic Skin Reaction: signs/symptoms can include
	redness, swelling, blistering, and itching.

# **EARLY ONSET SYMPTOMS RELATING TO EXPOSURE**

No known effects from this product.

## **DELAYED HEALTH EFFECTS FROM EXPOSURE**

No known effects from this product.

## **EXPOSURE LEVELS AND HEALTH EFFECTS**

No known effects from this product.

## **INTERACTIVE EFFECTS**

No known effects from this product.

## **SECTION 12 - ECOLOGICAL INFORMATION**

## **ECOTOXICITY**

Not determined.

## PERSISTENCE AND DEGRADABILITY

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants.

## **BIOACCUMULATIVE POTENTIAL**

Not determined.

## **MOBILITY IN SOIL**

product has not been tested.

## OTHER ADVERSE EFFECTS

Not determined

## **FURTHER INFORMATION**

None

## **SECTION 13 - DISPOSABLE CONSIDERATIONS**

## **DISPOSABLE METHODS**

No harm to the environment is expected from this preparation. Dispose of in compliance with local, state and Commonwealth regulations.

## PHYSICAL/CHEMICAL PROPERTIES THAT MAY AFFECT DISPOSAL OPTIONS

Not determined

## **EFFECTS OF SEWAGE DISPOSAL**

Not determined

## SPECIAL PRECAUTIONS FOR INCINERATION OR LANDFILL

Not determined

# **SECTION 14 - TRANSPORT INFORMATION**

Labelling ADG, IMO/IMDG, ICAO/IATA



2.2 Non flammable, non toxic gas

## **Road and Rail Transport (ADG Code)**

**Classification:** 

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road & Rail (Seventh edition, 7.4, 2015)

# SECTION 14 - TRANSPORT INFORMATION (CONTINUED)

UN number	1044
Proper shipping name:	FIRE EXTINGUISHERS with compressed or liquefied gas
Transport hazard class/division:	2.2
Packing group:	N/A
HAZCHEM - Emergency Action Code	No Hazchem Code issued to these articles. No HIN issued under RID and ADR.
Special Provisions:	225
Limited Quantities:	120mL
Packing Instruction:	P003
Special Packing Provisions:	PP91
Placard load Incompatabilities:	Division 1 - Explosives  Division 2.1 - Flammable Gases when the Division 2,2 gas has a subsidiary risk 5.1 except when all are packed in cylinders or pressure drums not exceeding 500L capacity.  Division 2.3 Toxic Gases when the Division 2,2 gas has a subsidiary risk 5.1 except when all are packed in cylinders or pressure drums not exceeding 500L capacity.  Division 4.2 - Spontaneously Combustible Substances  Division 5.2 - Organic Peroxides
Marine transport (IMO/IMDG)	
Classification:	Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.
UN number:	1044
Proper shipping name:	FIRE EXTINGUISHERS with compressed or liquefied gas
Division:	2.2
Environmental hazards for Transport Purposes:	Not a known pollutant according to the International Maritime Dangerous Goods (IMDG) Code. Substance is not classified as having an acute aquatic toxicity hazard.
Emergency Schedule (EmS) - Fire:	F-C
Emergency Schedule (EmS) - Spillage:	S-V
Special provisions:	225
Air transport (ICAO/IATA)	
Classification:	Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.
UN number:	1044
Proper shipping name:	FIRE EXTINGUISHERS with compressed or liquefied gas
Division:	2.2
Packing instruction (Cargo Aircraft only):	213
Packing instruction (Passanger and Cargo Aircraft):	Restricted.

# **SPECIAL PRECAUTIONS FOR USER**

Not available.

## **SECTION 15 - REGULATORY INFORMATION**

## SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

#### AICS (Australia)

All components of this product are listed on the Australian Inventory of Chemical Substances (AICS) or exempted

#### CHEMICAL ASSESSMENT

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16 - OTHER INFORMATION**

## **KEY LITERATURE REFERENCES AND SOURCES**

Classification in accordance with the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

National Code of Practice for the Preparation of Material Safety Data Sheets 2nd Edition [NOHSC:2011(2003)].

This Safety Data Sheet where necessary has been established in accordance with the applicable European Union legislation and has used calculation methods of regulation (EC) 1272/2008 CLP / (EC) 1999/45 DPD.

Standard for the Uniform Scheduling of Medicines and Poisons. (SUSMP)

Australian Inventory of Chemical Substances (AICS)

Australian Code for the Transport of Dangerous Goods by Road & Rail (2015, 7th Edition, 7.4)

Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.

International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

Workplace exposure standards for airborne contaminants, Safe work Australia.

International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

#### DISCLAIMER

The information is based on the best knowledge of Atlantis Fire & Safety Services and its advisors and is given in good faith, but we cannot guarantee its accuracy, reliability or completeness and therefore disclaim any liability for loss or damage arising out of use of this data. Since conditions of use are outside the control of the Company and its advisors we disclaim any liability for loss or damage when the product is used for purposes other than it is intended.

For contact information please go to page 1 of this SDS.

## END OF SDS.

