



STREAMLIGHT®
50 YEAR
ANNIVERSARY
SINCE 1973

PROFESSIONAL-GRADE
ILLUMINATION TOOLS

SINCE 1973, WE'VE BEEN FOCUSED ON LIGHTING THE WAY IN INNOVATION. **WE'LL NEVER STOP.**

For 50 years, Streamlight has delivered effective, efficient high-performance lighting solutions featuring the latest technology, unmatched performance, unheard of durability and incredible value. We've earned our reputation one customer at a time. And although features or light output may change - our commitment to quality and innovation is the one constant that will always remain the same.



STINGER SERIES	Stinger® 2020 Series	Pg. 13	WEAPON-MOUNTED SERIES	TLR-1® // TLR-2® Series	Pgs. 80-83	
	Stinger LED HL® // Stinger® Color-Rite®	Pg. 14		TLR 3® // TLR-4® Series	Pg. 84	
	Stinger® HPL Series	Pg. 15		TLR-VIR II	Pg. 85	
	Stinger® LED Series	Pg. 16		TLR-6 Series	Pgs. 86-87	
	UltraStinger® LED	Pg. 17		TLR-7A // TLR-8A Series	Pgs. 88-91	
	PolyStinger® Series	Pg. 18		TLR-9 // TLR-10 Series	Pgs. 92-93	
STRION SERIES	Strion LED HL® Series	Pg. 20	TLR-1 HPL	Pg. 94		
	Strion® HPL Series	Pg. 20	TL-Racker® Series	Pg. 95		
	Strion® LED Series	Pg. 21	TLR® RM Series	Pgs. 96-99		
SL SERIES	SL Series	Pgs. 22-23	ProTac® Rail Mount Series	Pgs. 102-105		
			TACTICAL SERIES	Wedge®	Pg. 110	
				ProTac® Series	Pgs. 112-118	
PolyTac® Series	Pgs. 122-123					
WORKLIGHTS SERIES	Stinger Switchblade®	Pg. 29	Scorpion® HL // Scorpion® X	Pg. 123		
	Strion Switchblade®	Pg. 30	Sidewinder® Series	Pgs. 126-133		
	Syclone® Series	Pg. 32	USB RECHARGEABLE LITHIUM ION BATTERY	SL-B50® Series	Pg. 119	
	Flipmate®	Pg. 33		SL-B26® Series	Pgs. 120-121	
	BearTrap®	Pg. 34		HEADLAMP SERIES	Headlamp Series	Pgs. 137-147
LANTERN SERIES	Portable Scene Light Series	Pgs. 38-40	PENLIGHT SERIES		MicroStream® Series	Pg. 150
	Vulcan® 180 Series	Pgs. 42-43			MacroStream® Series	Pg. 151
	Vulcan Clutch®	Pg. 45		Stylus® Series	Pgs. 153-156	
	E-Flood® LiteBox® // E-Flood® FireBox®	Pg. 46	Stylus Reach® Series	Pgs. 152-153		
	E-Spot® LiteBox® // E-Spot® FireBox®	Pg. 46	SPECIALTY SERIES	Specialty Series	Pg. 157	
	Fire Vulcan® LED	Pg. 47		STREAMLIGHT JR. SERIES	Streamlight Jr. F-Stop®	Pg. 158
	E-Flood HL® LiteBox® HL	Pg. 48			Streamlight Jr.® Series	Pg. 159
	HID LiteBox®	Pg. 48	POCKET LIGHT SERIES		Pocket Lights	Pgs. 160
	Waypoint® Series	Pgs. 50-51		LIGHTS FOR A CAUSE SERIES	Lights For A Cause	Pgs. 161
	Siege® Series	Pgs. 53-55			DUALIE/PROPOLYMER SERIES	Dualie® Series
SURVIVOR SERIES	Survivor® X Series	Pgs. 58-59	ProPolymer® Series			Pgs. 73-74
	Survivor® Series	Pg. 60	VANTAGE SERIES	Vantage® 180 X Series		Pg. 63
	VANTAGE SERIES	Vantage®		Pg. 64	Vantage® II	Pg. 65
Vantage® II		Pg. 65		STAY CONNECTED WITH US:		
DUALIE/PROPOLYMER SERIES		Dualie® Series	Pgs. 70-72			#STREAMLIGHTSTRONG
	ProPolymer® Series	Pgs. 73-74				



#STREAMLIGHTSTRONG



STREAMLIGHT LIGHTING THE WAY FOR 50 YEARS

1973

1973 Streamlight founded by engineers who created solar simulators for NASA.

1980 LiteBox® lantern invented by Streamlight.

1989 Streamlight introduces the Survivor® line. Still the world's #1 right-angle rechargeable flashlight.

1998
1999 Vulcan®, Stylus® and Propolymer® series debut.

2001 Streamlight leads the market with innovative LED lighting products.

2003 Streamlight combines LED and Xenon lights in patented Twin-Task® series. New Tactical line premieres featuring Super High Flux LEDs. Fire Vulcan aids firefighter safety as the first lantern with LED tail lights.

1975 Rechargeable halogen lamp flashlight introduced by Streamlight.

MID 1980's Variety of miniature flashlights introduced.

1994 Stinger® series introduced – becomes the standard duty light for law enforcement. Streamlight creates the Scorpion®, lithium-powered, lightweight flashlight with rubber grip.

2000 Streamlight builds state-of-the-art manufacturing facility/corporate headquarters in Eagleville, PA.

2004 Streamlight introduces Strion®, the world's first ultra-compact rechargeable. At just 4.6 oz., it shines as bright as lights 5 times its size.



2005 FireBox[®] is introduced with bright blue LED tail lights that help firefighters be seen in heavy smoke.

2007

Dual-switch Stinger DS[®] debuts. Streamlight creates a million candela (Peak Beam Intensity) lantern – the HID LiteBox[®], with a beam that reaches 1.5 miles. The Sidewinder[®] debuts as the most versatile military light, with multiple LEDs and varying brightness levels for each.

2009

Streamlight introduces the Strion[®] LED, creating the first lithium ion rechargeable gun-mounted and hand-held tactical light. The new PolyStinger[®] LED becomes our first rechargeable polymer body LED flashlight.

2017

The Vulcan[®] 180 is launched. Designed to burn brighter and run longer, it is an essential firefighting and utility tool. This rechargeable, waterproof lantern/scene light has a 180° tilting head to direct the light where needed.

2006

Streamlight introduces our first aluminum gun-mounted lights, TLR-1[®] & TLR-2[®]. LED versions of the Stinger[®] and Survivor[®] are created.

2008

C4[®] LED technology introduced to multiply the brightness of LEDs up to three times. Streamlight expands headquarters and manufacturing facilities with 75,000-ft. addition.

2014

Streamlight introduces the Portable Scene Light with a 72" extension pole designed to rapidly deploy and easily stow.

2016

Streamlight launches MULTI-FUEL technology that allows the user to swap standard lithium batteries with our SL-B26 USB rechargeable battery pack to turn their ProTac[®] 2L-X and ProTac[®] HL-X into rechargeable lighting systems.

2020

The Stinger[®] 2020 is the next evolution in high-performance flashlights – produce 2,000 lumens. Its anti-roll design is ergonomically shaped for a sure grip. It features dual power switches and an intuitive mode selector switch for ease of use.

2023

LEADING THE INDUSTRY

WITH THE GREATEST VARIETY OF PROFESSIONAL GRADE LIGHTS:



STINGER® 2020
pg. 13

STINGER LED HL®
// DS LED HL®
pg. 14

STINGER®
COLOR-RITE®
pg. 14

NEW

STINGER HPL®
// DS HPL®
pg. 15

STINGER® LED
// DS LED®
pg. 16

ULTRASTINGER®
LED pg. 17

POLYSTINGER®
LED HAZ-LO®
pg. 18

POLYSTINGER® LED
// DS® LED pg. 18



FLIPMATE®
pg. 33



BEARTRAP®
pg. 34



PORTABLE SCENE
LIGHT pg. 38



PORTABLE SCENE
LIGHT II pg. 40



VULCAN® 180 SERIES
pg. 42-43



NEW

VULCAN CLUTCH®
pg. 45



E-FLOOD® LITEBOX®
// FIREBOX®
pg. 46



SUPER SIEGE®
pg. 53



SIEGE® X USB
pg. 53



THE SIEGE®
pg. 54



SIEGE® AA
pg. 55



SURVIVOR® X
// USB pg. 58



SURVIVOR®
pg. 60



VANTAGE® 180 X
// USB pg. 63



VANTAGE®
pg. 64



VANTAGE® II
pg. 65



NEW

PROTAC® 2.0
HEADLAMP pg. 137



PROTAC HL® USB
HEADLAMP pg. 138



PROTAC HL®
HEADLAMP pg. 138



BANDIT® // BANDIT®
PRO pg. 139



ENDURO® PRO USB
pg. 140



ENDURO® PRO
pg. 141



ENDURO®
pg. 141



DOUBLE CLUTCH®
USB pg. 146



TWIN-TASK® USB
pg. 147



MICROSTREAM®
pg. 150



MICROSTREAM®
USB pg. 150



MICROSTREAM®
USB pg. 151



STYLUS PRO®
USB SERIES
pg. 153



STYLUS PRO®
pg. 153



STYLUS PRO®
COB pg. 154

STREAMLIGHT

PERFORMANCE. PERIOD.



STRION LED HL®
// DS HL® pg. 20



STRION HPL®
// DS HPL® pg. 20



STRION LED®
// DS® pg. 21



SL-20L® // SL-20LP®
pgs. 22-23



STINGER
SWITCHBLADE® pg. 29



STRION
SWITCHBLADE® pg. 30



SYCLONE®
SERIES pg. 32



E-SPOT® LITEBOX®
// FIREBOX®
pg. 46



FIRE VULCAN® LED
pg. 47



E-FLOOD® LITEBOX® HL
pg. 48



HID LITEBOX®
pg. 48



WAYPOINT®
pg. 50



WAYPOINT® 400
pg. 50



DUALIE WAYPOINT®
pg. 51



DUALIE®
RECHARGEABLE
pg. 70



DUALIE® 3AA
pg. 71



DUALIE® 3AA
LASER pg. 71



DUALIE® 3AA
COLOR-RITE®
pg. 72



DUALIE® 2AA
pg. 72



2AAA // 2AA
PROPOLYMER®
HAZ-LO® pg. 73



3C PROPOLYMER®
LED pg. 73



4AA PROPOLYMER®
LED // LUX pg. 74



ENDURO® PRO
HAZ-LO® pg. 142



USB HAZ-LO®
HEADLAMP pg. 143



3AA HAZ-LO®
pg. 144



SEPTOR®
pg. 144



ARGO®
pg. 144



TRIDENT®
pg. 145



QB®
pg. 145



STYLUS® PRO
360 pg. 154



STYLUS®
SERIES
pgs. 156



CLIPMATE® USB
pg. 157



NANO LIGHT®
pg. 157



STREAMLIGHT
JR F-STOP®
pg. 158



STREAMLIGHT JR.®
LED/REACH
pg. 159



THE LOGO™
pg. 160



POCKET MATE®
USB pg. 160

LEADING THE INDUSTRY

WITH THE GREATEST VARIETY OF TACTICAL LIGHTS:



TLR-1 HL®
pg. 80



TLR-1®// TLR-1®s
pg. 81



TLR-2 HL®
pg. 82



TLR-2 HL® G
pg. 82



TLR-2® // TLR-2®s
pg. 83



TLR-2® G
pg. 83



TLR-3®
pg. 84



TLR-7® SUB
pg. 90



TLR-8® SUB
pg. 91



TLR-8® G SUB
pg. 91



TLR-9®
pg. 92



TLR-10®
pg. 93



TLR-10® G
pg. 93



TLR-1 HPL®
pg. 94



PROTAC® RAIL
MOUNT 1
pg. 102



PROTAC® RAIL
MOUNT 2
pg. 103



PROTAC® RAIL
MOUNT HL-X
pg. 103



PROTAC® RAIL
MOUNT HL-X
LASER pg. 104



PROTAC® 2.0
RAIL MOUNT
pg. 105



WEDGE®
pg. 110



PROTAC®
1AA pg. 112



PROTAC®
1L-1AA pg. 112



PROTAC HL® 5-X
// USB pg. 117



PROTAC® 90 X
// USB pg. 117



PROTAC® 2.0
pg. 118



SL-B50® BATTERY
PACK pg. 119



SL-B26® BATTERY
PACKS pgs. 120-121



POLYTAC® X
// USB pg. 122



POLYTAC® 90 X
// USB pg. 122



POLYTAC®
pg. 123

STREAMLIGHT

PERFORMANCE. PERIOD.



TLR-4®
pg. 84



TLR-4® G
pg. 84



TLR-VIR® II
pg. 85



TLR-6®
pgs. 86-87



TLR-7® A
pg. 88



TLR-7® A
Contour Remote
pg. 88



TLR-8® A
pg. 89



TLR-8® A G
pg. 89



TL-RACKER®
pg. 95



TLR® RM1
pg. 96



TLR® RM2
pg. 97



TLR® RM1 Laser R
pg. 98



TLR® RM2 Laser R
pg. 98



TLR® RM1 Laser G
pg. 99



TLR® RM2 Laser G
pg. 99



PROTAC® 2AA
pg. 113



PROTAC®
2AAA
pg. 113



PROTAC® 2L
pg. 114



PROTAC HL®
pg. 114



PROTAC® HPL
USB pg. 115



PROTAC HL®
USB pg. 115



PROTAC® HL-X //
USB pg. 116



PROTAC® 2L-X //
USB pg. 116



POLYTAC® HP
pg. 123



SCORPION® HL
pg. 124



SCORPION® X
pg. 124



SIDEWINDER
STALK®
pgs. 126-129



SIDEWINDER®
pg. 131



SIDEWINDER®
RESCUE
pg. 131



SIDEWINDER
COMPACT® II
pg. 132



SIDEWINDER®
BOOT
pg. 133

STINGER, STRION & SL SERIES //

DUTY & UTILITY LIGHTING SPECIALISTS
BECAUSE WORK IS TOUGH ENOUGH WITHOUT
HAVING TO WORRY ABOUT YOUR LIGHTING.

Streamlight Stingers, Strions and SL lights are trusted by LEO, professional mechanics and tradesmen around the world for a simple reason... they're the best. With the performance and features that they need and the durability they can depend on.



STINGER® 2020



STINGER DS® HPL



STRION DS HL®



SL-20L®

STREAMLIGHT
STINGER SERIES



THE NEXT EVOLUTION IN HIGH-PERFORMANCE FLASHLIGHTS



STINGER® 2020

The next evolution in high-performance, work-ready flashlights produces 2,000 lumens. Its aluminum alloy body with textured side panels and anti-roll design is ergonomically shaped for a sure grip. It features dual power switches and an intuitive mode selector switch for ease of use. Select high for brightest light or low for extended run time. Long-lasting SL-B26® USB rechargeable battery packs offer multiple charging options using existing Stinger smart chargers and bank chargers to charge inside the light; use a dual USB cord to charge the battery pack outside the light or a Li-ion battery bank charger to charge multiple batteries at once. IPX7 waterproof to 1m submersion, corrosion-resistant sealed glass lens.

	HIGH	MEDIUM	LOW
LUMENS:	2,000	850	100
CANDELA:	25,000	10,000	1,200
DISTANCE:	315m	200m	70m
RUN TIME:	2h	4h	24h

STROBE RUNS 3.25 HOURS

BATTERY: (2) SL-B26 Li-Ion USB rechargeable battery packs

SIZE: 7.67" x 1.62" (19.48 x 4.11 cm)

WEIGHT: 12.3 oz (350 g)

COLOR: Black

ITEM #	DESCRIPTION
78101	STINGER 2020 - 120V/12V DC
78104	STINGER 2020 - 12V DC
78100	STINGER 2020 - (WITHOUT CHARGER) - INCLUDES Y USB CORD

TAA COMPLIANT



Dual
Switch
TECHNOLOGY



Independently functioning head-mounted and tail switches

With **[(STROBE)]**
Double tap switch to activate



Uses two SL-B26® protected Li-Ion USB rechargeable battery packs



STREAMLIGHT STINGER SERIES

STINGER LED HL® // STINGER DS LED HL®



The Stinger LED HL provides 800 lumens of maximum illumination. Its wide beam pattern gives you a bright flood light that will light up the area around you. Rubberized comfort grip. IPX4 water-resistant.

	HIGH	MEDIUM	LOW
LUMENS:	800	400	200
CANDELA:	24,000	12,000	6,000
DISTANCE:	310m	219m	155m
RUN TIME:	1.5h	2.5h	5h
STROBE RUNS 3 HOURS			

STINGER LED HL

BATTERY: NiMH Rechargeable

SIZE: 8.41" x 1.62" x 1.17"
[21.36 x 4.11 x 2.97 cm]

WEIGHT: 12.4 oz [352g]

COLOR: Black

STINGER DS LED HL

BATTERY: NiMH Rechargeable

SIZE: 8.85" x 1.62" x 1.17"
[22.48 x 4.11 x 2.97 cm]

WEIGHT: 12.8 oz [364g]

COLOR: Black

With **[(STROBE)]**
Double tap switch to activate



AVAILABLE IN BOTH
DUAL SWITCH AND
STANDARD STYLES

HL	DS HL	DESCRIPTION
75430	75454	120V AC/12V DC - 2 HOLDERS - BLACK
75431	75455	120V AC - BLACK
75432	75456	12V DC - BLACK
75434	75458	120V AC/12V DC PIGGYBACK - BLACK
75429	75453	LIGHT ONLY - BLACK

STINGER® COLOR-RITE®



	HIGH	MEDIUM	LOW
LUMENS:	500	275	140
CANDELA:	17,500	9,000	4,500
DISTANCE:	265m	190m	134m
RUN TIME:	1.5h	2.5h	5h
STROBE RUNS 3 HOURS			
COLOR TEMPERATURE: 3,000K			

**Color-
Rite®**

The Stinger Color-Rite features a warm white 90 CRI LED (3,000K) with Color-Rite Technology® that produces a more natural light so you can differentiate between paint or wire colors. Reduced glare prevents eye fatigue and helps cut through murky atmospheres. Ideal for low-light tracking and detecting trace evidence. IPX4; water-resistant.

STINGER COLOR-RITE

BATTERY: NiMH Rechargeable

SIZE: 8.41" x 1.62" x 1.17" [21.36 x 4.11 x 2.97 cm]

WEIGHT: 12.4 oz [352g]

COLOR: Black

[(STROBE)]
Double tap
switch to activate



ITEM #	DESCRIPTION
75499	STINGER COLOR-RITE - 120V AC/12V DC - BLACK
75502	STINGER COLOR-RITE - 120V AC/12V DC PIGGYBACK - BLACK
75498	STINGER COLOR-RITE - LIGHT ONLY - BLACK

THE STINGER SERIES IS ALWAYS ON THE JOB

IT'S A DUTY LIGHT BUILT WITH PRECISION & PERFORMANCE



STINGER HPL® // STINGER DS® HPL

	HIGH	MEDIUM	LOW
LUMENS:	800	400	200
CANDELA:	48,000	24,000	12,000
DISTANCE:	438m	310m	219m
RUN TIME:	1.5h	2.5h	5h

STROBE RUNS 3 HOURS



With **[(STROBE)]**
Double tap switch to activate



AVAILABLE IN BOTH
DUAL SWITCH AND
STANDARD STYLES

The Stinger® HPL has combined two intensely bright illumination patterns into one multi-tasking beam giving you clarity up-close and deep into the horizon. Its long distance beam reaches 438 meters and the 800 lumen beam provides side to side visibility to fill in up-close areas and corners. IPX4 water-resistant.

STINGER HPL

BATTERY: NiMH Rechargeable
SIZE: 9.23" x 2.20" x 1.17"
(23.44 x 5.59 x 2.97 cm)
WEIGHT: 13.6 oz (385g)
COLOR: Black

STINGER DS HPL

BATTERY: NiMH Rechargeable
DS SIZE: 9.65" x 2.20" x 1.17"
(24.51 x 5.59 x 2.97 cm)
DS WEIGHT: 14.0 oz (396g)
COLOR: Black

HPL	DS HPL	DESCRIPTION
75763	75863	120V AC/12V DC - 2 HOLDERS - BLACK
75761	75861	120V AC - BLACK
75799	75899	12V DC - BLACK
75782	75882	120V AC/12V DC PIGGYBACK - BLACK
75980	75900	LIGHT ONLY - BLACK



DUTY + TACTICAL HOLSTER

- Super-tough nylon construction
- Quick, Easy Access



THE STINGER IS FOUND
IN MORE TOOL BOXES
AND HOLSTERS FOR TWO SIMPLE REASONS...
PERFORMANCE AND DEPENDABILITY

STINGER® LED // STINGER DS® LED

The Stinger LED and Stinger DS LED deliver the optimal balance of performance and value with the longest run time in the Stinger family. The DS model provides both a tailcap and head switch. IPX4 water-resistant.

STINGER LED

BATTERY: NiMH Rechargeable
SIZE: 8.41" x 1.62" x 1.17"
[21.36 x 4.11 x 2.97 cm]
WEIGHT: 12.4 oz [352g]
COLOR: Black

STINGER DS LED

BATTERY: NiMH Rechargeable
DS SIZE: 8.85" x 1.62" x 1.17"
[22.48 x 4.11 x 2.97 cm]
DS WEIGHT: 12.8 oz [364g]
COLOR: Black

	HIGH	MEDIUM	LOW
LUMENS:	425	200	100
CANDELA:	26,000	12,000	6,000
DISTANCE:	322m	219m	155m
RUN TIME:	3h	5.5h	10h

STROBE RUNS 7.5 HOURS



With **[(STROBE)]**
Double tap switch to activate

LED	DS LED	DESCRIPTION
75713	75813	120V AC/12V DC - BLACK
75711	75811	120V AC - BLACK
75732	75832	12V DC - BLACK
75753	75853	120V AC/12V DC PIGGYBACK - BLACK
75710	75810	LIGHT ONLY - BLACK



**FAR REACHING BEAM +
1,100 LUMENS...
THERE'S A REASON IT'S CALLED THE
ULTRASTINGER LED**

ULTRASTINGER® LED

The UltraStinger LED delivers a piercing 1,100 lumens, but that's not all - it also has a far-reaching beam, TEN-TAP® programming for its multiple intensities and a rubber sleeve for a better grip. IPX4 water-resistant.

ULTRASTINGER LED

BATTERY: NiMH Rechargeable

SIZE: 11.82" x 2.37" x 1.19" (30 x 6.01 x 3 cm)


WEIGHT: 19.9 oz (564g)

COLOR: Black

ITEM #	DESCRIPTION
77553	ULTRASTINGER LED - 120V AC/12V DC - BLACK
77551	ULTRASTINGER LED - 120V AC - BLACK
77555	ULTRASTINGER LED - 12V DC - BLACK
77550	ULTRASTINGER LED - LIGHT ONLY - BLACK

	HIGH	MEDIUM	LOW
LUMENS:	1,100	350	90
CANDELA:	65,000	21,000	5,000
DISTANCE:	510m	290m	141m
RUN TIME:	1.5h	4.5h	16h

STROBE RUNS 3.25 HOURS



TEN-TAP® programmable switch allows user selection of one of three different programs:

- High/medium/low with strobe (factory default)
- High only without strobe
- High/medium/low without strobe

With **[(STROBE)]**

Double tap switch to activate

BUILT FOR DURABILITY AND PERFORMANCE



POLYSTINGER® LED HAZ-LO®

A good choice for gas utility workers, the PolyStinger LED HAZ-LO is a durable, safety-rated, rechargeable light that delivers the performance you want with the safety ratings you need. Features a non-conductive, corrosion-resistant body and an unbreakable, scratch-resistant polycarbonate lens. IPX4 water-resistant.

	HIGH	LOW
LUMENS:	260	80
CANDELA:	16,000	5,700
DISTANCE:	253m	151m
RUN TIME:	5h	16h
MOONLIGHT MODE RUNS 20 DAYS		



Class I & II, Division 1, Groups C,D,F,G;
Class I, Division 2, Groups A,B,C,D;
Class III; 138 C, T-Code: T3C

POLYSTINGER LED HAZ-LO

BATTERY: NiMH Rechargeable
SIZE: 10.2" x 1.76" x 1.34" [25.9 x 4.47 x 3.4 cm]
WEIGHT: 13.5 oz [382g]
COLOR: Black or Yellow

YELLOW	BLACK	DESCRIPTION
76412	76442	120V AC/12V DC - BLACK
76411	76441	12V DC - BLACK
76410	76440	LIGHT ONLY - BLACK

POLYSTINGER® LED // POLYSTINGER DS® LED

Intense brightness, long-range and long run time in a durable nylon polymer housing. It's the ideal combination of power, performance and durability. The DS model has the convenience of two full-function, independent switches: one on the head and a tail switch.

	HIGH	MEDIUM	LOW
LUMENS:	485	240	120
CANDELA:	28,000	14,000	7,000
DISTANCE:	335m	237m	167m
RUN TIME:	3h	5.5h	10h
STROBE RUNS 7.5 HOURS			



With **[(STROBE)]**
Double tap switch to activate

POLYSTINGER LED

BATTERY: NiMH Rechargeable
SIZE: 8.07" x 1.76" x 1.21"
[20.50 x 4.47 x 3.07 cm]
WEIGHT: 11.5 oz [326g]
COLOR: Black or Yellow

POLYSTINGER DS LED

BATTERY: NiMH Rechargeable
DS SIZE: 8.64" x 1.76" x 1.21"
[21.95 x 4.47 x 3.07 cm]
DS WEIGHT: 11.9 oz [338g]
DS COLOR: Black

LED	DS LED	DESCRIPTION
76163	---	120V AC/12V DC - YELLOW
76113	76813	120V AC/12V DC - BLACK
76161	---	120V AC - YELLOW
76111	76811	120V AC - BLACK
76199	---	12V DC - YELLOW
76149	76849	12V DC - BLACK
76182	---	120V AC/12V DC PIGGYBACK - YELLOW
76132	76832	120V AC/12V DC PIGGYBACK - BLACK
76203	---	LIGHT ONLY - YELLOW
76150	76850	LIGHT ONLY - BLACK

STINGER ACCESSORIES

DESCRIPTION	STINGER 2020	STINGER COLOR-RITE	DS LED HL LED HL	DS HPL HPL	DS LED LED	ULTRASTINGER LED	POLYSTINGER LED HAZ-LO	POLYSTINGER LED /DS LED
5 UNIT BANK CHARGER 	75400	75400	75400	75400	75400	75400	75400	75400
SMART CHARGER 	75105	75105	75105	75105	75105	75105	75105	75105
PIGGYBACK® CHARGER 	—	75277	75277	75277	75277	—	—	75277
NIMH BATTERY STICK 	—	75375	75375	75375	75375	77375	76375	75375
LI-ION BATTERY STICK 	—	75176	75176	75176	75176	—	—	75176
SL-B26 BATTERY PACK 	78105	—	—	—	—	—	—	—
12V DC CAR CHARGE CORD 	22051	22051	22051	22051	22051	22051	22051	22051
12V DC CHARGE CORD 	22050	22050	22050	22050	22050	22050	22050	22050
120V AC CHARGE CORD 	22071	22071	22071	22071	22071	22071	22071	22071
LEATHER PLAIN HOLSTER 	—	75133	75133	—	75133	—	—	75133
LEATHER WEAVE HOLSTER 	78114	75134	75134	—	75134	—	—	75134
NYLON HOLSTER 	—	75927	75927	75927	75927	—	—	75910
NYLON HOLSTER 	78107	—	—	—	—	—	—	—
LOOP NYLON HOLSTER 	—	75928	75928	75928	75928	75928	75928	75928
DUTY HOLSTER 	—	88053	88053	88053	88053	88053	—	—
RING HOLDER 	—	75906	75906	75906	75906	75906	75906	75906
FLIP LENS RED BLUE GREEN 	75115 75116 75117	75115 75116 75117	75115 75116 75117	—	75115 75116 75117	—	—	—
RED WAND 	75903	75903	75903	75946	75903	78903	—	75933
WHITE WAND 	75908	75908	75908	75949	75908	—	—	75938
BLUE WAND 	75902	75902	75902	75947	75902	—	—	75932
YELLOW WAND 	75904	75904	75904	75948	75904	78904	—	75934
GLOW IN THE DARK WAND 	75913	75913	75913	75950	75913	78913	—	75943
USB CORD 22" & 40" 	22081 - 22" 22070 - 40"	—	—	—	—	—	—	—
"Y" USB CORD 	22082	—	—	—	—	—	—	—
12V DC USB ADAPTER 	22069	—	—	—	—	—	—	—
FACECAP RING KIT 	78113	—	—	—	—	—	—	—

STRION LED HL® // STRION DS® HL

The Strion LED HL provides a high lumen beam with maximum illumination. Its wide beam pattern gives you a bright flood light that will light up the area around you. IPX4 water-resistant. Fits long gun mounts.

STRION LED HL

BATTERY: Lithium ion
SIZE: 5.90" x 1.25" x .95"
(14.99 x 3.18 x 2.41 cm)
WEIGHT: 5.2 oz (148g)
COLOR: Black

STRION DS HL

BATTERY: Lithium ion
SIZE: 6.33" x 1.25" x .95"
(16.08 x 3.18 x 2.41 cm)
WEIGHT: 5.4 oz (153g)
COLOR: Black

STRION® HPL // STRION DS® HPL

Lightweight and ultra-compact, yet extremely powerful. It throws its long beam far out in the distance while casting plenty of peripheral light along the way. Features three intensities plus strobe. Rechargeable battery and powerful illumination result in one of the lowest operating costs of any flashlight. Easy, one-handed operation with multi-function push-button tailswitch.

STRION HPL

BATTERY: Lithium ion
SIZE: 7.00" x 2.2" x .95"
(17.78 x 5.59 x 2.41 cm)
WEIGHT: 7.1 oz (202g)
COLOR: Black

STRION DS HPL

BATTERY: Lithium ion
SIZE: 7.56" x 2.2" x .95"
(19.2 x 5.59 x 2.41 cm)
WEIGHT: 6.9 oz (196g)
COLOR: Black

STRION HL	HIGH	MEDIUM	LOW
LUMENS:	615	320	160
CANDELA:	12,000	6,000	3,000
DISTANCE:	219m	155m	110m
RUN TIME:	1.25h	2.5h	4.5h
STROBE RUNS 3 HOURS			

STRION HPL	HIGH	MEDIUM	LOW
LUMENS:	615	320	160
CANDELA:	40,000	20,000	10,000
DISTANCE:	400m	283m	200m
RUN TIME:	1.25h	2.5h	4.5h
STROBE RUNS 3 HOURS			



STRION DS HL	HIGH	MEDIUM	LOW
LUMENS:	700	300	40
CANDELA:	12,000	5,000	800
DISTANCE:	219m	141m	57m
RUN TIME:	1.25h	3.5h	24h
STROBE RUNS 2.5 HOURS			



STRION HPL	HIGH	MEDIUM	LOW
LUMENS:	700	300	40
CANDELA:	44,000	18,000	2,600
DISTANCE:	420m	268m	102m
RUN TIME:	1.25h	3.5h	24h
STROBE RUNS 2.5 HOURS			

DS model features **TEN-TAP®** programmable switch that allows user selection of one of three different programs:

- High/medium/low with strobe (factory default)
- High only without strobe
- High/medium/low without strobe

HL	DS HL	DESCRIPTION
74752	74612	120V AC/12V DC - 2 HOLDERS - BLACK
74751	74611	120V AC/12V DC - 1 HOLDER - BLACK
74755	74621	120V AC/12V DC - 1 HOLDER - BLACK - CLAM
74778	74619	120V AC/12V DC PIGGYBACK - BLACK
74753	74613	120V AC - BLACK
74509	74620	120V AC - BLACK - WITH GRIP RING
74754	74614	12V DC - BLACK
74750	74610	LIGHT ONLY - BLACK

DS model features **TEN-TAP®** programmable switch that allows user selection of one of three different programs:

- High/medium/low with strobe (factory default)
- High only without strobe
- High/medium/low without strobe

HPL	DS HPL	DESCRIPTION
74502	74812	120V AC/12V DC - 2 HOLDERS - BLACK
74501	74811	120V AC/12V DC - 1 HOLDER - BLACK
74536	74819	120V AC/12V DC PIGGYBACK - BLACK
74506	74813	120V AC - BLACK
74504	74814	12V DC - BLACK
74500	74810	LIGHT ONLY - BLACK

STRION® LED // STRION DS®

A powerful value that's perfect for the broadest range of lighting needs. IPX4 rated for water-resistance. Anti-roll ring included. Optional model with adjustable Grip Ring provides a sure-grip for easy one-handed operation.

STRION LED

BATTERY: Lithium ion
SIZE: 5.9" x 1.25" x .95"
 (14.99 x 3.18 x 2.41 cm)
WEIGHT: 5.2 oz (148g)
COLOR: Black or Pink

STRION DS

BATTERY: Lithium ion
SIZE: 6.4" x 1.25" x .95"
 (16.26 x 3.18 x 2.41 cm)
WEIGHT: 5.4 oz (153g)
COLOR: Black

STRION LED	HIGH	MEDIUM	LOW
LUMENS:	375	175	80
CANDELA:	12,000	6,500	3,200
DISTANCE:	219m	161m	113m
RUN TIME:	2.5h	4.75h	9.5h
STROBE RUNS 6.5 HOURS			



STRION DS	HIGH	MEDIUM	LOW
LUMENS:	375	150	40
CANDELA:	12,000	5,000	1,300
DISTANCE:	219m	141m	72m
RUN TIME:	2.5h	6.25h	24h
STROBE RUNS 5 HOURS			

DS model features **TEN-TAP®** programmable switch that allows user selection of one of three different programs:

- High/medium/low with strobe (factory default)
- High only without strobe
- High/medium/low without strobe

LED	DS LED	DESCRIPTION
74302	74412	120V AC/12V DC - 2 HOLDERS - BLACK
74301	74411	120V AC/12V DC - 1 HOLDER - BLACK
74350	---	120V AC/12V DC - 1 HOLDER - PINK (BCRF)
74353	74419	120V AC/12V DC PIGGYBACK - BLACK
74361	---	120V AC/12V DC PIGGYBACK - PINK (BCRF)
74303	74413	120V AC - BLACK
74309	74420	120V AC - BLACK WITH GRIP RING
74304	74414	12V DC - BLACK
74300	74410	LIGHT ONLY - BLACK

STRION ACCESSORIES

DESCRIPTION	STRION / DS LED HL	STRION HPL / DS HPL	STRION / STRION DS
6 UNIT BANK CHARGER 120V	74400	74400	74400
6 UNIT BANK CHARGER DC	74401	74401	74401
PIGGYBACK CHARGER HOLDER	74115	74115	74115
SMART CHARGER HOLDER	74102	74102	74102
LI-ION BATTERY STICK	74175	74175	74175
12V DC1 CHARGE CORD	22051	22051	22051
12V DC2 CHARGE CORD	22050	22050	22050
120V USB CHARGE CORD	22071	22071	22071
RAIL MOUNT	74200	74200	74200
VERTICAL GRIP	69114	69114	69114
LEATHER PLAIN HOLSTER	74059	-	74059
LEATHER WEAVE HOLSTER	74060	-	74060
NYLON HOLSTER	-	75910	-
NYLON HOLSTER	85905	-	85905
TACTICAL HOLSTER	88051	88051	88051
RED FLIP LENS	85115	-	85115
GREEN FLIP LENS	85117	-	85117
BLUE FLIP LENS	85116	-	85116
RED WAND	74903	75946	74903
WHITE WAND	-	75949	-
BLUE WAND	-	75947	-
YELLOW WAND	74904	75948	74904
GLOW IN THE DARK WAND	74913	75950	74913

STREAMLIGHT
SL-20L SERIES



SL-20L®

Full-size, professional grade light that delivers the intense brightness and run times you need for a wide variety of jobs. Unbreakable, scratch-resistant lens. IPX4 water-resistant.

SL-20L
BATTERY: NIMH Rechargeable
SIZE: 13.1" x 2.5" x 1.5"
 (33.3 x 6.35 x 3.81 cm)
WEIGHT: 1 lb 11.2 oz (770g)
COLOR: Black

ITEM #	DESCRIPTION
20703	SL-20L - 120V AC/12V DC - 2 SLEEVES - BLACK
20701	SL-20L - 120V AC - BLACK
20702	SL-20L - 12V DC - BLACK
20700	SL-20L - LIGHT ONLY - BLACK



	HIGH	MEDIUM	LOW
LUMENS:	450	225	60
CANDELA:	70,000	35,000	9,000
DISTANCE:	529m	374m	189m
RUN TIME:	3.25h	5h	20h
STROBE RUNS 4.5 HOURS			

A HISTORY OF PERFORMANCE, THE LEGENDARY FULL-SIZE DUTY LIGHT.



SL-20LP®

With **[(STROBE)]**
Double tap switch to activate

	HIGH	MEDIUM	LOW
LUMENS:	450	225	60
CANDELA:	70,000	35,000	9,000
DISTANCE:	529m	374m	189m
RUN TIME:	3.25h	5h	20h
STROBE RUNS 4.5 HOURS			

Feature packed, the SL-20LP full sized professional grade, high-intensity, rechargeable flashlight offers high, medium, low and strobe modes. Lightweight, polymer construction, unbreakable, scratch-resistant lens. IPX4 water-resistant.

SL-20LP

BATTERY: NiMH Rechargeable

SIZE: 13.2" x 2.5" x 1.5" (33.5 x 6.35 x 3.81 cm)

WEIGHT: 1.3 lb (590g)

COLOR: Black, Yellow or Orange

ITEM #	DESCRIPTION
25323	SL-20LP - 120V AC/12V DC - 2 SLEEVES - YELLOW
25303	SL-20LP - 120V AC/12V DC - 2 SLEEVES - BLACK
25313	SL-20LP - 120V AC/12V DC - 2 SLEEVES - ORANGE
25321	SL-20LP - 120V AC - YELLOW
25301	SL-20LP - 120V AC - BLACK
25311	SL-20LP - 120V AC - ORANGE
25322	SL-20LP - 12V DC - YELLOW
25302	SL-20LP - 12V DC - BLACK
25312	SL-20LP - 12V DC - ORANGE
25320	SL-20LP - LIGHT ONLY - YELLOW
25300	SL-20LP - LIGHT ONLY - BLACK
25310	SL-20LP - LIGHT ONLY - ORANGE

ACCESSORIES

DESCRIPTION	SL-20L	SL-20LP
5-UNIT BANK CHARGER 120V AC	21400	21400
5-UNIT BANK CHARGER 12V DC	21401	21401
CHARGER HOLDER	22047	22047
12V DC1 CHARGE CORD	22051	22051
12V DC2 CHARGE CORD	22050	22050
120V AC CHARGE CORD	22060	22060
NiMH BATTERY STICK	77375	77375
NYLON HOLSTER	25090	25090
RED WAND	22511	22511
BLUE WAND	22512	22512
YELLOW WAND	22519	22519
GLOW IN THE DARK WAND	22513	22513

WORKLIGHTS SERIES //

WORKLIGHT SPECIALISTS

IN THE GARAGE, ON THE WORK TRUCK OR IN THE FIELD,
STREAMLIGHT DELIVERS LIGHT WHERE YOU NEED IT.

At Streamlight we innovate lighting solutions that make sense.

We build lighting tools that put function right alongside performance and convenience. That's exactly what our family of worklights is designed to deliver. With innovative charging systems and light delivery, we make it easier for you to get the job done.



STINGER SWITCHBLADE®

STRION SWITCHBLADE®

BEARTRAP®

SYCLONE®

FLIPMATE®

// COLOR-RITE TECHNOLOGY®

// WHAT IS COLOR-RITE TECHNOLOGY?

Color-Rite Technology is based on the Color Rendering Index (CRI) -- a scale from 0-100 that indicates how a light source reflects color variations as they appear to the human eye. The higher the CRI, the more vibrant the colors appear. On the scale, lights that measure 90+ are considered "high" CRI lights and are critical for tasks requiring the most accurate color discrimination. A perfect 100 would enable us to see colors as they appear in natural sunlight.

// WHY STREAMLIGHT COLOR-RITE TECHNOLOGY?

Flashlights equipped with Streamlight's proprietary Color-Rite Technology allow users to see the color spectrum as they would in natural light. While a standard high-lumen LED light produces an ultra-bright white beam that is needed in many applications, it prevents seeing subtle color differences in, for example, auto body paint colors or electrical wiring. In contrast, a high CRI light provides a softer, warmer beam to prevent color "washout," allowing the user to see specific colors or imperfections and subtle details, regardless of the task.

// COLOR-RITE® APPLICATIONS FOR EVERY SITUATION

Streamlight offers a family of Color-Rite® lights for situations that require detailed inspections or color differentiation. For markets as diverse as automotive, industrial, law enforcement, military and even outdoor recreation, we have developed high CRI lights with Color-Rite Technology® for a wide variety of tasks that require exacting attention to detail. From repairing electrical wires to inspecting paint finishes or examining forensic evidence, count on Streamlight's Color-Rite® products help get the job done efficiently and safely. Our family of Color-Rite® products include the following:



STINGER® COLOR-RITE®

Rechargeable, warm white (3,000K) 90 CRI LED with Streamlight's Color-Rite Technology®



DUALIE® 3AA COLOR-RITE®

Intrinsically safe multi-function dual beam flashlight with a cool white LED and a warm white (4,000K) 90 CRI LED with Streamlight's Color-Rite Technology®



STINGER SWITCHBLADE®

Five lights in one:
Drop Light | Hands-Free | White Light | Color-Rite® Light (4,000K) | UV Light



STRION SWITCHBLADE®

Five lights in one:
Drop Light | Hands-Free | White Light | Color-Rite® Light (4,000K) | UV Light



SYCLONE®

Ultra-compact work light with a cool white LED and a warm white (4,000K) 90 CRI LED with Streamlight's Color-Rite Technology®



FLIPMATE®

Compact work light with cool white LEDs and warm white (4,000K) 90 CRI LEDs with Streamlight's Color-Rite Technology® - each with high and low modes

// A LIGHT FOR EVERY SITUATION

// COLOR-RITE® APPLICATIONS BY MARKET

LAW ENFORCEMENT/MILITARY

- **Improve tracking in low-light conditions.** High CRI lights like the Stinger® Color-Rite® help border patrol and other law enforcement agencies reveal subtle details of tracks and other markings that white LEDs with their bright “hot spots” can miss.
- **Detect trace evidence.** Forensic teams can more clearly spot fingerprints, fibers and other trace evidence on glass and other slick surfaces with high CRI lights such as the Stinger® Color-Rite®.
- **Enhance visualization.** High CRI lights can help cut through murky lake or ocean water, thick smoke or fog, and even heavy dust when pursuing vehicles in rough terrain.

AUTOMOTIVE

- **Match and identify colors.** The Dualie® 3AA Color-Rite®, FlipMate®, Stinger Switchblade®, Syclone® and Strion Switchblade® are ideal for color matching and identifying body imperfections before and after paint repairs.
- **Identify defects.** Paint defects such as swirl marks and color sanding scratches are easily identifiable with high CRI LEDs.
- **Distinguish colors.** When troubleshooting electrical short circuits or other motor vehicle repairs, high CRI lights assist in differentiating colored wires in hard-to-see areas under a hood or carriage.
- **Reduce glare when working in tight spaces.** Because high CRI LEDs reflect back less light than bright white LEDs, mechanics can see greater detail when working in dark, hard-to-reach places underneath a car or under the hood.



INDUSTRIAL

- **Differentiate wire colors in electrical panels.** In plants and other facilities, high CRI lights like the Dualie® 3AA Color-Rite®, FlipMate® and Syclone® provide better color contrast of intricate wires in electrical cabinets, helping technicians to work more efficiently.
- **Spot imperfections.** High CRI lights allow for contrast of color to identify imperfections in finish inspections of products, including parts.
- **Reduce eye fatigue.** The soft lighting of high CRI LEDs reduces eye strain and fatigue for many users.

FIRE/RESCUE/EMS

- When responding to fires, accidents or other events under low light conditions, high CRI area lights such as the Dualie® 3AA Color-Rite®, Stinger Switchblade®, and Stinger® Color-Rite® can be essential tools, permitting first responders to **see the color spectrum as they would in natural daylight**.
- High CRI lights also allow investigators to **see specific colors, imperfections and subtle details** when examining fire or accident scenes and gathering evidence.

OUTDOOR RECREATION

- **Identify blood trails.** State-of-the-art blood trailing technology in high CRI lights, such as the Stinger® Color-Rite®, reduces certain colors in the spectrum to better amplify blood trails.
- **Visualize in low-light conditions.** Hikers and other outdoor enthusiasts use high CRI lights like the Dualie® 3AA Color-Rite® to better see obstacles when navigating trails at night and under other low-light conditions.

STREAMLIGHT
WORKLIGHTS SERIES

THE STINGER SWITCHBLADE
SPENDS AS MUCH TIME
**UNDER THE CAR,
ON THE WALL,
AND COVERED
IN GREASE AS YOU**
A PERFECT MATCH



28



STINGER SWITCHBLADE®

The Stinger Switchblade rechargeable area light is five lights in one: a droplight, hands-free light, UV light, bright white light and a warm white (4000K) high CRI light with Streamlight's Color-Rite Technology®. The blade of the Switchblade can rotate 180° on the body. Soft detents will hold the blade in your desired position, and the light will stand on its tail with the light bar in any position. There are multiple ways to hook and hang the light. Use the hooks on the base plate or the retractable hook for many hanging options. The weighted base also includes magnets that will hold the light (in any orientation) to provide task-specific illumination.



STINGER SWITCHBLADE

BATTERY: Lithium Ion
FOLDED SIZE: 9.80" x 1.62" x 1.40"
 [24.89 x 4.11 x 3.56 cm]
EXTENDED LENGTH: 17.0" [43.18 cm]
WEIGHT: 17.1 oz [485g]
COLOR: Red

ITEM #	DESCRIPTION
76801	STINGER SWITCHBLADE - 120V AC - 1 HOLDER - RED
76800	STINGER SWITCHBLADE - WITH USB CORD - RED



HANDS-FREE APPLICATIONS:
 TAIL-END MAGNET. STOWABLE HANG HOOK
 AND STABLE FOOT



DOUBLE-SIDED LIGHT BAR:

- 90 CRI LEDs - Color-Rite Technology - warm white light (4000K) allows you to distinguish between similar colors - for paint matching, checking wires, etc.
- Cool white LEDs for bright, white light
- UV LED for leak detection



DUAL CHARGING OPTIONS:
 CHARGE USING EXISTING STINGER CHARGERS
 OR CHARGE VIA USB SOURCE



180° rotating light bar aims the beam where you need it.

Color-Rite®

	COOL WHITE	HIGH CRI (90) WARMWHITE	UV LED
LUMENS:	800	600	500 mW
RUN TIME:	3.75h	3.75h	15h
COLOR TEMPERATURE: 4,000K			

ACCESSORIES

5 UNIT BANK CHARGER		75400
CHARGER		75105
LI-ION BATTERY STICK		76805
12V DC CAR CHARGE CORD		22051
12V DC CHARGE CORD		22050
120V AC CHARGE CORD		22071
USB CORD 22" & 40"		22081 - 22" 22070 - 40"
12V DC USB ADAPTER		22069

STRION SWITCHBLADE®

Inspect, identify and repair with the Strion Switchblade. It's five lights in one: a droplight, hands-free light, UV light, bright white light and a warm white (4000K) high CRI light with Streamlight's Color-Rite Technology®. Lithium ion battery charges in 4 hours. Charge using existing Strion chargers or USB source.

You can work harder for longer with the PiggyBack® charger and easy-to-change battery - just twist off the endcap, replace and go.

STRION SWITCHBLADE

BATTERY: Lithium Ion
FOLDED SIZE: 6.0" x 1.18" x .99" (15.24 x 3.0 x 2.51 cm)
EXTENDED LENGTH: 10.75" (27.30 cm)
WEIGHT: 6.4 oz (181g)
COLOR: Red

ITEM #	DESCRIPTION
74850	STRION SWITCHBLADE - WITH USB CORD - RED
74851	STRION SWITCHBLADE - 120V AC - 1 HOLDER - RED
74854	STRION SWITCHBLADE - 120V AC PIGGYBACK - RED



HANDS-FREE APPLICATIONS:
TAIL-END MAGNET. STOWABLE HANG HOOK
AND STABLE FOOT



MULTIPLE CHARGING OPTIONS:
CHARGE USING PIGGYBACK® CHARGERS, EXISTING STRION
CHARGERS OR CHARGE VIA USB SOURCE



DOUBLE-SIDED LIGHT BAR:

- 1.) Color-Rite Technology - warm white light (4000K) allows you to distinguish between similar colors - for paint matching, checking wires, etc.
- 2.) UV LED for leak detection
- 3.) Cool white LEDs for bright, white light

180° rotating light bar aims the beam where you need it.




Color-Rite®

	COOL WHITE	HIGH CRI (90) WARM WHITE	UV LED
LUMENS:	500	400	500 mW
RUN TIME:	3h	3h	5h
COLOR TEMPERATURE: 4,000K			



ACCESSORIES

6 UNIT BANK CHARGER 120V		74400
6 UNIT BANK CHARGER DC		74401
PIGGYBACK CHARGER HOLDER		74115
CHARGER HOLDER		74102
LI-ION BATTERY STICK		74175
12V DC1 CHARGE CORD		22051
12V DC2 CHARGE CORD		22050
120V USB CHARGE CORD		22071



STREAMLIGHT WORKLIGHTS SERIES

SYCLONE®

Inspect, identify and repair with the Syclone. It produces bright white light for everyday use or warm white (4,000K) high CRI light with Streamlight's Color-Rite Technology® for paint matching or identifying color differences in wires. Ultra-compact design doesn't get in the way and fits in small spaces. Go hands-free with the flat, magnetic base and stowable hook. USB rechargeable. 360° rotating body aims the beam where you need it; easy to rotate with one hand - no need to juggle tools. USB rechargeable. 360° rotating body aims the beam where you need it; easy to rotate with one hand - no need to juggle tools.

SYCLONE

BATTERY: Lithium Polymer Rechargeable
SIZE: 2.97" x 2.79" x 1.42" (7.54 x 7.08 x 3.60 cm)
WEIGHT: 5.3 oz (150g)
COLOR: Red



Multi-function push-button switch with charge indicator.
 Battery charges in approx. 4.5 hours

ITEM #	DESCRIPTION
61510	SYCLONE - INCLUDES USB CORD - RED

**Color-
Rite®**



Hands-free applications:
 1.) Magnetic base
 2.) Stowable hang hook



SPOT/COOL WHITE	HIGH	MEDIUM	LOW
LUMENS:	400	200	100
DISTANCE:	141m	95m	72m
RUN TIME:	2h	4.5h	9.5h

FLOOD/WARM WHITE 90 CRI	HIGH	MEDIUM	LOW
LUMENS:	300	150	75
DISTANCE:	48m	35m	24m
RUN TIME:	2h	4h	8h

COLOR TEMPERATURE: 4,000K



Hands-free applications:
 1.) Magnetic base
 2.) Stowable hang hook



	HIGH	LOW
LUMENS:	210	85
DISTANCE:	79m	49m
RUN TIME:	3.75h	8.5h

SYCLONE® JR. // NEW

Inspect, identify and repair with the Syclone Jr. It produces bright white light for everyday use. Ultra-compact design doesn't get in the way and fits in small spaces. Go hands-free with the flat, magnetic base and stowable hook. USB rechargeable. 360° rotating body aims the beam where you need it; easy to rotate with one hand - no need to juggle tools.

SYCLONE JR.

BATTERY: Lithium Polymer Rechargeable
SIZE: 2.04" x 2.25" x 1.14" (5.18 x 5.71 x 2.89 cm)
WEIGHT: 2.0 oz (57g)
COLOR: Red



Multi-function push-button switch with charge indicator.
 Battery charges in approx. 4.5 hours

ITEM #	DESCRIPTION
61530	SYCLONE JR - INCLUDES USB CORD - RED

FLIPMATE®

Inspect, identify and repair with the super-compact FlipMate. It produces bright white light for everyday use or warm white (4,000K) high CRI light with Streamlight's Color-Rite Technology® to identify color differences in paint or wires. Fits comfortably in the palm of your hand, allowing you to illuminate hard-to-get-to spaces, like under the dash. Go hands-free with the flat, magnetic base and stowable hook. USB rechargeable.



270° rotating light bar aims the beam where you need it



Hands-free applications:
1.) Magnetic base
2.) Stowable hang hook
3.) Foot provides stability to stand on end

FLIPMATE

BATTERY: Lithium Ion

SIZE: 2.37" x 5.44" (6.00 x 13.82 cm)

WEIGHT: 8.7 oz (247g)

COLOR: Black, Red, or Blue

ITEM #	DESCRIPTION
61500	FLIPMATE - INCLUDES USB CORD - BLACK
61501	FLIPMATE - INCLUDES USB CORD - RED
61502	FLIPMATE - INCLUDES USB CORD - BLUE

Color-Rite®

COOL WHITE	HIGH	LOW
LUMENS:	500	250
RUN TIME:	4h	5.75h

90 CRI WARM WHITE	HIGH	LOW
LUMENS:	400	200
RUN TIME:	4h	6h
COLOR TEMPERATURE: 4,000K		



Double-function light bar:

- 1.) 90 CRI LEDs - Color-Rite Technology - distinguish between similar colors - for paint matching, checking wires, etc.
- 2.) Cool white LEDs for bright, white light Each with high and low modes



STREAMLIGHT WORKLIGHTS SERIES

BEARTRAP®

Inspect, identify and repair with the multi-function BearTrap worklight. High power with big performance. It produces bright white light in both spot and flood modes.

Go hands-free - it clamps virtually anywhere or stands on its own, allowing you to illuminate hard-to-get-to spaces like under the dash; also features a magnetic base and stowable hook.

Tough thermoplastic construction. Chemical-resistant lens - withstands most common automotive chemicals. IPX4 water resistant; 1m impact resistance tested



FLOOD	HIGH	MEDIUM	LOW
LUMENS:	2,000	1,000	575
CANDELA:	1,200	680	360
DISTANCE:	69m	52m	38m
RUN TIME:	2.5h	5h	8.75h

SPOT	HIGH	MEDIUM	LOW
LUMENS:	1,000	450	325
CANDELA:	7,500	3,600	2,500
DISTANCE:	174m	120m	100m
RUN TIME:	4.5h	8.75h	12.5h

BATTERY: Lithium Ion
SIZE: 7.62x6.5x3.12" (19.37x16.51x7.94 cm)
WEIGHT: 2 lbs. 3 oz. (992g)
COLOR: Red




Hands-free applications:
 1.) Clamps virtually anywhere
 2.) Magnetic base
 3.) Hang hook
 4.) Stands on its own

1.) Flood fills your work area with evenly dispersed, bright light
 2.) Spot provides a concentrated beam
 Each with high, medium and low modes




Rubberized grip surface - designed to prevent scratches



ITEM #	DESCRIPTION
61520	BEARTRAP - 120V/100V AC - RED
44922	120V AC CORD
44923	12V DC CORD
61522	LITHIUM ION BATTERY - BEARTRAP





SCENE LIGHT/LANTERN SERIES //

SCENE LIGHTING SPECIALISTS

FROM FIRST ON THE SCENE TO THE LAST ONE OUT
OF THE TUNNEL, HEROES TRUST STREAMLIGHT.

Lanterns are part of our history and part of our future. In 1973, Streamlight pioneered portable lighting with our million candlepower Streamlite 1 Million™ and for the past 50 years we continue to forge new ways to provide light where it's needed.



PORTABLE
SCENE LIGHT



VULCAN® 180



WAYPOINT® 400



THE SIEGE®



VULCAN CLUTCH®



PORTABLE SCENE LIGHT II

LIGHT UP THE WORLD ANYWHERE YOU WANT

PORTABLE SCENE LIGHT PORTABLE SCENE LIGHT EXT

The Portable Scene Light provides rapid deployment on site, and it goes anywhere. With its 90° swivel neck, it's easy to shine light into the most out-of-the-way place. The head extends to 72" within seconds. It provides 3 levels of lighting and substantial run time to last through several shifts, even days. The unique diffuser lets you select a flood or spot beam in all three levels. It's designed to adapt to tight spaces, but rugged enough to be stable in wide open terrain or steps. The regulated light provides consistent output throughout the life of the battery. It's an indispensable tool for first responders, construction crews, and utility workers.

PORTABLE SCENE LIGHT

BATTERY: Zero-maintenance, sealed lead acid. Can also be powered by 12V DC power cord.
SIZE: 22.5" x 6.5" x 11" (57.2 x 16.5 x 27.9 cm)
WEIGHT: 25 lb (11.3 kg)
COLOR: Yellow

PORTABLE SCENE LIGHT EXT

BATTERY: Zero-maintenance, sealed lead acid. Can also be powered by 12V DC power cord.
SIZE: 25.5" x 6.5" x 11" (55.88 x 16.5 x 27.9 cm)
WEIGHT: 25.5 lb (11.6 kg)
COLOR: Yellow

ITEM #	DESCRIPTION
45670	PORTABLE SCENE LIGHT -120V AC/12V DC – YELLOW
45680	PORTABLE SCENE LIGHT EXT -120V AC/12V DC – YELLOW



	HIGH	MEDIUM	LOW
LUMENS:	5,300	2,500	1,300
CANDELA:	42,000	21,300	11,600
DISTANCE:	410m	292m	215m
RUN TIME:	4h	9h	18h



Portable Scene Light
 packs to a compact size
 for easy storage
 (22.5 in.; 57.2 cm)



Portable Scene Light EXT
 packs to a compact size
 for easy storage
 (25.5 in.; 64.8 cm)



Special Features:

- Full deployment in 30 seconds
- Designed to resist 40mph wind continuous in all directions with head fully extended
- Unlimited run time using AC/DC power source
- IP67 rated; dust-tight and
- WATERPROOF TO 1M FOR 30 MINUTES**
- Stabilization legs provide balance on uneven surfaces



PORTABLE SCENE LIGHT II : TURN TO A HIGHER POWER

- STACKABLE FOR “LIGHT TOWER” CAPABILITY
- 360-DEGREE ROTATING HEAD
- PORTABLE, CORDLESS AND LIGHTWEIGHT
- HIGH-QUALITY, VIRTUALLY INDESTRUCTIBLE ALLOY STEEL FRAME
- WATERPROOF
- 10,000 LUMENS



PORTABLE SCENE LIGHT II

Turn to a higher power with the Portable Scene Light II. 18 LEDs produce 10,000 lumens to light up the entire scene. With zero deployment time, it features a compact footprint, 360° rotating head and it’s stackable for “light tower” capability with multi-level lighting. High-impact thermoplastic housing mounted in a virtually indestructible alloy steel frame. Hooked feet for hanging over doors, guard rails, fences, etc. The perfect scene light for marking exits, post fire investigation, fire ground clean-up, mobile triage center lighting, etc.

PORTABLE SCENE LIGHT II

BATTERY: Lithium-ion Rechargeable
SIZE: 16" x 11" x 12" (19.05 x 12.7 x 16.51 cm)
WEIGHT: 15.38 lbs (6.10 kg)
COLOR: Red



ITEM #	DESCRIPTION
46000	PORTABLE SCENE LIGHT II -120V AC/12V DC -- RED

	100%	80%	60%	40%	20%
LUMENS:	10,000	8,300	6,300	4,500	2,300
RUN TIME:	2h	2.75h	3.75h	5.75h	11h

Digital display shows intensity level and run time



Toggle switch - choose from 5 intensity levels

Special Features:

- Portable, cordless, ultra compact
- Virtually indestructible alloy steel frame
- Unlimited run time using AC/DC power source
 - Batteries will continue to charge while in use
- **IPX7 WATERPROOF TO 1M FOR 30 MINUTES**

Use a single unit or stack for multi-level lighting



Hang over doors, guard rails, fences, etc.



CORDLESS AND COMPACT PREVENTS TRIP HAZARDS

The Portable Scene Light II makes your work site safer and clean up easier. It's cordless and compact so it removes trip hazards and is easy to maneuver around. Stackable for "light tower" capability, individual units feature a 360° rotating head to aim the beam for multi-level lighting. Lightweight - under 16 lbs - so if you need to grab one off the stack and move to another location, it won't weigh you down.

TAKE YOUR WORK SITE FROM THIS:



TO THIS:





SEE AND BE SEEN EVEN IN THE THICKEST SMOKE

THE VULCAN SERIES FEATURE A TIGHT BEAM AND
BLUE TAILLIGHT LEDS

VULCAN® 180

The lightest portable lantern of its kind, the Vulcan 180 is designed to burn brighter and run longer making it an essential firefighting tool. This rechargeable, waterproof lantern has a 180° tilting head which allows you to direct the light where you need it. Three LEDs bring you extreme brightness along with two blue taillight LEDs for visibility in thick smoke. IP64 rated, dust-tight and water resistant; 2m impact resistance tested.

VULCAN 180

BATTERY: Lithium-ion Rechargeable
SIZE: 7.43" x 4.32" x 4.36" (18.8 x 10.9 x 11 cm)
WEIGHT: 2.45 lbs (1112g)
COLOR: Orange or Yellow

Large, multi-function, push button switch easy to use with gloved hands.



	HIGH	LOW
LUMENS:	1,200	350
CANDELA:	75,000	22,000
DISTANCE:	548m	296m
RUN TIME:	5.75h	16h

YELLOW	ORANGE	DESCRIPTION
44307	44311	VULCAN 180 - STD SYSTEM - 120V AC/12V DC, QUICK RELEASE SHOULDER STRAP
44301	---	VULCAN 180 - STD SYSTEM - 120V AC/12V DC, HEAVY DUTY SHOULDER STRAP
44305	44315	VULCAN 180 - VEHICLE MOUNT SYSTEM - 12V DC, SHOULDER STRAP
44300	44310	VULCAN 180 - LIGHT ONLY

Flat base area allows light to stand on its own for scene lighting.



Taillight LEDs ensure you can be seen even from behind. Can be programmed on or off



Class I, Division 2, Groups A, B, C, D;
Class II, Division 2, Groups F, G;
Class III; T-Class: T4



Rack meets requirements of
NFPA 1901-14.1.10.2 (2016)
mounted in any position

	HIGH	LOW
LUMENS:	400	130
CANDELA:	25,000	8,000
DISTANCE:	316m	128m
RUN TIME:	10h	24h



Class I, II, III, Div 1,
Groups A, B, C, D, E, F, G
Class I, Zone 0, Group IIC;
T-Code: T4

NFPA

Rack meets requirements of
NFPA 1901-14.1.10.2 (2016)
mounted in any position

VULCAN 180 HAZ-LO

BATTERY: Lithium-ion Rechargeable

SIZE: 7.43" x 4.32" x 4.36" (18.8 x 10.9 x 11 cm)

WEIGHT: 2.45 lbs (1112g)

COLOR: Orange or Yellow

VULCAN® 180 HAZ-LO®



Developed for use in hazardous locations on a portable scene light platform the Class 1, Div. 1 safety rated Vulcan 180 is lightweight and rechargeable.


Combine the three extreme bright white LEDs with cordless operation to eliminate trip hazards while two ultra-bright blue taillights provide visibility in thick smoke.

Use its 180° articulating head to target the light where needed. A large handle enables smooth handoffs even with gloves. IP65 rated, dust-tight and water resistant; 2m impact resistance tested.



YELLOW	ORANGE	DESCRIPTION
44321	44331	VULCAN 180 HAZ-LO - STD SYSTEM - 120V AC/12V DC, SHOULDER STRAP
44325	44335	VULCAN 180 HAZ-LO - VEHICLE MOUNT SYSTEM - 12V DC, SHOULDER STRAP
44320	44330	VULCAN 180 HAZ-LO - LIGHT ONLY





VULCAN CLUTCH®

NEW

**1,700
LUMENS**

The Vulcan Clutch, with its downward-angled head is designed to illuminate your path so you can navigate to your destination safely and efficiently. Once on-site, clamp it virtually anywhere and articulate the head to direct the beam where you need it. Flash mode for use as an exit marker or warning beacon.

Three white LEDs produce extreme brightness and two ultra-bright blue taillight LEDs provide visibility in thick smoke. A large handle enables smooth handoffs even with gloves. IPX7; waterproof to 1m for 30 minutes. Uses the same mounting rack as the Vulcan 180.

VULCAN CLUTCH

BATTERY: Lithium-ion Rechargeable

SIZE: 9.39" x 4.6" x 6.4" (23.85 x 11.68 x 16.26 cm)

WEIGHT: 2.84 lbs (1288g)

COLOR: Orange or Yellow

	HIGH	LOW
LUMENS:	1,700	380
CANDELA:	67,500	15,000
DISTANCE:	520m	245m
RUN TIME:	6.5h	18h
FLASH RUNS 25 HOURS		

Large, multi-function, push button switch easy to use with gloved hands.



Orange model includes quick release shoulder strap.

NFPA

Rack meets requirements of NFPA 1901-14.1.10.2 (2016) mounted in any position

ITEM #	DESCRIPTION
44361	VULCAN CLUTCH - 120V AC/12V DC, QUICK RELEASE SHOULDER STRAP - ORANGE
44365	VULCAN CLUTCH - VEHICLE MOUNT SYSTEM - 12V DC, QUICK RELEASE SHOULDER STRAP - ORANGE
44360	VULCAN CLUTCH - LIGHT ONLY - QUICK RELEASE SHOULDER STRAP - ORANGE
44371	VULCAN CLUTCH - 120V AC/12V DC, HEAVY DUTY SHOULDER STRAP - YELLOW
44375	VULCAN CLUTCH - VEHICLE MOUNT SYSTEM - 12V DC, HEAVY DUTY SHOULDER STRAP - YELLOW
44370	VULCAN CLUTCH - LIGHT ONLY - HEAVY DUTY SHOULDER STRAP - YELLOW



Yellow model includes heavy duty shoulder strap.



340° articulating head



Versatile clamping handle



20-degree downcast head for footpath lighting



Battery status/charge indicator



Taillight LEDs ensure you can be seen even from behind

THE E-FLOOD & E-SPOT SERIES ARE ABOUT

DELIVERING THE RIGHT LIGHT EXACTLY WHERE YOU NEED IT

E-FLOOD® LITEBOX® // E-FLOOD® FIREBOX®

	HIGH	LOW
LUMENS:	615	330
CANDELA:	4,000	2,150
DISTANCE:	126m	93m
RUN TIME:	8h	18h



E-Spot FireBox features dual rear LEDs to ensure you can be seen from behind.

NFPA

Rack meets requirements of NFPA 1901-14.1.10.2 (2016) mounted in any position

E-SPOT® LITEBOX® // E-SPOT® FIREBOX®

	HIGH	LOW
LUMENS:	540	330
CANDELA:	55,000	32,000
DISTANCE:	469m	358m
RUN TIME:	7h	15h



E-Spot FireBox features dual rear LEDs to ensure you can be seen from behind.

NFPA

Rack meets requirements of NFPA 1901-14.1.10.2 (2016) mounted in any position

Six LEDs spread light over an entire area. An extended run time – 18 hours – allows you to keep large areas illuminated no matter how long your shift lasts. Swivel the head to point light where you need it. IPX4 water-resistant.

Three LEDs spotlight an area with focused bright light so you can search or inspect from a distance. It features a swivel head that makes it easy to inspect ceilings and out-of-the-way places. IPX4 water-resistant.

E-FLOOD LITEBOX / E-FLOOD FIREBOX

BATTERY: Zero-maintenance sealed lead acid

SIZE: 11.5 [29.2 cm]

WEIGHT: 7 lbs 14.4 oz [3.58 kg]

COLOR: Orange or Yellow

E-SPOT LITEBOX / E-SPOT FIREBOX

BATTERY: Zero-maintenance sealed lead acid

SIZE: 11.5 [29.2 cm]

WEIGHT: 7 lbs 14.4 oz [3.58 kg]

COLOR: Orange or Yellow

ORANGE	YELLOW	DESCRIPTION
E-FLOOD LITEBOX		
45801	45821	E-FLOOD LITEBOX - 120V AC/12V DC, SHOULDER STRAP & MOUNTING RACK
45805	45825	E-FLOOD LITEBOX VEHICLE MOUNT SYSTEM - 12V DC, SHOULDER STRAP
45807	--	E-FLOOD LITEBOX POWER FAILURE SYSTEM - 120V AC/12V DC, MOUNTING RACK
45806	45826	E-FLOOD LITEBOX- WITHOUT CHARGER
E-FLOOD FIREBOX (DUAL REAR LEDS)		
45811	--	E-FLOOD FIREBOX - 120V AC/12V DC, SHOULDER STRAP & MOUNTING RACK
45815	--	E-FLOOD FIREBOX - VEHICLE MOUNT SYSTEM - 12V DC, SHOULDER STRAP
45832	--	E-FLOOD FIREBOX - WITHOUT CHARGER

ORANGE	YELLOW	DESCRIPTION
E-SPOT LITEBOX		
45851	45871	E-SPOT LITEBOX - 120V AC/12V DC, SHOULDER STRAP & MOUNTING RACK
45855	45875	E-SPOT LITEBOX VEHICLE MOUNT SYSTEM - 12V DC, SHOULDER STRAP
45857	--	E-SPOT LITEBOX POWER FAILURE SYSTEM - 120V AC/12V DC, MOUNTING RACK
45856	45867	E-SPOT LITEBOX- WITHOUT CHARGER
E-SPOT FIREBOX (DUAL REAR LEDS)		
45861	--	E-FLOOD FIREBOX - 120V AC/12V DC, SHOULDER STRAP & MOUNTING RACK
45865	--	E-FLOOD FIREBOX - VEHICLE MOUNT SYSTEM - 12V DC, SHOULDER STRAP
45882	--	E-FLOOD FIREBOX - WITHOUT CHARGER

Power Failure System features "Smart" power failure circuitry which automatically illuminates the light when the power is lost.



FIRE VULCAN® LED

This lightweight lantern features two ultra-bright blue taillight LEDs that help you be seen even in thick smoke. It is IPX7 rated - waterproof to 1m for 30 minutes, and it floats! Programmable light functions let you control the order in which the modes come on. Other features include an unbreakable, scratch-resistant, O-ring sealed lens and a quick-release shoulder strap.

FIRE VULCAN LED

BATTERY: Lithium-ion Rechargeable
SIZE: 7.5" x 5" x 6.5" (19.05 x 12.7 x 16.51 cm)
WEIGHT: 1.85 lbs (839g)
COLOR: Orange



Class I, Div. 2, Groups A, B, C, D;
 Class II, Div. 2, Groups F, G;
 Class III T-Code: T4

NFPA

Rack meets requirements of
 NFPA 1901-14.1.10.2 (2016)
 mounted in any position

ITEM #	DESCRIPTION
44450	FIRE VULCAN LED - STD SYSTEM - 120V AC/12V DC, SHOULDER STRAP & RACK - ORANGE
44451	FIRE VULCAN LED - VEHICLE MOUNT SYSTEM - 12V DC DIRECT WIRE RACK, SHOULDER STRAP - ORANGE
44454	FIRE VULCAN LED - WITHOUT CHARGER - ORANGE

	HIGH	LOW
LUMENS:	180	80
CANDELA:	100,000	45,000
RUN TIME:	5h	10h



Ultra-bright blue tail light LEDs make certain you can be seen, even in thick smoke.



E-FLOOD® LITEBOX® HL

The E-Flood LiteBox HL features six ultra-bright white LEDs that produce 5,300 lumens to flood an entire area with light. An integrated diffuser lets you select from a flood and spot lens in three lighting intensities and a 90° swivel neck lets you aim light where it's needed. It's ideal for illuminating a rescue scene or any site that requires a large flood beam. Includes a 10ft DC power cord - plug into external power source, and it will charge while in use.

E-FLOOD LITEBOX HL

BATTERY: Zero-maintenance, sealed lead acid. Can also be powered by 12V DC power cord.

SIZE: 12.3" x 5.1" x 7.7" (31 x 13 x 19 cm)

WEIGHT: 10.4 lb (4.7 kg)

COLOR: Orange

NFPA

Rack meets requirements of NFPA 1901-14.1.10.2 (2016) mounted in any position

	HIGH	MEDIUM	LOW
LUMENS:	5,300	2,500	1,300
CANDELA:	42,000	21,300	11,600
DISTANCE:	410m	292m	215m
RUN TIME:	1.75h	4.5h	10h



ITEM #	DESCRIPTION
45661	E-FLOOD LITEBOX HL - STD SYSTEM - 120V AC/12V DC, SHOULDER STRAP & MOUNTING RACK - ORANGE
45665	E-FLOOD LITEBOX HL - VEHICLE MOUNT SYSTEM - 12V DC DIRECT WIRE RACK, SHOULDER STRAP - ORANGE
45660	E-FLOOD LITEBOX HL - WITHOUT CHARGER - ORANGE



1,000,000 cd



HID LITEBOX®

This portable, one million candela searchlight illuminates objects up to a mile away. Its 35-watt, high intensity xenon lamp has a 2,000-hour minimum lifetime and a 90° swivel head. The intense brightness and amazing 1-mile reach make this the ideal hand-held light when you absolutely must be able to inspect an entire area quickly and efficiently. It plugs into your vehicle's power source for an unlimited run time.

HID LITEBOX

BATTERY: Zero-maintenance, sealed lead acid

SIZE: 14.9" x 5.1" x 8.8" (38 x 13 x 23 cm)

WEIGHT: 10 lbs 1.6 oz (4.6 kg)

COLOR: Orange or Black

10 ft (3 meters) 12V DC power cord plugs into port at rear of light to provide duration lighting

LUMENS:	3,350
CANDELA:	1,00,000
RUN TIME:	1.75h

HID LiteBox battery will continue to charge while operating directly from an external 12V DC power source when using the remote cord



ORANGE	BLACK	DESCRIPTION
45601	45621	HID LITEBOX - STD SYSTEM - 120V AC/12V DC, 10FT (3M) 12V DC CORD, SHOULDER STRAP, FLOOD LENS
45605	45625	HID LITEBOX - VEHICLE MOUNT SYSTEM - 12V DC DIRECT WIRE RACK, 10FT (3M) 12V DC CORD, SHOULDER STRAP, FLOOD LENS
45600	45620	HID LITEBOX - WITHOUT CHARGER - INCLUDES 10FT (3M) 12V DC CORD, SHOULDER STRAP, FLOOD LENS

ACCESSORIES

DESCRIPTION	PART #	GOES WITH
STANDARD MOUNTING RACK—ORANGE VEHICLE MOUNTING RACK—ORANGE	45070 45071	E-FLOOD LITEBOX HL, E-FLOOD LITEBOX/FIREBOX, E-SPOT LITEBOX/ FIREBOX, HID LITEBOX
STANDARD MOUNTING RACK—YELLOW VEHICLE MOUNTING RACK—YELLOW	45072 45074	E-FLOOD LITEBOX/FIREBOX, E-SPOT LITEBOX/FIREBOX
STANDARD MOUNTING RACK—BLACK VEHICLE MOUNTING RACK—BLACK	45075 45076	HID LITEBOX
STANDARD CHARGE RACK - BLACK VEHICLE MOUNTING RACK - BLACK	44103 44132	FIRE VULCAN LED
STANDARD CHARGE RACK - BLACK DIRECT WIRE 12V DC CHARGE RACK KIT - BLACK	44350 44306	VULCAN 180, VULCAN CLUTCH
12V DC (CAR SOCKET) CHARGE CORD	22051	E-FLOOD LITEBOX HL, E-FLOOD LITEBOX/FIREBOX, E-SPOT LITEBOX/ FIREBOX, HID LITEBOX, FIRE VULCAN LED, VULCAN 180
12V DC CHARGE CORD	22050	E-FLOOD LITEBOX HL, E-FLOOD LITEBOX/FIREBOX, E-SPOT LITEBOX/ FIREBOX, HID LITEBOX, FIRE VULCAN LED, VULCAN 180, VULCAN CLUTCH
12V DC CHARGE CORD (10 FT/3M)	22056	PORTABLE SCENE LIGHT, PORTABLE SCENE LIGHT EXT, PORTABLE SCENE LIGHT II, E-FLOOD LITEBOX HL, HID LITEBOX
120V AC CHARGE CORD	22060	E-FLOOD LITEBOX/FIREBOX, E-SPOT LITEBOX/FIREBOX, FIRE VULCAN LED, VULCAN 180, VULCAN CLUTCH
120V AC CHARGE CORD	22085	E-FLOOD LITEBOX HL, HID LITEBOX
POWER SUPPLY 120V AC CHARGE CORD	22083 22074	PORTABLE SCENE LIGHT, PORTABLE SCENE LIGHT EXT, PORTABLE SCENE LIGHT II
BATTERY (SEALED LEAD ACID)	45630	PORTABLE SCENE LIGHT, PORTABLE SCENE LIGHT EXT, E-FLOOD LITEBOX HL, HID LITEBOX
BATTERY (SEALED LEAD ACID)	45937	E-FLOOD LITEBOX, E-SPOT LITEBOX
BATTERY (LITHIUM ION)	44610	FIRE VULCAN LED
BATTERY (LITHIUM ION)	44351	VULCAN 180
BATTERY (LITHIUM ION)	44352	VULCAN 180 HAZ-LO
BATTERY (LITHIUM ION)	46005	PORTABLE SCENE LIGHT II
HID BULB KIT	45637	HID LITEBOX
FLOOD LENS	45657	HID LITEBOX
IR FILTER	45654	HID LITEBOX
E-SPOT UPGRADE KIT E-FLOOD UPGRADE KIT	45845 45842	E-SPOT LITEBOX/FIREBOX
QUICK RELEASE STRAP	44050	E-FLOOD LITEBOX HL, E-FLOOD LITEBOX/FIREBOX, E-SPOT LITEBOX/ FIREBOX, HID LITEBOX, FIRE VULCAN LED, VULCAN 180, VULCAN CLUTCH
HEAVY DUTY STRAP	45232	E-FLOOD LITEBOX HL, E-FLOOD LITEBOX/FIREBOX, E-SPOT LITEBOX/ FIREBOX, HID LITEBOX, FIRE VULCAN LED, VULCAN 180, VULCAN CLUTCH
HEAVY DUTY STRAP WITH CARABINER LOCK	45677	PORTABLE SCENE LIGHT, PORTABLE SCENE LIGHT EXT

STREAMLIGHT LANTERN SERIES

WAYPOINT®

	HIGH	LOW
LUMENS:	550	40
CANDELA:	100,000	7,900
DISTANCE:	625m	178m
RUN TIME:	10h	82h

12V DC POWER CORD - UNLIMITED RUN TIME
EMERGENCY SIGNAL: RUNS 82 HOURS



Trigger style switch with momentary operation

Integrated stand for hands-free lighting



Use the ultra-bright, long-distance beam of the Waypoint as a spotlight to illuminate far-off objects. This pistol grip light has a trigger-style switch, as well as an integrated stand so that you can set it down for hands-free lighting. It's the perfect tool for inspections or looking for addresses or any other objects you can't get close to easily. IPX4 water-resistant.

WAYPOINT

BATTERY: 4 "C" batteries (not included).
Can also be powered by 12V DC power cord (included)
SIZE: 6.75" x 7.14" x 3.5" (17.15 x 18.14 x 8.89 cm)
WEIGHT: 1.8 lb (816g)
COLOR: Yellow or Black



12V DC power cord for unlimited run time (does not charge batteries)



Polymer storage mount (included)

Green Filter reduces shadows



Red Filter preserves night vision


WAYPOINT® 400



	HIGH	MEDIUM	LOW
LUMENS:	1,400	600	38
CANDELA:	400,000	165,000	10,000
DISTANCE:	1,265m	812m	200m
RUN TIME:	3.25h	7.5h	84h



400,000 cd



1,265m



The rechargeable Waypoint 400 produces a far-reaching beam that reaches into corners and illuminates high ceilings and other out-of-reach places. IPX8 - waterproof to 2m and it floats. High, medium and low modes provide the right amount of light and run time needed to complete your task. An integrated stand for hands-free area lighting. Recharges in 4 hours.

WAYPOINT 400

BATTERY: Lithium Ion with on-board safety control circuit
SIZE: 6.75" x 7.14" x 3.62" (17.15 x 18.14 x 9.29 cm)
WEIGHT: 1.52 lb (691g)
COLOR: Yellow or Black



Includes 120V AC Charge Cord



Optional 12V DC Charge Cord



Polymer storage mount (included)

Green Filter reduces shadows



Red Filter preserves night vision

ITEM #	DESCRIPTION
44900	WAYPOINT - INCLUDES 12V DC POWER CORD - BOX - YELLOW
44902	WAYPOINT - INCLUDES 12V DC POWER CORD - BOX - BLACK
44904	WAYPOINT - INCLUDES 12V DC POWER CORD - CLAM - YELLOW
44905	WAYPOINT - INCLUDES 12V DC POWER CORD - CLAM - BLACK
44908	POLYMER STORAGE MOUNT
44903	12V DC POWER CORD*
44924	RED FILTER
44925	GREEN FILTER

*12V DC POWER CORD DOES NOT CHARGE BATTERIES

ITEM #	DESCRIPTION
44910	WAYPOINT 400 - 120V AC - BOX - YELLOW
44911	WAYPOINT 400 - 120V AC - BOX - BLACK
44901	POLYMER STORAGE MOUNT
44909	120V AC CHARGE CORD
44923	12V DC CORD
44915	RED FILTER
44916	GREEN FILTER



**THE WAYPOINT FAMILY
FEATURES
DUALIE
FUNCTIONALITY**



Push button switch with momentary and click on operation. The rotary switch selects the main/front beam, bottom/area light, or both.



LED bottom facing flood light can be used individually or with the forward facing spot beam.



Integrated stand and D-ring for hands-free lighting.

DUALIE WAYPOINT®

The Dualie Waypoint features dual beam technology with a forward facing spot beam and a bottom facing flood light that can be used individually or at the same time. See what's ahead of you and right in front of your feet. Its bright light, which shines both ahead of you and downward, helps you avoid slips, trips and falls. Multiple hands-free uses - hang it over a door, stand it on its kickstand or hang it with integrated D-ring. Its ergonomic handle hooks over doors, pipes, ladder rungs, etc., for hands-free use. IPX7 waterproof to 1m, making it ideal for wet applications.



COMBO	HIGH	MEDIUM	LOW
LUMENS:	1,000	600	75
RUN TIME:	3h	6h	55h

SPOT	HIGH	MEDIUM	LOW
LUMENS:	750	500	35
CANDELA:	75,000	45,000	3,200
DISTANCE:	548m	426m	113m
RUN TIME:	3.5h	6h	125h

FLOOD	HIGH	MEDIUM	LOW
LUMENS:	500	230	25
CANDELA:	250	120	10
DISTANCE:	31m	22m	6m
RUN TIME:	5h	12.5h	170h

DUALIE WAYPOINT

BATTERY: (4) "C" alkaline batteries
SIZE: 6.75" x 6.5" x 3.55" (17.14 x 16.5 x 9.0 cm)
WEIGHT: 2.06 lbs (934g) w/o batteries
COLOR: Yellow

ITEM #	DESCRIPTION
44955	DUALIE WAYPOINT - BOX - YELLOW

STREAMLIGHT
SIEGE SERIES



SUPER SIEGE **THE HARDEST**
WORKING
SIEGE LANTERN

SUPER SIEGE®

The Super Siege rechargeable scene light/work lantern provides 360° of bright light that illuminates an entire scene. A rechargeable lithium ion battery supplies the power to charge your Streamlight flashlights, smartphones and tablets. Remove the globe cover and hang the Super Siege upside down by its D-ring for large area lighting needs. Use the Glare Guard™ to shield light from 1/2 the globe for up-close task lighting. Set it to SOS mode for emergency situations. Working in a grueling environment? No problem! Its rubber base keeps it stable on slippery or uneven surfaces, and a watertight storage compartment keeps small items dry. IPX7 waterproof to 1m. It floats.

SUPER SIEGE

BATTERY: Lithium Ion
SIZE: 3.8" x 7.5" (9.65 x 19.05 cm)
WEIGHT: 1 lb 14 oz (867.62g)
COLOR: Coyote or Yellow



Magnetic Accessory Base

ITEM #	DESCRIPTION
44947	SUPER SIEGE - 120V AC - COYOTE
44945	SUPER SIEGE - 120V AC - YELLOW
44909	120V AC CHARGE CORD
44950	GLARE GUARD™
44951	MAGNETIC BASE - BLACK

WHITE	HIGH	MEDIUM	LOW
LUMENS:	1,100	550	125
RUN TIME:	5.75h	11.5h	36.25h

RED	HIGH	SOS	LOW
LUMENS:	2.7	2.7	1
RUN TIME:	140h	320h	348h

With **[(RED SOS)]**
 Hold on/off button to activate



Rechargeable lithium ion battery

supplies the power for the lantern as well as enabling you to recharge all your electronic devices from the handy USB port.



A small dry storage area is provided in the light's base for all your "keep dry" needs

SIEGE® X USB

This 2-in-1 lantern/flashlight combo provides 360° of light to illuminate a large area or a focused beam to light your path. Features three lighting modes: smooth lantern lighting; a red LED to preserve night vision and a front spot light for use as a handheld flashlight. It accepts the Streamlight SL-B26® protected Li-Ion USB rechargeable battery pack or two CR123A lithium batteries. IPX7 waterproof to 1m submersion. A Its ergonomic handle can also be used as a hang hook or use the D-ring in the base for hands-free lighting needs.

With **[(RED SOS)]**
 Hold on/off button to activate



MULTI-FUEL DESIGN:
 Runs on SL-B26 battery pack or CR123A lithium batteries

LANTERN	HIGH	MEDIUM	LOW
LUMENS:	325	170	30
RUN TIME:	4.5h	7.75h	25h

RED	HIGH	SOS
LUMENS:	1.6	1.6
RUN TIME:	22h	90h

FLASHLIGHT	HIGH	LOW
LUMENS:	300	40
CANDELA:	6,000	900
DISTANCE:	155m	60m
RUN TIME:	3.5h	25h



Incorporated flashlight produces 300 lumens

SIEGE X USB

BATTERY: (1) SL-B26 USB rechargeable battery pack (included) or (2) CR123

SIZE: 2.12" x 4.35" (5.38 x 11.05 cm)

WEIGHT W/SL-B26: 7.2 oz (204.12g)

WEIGHT W/CR123A: 6.8 oz (192.78g)

COLOR: Coyote

ITEM #	DESCRIPTION
44956	SIEGE X USB - WITH SL-B26 BATTERY PACK - COYOTE

STREAMLIGHT
SIEGE SERIES



THE SIEGE®

The Siege is brighter, more durable, and much more versatile than other emergency/camping lanterns. It's bright enough to light up a whole campsite. It runs for over 30 hours on high and over 12 days on low! Its handle and D-rings allow you to hang it or clip it almost anywhere, upright or inverted. It has 3 white light settings, a red light for softer, less intense light, and an SOS mode. Remove the top for brighter light. Battery indicator flashes to alert you to low battery. Waterproof to 1m; it floats.

THE SIEGE

BATTERY: (3) "D" alkaline
SIZE: 3.8" x 7.25" (9.65 x 18.41 cm)
WEIGHT: 1 lb 15 oz (878g)
COLOR: Coyote

WHITE	HIGH	MEDIUM	LOW
LUMENS:	540	275	55
RUN TIME:	30h	70h	295h
RED	HIGH	SOS	
LUMENS:	10	10	
RUN TIME:	235h	430h	

With **[(RED SOS)]**
Hold on/off button to activate



ITEM #	DESCRIPTION
44931	THE SIEGE – COYOTE
44950	GLARE GUARD™
44952	MAGNETIC BASE - BLACK

Magnetic Accessory Base



Shown with outer globe removed.



THE SIEGE SERIES. THEY'VE GOT SURVIVAL INSTINCTS

SIEGE® AA

The Siege® AA lantern features white LED and red LEDs for scene lighting, low level lighting or SOS mode. There are five output modes and a battery level indicator built into the power button. With the outer lantern globe in place, the Siege AA will float. Remove the outer globe and hang the body upside down by the D-ring for large area lighting needs. Battery replacement is a breeze with the center post orienting the battery cover correctly every time.

SIEGE AA

BATTERY: [3] "AA" alkaline

SIZE: 2.37" x 5.44" [6.00 x 13.82 cm]

WEIGHT: 8.8 oz [249.47g]

MAG. MODEL WEIGHT: 9.1 oz [257.98g]

COLOR: Coyote or Yellow

ITEM #	DESCRIPTION
44941	SIEGE AA – COYOTE
44943	SIEGE AA - YELLOW W/MAGNETIC BASE
44942	MAGNETIC BASE - COYOTE

WHITE	HIGH	MEDIUM	LOW
LUMENS:	200	100	50
RUN TIME:	7h	15.5h	37h

RED	HIGH	SOS
LUMENS:	.7	.7
RUN TIME:	192h	288h



The yellow Siege AA has three strong magnets in the base. It's now a versatile, hands-free work light that can be attached to steel surfaces like engines, machines, or other equipment.

With **[[RED SOS]]**
Hold on/off button to activate



Optional magnetic base for hands-free work.

SURVIVOR/KNUCKLEHEAD VANTAGE SERIES //

RIGHT-ANGLE LIGHTING

WHETHER IT'S ON THE BODY OR ON THE HELMET,
STREAMLIGHT DELIVERS THE TRUSTED OPTIONS.

Ask any firefighter what light they trust most... and the likely answer is the Streamlight Survivor. And while we're proud of that fact, we're also not one to let it rest at that. We continue to develop products that keep firefighters and industrial workers safe. Because as we all know, the work is never truly done.



VANTAGE®
180 X USB



VANTAGE® II



SURVIVOR® X

SURVIVOR® X USB

The Survivor X USB provides budget-friendly rechargeability combined with added features and increased output. Uses an SL-B26® battery pack that is easily interchangeable with alkaline batteries as a backup on-scene. IP67 rated; dust-tight and waterproof to 1m for 30 minutes; 2m impact resistance tested. Lightweight design because we understand that when carrying a lot of gear, every ounce counts. Class I, Div. 2 safety-rated.

	HIGH	LOW
LUMENS:	250	60
CANDELA:	50,000	14,000
DISTANCE:	447m	237m
RUN TIME (SL-B26):	4h	15h
RUN TIME (ALK):	5h	15h
FLASH RUNS 8 HOURS		

BATTERY: USB rechargeable SL-B26 battery pack; also accepts 3 "AA" alkaline batteries

SIZE: 7.06" (17.92 cm)

RECH WEIGHT: 11.9 oz (337g)

ALKALINE WEIGHT: 12.8 oz (363g)

COLOR: Orange or Yellow



Class I & II, Div. 2,
Grps A, B, C, D, F, G;
Class III T4

NFPA

Flashlight meets 500°F
requirements of NFPA
1971-8.6 (2013)

NFPA

Charger meets requirements
of NFPA 1901-14.1.10.2 (2016)
mounted in any position

ORANGE	YELLOW	DESCRIPTION
90044	90244	SURVIVOR X USB - SL-B26 BATTERY PACK

SURVIVOR® X

The Survivor X provides added features and increased output. Uses lithium ion battery pack that is easily interchangeable with alkaline batteries as a backup on-scene. IP67 rated; dust-tight and waterproof to 1m for 30 minutes; 2m impact resistance tested. Lightweight design because we understand that when carrying a lot of gear, every ounce counts. Class I, Div. 1 safety-rated.

Notice: The Survivor X is not compatible with legacy Survivor chargers.

	HIGH	LOW
LUMENS:	250	60
CANDELA:	50,000	14,000
DISTANCE:	447m	237m
RUN TIME (SL-B26):	4h	15h
RUN TIME (ALK):	5h	15h
FLASH RUNS 8 HOURS		

BATTERY: Rechargeable lithium ion battery pack; also accepts 3 "AA" alkaline batteries

SIZE: 7.06" (17.92 cm)

RECH WEIGHT: 11.9 oz (337g)

ALKALINE WEIGHT: 12.8 oz (363g)

COLOR: Orange or Yellow

ORANGE	YELLOW	DESCRIPTION
90952	90962	SURVIVOR X - 120V/100V AC/12V DC
90950	90960	SURVIVOR X - ALKALINE



Class I & II, Div. 1,
Grps A, B, C, D, E, F, G;
Class III, T3/T4

NFPA

Flashlight meets 500°F
requirements of NFPA
1971-8.6 (2013)

NFPA

Charger meets requirements
of NFPA 1901-14.1.10.2 (2016)
mounted in any position



Strong spring-loaded
clip securely grabs
onto belts and gear;
D-ring provides forward
hanging orientation



Battery life indicator in switch:

- Green indicates full charge
- Turns red when battery is nearing low voltage
- Flashes red continuously when 15 minutes left of battery

SURVIVOR® X IMPROVED CHARGER DESIGN

Improved charger design:

- Survivor X securely locks into the charger - fits snugly in place
- Quick release latch for one-handed grab-and-go
- Easy to remove with gloved hands
- Charge indicator shines solid red when charging and solid green when charged



Notice: The Survivor X is not compatible with legacy Survivor chargers; however, the new charger WILL charge both Streamlight's Legacy Survivors as well as the new Survivor X.



- Know your charge status with battery life indicator in switch boot
- Green indicates full charge
- Turns red when battery is nearing end of usable charge
- Flashes red continuously with 15 minutes or less remaining of battery life



THE MOST TRUSTED RIGHT ANGLE LIGHT
THIN, BRIGHT & EXTREMELY VERSATILE
SURVIVOR



SURVIVOR®

This leading Class I, Div. 1 right angle flashlight features a slim profile, a D-ring for accurate light orientation and a spring-loaded clip that grabs onto your gear. Four lighting modes include high, low, flash, and moonlight (for low-level lighting to preserve batteries). IPX4 water-resistant. Unbreakable, scratch-resistant polycarbonate lens. Push-button switch is designed for easy operation even with heavy gloves.

BATTERY: Rechargeable NiMH battery pack; also accepts 4 "AA" alkaline batteries

SIZE: 7.6" (17.92 cm)

RECH WEIGHT: 1 lb, 1.9 oz (508g)

ALKALINE WEIGHT: 13.1 oz (388g)

COLOR: Orange, Yellow, or Black

ORANGE	YELLOW	BLACK	DESCRIPTION
90503	90513	90523	SURVIVOR - 120V AC/12V DC
90500	90510	90520	SURVIVOR - WITHOUT CHARGER
90540	90541	90545	SURVIVOR - ALKALINE

Interchangeable Smoke Cutter® plugs:



Black reduces peripheral light for a tighter beam

Amber reduces peripheral light and eye fatigue caused by glare



Low profile design

	HIGH	LOW
LUMENS:	175	60
CANDELA:	41,000	14,000
DISTANCE:	405m	237m
RUN TIME [RECH]:	3.5h	13h
RUN TIME [ALK]:	4h	15h
MOONLIGHT MODE: RUNS 20 DAYS		
FLASH RUNS 8 HOURS		



Class I & II, Division 1, Groups C, D, E, F, G;
 Class III, T4; Class I, Division 2,
 Groups A, B, C, D, T4

NFPA

Flashlight meets 500°F requirements of NFPA 1971-8.6 (2013)

NFPA

Rack meets requirements of 1901-14.1.10.2 (2016) mounted in any position



Permissible Flashlight, Approval No. 20-A150001-0 (Alkaline model)

SURVIVOR SERIES ACCESSORIES

DESCRIPTION	SURVIVOR	SURVIVOR X	SURVIVOR X USB
5 UNIT 120V AC BANK CHARGER	90910	90910	---
5 UNIT 12V DC BANK CHARGER	90912	90912	---
LI-ION BANK CHARGER	---	20224	20224
120V AC	---	20223	20223
12V DC	---	---	---
CHARGER	90345	90345	---
LITHIUM ION BATTERY	---	90341	---
NIMH BATTERY	90339	---	---
ALKALINE/SL-B26 BATTERY CARTRIDGE	---	90342	90342
ALKALINE BATTERY CARTRIDGE	90542	---	---
SL-B26 BATTERY PACK	---	---	22101 - 1PK 22105 - 8 PK
12V DC1 CHARGE CORD	22051	22051	---
12V DC2 CHARGE CORD	22050	22050	---
120V AC CHARGE CORD	22060	22060	---
40" (101.6 CM) USB CORD	---	22070	22070
22" (55.88CM) USB CORD	---	22081	22081

Note: The Survivor® X is not compatible with legacy Survivor® chargers.



VANTAGE SERIES
THE VERSATILE SOLUTION
TO FIREFIGHTER'S
HANDS-FREE
LIGHTING NEEDS





VANTAGE® 180 X USB // VANTAGE® 180 X

This multi-fuel, multi-function light is the most versatile rechargeable firefighter's light. It's a helmet mounted light, right angle light and a hand-held flashlight. The Vantage 180 X USB is a rechargeable system that includes a Streamlight SL-B26® protected Li-Ion USB rechargeable battery pack with integrated USB port. The Vantage 180 X includes two CR123 batteries.

Easily attaches above or below the brim of most helmets providing a bright main white LED and blue safety taillight. Quickly detaches for hand-held and clip-on right angle light with white taillight and downcast light to see what's at your feet. IPX7 waterproof.



Head articulates 180° to aim the beam.



Use as a helmet light. Easily attaches above or below brim. No tools necessary to quickly remove for use as a hand-held flashlight

VANTAGE 180 X USB/VANTAGE 180 X

BATTERY: SL-B26 Li-Ion USB rechargeable battery pack or 2 CR123A lithium batteries

SIZE: 5.20" [13.20 cm]

WEIGHT: 5.9 oz [167g] (SL-B26); 5.5 oz [156 g] (CR123A)

COLOR: Orange or Black

ORANGE	BLACK	DESCRIPTION
88911	88913	VANTAGE 180 X USB - SL-B26 BATTERY PACK
88901	88903	VANTAGE 180 X - LITHIUM BATTERIES



MULTI-FUEL DESIGN:
Runs on SL-B26 battery pack or CR123A batteries

	HIGH	LOW
LUMENS:	250	100
CANDELA:	7,200	2,650
DISTANCE:	170m	103m
RUN TIME (CR123):	4h	12h
RUN TIME (SL-B26):	5h	15h

NFPA

Meets requirements of NFPA 1971-8.6 (2013); 500° heat resistance test

Includes "quick release" helmet bracket and hex key.



Rear LED Taillight changes from blue to white:

- Blue LED for helmet mount use and visibility in heavy smoke
- White LED for a downcast flood light to see what's at your feet; switches from blue when head is at a 90° angle



STREAMLIGHT
VANTAGE™ SERIES



VANTAGE®

The solution to firefighters' hands-free lighting needs. Attaches easily to helmets and hard hats, and rotates 360°. Fits snugly against helmet to prevent snags. Includes a bright blue tail light so you can be seen from behind even in heavy smoke. Easy to operate with gloves. IPX7 waterproof to 1 meter for 30 minutes. Fits both traditional and modern helmets.

VANTAGE

BATTERY: [2] CR123A lithium
SIZE: 3.26" x 1.47" x 2.56" (8.28 x 3.73 x 6.5 cm)
WEIGHT: 5.14 oz (145.7g)
COLOR: Black

NFPA Meets requirements of NFPA 1971-8.6 (2013); 500° heat resistance test

LUMENS:	115
CANDELA:	7,000
DISTANCE:	167m
RUN TIME:	6h



470nm ultra-bright taillight LED.

Dual direction, easy access on/off switch.

ITEM #	DESCRIPTION
69140	VANTAGE - WITH CR123A LITHIUM BATTERIES - BLACK

VANTAGE® II

Lightweight, compact and low profile, the VANTAGE II is designed to easily attach above or below full brim Fire Helmets or Slotted Industrial Hard Hat mounts. The light features the latest in power LED technology combined with an ultra- bright blue LED safety taillight. Powered by a single lithium battery, sealed for water-resistance.

VANTAGE II

BATTERY: (1) CR123A lithium

SIZE WITH FIRE MOUNT: 2.37" x 1.16" x 2.18"
(6.01 x 2.95 x 5.54 cm)

SIZE WITH INDUSTRIAL MOUNT: 2.37" x 1.16" x 1.54"
(6.01 x 2.95 x 3.91 cm)

FIRE MOUNT WEIGHT: 3.65 oz (103.5g)

INDUSTRIAL MOUNT WEIGHT: 2.97 oz (84.2g)

COLOR: Black

ITEM #	DESCRIPTION
69331	VANTAGE II - [FIRE] WITH CR123A LITHIUM BATTERY
69333	VANTAGE II - [IND] WITH CR123A LITHIUM BATTERY
69337	VANTAGE II - [FOR MSA CAIRNS® 1010/1044 TRADITIONAL FIRE HELMETS] WITH CR123A LITHIUM BATTERY
69334	BRACKET KIT - FIRE
69336	BRACKET KIT - INDUSTRIAL
69339	BRACKET KIT - FOR MSA CAIRNS® 1010/1044 TRADITIONAL FIRE HELMETS

All rights reserved. Cairns® is a registered trademark of the Cairns Trademark Trust.

NFPA Meets requirements of NFPA 1971-8.6 (2013); 500° heat resistance test



Fire model



Large push-button switch features blue taillight LED that ensures you can be seen even from behind.



Attaches securely to your helmet - above or below brim in seconds!

	HIGH	LOW
LUMENS:	350	135
CANDELA:	3,500	1,700
DISTANCE:	118m	80m
RUN TIME:	2.25h	5h



Industrial model



Industrial model features hard hat mount that slides into V-Guard slot.



DAULIE/PROPOLYMER SERIES //

SAFETY-RATED LIGHTING
BECAUSE YOU DON'T GET TO CHOOSE
WHERE IT'S GOING TO BE DARK

Streamlight builds more safety-rated lights to give you more options in hazardous locations. With our comprehensive product line of Dualies and ProPolymers, you have a full selection of hand-held safety-rated lights no matter your lighting need... spot, flood, laser or true color recognition with Streamlight's Color-Rite Technology®.



DUALIE®
RECHARGEABLE



DUALIE®
2AA



4AA PROPOLYMER®
LUX



DUALIE®
COLOR-RITE®



STREAMLIGHT SAFETY-RATED LIGHTING TOOLS

// DIFFERENT LIGHTS FOR DIFFERENT HAZARDOUS LOCATIONS.

The National Electric Code (NEC) defines hazardous locations by “class” and “division.” There are three classes:



CLASS I locations are made hazardous by the presence of flammable gases, liquids or vapors.



CLASS II locations are hazardous because combustible dusts are present.



CLASS III locations contain easily ignitable fibers or flyings.

The “Division” designation refers to the likelihood that ignitable concentrations of flammable materials are present. There are two divisions:



DIVISION 1 designates an environment where ignitable concentrations of flammable gases, liquids, vapors or dusts can exist some of the time or all of the time under normal operating conditions, or where easily ignitable fibers and flyings are manufactured, handled or used.



DIVISION 2 locations are where ignitable concentrations are not likely to exist under normal operating conditions or where Class 3 materials are stored or handled.

Hazardous classes are further defined by “groups” based on the physical properties of their combustible materials. These groups include (but are not limited to):



GROUP A Acetylene
GROUP B Hydrogen
GROUP C Ethylene, carbon monoxide
GROUP D Propane, gasoline, naphtha, benzene, butane, ethyl alcohol, acetone, methane



GROUP E Metals including aluminum, magnesium (Div. 1 only)
GROUP F Carbonaceous dusts including coal, carbon black, coke
GROUP G Dusts not included in E and F including wood, plastics, flour, starch or grain dusts



STREAMLIGHT GIVES YOU MORE SAFETY-RATED LIGHTS FOR MORE OPTIONS IN HAZARDOUS LOCATIONS.

Streamlight flashlights are tested and certified by the world's leading independent laboratories — including Underwriters Laboratories, ATEX, Demko, and the Mine Safety and Health Administration (MSHA). This testing is your assurance that the Streamlight flashlight you choose will be safe in the environment(s) in which you'll be using it.



// STREAMLIGHT'S HAZ-LO LIGHTS - 2 STANDARDS PROVIDE DIFFERENT PATHS TO THE SAME RESULT: A DIVISION 1 RATING!

When working in a Division 1 area, we expect explosive atmospheres to be present. Streamlight's HAZ-LO product line is suitable for use in Division 1 areas. Streamlight uses different protection standards and testing at Nationally Recognized Test Labs (NRTL) to achieve the Division 1 rating that is common to all Streamlight HAZ-LO Lighting. This is the best possible performance while ensuring that your flashlight will not become an ignition source. ANSI/UL 783 is the specific standard for flashlights used in hazardous locations. ANSI/UL 913 is the intrinsically safe standard for general electronic equipment. While either standard can direct certification to Division 1 level, it is important to note Class, Group and Temperature code requirements to select the correct flashlight for specific applications.



Scan or click to watch our video:
"You Bet Your Light On It: Safety Ratings Explained"

// WHY ARE SAFETY RATINGS IMPORTANT?

There are several types of locations in which it can be extremely dangerous to use any light that has not been specifically designed — and approved — for that kind of location. These are areas where fire or explosion hazards may exist due to the presence of flammable gases, liquids, vapors, dusts, or ignitable fibers or flyings. If you will be using a flashlight in any potentially hazardous location, it is critical that your light be safety-rated for that specific kind of environment.


// ATEX RATINGS

Streamlight also offers safety-rated lights that comply with the European Union (EU) Directive 2014/34/EU (ATEX) for products intended for use in potentially explosive atmospheres within the EU member countries. Please visit our website, streamlight.com for more information on ATEX-rated products. We also have a catalog of ATEX-rated products available upon request.


**STREAMLIGHT
DUALIE SERIES**



**THE DUALIE® FAMILY OF LIGHTS
DIV. 1, INTRINSICALLY SAFE,
DUAL BEAMS,
HANDS-FREE & INCREDIBLY VERSATILE**



The Dualie design allows you to see what's ahead of you and right in front of your feet. Its bright light, which shines both ahead of you and downward, helps you avoid slips, trips and falls.



The Dualie Laser features a simultaneous spot beam and laser pointer allowing you to illuminate the work area and pinpoint out-of-reach objects.

DUALIE® RECHARGEABLE

The Dualie® Rechargeable features a lithium ion battery and dual beams — forward facing LED spot beam and a side facing LED flood light that can be used individually or at the same time for enhanced safety. Integrated, non-protruding spring loaded belt clip contained within body outline. Optional magnetic clip for hands-free use.



Integrated magnet for hands-free use

	SPOT	FLOOD	COMBO
LUMENS:	180	105	275
CANDELA:	11,500	60	-
DISTANCE:	171m	18m	-
RUN TIME:	7h 15m	13h 30m	5h 30m



Class I & II, Div. I,
Groups A, B, C, D, E, F, G
Class III, CL I, ZN 0, IIC
T-Code: T4; Exia

DUALIE RECHARGEABLE

BATTERY: Lithium Ion
SIZE: 7" x 1.86" x 1.06" (17.78 x 4.72 x 2.69 cm)
WEIGHT: 6.8 oz (193 g); 7.1 oz (201g) with magnetic clip
COLOR: Yellow or Black



WITHOUT MAGNETIC CLIP	WITH MAGNETIC CLIP	DESCRIPTION
68732	68793	120V/100V AC - BOX - YELLOW
68733	68794	120V/100V AC - BOX - BLACK
68734	68795	12V DC - BOX - YELLOW
68735	68796	12V DC - BOX - BLACK
68730	68785	LIGHT ONLY - BOX - YELLOW
68731	68786	LIGHT ONLY - BOX - BLACK

DUALIE® 3AA

One light, two beams: choose one spot beam or one flood light or both. The 3AA Dualie® provides two types of illumination for multi-directional lighting and special uses. Intuitive activation allows you to use either beam or both at the same time. This intrinsically safe flashlight allows you to see your entire work area and helps you avoid slips, trips, and falls. Optional magnetic clip for hands-free use.

	SPOT	FLOOD	COMBO
LUMENS:	140	140	245
CANDELA:	7,300	80	-
DISTANCE:	171m	18m	-
RUN TIME:	18h	18h	9h



Integrated magnet for hands-free use

DUALIE 3AA

BATTERY: 3 "AA" alkaline
SIZE: 7.00" x 1.86" x 1.06" (17.78 x 3.86 x 2.69 cm)
WEIGHT: 6.8 oz (193g); 7.1 oz (201g) with magnetic clip
COLOR: Yellow or Black

ITEM #	DESCRIPTION
68750	DUALIE 3AA - WITH BATTERIES - CLAM - YELLOW
68752	DUALIE 3AA - WITH BATTERIES - CLAM - BLACK
68751	DUALIE 3AA - WITHOUT BATTERIES - BOX - YELLOW
68753	DUALIE 3AA - WITHOUT BATTERIES - BOX - BLACK
68782	DUALIE 3AA MAGNET - W/ ALKALINE BATTERIES - BOX - YELLOW
68783	DUALIE 3AA MAGNET - W/ ALKALINE BATTERIES - BOX - BLACK
68780	DUALIE 3AA MAGNET - W/O BATTERIES - BOX - YELLOW
68781	DUALIE 3AA MAGNET - W/O BATTERIES - BOX - BLACK



Class I & II, Div. I, Groups A, B, C, D, E, F, G;
 Class III, CL I, ZN 0, IIC
 T-Code: T4; Exia



Permissible Flashlight
 App. No. 20-A160001-0
 Tested for use in methane-air mixtures only

DUALIE® 3AA LASER

The Dualie® 3AA Laser is an intrinsically safe, high performance, battery powered multi-function LED flashlight. The Dualie Laser model features forward facing LED spot beam and laser pointer that can be used individually or at the same time for location identification. Opposing switches for easy user activation of desired functions.

DUALIE 3AA LASER

BATTERY: 3 "AA" alkaline
SIZE: 7.00" x 1.86" x 1.06" (17.78 x 3.86 x 2.69 cm)
WEIGHT: 6.8 oz (193g)
COLOR: Yellow or Black

	LED	LASER
LUMENS:	150	<5MW OUTPUT
CANDELA:	7,700	--
DISTANCE:	175m	--
RUN TIME:	17h	70h



Class I & II, Div. I, Groups A, B, C, D, E, F, G;
 Class III, CL I, ZN 0, IIC
 T-Code: T4; Exia



Permissible Flashlight
 App. No. 20-A160001-0
 Tested for use in methane-air mixtures only

ITEM #	DESCRIPTION
68760	DUALIE 3AA LASER - "AA" ALK BATTERIES - CLAM - YELLOW
68762	DUALIE 3AA LASER - "AA" ALK BATTERIES - CLAM - BLACK

DUALIE® 3AA COLOR-RITE®



	SPOT (COOL WHITE)	FLOOD (WARM WHITE)	COMBO
LUMENS:	225	175	320
CANDELA:	8,000	380	7,000
DISTANCE:	179m	39m	167m
RUN TIME:	8h	8.5h	5h

FLOOD/WARM WHITE COLOR TEMPERATURE: 4,000K

**Color-
Rite®**



The Dualie® 3AA Color-Rite® is an intrinsically safe, high performance, 3 AA battery powered flashlight that produces a bright, white light to see ahead of you. The flood beam uses a high output, warm white (4,000K) 90 CRI LED for true color recognition. It has opposing switches for easy user activation of desired function.

Body features a superior grip texture to provide a comfortable but slip resistant feel and is constructed of an engineered polymer resin that is virtually indestructible, shock resistant, non-conductive and light weight. The integrated, non-protruding spring loaded belt clip is contained within the body outline. So much power and technology in one place!



Class I & II, Div. I,
Groups A,B,C,D,E,F,G
Class III, CL I, ZN O, IIC
Exia; T-Code: T4

BATTERY: 3 "AA" alkaline or lithium
SIZE: 7" (17.78 cm)
WEIGHT: 6.6 oz (187g)
COLOR: Yellow

ITEM #	DESCRIPTION
68910	DUALIE 3AA COLOR-RITE - INCLUDES 3"AA" ALKALINE BATTERIES - YELLOW

DUALIE® 2AA

The Dualie® 2AA is an intrinsically safe, high performance, battery powered multi-function LED flashlight. The flashlight features a forward facing LED spot beam and a side facing LED flood light that can be used individually or at the same time for enhanced safety. The flashlight has opposing switches for easy user activation of desired function(s). Includes removable, reversible clip and integrated magnet.



	SPOT	FLOOD	COMBO
LUMENS:	115	115	175
CANDELA:	3,100	75	-
DISTANCE:	111m	17m	-
RUN TIME:	24h	24h	15h

DUALIE 2AA
BATTERY: 2 "AA" alkaline
SIZE: 6.10" x 1.34" x .87" (15.5 x 3.4 x 2.2 cm)
WEIGHT: 3.9 oz (111g)
COLOR: Yellow or Black

ITEM #	DESCRIPTION
67750	DUALIE 2AA - WITH BATTERIES - CLAM - YELLOW
67751	DUALIE 2AA - WITH BATTERIES - BOX - YELLOW



Class I & II, Div. I, Groups A,B,C,D,E,F,G;
Class III, CL I, ZN O, IIC
T-Code: T4; Exia

Integrated magnet
for hands-free use

2AAA PROPOLYMER® HAZ-LO®

The 2AAA ProPolymer® HAZ-LO® is an extremely durable, alkaline battery-powered, intrinsically safe flashlight. This light features a push-button tailswitch for momentary on or on-off operation and integrated pocket clip.

2AAA PROPOLYMER HAZ-LO

BATTERY: 2 "AAA" alkaline

SIZE: 5.40" x 1.00" x .66" (13.7 x 2.5 x 1.7 cm)

WEIGHT: 1.9 oz (54g)

COLOR: Yellow

ITEM #	DESCRIPTION
66500	2AAA PROPOLYMER HAZ-LO - WITH BATTERIES - CLAM - YELLOW
66505	2AAA PROPOLYMER HAZ-LO - WITH BATTERIES - BOX - YELLOW

LUMENS:	65
CANDELA:	2,300
DISTANCE:	96m
RUN TIME:	24h



Class I, II, Division 1,
Groups A, B, C, D, E, F, G;
Class III; T-Class: T4



Permissible Flashlight.
Approval No. 20-A140002-0.
Tested for Intrinsic Safety in
Methane-Air mixtures only.

3C PROPOLYMER® LED

10 ultra-bright LEDs provide lots of bright white light and an extended run time – up to 336 hrs! Safety-rated for use in hazardous locations. Unbreakable, scratch-resistant lens. Waterproof.

3C PROPOLYMER LED

BATTERY: 3 "C" alkaline

SIZE: 8.55" x 1.95" x 1.48" (21.72 x 4.95 x 3.76 cm)

WEIGHT: 13.5 oz (382.73g)

COLOR: Yellow or Black

ITEM #	DESCRIPTION
33202	3C LED - WITHOUT ALKALINE BATTERIES - CLAM - YELLOW
33302	3C LED - WITHOUT ALKALINE BATTERIES - CLAM - BLACK

LUMENS:	60
CANDELA:	800
DISTANCE:	57m
RUN TIME:	16h



Class I, II, Division 1,
Groups A, B, C, D, E, F, G;
Class III; CL I, ZN O, IC; T-
Class: T4A



2AA PROPOLYMER® HAZ-LO®

This virtually indestructible safety-rated flashlight is long on run time and small enough to fit in a pocket or strap onto a helmet. Provides a focused beam with optimum peripheral illumination. O-ring sealed construction. IPX7 rated waterproof to 1m for 30 minutes.

2AA PROPOLYMER HAZ-LO

BATTERY: 2 "AA" alkaline

SIZE: 6.4" x 1.32" x .89" (16.26 x 3.35 x 2.26 cm)

WEIGHT: 3.6 oz (100g)

COLOR: Yellow or Black

ITEM #	DESCRIPTION
67100	2AA PROPOLYMER HAZ-LO - WITH BATTERIES - CLAM - BLACK
67101	2AA PROPOLYMER HAZ-LO - WITH BATTERIES - CLAM - YELLOW

LUMENS:	85
RUN TIME:	336h



Permissible Flashlight
App. No. 10C-658-0
Tested for use in
methane-air mixtures only



Class I, Div. 1, Group D;
Class I, Div. 2, Groups A, B, C, D;
Class II, Div. 2, Groups F&G;
Class III, T3A



Class I, Div. 2, Groups A, B, C, D;
Class II, Div. 2, Groups F&G;
Class III, T3A

STREAMLIGHT PROPOLYMER SERIES



4AA PROPOLYMER® LED

Its soft, diffused light is perfect for up close work, and with 155 hrs. of run time, this safety-rated light is always ready. Contains seven ultra-bright LEDs. IP65 rated, waterproof, dust-resistant. Unbreakable, scratch-resistant lens.

4AA PROPOLYMER LED

BATTERY: 4 "AA" alkaline

SIZE: 6.5" x 1.63" x 1.34" (16.51 x 4.14 x 3.4 cm)

WEIGHT: 6.3 oz (178.6g)

COLOR: Yellow or Black

YELLOW	BLACK	DESCRIPTION
68200	68300	4AA LED - WITHOUT ALKALINE BATTERIES - BOX
68201	68301	4AA LED - ALKALINE BATTERIES - BOX
68202	68302	4AA LED - ALKALINE BATTERIES - CLAM

4AA PROPOLYMER® LUX

This safety-rated light has a long-reaching, bright beam and an ergonomic design for comfortable handling. Unbreakable, scratch-resistant lens. IP67 rated; waterproof to 1 meter for 30 minutes. 1 meter impact-resistance tested. Corrosion-proof.

4AA PROPOLYMER LUX

BATTERY: 4 "AA" alkaline

SIZE: 7" x 1.48" x 1.69" (17.8 x 3.76 x 4.29 cm)

WEIGHT: 7.6 oz (216g)

COLOR: Yellow or Black

YELLOW	BLACK	DESCRIPTION
68244	68344	4AA PROPOLYMER LUX DIV. 2 - WITH ALKALINE BATTERIES
68602	68702	4AA PROPOLYMER LUX DIV. 1 - WITH ALKALINE BATTERIES

LUMENS:	67
RUN TIME:	155h



Class I, Div. 1, Groups C, D;
Class I, Div. 2, Groups A, B, C, D;
Class II, Div. 2, Groups F&G;
Class III, T3C



Class I, Div. 2,
Groups A, B, C, D;
Class II, Div. 2, Groups F&G;
Class III, T3C



Permissible Flashlight
App. No. 10C-658-0
Tested for use in
methane-air mixtures only

LUMENS:	200
CANDELA:	12,000
DISTANCE:	219m
RUN TIME:	6h



4AA Lux Div. 1



Class I, Div. 1, Grps C&D;
Class I, Div. 2, Grps A, B, C, D;
Class III, T4

4AA Lux Div. 2



Class I, Div. 2, Groups A, B, C, D;
Class II, Div. 2, Groups F&G;
Class III, T3C

POLY MOUNT KIT



The Streamlight Poly Mount kit conveniently attaches a variety of Streamlight flashlights to a hardhat for hands-free use. It's a "no tools required" method to quickly and easily attach your flashlight to your hardhat and it's adjustable so you can aim the beam where you need it.

Poly Mount Kit includes:

Adhesive base to attach to side of hard hat
Mounting base that slides into the slot of hard hat

Bands for:

Dualie® 2AA	2AA ProPolymer® HAZ-LO®
Dualie® 3AA Series	4AA ProPolymer® Lux
Dualie® Rechargeable	PolyTac®/PolyTac® X

DUALIE/PROPOLYMER ACCESSORIES

DESCRIPTION	PART #	GOES WITH
HELMET MOUNT	68085	DUALIE 3AA SERIES, DUALIE RECHARGEABLE
POLYMOUNT KIT	68089	DUALIE 2AA, DUALIE 3AA/3AA LASER, DUALIE RECHARGEABLE, 2AA PROPOLYMER HAZ-LO
RUBBER HELMET BAND	99075	2AA PROPOLYMER HAZ-LO, 4AA PROPOLYMER LED, 4AA PROPOLYMER LUX
NYLON HOLSTER	66029	2AAA PROPOLYMER HAZ-LO
NYLON HOLSTER	25090	3C PROPOLYMER LED
SAFETY WAND RED YELLOW GLOW-IN-THE-DARK	74903 74904 74913	2AA PROPOLYMER HAZ-LO
SAFETY WAND RED	33903	3C PROPOLYMER LED
CHARGER	68790	DUALIE RECHARGEABLE
BANK CHARGER	68789	DUALIE RECHARGEABLE
120V USB CHARGE CORD	22071	DUALIE RECHARGEABLE
DC1 CHARGE CORD	22080	DUALIE RECHARGEABLE
LITHIUM ION BATTERY	68792	DUALIE RECHARGEABLE



WEAPON-MOUNTED SERIES //

WEAPON-MOUNTED LIGHTING SPECIALISTS

**WE BUILD A RANGE OF LIGHTS FOR LONG GUN,
FULL-FRAME, COMPACT & SUB-COMPACT PISTOLS**

Streamlight proudly builds our full line of weapon-mounted lights with features and performance levels to fill the needs of military, law enforcement, concealed carry and sportsmen. From IR to high-lumen to laser, Streamlight TLRs lead the industry.



PROTAC® RAIL MOUNT 2



TL-RACKER®



TLR-7® A



TLR-1 HL®

TACTICAL WEAPON-MOUNTED SERIES

LIGHT ONLY

COMPACT & FULL FRAME PISTOLS UNIVERSAL RAIL MOUNT MODELS



TLR-1 HL®



TLR-1® // TLR-1s®



TLR-3®



TLR-7®A



TLR-7®A
Contour Remote



TLR-9®

SUB-COMPACT & COMPACT PISTOLS TRIGGER GUARD & RAIL MOUNT MODELS



TLR-3®



TLR-6®
NON-LASER



TLR-7®A



TLR-7® SUB

LONG GUN/AR

SHOTGUN FOREND & RAIL MOUNT MODELS



TL-RACKER®



TLR® RM1



TLR® RM2



PROTAC®
RAIL MOUNT 1



PROTAC®
RAIL MOUNT 2



PROTAC®
RAIL MOUNT HL-X



PROTAC®2.0
RAIL MOUNT



TLR-1 HL®
(Long Gun Kit)



TLR-1 HPL®
(Long Gun Kit)

LIGHT/LASER COMBO

COMPACT & FULL FRAME PISTOLS UNIVERSAL RAIL MOUNT MODELS



TLR-2[®] // TLR-2[®]s



TLR-2 HL[®]



TLR-2[®] G // TLR-2 HL[®] G



TLR-8[®] A



TLR-8[®] AG



TLR-10[®]

SUB-COMPACT & COMPACT PISTOLS TRIGGER GUARD & RAIL MOUNT MODELS



TLR-4[®] // TLR-4[®] G



TLR-6[®]



TLR-6[®]
RAIL MOUNT



TLR-6[®]
1911



TLR-8[®] A //
TLR8 A[®] G



TLR-8[®] sub //
TLR-8[®] G sub

LONG GUN/AR RAIL MOUNT MODELS



TLR-2[®] // TLR-2[®]s



TLR-2 HL[®]



TLR-2 HL[®] G



TLR[®] RM1 LASER
RED//GREEN



TLR[®] RM2 LASER
RED//GREEN



PROTAC[®] RAIL MOUNT
HL-XLASER

SPECIALTY/IR LONG GUN/AR & FULL FRAME PISTOLS



TLR-VIR[®] II



It can be difficult to choose the right weapon-mounted light for your specific gun and application. We want to make the process easier. That's why we designed the TLR Fit Guide to make it easy for you to select the right light for your weapon.

SCAN OR CLICK THE QR CODE TO VIEW OUR TLR FIT GUIDE

TLR-1 HL[®]
WHITE LIGHT ILLUMINATOR



[(STROBE)]
Double tap
switch to activate

This versatile tactical light fits handguns and long-guns, and you can switch from one to the other in seconds. Its wide peripheral beam lets you see what's all around you, including what's lurking in corners. Includes a strobe for signaling/disorienting. Unbreakable, scratch-resistant, gasket-sealed lens. Impact resistant. Easy, fast battery installation/replacement. IPX7-rated waterproof to 1 meter for 30 minutes.



BATTERY: (2) CR123A lithium
SIZE: 3.39" x 1.47" x 1.44" (8.61 x 3.73 x 3.65 cm)
WEIGHT: 4.18 oz (118.6 g)
COLORS: Black, Flat Dark Earth or Brown

LUMENS:	1,000
CANDELA:	20,000
DISTANCE:	283m
RUN TIME:	1.5h

Available in Black,
Flat Dark Earth
and Flat Dark
Earth Brown

ITEM #	DESCRIPTION
69260	TLR-1 HL - INCLUDES RAIL LOCATING KEYS FOR USE WITH GLOCK [®] STYLE, 1913 PICATINNY, S&W 99/TSW, SIG P320 AND BERETTA [®] 90TWO - LITHIUM BATTERIES - BLACK
69266	TLR-1 HL - INCLUDES RAIL LOCATING KEYS FOR USE WITH GLOCK [®] STYLE, 1913 PICATINNY, S&W 99/TSW, SIG P320 AND BERETTA [®] 90TWO - LITHIUM BATTERIES - FLAT DARK EARTH
69267	TLR-1 HL - INCLUDES RAIL LOCATING KEYS FOR USE WITH GLOCK [®] STYLE, 1913 PICATINNY, S&W 99/TSW, SIG P320 AND BERETTA [®] 90TWO - LITHIUM BATTERIES - FLAT DARK EARTH BROWN
69262	TLR-1 HL - LONG GUN KIT INCLUDES: SAFE OFF REMOTE DOOR SWITCH, REMOTE PRESSURE SWITCH, MOUNTING CLIPS, STANDARD DOOR SWITCH - LITHIUM BATTERIES - BOXED - BLACK
69888	TLR-1 HL - LONG GUN KIT INCLUDES: SAFE OFF REMOTE DOOR SWITCH, REMOTE PRESSURE SWITCH, MOUNTING CLIPS, STANDARD DOOR SWITCH - LITHIUM BATTERIES - BOXED - FLAT DARK EARTH
69889	TLR-1 HL - DUAL REMOTE KIT INCLUDES DUAL REMOTE PRESSURE SWITCH, "SAFE OFF" DOOR SWITCH, MOUNTING CLIPS - LITHIUM BATTERIES - BOXED - BLACK



TLR-1 HL Long Gun Kit



TLR-1 HL Dual Remote Kit





TLR-1® // TLR-1s®

WHITE LIGHT ILLUMINATOR

Intensely bright, durable, tactical light available in standard or strobe. Securely fits a broad range of weapons. Produces a concentrated beam with optimum peripheral illumination. Mounts directly to handguns with GLOCK® style rails and to all MIL-STD-1913 (Picatinny) rails. IPX7-rated waterproof to 1 meter for 30 minutes. Impact resistant. Strobe mode (TLR-1s only) can be disabled.

BATTERY: [2] CR123A lithium
SIZE: 3.39" x 1.47" x 1.44" [8.61 x 3.73 x 3.65 cm]
WEIGHT: 4.18 oz [118.6 g]
COLOR: Black

LUMENS:	300
CANDELA:	12,000
DISTANCE:	219m
RUN TIME:	2.5h



[(STROBE)]
 Double tap
 switch to activate

ITEM #	DESCRIPTION
69110	TLR-1 - RAIL LOCATING KEYS FOR USE WITH GLOCK® STYLE, 1913 PICATINNY, S&W 99/TSW, SIG P320 AND BERETTA® 90TWO - LITHIUM BATTERIES - BLACK
69210	TLR-1s - RAIL LOCATING KEYS FOR USE WITH GLOCK® STYLE, 1913 PICATINNY, S&W 99/TSW, SIG P320 AND BERETTA® 90TWO - LITHIUM BATTERIES - BLACK

TLR-2 HL®

WHITE LIGHT ILLUMINATOR / RED LASER



This versatile tactical light fits handguns and long-guns, and you can switch from one to the other in seconds. Its wide peripheral beam lets you see what's all around you, including what's lurking in corners. Includes a strobe for signaling/disorienting. Unbreakable, scratch-resistant, gasket-sealed lens. Impact resistant. Easy, fast battery installation/replacement. IPX4 water-resistant and features a 640-660nm red laser.



[(STROBE)]

Double tap switch to activate

BATTERY: (2) CR123A lithium
SIZE: 3.39" x 1.47" x 1.83" (8.61 x 3.73 x 4.64 cm)
WEIGHT: 4.78 oz (135.5g)
COLOR: Black

LUMENS: 1,000
CANDELA: 20,000
DISTANCE: 283m
RUN TIME: 1.5h
LASER MODE: RUNS 45 HOURS

ITEM #	DESCRIPTION
69261	TLR-2 HL - RAIL LOCATING KEYS FOR USE WITH GLOCK® STYLE, 1913 PICATINNY, S&W 99/TSW, SIG P320 AND BERETTA® 90TWO - LITHIUM BATTERIES - BLACK

TLR-2 HL® G

WHITE LIGHT ILLUMINATOR / GREEN LASER



Features a highly visible (even in daylight) green laser that assists in target acquisition. Its wide peripheral beam lets you see what's all around you, including what's lurking in corners. Includes a strobe for signaling/disorienting. Unbreakable, scratch-resistant, gasket-sealed lens. Impact resistant. Easy, fast battery installation/replacement. IPX4 water-resistant and features a 510-530nm green laser.



[(STROBE)]

Double tap switch to activate

BATTERY: (2) CR123A lithium
SIZE: 3.39" x 1.47" x 1.83" (8.61 x 3.73 x 4.64 cm)
WEIGHT: 4.78 oz (135.5g)
COLOR: Black

LUMENS: 1,000
CANDELA: 20,000
DISTANCE: 283m
RUN TIME: 1.5h
LASER MODE: RUNS 17 HOURS

ITEM #	DESCRIPTION
69265	TLR-2 HL G - RAIL LOCATING KEYS FOR USE WITH GLOCK® STYLE, 1913 PICATINNY, S&W 99/TSW, SIG P320 AND BERETTA® 90TWO - LITHIUM BATTERIES - BLACK





TLR-2® // TLR-2® s

WHITE LIGHT ILLUMINATOR / RED LASER

Intensely bright, durable, tactical light securely fits a broad range of weapons. Produces a concentrated beam with optimum peripheral illumination. Features an integrated 650-660nm red laser. Mounts directly to handguns with GLOCK® style rails and to all MIL-STD-1913 (Picatinny) rails. IPX4 water-resistant. Impact resistant. Strobe mode (TLR-2s only) can be disabled.

BATTERY: (2) CR123A lithium
SIZE: 3.39" x 1.47" x 1.83" (8.61 x 3.73 x 4.64 cm)
WEIGHT: 4.72 oz (133.8g)
COLOR: Black

LUMENS: 300
CANDELA: 12,000
DISTANCE: 219m
RUN TIME: 2.5h
 LASER MODE: RUNS 48 HOURS



[(STROBE)]

Double tap switch to activate

ITEM #	DESCRIPTION
69120	TLR-2 - RED LASER - RAIL LOCATING KEYS FOR USE WITH GLOCK® STYLE, 1913 PICATINNY, S&W 99/TSW, SIG P320 AND BERETTA® 90TWO, LITHIUM BATTERIES - BLACK
69230	TLR-2S - RED LASER/STROBE MODEL - RAIL LOCATING KEYS FOR USE WITH GLOCK® STYLE, 1913 PICATINNY, S&W 99/TSW, SIG P320 AND BERETTA® 90TWO, LITHIUM BATTERIES - BLACK

TLR-2® G

WHITE LIGHT ILLUMINATOR / GREEN LASER

Features a highly visible (even in daylight) 510-530nm green laser that assists in target acquisition. Mounts directly to handguns with GLOCK® style rails and to all MIL-STD-1913 (Picatinny) rails. IPX4 water-resistant. Strobe can be disabled.

BATTERY: (2) CR123A lithium
SIZE: 3.39" x 1.47" x 1.83" (8.61 x 3.73 x 4.64 cm)
WEIGHT: 4.72 oz (133.8g)
COLOR: Black

LUMENS: 300
CANDELA: 12,000
RUN TIME: 2.5h
 LASER MODE: RUNS 17 HOURS



[(STROBE)]

Double tap either switch to activate

ITEM #	DESCRIPTION
69250	TLR-2 G - RAIL LOCATING KEYS FOR USE WITH GLOCK® STYLE, 1913 PICATINNY, S&W 99/TSW, SIG P320 AND BERETTA® 90TWO, LITHIUM BATTERY - BLACK

TLR-3®

WHITE LIGHT ILLUMINATOR

Lightweight and powerful, this super-bright light is designed for sub-compact and compact weapons, yet it fits the broadest array of handguns – up to full size. Operates in extreme temperatures. Impact-resistant polymer construction with durable anodized aluminum facecap. IPX7 rated waterproof to 1 meter for 30 minutes.

BATTERY: (2) CR2 lithium
SIZE: 2.71" x 1.18" x 1.51" (6.88 x 3.00 x 3.84 cm)
WEIGHT: 2.32 oz (66.8g)
COLOR: Black

LUMENS:	170
CANDELA:	3,300
DISTANCE:	115m
RUN TIME:	1.5h



ITEM #	DESCRIPTION
69220	TLR-3 - RAIL LOCATING KEYS & CR2 LITHIUM BATTERY
69221	TLR-3 H&K USP COMPACT - CR2 LITHIUM BATTERY
69222	TLR-3 H&K USP FULL-SIZE - WITH CR2 LITHIUM BATTERY

TLR-4®

WHITE LIGHT ILLUMINATOR / RED LASER

Designed for sub-compact and compact weapons, this white light illuminator features an integrated 640-660nm red aiming laser. Operates in extreme temperatures. Impact-resistant polymer body; anodized aluminum facecap. IPX4 rated water-resistant.

BATTERY: (1) CR2 lithium
SIZE: 2.73" x 1.20" x 1.99" (6.93 x 3.05 x 5.05 cm)
WEIGHT: 2.81 oz (79.7 g)
COLOR: Black

LUMENS:	170
CANDELA:	3,300
DISTANCE:	115m
RUN TIME:	1.5h
LASER MODE: RUNS 15 HOURS	



ITEM #	DESCRIPTION
69240	TLR-4 - INCLUDES RAIL LOCATING KEYS FOR USE WITH PICATINNY OR GLOCK® STYLE RAILS - LITHIUM BATTERIES - BLACK
69241	TLR-4 H&K USP COMPACT - CR2 LITHIUM BATTERY
69242	TLR-4 H&K USP FULL-SIZE - CR2 LITHIUM BATTERY

TLR-4® G

WHITE LIGHT ILLUMINATOR / GREEN LASER

Designed for sub-compact and compact weapons, this white light illuminator features an integrated 510-530nm green laser that can be seen even in daylight. Impact-resistant polymer body; anodized aluminum face cap. IPX4 rated water-resistant.

BATTERY: (1) CR2 lithium
SIZE: 2.73" x 1.20" x 1.99" (6.93 x 3.05 x 5.05 cm)
WEIGHT: 2.81 oz (79.7g)
COLOR: Black

LUMENS:	160
CANDELA:	3,200
DISTANCE:	113m
RUN TIME:	1.75h LED ONLY
RUN TIME:	1.25h LED + LASER
LASER MODE: RUNS 4 HOURS	



ITEM #	DESCRIPTION
69245	TLR-4G - RAIL LOCATING KEYS FOR USE WITH PICATINNY OR GLOCK® STYLE RAILS - LITHIUM BATTERY - BLACK
69246	TLR-4G H&K USP COMPACT - CR2 LITHIUM BATTERY - BLACK
69247	TLR-4G H&K USP FULL-SIZE - CR2 LITHIUM BATTERY - BLACK



TLR-VIR® II

WHITE LIGHT ILLUMINATOR / IR ILLUMINATOR & IR LASER COMBO

LUMENS:	300
CANDELA:	12,000
DISTANCE:	600mW/sr
VISIBLE RUN TIME:	1.5h
IR RUN TIME:	12h

Designed to be used with a pistol or long gun. Features a White LED Illuminator and Combo IR Illuminator/IR Laser. Has a seamless design so you can easily switch from white light to IR all while keeping your eyes on the target or the threat. Class 1 eye safe IR Laser, 850 nm, output power less than 0.8mW, with 3 mrad adjustment increment markings and tactile indicator on housing identifying IR Illumination position. IPX7-rated waterproof to 1 meter for 30 minutes.



BATTERY: (2) CR123A lithium
SIZE: 3.82" x 1.47" x 2.03" (9.70 x 3.73 x 5.16cm)
WEIGHT: 3.82 oz (108g) with batteries
COLORS: Coyote or Black



[(STROBE)]
 Double tap
 switch to activate



ITEM #	DESCRIPTION
69191	VISIBLE LED/IR ILLUMINATOR/IR LASER - INCLUDES RAIL LOCATING KEYS - CR123A LITHIUM BATTERY - COYOTE
69192	VISIBLE LED/IR ILLUMINATOR/IR LASER - INCLUDES RAIL LOCATING KEYS - CR123A LITHIUM BATTERY - BLACK

TLR-6[®]

ULTRA-COMPACT LIGHTS FOR COMPACT, SUB-COMPACT & CONCEALED CARRY WEAPONS

TLR-6[®] RAIL MOUNT

Designed to securely attach to the rail and the trigger guard of GLOCK[®] compact railed handguns, SIG SAUER[®], Springfield Armory[®] XD[®], XD(M)[®] and M&P[®] standard and compact railed handguns. The compact TLR-6 rail mount weapon light with LED and integrated red aiming laser features tool-less battery replacement without removal from the weapon or the need to re-sight the laser. The light provides 1 hour of regulated runtime when in dual light/laser mode. Durable, Impact-resistant polymer construction.

BATTERY: (2) CR-1/3 N Lithium
SIZE: 2.20" x 1.20" x 1.47"
 (5.58 x 3.04 x 3.73 cm)
Size & Weight vary by model
WEIGHT: 1.16 oz (33g)
COLOR: Black

LUMENS:	100
CANDELA:	12,000
DISTANCE:	89m
RUN TIME:	1h
LASER MODE: RUNS 11 HOURS	

Red Laser #69290
Glock[®] 17/19/21



Red Laser #69291
SA XD



ITEM #	DESCRIPTION
69290	TLR-6 (GLOCK [®] 17/19/21) - TWO CR 1/3N LITHIUM BATTERIES - BLACK
69291	TLR-6 (SA XD [®]) - TWO CR 1/3N LITHIUM BATTERIES - BLACK
69293	TLR-6 (S&W M&P [®]) - TWO CR 1/3N LITHIUM BATTERIES - BLACK
69277	TLR-6 UNIVERSAL KIT - INCLUDES LED/LASER MODULE AND SELECT TLR-6 BODY HOUSINGS - BLACK



Universal Kit #69277

Universal Kit includes one LED/laser Aiming module and the following shells: Glock 42, Glock 26, M&P Shield, KAHR ARMS, SIG SAUER, KIMBER Micro. (Flat Dark Earth, Rail Mount, 1911 & Non Laser models not included.)

TLR-6[®] FOR SUBCOMPACT HANDGUNS

An industry first, the ultra-compact TLR-6 weapon light with white LED and integrated 640/660 nm red aiming laser features tool-less battery replacement without removal from the weapon or the need to re-sight the laser. The light provides 1 hour of regulated runtime when in dual light/laser mode. Three operating modes – Light only / Light & laser / Laser only. Designed to securely attach to the trigger guard on hand guns. Durable, impact-resistant polymer construction.

BATTERY: (2) 3V CR-1/3 N lithium

SIZE: 2.30" x .85" x 1.42" (5.84 x 2.16 x 3.61 cm)

Size & Weight vary by model

WEIGHT: 1.27 oz (36g)

COLORS: Black or Flat Dark Earth

LUMENS:	100
CANDELA:	12,000
DISTANCE:	89m
RUN TIME:	1h
LASER MODE: RUNS 11 HOURS	

ITEM #	DESCRIPTION
69270	[GLOCK [®] 42/43] WHITE LED AND RED LASER - INCLUDES TWO CR 1/3N LITHIUM BATTERIES - BLACK
69272	[GLOCK [®] 26/27/33] WHITE LED AND RED LASER - INCLUDES TWO CR 1/3N LITHIUM BATTERIES - BLACK
69273	[M&P [®] SHIELD [™] 40/9] WHITE LED AND RED LASER - INCLUDES TWO CR 1/3N LITHIUM BATTERIES - BLACK
69278	[GLOCK [®] 42/43] WHITE LED AND RED LASER - INCLUDES TWO CR 1/3N LITHIUM BATTERIES - FLAT DARK EARTH
69280	[GLOCK [®] 42/43] WITHOUT LASER - WHITE LED - INCLUDES TWO CR 1/3N LITHIUM BATTERIES - BLACK
69282	[GLOCK [®] 26/27/33] WITHOUT LASER - WHITE LED - INCLUDES TWO CR 1/3N LITHIUM BATTERIES - BLACK
69283	[M&P [®] SHIELD [™]] WITHOUT LASER - WHITE LED - INCLUDES TWO CR 1/3N LITHIUM BATTERIES - BLACK
69284	[SIG SAUER [®] P365/XL] WHITE LED AND RED LASER - INCLUDES TWO CR 1/3N LITHIUM BATTERIES - BLACK
69285	[SIG SAUER [®] P365/XL] WITHOUT LASER - WHITE LED - INCLUDES TWO CR 1/3N LITHIUM BATTERIES - BLACK
69286	[GLOCK [®] 43X/48 MOS AND GLOCK [®] 43X/48 RAIL] WHITE LED AND RED LASER - INCLUDES TWO CR 1/3N LITHIUM BATTERIES - BLACK
69287	[SA HELLCAT [®]] WHITE LED AND RED LASER - INCLUDES TWO CR 1/3N LITHIUM BATTERIES - BLACK
69288	[TAURUS GX4 [™]] WHITE LED/RED LASER - TWO CR 1/3N LITHIUM BATTERIES - BLACK

All Rights Reserved. M&P Shield[™], GLOCK[®], SIG SAUER[®], Springfield Army[®], KIMBER[®], Colt[®], Ruger[®], & KAHR[®] are registered trademarks of Smith & Wesson, Glock, Inc., Sig Sauer, Springfield Inc., Colt, Ruger, KIMBER, IP LLC & Saeilo Enterprises, Inc. Streamlight has not sought endorsement of this product from Smith & Wesson[®], GLOCK[®], Springfield Inc., SIG SAUER[®], KIMBER[®], KAHR[®] Arms or Saeilo Enterprises, Inc.

Red Laser #69288

Taurus GX4[™]



Red Laser #69270

Glock[®] 42/43



Red Laser #69272

Glock[®] 26/27/33



Red Laser #69273

M&P[®] Shield[™] 40/9



Red Laser #69278

Glock[®] 42/43



Non Laser #69280

Glock[®] 42/43



Non Laser #69282

Glock[®] 26/27/33



Non Laser #69283

M&P[®] Shield[™] 40/9



Red Laser #69284

SIG SAUER[®] P365/XL



Non Laser #69285

SIG SAUER[®] P365/XL



Red Laser #69286

Glock[®] 43X/48MOS
Glock[®] 43X/48Rail



Red Laser #69287

SA Hellcat[®]



TLR-7[®] A RAIL MOUNTED LIGHT

WHITE LIGHT ILLUMINATOR / TWO SWITCH POSITION OPTIONS

The TLR-7 A includes customized ergonomic switches featuring a low or high position to match your shooting style. It features an ambidextrous on/off rear switch and a rail clamp that is designed to rapidly attach/detach from the side of compact and full frame weapons. IPX7 waterproof to 1m for 30 minutes.

BATTERY: [1] CR123A lithium
SIZE: 2.52" x 1.28" x 1.16" [6.40 x 3.25 x 2.95 cm]
WEIGHT: 2.47 oz [70g]
COLOR: Black

LUMENS: 500
CANDELA: 5,000
DISTANCE: 140m
RUN TIME: 1.5h



[(STROBE)]

Double tap switch to activate

Safe Off feature prevents accidental activation; saves batteries



High Switch



Low Switch



Both Switches



Interchangeable paddle switches easy to swap out with multi-tool (included)

ITEM #	DESCRIPTION
69424	TLR-7A FLEX - INCLUDES HIGH SWITCH MOUNTED ON LIGHT PLUS LOW SWITCH IN PACKAGE - LITHIUM BATTERY, KEY KIT - BLACK
69429	TLR-7A FLEX - INCLUDES HIGH SWITCH MOUNTED ON LIGHT PLUS LOW SWITCH IN PACKAGE - LITHIUM BATTERY, KEY KIT - FDE

TLR-7[®] A CONTOUR REMOTE RAIL MOUNTED LIGHT

WHITE LIGHT ILLUMINATOR / HIGH SWITCH POSITION

The TLR-7 A Contour Remote is designed for one-handed shooting - ideal for dog handlers, SWAT teams, door breaching and close quarter operations. IPX7 waterproof to 1m for 30 minutes.

BATTERY: [1] CR123A lithium
SIZE: 1.16" x 1.79" x 4.6" [2.95 x 4.55 x 11.68 cm]
WEIGHT: 2.69 oz [76.3g]
COLOR: Black

LUMENS: 500
CANDELA: 5,000
DISTANCE: 140m
RUN TIME: 1.5h



Safe Off feature prevents accidental activation; saves batteries

ITEM #	DESCRIPTION
69428	TLR-7 CONTOUR REMOTE - FOR GLOCK [®] GEN 4 OR GEN 5 MODELS - CR123A LITHIUM BATTERY
69480	TLR-7 CONTOUR REMOTE - FOR SIG SAUER [®] P320 [®] XCARRY FRAME - CR123A LITHIUM BATTERY



Securely fits GLOCK[®] Gen 4 or Gen 5 models with rails or Sig Sauer[®] P320[®] XCARRY frame. Designed to fit snugly around the trigger guard.

Note: Cannot be retrofitted with existing TLR-7 A products

TLR-8® A RAIL MOUNTED LIGHT

WHITE LIGHT ILLUMINATOR / RED LASER / TWO SWITCH POSITION OPTIONS

The TLR-8 A features an integrated 640-660nm red laser and customized ergonomic switches featuring a low or high position to match your shooting style. It features an ambidextrous on/off switch and a rail clamp that is designed to rapidly attach/detach from the side of compact and full frame weapons. IPX4 water-resistant.

BATTERY: (1) CR123A lithium
SIZE: 2.52" x 1.47" x 1.16" (6.40 x 3.73 x 2.95 cm)
WEIGHT: 2.58 oz (73g)
COLOR: Black

LUMENS: 500
CANDELA: 5,000
DISTANCE: 140m
RUN TIME: 1.5h
 LASER MODE: RUNS 18 HOURS



[(STROBE)]

Double tap switch to activate

Safe Off feature prevents accidental activation; saves batteries



High Switch



Low Switch



Both Switches

ITEM #	DESCRIPTION
69414	TLR-8A FLEX - INCLUDES HIGH SWITCH MOUNTED ON LIGHT PLUS LOW SWITCH IN PACKAGE, LITHIUM BATTERY AND KEY KIT



Interchangeable paddle switches easy to swap out with multi-tool (included)

TLR-8® A G RAIL MOUNTED LIGHT

WHITE LIGHT ILLUMINATOR / GREEN LASER / TWO SWITCH POSITION OPTIONS

The TLR-8 AG with an integrated 510-520nm green laser includes customized ergonomic switches featuring a low or high option to match your shooting style. It features an ambidextrous on/off switch and a rail clamp that is designed to rapidly attach/detach from side of compact and full frame weapons. IPX4 water-resistant.

BATTERY: (1) CR123A lithium
SIZE: 2.58" x 1.50" x 1.18" (6.55 x 3.81 x 2.98 cm)
WEIGHT: 2.64 oz (75g)
COLOR: Black

LUMENS: 500
CANDELA: 5,000
DISTANCE: 140m
RUN TIME: 1.5h
 LASER MODE: RUNS 11 HOURS



[(STROBE)]

Double tap switch to activate

Safe Off feature prevents accidental activation; saves batteries



High Switch



Low Switch



Both Switches

ITEM #	DESCRIPTION
69434	TLR-8A G FLEX - INCLUDES HIGH SWITCH MOUNTED ON LIGHT PLUS LOW SWITCH IN PACKAGE, LITHIUM BATTERY AND KEY KIT



TLR-7[®] SUB RAIL MOUNTED LIGHT

WHITE LIGHT ILLUMINATOR / HIGH SWITCH POSITION

Maximize your weapons platform with interchangeable rear paddle switches that allow you to customize your TLR-7 sub to your shooting style. Designed to enhance visibility and targeting capability in home defense and tactical situations, the ultra-compact and lightweight TLR-7 sub fits on select railed subcompact pistols. IPX7 waterproof to 1m for 30 minutes.

BATTERY: (1) CR123A lithium
SIZE: 1.16" x 1.24" x 2.51" (2.95 x 1.24 x 2.51 cm)
WEIGHT: 2.39 oz. (67.8g)
COLOR: Black

LUMENS:	500
CANDELA:	5,000
DISTANCE:	141m
RUN TIME:	1.5h



Interchangeable paddle switches easy to swap out with multi-tool (included)

[(STROBE)]

Double tap switch to activate



Safe Off feature prevents accidental activation; saves batteries

ITEM #	DESCRIPTION
69400	TLR-7 SUB (FOR GLOCK [®] 43X/48 MOS 43X/48 RAIL MODELS ONLY) - INCLUDES MOUNTING KIT WITH KEY AND CR123A LITHIUM BATTERY
69401	TLR-7 SUB (FOR SIG SAUER [®] P365/XL MODELS) - INCLUDES MOUNTING KIT WITH KEY AND CR123A LITHIUM BATTERY
69402	TLR-7 SUB (FOR 1913 SHORT MODELS) - INCLUDES MOUNTING KIT WITH KEYS AND CR123A LITHIUM BATTERY
69404	TLR-7 SUB (FOR HELLCAT [®]) - INCLUDES MOUNTING KIT WITH KEYS AND CR123A LITHIUM BATTERY



TLR-8® SUB RAIL MOUNTED LIGHT // **NEW**
 WHITE LIGHT ILLUMINATOR / **RED LASER** / HIGH SWITCH POSITION

Maximize your weapons platform with interchangeable rear paddle switches that allow you to customize your TLR-8 sub to your shooting style. Designed to enhance visibility and targeting capability in home defense and tactical situations, the ultra-compact and lightweight TLR-8 sub fits on select railed subcompact pistols. IPX4 water-resistant.

LUMENS: 500
CANDELA: 5,000
DISTANCE: 141m
RUN TIME: 1.5h
 LASER MODE: RUNS 60 HOURS

[(STROBE)]
 Double tap
 switch to activate



BATTERY: [1] CR123A lithium
SIZE: 1.16" x 1.45" x 2.51" [2.95 x 3.68 x 6.38 cm]
WEIGHT: 2.77 oz. [78.53g]
COLOR: Black



ITEM #	DESCRIPTION
69411	TLR-8 SUB (FOR GLOCK® 43X/48 MOS 43X/48 RAIL MODELS ONLY) - INCLUDES MOUNTING KIT WITH KEY AND CR123A LITHIUM BATTERY
69417	TLR-8 SUB (FOR SIG SAUER® P365/XL MODELS) - INCLUDES MOUNTING KIT WITH KEY AND CR123A LITHIUM BATTERY
69418	TLR-8 SUB (FOR 1913 SHORT MODELS) - INCLUDES MOUNTING KIT WITH KEYS AND CR123A LITHIUM BATTERY - BLACK
69419	TLR-8 SUB (FOR HELLCAT®) - INCLUDES MOUNTING KIT WITH KEYS AND CR123A LITHIUM BATTERY

TLR-8® G SUB RAIL MOUNTED LIGHT // **NEW**
 WHITE LIGHT ILLUMINATOR / **GREEN LASER** / HIGH SWITCH POSITION

Maximize your weapons platform with interchangeable rear paddle switches that allow you to customize your TLR-8 G sub to your shooting style. Designed to enhance visibility and targeting capability in home defense and tactical situations, the ultra-compact and lightweight TLR-8 G sub fits on select railed subcompact pistols. IPX4 water-resistant.

LUMENS: 500
CANDELA: 5,000
DISTANCE: 141m
RUN TIME: 1.5h
 LASER MODE: RUNS 11 HOURS

[(STROBE)]
 Double tap
 switch to activate



BATTERY: [1] CR123A lithium
SIZE: 1.16" x 1.45" x 2.51" [2.95 x 3.68 x 6.38 cm]
WEIGHT: 2.77 oz. [78.53g]
COLOR: Black



ITEM #	DESCRIPTION
69431	TLR-8G SUB (FOR GLOCK® 43X/48 MOS 43X/48 RAIL MODELS ONLY) - INCLUDES MOUNTING KIT WITH KEY AND CR123A LITHIUM BATTERY
69437	TLR-8G SUB (FOR SIG SAUER® P365/XL MODELS) - INCLUDES MOUNTING KIT WITH KEY AND CR123A LITHIUM BATTERY
69438	TLR-8G SUB (FOR 1913 SHORT MODELS) - INCLUDES MOUNTING KIT WITH KEYS AND CR123A LITHIUM BATTERY - BLACK
69439	TLR-8G SUB (FOR HELLCAT®) - INCLUDES MOUNTING KIT WITH KEYS AND CR123A LITHIUM BATTERY

TLR-9[®] RAIL MOUNTED LIGHT
WHITE LIGHT ILLUMINATOR

Maximize your weapons platform with interchangeable rear paddle switches that allow you to customize your TLR-9 to your shooting style. It features a rail clamp that is designed to rapidly attach/detach from full frame weapons. IPX7 waterproof to 1m for 30 minutes.



[(STROBE)]
 Double tap switch to activate

Safe Off feature prevents accidental activation; saves batteries

BATTERY: (2) CR123A lithium
SIZE: 3.87" x 1.18" x 1.27" (9.82 x 2.98 x 3.22 cm)
WEIGHT: 4.26 oz (120.9g)
COLOR: Black

LUMENS:	1,000
CANDELA:	10,000
DISTANCE:	200m
RUN TIME:	1.5h
STROBE: RUNS 3 HOURS	



High Switch



Low Switch



Both Switches



Interchangeable paddle switches easy to swap out with multi-tool (included)

ITEM #	DESCRIPTION
69464	TLR-9 FLEX - INCLUDES HIGH SWITCH MOUNTED ON LIGHT PLUS LOW SWITCH IN PACKAGE - LITHIUM BATTERIES - KEY KIT - BLACK



TLR-10® RAIL MOUNTED LIGHT

WHITE LIGHT ILLUMINATOR/ **RED LASER** / TWO SWITCH POSITION OPTIONS

Maximize your weapons platform with interchangeable rear paddle switches that allow you to customize your TLR-10 with an integrated 640-660nm red laser to your shooting style. It features a rail clamp that is designed to rapidly attach/detach from full frame weapons. IPX4 water-resistant.

BATTERY: (2) CR123A lithium
SIZE: 3.87" x 1.18" x 1.50" [9.82 x 2.98 x 3.81 cm]
WEIGHT: 4.62 oz [131g]
COLOR: Black

LUMENS: 1,000
CANDELA: 10,000
DISTANCE: 200m
RUN TIME: 1.5h
 LASER MODE: RUNS 60 HOURS



[(STROBE)]
 Double tap switch to activate

Safe Off feature prevents accidental activation; saves batteries



High Switch



Low Switch



Both Switches



Interchangeable paddle switches easy to swap out with multi-tool (included)

ITEM #	DESCRIPTION
69470	TLR-10 FLEX - INCLUDES HIGH SWITCH MOUNTED ON LIGHT PLUS LOW SWITCH IN PACKAGE, LITHIUM BATTERIES AND KEY KIT

TLR-10® G RAIL MOUNTED LIGHT

WHITE LIGHT ILLUMINATOR/ **GREEN LASER** / TWO SWITCH POSITION OPTIONS

Maximize your weapons platform with interchangeable rear paddle switches that allow you to customize your TLR-10 G with an integrated 510-520nm green laser to match your shooting style. It features a rail clamp that is designed to rapidly attach/detach from full frame weapons. IPX4 water-resistant.

BATTERY: (2) CR123A lithium
SIZE: 3.87" x 1.18" x 1.50" [9.82 x 2.98 x 3.81 cm]
WEIGHT: 4.62 oz [131g]
COLOR: Black

LUMENS: 1,000
CANDELA: 10,000
DISTANCE: 200m
RUN TIME: 1.5h
 LASER MODE: RUNS 11 HOURS



[(STROBE)]
 Double tap either switch to activate

Safe Off feature prevents accidental activation; saves batteries



High Switch



Low Switch



Both Switches



Interchangeable paddle switches easy to swap out with multi-tool (included)

ITEM #	DESCRIPTION
69473	TLR-10 G FLEX - INCLUDES HIGH SWITCH MOUNTED ON LIGHT PLUS LOW SWITCH IN PACKAGE - LITHIUM BATTERIES - KEY KIT - BLACK



TLR-1 HPL[®]

HIGH-LUMEN + LONG-DISTANCE

SEE EVERYWHERE

TLR-1 HPL[®]

WHITE LIGHT ILLUMINATOR

This high lumen, long-range, rail-mounted tactical light produces an intensely bright, far-reaching wide beam that illuminates your target downrange along with everything in your path. Fits long-guns. Attaches/detaches with one hand in seconds. Includes a strobe for signaling/disorienting. IPX7-rated waterproof to 1 meter for 30 minutes. Impact-resistant. Easy, fast battery replacement.

LUMENS:	1,000
CANDELA:	60,000
DISTANCE:	490m
RUN TIME:	1.5h



[(STROBE)]
Double tap
switch to activate

TLR-1 HPL
BATTERY: [2] CR123A lithium
SIZE: 4.83" x 1.44" x 2.2"
(12.27x 3.66 x 5.59 cm)
WEIGHT: 5.3 oz (150.3g)
COLOR: Black

W/REMOTE
BATTERY: [2] CR123A lithium
SIZE: 5.25" x 1.44" x 2.2"
(13.34x 3.66 x 5.59 cm)
WEIGHT: 5.6 oz (158.8g)
COLOR: Black

ITEM #	DESCRIPTION
69215	TLR-1 HPL STD SWITCH - INCLUDES RAIL LOCATING KEYS FOR USE WITH GLOCK [®] STYLE, 1913 PICATINNY, S&W 99/TSW, AND BERETTA [®] 90TWO - LITHIUM BATTERIES - BLACK
69216	TLR-1 HPL REMOTE SWITCH - INCLUDES RAIL LOCATING KEYS FOR USE WITH GLOCK [®] STYLE, 1913 PICATINNY, S&W 99/TSW, AND BERETTA [®] 90TWO - REMOTE SWITCH - LITHIUM BATTERIES - BLACK
69219	TLR-1 HPL LONG GUN KIT - SAFE OFF REMOTE DOOR SWITCH, REMOTE PRESSURE SWITCH, MOUNTING CLIPS, STANDARD DOOR SWITCH, LITHIUM BATTERIES



TL-RACKER®

The compact, lightweight all-in-one integrated shotgun forend light. Replace your weapon's forend with the TL-Racker featuring a bright 1,000 lumen LED light in a sleek design that eliminates the need for remote cords, reducing snag hazards. Its ergonomic design provides maximum grip and easy switch access for momentary and constant on. The elongated switch pad accommodates virtually any hand size. Uses two CR123A lithium batteries. Its customized optic produces a concentrated beam for multiple applications. Ideal for shotgun breaching, close quarter operations or elevating home defense options. IPX7-rated waterproof to 1 meter for 30 minutes.

BATTERY: (2) CR123A lithium
SIZE: 8.00" x 1.95" x 2.64" (20.32 x 4.95 x 6.71cm)
WEIGHT: 12.1 oz. (343g) with batteries
COLOR: Black

LUMENS:	1,000
CANDELA:	20,000
DISTANCE:	283m
RUN TIME:	1.5h



Mossberg 590®
Shockwave model



Models available for
Mossberg 500®/590®
and Remington 870™

ITEM #	DESCRIPTION
69600	TL RACKER - MOSSBERG 500/590 - LITHIUM BATTERIES - BLACK
69601	TL RACKER - REMINGTON 870 - LITHIUM BATTERIES - BLACK
69602	TL RACKER - MOSSBERG 590 SHOCKWAVE WITH STRAP AND CR123A LITHIUM BATTERIES - BLACK
69610	TL RACKER - MOSSBERG 500/590 - LITHIUM BATTERIES - ORANGE
69611	TL RACKER - REMINGTON 870 - LITHIUM BATTERIES - ORANGE



TLR® RM 1

COMPACT RAIL MOUNTED TACTICAL LIGHTING SYSTEM

The low-profile TLR RM 1 features independently operating push-button and remote pressure switches to provide the security of knowing you'll always have light. Packaged as a kit offering everything you need to mount to your long gun. IPX7-rated waterproof to 1 meter for 30 minutes.

BATTERY: (1) CR123A lithium

SIZE: 3.20" x 1.27" x 1.18" (8.12 x 3.22 x 2.98 cm)

WEIGHT: 2.74 oz (77.9g)

COLOR: Black

LUMENS: 500

CANDELA: 5,000

DISTANCE: 140m

RUN TIME: 1.5h



[(STROBE)]
Double tap
switch to activate

Safe Off feature prevents
accidental activation;
saves batteries



**TLR RM 1 with Remote
Pressure Switch: 69440**



**#69138 - TLR Dual Remote Pressure Switch, Mounting Clips,
Adhesive pad, and Cable Ties:**

Accessory switch allows for simultaneous or individual activation of the Streamlight TLR-1 & 2 / TLR RM 1 & 2 / TLR RM 1 & 2 Laser Weapon lights (sold separately) and accompanying external aiming device

ITEM #	DESCRIPTION
69440	TLR-RM 1 - REMOTE PRESSURE SWITCH KIT - KEY KIT - ONE CR123A LITHIUM BATTERY - BLACK
69441	TLR-RM 1 - LIGHT ONLY INCLUDES KEY KIT - ONE CR123A LITHIUM BATTERY - BLACK
69442	TLR-RM 1 DUAL REMOTE - BLACK



COMPACT RAIL MOUNTED TACTICAL LIGHTING SYSTEMS



TLR[®] RM 2

COMPACT RAIL MOUNTED TACTICAL LIGHTING SYSTEM

The low-profile TLR RM 2 features independently operating push-button and remote pressure switches to provide the security of knowing you'll always have light. Packaged as a kit offering everything you need to mount to your long gun. IPX7-rated waterproof to 1 meter for 30 minutes.

BATTERY: [2] CR123A lithium

SIZE: 4.55" x 1.27" x 1.18" (11.55 x 3.22 x 2.98 cm)

WEIGHT: 4.55 oz (129g)

COLOR: Black

LUMENS:	1,000
CANDELA:	10,000
DISTANCE:	200m
RUN TIME:	1.5h



[(STROBE)]
Double tap
switch to activate

Safe Off feature prevents
accidental activation;
saves batteries

ITEM #	DESCRIPTION
69450	TLR-RM 2 - REMOTE PRESSURE SWITCH KIT - KEY KIT - TWO CR123A LITHIUM BATTERIES - BLACK
69451	TLR-RM 2 - LIGHT ONLY INCLUDES KEY KIT - TWO CR123A LITHIUM BATTERIES - BLACK



**TLR RM 2 with Remote
Pressure Switch: 69450**



#69138 - TLR Dual Remote Pressure Switch, Mounting Clips, Adhesive pad, and Cable Ties:

Accessory switch allows for simultaneous or individual activation of the Streamlight TLR-1 & 2 / TLR RM 1 & 2 / TLR RM 1 & 2 Red & Green Laser models

Weapon lights (sold separately) and accompanying external aiming device

TLR[®] RM 1 LASER COMPACT RAIL MOUNTED TACTICAL LIGHTING SYSTEM

WHITE LIGHT ILLUMINATOR / RED LASER

The low-profile TLR RM 1 Laser features independently operating push-button and remote pressure switch to provide the security of knowing you'll always have light. Packaged as a kit offering everything you need to mount to your long gun. IPX4 water-resistant 1m impact resistance tested.

BATTERY: [1] CR123A lithium
SIZE: 3.20" x 1.27" x 1.18" (8.12 x 3.22 x 2.98 cm)
WEIGHT: 2.74 oz (77.9g)
COLOR: Black


LUMENS: 500
CANDELA: 5,000
DISTANCE: 140m
RUN TIME: 1.5h

ITEM #	DESCRIPTION
69445	TLR-RM 1 LASER - REMOTE PRESSURE SWITCH KIT - KEY KIT - ONE CR123A LITHIUM BATTERY - BLACK
69446	TLR-RM 1 LASER - LIGHT ONLY INCLUDES KEY KIT - ONE CR123A LITHIUM BATTERY - BLACK



[(STROBE)]
 Double tap switch to activate

Safe Off feature prevents accidental activation; saves batteries



TLR RM 1 Laser with Remote Pressure Switch: 69445

TLR[®] RM 2 LASER COMPACT RAIL MOUNTED TACTICAL LIGHTING SYSTEM

WHITE LIGHT ILLUMINATOR / RED LASER

The low-profile TLR RM 2 Laser features independently operating push-button and remote pressure switch to provide the security of knowing you'll always have light. Packaged as a kit offering everything you need to mount to your long gun. IPX4 water-resistant 1m impact resistance tested.

BATTERY: [2] CR123A lithium
SIZE: 4.55" x 1.27" x 1.18" (11.55 x 3.22 x 2.98 cm)
WEIGHT: 4.55 oz (129g)
COLOR: Black

LUMENS: 1,000
CANDELA: 10,000
DISTANCE: 200m
RUN TIME: 1.5h



[(STROBE)]
 Double tap switch to activate

Safe Off feature prevents accidental activation; saves batteries



TLR RM 2 Laser with Remote Pressure Switch: 69447

ITEM #	DESCRIPTION
69447	TLR-RM 2 LASER - REMOTE PRESSURE SWITCH KIT - KEY KIT - TWO CR123A LITHIUM BATTERIES - BLACK
69448	TLR-RM 2 LASER - LIGHT ONLY INCLUDES KEY KIT - TWO CR123A LITHIUM BATTERIES - BLACK

#69138 - TLR Dual Remote Pressure Switch, Mounting Clips, Adhesive pad, and Cable Ties:

Accessory switch allows for simultaneous or individual activation of the Streamlight TLR-1 & 2 / TLR RM 1 & 2 / TLR RM 1 & 2 Red & Green Laser models

Weapon lights (sold separately) and accompanying external aiming device



TLR[®] RM 1 LASER G COMPACT RAIL MOUNTED TACTICAL LIGHTING SYSTEM

WHITE LIGHT ILLUMINATOR / GREEN LASER

The low-profile TLR RM 1 Laser G features independently operating push-button and remote pressure switch to provide the security of knowing you'll always have light. Packaged as a kit offering everything you need to mount to your long gun. IPX4 water-resistant 1m impact resistance tested.

BATTERY: [1] CR123A lithium
SIZE: 3.20" x 1.27" x 1.18" (8.12 x 3.22 x 2.98 cm)
WEIGHT: 2.74 oz (77.9g)
COLOR: Black

LUMENS: 500
CANDELA: 5,000
DISTANCE: 140m
RUN TIME: 1.5h



[(STROBE)]
 Double tap
 switch to activate

Safe Off feature prevents
 accidental activation;
 saves batteries

ITEM #	DESCRIPTION
69443	TLR-RM 1 LASER G - REMOTE PRESSURE SWITCH KIT - KEY KIT - ONE CR123A LITHIUM BATTERY - BLACK
69444	TLR-RM 1 LASER G- LIGHT ONLY INCLUDES KEY KIT - ONE CR123A LITHIUM BATTERY - BLACK



Remote pressure switch attaches with retaining clips

TLR[®] RM 2 LASER G COMPACT RAIL MOUNTED TACTICAL LIGHTING SYSTEM

WHITE LIGHT ILLUMINATOR / GREEN LASER

The low-profile TLR RM 2 Laser G features independently operating push-button and remote pressure switch to provide the security of knowing you'll always have light. Packaged as a kit offering everything you need to mount to your long gun. IPX4 water-resistant 1m impact resistance tested.

BATTERY: [2] CR123A lithium
SIZE: 4.55" x 1.27" x 1.18" (11.55 x 3.22 x 2.98 cm)
WEIGHT: 4.55 oz (129g)
COLOR: Black

LUMENS: 1,000
CANDELA: 10,000
DISTANCE: 200m
RUN TIME: 1.5h



[(STROBE)]
 Double tap
 switch to activate

Safe Off feature prevents
 accidental activation;
 saves batteries

ITEM #	DESCRIPTION
69453	TLR-RM 2 LASER G - REMOTE PRESSURE SWITCH KIT - KEY KIT - TWO CR123A LITHIUM BATTERIES - BLACK
69454	TLR-RM 2 LASER G - LIGHT ONLY INCLUDES KEY KIT - TWO CR123A LITHIUM BATTERIES - BLACK



Ergonomic push-button switch

Remote switch exits port at 90° providing improved
 wire routing to preserve rail space



Mode selector toggle switch for Laser only
 Light only or Light/Laser combo

TACTICAL WEAPON-MOUNTED SERIES

TLR SERIES ACCESSORIES

At Streamlight, we engineer the highest performing, most rugged, durable and innovative lights for tactical use. Streamlight also builds accessories that provide the options, configurations and quality that you can depend on.

	TLR-1 HL/ TLR-2 HL	TLR-2 G/ TLR-2 HL G	TLR-1/ TLR-1s	TLR-2/ TLR-2s	TLR-1 HPL	TLR-3	TLR-4/ TLR-4 G
REMINGTON 870 MOUNT 	69906	69906	69906	69906	69906	69906	69906
TLR 12 GA. MAG MOUNT MAG TUBE/MOSSBERG RAIL 	69901 69903	69901 69903	69901 69903	69901 69903	69901 69903	69901 69903	69901 69903
AMBIDEXTROUS VERT. GRIP W/RAIL 	69114	69114	69114	69114	69114	69114	69114
TLR-1/TLR-2 KEY KIT 	69175	69175	69175	69175	69175	—	—
TLR-3/TLR-4 KEY KIT 	—	—	—	—	—	69176	69176
TLR-7/TLR-8/TLR-9/TLR-10 KEY KIT 	—	—	—	—	—	—	—
CONTOUR REMOTE -GLOCK® -M&P -SIG P320 	69300 69310 69481	69300 69310 69481	69300 69310 69481	69300 69310 69481	—	—	—
TLR-1/TLR-2 REMOTE DOOR SWITCH 	69130	69130	69130	69130	69130	—	—
DOOR SWITCH W/SAFE OFF 	69161	69161	69161	69161	69161	—	—
TAIL SWITCH KIT - TLR-7A/9 	—	—	—	—	—	—	—
TAIL SWITCH KIT TLR-8A/8A G/TLR-10/10 G 	—	—	—	—	—	—	—
TAIL SWITCH KIT TLR-7 SUB 	—	—	—	—	—	—	—
TAIL SWITCH KIT TLR-8 SUB/8 G SUB 	—	—	—	—	—	—	—
TAPE SWITCH 	69132	69132	69132	69132	69132	—	—
COIL PRESSURE SWITCH 	69134	69134	69134	69134	69134	—	—
STRAIGHT MOMENTARY PRESSURE SWITCH 	69135	69135	69135	69135	69135	—	—
STRAIGHT LATCHING PRESSURE SWITCH 	89008	89008	89008	89008	89008	—	—
TLR DUAL REMOTE SWITCH 	69138	69138	69138	69138	69138	—	—
REMOTE RETAINING CLIPS 	88178	88178	88178	88178	88178	—	—
RED FLIP LENS BLUE FLIP LENS GREEN FLIP LENS IR FLIP LENS 	69115 69116 69117 69118	69115 69116 69117 69118	69115 69116 69117 69118	69115 69116 69117 69118	—	—	—
OPAQUE FLIP LENS 	69124	69124	69124	69124	—	—	—
CR123A BATTERIES 	2 Pk. // 85175 6 Pk. // 85180 12 Pk. // 85177 400 Pk. // 85179						
CR1/3N BATTERIES 	2 Pk. // 69271 12 Pk. // 69281 — For use in TLR-6						
CR2 LITHIUM BATTERIES 	2 Pk. // 69223 — TLR-3/TLR-4						

Streamlight offers the widest array of weapon mounted lights and accessories on the market. Whether you are LEO, SWAT, Military or into home defense, we can accommodate all of your weapon mounted needs.

TLR-VIR II	TLR-7 A	TLR-8 A TLR-8 A G	TLR-7 SUB	TLR-8 SUB TLR-8 G SUB	TLR-7 [®] A CONTOUR REMOTE	TLR-9	TLR-10 TLR-10 G	TLR RM 1 TLR RM 1 LASER RED/GREEN	TLR RM 2 TLR RM 2 LASER RED/GREEN
-	69906	69906	-	-	-	69906	69906	-	-
-	69901	69901	-	-	-	69901	69901	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	69177	69177	-	-	-	69177	69177	69177	69177
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	69490	-	-	-	-	69490	-	-	-
-	-	69491	-	-	-	-	69491	-	-
-	-	-	69492	-	-	-	-	-	-
-	-	-	-	69493	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	69135	69135
-	-	-	-	-	-	-	-	89008	89008
-	-	-	-	-	-	-	-	69138	69138
88178	-	-	-	-	-	88178	88178	88178	88178
69115 69116 69117 69118	-	-	-	-	-	-	-	-	-
69124	-	-	-	-	-	-	-	-	-

TACTICAL WEAPON-MOUNTED SERIES

THE PROTAC RAIL MOUNT LIGHTS

SHATTER THE DARK

WITHOUT BREAKING THE BANK

PROTAC® RAIL MOUNT 1 LONG GUN LIGHT

This 350 lumen light features a dedicated fixed-mount for MIL-STD 1913 rails. It uses either a remote switch with momentary/constant on operation or a standard push-button tail switch. Can run on either a lithium battery or an easy-to-find alkaline battery, both included. IPX7 rated with the Standard button switch installed; waterproof to 1 meter for 30 minutes. IPX4 rated with the Remote Pressure Switch installed.

BATTERY: (1) CR123A lithium or (1) "AA" Alkaline
SIZE: 4.25" x 1.50" x 1.20" (10.8 x 3.81 x 3.04 cm)
WEIGHT: 4.3 oz (121.9g) w/CR123 // 4.5 oz (127.57g) w/Alkaline
COLOR: Black



CR123A	HIGH	LOW
LUMENS:	350	40
CANDELA:	12,000	1,380
DISTANCE:	219m	19m
RUN TIME:	1.75h	14.5h
STROBE RUNS 2.75 HOURS		

ALKALINE	HIGH	LOW
LUMENS:	150	40
CANDELA:	14,950	1,380
DISTANCE:	141m	19m
RUN TIME:	1.5h	8h
STROBE RUNS 2.75 HOURS		

ITEM #	DESCRIPTION
88058	PROTAC RAIL MOUNT 1 - INCLUDES REMOTE SWITCH, TAIL SWITCH, REMOTE RETAINING CLIPS, MOUNTING HARDWARE, AND (1) LITHIUM & (1) "AA" BATTERY - BLACK

[(STROBE)]
 Double tap
 switch to activate

MULTI-FUEL DESIGN:
 Runs on one "AA" alkaline or
 CR123A lithium battery
 — both included.

TEN-TAP® Programmable switch
 allows user selection of one of three
 different programs:

- high/strobe (factory default)
- high only
- low/high

PROTAC® RAIL MOUNT 2 LONG GUN LIGHT

Lightweight, this bright light can be used in close quarter combat or to identify medium range threats. Rugged, reliable and features a dedicated fixed-mount for MIL-STD 1913 rails. It uses either a remote switch with momentary/constant on operation or a standard push-button tail switch. IPX7 rated with the Standard button switch installed; waterproof to 1 meter for 30 minutes. IPX4 rated with the Remote Pressure Switch installed.

BATTERY: (2) CR123A lithium

SIZE: 5.00" x 1.50" x 1.20" (12.7 x 3.81 x 3.04 cm)

WEIGHT: 5.00 oz (141.7g)

COLOR: Black

CR123A	HIGH	LOW
LUMENS:	625	60
CANDELA:	22,000	2,000
DISTANCE:	297m	89m
RUN TIME:	2h	21h
STROBE RUNS 2.75 HOURS		

ITEM #	DESCRIPTION
88059	PROTAC RAIL MOUNT 2 - REMOTE SWITCH, TAIL SWITCH, REMOTE RETAINING CLIPS MOUNTING HARDWARE, AND 2 CR123A LITHIUM BATTERIES



[(STROBE)]
Double tap
switch to activate

TEN-TAP® Programmable switch allows user selection of one of three different programs:

- high/strobe (factory default)
- high only
- low/high

PROTAC® RAIL MOUNT HL-X LONG GUN LIGHT

The ProTac series expands its weapon-mounted lights with this 1,000 lumen light featuring a dedicated fixed-mount for MIL-STD 1913 rails. Lightweight, this bright light can be used in close quarter combat or to identify medium range threats. Rugged, reliable and features a remote switch with momentary/constant on operation or a standard push-button tail switch. IPX7 rated with the Standard button switch installed; waterproof to 1 meter for 30 minutes. IPX4 rated with the Remote Pressure Switch installed.

BATTERY: (2) CR123A lithium or (1) SL-B26 Li-Ion USB rechargeable battery pack

SIZE: 5.43" x 1.45" x 1.72" (13.8 x 3.68 x 4.37 cm)

WEIGHT: 6.4 oz (181.4g)(CR123A); 6.9 oz (195.6g)(SL-B26)

COLOR: Black

	HIGH	LOW
LUMENS:	1,000	60
CANDELA:	27,600	1,600
DISTANCE:	332m	80m
RUN TIME (CR123):	1.25h	20h
RUN TIME (SL-B26):	1.5h	23h
STROBE RUNS 2.5 HOURS (CR123); 3.25 HOURS (SL-B26)		



[(STROBE)]
Double tap
switch to activate

ITEM #	DESCRIPTION
88066	PROTAC RAIL MOUNT HL-X - REMOTE SWITCH, TAIL SWITCH, REMOTE RETAINING CLIPS MOUNTING HARDWARE, AND LITHIUM BATTERIES
88071	PROTAC RAIL MOUNT HL-X USB - REMOTE SWITCH, TAIL SWITCH, REMOTE RETAINING CLIPS MOUNTING HARDWARE, SL-B26 BATTERY PACK & USB CORD

MULTI-FUEL DESIGN:
Runs on CR123 or SL-B26 Li-Ion USB rechargeable battery pack

TEN-TAP® Programmable switch allows user selection of one of three different programs:

- high/strobe (factory default)
- high only
- low/high

PROTAC® RAIL MOUNT HL-X LASER

	HIGH	LOW
LUMENS:	1,000	60
CANDELA:	27,600	1,600
DISTANCE:	332m	80m
RUN TIME (CR123):	1.25h	20h
RUN TIME (SL-B26):	1.5h	23h

STROBE RUNS 2.5 HOURS (CR123);
3.25 HOURS (SL-B26)



The ProTac Rail Mount HL-X Laser is a 1,000 lumen long gun light with integrated red aiming laser with windage and elevation adjustments. It has unique functionality with its double switches; push button tailcap or remote pressure switch and multi-fuel options. Available as the USB rechargeable system that includes our Streamlight SL-B26® protected Li-Ion USB rechargeable battery pack with integrated USB charging port or the lithium battery version. Either model includes all that you need to mount to your long gun.

BATTERY: (2) CR123A lithium or (1) SL-B26 Li-Ion USB rechargeable battery pack

SIZE: 6.625" x 1.45" (16.83 x 3.75 cm)

WEIGHT: w/ SL-B26 battery pack: 10.8 oz (306g)

COLOR: Black



[(STROBE)]

Double tap
switch to activate



MULTI-FUEL DESIGN:

Runs on CR123 or SL-B26 Li-Ion USB rechargeable battery pack

TEN-TAP® Programmable switch allows user selection of one of three different programs:

- high/strobe (factory default)
- high only
- low/high

ITEM #	DESCRIPTION
88089	PROTAC RAILMOUNT HL X LASER - REMOTE SWITCH, TAIL SWITCH, REMOTE RETAINING CLIPS, MOUNTING HARDWARE, 2 CR123A LITHIUM BATTERIES
88090	PROTAC RAILMOUNT HL-X LASER USB - REMOTE SWITCH, TAIL SWITCH, REMOTE RETAINING CLIPS, MOUNTING HARDWARE, SL-B26 BATTERY PACK & USB CORD



PROTAC® 2.0 RAIL MOUNT NEW

2,000
LUMENS


	HIGH	LOW
LUMENS:	2,000	250
CANDELA:	17,700	2,150
DISTANCE:	266m	93m
RUN TIME:	2.5h	11h

STROBE RUNS 4.5 HOURS

[(STROBE)]
Double tap
switch to activate

The high performance ProTac® 2.0 Rail Mount produces 2,000 lumens without sacrificing run time. Powered by our new SL-B50® protected Li-Ion rechargeable battery pack that charges inside the light using a USB-C cord - no need to remove from your weapon.

System includes remote rail grabber, remote pressure momentary switch, push-button tailcap switch and mounting hardware. Tactical tailcap switch provides momentary & "constant on" operation. IP67 dust-tight and waterproof to 1 meter for 30 minutes.



Tactical tailcap switch provides momentary & "constant on" operation



TEN-TAP® Programmable switch allows user selection of one of three different programs:

- high/strobe factory default)
- high only
- low/high

Powered by SL-B50 Li-Ion USB rechargeable battery pack. Recharges in 6 hours.



BATTERY: (1) SL-B50 protected Li-Ion USB rechargeable battery pack
SIZE: 6.3" x 1.46" 1.02" [160 x 37 x 26 mm]
WEIGHT: w/ SL-BB-50 battery pack: 9.06 oz [257g]
COLOR: Black

ITEM #	DESCRIPTION
89009	PROTAC 2.0 RAIL MOUNT - STRAIGHT MOMENTARY PRESSURE SWITCH, REMOTE RETAINING CLIPS, MOUNTING HARDWARE, SL-B50 BATTERY PACK AND USB-C CORD
88003	PROTAC 2.0 RAIL MOUNT - LIGHT ONLY - SL-B50 BATTERY PACK AND USB-C CORD



Slide sleeve back to access USB-C port; charges via USB-C cord



PROTAC RAIL MOUNT ACCESSORIES

DESCRIPTION	PART #	GOES WITH
CR123A LITHIUM BATTERIES 2PK/6PK/12PK/400PK 	85175 85177 85179 85180	PROTAC RAIL MOUNT 1, PROTAC RAIL MOUNT 2, PROTAC RAIL MOUNT HL-X, PROTAC RAIL MOUNT HL-X LASER
SL-B26 LI-ION USB BATTERY PACK CHARGE CRADLE (BATTERIES & CORD SOLD SEPARATELY) 	22100 22010 22011	PROTAC RAIL MOUNT HL-X, PROTAC RAIL MOUNT HL-X LASER
8-UNIT LI-ION BANK CHARGER - 12V DC 	20220	PROTAC RAIL MOUNT HL-X, PROTAC RAIL MOUNT HL-X LASER
120V AC USB CHARGE CORD 	22071	PROTAC RAIL MOUNT HL-X, PROTAC RAIL MOUNT HL-X LASER
SL-B26 BATTERY PACKS - 1PK/2PK/8PK 	22101 22102 22105	PROTAC RAIL MOUNT HL-X, PROTAC RAIL MOUNT HL-X LASER
SL-B50 BATTERY PACKS - 1PK/2PK 	22111 22112	PROTAC 2.0, PROTAC 2.0 RAIL MOUNT
40" (101.6 CM) MICRO USB CORD 22" (55.88CM) MICRO USB CORD 	22070 22081	PROTAC RAIL MOUNT HL-X, PROTAC RAIL MOUNT HL-X LASER
22" (55.88CM) USB-C CORD 	22084	PROTAC 2.0, PROTAC 2.0 RAIL MOUNT
REMOTE RETAINING CLIPS 	88178	PROTAC RAIL MOUNT 1, PROTAC RAIL MOUNT 2 PROTAC RAIL MOUNT HL-X, PROTAC RAIL MOUNT HL-X LASER
FILTERS 	69115 (red) 69116 (blue) 69117 (green) 69118 (IR) 69124 (Opaque)	PROTAC RAIL MOUNT 1 PROTAC RAIL MOUNT 2
REMOTE SWITCH 	880175	PROTAC RAIL MOUNT 1, PROTAC RAIL MOUNT 2
REMOTE SWITCH 	880276	PROTAC RAIL MOUNT HL-X LASER
STRAIGHT MOMENTARY PRESSURE SWITCH 	69135	PROTAC 2.0 RAIL MOUNT
STRAIGHT LATCHING SWITCH 	89008	PROTAC 2.0 RAIL MOUNT

TACTICAL SERIES //

TACTICAL LIGHTING SPECIALISTS
FROM EVERY DAY CARRY TO SPECIALIZED HANDS-FREE
LIGHTING. GO TACTICAL WITH STREAMLIGHT

It takes more than a Matte Black or Flat Dark Earth finish to call yourself tactical at Streamlight. We build a complete series of lights dedicated to providing you with the optimal performance for the task at hand. Choose from a full family of ProTac or PolyTac lights with high-lumen, long runtime or multi-fuel options and of course the most versatile military light in the world... the Sidewinder.



WEDGE®



PROTAC® 2.0



POLYTAC® X USB



SIDEWINDER STALK™



PROTAC® 1L-1AA

EXTRAORDINARY Everyday Carry

//THRO MODE PROVIDES A BLAST OF 1,000 LUMENS

WEDGE®

The Wedge is a compact, high-performance EDC light designed for clean pocket carry. It's outfitted with an intuitive rotating thumb switch that provides tactile control over the constant-on and THRO® (Temporarily Heightened Regulated Output) modes. Made of rugged anodized aluminum with a waterproof USB-C port, the Wedge balances durability with performance.



Outfitted with an intuitive rotating thumb switch providing tactile control over constant-on and THRO modes.



Battery charge indicator located in the on/off switch.
Charge indication:
Red - Charging // Green - Charged



ITEM #	DESCRIPTION
88810	WEDGE - INCLUDES USB-C CORD, LANYARD - BLACK
88811	WEDGE - INCLUDES USB-C CORD, LANYARD - COYOTE
22084	USB-C CORD - 22" (58.8CM)



Securely attaches to MOLLE, turnout gear, harnesses, etc.



Small enough to fit in your tool bag



Designed for concealed, deep pocket carry



The perfect addition to your EDC kit

Width: 0.60" (1.52 cm)



THE PROTAC SERIES... **A COMPLETE** **FOR ALL TYPES OF USES, FROM**

PROTAC® 1AAA

A good choice for anyone who needs a compact, back-up light without compromising on power. Put this light in your pocket and always be ready to light your way, wherever you go. Includes a removable pocket clip and nylon holster. IPX7 waterproof to 1m for 30 minutes. 2 meter impact resistance tested.

PROTAC 1AAA

BATTERY: (1) "AAA" alkaline or lithium
SIZE: 3.94" x .71" x .57" (10.0 x 1.80 x 1.44 cm)
WEIGHT: 1.3 oz (37g)
COLOR: Black

ITEM #	DESCRIPTION
88049	PROTAC 1AAA - 1 "AAA" ALKALINE BATTERY & HOLSTER - BLACK

MULTI-FUEL DESIGN:

Runs on (1) "AA" alkaline or (1) "AA" lithium battery

	HIGH	LOW
LUMENS:	115	8
CANDELA:	890	65
DISTANCE:	60m	16m
RUN TIME (ALK):	1.75h	17h
RUN TIME (LITH):	2.25h	23h
STROBE RUNS 1.5 HOURS (ALK); 3.75 HOURS (LITH)		



With **[(STROBE)]**
Double tap switch to activate

TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/high

PROTAC® 1L-1AA

The ProTac® 1L-1AA is a perfect everyday carry light. This multi-fuel, ultra-compact flashlight accepts a single lithium or alkaline battery, providing you with ultimate flexibility in the field. Packaged with a removable pocket clip and holster. IPX7 waterproof to 1m for 30 minutes; 2 meter impact resistance tested.

PROTAC 1L-1AA

BATTERY: (1) CR123A lithium or 1"AA" alkaline/lithium
SIZE: 4.25" x .95" x .850" (10.8 x 2.41 x 2.16 cm)
WEIGHT W/CR123: 2.5 oz (71 g)
WEIGHT: 2.8 oz (79g) Alkaline // 2.4 oz (68g) Lithium
COLOR: Black

ITEM #	DESCRIPTION
88061	PROTAC 1L-1AA - LITH & AA ALK BATTERY & HOLSTER - BLACK
88073	PROTAC 1L-1AA - LITH & AA ALK BATTERY & HOLSTER - COYOTE

MULTI-FUEL DESIGN:

Runs on (1) CR123 or (1) "AA" battery

CR123A	HIGH	LOW	AA	HIGH	LOW
LUMENS:	350	40	LUMENS:	150	40
CANDELA:	6,400	720	CANDELA:	2,750	720
DISTANCE:	160m	53m	DISTANCE:	105m	53m
RUN TIME:	1.5h	14h	RUN TIME (ALK):	1h 20m	7.5h
STROBE RUNS 3 HOURS			RUN TIME (LITH):	4.25h	14h
			STROBE RUNS 3.5 HOURS (ALK); 8 HOURS (LITH)		



With **[(STROBE)]**
Double tap switch to activate

TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/high

FAMILY OF LIGHTS

EVERY DAY CARRY TO MEDICAL USE

PROTAC® 2AA

Small enough to carry in a pocket, lightweight, yet extremely bright. TEN-TAP® programming for user selection of mode programs. IPX7 waterproof to 1 meter for 30 minutes. 2 meter impact resistance tested. Maximum light output throughout battery life.

PROTAC 2AA

BATTERY: [2] "AA" alkaline
SIZE: 6.14" x .9" x .65" (15.60 x 2.29 x 1.65 cm)
WEIGHT: 3.4 oz (96g)
COLOR: Black or Coyote

ITEM #	DESCRIPTION
88033	PROTAC 2AA - 2 "AA" ALKALINE BATTERIES & HOLSTER - BLACK
88072	PROTAC 2AA - 2 "AA" ALKALINE BATTERIES & HOLSTER - COYOTE

	HIGH	LOW
LUMENS:	250	18
CANDELA:	4250	400
DISTANCE:	130m	40m
RUN TIME:	2h	43h
STROBE RUNS 4 HOURS		



With **[(STROBE)]**
 Double tap switch to activate

TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/high

PROTAC® 2AAA

About the size of a marker, with two AAA batteries, this ProTac model fits nicely into your pocket and is big on function and performance. IPX7 waterproof to 1 meter for 30 minutes. Maximum light output throughout battery life.

PROTAC 2AAA

BATTERY: [2] "AAA" alkaline
SIZE: 5.62" x .72" x .50" (14.27 x 1.83 x 1.27 cm)
WEIGHT: 2.0 oz (57g)
COLOR: Black

ITEM #	DESCRIPTION
88039	PROTAC 2AAA - 2 "AAA" BATTERIES & HOLSTER - BLACK

	HIGH	LOW
LUMENS:	130	20
CANDELA:	1,230	230
DISTANCE:	70m	30m
RUN TIME:	1.75h	13h
STROBE RUNS 3.5 HOURS		



With **[(STROBE)]**
 Double tap switch to activate

TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/high

PROTAC® 2L

The ProTac® 2L is compact and lightweight, yet powerful, bright, with long run times and lots of important features. TEN-TAP® programming for user selection of mode programs. IPX7 waterproof to 1 meter for 30 minutes. 2 meter impact resistance tested. Maximum light output throughout battery life.

PROTAC 2L

BATTERY: (2) CR123A lithium
SIZE: 4.77" x .9" x .77" (12.12 x 2.29 x 1.96 cm)
WEIGHT: 2.8 oz (79g)
COLOR: Black

ITEM #	DESCRIPTION
88031	PROTAC 2L - LITHIUM BATTERIES & HOLSTER - BLACK

	HIGH	LOW
LUMENS:	350	30
CANDELA:	6,300	600
DISTANCE:	159m	49m
RUN TIME:	3.25h	35h
STROBE RUNS 6 HOURS		



With **[(STROBE)]**
 Double tap switch to activate

TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/high

PROTAC HL®

This tactical flashlight has a far reaching beam to light up areas with a blinding 750 lumens. TEN-TAP® programming lets you choose the order of operating modes. IPX7-rated waterproof to 1 meter for 30 minutes. 1 meter impact-resistance tested.

PROTAC HL

BATTERY: (2) CR123A lithium
SIZE: 5.4" x 1.375" x 1.0" (13.72 x 3.49 x 2.54 cm)
WEIGHT: 5.6 oz (158g)
COLOR: Black

ITEM #	DESCRIPTION
88040	PROTAC HL - 2 LITHIUM BATTERIES & HOLSTER - CLAM

	HIGH	LOW
LUMENS:	750	35
CANDELA:	18,300	900
DISTANCE:	270m	60m
RUN TIME:	1.25h	18h
STROBE RUNS 2.5 HOURS		



HL®
 With **[(STROBE)]**
 Double tap switch to activate

TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/high



PROTAC® HPL USB

The Pro Tac HPL USB is a versatile USB rechargeable tactical light designed for down range applications. Multi-battery versatility means you can use disposable batteries to power the light when a charging source is not available. It features a tail cap switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience. IPX4 water-resistant.

PROTAC HPL USB

BATTERY: Lithium-ion (included), SL-B26 battery pack or (2) CR123A lithium

SIZE: 7.08" x 1.72" x 1.07" (18 x 4.38 x 2.7 cm)

WEIGHT: 9.24 oz (262g)

COLOR: Black

ITEM #	DESCRIPTION
88076	PROTAC HPL USB - USB CORD & HOLSTER - CLAM
88077	PROTAC HPL USB - USB CORD & HOLSTER - BOX

	HIGH	MEDIUM	LOW
LUMENS:	1,000	400	65
CANDELA:	35,000	14,100	2,250
DISTANCE:	374m	237m	95m
RUN TIME:	1.5h	3h	20h
STROBE RUNS 3 HOURS			



With **[(STROBE)]**
Double tap switch to activate

TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/medium/high

PROTAC HL® USB

The ProTac HL USB features multiple power source capability; it includes a rechargeable lithium ion battery; also accepts Streamlight SL-B26 rechargeable lithium ion battery or two CR123A batteries. An anti-rattle battery compartment keeps batteries securely and quietly in place without using a separate battery carrier. TEN-TAP® programming lets you choose the selection of operating modes. IPX4 water-resistant.

PROTAC HL USB

BATTERY: Lithium-ion (included), SL-B26 battery pack or (2) CR123A lithium

SIZE: 6.50" x 1.23" x 1.07" (16.5 x 3.1 x 2.7 cm)

WEIGHT: 7.2 oz (204g)

COLOR: Black

ITEM #	DESCRIPTION
88052	PROTAC HL USB - USB CORD & HOLSTER - CLAM
88054	PROTAC HL USB - 120V AC/12V DC & HOLSTER - CLAM

	HIGH	MEDIUM	LOW
LUMENS:	1,000	380	65
CANDELA:	12,000	4,420	700
DISTANCE:	219m	133m	53m
RUN TIME:	1.5h	3.5h	23h
STROBE RUNS 1.5 HOURS			



HL® With **[(STROBE)]**
Double tap switch to activate

TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/medium/high

PROTAC® HL-X USB // PROTAC® HL-X

The ProTac HL-X is a multi-fuel tactical light that comes in 2 versions. The ProTac HL-X USB is a rechargeable system that uses our Streamlight SL-B26 protected Li-Ion USB rechargeable battery pack with integrated USB charging port. The ProTac HL-X includes CR123A batteries.

Multi-battery versatility means the user can use disposable batteries to power the light if the rechargeable is out of power and a charging source is not available. It features a tactical tail cap switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience. IP68 rated; dust tight and waterproof to 2 meters.

PROTAC HL-X USB / PROTAC HL-X

BATTERY: (1) SL-B26 Li-Ion USB rechargeable battery pack or (2) CR123A lithium

SIZE: 5.43" x 1.44" x 1.0" (13.8 x 3.7 x 2.54 cm)

WEIGHT: 6.2 oz (176g)(SL-B26); 5.7 oz (162g) (CR123A)

COLOR: Black

PROTAC® 2L-X USB // PROTAC® 2L-X

The ProTac 2L-X is a multi-fuel tactical light that comes in 2 versions. The ProTac 2L-X USB is a rechargeable system that uses a Streamlight SL-B26 protected Li-Ion USB rechargeable battery pack. The ProTac 2L-X includes 2 CR123A lithium batteries.

Multi-battery versatility means the user can always use disposable batteries to power the light if the rechargeable is out of power and a charging source is not available. It features a tactical tail cap switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience. IPX7 waterproof to 1 meter for 30 minutes; 1 meter impact resistance tested.

PROTAC 2L-X

BATTERY: (1) SL-B26 Li-Ion USB rechargeable battery pack or (2) CR123A lithium

SIZE: 5.14" x 1.06" x .94" (13.0 x 2.7 x 2.4 cm)

WEIGHT: 4.4 oz (125g) (SL-B26); 3.9 oz (111g) (CR123A)

COLOR: Black

ITEM #	DESCRIPTION
88064	PROTAC HL-X - 2 CR123A LITHIUM BATTERIES & HOLSTER - CLAM
88065	PROTAC HL-X - 2 CR123A LITHIUM BATTERIES & HOLSTER - BOX
88084	PROTAC HL-X USB - SL-B26 BTRY PACK, USB CORD & HOLSTER - CLAM
88085	PROTAC HL-X USB - SL-B26 BATTERY PACK, USB CORD & HOLSTER - BOX

ITEM #	DESCRIPTION
88062	PROTAC 2L-X - 2 CR123A LITH BATTERIES & HOLSTER - CLAM
88063	PROTAC 2L-X - 2 CR123A LITH BATTERIES & HOLSTER - BOX
88082	PROTAC 2L-X USB - SL-B26 BTRY PACK, USB CORD & HOLSTER - CLAM
88083	PROTAC 2L-X USB - SL-B26 BATTERY PACK, USB CORD & HOLSTER - BOX



TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/medium/high



MULTI-FUEL DESIGN:

Runs on (1) SL-B26 battery pack or (2) CR123A lithium batteries



With [(STROBE)]
Double tap switch to activate

TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/high

MULTI-FUEL DESIGN:

Runs on (1) SL-B26 battery pack or (2) CR123A lithium batteries

	HIGH	MEDIUM	LOW
LUMENS:	1,000	400	65
CANDELA:	27,100	10,000	1,600
DISTANCE:	330m	200m	80m
RUN TIME (CR123):	1.25h	3h	20h
RUN TIME (SL-B26):	1.25h	3h	20h
STROBE RUNS 2.5 HOURS (CR123); 3.25 HOURS (SL-B26)			

	HIGH	LOW
LUMENS:	500	40
CANDELA:	6,800	600
DISTANCE:	165m	49m
RUN TIME (CR123):	2.75h	30h
RUN TIME (SL-B26):	3.75h	30h
STROBE RUNS 3.25 HOURS (CR123); 4.5 HOURS (SL-B26)		

PROTAC HL® 5-X USB // PROTAC HL® 5-X

The ProTac HL 5-X is a high-powered, multi-fuel tactical light available in 2 versions. The ProTac HL 5-X USB is a rechargeable system that uses two Streamlight SL-B26 protected Li-Ion USB rechargeable battery packs. The ProTac HL 5-X includes four CR123A batteries. Multi-battery versatility means the user can always use disposable batteries to power the light if the rechargeable is out of power and a charging source is not available. Features a "sure grip rubber sleeve" and includes lanyard ensure you'll never lose your grip.

PROTAC HL 5-X USB / PROTAC HL 5-X

BATTERY: (2) SL-B26 Li-Ion USB rechargeable battery packs or (4) CR123A lithium

SIZE: 9.53" x 2.35" x 1.24" [23.65 x 5.97 x 3.15 cm]

WEIGHT: 1 lb 3.4 oz [550g] (SL-B26); 1 lb 2.4 oz [522g] (CR123A)

COLOR: Black

ITEM #	DESCRIPTION
88074	PROTAC HL 5-X - 4 LITHIUM BATTERIES & WRIST LANYARD - CLAM
88075	PROTAC HL 5-X - 4 LITHIUM BATTERIES & WRIST LANYARD - BOX
88080	PROTAC HL 5-X USB - 2 SL-B26 BATTERY PACKS, USB CORD & LANYARD - CLAM
88081	PROTAC HL 5-X USB - 2 SL-B26 BATTERY PACKS, USB CORD & LANYARD - BOX



With **[(STROBE)]**
Double tap switch to activate

TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/medium/high



MULTI-FUEL DESIGN:

Runs on (2) SL-B26 Battery Packs or (4) CR123A lithium batteries

SL-B26	HIGH	MEDIUM	LOW
LUMENS:	3,500	1,000	250
CANDELA:	51,000	14,100	3,620
DISTANCE:	452m	237m	120m
RUN TIME (SL-B26):	1.25h	3h	11.5h
STROBE RUNS 1.25 HOURS (SL-B26)			

CR123A	HIGH	MEDIUM	LOW
LUMENS:	2,500	1,000	250
CANDELA:	37,000	14,100	3,620
DISTANCE:	385m	237m	120m
RUN TIME (SL-B26):	1.5h	2.5h	10.5h
STROBE RUNS 1.5 HOURS (CR123A)			

PROTAC® 90 X USB // PROTAC® 90 X

The MULTI-FUEL ProTac 90 X is an EDC light with a twist. It features a right-angle head that gives extra lighting capability for those with multiple lighting needs. Carry in your hand or attach to your MOLLE, belts, harnesses and other gear for hands-free use. IPX7 waterproof to 1m for 30 minutes; 2m impact resistance tested.



MULTI-FUEL DESIGN:

Runs on (1) SL-B26 battery pack or (2) CR123A lithium batteries

TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/medium/high

PROTAC 90 X USB / PROTAC 90 X

BATTERY: (1) SL-B26 Li-Ion USB rechargeable battery pack or (2) CR123A lithium

SIZE: 4.39" x 1.14" x .94" [11.1 x 2.9 x 2.4 cm]

WEIGHT: 4.9 oz [139g] (SL-B26); 4.4 oz [125g] (CR123A)

COLOR: Black

ITEM #	DESCRIPTION
88094	PROTAC 90X WITH CR123A LITHIUM BATTERIES AND HOLSTER
88095	PROTAC 90 X USB - SL-B26 BATTERY PACK AND HOLSTER

	HIGH	MEDIUM	LOW
LUMENS:	1,000	300	65
CANDELA:	7,350	2,060	450
DISTANCE:	171m	91m	42m
RUN TIME (CR123):	2.5h	4h	21h
RUN TIME (SL-B26):	1.75h	4.75h	24h
STROBE RUNS 2.5 HOURS (CR123); 3.5 HOURS (SL-B26)			



**2,000
LUMENS**

PROTAC® 2.0 **NEW**

The high performance ProTac® 2.0 produces 2,000 lumens without sacrificing run time. Powered by our new SL-B50® protected Li-Ion rechargeable battery pack that charges inside the light using a USB-C cord. IP67 dust-tight and waterproof to 1 meter for 30 minutes.

PROTAC 2.0

BATTERY: (1) SL-B50 protected Li-Ion USB rechargeable battery pack

SIZE: 6.1" x 1.46" x 1.02" (155 x 37 x 26 mm)

WEIGHT: 8.25 oz (234g)

COLOR: Black

ITEM #	DESCRIPTION
89000	PROTAC 2.0 - SL-B50 BATTERY PACK, USB-C CORD, NYLON HOLSTER

TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/medium/high

With **[(STROBE)]**
Double tap switch to activate



Slide sleeve back to access USB-C port.

SL-B50 battery pack charges in 6 hours.

	HIGH	MEDIUM	LOW
LUMENS:	2,000	570	100
CANDELA:	17,300	5,000	890
DISTANCE:	262m	142m	60m
RUN TIME:	2.5h	4.5h	25h
STROBE RUNS 4.25 HOURS			



SL-B50® PROTECTED LITHIUM ION USB RECHARGEABLE BATTERY PACK

NEW

The Streamlight proprietary SL-B50® protected Li-Ion rechargeable battery pack, with on-board safety control circuit, is designed for select Streamlight products. It features a built in USB-C port and charge status indicator; charges in 6 hours.

BATTERY CAPACITY: 4900mAh SL-B50 protected Li-Ion USB rechargeable battery pack

BATTERY SIZE: 3.26" x .905" (8.28 x 2.3 cm)

BATTERY WEIGHT: 3 oz (85g)



USB-C Cord



Features integrated USB port.
Charge status LEDs:



CHARGING

CHARGED

USB Rechargeable 4900mAh SL-B50
Lithium Ion Battery – Charges in 6 hours.

ITEM #	DESCRIPTION
22111	SL-B50 LI-ION USB RECHARGEABLE BATTERY PACK- 1PK
22112	SL-B50 LI-ION USB RECHARGEABLE BATTERY PACK- 2PK
22084	22" (55.88 CM) USB-C CORD

WORKS WITH:



ProTac® 2.0
Headlamp



ProTac® 2.0



ProTac® 2.0
Rail Mount

SL-B26[®] BATTERY PACK

THE BATTERY THAT REINVENTS RECHARGEABILITY



TURN YOUR HIGH-PERFORMANCE LIGHTS INTO RECHARGEABLE SYSTEMS

You know how you make the best performing, brightest lights in the business even better? Simple. Give users multiple ways to power and charge them. Introducing our SL-B26[®] Protected Lithium Ion USB Rechargeable Battery Pack with integrated charging port. Charges by USB cord, or optional charge cradle. Flexibility for however and wherever you use your light.

SL-B26[®] PROTECTED LITHIUM ION USB RECHARGEABLE BATTERY PACK

The battery that transforms multi-fuel, high-performance lighting tools into rechargeable systems. USB rechargeable - Features micro-USB input and charge status indicators; charges in 5 hours. Integrated safety circuit protects battery from overcharge. Charge via USB source or optional charge cradle - or bank charger for departmental use. The charge cradle is ideal for storage as well as to charge your batteries.

- BATTERY CAPACITY:** 2600mAh SL-B26 protected Li-Ion USB rechargeable battery pack
- BATTERY SIZE:** 2.75" x .744" (.7 x 1.89cm)
- BATTERY WEIGHT:** 1.7 oz (48g)
- CRADLE SIZE:** 4.5" (11.4cm)
- CRADLE WEIGHT:** 2.4 oz (68g)



Features integrated USB port.
Charge status LEDs:
Red = charging Green = charged



USB Rechargeable 2600mAh SL-B26 Lithium Ion Battery – Charges in 5 hours.

ITEM #	DESCRIPTION
22101	SL-B26 LI-ION USB RECHARGEABLE BATTERY PACK- 1PK
22102	SL-B26 LI-ION USB RECHARGEABLE BATTERY PACK- 2PK
22104	SL-B26 LI-ION USB RECHARGEABLE BATTERY PACK- 2PK - BOX
22105	SL-B26 LI-ION USB RECHARGEABLE BATTERY PACK- 8PK
22100	LI-ION CHARGE CRADLE
22010	LI-ION BATTERY PACK KIT - USB CORD, 2 SL-B26 BATTERY PACKS
22011	LI-ION BATTERY PACK KIT - 120V AC, 2 SL-B26 BATTERY PACKS
22070	40" (101 CM) USB CORD
22081	22" (55.88 CM) USB CORD



Charger temperature safety circuit prevents damage to batteries while charging.

MULTI-FUEL LIGHTING SYSTEMS



Sieve® X USB



Vantage®
180 X USB



ProTac®
HL-X USB



ProTac®
90 X USB



PolyTac
90® X USB



PolyTac®
X USB



ProTac®
2L-X USB



ProTac
HL® 5-X USB



Survivor® X USB

ALSO WORKS WITH:

SL-B26 BATTERY PACK SOLD SEPARATELY. AVAILABLE AS SYSTEM THAT INCLUDES LITHIUM ION BATTERY #74175 (ALSO USED IN STRION SERIES).



ProTac® HL USB Headlamp



ProTac® HL USB



ProTac® HPL USB

ORGANIZE, STORE AND CHARGE YOUR SL-B26 BATTERIES

EIGHT-UNIT SL-B26 BANK CHARGER

Charge up to eight batteries with Streamlight's lithium ion battery bank charger. Each charge bay securely holds the battery in place - ideal for mounting on trucks. Low-profile housing (1"; 2.54 cm) requires minimal mounting area.

Charge time = 5.25 hours

Charge indicators over each battery:

- Red = charging
- Green = charged

Charges with or without optional charge cradle. Use the charge cradle for storage as well as to charge your batteries.

BANK CHARGER

BATTERY CAPACITY: 8

SIZE: 10.45" x 4.74" x 1" [26.54 x 12.06 x 2.54cm]

WEIGHT WITH BATTERIES: 7.6 oz [216g]

WEIGHT WITHOUT BATTERIES: 20.88 oz [592g]



NFPA Meets requirements of NFPA 1901-14.1.10.2 (2016); mounted in upright position

ITEM #	DESCRIPTION
20221	8-UNIT BANK CHARGER - 120V AC
20220	8-UNIT BANK CHARGER - 12V DC
20224	8-UNIT BANK CHARGER - WITH SL-B26 BATTERIES - 120V AC
20223	8-UNIT BANK CHARGER - WITH SL-B26 BATTERIES - 12V DC
44909	120V AC CORD
44923	12V DC CORD



120V AC Charge Cord



12V DC Charge Cord

POLYTAC® X USB // POLYTAC® X

This multi-fuel tactical light allows the user to use disposable batteries to power the light if the rechargeable battery back is out of power and can't be charged. Superior grip texture for a comfortable/slip-resistant feel. TEN-TAP® programming lets you choose the order of operating modes. IPX7 waterproof to 1 meter for 60 minutes. Maximum light output throughout battery life.

POLYTAC X USB / POLYTAC X

BATTERY: (1) SL-B26 Li-Ion USB rechargeable battery pack or (2) CR123A lithium

SIZE: 5.46" x 1.25" x 1.00" (13.87 x 3.43 x 2.54 cm)

WEIGHT: 4.9 oz (139g) (SL-B26); 4.4 oz (125g) (CR123A)

COLOR: Black, Yellow or Coyote

MULTI-FUEL DESIGN:

Runs on (1) SL-B26 battery pack or (2) CR123A lithium batteries

	HIGH	MEDIUM	LOW
LUMENS:	600	260	35
CANDELA:	11,485	4,930	675
DISTANCE:	205m	135m	50m
RUN TIME (CR123):	2.75h	5.5h	34h
RUN TIME (SL-B26):	3.5h	5.75h	36h

STROBE RUNS 5.5 HOURS (CR123A);
8 HOURS (SL-B26)



NFPA Meets requirements of NFPA 1971-8.6 (2013); 500° heat resistance test

TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/medium/high

With **[(STROBE)]**
Double tap switch to activate



CLAM	BOX	DESCRIPTION
88600	88603	POLYTAC X - 2 CR123A LITHIUM BATTERIES - BLACK
88601	88604	POLYTAC X - 2 CR123A LITHIUM BATTERIES - YELLOW
88602	88605	POLYTAC X - 2 CR123A LITHIUM BATTERIES - COYOTE
88610	88613	POLYTAC X USB - SL-B26 BATTERY PACK & USB CORD - BLACK
88611	88614	POLYTAC X USB - SL-B26 BATTERY PACK & USB CORD - YELLOW
88612	88615	POLYTAC X USB - SL-B26 BATTERY PACK & USB CORD - COYOTE

POLYTAC 90® X USB // POLYTAC 90 X

Rugged and super bright, the PolyTac 90 X is built with the rigors of the job in mind. Features a switch with built in battery life indicator that will let you know when it is time to recharge your battery or replace them. The PolyTac 90 X USB is a rechargeable system that includes a Streamlight SL-B26 protected Li-Ion USB rechargeable battery pack. The PolyTac 90 X includes two CR123 batteries.

POLYTAC 90 X USB / POLYTAC 90 X

BATTERY: (1) SL-B26 battery pack

SIZE: 5.22" x 1.25" x 1" (13.3 x 3.18 x 2.54 cm)

WEIGHT: 4.8 oz (136g) (SL-B26); 4.3 oz (122g) (CR123A)

COLOR: Orange, Yellow or Black

	HIGH	LOW
LUMENS:	500	85
CANDELA:	7,000	1,050
DISTANCE:	167m	64m
RUN TIME (CR123):	2.5h	12h
RUN TIME (SL-B26):	3.75h	19h



MULTI-FUEL DESIGN:
Runs on (1) SL-B26 battery pack or (2) CR123A lithium batteries

Meets requirements of 1971-8.6 (2018) **NFPA**

ORANGE	YELLOW	BLACK	DESCRIPTION
88834	88831	88830	POLYTAC 90 X - LITHIUM BATTERIES
88832	--	--	POLYTAC 90 X - LITHIUM BATTERIES & GEAR KEEPER
88838	88836	88835	POLYTAC 90 X USB - SL-B26 BATTERY PACK
88837	--	--	POLYTAC 90 X USB - SL-B26 BATTERY PACK & GEAR KEEPER

TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/medium/high



With **[(STROBE)]**
Double tap switch to activate

	HIGH	MEDIUM	LOW
LUMENS:	600	260	35
CANDELA:	11,500	4,900	675
DISTANCE:	214m	140m	52m
RUN TIME:	2.75h	5.5h	34h

STROBE RUNS 5.5 HOURS



Helmet Lighting Kit

POLYTAC® HP

Super-bright with a long-range beam – ideal for lighting the way to the end of a dark alley, down a wooded path, inspecting utility lines from the ground, or conducting search and rescue missions. Virtually indestructible housing. Features a superior grip texture for a comfortable/slip-resistant feel. TEN-TAP® programming lets you choose the order of operating modes. IPX7 rated waterproof to 1 meter/30 minutes. Maximum light output throughout battery life.

POLYTAC HP

BATTERY: (2) CR123A lithium
SIZE: 5.90" x 1.68" x 1" (14.98 x 4.26 x 2.54 cm)
WEIGHT: 5.2 oz (148g)
COLOR: Black, Coyote or Yellow

ITEM #	DESCRIPTION
88860	POLYTAC HP - WITH LITHIUM BATTERIES - BLACK
88861	POLYTAC HP - WITH LITHIUM BATTERIES - COYOTE
88863	POLYTAC HP - WITH LITHIUM BATTERIES - YELLOW

POLYTAC®

Rugged housing, superior brightness and extended run times make the PolyTac ideal for the broadest range of lighting applications at the best value. Superior grip texture for a comfortable/slip-resistant feel. TEN-TAP® programming lets you choose the order of operating modes. IPX7 rated waterproof to 1 meter/30 minutes. Maximum light output throughout battery life.

POLYTAC

BATTERY: (2) CR123A lithium
SIZE: 5.34" x 1.25" x 1" (13.56 x 3.45 x 2.54 cm)
WEIGHT: 4.2 oz (121g)
COLOR: Black, Coyote or Yellow

NFPA

Meets requirements of NFPA 1971-8.6 (2013)

ITEM #	DESCRIPTION
88850	POLYTAC - WITH LITHIUM BATTERIES - CLAM - BLACK
88851	POLYTAC - WITH LITHIUM BATTERIES - CLAM - COYOTE
88853	POLYTAC - WITH LITHIUM BATTERIES - CLAM - YELLOW
88854	POLYTAC HELMET LIGHTING KIT - POLYTAC, LITHIUM BATTERIES, HELMET MOUNT, HELMET BAND - CLAM - YELLOW

	HIGH	MEDIUM	LOW
LUMENS:	600	260	35
CANDELA:	22,000	4,900	675
DISTANCE:	297m	195m	72m
RUN TIME:	2.75h	5.5h	34h

STROBE RUNS 5.5 HOURS



With **[(STROBE)]**
Double tap switch to activate

TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/strobe/low (factory default)
- high only
- low/medium/high

BRIGHT LIGHT CONTROLS THE FIGHT



SCORPION® HL

The only tactical light with a rubberized grip and tail switch is a water-resistant, high lumen flashlight! TEN-TAP® programming. Durable, anodized aluminum construction with a rubber-armored sleeve, textured for a sure grip. IPX7 waterproof to 1 meter for 30 minutes.

SCORPION HL

BATTERY: (2) CR123A lithium
SIZE: 5.46" x 1.375" x .96" (13.87 x 3.49 x 2.44 cm)
WEIGHT: 4.8 oz (136g)
COLOR: Black

ITEM #	DESCRIPTION
85400	SCORPION HL WITH LITHIUM BATTERIES - CLAM

SCORPION® X

Full-featured tactical light with high, low and strobe modes and a rubberized housing for secure grip. IPX4 rated for water-resistance. Unbreakable, scratch-resistant lens. 3 meter impact-resistance tested. Maximum light output throughout battery life.

SCORPION X

BATTERY: CR123A lithium
SIZE: 5.6" x 1.25" x .94" (14.22 x 3.18 x 2.39 cm)
WEIGHT: 5.3 oz (142g)
COLOR: Black

ITEM #	DESCRIPTION
85011	SCORPION X WITH LITHIUM BATTERIES - CLAM

	HIGH	LOW
LUMENS:	725	35
CANDELA:	18,500	950
RUN TIME:	1.25h	18h
STROBE RUNS 2.5 HOURS		



TEN-TAP® programmable switch allows user selection of three different programs:

- high/strobe/low (factory default)
- high only
- low/high

HL® With **[(STROBE)]**
Double tap switch to activate

	HIGH	LOW
LUMENS:	200	10
CANDELA:	11,000	550
DISTANCE:	210m	47m
RUN TIME:	2.5h	50h
STROBE RUNS 6 HOURS		



With **[(STROBE)]**
Double tap switch to activate

PROTAC // POLYTAC // TACTICAL LIGHTS ACCESSORIES

ITEM	PART #	GOES WITH
CR123A LITHIUM BATTERIES 2PK 6PK 12PK 400PK	 85175 85180 85177 85179	PROTAC 1L-1AA, PROTAC 2L, PROTAC 2L-X, PROTAC HL, PROTAC HL-X, PROTAC HL USB, PROTAC HPL USB, PROTAC HL 5-X, POLYTAC X, POLYTAC, POLYTAC HP, SCORPION X, SCORPION HL
SL-B26 BATTERY PACK - 1PK SL-B26 BATTERY PACK - 2PK SL-B26 BATTERY PACK - 8PK	 22101 22102 22105	PROTAC HL USB, PROTAC HPL USB, PROTAC HL-X, PROTAC 2L-X, PROTAC HL 5-X, POLYTAC X
LI-ION BATTERY PACK KIT - USB LI-ION BATTERY PACK KIT - 120V AC	 22010 22011	PROTAC HL USB, PROTAC HPL USB, PROTAC HL-X, PROTAC 2L-X, PROTAC HL 5-X, POLYTAC X
LI-ION BANK CHARGER	 20224	PROTAC HL USB, PROTAC HPL USB, PROTAC HL-X, PROTAC 2L-X, PROTAC HL 5-X, POLYTAC X
40" (101.6 CM) USB CORD 22" (55.88CM) USB CORD	 22070 22081	PROTAC HL USB, PROTAC HPL USB, PROTAC HL-X USB, PROTAC 2L-X USB, PROTAC HL 5-X USB, POLYTAC X USB, WEDGE
SL-B50 BATTERY PACK - 1PK SL-B50 BATTERY PACK - 2PK	 22111 22112	PROTAC 2.0
22" (55.88CM) USB-C CORD	 22084	PROTAC 2.0
"Y" USB CORD	 22082	PROTAC HL 5-X USB
NYLON HOLSTER PROTAC 1L-1AA PROTAC 2L	 88037 88036	PROTAC 1L-1AA, PROTAC 2L
NYLON HOLSTER PROTAC 2AA PROTAC 2AAA PROTAC HL PROTAC 2.0	 88038 88045 88043 88086	PROTAC 2AA, PROTAC 2AAA, PROTAC HL, PROTAC 2.0
NYLON HOLSTER	 85905	POLYTAC X, SCORPION X
NYLON HOLSTER	 76910 85909	SUPER TAC X POLYTAC X
TACTICAL HOLSTER	 88051	SCORPION X, POLYTAC HP, PROTAC HL, PROTAC HL USB
FLIP LENS - RED FLIP LENS - BLUE FLIP LENS - GREEN FLIP LENS - IR	 85115 85116 85117 74039	SCORPION X, POLYTAC X
SAFETY WAND	 88057	PROTAC HL, PROTAC HL-X, PROTAC 2.0
HELMET MOUNT	 68085	POLYTAC, POLYTAC HP
RUBBER HELMET STRAP	 99075	POLYTAC, POLYTAC X, POLYTAC HP

SIDEWINDER... THE MOST VERSATILE MILITARY LIGHTS IN THE WORLD

SIDEWINDER STALK®

Designed to minimize the number of illuminators and beacons an operator must carry, the low-profile Sidewinder Stalk provides ultimate maneuverability. Put light where you need it with multiple mounting options and a flexible stalk to aim the beam.

Features white, multi-colored and IR LEDs along with an IR/IFF beacon.

BATTERIES: [1] CR123A, [1] "AA" alkaline or [1] "AA" lithium
SIZE: 5.51" x .86" x 1.81" [14 x 2.18 x 4.60 cm]
WEIGHT: 3.20 oz [72.57g] with CR123A battery and Loop and Hook adapter; 2.88 oz [81.65g] with AA battery and Loop and Hook adapter
COLOR: Coyote




White, red, green, blue and IR LEDs

Thumb Screw to lock into ARC rail slot

Uses "AA" alkaline battery CR123A (both included)

Also accepts "AA" lithium batteries for extended operation in extreme temperatures

Sidewinder Stalk does not need to be removed from mounted position in order to change batteries



Flexible stalk to aim the beam

Rotary mode selector switch (White, red, green, blue and IR)

IR/IFF beacon

Push-button switch for on/off and intensity control

IR/IFF beacon switch

ITEM #	DESCRIPTION
14300	SIDEWINDER STALK - HELMET CLIP, CR123A & "AA" ALKALINE BATTERIES - COYOTE - MAILER
14301	SIDEWINDER STALK - HELMET CLIP, ARC RAIL MOUNT & ASSEMBLY, CR123A & "AA" ALKALINE BATTERY - COYOTE - MAILER
14302	SIDEWINDER STALK - HELMET CLIP, E-MOUNT, CR123A & "AA" ALKALINE BATTERIES - COYOTE - MAILER
14306	SIDEWINDER STALK - HELMET CLIP, CR123A & "AA" ALKALINE BATTERIES - COYOTE - BOX
14307	SIDEWINDER STALK - ARC RAIL MOUNT & ASSEMBLY, CR123A & "AA" ALKALINE BATTERIES - COYOTE - BOX
14308	SIDEWINDER STALK - HELMET CLIP, E-MOUNT, CR123A & "AA" ALKALINE BATTERIES - COYOTE - BOX

HIGH (100%) OUTPUT - CR123A						
	WHITE LED	IR LED	RED LED	BLUE LED	GREEN LED	3535 IFF IR LED
LUMENS:	76	5.0 lmW/sr (min) radiant intensity	9	8	20	5.0 lmW/sr (min) radiant intensity
DISTANCE:	28m	---	7m	8m	12m	---
RUN TIME:	5.6h	32h	19h	13h	13h	21h

HIGH (100%) OUTPUT - AA LITHIUM/ALKALINE						
	WHITE LED	IR LED	RED LED	BLUE LED	GREEN LED	3535 IFF IR LED
LUMENS:	57	5.0 lmW/sr (min) radiant intensity	9	8	20	5.0 lmW/sr (min) radiant intensity
DISTANCE:	23m	---	7m	8m	12m	---
RUN TIME:	6h (lith) 3.8h (alk)	33h (lith) 20h (alk)	19h (lith) 10h (alk)	13h (lith) 6h (alk)	13h (lith) 5h (alk)	32h (lith) 19h (alk)



SIDEWINDER® STALK BATTERY RUN TIME				
CR123A LITHIUM BATTERY				
LED	Low	Medium	High	Strobe
WHITE	95h	15h	5.6h	11h
RED	112h	36h	19h	34h
GREEN	80h	27h	13h	25h
BLUE	80h	27h	13h	25h
IR	174h	57h	32h	61h
IR W/ IFF BEACON	150h	40h	21h	43h
"AA" LITHIUM/ALKALINE BATTERY				
WHITE	79h(lith) 66h(alk)	16h(lith) 8h(alk)	6h(lith) 3.8h(alk)	11h(lith) 5.5h(alk)
RED	109h(lith) 85h(alk)	36h(lith) 24h(alk)	19h(lith) 10h(alk)	36h(lith) 25h(alk)
GREEN	84h(lith) 55h(alk)	26h(lith) 15h(alk)	13h(lith) 5h(alk)	23h(lith) 17h(alk)
BLUE	77h(lith) 61h(alk)	25h(lith) 16h(alk)	13h(lith) 6h(alk)	25h(lith) 18h(alk)
IR	173h(lith) 145h(alk)	55h(lith) 39h(alk)	33h(lith) 20h(alk)	60h(lith) 41h(alk)
IR W/ IFF BEACON	187h(lith) 115h(alk)	51h(lith) 38h(alk)	32h(lith) 19h(alk)	47h(lith) 35h(alk)

**STREAMLIGHT
SIDEWINDER SERIES**



The Sidewinder Stalk can be configured to mount on any type of combat, vehicle crew or aviation helmet system and/or MOLLE vest platform, or be directly attached to the brim of a patrol cap.

#14303 - Sidewinder Stalk Helmet Clip
Durable belt/clothing clip with integral helmet mount features



#14304 - Sidewinder Stalk Arc Rail Clip
ARC Rail™ Clip



#14305 - Sidewinder Stalk Arc Rail Mount
Hook and loop adapter plate



Securely attaches to MOLLE



STREAMLIGHT
SIDEWINDER SERIES



SIDEWINDER...
THE MOST VERSATILE
MILITARY LIGHT IN THE WORLD

SIDEWINDER®

Meets a wide variety of hands-free illumination requirements with various color LEDs at different outputs. 185° tilting head and belt/web clip for multiple positioning/aiming of light. Designed for easy selection of light modes when in the field and when wearing gloves. IPX7 rated waterproof to 1 meter for 30 minutes. 3 meter impact-resistance tested. O-ring and gasket-sealed for waterproof operation. Meets MIL-STD-810F, METHOD 512.4.

SIDEWINDER

BATTERY: (2) "AA" alkaline or "AA" lithium for extended operation in extreme temperatures (-40° F to +150° F)

SIZE: 2.34" x 1.08" x 4.65" [5.94 x 2.74 x 11.81 cm]

LITHIUM WEIGHT: 4.38 oz [124g]

ALKALINE WEIGHT: 5.02 oz [142g]

COLOR: Coyote

ITEM #	DESCRIPTION
MILITARY MODEL (WHITE, RED, BLUE, IR LEADS)	
14000	SIDEWINDER MILITARY - 2 "AA" ALKALINE BATTERIES - CLAM
14032	SIDEWINDER MILITARY - 2 "AA" ALKALINE BATTERIES - BOX
14027	SIDEWINDER MILITARY - HELMET MOUNT & 2 "AA" ALK BATTERIES - CLAM
14031	SIDEWINDER MILITARY - E-MOUNT & 2 "AA" ALK BATTERIES - CLAM
14072	SIDEWINDER MILITARY - PARACORD & 2 "AA" ALK BATTERIES - CLAM
AVIATION MODEL (WHITE, GREEN, BLUE, IR LEADS)	
14008	SIDEWINDER AVIATION - 2 "AA" ALKALINE BATTERIES - CLAM
14024	SIDEWINDER AVIATION - MOLLE RETAINER AND 2 "AA" ALKALINE BATTERIES - BOX

SIDEWINDER® RESCUE

PM AIR WARRIOR APPROVED

A lightweight hands-free lighting tool with four different color LEDs, each with varying intensities for a wide variety of tasks. It features a flashing beacon that coupled with the "Slide-in-Place" diffuser, projects omni-directional light to signal for help. The integrated diffuser allows you to go from tight, focused beam to wide, soft beam. Accepts either two "AA" alkaline batteries or two "AA" lithium batteries for maximum versatility in the field. IPX7 waterproof to 1 meter for 30 minutes.

SIDEWINDER RESCUE

BATTERY: (2) "AA" alkaline or "AA" lithium for extended operation in extreme temperatures (-40° F to +150° F)

SIZE: 2.34" x 1.08" x 4.65" [5.94 x 2.74 x 11.81 cm]

LITHIUM WEIGHT: 4.38 oz [124g]

ALKALINE WEIGHT: 5.02 oz [142g]

COLOR: Coyote

ITEM #	DESCRIPTION
RESCUE MODEL (WHITE, GREEN, BLUE, IR LEADS WITH DIFFUSER)	
14065	SIDEWINDER RESCUE KIT - MOLLE RETAINER, PARACORD & 2 "AA" ALKALINE BATTERIES - BOX
14069	SIDEWINDER RESCUE KIT - MOLLE RETAINER, PARACORD & 2 "AA" ALKALINE BATTERIES - CLAM
14066	SIDEWINDER RESCUE - 2 "AA" ALKALINE BATTERIES - BOX
14067	SIDEWINDER RESCUE - 2 "AA" ALKALINE BATTERIES - CLAM
14068	SIDEWINDER RESCUE - E-MOUNT & 2 "AA" ALKALINE BATTERIES - BOX



	HIGH
LUMENS:	55
CANDELA:	1,175
DISTANCE:	69m
RUN TIME:	5.5h

SIDEWINDER® LIGHT OUTPUT & BATTERY RUN TIME						
LED	Light Output	Low 5% Output	Medium 1 25% Output	Medium 2 60% Output	High 100% Output	Strobe 100% Output
White	55 Lumens	100 Hrs+	45 Hrs	11 Hrs	5.5 Hrs	10 Hrs
IR	25mW/sr [min] radiant intensity	200 Hrs+	140 Hrs	60 Hrs	24 Hrs	40 Hrs
Red	1 Lumens	200 Hrs+	140 Hrs	60 Hrs	24 Hrs	40 Hrs
Blue	1.8 Lumens	150 Hrs+	100 Hrs	35 Hrs	16 Hrs	30 Hrs
Green	4.5 Lumens	150 Hrs+	100 Hrs	35 Hrs	16 Hrs	30 Hrs

All run time to 10% of initial output level. Illumination output electronically regulated.





SIDEWINDER COMPACT® II

Extremely versatile lighting tool with white light and a variety of color LEDs for multiple tasks. Fits in the palm of your hand, or clips to MOLLE vest, belt, hat brim or pocket. Helmet mount also available. Rotates 185° for easy aiming of light. Unbreakable, scratch-resistant lens. Special design for easy operation even when wearing heavy gloves. IPX7 rated waterproof to 1 meter for 30 minutes. 3 meter impact-resistance tested. O-ring and gasket-sealed for waterproof operation. Meets MIL-STD-810F, METHOD 512.4.

SIDEWINDER COMPACT II

MULTIPLE POWER SOURCES:

[1] "CR123A" lithium, or [1] "AA" Alkaline, or [1] "AA" lithium

SIZE: 3" x 1.07" x 2.04" [7.62 x 2.72 x 5.21 cm]

WEIGHT: 2.4 oz [68g] // 3.3 oz [94g] w/Helmet Mount

COLOR: Coyote

ITEM #	DESCRIPTION
MILITARY MODEL (WHITE, RED, BLUE, IR LEADS)	
14516	SIDEWINDER COMPACT II MILITARY - CR123A LITHIUM BATTERY - BOX
14510	SIDEWINDER COMPACT II MILITARY - HELMET MOUNT AND CR123A LITHIUM BATTERY - BOX
14512	SIDEWINDER COMPACT II MILITARY - HELMET MOUNT, HEADSTRAP AND CR123A LITHIUM BATTERY - CLAM
14513	SIDEWINDER COMPACT II MILITARY - E-MOUNT, HEADSTRAP AND CR123A LITHIUM BATTERY - BOX
14514	SIDEWINDER COMPACT II MILITARY - HELMET MOUNT, HEADSTRAP AND CR123A LITHIUM BATTERY - BOX
14518	SIDEWINDER COMPACT II MILITARY - HELMET MOUNT, RAIL MOUNT AND CR123A LITHIUM BATTERY - BOX
14515	SIDEWINDER COMPACT II MILITARY - NVG MOUNT (WORKS W/ DOD, NATO & ISAF COMBAT HELMETS) AND ONE CR123A BATTERY - BOX
AVIATION MODEL (WHITE, GREEN, BLUE, IR LEADS)	
14531	SIDEWINDER COMPACT II AVIATION - INCLUDES RAIL MOUNT, HEADSTRAP AND ONE CR123A LITHIUM BATTERY - CLAM
14532	SIDEWINDER COMPACT II AVIATION - RAIL MOUNT, HEADSTRAP AND ONE "AA" ALKALINE BATTERY - BOX
14533	SIDEWINDER COMPACT II AVIATION - NVG MOUNT (WORKS W/ HGU-84 ROTARY WING AIRCREW HELMET) & ONE "AA" ALKALINE BATTERY - BOX
RESCUE MODEL (WHITE, GREEN, BLUE, IR LEADS WITH DIFFUSER)	
14534	SIDEWINDER COMPACT II RESCUE - 1 "AA" ALK & 1 CR123A BATTERY - BOX



Operates on a AA Alkaline, AA Lithium or CR123A Lithium battery



Military Model

- White LED
- Blue LED
- IR/IFF LED
- Red LED

	HIGH CR123A	HIGH "AA" LITHIUM	HIGH "AA" ALKALINE
LUMENS:	55	47	47
CANDELA:	1,175	1,000	1,000
DISTANCE:	69m	63m	63m
RUN TIME:	6h	6h	2h



NVG Mount - Aviation



Aviation Model

- White LED
- Blue LED
- IR/IFF LED
- Green LED

Rescue Model



SIDEWINDER® BOOT

The Sidewinder Boot is the new standard light for boot camp, recruit/basic training and wherever extra military instruction occurs. It's a durable hands-free task light that features a high-impact, super-tough, polymer case that offers exceptional durability and weather resistance. It's IPX7 rated and 1m drop tested and includes an integrated red filter that slides into place when needed.

SIDEWINDER BOOT

BATTERY: [2] "AA" Alkaline

SIZE: 1.86" x 0.96" x 4.29" (4.72 x 2.44 x 10.9 cm)

WEIGHT: 3.52 oz (100g) w/alkaline batteries


COLOR: Coyote

	HIGH	LOW
LUMENS:	55	7
CANDELA:	1,000	140
DISTANCE:	63m	24m
RUN TIME:	8h	90h

ITEM #	DESCRIPTION
14975	SIDEWINDER BOOT - INCLUDES 2 "AA" ALKALINE BATTERIES



SIDEWINDER ACCESSORIES

	SIDEWINDER	SIDEWINDER COMPACT II	SIDEWINDER STALK	SIDEWINDER BOOT
HELMET CLIP - BLACK 	-	-	14303	-
ARC RAIL™ CLIP - COYOTE 	-	-	14304	-
HOOK AND LOOP ADAPTER PLATE - COYOTE 	-	-	14305	-
HELMET MOUNT - COYOTE 	14055	14055	14055	14055
RAIL MOUNT FOR HELMET - COYOTE 	14057	14057	14057	14057
NSN-8470-01-633-3996				
NIGHT VISION GOGGLE MOUNT - TACTICAL (WORKS WITH DOD, NATO, & ISAF COMBAT HELMETS) 	14155	14155	14155	14155
NIGHT VISION GOGGLE MOUNT - AVIATION (WORKS WITH HGU-84 ROTARY WING AIRCREW HELMETS) 	14135	14135	14135	14135
NSN-5340-01-641-3916				
SAFETY WAND - GLOW IN THE DARK 	14902	14902	-	-
ELASTIC HEADSTRAP 	-	14059	-	14059
E-MOUNT (ACH, ECH, MICH, LWH COMPATIBLE) 	14136	14136	14136	14136
NSN-5340-01-641-3930				
E-MOUNT ACCESS. KIT (INCLUDES E-MOUNT, MOLLE RETAINER AND PARACORD) 	14137	14137	-	14137
PARACORD 	14138	14138	-	14138
SIDEWINDER RESCUE ACCESS. KIT (INCLUDES MOLLE RETAINER AND PARACORD) 	14139	14139	-	14139
HELMET MOUNT KIT-COYOTE (HELMET MOUNT, HEADSTRAP, AND MOLLE PLATE) 	14112	14112	-	14112
RAIL MOUNT KIT - COYOTE (RAIL MOUNT, HEADSTRAP AND MOLLE PLATE) 	14113	14113	-	14113
MOLLE RETAINER REPLACEMENT 	14030	-	-	-
CR123A BATTERIES 	2 PK - 85175 // 6 PK - 85180 12 PK - 85177 // 400 PK - 8517			-

HEADLAMP SERIES //

HANDS-FREE LIGHTING SPECIALISTS
BECAUSE WORK IS TOUGH ENOUGH WITHOUT
HAVING TO WORRY ABOUT YOUR LIGHTING

Streamlight headlamps are available in a complete line suited to fill the needs of everyone from heavy industrial use to casual hiker. We build features into our lights that help you light your way exactly how and where you need. Spot beams for distance or flood beams for area lighting, and USB or multi-fuel options allowing you to chose the perfect light for your needs.

PROTAC® 2.0 HEADLAMP



ENDURO® PRO USB



ENDURO® PRO HAZ-LO®



BANDIT® PRO



STREAMLIGHT THE WIDEST RANGE OF HANDS-FREE LIGHTING TOOLS

Streamlight proudly builds headlamps for all types of users... from those needing safety-rated models for use in hazardous locations or the night shift worker needing a little extra light to set up a worksite. Our choices of beam types, light output and runtime ensures you'll be able to find exactly the light you need.

SPOT / FLOOD

MODELS

KEY ATTRIBUTES:
Multi-Function
Task Lighting
General Use
Multi-Purpose



RECHARGEABLE

USB HAZ-LO Headlamp
Double Clutch USB
Twin-Task USB Headlamp
Enduro Pro USB


NON - RECHARGEABLE

Double Clutch Alkaline
Trident - Div. 2
Enduro Pro
Enduro Pro HAZ-LO

FLOOD

MODELS

KEY ATTRIBUTES:
Arm's Length
Task Lighting
Wide, Smooth Light



RECHARGEABLE

Bandit
ProTac HL USB Headlamp
ProTac 2.0 Headlamp


NON - RECHARGEABLE

Bandit Pro
Septor - Div. 2
ProTac HL Headlamp

SPOT

MODELS

KEY ATTRIBUTES:
Down Range
Long Distance



RECHARGEABLE

QB

NON - RECHARGEABLE

Argo - Div. 2
3AA HAZ-LO Headlamp
Enduro

SPECIALTY / COLOR LEDS

MODELS

KEY ATTRIBUTES:
Preserve Night Vision
Won't Spook Game

RECHARGEABLE

Bandit
Bandit Pro

NON - RECHARGEABLE

Enduro Pro
Green Trident

PROTAC HL HEADLAMPS

DELIVERING HIGH-LUMEN PERFORMANCE AND LONG-RANGE LIGHTING

PROTAC® 2.0 HEADLAMP



**2,000
LUMENS**

	HIGH	MEDIUM	LOW
LUMENS:	2,000	650	110
CANDELA:	14,500	4,200	750
DISTANCE:	241m	130m	55m
RUN TIME:	2.25h	4.5h	25h

TEN-TAP® Programmable - choose from three programs:

- high/med/low
- high only
- low/high



Metal sleeve protects the USB-C port. Slide to the right to access.

SL-B50 charges in the light directly via USB-C port battery pack. Charges in 6 hours

The high-performance ProTac® 2.0 headlamp produces 2,000 lumens without sacrificing run time. Powered by an SL-B50® protected Li-Ion rechargeable battery pack with onboard safety control circuit that charges inside the light using a USB-C cord. TEN-TAP® Programmable switch. IP64 rated; dust-tight and water resistant.

PROTAC 2.0 HEADLAMP

BATTERY: SL-B50 protected Li-Ion USB battery pack

SIZE: 4.92" x 1.46" x 2.56" [125 x 37 x 65 mm]

WEIGHT: 10.48 oz [297g]

COLOR: Black

ITEM #	DESCRIPTION
89001	PROTAC 2.0 HEADLAMP - SL-B50 BATTERY PACK, USB CORD, ELASTIC AND RUBBER STRAPS - BOX
22111	SL-B50 BATTERY PACK - 1PK
22112	SL-B50 BATTERY PACK - 2PK
22084	USB-C CORD



STREAMLIGHT HEADLAMP SERIES



PROTAC HL® USB HEADLAMP

This is the perfect rechargeable headlamp for when your task requires both hands and a bright light with a wide, long-range beam. 90° tilting head reduces neck fatigue. TEN-TAP® Programming lets you choose from three operating modes. IPX4 water-resistant; 1m impact-resistance tested. Multi-fuel capability: accepts rechargeable lithium ion battery or SL-B26 USB battery pack.

PROTAC HL USB HEADLAMP

BATTERY: Uses rechargeable lithium ion battery (included); also accepts a Streamlight SL-B26 Li-Ion USB battery pack

SIZE: 4.03" x 1.20" x 3.12" (10.24 x 3.05 x 7.92 cm)

WEIGHT: 8.1 oz (230 g)

COLOR: Black

ITEM #	DESCRIPTION
61305	PROTAC HL USB HEADLAMP – CLAM - BLACK
61307	PROTAC HL USB HEADLAMP – BOX - BLACK
61306	PROTAC HL USB HEADLAMP 120V AC – BLACK

	HIGH	MEDIUM	LOW
LUMENS:	1,000	400	65
CANDELA:	13,500	5,400	900
DISTANCE:	232m	147m	60m
RUN TIME:	1.5h	2.75h	20h



TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/medium/low (factory default)
- high only
- low/medium/high

Includes a rubber hard hat strap



HL®

MULTI-FUEL DESIGN:

Uses the same battery (#74175) as the Strion®; also accepts SL-B26 rechargeable battery pack

PROTAC HL® HEADLAMP

The perfect light for when your task requires both hands and a bright light with a wide, long-range beam. 90° tilting head reduces neck fatigue. TEN-TAP® programming lets you choose the order of operating modes. IPX4 rated for water resistance. 1 meter impact-resistance tested. Maximum light output throughout battery life.

PROTAC HL HEADLAMP

BATTERY: (2) CR123A lithium

SIZE: 3.66" x 1.2" x 2.6"
(2.54 x 3.05 x 6.60 cm)

WEIGHT: 6.6 oz (187 g)

COLOR: Black

ITEM #	DESCRIPTION
61304	PROTAC HL HEADLAMP - CR123A LITHIUM BATTERIES - CLAM

	HIGH	MEDIUM	LOW
LUMENS:	635	105	20
CANDELA:	8,500	1,450	280
DISTANCE:	184m	76m	33m
RUN TIME:	1.75h	8h	36h

TEN-TAP® programmable switch allows user selection of one of three different programs:

- high/medium/low (factory default)
- high only
- low/medium/high

Includes a rubber hard hat strap



HL®

BANDIT®

Ultra lightweight, weather-resistant, headlamp provides 180 lumens of widespread light. It features a large button for easy actuation, and a lithium polymer USB rechargeable battery. A handy hat clip adaptor lets you attach the light on the brim of your cap or to add additional downward adjustability.

BANDIT

BATTERY: Lithium Polymer Rechargeable
SIZE: 2.7" x 1.13" x .75" (6.85 x 2.87 x 1.9 cm)
WEIGHT: 1.3 oz (36.8 g)
COLOR: Yellow, Black or Coyote

ITEM #	DESCRIPTION
61700	BANDIT - INCLUDES USB CORD - YELLOW
61702	BANDIT - INCLUDES USB CORD - BLACK
61706	BANDIT - INCLUDES USB CORD - COYOTE WITH RED LED - CLAM
61707	BANDIT - INCLUDES USB CORD - COYOTE WITH GREEN LED - CLAM
61703	BANDIT - INCLUDES ELASTIC HEADSTRAP, RUBBER HARD HAT STRAP, 3M® DUAL LOCK® AND USB CORD - YELLOW - BOX
61437	HARD HAT CLIPS FOR 1" STRAPS

3M® and Dual Lock® are registered Trademarks of the 3M Company.



BANDIT® PRO

The Bandit Pro is an ultra-lightweight, weather-resistant, personal area/work light featuring a large, easy-to-use push button and a lithium polymer rechargeable battery. It includes a handy snap-in clip adaptor to attach the light to the visor on a ball cap and it also adds additional downward adjustability. High, low and emergency flash modes. Battery life indicator: with approx. 5 minutes of remaining run time, light enters a sequence of blinking three times and remaining on for 30 seconds until it shuts off.



Multi-function push-button switch with charge indicator shines red when charging // green when charged

BATTERY: Rechargeable lithium polymer
WEIGHT: 1.6 oz (45.4g)
COLOR: Yellow, Black

ITEM #	DESCRIPTION
61710	BANDIT PRO - INCLUDES USB CORD - YELLOW - CLAM
61714	BANDIT PRO - INCLUDES USB CORD - BLACK - CLAM
61716	BANDIT PRO - INCLUDES ELASTIC HEADSTRAP, RUBBER HARD HAT STRAP, 3M® DUAL LOCK® AND USB CORD - YELLOW - BOX
61437	HARD HAT CLIPS FOR 1" STRAPS

3M® and Dual Lock® are registered Trademarks of the 3M Company.



Yellow& Black Models: White LED



WHITE LED	HIGH	LOW
LUMENS:	180	35
RUN TIME:	2h	9.5h
EMERGENCY FLASH - 180 LUMENS		

GREEN LED	HIGH	LOW
LUMENS:	135	25
RUN TIME:	3h	13.5h
RED LED	HIGH	LOW
LUMENS:	45	10
RUN TIME:	2.5h	10h

Coyote Models: White/Red LED
White/Green LED

Industrial model:
Two hardhat mounting options:

Rubber strap

3M® Dual Lock®
for strapless mounting



Includes a handy snap-in hat clip adaptor to attach the light on the brim of a baseball cap or to add additional downward adjustability when using the headband.

	HIGH	LOW
LUMENS:	180	35
RUN TIME:	4.5h	21h
EMERGENCY FLASH - 180 LUMENS		



Attaches to visor

Industrial model:

Two hardhat mounting options:

Rubber strap

3M® Dual Lock®
for strapless mounting



STREAMLIGHT
HEADLAMP SERIES



ENDURO® PRO USB

Save money over the cost of standard batteries with the Enduro Pro USB rechargeable headlamp. You'll always have the light you need with Spot and Flood beams, each with high, medium and low modes. Spot gives you a bright, focused beam and Flood gives you soft, area illumination that won't tire your eyes on a long job.

ENDURO PRO USB

BATTERY: Lithium polymer cell

SIZE: 1.85" x 2.19" x 1.7" (4.70 x 5.56 x 4.32 cm)

WEIGHT: 3.6 oz (102g)

COLOR: Yellow



SPOT	HIGH	MEDIUM	LOW	FLOOD	HIGH	MEDIUM	LOW
LUMENS:	200	90	25	LUMENS:	145	50	15
CANDELA:	2,080	890	250	CANDELA:	220	80	30
DISTANCE:	91m	60m	32m	DISTANCE:	30m	18m	11m
RUN TIME:	6.25h	19h	48h	RUN TIME:	7h	21h	48h

ITEM #	DESCRIPTION
61435	ENDURO PRO USB - USB CORD, ELASTIC HEAD STRAP - BOX
61436	ENDURO PRO USB - USB CORD, ELASTIC HEAD STRAP, RUBBER HARD HAT STRAP, 3M® DUAL LOCK® - BOX
61437	HARD HAT CLIPS FOR 1" STRAPS

3M® and Dual Lock® are registered Trademarks of the 3M Company.



Two hardhat mounting options:

Rubber strap

3M® Dual Lock®
for strapless mounting



ENDURO[®] PRO

This low-profile headlamp has multiple modes to cover a variety of tasks with just one light: spot for a focused beam, flood for soft area illumination that won't tire your eyes and red light to preserve night vision. Multi-function switch remembers the last mode used. 45° tilting head design. IPX4 water-resistant.

ENDURO PRO

BATTERY: [3] "AAA" alkaline
SIZE: 1.85" x 2.19" x 1.45" (4.70 x 5.56 x 3.68 cm)
WEIGHT: 3.4 oz (96.38g)
COLOR: Yellow or Coyote

ITEM #	DESCRIPTION
61420	ENDURO PRO - AAA BATTERIES, ELASTIC HEADSTRAP - CLAM - YELLOW
61421	ENDURO PRO - AAA BATTERIES, ELASTIC HEADSTRAP - BOX - YELLOW
61425	ENDURO PRO - AAA BATTERIES, ELASTIC HEADSTRAP - CLAM - COYOTE
61422	ENDURO PRO INDUSTRIAL - AAA BATTERIES, RUBBER HARD HAT STRAP, ELASTIC HEAD STRAP, 3M [®] DUAL LOCK [®] - BOX - YELLOW
61437	HARD HAT CLIPS FOR 1" STRAPS

3M[®] and Dual Lock[®] are registered Trademarks of the 3M Company.



SPOT	HIGH	MEDIUM	LOW
LUMENS:	200	75	25
CANDELA:	2,250	825	300
DISTANCE:	95m	57m	35m
RUN TIME:	6h	14h	38h

FLOOD	HIGH	MEDIUM	LOW
LUMENS:	135	45	15
CANDELA:	210	80	20
DISTANCE:	29m	18m	9m
RUN TIME:	6h	14h	38h



Yellow Model:
White / Red LED

Coyote Model:
White / Green LED

Industrial model:

Two hardhat mounting options:

Rubber strap

3M[®] Dual Lock[®]
for strapless mounting



ENDURO[®]

The Enduro is ultralight and super comfortable. It features an integrated rubber/elastic head strap for versatility. Unbreakable polycarbonate lens. Waterproof to 1 meter for 1 hour. Maximum light output throughout battery life.

ENDURO

BATTERY: [2] "AAA" alkaline
SIZE: 1.3" x 2.25" x 1.6" (3.25 x 5.7 x 4 cm)
WEIGHT: 2.75 oz (78.5g)
COLOR: Black

ITEM #	DESCRIPTION
61400	ENDURO - ALKALINE BATTERIES, VISOR CLIP & ELASTIC STRAP



	HIGH	LOW
LUMENS:	50	10
CANDELA:	1,100	285
DISTANCE:	66m	33m
RUN TIME:	5.5h	25h



Visor clip attaches to the brim of your hat, coat lapel or car visor.



ENDURO® PRO HAZ-LO®

This intrinsically safe, low-profile headlamp has multiple modes to cover a variety of tasks: spot for a focused beam, flood for soft area illumination that won't tire your eyes and spot/flood combo for increased light output. Multi-function switch is easy to use with gloved hands. IP67 dust tight and waterproof to 1m for 30 minutes.

	SPOT	FLOOD	COMBO
LUMENS:	160	160	235
CANDELA:	1,320	100	-
DISTANCE:	73m	20m	-
RUN TIME:	5h	5h	4.75h



Class 1, Division 1, Groups A, B, C, D;
Class II, Division 1, Groups E, F, G;
Class III, T-Class: T4 Exia



Permissible Portable Headlamp Assembly
App. No. 20-AD70001-0
Tested for use in methane-air mixtures only

ENDURO PRO HAZ-LO

BATTERY: (3) "AAA" alkaline

SIZE: 2.0" x 2.19" x 1.5" (5.08 x 5.68 x 3.81 cm)

WEIGHT: 3.5 oz (99.2g)

COLOR: Yellow

ITEM #	DESCRIPTION
61424	ENDURO PRO HAZ-LO - ALKALINE BATTERIES, ELASTIC HEADSTRAP, RUBBER HARD HAT STRAP AND 3M® DUAL LOCK® - BOX - YELLOW
61437	HARD HAT CLIPS FOR 1" STRAPS


3M® and Dual Lock® are registered Trademarks of the 3M Company.



Spot



Flood



Combo



Low-profile design

Two hardhat mounting options:

Rubber strap

3M® Dual Lock® for strapless mounting




RECHARGEABLE HEADLAMP WITH CLASS I, DIV 1 SAFETY RATINGS



USB HAZ-LO® HEADLAMP

RECHARGEABLE CLASS I, DIV 1 headlamp! Multiple modes cover a variety of tasks with just one light: spot for a focused beam, flood for soft area illumination that won't tire your eyes and spot/flood combo for increased light output. Multi-function switch is easy to use with gloved hands. IP67 rated - dust-tight and waterproof to 1m for 30 minutes. Charge status indicator in bezel: red = charging, green = charged.

BATTERY: Lithium ion
WEIGHT: 4.1 oz (116.2g)
COLOR: Yellow


 Class I, Div. 1,
 Groups A, B, C, D, E, F, G
 Class III, Class I, Zone O,
 Group IIC, T-Code: T4

	SPOT	FLOOD	COMBO
LUMENS:	190	120	250
CANDELA:	2,000	90	-
DISTANCE:	89M	19M	-
RUN TIME:	7.5H	13H	7H



ITEM #	DESCRIPTION
61460	USB HAZ-LO HEADLAMP - 120V AC CORD, ELASTIC HEADSTRAP, RUBBER HARD HAT STRAP AND 3M® DUAL LOCK®
61463	USB HAZ-LO HEADLAMP - 120V AC CHARGE CRADLE, ELASTIC HEADSTRAP, RUBBER HARD HAT STRAP AND 3M® DUAL LOCK®
61465	CHARGE CRADLE
61469	120V AC BANK CHARGER
61437	HARD HAT CLIPS FOR 1" STRAPS

3M® and Dual Lock® are registered Trademarks of the 3M Company.



5-unit bank charger



Charge cradle

Two hardhat mounting options:

Rubber strap

3M® Dual Lock® for strapless mounting



CHARGING



CHARGED

STREAMLIGHT HEADLAMP SERIES

3AA HAZ-LO® HEADLAMP

This compact, long-running, high-performance headlamp meets the stringent requirements of Div. 1 hazardous locations. Exceptional light output with a long run time to get you through your shift. Unbreakable, O-ring sealed lens. Easy operation even when wearing heavy gloves. Impact-resistant housing - 1 meter drop-test verified. Intrinsically safe.

3AA HAZ-LO

BATTERY: (3) "AA" alkaline

SIZE: 1.88" x 2.5" x 3.08"
(4.76 x 6.35 x 7.82 cm)

WEIGHT: 7.1 oz (202g)

COLOR: Yellow



Class I, Div. 1, Groups A, B, C, D;
Class II, Div. 1, Groups E, F, G,
Class III, T4

LUMENS:	270
CANDELA:	5,600
DISTANCE:	150m
RUN TIME:	8h



Includes a rubber head strap that ensures a non-slip grip for hard hats.

ITEM #	DESCRIPTION
61200	3AA HAZ-LO HEADLAMP - AA BATTERIES, RUBBER & ELASTIC STRAPS

SEPTOR®

The Septor headlamp is your ideal choice when you need a hands-free flood light for close-up tasks or tasks at arm's length. It gives you 120 lumens of a soft, wide beam to illuminate your work area.

SEPTOR

BATTERY: (3) "AAA" alkaline

SIZE: 1.75" x 2.70" x 2.40" (4.45 x 6.85 x 6.09 cm)

WEIGHT: 5.5 oz (156g)

COLOR: Yellow

	HIGH	MEDIUM	LOW
LUMENS:	120	45	13
CANDELA:	900	375	100
DISTANCE:	60m	35m	20m
RUN TIME:	3h 30m	10h	55h



Class I, Div. 2, Groups A, B, C, D;
Class II, Div. 2, Groups F, G,
Class III, T5

Includes a rubber head strap that ensures a non-slip grip for hard hats.

ITEM #	DESCRIPTION
61052	SEPTOR - ALKALINE BATTERIES, RUBBER & ELASTIC STRAPS

ARGO®

Featuring an intense, long-distance beam for down range illumination with 3 levels of output.

ARGO

BATTERY: (3) "AAA" alkaline

SIZE: 1.75" x 2.70" x 2.40" (4.45 x 6.85 x 6.09 cm)

WEIGHT: 5.4 oz (153g)

COLOR: Yellow

	HIGH	MEDIUM	LOW
LUMENS:	150	100	45
CANDELA:	9,250	6,375	2,750
DISTANCE:	190m	160m	103m
RUN TIME:	3h	4h 30m	30h



Includes a rubber head strap that ensures a non-slip grip for hard hats.



Class I, Div. 2, Groups A, B, C, D;
Class II, Div. 2, Groups F, G,
Class III, T5

ITEM #	DESCRIPTION
61301	ARGO - ALKALINE BATTERIES, RUBBER & ELASTIC STRAPS

TRIDENT®

The Trident multi-purpose headlamp offers the versatility of switching between either a bright light to illuminate objects at a distance (126 meters) or a soft flood light for tasks at arm's length.

TRIDENT

BATTERY: (3) "AAA" alkaline

SIZE: 1.75" x 2.70" x 2.40" (4.45 x 6.85 x 6.09 cm)

WEIGHT: 5.50 oz (156g)

COLOR: Yellow or Green

ITEM #	DESCRIPTION
61050	TRIDENT - WHITE LEDS, ALKALINE BATTERIES, RUBBER & ELASTIC STRAPS - YELLOW
61051	TRIDENT - WHITE AND GREEN LEDS WITH ALKALINE BATTERIES, RUBBER & ELASTIC STRAPS - GREEN

	HIGH	MEDIUM	LOW
LUMENS:	80	35	11
CANDELA:	4,000	385	120
DISTANCE:	126m	39m	22m
RUN TIME:	5h	10h	53h

GREEN MODEL	HIGH	MEDIUM	LOW
LUMENS:	80	25	6
CANDELA:	4,000	275	55
DISTANCE:	126m	33m	15m
RUN TIME:	5h	19.5h	63h



Class I, Div. 2, Groups A, B, C, D;
Class II, Div. 2, Groups F, G,
Class III, T5



Includes a rubber hard hat strap



QB®

This ultralight weight, weather resistant, personal work light featuring a large button for easy actuation, and a Lithium Polymer rechargeable battery. It includes a handy hat clip built right into the saddle, to clip the light on the brim of a baseball cap for added versatility. The adjustable nylon headband has a nonslip inner surface for use with hard hats.

QB

BATTERY: Lithium Polymer Rechargeable

SIZE: 1.57" x 1.44" x 1.4" (4.0 x 3.66 x 3.55 cm)

WEIGHT: 1.5 oz (42.5g)

COLOR: Yellow or Black

ITEM #	DESCRIPTION
61430	QB - INCLUDES USB CORD, ELASTIC STRAP - CLAM - YELLOW
61432	QB - INCLUDES USB CORD, ELASTIC STRAP - CLAM - BLACK



It includes a handy hat clip built right into the saddle, to clip the light on the brim of a baseball cap for added versatility.

Multi-function push-button switch with charge indicator - shines red when charging, green when charged



	HIGH	LOW
LUMENS:	200	95
DISTANCE:	85m	55m
RUN TIME:	2h	4h

EMERGENCY FLASH - 200 LUMENS

DOUBLE CLUTCH® USB

This dual-power, dual-function, dual-output headlamp gives you the flexibility of using either a USB-rechargeable battery or three AAA alkaline batteries. It also lets you choose either a spot or a flood beam, both with high and low mode. It's lightweight and long-running with a 60° tilting head. Unbreakable lens. IPX4 water-resistant. 2 meter impact resistance tested.

DOUBLE CLUTCH USB

BATTERY: Rechargeable Lithium Polymer pack or (3) "AAA" alkaline or lithium batteries

SIZE: 1.75" x 2.50" x 1.66" [4.44 x 6.35 x 4.22 cm]

WEIGHT: 3.7w oz (105g)

COLOR: Yellow or Black

YELLOW	BLACK	DESCRIPTION
61602	61603	DOUBLE CLUTCH USB - 120V AC
61600	61601	DOUBLE CLUTCH USB - WITH USB CORD (ONLY)
61607	61608	DOUBLE CLUTCH - ALKALINE MODEL
61604		LITHIUM POLYMER BATTERY



	HIGH	LOW
LUMENS:	125	30
SPOT CANDELA:	1,700	400
SPOT DISTANCE:	82m	40m
FLOOD CANDELA:	250	70
FLOOD DISTANCE:	31m	4m
RUN TIME: LITH POLYMER	3.5h	10h
RUN TIME: ALKALINE	6h	18h



Includes a rubber hard hat strap

SHIFT BEAMS //

- SHIFTS EASILY TO SPOT OR FLOOD MODES WITH THE TURN OF THE WRIST



- GLOVE-FRIENDLY
- FACECAP ROTATION

SHIFT BATTERIES //

- USB RECHARGEABLE LITHIUM POLYMER OR "AAA" BATTERIES





SHIFT BRIGHTNESS //

- DOUBLE SHIFT FOR HIGH TO LOW IN SPOT OR FLOOD MODES.
- 125 LUMENS ON HIGH. 30 LUMENS ON LOW.



HEADLAMPS ACCESSORIES

DESCRIPTION	PART #	GOES WITH
LI-ION BATTERY STICK 	74175	PROTAC HL USB HEADLAMP, TWIN-TASK USB HEADLAMP
CR123A LITHIUM BATTERIES 2PK/6PK/12PK 	85175 85177 85179	PROTAC HL HEADLAMP
SL-B26 LI-ION USB BATTERY PACK CHARGE CRADLE (BATTERIES & CORD SOLD SEPARATELY) 	22100 22010 22011	PROTAC HL USB HEADLAMP
120V AC USB CHARGE CORD 	22071	PROTAC HL USB HEADLAMP, DOUBLE CLUTCH USB, TWIN-TASK USB HEADLAMP
SL-B26 BATTERY PACKS - 1PK/2PK/6PK 	22101 22102 22105	PROTAC HL USB HEADLAMP
40" (101.6 CM) MICRO USB CORD  22" (55.88CM) MICRO USB CORD	22070 22081	PROTAC HL USB HEADLAMP, DOUBLE CLUTCH USB, BANDIT, BANDIT PRO, ENDURO PRO USB, USB HAZ-LO HEADLAMP, TWIN-TASK USB HEADLAMP



TWIN-TASK® USB HEADLAMP

This is a multi-use USB rechargeable headlamp that provides a spot beam or a flood light to cover a variety of tasks. Use the spot beam for distance lighting. When you have an up-close task, use the flood light for smooth, diffused illumination to fill your work area with light. 120° tilting head reduces neck fatigue. IPX4 water-resistant. Ergonomically designed for maximum comfort.

TWIN-TASK USB

BATTERY: Rechargeable Lithium Ion- uses the same battery (#74175) as the Strion® series

SIZE: 1.35" x 2.125" x 2.67" (3.43 x 5.4 x 6.78 cm)

WEIGHT: 6.1 oz (173g)

COLOR: Red

ITEM #	DESCRIPTION
51063	TWIN-TASK USB HEADLAMP - USB CORD & ELASTIC HEAD STRAP - CLAM
51064	TWIN-TASK USB HEADLAMP - USB CORD & ELASTIC HEAD STRAP - BOX

SPOT	HIGH	MEDIUM	LOW
LUMENS:	375	175	50
CANDELA:	3,650	1,850	440
DISTANCE:	121m	86m	42m
RUN TIME:	4.75h	8.5h	20h



Low-profile, ergonomically balanced design; contoured battery pack for wearer comfort.

FLOOD	HIGH	LOW
LUMENS:	250	125
CANDELA:	160	80
DISTANCE:	25m	18m
RUN TIME:	5h	9h

STYLUS & SPECIALTY SERIES //

REDEFINING PORTABLE LIGHTING

**YOUR JOB HAS CHANGED, BUT THE NEED FOR SMALL,
VERSATILE AND EFFECTIVE LIGHTING HASN'T.**

We pride ourselves on identifying a need and building a product to suit it. Our Stylus is exactly one of those products. Small, compact, a long runtime and easily stowed. It's been seen just about everywhere from garages to TSA lanes. It's evolved into a full family of Stylus products with unique attributes that make them extra functional and suited for a variety of tasks.

STYLUS®



STYLUS PRO®



STYLUS PRO® COB



MACROSTREAM®



STREAMLIGHT JR. F-STOP®



POCKET MATE® USB



STREAMLIGHT MICROSTREAM/MACROSTREAM SERIES



MICROSTREAM®

The MicroStream is small enough for you to discreetly keep it in your pocket, or clip it to a ball cap for hands-free use. This versatile tool is perfect for supervisors who don't need a flashlight on a daily basis, or for those who don't want to be weighed down by larger lighting tools.

MICROSTREAM

BATTERY: [1] "AAA" alkaline
SIZE: 3.6" x .6" [91.5 x 15 mm]
WEIGHT: 1.10 oz [31.2g]
COLOR: Matte Black or Red

LUMENS:	45
CANDELA:	420
DISTANCE:	41m
RUN TIME:	2.25h



ITEM #	DESCRIPTION
66318	MICROSTREAM WITH ALK BATTERIES - CLAM - BLACK
66323	MICROSTREAM WITH ALK BATTERIES - CLAM - RED

MICROSTREAM® USB

The MicroStream USB is small enough for you to discreetly keep it in your pocket, or clip it to a ball cap for hands-free use. It's USB rechargeable so you can conveniently charge it via virtually any USB power source. To charge it, slide the head cover forward to expose the micro-USB port.

MICROSTREAM USB

BATTERY: Lithium ion
SIZE: 3.87" x .61" [98.2 x 15.6 cm]
WEIGHT: 1.2 oz [34.1g]
COLOR: Black, Red, Blue or Coyote



	HIGH	LOW
LUMENS:	250	50
CANDELA:	1,150	250
DISTANCE:	68m	31m
RUN TIME:	1.5h	3.5h



Sliding metal sleeve protects micro USB port

ITEM #	DESCRIPTION
66601	MICROSTREAM USB - USB CORD & LANYARD - CLAM - BLACK
66604	MICROSTREAM USB - USB CORD & LANYARD - BOX - BLACK
66602	MICROSTREAM USB - USB CORD & LANYARD - CLAM - RED
66605	MICROSTREAM USB - USB CORD & LANYARD - BOX - RED
66603	MICROSTREAM USB - USB CORD & LANYARD - CLAM - BLUE
66606	MICROSTREAM USB - USB CORD & LANYARD - BOX - BLUE
66608	MICROSTREAM USB - USB CORD & LANYARD - CLAM - COYOTE
66609	MICROSTREAM USB - USB CORD & LANYARD - BOX - COYOTE
66607	LITHIUM ION BATTERY - MICROSTREAM USB
22070	USB CORD
22071	120V AC USB CORD



THE MACROSTREAM USB
ULTRA-COMPACT SIZE
 MEETS UNPARALLELED
PERFORMANCE

MACROSTREAM® USB

High-powered ultra-compact lithium ion battery-powered flashlight. It fits in the palm of your hand or comfortably in your pocket and provides unparalleled performance for its size. Durable aluminum construction; IPX4 water-resistant.

MACROSTREAM USB

BATTERY: Lithium ion
SIZE: 4.50" x .83" (11.43 x 2.1 cm)
WEIGHT: 2.2 oz (62.4g)
COLOR: Black

	HIGH	LOW
LUMENS:	500	50
CANDELA:	2,000	220
DISTANCE:	90m	30m
RUN TIME:	2h	8h



Clip onto brim of hat for hands-free use

Metal sleeve protects charge port; slide sleeve forward to reveal charge port

ITEM #	DESCRIPTION
66320	MACROSTREAM USB - USB CORD - CLAM - BLACK
66321	LITHIUM ION BATTERY - MACROSTREAM USB
22070	USB CORD
22071	120V AC USB CORD

STREAMLIGHT
STYLUS SERIES



THE STYLUS PRO SERIES
MORE OPTIONS
TO USE IN EVEN MORE
PLACES & WAYS!



WHITE LED	HIGH	LOW
LUMENS:	350	90
CANDELA:	2,950	840
DISTANCE:	109m	58m
RUN TIME:	1.5h	3.5h



Sliding metal sleeve protects micro USB port

STYLUS PRO® USB UV

The Stylus Pro USB UV features a 400nm UV LED that is ideal for HVAC leak detection, forensic investigations or identifying fraudulent documents.

STYLUS PRO USB UV

BATTERY: Lithium ion
SIZE: 5.95" x .63" (15.1 x 1.6 cm)
WEIGHT: 1.8 oz (51g)
COLOR: Black

ITEM #	DESCRIPTION
66148	STYLUS PRO USB UV - 120V AC WITH HOLSTER – BLACK
66149	STYLUS PRO USB UV - USB CORD & HOLSTER – BLACK

STYLUS PRO® USB

The Stylus Pro USB has a new body style and is shining brighter! It features a slimmer profile to fit in your pocket so you can take it with you wherever you go. Perfect for inspections, reading work orders or completing paperwork. IPX4 water-resistant.

STYLUS PRO USB

BATTERY: Lithium ion
SIZE: 5.95" x .63" (15.1 x 1.6 cm)
WEIGHT: 1.8 oz (51g)
COLOR: Black

ITEM #	DESCRIPTION
66133	STYLUS PRO USB - 120V AC WITH HOLSTER – BLACK
66134	STYLUS PRO USB - USB CORD & HOLSTER – BLACK
66029	NYLON HOLSTER
22070	USB CORD
22071	120V AC USB CORD

400NM UV LED	
OUTPUT:	250mW
RUN TIME:	2.5h



Sliding metal sleeve protects micro USB port



LUMENS:	100
CANDELA:	950
DISTANCE:	62m
RUN TIME:	8h

STYLUS PRO®

Compact size, durable construction and optimum beam output make this an ideal light for multiple tasks. Unbreakable lens. O-ring sealed. IPX4 water-resistant. 1m impact-resistance tested. Removable pocket clip.

STYLUS PRO

BATTERY: (2) "AAA" alkaline
SIZE: 5.3" x .6"(13.4 x 1.5 cm)
WEIGHT: 1.64 oz (46.9g)
COLOR: Matte Black, Silver, Red, Blue, Lime Green, Orange

ITEM #	DESCRIPTION
66118	STYLUS PRO - ALKALINE BATTERIES – MATTE BLACK
66121	STYLUS PRO - ALKALINE BATTERIES – SILVER
66120	STYLUS PRO - ALKALINE BATTERIES – RED
66122	STYLUS PRO - ALKALINE BATTERIES – BLUE
66129	STYLUS PRO - ALKALINE BATTERIES – LIME GREEN
66128	STYLUS PRO - ALKALINE BATTERIES – ORANGE



STYLUS PRO® COB

A compact, USB rechargeable worklight that you can wear. Clip it to your pocket for hands-free lighting. Don't have a pocket? Stick it to a steel surface using its integrated magnet. Slim profile fits into tight spaces to flood the work area with bright, diffused light.

Push-button switch with charge indicator
Red = charging
Green = charged



STYLUS PRO COB

BATTERY: Lithium ion
SIZE: 6.64" x .55" (168.6 x 14 mm)
WEIGHT: 2.2 oz (62.4g)
COLOR: Black

	HIGH	LOW
LUMENS:	160	40
CANDELA:	130	30
DISTANCE:	23m	11m
RUN TIME:	3h	8.5h

EMERGENCY FLASH RUNS 7 HOURS



Integrated magnet for hands-free use

ITEM #	DESCRIPTION
66700	STYLUS PRO COB WITH USB CORD - CLAM - BLACK
66702	STYLUS PRO COB WITH USB CORD - BOX - BLACK
66143	STYLUS PRO USB - BATTERY
22071	120V AC USB CORD

STYLUS PRO® 360

This versatile penlight has a lantern feature that provides hands-free use of 360° of illumination. Features a rubber tail boot that allows the light to stand upright. Tail cap switch with momentary or constant on operation, a pocket clip for convenience.

STYLUS PRO 360

BATTERY: [2] "AAA" alkaline
SIZE: 5.9" x .64" (150 x 16.25 cm)
WEIGHT: 1.9 oz (53.8g)
COLOR: Black

LUMENS:	65
CANDELA:	430
DISTANCE:	41m
RUN TIME:	6.5h



Rubber tail boot allows the light to stand upright

ITEM #	DESCRIPTION
66218	STYLUS PRO 360 - ALKALINE BATTERIES, LANYARD & HOLSTER



STYLUS®

This bright, long-running LED penlight has a long battery life, and goes anywhere you need it. IPX4 water-resistant. Removable pocket clip.

STYLUS

BATTERY: (3) "AAAA" alkaline

SIZE: 6.21" x .375" (15.17 x .95 cm)

WEIGHT: 1.1 oz (31g)

COLOR: Black, Gold, Silver, Red or Blue

LED COLOR	WHITE	GREEN	BLUE	RED
LUMENS:	11	7	2	2
CANDELA:	140	59	110	53
DISTANCE:	24m	15m	21m	15m
RUN TIME:	24h	24h	24h	24h



SAFETY RATED MODEL OFFERED

SAFETY RATED
MODEL OFFERED



Intrinsic Safety for Haz. Loc.
Class I, Div. 1,
Groups A, B, C, D, T3C
"Classified"



Intrinsic Safety for Haz. Loc.
Class I, Div. 1,
Groups A, B, C, D, T3C
"Exia"

ITEM #	DESCRIPTION
65006	STYLUS - BLACK - RED LED
65012	STYLUS - SILVER - WHITE LED
65018	STYLUS - BLACK - WHITE LED
65020	STYLUS - BLACK - GREEN LED
65022	STYLUS - BLACK - BLUE LED
65024	STYLUS - GOLD - WHITE LED
65035	STYLUS - RED - WHITE LED
65050	STYLUS - BLUE - WHITE LED
65058	STYLUS - UL LISTED - BLACK WHITE LED
65030	AAAA ALKALINE BATTERIES - 6 PK
65031	GLARE GUARD
65905	NYLON HOLSTER
72024	LANYARD WITH PUSH-BUTTON SLIDE



THE STYLUS SERIES ELIMINATES
**HARD-TO-SEE
NOOKS AND CRANNIES
AND LIGHTS THE WAY**

STYLUS REACH®

	WHITE
LUMENS:	11
CANDELA:	140
DISTANCE:	24m
RUN TIME:	24h

Twist and turn the flexible cable into any position to light the most out-of-the-way places.



STYLUS REACH

BATTERY: (3) "AAAA" alkaline
SIZE: 14" x .375" (36 x .95 cm)
WEIGHT: 1.7 oz (48g)
COLOR: Black or Silver

ITEM #	DESCRIPTION
65618	STYLUS REACH - BLACK
65658	STYLUS REACH - BLACK - UL LISTED
65612	STYLUS REACH - SILVER
65030	AAAA ALKALINE BATTERIES - 6 PK



Intrinsic Safety for Haz. Loc.
Class I, Div. 1,
Groups A, B, C, D, T3C
"Classified"



Intrinsic Safety for Haz. Loc.
Class I, Div. 1,
Groups A, B, C, D, T3C
"Exia"



STYLUS REACH® 18

	WHITE
LUMENS:	11
CANDELA:	140
DISTANCE:	24m
RUN TIME:	24h

A textured grip for non-slip handling makes it easier to maneuver the light in slippery or wet conditions.




Features a white LED mounted on a 18" cable (providing 25" of reach) that allows you to see into the tightest spots. IPX4 rated for water-resistance. Pocket clip.

STYLUS REACH 18

BATTERY: (3) "AAAA" alkaline
SIZE: 25" x .375" (64 x .95 cm)
WEIGHT: 2.5 oz (70g)
COLOR: Black

ITEM #	DESCRIPTION
65418	STYLUS REACH 18 - BLACK
65030	AAAA ALKALINE BATTERIES - 6 PK



CLIPMATE® USB

This multi-function light clips to pocket or cap for hands-free use. Recharges by plugging into USB port or optional AC wall adaptor. IPX4 water-resistant. 1 meter impact-resistance tested.

CLIPMATE USB

BATTERY: Lithium polymer cell
SIZE: 3.20" x 1.39" x .65" (81 x 35 x 17 mm)
WEIGHT: 1.9 oz (53.8g)
COLOR: Black



Flexible, extension cable targets the beam where you need it

WHITE LED	HIGH	LOW	RED LED	HIGH	LOW
LUMENS:	70	10	LUMENS:	.5	.2
CANDELA:	500	50	CANDELA:	9	3
DISTANCE:	44m	14m	DISTANCE:	6m	3m
RUN TIME:	3.5h	24h	RUN TIME:	16h	65h

Dual LEDs:
 High-intensity white LED
 Night vision red LED



ITEM #	DESCRIPTION
61125	CLIPMATE USB - LIGHT ONLY
61126	CLIPMATE USB - 120V AC
22058	120V AC WALL ADAPTER
61128	CLIPMATE USB BATTERY



NANO LIGHT®

This tiny, weatherproof light has a non-rotating snap hook for easy one-handed operation when attached to a keychain.

NANO LIGHT

BATTERY: (4) alkaline button cell
SIZE: 1.47" x .51" x .43" (3.73 x 1.3 x 1.09 cm)
WEIGHT: .36 oz (10g)
COLOR: Black, Blue, Pink

For each color Nano Light sale, we donate \$1 to the organization associated with that light. See page 161 information about each cause.

LUMENS:	10
RUN TIME:	8h



ITEM #	DESCRIPTION
73001	NANO LIGHT - CLAM - BLACK
73002	NANO LIGHT - SUPPORTS COPS - CLAM - BLUE
73003	NANO LIGHT - SUPPORTS BCRF - CLAM - PINK
61205	4 PACK COIN CELL NANO LIGHT BATTERIES



STREAMLIGHT JR. F-STOP®

The Streamlight Jr. F-Stop is a worklight that fits in your pocket. It provides a smooth flood beam to illuminate your work area without tiring your eyes. Slide the lens forward for a smooth transition to a spot beam for distance lighting.

	FLOOD	SPOT
LUMENS:	250	220
CANDELA:	360	5,600
DISTANCE:	38m	150m
RUN TIME ALK:	6h	6h
RUN TIME LITH:	10h	10h



STREAMLIGHT JR. F-STOP


BATTERY: Two (2) "AA" size, Alkaline or Lithium batteries.

SIZE: 6.5" x 1.12" x .75" (16.51 x 2.84 x 1.90 cm)


WEIGHT: 4.4 oz (125g)

COLOR: Black

CLAM	BOX	DESCRIPTION
71700	71701	STREAMLIGHT JR. F-STOP - ALKALINE BATTERIES - BLACK
	71503	NYLON HOLSTER
	99075	RUBBER HELMET STRAP



SPOT



FLOOD

THE LIGHT SEEN IN EVERY TOOL BOX, IS THE LIGHT THAT CAN HELP YOU SEE ANYWHERE

STREAMLIGHT JR.® LED

This is a classic personal light featuring a 2 AA-sized aluminum body with non-slip knurled grip. It's brighter than most traditional 2AA flashlights, and it also has good beam distance capability. It's small enough to fit easily on your belt or tuck into a tool box when you go out on inspections and perform repairs.

STREAMLIGHT JR. LED

BATTERY: [2] "AA" alkaline or lithium

SIZE: 6.5" x 1.00" x .73" [16.51 x 2.54 x 1.85 cm]

WEIGHT: 4.1 oz [117g]

COLOR: Black

ITEM #	DESCRIPTION
71500	STREAMLIGHT JR. LED WITH ALKALINE BATTERIES - CLAM
71510	MAGNETIC CLIP HOLDER
71503	NYLON HOLSTER
99075	RUBBER HELMET STRAP

LUMENS:	225
CANDELA:	2,700
DISTANCE:	104m
RUN TIME ALK:	6h
RUN TIME LITH:	10h



STREAMLIGHT JR.® REACH LED

With its flexible cable and magnetic clip, you can put this handy light anywhere and see anything. Unbreakable lens. IPX4 rated for water-resistance. All openings O-ring sealed. 1 meter impact-resistance tested.

STREAMLIGHT JR. REACH LED

BATTERY: [2] "AA" alkaline

SIZE: 20" x .8" x .73" [50.8 x 2.03 x 1.85 cm]

WEIGHT: 6.1 oz [173g]

COLOR: Black

LUMENS:	115
CANDELA:	1,500
DISTANCE:	77m
RUN TIME:	7.5h



ITEM #	DESCRIPTION
71600	STREAMLIGHT JR. REACH LED - ALKALINE BATTERIES - BLACK
71510	MAGNETIC CLIP HOLDER



POCKET MATE® USB



	HIGH	LOW
LUMENS:	325	45
CANDELA:	1,450	200
DISTANCE:	76m	28m
RUN TIME:	20min	1h


The micro-USB rechargeable Pocket Mate is small in size but big on power - produces 325 lumens. Conveniently fits in your pocket and clips to your lapel or visor for hands-free use. Spring-loaded clip with carabiner shape hangs cleanly on key ring, zipper, etc. Recharges in four hours. IPX4 weather-resistant.



Multi-function push-button switch with charger indicator LED:
Red = charging; Green = charged

BATTERY: Lithium polymer
SIZE: 2" (5.1 cm)
WEIGHT: 0.5 oz. (14.2g)
COLOR: Silver, Red, Blue, Pink

ITEM #	DESCRIPTION
73300	POCKET MATE - WITH USB CORD - BOX - SILVER
73301	POCKET MATE - WITH USB CORD - BOX - RED
73302	POCKET MATE - WITH USB CORD - BOX - BLUE
73303	POCKET MATE - WITH USB CORD - BOX - PINK



Pocket clip attaches to visor for hands-free use

THE LOGO®

Weighs less than half an ounce and has 3 light levels plus a blink mode that will flash for 45 hours. To conserve battery, it automatically turns off after 6 minutes in high, medium or low modes. Weather-resistant. 1 meter impact-resistance tested.

THE LOGO

BATTERY: (2) 3V CR2016 lithium coin cell
SIZE: 1.8" x 1.2" x .37" (45.7 x 30.5 x 9.4 mm)
WEIGHT: .37 oz (10.7g)
COLOR: Black

ITEM #	DESCRIPTION
73100	THE LOGO

	HIGH	MEDIUM	LOW
LUMENS:	10	5	2.5
BLINK RUNS 45 HOURS			



STREAMLIGHT LIGHTS FOR A CAUSE

SUPPORTING THE THINGS THAT MATTER TO YOU.



The Breast Cancer Research Foundation® is an independent 501 (c) (3) not-for-profit organization whose mission is to advance the world's most promising research to eradicate breast cancer in our lifetime. For more information, visit www.bcrfcure.org.



ITEM #	DESCRIPTION
73003	NANO LIGHT - PINK
74350	STRION LED - 120V AC/12V DC - PINK
74361	STRION LED - 120V AC/12V DC PIGGYBACK - PINK



By purchasing this product, you are helping to make a difference in the rebuilding of the lives of surviving families and affected co-workers of law enforcement officers killed in the line of duty. In addition to rebuilding lives, C.O.P.S. (Concerns of Police Survivors) provides training to law enforcement agencies on survivor victimization issues and educates the public of the need to support the law enforcement profession and its survivors. For more information, visit www.nationalcops.org.



ITEM #	DESCRIPTION
73002	NANO LIGHT - BLUE

For every colored Nano Light sold, we donate \$1 to the organization associated with that light. For every pink Strion® LED sold, Streamlight will donate \$5 to the Breast Cancer Research Foundation.®



ST
5




BEAMLIGHT®
50 YEAR
ANNIVERSARY
SINCE 1973





Streamlight, Inc.
30 Eagleville Road
Eagleville, PA U.S.A. 19403-3996

streamlight.com // streamlightgear.com
(800) 523-7488 Toll-Free
(800) 220-7007 Fax
(610) 631-0600
(610) 631-0712 Fax



The shape, style and appearance of the generally triangular feature on the head of the Stinger® Series is a trademark of Streamlight, Inc.



The silver band that encircles the head of the TLR® Series is a trademark of Streamlight, Inc.



NFPA®



@2023 Streamlight, Inc. ISO 9001:2015 certified 991181 3/23 asi/89871 // **STAY CONNECTED WITH US:**



All rights reserved. Trademarks of companies mentioned herein appear for identification purposes only and are the property of their respective companies.