

# OFF-ROAD BEVERAGE CART

Multi-Surface Point Of Sale



2021 Off-Road Beverage Cart



**ONPREMISE**  
PRODUCTS

# Branding And Function

The OFF-ROAD BEVERAGE CART point of sale provides maximum brand exposure with functional features. The ORBC is designed to roll over any surface; dirt, grass or cracked concrete-asphalt. No more limitations on locations for a point of sale.



The OFF-ROAD BEVERAGE CART is customized to your brand choice and self contained. Standard features include (3) recharge coolers, battery pack and (2)ice bins. Ice bins include waste water reservoirs.

Included "Look At Me" features include lighting for overhead sign, lasers and strobing whip light. Optional sound system available.

## DOMINATE THE VENUE With All Your Brands







# Included Features

We can modify or design/build to meet your needs.


\*\* RCM will maintain average 35-40° drink temperature in a 90 degree environment for 12 hours without power. Actual performance may vary depending on operating environment.

RECHARGE COLD MERCHANDISER

## (3) Gel Refrigerant Coolers



- Expand Your Cold Drink Availability, No Longer Are You Restricted by the Availability of Electric Power
- Unique Refrigeration System Designed for Use in Multiple Operating Environments Where Electricity is Not Available
- Designed to Maintain Ice Cold Beverage Temperatures for 12 Hours or More
- UL Listed




## (2) Ice Bins



## Battery Pack




## Look At Me Components



**ILLUMINATION**  
HIGH-INTENSITY LEDS THAT DELIVERS SUPER BRIGHT VIBRANT COLORS

Strobing Whip Light



Lasers



Contact: (619) 562-1486  
www.onpremiseproducts.com

# Model OR-21 Specifications



## Standard Features

- Powder Coated Steel-Aluminum Construction
- Interchangeable Graphic Panels
- Gel Refrigerant Coolers(3)
- Ice Bins(2)
- Overhead Sign-LED Lighting
- Lasers
- Interchangeable Magnetic Menu

## Dimensions:

- Width: 98 in.
- Depth: 27 in.
- Height: 95 in.
- Weight: 395 lbs.



## *Shipped Assembled*

