



PLAN SPECIFICATIONS	
MAIN FLOOR WALLS:	2X4S
POUR FLOOR WALLS:	10" X 8" CONCRETE
FLOOR SYSTEM:	LDSBT
ROOM:	CONVENTIONAL FRAMING

Use of these plans by the construction of this building is subject to the following conditions: 1. The contractor shall be responsible for obtaining all necessary permits and for complying with all applicable codes and regulations. 2. The contractor shall be responsible for the accuracy of the information provided on these plans. 3. The contractor shall be responsible for the proper interpretation and use of the information provided on these plans. 4. The contractor shall be responsible for the proper construction of the building in accordance with these plans. 5. The contractor shall be responsible for the proper installation of all materials and components shown on these plans. 6. The contractor shall be responsible for the proper maintenance and repair of the building. 7. The contractor shall be responsible for the proper disposal of all waste materials. 8. The contractor shall be responsible for the proper safety of all workers and the public. 9. The contractor shall be responsible for the proper protection of the environment. 10. The contractor shall be responsible for the proper completion of the building in accordance with these plans. 11. The contractor shall be responsible for the proper payment of all bills and taxes. 12. The contractor shall be responsible for the proper insurance coverage. 13. The contractor shall be responsible for the proper bonding. 14. The contractor shall be responsible for the proper record keeping. 15. The contractor shall be responsible for the proper communication with the client. 16. The contractor shall be responsible for the proper coordination with other trades. 17. The contractor shall be responsible for the proper scheduling. 18. The contractor shall be responsible for the proper quality control. 19. The contractor shall be responsible for the proper safety of the building. 20. The contractor shall be responsible for the proper completion of the building in accordance with these plans.




LEFT ELEVATION




SCALE: NOT TO SCALE. ALL DIMENSIONS ARE IN FEET AND INCHES. DIMENSIONS SHOWN IN OTHER VIEWS SUPERSEDE THIS SCALE. SEE ARCHITECT'S NOTES FOR DETAILS AND FINISHES.

FRONT ELEVATION



DESIGN: BDCB  
 REVISION: 6/13/2018  
 DESIGNER: GRL  
 CHECKED BY: DESIGN  
 THE ALBANY, NY  
 PROJECT: 18602  
 WWW.BETTERBYDESIGN.COM  
 518-545-8888




BETTER  
 BY DESIGN, LLC


PROJECT:  
 WITTEN BUILDERS

PLAN SPECIFICATIONS	
MAIN FLOOR WALLS	SHAPE
FOUNDATION WALLS	12" X 8" CONCRETE
FLOOR SYSTEM	JOIST
ROOF	CONVENTIONAL RAFTERS

THIS PLAN IS THE PROPERTY OF WITTEN BUILDERS AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF WITTEN BUILDERS. THE USER OF THIS PLAN AGREES TO HOLD WITTEN BUILDERS HARMLESS FROM AND AGAINST ALL CLAIMS, DAMAGES, LOSSES AND EXPENSES, INCLUDING REASONABLE ATTORNEY'S FEES, THAT MAY BE ASSERTED AGAINST WITTEN BUILDERS BY ANY THIRD PARTY AS A RESULT OF THE USER'S USE OF THIS PLAN. THE USER OF THIS PLAN AGREES TO HOLD WITTEN BUILDERS HARMLESS FROM AND AGAINST ALL CLAIMS, DAMAGES, LOSSES AND EXPENSES, INCLUDING REASONABLE ATTORNEY'S FEES, THAT MAY BE ASSERTED AGAINST WITTEN BUILDERS BY ANY THIRD PARTY AS A RESULT OF THE USER'S USE OF THIS PLAN. THE USER OF THIS PLAN AGREES TO HOLD WITTEN BUILDERS HARMLESS FROM AND AGAINST ALL CLAIMS, DAMAGES, LOSSES AND EXPENSES, INCLUDING REASONABLE ATTORNEY'S FEES, THAT MAY BE ASSERTED AGAINST WITTEN BUILDERS BY ANY THIRD PARTY AS A RESULT OF THE USER'S USE OF THIS PLAN.



DESIGN: BACB  
 REVISION: 6/23/2018  
 DESIGNER: GRL  
 BETTER BY DESIGN  
 NEW ALBANY, IN  
 (302)741-7148  
 CUS@BBD-PLAN.COM  
 ENR@BBD-PLAN.COM



**BETTER**  
 by **DESIGN** LLC


PROJECT:  
**WITTEN BUILDERS**

11-12 AM 1/12/08


SHEET 1018

SECTION OF 3


PLAN SPECIFICATIONS	
SLAB FLOOR WALLS	2x4s
FOUNDATION WALLS	12" CONCRETE
FLOOR SYSTEM	CONCRETE SLAB
ROOF	CONVENTIONAL FRAMING



LEFT ELEVATION




FRONT ELEVATION



THESE PLANS HAVE BEEN PREPARED IN ACCORDANCE WITH THE... THIS PLAN SHALL BE PROVIDED IN VARIOUS SIZES... NO DIMENSIONS SHALL BE GIVEN IN THESE PLANS... NO DIMENSIONS SHALL BE GIVEN IN THESE PLANS... NO DIMENSIONS SHALL BE GIVEN IN THESE PLANS...

DESIGN: 0453  
 REVISED: 1/12/08  
 DESIGNED: GARY  
 DOTTEN BY DESIGN  
 NEW ALBANY, IN  
 (800) 741-7343  
 WWW.BSD-PLANS.COM  
 email: 81554@BSD-PLANS.COM



BETTER  
 BY DESIGN, LLC

PROJECT:  
 BEASLEY RESIDENCE

Scale: 1/8" = 1'-0"
GENERAL NOTES:
1. ALL WORK SHALL BE PERFORMED IN ACCORDANCE WITH THE LATEST EDITIONS OF THE BUILDING CODES AND ALL APPLICABLE LOCAL ORDINANCES.
2. THE CONTRACTOR SHALL VERIFY THE EXISTING CONDITIONS AND REPORT ANY DISCREPANCIES TO THE ARCHITECT PRIOR TO BEGINNING WORK.





SCALE NOTE: SCALE BAR NOT TO BE USED FOR DIMENSIONS. DIMENSIONS SHALL BE TAKEN FROM THE DIMENSION LINES ON THE DRAWING.


11/20/21

11/20/21

Table with 2 columns: PLAN SPECIFICATIONS, CONCRETE FINISHES. Includes rows for Floor Walls (2x8x4), Foundation Walls (12" Concrete), Floor System (Conventional Rafters), and Room (Concrete Slab).



BASEMENT PLAN WITH NO BONUS



SLAB PLAN WITH BONUS ROOM

MAIN FLOOR
BASEMENT PLAN WITH BONUS ROOM
MAIN FLOOR LIVING AREA: 2254 SQ. FT.

BETTER BY DESIGN
DESIGNER: [NAME]
REVISOR: [NAME]
11/20/21




BETTER BY DESIGN

PROJECT: BEASLEY RESIDENCE


PLAN SPECIFICATIONS	
MAIN FLOOR WALLS	2X4WS
FOUNDATION WALLS	12" CONCRETE
FLOOR SYSTEM	CONCRETE SLAB
ROOF	CONVENTIONAL FRAMING

THIS PLAN MAY BE PRINTED IN VARIOUS SIZES TO DIFFERENT SCALES ON THE SAME SIZE PAPER. RESULTS MAY VARY.



LEFT ELEVATION

WITTEN BUILDERS, INC. is not responsible for errors or omissions in this document. It is the responsibility of the user to verify the accuracy of the information provided. WITTEN BUILDERS, INC. is not responsible for errors or omissions in this document. It is the responsibility of the user to verify the accuracy of the information provided. WITTEN BUILDERS, INC. is not responsible for errors or omissions in this document. It is the responsibility of the user to verify the accuracy of the information provided.



FRONT ELEVATION

DESIGN: 0486A  
 REVISION: 6/23/2018  
 DRAWN BY: G.D.L.  
 CHECKED BY: G.D.L.  
 NEW ALBANY, IN  
 46054-2148  
 WWW.BD-PLANS.COM  
 812-645-8800



PROJECT:  
 WITTEN BUILDERS


DESIGN: DARRA  
 REVIEW: 6/20/08  
 DESIGNED: DJF  
 CHECKED: JH  
 DRAWN: JH  
 DATE: 6/18/08  
 PROJECT: 110111  
 SHEET: 110111-11  
 FLOOR: MAIN FLOOR  
 TITLE: 110111-11




BETTER  
 BY DESIGN  
 LLC

PROJECT:  
 WITTEN BUILDERS


MAIN FLOOR  
 BASEMENT PLAN WITH BONUS  
 MAIN FLOOR LIVING AREA= 210 SQ. FT.



SLAB PLAN WITH BONUS ROOM



BASEMENT PLAN WITH NO BONUS



PLAN SPECIFICATIONS

MAIN FLOOR WALLS:	24" HTS
FOUNDATION WALLS:	12" CONCRETE
FLOOR SYSTEM:	CONCRETE SLAB
ROOF:	CONVENTIONAL RAFTERS



SCALE: 1/8" = 1'-0"  
 SCALE: 1/4" = 1'-0"  
 SCALE: 1/2" = 1'-0"  
 SCALE: 3/4" = 1'-0"  
 SCALE: 1" = 1'-0"

NOTES:  
 1. ALL DIMENSIONS UNLESS OTHERWISE NOTED ARE IN FEET AND INCHES.  
 2. FINISH FLOOR TO FINISH FLOOR UNLESS OTHERWISE NOTED.  
 3. FINISH CEILING TO FINISH CEILING UNLESS OTHERWISE NOTED.  
 4. FINISH GRADE TO FINISH GRADE UNLESS OTHERWISE NOTED.  
 5. FINISH STAIR TO FINISH STAIR UNLESS OTHERWISE NOTED.  
 6. FINISH TOP OF WALL TO FINISH TOP OF WALL UNLESS OTHERWISE NOTED.  
 7. FINISH BOTTOM OF WALL TO FINISH BOTTOM OF WALL UNLESS OTHERWISE NOTED.  
 8. FINISH TOP OF SLAB TO FINISH TOP OF SLAB UNLESS OTHERWISE NOTED.  
 9. FINISH BOTTOM OF SLAB TO FINISH BOTTOM OF SLAB UNLESS OTHERWISE NOTED.  
 10. FINISH TOP OF GARAGE FLOOR TO FINISH TOP OF GARAGE FLOOR UNLESS OTHERWISE NOTED.  
 11. FINISH BOTTOM OF GARAGE FLOOR TO FINISH BOTTOM OF GARAGE FLOOR UNLESS OTHERWISE NOTED.  
 12. FINISH TOP OF CONCRETE TO FINISH TOP OF CONCRETE UNLESS OTHERWISE NOTED.  
 13. FINISH BOTTOM OF CONCRETE TO FINISH BOTTOM OF CONCRETE UNLESS OTHERWISE NOTED.  
 14. FINISH TOP OF STEEL TO FINISH TOP OF STEEL UNLESS OTHERWISE NOTED.  
 15. FINISH BOTTOM OF STEEL TO FINISH BOTTOM OF STEEL UNLESS OTHERWISE NOTED.  
 16. FINISH TOP OF BRICK TO FINISH TOP OF BRICK UNLESS OTHERWISE NOTED.  
 17. FINISH BOTTOM OF BRICK TO FINISH BOTTOM OF BRICK UNLESS OTHERWISE NOTED.  
 18. FINISH TOP OF STONE TO FINISH TOP OF STONE UNLESS OTHERWISE NOTED.  
 19. FINISH BOTTOM OF STONE TO FINISH BOTTOM OF STONE UNLESS OTHERWISE NOTED.  
 20. FINISH TOP OF GLASS TO FINISH TOP OF GLASS UNLESS OTHERWISE NOTED.  
 21. FINISH BOTTOM OF GLASS TO FINISH BOTTOM OF GLASS UNLESS OTHERWISE NOTED.  
 22. FINISH TOP OF WOOD TO FINISH TOP OF WOOD UNLESS OTHERWISE NOTED.  
 23. FINISH BOTTOM OF WOOD TO FINISH BOTTOM OF WOOD UNLESS OTHERWISE NOTED.  
 24. FINISH TOP OF PAINT TO FINISH TOP OF PAINT UNLESS OTHERWISE NOTED.  
 25. FINISH BOTTOM OF PAINT TO FINISH BOTTOM OF PAINT UNLESS OTHERWISE NOTED.  
 26. FINISH TOP OF TILE TO FINISH TOP OF TILE UNLESS OTHERWISE NOTED.  
 27. FINISH BOTTOM OF TILE TO FINISH BOTTOM OF TILE UNLESS OTHERWISE NOTED.  
 28. FINISH TOP OF CARPET TO FINISH TOP OF CARPET UNLESS OTHERWISE NOTED.  
 29. FINISH BOTTOM OF CARPET TO FINISH BOTTOM OF CARPET UNLESS OTHERWISE NOTED.  
 30. FINISH TOP OF FLOORING TO FINISH TOP OF FLOORING UNLESS OTHERWISE NOTED.  
 31. FINISH BOTTOM OF FLOORING TO FINISH BOTTOM OF FLOORING UNLESS OTHERWISE NOTED.  
 32. FINISH TOP OF CEILING TO FINISH TOP OF CEILING UNLESS OTHERWISE NOTED.  
 33. FINISH BOTTOM OF CEILING TO FINISH BOTTOM OF CEILING UNLESS OTHERWISE NOTED.  
 34. FINISH TOP OF WALL TO FINISH TOP OF WALL UNLESS OTHERWISE NOTED.  
 35. FINISH BOTTOM OF WALL TO FINISH BOTTOM OF WALL UNLESS OTHERWISE NOTED.  
 36. FINISH TOP OF FLOOR TO FINISH TOP OF FLOOR UNLESS OTHERWISE NOTED.  
 37. FINISH BOTTOM OF FLOOR TO FINISH BOTTOM OF FLOOR UNLESS OTHERWISE NOTED.  
 38. FINISH TOP OF ROOF TO FINISH TOP OF ROOF UNLESS OTHERWISE NOTED.  
 39. FINISH BOTTOM OF ROOF TO FINISH BOTTOM OF ROOF UNLESS OTHERWISE NOTED.  
 40. FINISH TOP OF EXTERIOR TO FINISH TOP OF EXTERIOR UNLESS OTHERWISE NOTED.  
 41. FINISH BOTTOM OF EXTERIOR TO FINISH BOTTOM OF EXTERIOR UNLESS OTHERWISE NOTED.  
 42. FINISH TOP OF INTERIOR TO FINISH TOP OF INTERIOR UNLESS OTHERWISE NOTED.  
 43. FINISH BOTTOM OF INTERIOR TO FINISH BOTTOM OF INTERIOR UNLESS OTHERWISE NOTED.  
 44. FINISH TOP OF FINISH TO FINISH TOP OF FINISH UNLESS OTHERWISE NOTED.  
 45. FINISH BOTTOM OF FINISH TO FINISH BOTTOM OF FINISH UNLESS OTHERWISE NOTED.