



Status Report

CL-601-3A/3R (MSG 3)

S/N 5079 N836CM

OWNER: WEH 601 LLC ADDRESS: 2900 LINDEN LN STE 300 SILVER SPRING MD 20910-1265 OFFICE: FAX:	OPERATOR: WEH 601 LLC ADDRESS: 2900 LINDEN LN STE 300 SILVER SPRING MD 20910-1265 OFFICE: FAX:	OPERATOR: WEH 601 LLC ADDRESS: AERO TAXI, INC. NEW CASTLE 19720 OFFICE: 302-328-3430 FAX: 302-328-5615	
ANALYST: NICOLAS SALIBA EMAIL: NSALIBA@CAMPSYSTEMS.COM	514-636-2020 (OFFICE) 514-636-7866 (FAX) WWW.CAMPSYSTEMS.COM	800-787-9749 (EFAX-CARDS) 631-980-4222 (EFAX-CARDS)	PLEASE REACH OUT TO YOUR ANALYST TO RECORD CHANGES TO ADDRESS, LAST ACTUALS (IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT	SERIAL/REGNO: 5079/N836CM	MODEL: CL-601-3A/3R (MSG 3)	MANUFACTURER: BOMBARDIER AVIATION
	CERTIFICATION DATE: 24-SEP-1990	LAST ACTUALS: 10027.9 A/C HRS as of 02-OCT-2023 6138 AFL as of 02-OCT-2023	
APU	SERIAL/PART: P-108C/3800804-1	MODEL: GTCP 36-150 (CL)	MANUFACTURER: HONEYWELL
	INSTALLED ON: 12-AUG-2009 7851 APU HRS 6111.25 A/C HRS 0 APUS	LAST ACTUALS: 11290 APU HRS as of 10-NOV-2021 0 APUS as of 23-AUG-2019	
ENGINE NO. 1	SERIAL/PART: 350405/6063T01G04	MODEL: CF34-3A2	MANUFACTURER: GENERAL ELECTRIC
	INSTALLED ON: 17-MAR-2010 5977.58 ENG. HRS 6129.88 A/C HRS 3700 ENC	LAST ACTUALS: 9771.2 ENG. HRS as of 02-OCT-2023 6677 ENC as of 02-OCT-2023 2925 (AFL) as of 23-AUG-2019	
ENGINE NO. 2	SERIAL/PART: 350406/6063T01G04	MODEL: CF34-3A2	MANUFACTURER: GENERAL ELECTRIC
	INSTALLED ON: 23-FEB-2019 9043.5 ENG. HRS 9373.1 A/C HRS 5530 ENC	LAST ACTUALS: 9771 ENG. HRS as of 02-OCT-2023 6534 ENC as of 02-OCT-2023 2925 (AFL) as of 23-AUG-2019	



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
CIAR-150420 (MSG3)	REVIEW CL-601 MSG3 TLMC REV 7 DATED 20 APR 2015							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
	PROC. REF: RCF CIAR							
CIAR-160429	REVIEW CHALLENGER 601 - TIME LIMITS/MAINTENANCE CHECKS - PSP 601A-5- REV 40 - DATED APR. 29/2016							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
	PROC. REF: RCF 00							
CIAR-170328	REVIEW CHALLENGER 601 - TIME LIMITS/MAINTENANCE CHECKS - PSP 601A-5- REV 41 - DATED MAR. 28/2017							Service ATA:00
	MOS/MSC	24-Sep-90	-					REQUIREMENT CHANGE FORMS
	HRS	0						
	AFL	0						
	PROC. REF: RCF 00							
CIAR-170328(MSG3)	REVIEW CL-601_CIAR- MSG3 TLMC REV 9 DATED 28 MAR 2017							Service ATA:00
	MOS/MSC	24-Sep-90	-					REQUIREMENT CHANGE FORMS
	HRS	0						
	AFL	0						
	PROC. REF: RCF 00							
CIAR-180108	REVIEW TLMC _PSP 601-5 REV 42 DATED JAN 08/2018							Service ATA:00
	MOS/MSC	24-Sep-90	-					REQUIREMENT CHANGE FORMS
	HRS	0						
	AFL	0						
	PROC. REF: RCF 00							
CIAR-180924-TLMC (MSG-3)-REV 10	CL-601 TLMC (MSG-3) REV 10 - DATED SEP 24/2018							Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
	PROC. REF: RCF 00							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
CIAR-200430	TLMC TR	REVIEW TIME LIMITS/MAINTENANCE CHECKS PSP 601-5 TR 5-280 AND TR 5-281, DATED 30/APR/2020						Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF 00									
CIAR-221223-TR		REVIEW CHALLENGER 601-3A/3R TIME LIMITS/MAINTENANCE CHECKS TR 5-282, DATED DEC 23, 2022						Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: RCF 00									
EC40-160801		NO. 1 ENGINE - REVIEW CF-34 (CIMMS) EMM REV 41						Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
PROC. REF: RCF EC40									
EC40-160801		NO. 2 ENGINE - REVIEW CF-34 (CIMMS) EMM REV 41						Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
PROC. REF: RCF EC40									
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
050012		100 HOUR CHECK						Package	ATA:05
	MOS	01-Dec-22							
	HRS	9880	100		9980		OVD		
	AFL	5968							
PROC. REF: MPD SECTION 2.1.2, MPD SECTION 2.1.2									
050026E		NO. 1 ENGINE - 3200 HOUR ENGINE-MSG 3						Package	ATA:05
	MOS	06-Nov-19						MSG-3	
	HRS	9121.3	3200 (+40/-40)		(12321.3) 12578	12361.3	2550.1 (+40)		
	ENC	5284							
PROC. REF: GENERIC NO REF									
								PKG:1	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
050026E	NO. 2 ENGINE - 3200 HOUR ENGINE-MSG 3							Package	ATA:05
	MOS	06-Nov-19						MSG-3	
	HRS	9043.5	3200 (+40/-40)		(12243.5) 12500.4	12283.5	2472.5 (+40)		
	ENC	5530							
PROC. REF: GENERIC NO REF								PKG:1	
05012M	12 MONTH TASKS - MSG-3							Package	ATA:05
	MOS	19-Oct-22	12 (+1m/-1m)	Adj -41d	08-Sep-23	08-Oct-23	OVD	MSG-3	
	HRS	9861.1							
	AFL	5949							
PROC. REF: TLMC 5-30-30								PKG:200	
05024M	24 MONTH TASKS - MSG-3							Package	ATA:05
	MOS	20-Sep-21	24 (+1m/-1m)	Adj 31d	21-Oct-23	21-Nov-23	TOL (+19 d)	MSG-3	
	HRS	9728							
	AFL	5799							
PROC. REF: TLMC 5-30-30								PKG:210	
050400	400 HOUR TASKS - MSG-3							Package	ATA:05
	MOS	20-Sep-21						MSG-3	
	HRS	9728	400 (+40/-40)	Adj -30.9	10097.1	10137.1	69.2 (+40)		
	AFL	5799							
PROC. REF: TLMC 5-30-30								PKG:100	
050500	APU - 500 HOUR CHECK							Package	ATA:05
	MOS	07-Oct-19							
	HRS	11087	500 (+40/-40)	Adj -39	11548	11588	258 (+40)		
	APUS								
PROC. REF: GENERIC NO REF								PKG:500	
05060M	60 MONTH TASKS - MSG-3							Package	ATA:05
	MOS	07-Oct-19	60 (+1m/-1m)	Adj -45d	23-Aug-24	23-Sep-24	295 d (+31)	MSG-3	
	HRS	9460.5							
	AFL	5416							
PROC. REF: TLMC 5-30-30								PKG:220	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
050800	800 HOUR TASKS - MSG-3							Package	ATA:05
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	800 (+40/-40)		10097.1	10137.1	69.2 (+40)		
	AFL	5212							
				PROC. REF: TLMC 5-30-30				PKG:110	
051000	APU - 1000 HOUR CHECK							Package	ATA:05
	MOS	22-Apr-18							
	HRS	10859	1000 (+40/-40)	Adj -22	11837	11877	547 (+40)		
	APUS	0							
				PROC. REF: GENERIC NO REF				PKG:1000	
051200	1200 HOUR TASKS - MSG-3							Package	ATA:05
	MOS	01-Jul-17						MSG-3	
	HRS	9064	1200 (+40/-40)		10264	10304	236.1 (+40)		
	AFL	4900							
				PROC. REF: TLMC 5-30-30				PKG:120	
05120M	120 MONTH TASKS - MSG-3							Package	ATA:05
	MOS	07-Oct-19	120 (+1m/-1m)	Adj 1d	08-Oct-29	08-Nov-29	2167 d (+31)	MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: TLMC 5-30-30				PKG:230	
051500	APU - 1500 HOUR CHECK							Package	ATA:05
	MOS	22-Aug-15							
	HRS	10422	1500 (+40/-40)	Adj 3.42	11925.42	11965.42	635.4 (+40)		
	APUS								
				PROC. REF: GENERIC NO REF				PKG:1500	
051600	1600 HOUR TASKS - MSG-3							Package	ATA:05
	MOS	18-Mar-14						MSG-3	
	HRS	8472.27	1600 (+40/-40)		10072.27	10112.27	44.4 (+40)		
	AFL	4374							
				PROC. REF: TLMC 5-30-30				PKG:130	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
052400	2400 HOUR TASKS - MSG-3							Package	ATA:05
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	2400 (+40/-40)	Adj 5.27	11702.37	11742.37	1674.5 (+40)		
	AFL	5212							
			PROC. REF: TLMC 5-30-30						PKG:140
05240M	240 MONTH TASKS - MSG-3							Package	ATA:05
	MOS	24-Sep-90	240 (+1m/-1m)		17-Mar-30 (M)	17-Apr-30	2327 d (+31)	MSG-3	
	HRS	0							
	AFL	0							
			PROC. REF: TLMC 5-30-30						PKG:240
053000	APU - 3000 HOUR CHECK							Package	ATA:05
	MOS	18-Mar-14							
	HRS	10048	3000 (+40/-40)		13048	13088	1758 (+40)		
	APUS								
			PROC. REF: GENERIC NO REF						PKG:3000
053200	3200 HOUR TASKS - MSG-3							Package	ATA:05
	MOS	29-Jan-13						MSG-3	
	HRS	7915.17	3200 (+30/-30)		11115.17	11145.17	1087.3 (+30)		
	AFL	4113							
			PROC. REF: TLMC 5-30-30						PKG:150
054800	4800 HOUR TASKS - MSG-3							Package	ATA:05
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	4800 (+30/-30)		14097.1	14127.1	4069.2 (+30)		
	AFL	5212							
			PROC. REF: TLMC 5-30-30						PKG:160
ATA 21 - AIR CONDITIONING									
21-20-00-202 (MSG3) ^S	OPERATIONAL TEST OF THE EFIS COOLING SYSTEMS(A/C 5001 AND SUBS).							Service	ATA:21
	MOS	20-Sep-21						MSG-3	
	HRS	9728	400 (+40/-40)						
	AFL	5799							
			PROC. REF: MTC 21-20-00-202						PKG:100

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
21-20-00-203 (MSG3) ^S	GENERAL VISUAL INSPECTION OF THE LIRS COOLING SYSTEM (A/C 5001 AND SUBS).							Service	ATA:21
	MOS	20-Sep-21						MSG-3	
	HRS	9728	400 (+40/-40)						
	AFL	5799							
				PROC. REF: MTC 21-20-00-203				PKG:100	
21-20-01-201 (MSG3)	OPERATIONAL TEST PRESSURE BULKHEAD CHECK VALVES							Service	ATA:21
	MOS	04-Dec-20						MSG-3	
	HRS	9608.1	9600 (+40/-40)	Adj -8.1	19200	19240	9172.1 (+40)		
	AFL	5632							
				PROC. REF: MTC 21-20-01-201					
21-30-00-201 (MSG3) ^S	DISCARD PRIMARY OUTFLOW-VALVE AIR-FILTER							Service	ATA:21
	MOS	18-Mar-14						MSG-3	
	HRS	8472.27	1600 (+40/-40)						
	AFL	4374							
				PROC. REF: MTC 21-30-00-201				PKG:130	
21-30-00-202 (MSG3) ^S	OPERATIONAL TEST PRESSURIZATION CONTROL SYSTEM (MANUAL MODE)							Service	ATA:21
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	2400 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 21-30-00-202				PKG:140	
21-30-00-203 (MSG3) ^S	FUNCTIONAL TEST OUTFLOW VALVES							Service	ATA:21
	MOS	18-Mar-14						MSG-3	
	HRS	8472.27	1600 (+40/-40)						
	AFL	4374							
				PROC. REF: MTC 21-30-00-203				PKG:130	
21-30-01-204 (MSG3) ^S	OPERATIONAL TEST EMERGENCY DEPRESSURIZATION SYSTEM							Service	ATA:21
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	2400 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 21-30-01-204				PKG:140	
21-30-01-205 (MSG3) ^S	OPERATIONAL TEST EMERGENCY PRESSURIZATION SYSTEM (AC 5001 TO 5134)							Service	ATA:21
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	2400 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 21-30-01-205				PKG:140	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
21-30-01-206 (MSG3)^S RESTORATION OUTFLOW-VALVE POPPET AREA Service ATA:21								
	MOS	18-Mar-14						MSG-3
	HRS	8472.27	1600 (+40/-40)					
	AFL	4374						
				PROC. REF: MTC 21-30-01-206				PKG:130
21-50-00-201 (MSG3)^S FUNCTIONAL TEST OVERHEAT SAFETY SWITCH (AC 3001 TO 3059 POST SB-601-0141, AC 3060 TO 3066 - 5001 & SUBS) Service ATA:21								
	MOS	08-Nov-18						MSG-3
	HRS	9297.1	4800 (+40/-40)					
	AFL	5212						
				PROC. REF: MTC 21-50-00-201				PKG:160
21-50-00-202 (MSG3)^S OPERATIONAL TEST RAM-AIR SHUT-OFF VALVE Service ATA:21								
	MOS	08-Nov-18						MSG-3
	HRS	9297.1	2400 (+40/-40)					
	AFL	5212						
				PROC. REF: MTC 21-50-00-202				PKG:140
21-70-11-301 (MSG3)^S RESTORATION (CLEANING) OF THE WATER SEPARATOR COALESCER BAG Service ATA:21								
	MOS	08-Nov-18						MSG-3
	HRS	9297.1	800 (+40/-40)					
	AFL	5212						
				PROC. REF: MTC 21-70-11-301				PKG:110
212011-001 NO. 1 2 INCH CHECK VALVE Component ATA:21								
PN:3202062-1-1	MOS/MSC	24-Sep-90	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0						
				PROC. REF: AMM 21-20-11				
212011-002 NO. 2 2 INCH CHECK VALVE Component ATA:21								
PN:3202062-1-1	MOS/MSC	24-Sep-90	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0						
				PROC. REF: AMM 21-20-11				
212014-001 NO. 1 BALANCING - 4 INCH VALVE Component ATA:21								
PN:600-95278-1	MOS/MSC	24-Sep-90	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0						
				PROC. REF: AMM 21-20-14				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
212014-002	NO. 2 BALANCING - 4 INCH VALVE							Component	ATA:21
PN:600-95278-1	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 21-20-14					
212016-001	DIVERTER VALVE							Component	ATA:21
PN:228565-1	MOS/MSC	24-Sep-90	O/C						
SN:244	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 21-20-16, AMM 21-20-16					
212025-001	L/H BULKHEAD CONDITIONED CHECK VALVE							Component	ATA:21
PN:3202076-1-1	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 21-20-11					
212025-002	R/H BULKHEAD CONDITIONED CHECK VALVE							Component	ATA:21
PN:123790-1-1	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 21-20-11					
212026-001	NO. 1 FOOT WARMER PRESSURE REGULATING SHUTOFF VALVE							Component	ATA:21
PN:228935	MOS/MSC	08-Dec-20	O/C	TSN 0					
SN:0398	HRS	9608.1		TSN 0					
	AFL	5632		TSN 0					
				PROC. REF: AMM 21-20-26					
212026-002	NO. 2 FOOT WARMER PRESSURE REGULATING SHUTOFF VALVE							Component	ATA:21
PN:228545-5	MOS/MSC	24-Sep-90	O/C						
SN:535	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 21-20-26					
212031-001	HEAT EXCHANGER							Component	ATA:21
PN:172165-2	MOS/MSC	24-Sep-90	O/C						
SN:250	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 21-20-31					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
212036-001	MOTOR DRIVEN FAN							Component	ATA:21
PN:605385-6-1	MOS/MSC	01-May-91	O/C						
SN:49-337	HRS	29		TSN 0					
	AFL	11		TSN 0					
				PROC. REF: AMM 21-20-36					
212701 ^U	EFIS FAN N*2							Component	ATA:21
PN:026977	MOS/MSC	31-May-05	O/C		TSN 0				
SN:102383758	HRS	4426.4			TSN 0				
	AFL	2295			TSN 0				
213011-001	PRESSURE REGULATING PRIMARY VALVE							Component	ATA:21
PN:103632-2	MOS/MSC	20-Apr-12	O/C						
SN:37-200	HRS	7342.67			TSR 2778.67				
	AFL	3770			TSR 1404				
				PROC. REF: AMM 21-30-11					
213011-002	PRESSURE REGULATING SECONDARY VALVE							Component	ATA:21
PN:103664-1	MOS/MSC	18-Mar-14	O/C		TSN 282				
SN:62-342	HRS	8472.47			TSN 8472.47				
WC#: 21.300	AFL	4374			TSN 4374				
				PROC. REF: AMM 21-60-21					
213018-001	REGULATING VALVE							Component	ATA:21
PN:131400-2	MOS/MSC	24-Sep-90	O/C						
SN:49-327	HRS	0			TSN 0				
	AFL	0							
				PROC. REF: AMM 21-30-16					
213019-001	AIR PRESSURE REGULATOR							Component	ATA:21
PN:131402-2	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0							
				PROC. REF: AMM 21-30-46					
213031-001	SHUTOFF VALVE							Component	ATA:21
PN:228845	MOS/MSC	17-Oct-05	O/C						
SN:12CA	HRS	4564			TSO 0				
	AFL	2366			TSO 0				
				PROC. REF: AMM 21-30-31					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
213036-001	CABIN PRESSURE INDICATOR							Component	ATA:21
PN:600-59117-5	MOS/MSC	24-Sep-90	O/C						
SN:2413	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 21-30-36					
213041-001	CABIN PRESSURE CONTROLLER							Component	ATA:21
PN:2117804-5	MOS/MSC	19-Apr-13	O/C						
SN:82-102	HRS	8060.02							
	AFL	4180							
				PROC. REF: AMM 21-30-41					
213042-001	CABIN PRESSURE SELECTOR							Component	ATA:21
PN:2117598-7	MOS/MSC	17-Oct-05	O/C						
SN:69-265	HRS	4564		TSR 0					
	AFL	2366		TSR 0					
				PROC. REF: AMM 21-30-16					
215022-001	FOOT WARMER/DEMIST MANIFOLD CHECK VALVE							Component	ATA:21
PN:123690-2-1	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 21-20-11					
215100-001	LH AIR CONDITIONING LOW LIMIT TORQUE MOTOR							Component	ATA:21
PN:124904-1-1	MOS/MSC	25-Jan-13	O/C						
SN:7869	HRS	7915.17							
	AFL	4113							
				PROC. REF: AMM 21-51-00					
215100-002	RH AIR CONDITIONING LOW LIMIT TORQUE MOTOR							Component	ATA:21
PN:124904-1-1	MOS/MSC	25-Jan-13	O/C						
SN:5004	HRS	7915.17							
	AFL	4113							
				PROC. REF: AMM 21-51-00					
215101-001	NO. 1 COOLING TURBINE							Component	ATA:21
PN:586110-9	MOS/MSC	31-Jul-15	O/C	TSR 22					
SN:3688	HRS	8807.6		TSR 524.07					
	AFL	4620		TSR 348					
				PROC. REF: AMM 21-51-06					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
215101-002	NO. 2 COOLING TURBINE							Component	ATA:21
PN:586110-9	MOS/MSC	31-Jul-15	O/C	TSR 20					
SN:3933	HRS	8807.6		TSR 335.33					
	AFL	4620		TSR 246					
				PROC. REF: AMM 21-51-06					
215102-001	NO. 1 DUAL HEAT EXCHANGER							Component	ATA:21
PN:191486-2	MOS/MSC	17-Feb-12	O/C						
SN:79-202	HRS	7235.2							
WC#: 21.055	AFL	3721							
				PROC. REF: AMM 21-51-16					
215102-002	NO. 2 DUAL HEAT EXCHANGER							Component	ATA:21
PN:191486-2	MOS/MSC	17-Feb-12	O/C						
SN:12-760	HRS	7235.2							
WC#: 21.055	AFL	3721							
				PROC. REF: AMM 21-51-16					
215105-001	NO. 1 PRESSURE SWITCH							Component	ATA:21
PN:642000-1	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 21-51-12					
215105-002	NO. 2 PRESSURE SWITCH							Component	ATA:21
PN:642000-1	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 21-51-12					
215106-001	NO. 1 THERMAL SWITCH							Component	ATA:21
PN:641119-2	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 21-51-14					
215106-002	NO. 2 THERMAL SWITCH							Component	ATA:21
PN:641119-2	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 21-51-14					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
215107-001	NO. 1 CONTROL UNIT AIR CONDITIONING ECU							Component	ATA:21
PN:2201600-5	MOS/MSC	24-Sep-90	O/C						
SN:10-597	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 21-51-00					
215107-002	NO. 2 CONTROL UNIT AIR CONDITIONING ECU							Component	ATA:21
PN:2201600-5	MOS/MSC	24-Sep-90	O/C						
SN:10-598	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 21-51-00					
215111 ^U	LEFT FOOTWARMER/DEMIST PRESSURE REGULATING/SHUTOFF VALVE							Component	ATA:21
PN:228545-5	MOS/MSC	19-Oct-93	O/C						
SN:548	HRS	622							
	AFL	288							
215126-001	NO. 1 EJECTOR SHUTOFF VALVE							Component	ATA:21
PN:979142-1-1	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 21-51-26					
215126-002	NO. 2 EJECTOR SHUTOFF VALVE							Component	ATA:21
PN:979142-1-1	MOS/MSC	18-Apr-12	O/C	TSR 23					
SN:P-873	HRS	7342.67		TSR 0					
	AFL	3770		TSR 0					
				PROC. REF: AMM 21-51-26					
215311-001	3 INCH SHUTOFF (EMERGENCY RAM AIR) VALVE							Component	ATA:21
PN:398724-1-1	MOS/MSC	24-Sep-90	O/C						
SN:439	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 21-53-11					
216000-001	COCKPIT TEMPERATURE CONTROL							Component	ATA:21
PN:625514-2-1	MOS/MSC	24-Sep-90	O/C						
SN:129C623	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: GENERIC NO REF					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
216000-002	CABIN TEMPERATURE CONTROL							Component	ATA:21
PN:625514-2	MOS/MSC	17-Mar-10	O/C						
SN:625514-01492	HRS	6129.88							
	AFL	3248							
PROC. REF: GENERIC NO REF									
216001-001	NO. 1 LOW LIMIT TEMPERATURE CONTROL							Component	ATA:21
PN:625520-2	MOS/MSC	25-Jan-13	O/C						
SN:073C-0764	HRS	7915.17							
	AFL	4113							
PROC. REF: AMM 21-60-41									
216001-002	NO. 2 LOW LIMIT TEMPERATURE CONTROL							Component	ATA:21
PN:625520-2	MOS/MSC	25-Jan-13	O/C						
SN:063C-1399	HRS	7915.17							
	AFL	4113							
PROC. REF: AMM 21-60-41									
216003-001	CABIN TEMPERATURE INDICATOR							Component	ATA:21
PN:600-50918-1	MOS/MSC	31-Jan-13	O/C	TSR 84					
SN:94030349	HRS	7915.55		TSR 0					
	AFL	4114		TSR 0					
PROC. REF: GENERIC NO REF									
216011-001	NO. 1 MODULATING/SHUTOFF VALVE							Component	ATA:21
PN:979558-8	MOS/MSC	24-Sep-90	O/C						
SN:650	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 21-60-13									
216011-002	NO. 2 MODULATING/SHUTOFF VALVE							Component	ATA:21
PN:979580-4	MOS/MSC	26-Jan-13	O/C	TSO 8					
SN:1263	HRS	7915.17		TSO 0					
	AFL	4113		TSO 0					
PROC. REF: AMM 21-60-13									
216021-001	NO. 1 PRESSURE REGULATING VALVE							Component	ATA:21
PN:3214066-1	MOS/MSC	24-Sep-90	O/C						
SN:1214	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 21-60-21									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
216021-002	NO. 2 PRESSURE REGULATING VALVE							Component	ATA:21
PN:3214066-1	MOS/MSC	24-Sep-90	O/C						
SN:1212	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 21-60-21					
216026-001	NO. 1 TEMPERATURE LIMITER VALVE							Component	ATA:21
PN:129580-6	MOS/MSC	24-Sep-90	O/C						
SN:1464	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 21-60-26					
216026-002	NO. 2 TEMPERATURE LIMITER VALVE							Component	ATA:21
PN:129580-6	MOS/MSC	24-Sep-90	O/C						
SN:1474	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 21-60-26					
216031-001	COCKPIT DUCT TEMPERATURE SENSOR							Component	ATA:21
PN:627962-2	MOS/MSC	24-Sep-90	O/C						
SN:010C3994	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 21-60-36					
216031-002	CABIN DUCT TEMPERATURE SENSOR							Component	ATA:21
PN:627962-2	MOS/MSC	12-Oct-05	O/C						
SN:0814C-16667	HRS	4563		TSN 0					
	AFL	2363		TSN 0					
				PROC. REF: AMM 21-60-36					
216032-001	COCKPIT FAN SENSOR							Component	ATA:21
PN:625692-2-1	MOS/MSC	24-Sep-90	O/C						
SN:020C611	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 21-60-31					
216032-002	CABIN FAN SENSOR							Component	ATA:21
PN:625692-2	MOS/MSC	26-Apr-93	O/C						
SN:068C-569	HRS	499		TSO 0					
	AFL	242		TSO 0					
				PROC. REF: AMM 21-60-31					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
216036-702 ^U		RH OVERHEAT TEMP SENSOR						Component	ATA:21
PN:67321-27-240	MOS/MSC	08-Nov-18	O/C						
SN:9121	HRS	9297.1							
	AFL	5212							
216041 ^U		BAGGAGE COMPARTMENT LEFT DUCT TEMPERATURE SENSOR						Component	ATA:21
PN:627962-2	MOS/MSC	25-Jan-13	O/C						
SN:097C-10531	HRS	7915.17							
	AFL	4113							
216046 ^U		BAGGAGE COMPARTMENT RIGHT DUCT TEMPERATURE SENSOR						Component	ATA:21
PN:627962-2	MOS/MSC	07-Oct-13	O/C						
SN:627962-24845	HRS	8283.53							
	AFL	4272							
219103 ^U		ACU DUCT						Component	ATA:21
PN:601-95009-19	MOS/MSC	26-Jan-13	O/C	TSN 18					
SN:234604	HRS	7915.17							
	AFL	4113							
ATA 22 - AUTO FLIGHT									
22-11-00-201 (MSG3) ^S		OPERATIONAL TEST RUDDER ACTUATOR BRAKE						Service	ATA:22
	MOS	18-Mar-14						MSG-3	
	HRS	8472.27	1600 (+40/-40)						
	AFL	4374							
						PROC. REF: MTC 22-11-00-201		PKG:130	
220000-001		POSITION TRANSMITTER						Component	ATA:22
PN:13TX5215A	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
						PROC. REF: GENERIC NO REF			
221000-001		ADVISORY DISPLAY						Component	ATA:22
PN:7003652-631	MOS/MSC	07-Oct-13	O/C	TSR 2					
SN:89101334	HRS	8283.53		TSR 0					
	AFL	4272		TSR 0					
						PROC. REF: AMM 22-10-00			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
221001-001	NO. 1 FLIGHT GUIDANCE COMPUTER							Component	ATA:22
PN:7003974-726	MOS/MSC	15-Jan-19	O/C						
SN:90082496	HRS	9343.4							
	AFL	5256							
	PROC. REF: AMM 22-10-00								
221001-002	NO. 2 FLIGHT GUIDANCE COMPUTER							Component	ATA:22
PN:7003974-726	MOS/MSC	29-Oct-19	O/C						
SN:89011630	HRS	9469							
	AFL	5428							
	PROC. REF: AMM 22-10-00								
221002-001	DUPLEX AILERON SERVO							Component	ATA:22
PN:4015373-813	MOS/MSC	24-Sep-90	O/C						
SN:90022309	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: GENERIC NO REF								
221002-005	ELEVATOR AUTOPILOT DUPLEX SERVO							Component	ATA:22
PN:4015373-816	MOS/MSC	24-Sep-90	O/C						
SN:90012290	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: GENERIC NO REF								
221003-001	MANUAL CONTROLLER							Component	ATA:22
PN:7007990-901	MOS/MSC	24-Sep-90	O/C						
SN:89120354	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: GENERIC NO REF								
221006-001	NO.1 GUIDANCE CONTROLLER							Component	ATA:22
PN:7003975-706	MOS/MSC	03-May-19	O/C		TSR 0				
SN:89070976	HRS	9427.6			TSR 0				
	AFL	5352			TSR 0				
	PROC. REF: AMM 22-10-00								
222000-001	NO. 1 YAW DAMPER LINEAR ACTUATOR							Component	ATA:22
PN:7002800-801	MOS/MSC	25-Mar-94	O/C						
SN:90060491	HRS	759		TSO 0					
	AFL	352		TSO 0					
	PROC. REF: AMM 22-20-11								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
222000-002	NO. 2 YAW DAMPER LINEAR ACTUATOR							Component	ATA:22
PN:601A92602-1	MOS/MSC	24-Sep-90	O/C						
SN:90020456	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 22-20-11									
ATA 23 - COMMUNICATIONS									
23-60-00-203 (MSG3)	FUNCTIONAL TEST OF THE NOSE RADOME LIGHTING STRIPS							Service	ATA:23
	MOS	29-Jan-21	48 (+1m/-1m)	Adj -8d	21-Jan-25	21-Feb-25	446 d (+31)	MSG-3	
	HRS	9643.7							
	AFL	5648							
PROC. REF: MTC 23-60-00-203									
23-60-01-201 (MSG3) ^S	FUNCTIONAL TEST STATIC DISCHARGERS							Service	ATA:23
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
PROC. REF: MTC 23-60-01-201									
23-71-00-201 (MSG3)	DISCARD CVR UNDERWATER LOCATING BEACON COCKPIT VOICE RECORDER (CVR) UNDERWATER LOCATING DEVICE (ULD) BATTERY							Service	ATA:23
PN:PN	MOS	20-Sep-21	72 (+1m/-1m)	Adj -50d	01-Aug-27	01-Sep-27	1368 d (+31)	MSG-3	
SN:UNKNOWN	HRS	9728							
	AFL	5799							
PROC. REF: MTC 23-71-00-201									
23-71-00-202 (MSG3) ^S	OPERATIONAL TEST COCKPIT VOICE RECORDER (CVR) SYSTEM							Service	ATA:23
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	800 (+40/-40)						
	AFL	5212							
PROC. REF: MTC 23-71-00-202									
23-71-00-203 (MSG3) ^S	OPERATIONAL TEST OF THE COCKPIT VOICE RECORDER (CVR) UNDERWATER LOCATING DEVICE (ULD).							Service	ATA:23
	MOS	20-Sep-21	24 (+1m/-1m)					MSG-3	
	HRS	9728							
	AFL	5799							
PROC. REF: MTC 23-71-00-203									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
231100-001		UPPER VHF ANTENNA					Component		ATA:23
PN:565-8280-10	MOS/MSC	17-Mar-10	O/C	TSN 0					
SN:310-20020	HRS	6129.88		TSN 0					
	AFL	3248		TSN 0					
PROC. REF: AMM 23-11-11									
231100-002		LOWER VHF ANTENNA					Component		ATA:23
PN:565-8280-10	MOS/MSC	25-Nov-11	O/C	TSN 1					
SN:310-22564	HRS	7113.5		TSN 0					
	AFL	3662		TSN 0					
PROC. REF: AMM 23-11-11									
231101-001		NO. 1 VHF TRANSCEIVER					Component		ATA:23
PN:822-1114-001	MOS/MSC	10-Aug-16	O/C						
SN:15F9	HRS	8875.9							
	AFL	4712							
PROC. REF: AMM 23-11-00									
231101-002		NO. 2 VHF TRANSCEIVER					Component		ATA:23
PN:822-1114-001	MOS/MSC	10-Aug-16	O/C						
SN:27986	HRS	8875.9							
	AFL	4712							
PROC. REF: AMM 23-11-00									
231102-001		NO. 1 VHF COMMUNICATIONS CONTROL					Component		ATA:23
PN:822-1120-005	MOS/MSC	03-Dec-13	O/C						
SN:6900	HRS	8347.45							
	AFL	4307							
PROC. REF: AMM 23-11-00									
231102-002		NO. 2 VHF COMMUNICATIONS CONTROL					Component		ATA:23
PN:822-1120-005	MOS/MSC	24-Jul-10	O/C	TSR 0					
SN:25A6	HRS	6251.45		TSR 0					
	AFL	3302		TSR 0					
PROC. REF: AMM 23-11-00									
231300-001		NO. 1 HF CONTROL					Component		ATA:23
PN:622-8111-005	MOS/MSC	18-Jan-05	O/C						
SN:425	HRS	4220		TSR 0					
	AFL	2193		TSR 0					
PROC. REF: AMM 23-13-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
231300-002		NO. 2 HF CONTROL						Component	ATA:23
PN:622-8111-005	MOS/MSC	06-Sep-16	O/C	TSO 8					
SN:1306	HRS	8875.9		TSO 0					
	AFL	4712		TSO 0					
PROC. REF: AMM 23-13-00									
231301-001		NO. 1 HF (HF9030) RECEIVER/TRANSMITTER						Component	ATA:23
PN:622-8112-001	MOS/MSC	24-Sep-90	O/C						
SN:466	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 23-13-00									
231301-002		NO. 2 HF (HF9030) RECEIVER/TRANSMITTER						Component	ATA:23
PN:622-8112-003	MOS/MSC	06-Sep-16	O/C						
SN:158	HRS	8875.9							
	AFL	4712							
PROC. REF: AMM 23-13-00									
232100-001		SELCAL DECODER						Component	ATA:23
PN:NA137-714A	MOS/MSC	09-Aug-16	O/C						
SN:255APS0133	HRS	8875.9		TSN 8875.9					
	AFL	4712							
PROC. REF: AMM 23-20-00									
233000-001		NO. 1 HF ANTENNA COUPLER						Component	ATA:23
PN:685-0350-002	MOS/MSC	13-May-95	O/C						
SN:37	HRS	1024							
	AFL	499							
PROC. REF: AMM 23-13-00									
233000-002		NO. 2 HF ANTENNA COUPLER						Component	ATA:23
PN:622-8114-002	MOS/MSC	07-Mar-14	O/C	TSO 3					
SN:6152	HRS	8472.27		TSO 0					
	AFL	4374		TSO 0					
PROC. REF: AMM 23-13-00									
234001 ^U		AUDIO ELECTRONIC UNIT						Component	ATA:23
PN:600-59144-15	MOS/MSC	24-Sep-90	O/C						
SN:396	HRS	0		TSN 0					
	AFL	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
237100-001	CVR INERTIAL SWITCH							Component	ATA:23
PN:3L0-453-3	MOS/MSC	17-Mar-10	O/C	TSN 0					
SN:91823	HRS	6129.88		TSN 0					
	AFL	3248		TSN 0					
PROC. REF: AMM 23-71-00									
237101-001	COCKPIT VOICE RECORDER							Component	ATA:23
PN:93A100-83	MOS/MSC	24-Sep-90	O/C						
SN:56709	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-71-00									
237104-001	CVR UNDERWATER LOCATING BEACON							Component	ATA:23
PN:PN	MOS/MSC	24-Sep-90	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 23.010	AFL	0		TSN 0					
PROC. REF: AMM 23-71-11									
237104-001A ^S	DISCARD CVR UNDERWATER LOCATING BEACON ULB BATTERY (23-71-11-204)							Service	ATA:23
	MOS/MSC	20-Sep-21	DUE		22-Sep-27 (M)		1420 d		
	HRS	9728							
	AFL	5799							
PROC. REF: GENERIC NO REF									
237105-001	COCKPIT VOICE RECORDER (A151B) CONTROLLER							Component	ATA:23
PN:93A151-20	MOS/MSC	24-Sep-90	O/C						
SN:72488	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-71-00									
237110-001	COCKPIT VOICE RECORDER MICROPHONE							Component	ATA:23
PN:93A055-40	MOS/MSC	16-Oct-95	O/C						
SN:48786	HRS	1135		TSN 0					
	AFL	552		TSN 0					
PROC. REF: AMM 23-71-00									
239106 ^U	AUDIO PILOT'S CONTROL							Component	ATA:23
PN:990-3333-427	MOS/MSC	20-Sep-15	N/R						
SN:07010035028	HRS	8821.1							
	AFL	4646							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
239108^U AUDIO COPILOT'S CONTROL Component ATA:23								
PN:990-3333-427	MOS/MSC	12-Feb-15	N/R					
SN:9102023	HRS	8633.5						
	AFL	4516						
239501^U AIRCELL SATELLITE RECEIVER Component ATA:23								
PN:P12023	MOS/MSC	17-Mar-10	O/C					
SN:1202311595	HRS	6129.88						
	AFL	3248						
239502^U CABIN TELECOMMUNICATIONS (CTU) UNIT Component ATA:23								
PN:P12083	MOS/MSC	17-Mar-10	O/C					
SN:1208311192	HRS	6129.88						
	AFL	3248						
239503^U AIRCELL ANTENNA Component ATA:23								
PN:S67-1575-165	MOS/MSC	17-Mar-10	O/C					
SN:449-3843	HRS	6129.88						
	AFL	3248						
239505^U COCKPIT AIRCELL HANDSET Component ATA:23								
PN:PN	MOS/MSC	13-Apr-21	O/C					
SN:UNKNOWN	HRS	9649						
	AFL	5672						
239505A^U CHECK COCKPIT AIRCELL HANDSET WIRING FOR CUTS, ABRASIONS, BURNS, ETC. AND CONNECTORS FOR WIRE TERMINATIONS ATTACHMENTS - CHECK FOR CONDITION AND SECURITY OF MOUNTING Service ATA:23								
PN:PN	MOS	13-Apr-21						
SN:UNKNOWN	HRS	9649	600		10249		221.1	
	AFL	5672						
239506^U CABIN WI-FI AIRCELL HANDSET Component ATA:23								
PN:P12857-002	MOS/MSC	17-Dec-12	O/C					
SN:1285701163	HRS	7844.7						
	AFL	4078						
239507^U CABIN AIRCELL HANDSET Component ATA:23								
PN:P12248-002	MOS/MSC	07-Oct-13	O/C	TSN 7				
SN:1224811676	HRS	8283.53		TSN 0				
	AFL	4272		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
239507A ^U		CHECK CABIN AIRCELL HANDSET WIRING FOR CUTS, ABRASIONS, BURNS, ETC. AND CONNECTORS FOR WIRE TERMINATIONS• ATTACHMENTS - CHECK FOR CONDITION AND SECURITY OF MOUNTING						Service	ATA:23
PN:P12248-002	MOS	03-Mar-21							
SN:1224811676	HRS	9644.1	600		10244.1		216.2		
	AFL	5660							
239509 ^U		AIRCELL DATA INTERFACE (DIU) UNIT						Component	ATA:23
PN:P12327	MOS/MSC	17-Mar-10	O/C	TSN 0					
SN:1232710236	HRS	6129.88		TSN 0					
	AFL	3248		TSN 0					
239654 ^U		COCKPIT AIRCELL HANDSET						Component	ATA:23
PN:PN	MOS/MSC	24-Sep-90	N/R						
SN:UNKNOWN	HRS	0							
	AFL	0							
239657 ^U		SEAT (VIP) AIRCELL SYSTEM HANDSET						Component	ATA:23
PN:PN	MOS/MSC		O/C						
SN:UNKNOWN	HRS								
	AFL								
239658 ^U		AFT AIRCELL SYSTEM HANDSET						Component	ATA:23
PN:PN	MOS/MSC		O/C					ICA	
SN:UNKNOWN	HRS								
	AFL								
239701 ^U		ATG-4000 AIRCELL						Component	ATA:23
PN:P13989	MOS/MSC	10-Aug-16	O/C						
SN:1398914516	HRS								
	AFL								
239709 ^U		AXCESS CABIN TELECOM ROUTER						Component	ATA:23
PN:PN	MOS/MSC		O/C						
SN:UNKNOWN	HRS								
	AFL								
239721 ^U		NO. 1 ATG ANTENNA						Component	ATA:23
PN:PN	MOS/MSC		O/C						
SN:UNKNOWN	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
239723 ^U	NO. 2 ATG ANTENNA							Component	ATA:23
PN:PN	MOS/MSC		O/C						
SN:UNKNOWN	HRS								
	AFL								
239801 ^U	SATCOM CONTROLLER							Component	ATA:23
PN:727-1-1	MOS/MSC	09-Aug-16	N/R						
SN:129	HRS	8875.9							
	AFL	4712							
239806 ^U	RF SATELLITE COMMUNICATION UNIT							Component	ATA:23
PN:81568A02A001	MOS/MSC	01-May-91	N/R						
SN:136	HRS	29							
	AFL	11							
239846 ^U	SATCOM HIGH POWER RELAY							Component	ATA:23
PN:514344-500	MOS/MSC	01-May-91	N/R						
SN:243457	HRS	29							
	AFL	11							
239857 ^U	SATCOM NO.1 CHIME							Component	ATA:23
PN:270-1	MOS/MSC	01-May-91	N/R						
SN:110	HRS	29							
	AFL	11							
239859 ^U	SATCOM NO.2 CHIME							Component	ATA:23
PN:270-1	MOS/MSC	01-May-91	N/R						
SN:112	HRS	29							
	AFL	11							
239877 ^U	SATCOM CONFIGURATION MODULE							Component	ATA:23
PN:405033A-001	MOS/MSC	19-Dec-03	O/C						
SN:00928402	HRS	3908							
	AFL	2020							

ATA 24 - ELECTRICAL POWER

24-20-00-202 (MSG3) ^S	DISCARD INTEGRATED DRIVE GENERATOR (IDG) SCAVENGE (OIL-OUT) FILTER ELEMENT							Service	ATA:24
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	2400 (+40/-40)						
	AFL	5212							

PROC. REF: MTC 24-20-00-202

PKG:140

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
24-20-00-204 (MSG3)	OPERATIONAL TEST AIR DRIVEN GENERATOR (ADG)							Service	ATA:24
	MOS	20-Sep-21	24 (+1m/-1m)	Adj 17d	07-Oct-23	07-Nov-23	TOL (+5 d)	MSG-3	
	HRS	9728	1600 (+40/-40)		11328	11368	1300.1 (+40)		
	AFL	5799							
				PROC. REF: MTC 24-20-00-204				PKG:130,210	
24-20-00-207 (MSG3) ^S	FUNCTIONAL TEST GENERATOR CONTROL UNIT (GCU) OVER-VOLTAGE PROTECTION CIRCUITS							Service	ATA:24
	MOS	18-Mar-14						MSG-3	
	HRS	8472.27	1600 (+40/-40)						
	AFL	4374							
				PROC. REF: MTC 24-20-00-207				PKG:130	
24-20-00-208 (MSG3) ^S	VISUAL CHECK INTEGRATED DRIVE GENERATOR (IDG) FILTER DIFFERENTIAL-PRESSURE INDICATOR							Service	ATA:24
	MOS	20-Sep-21						MSG-3	
	HRS	9728	400 (+40/-40)						
	AFL	5799							
				PROC. REF: MTC 24-20-00-208				PKG:100	
24-20-00-209 (MSG3) ^S	OPERATIONAL TEST (CYCLING) OF THE THERMAL CIRCUIT BREAKERS							Service	ATA:24
	MOS	19-Oct-22	12 (+1m/-1m)					MSG-3	
	HRS	9861.1							
	AFL	5949							
				PROC. REF: MTC 24-20-00-209				PKG:200	
24-20-00-210 (MSG3) ^S	APU - DETAILED INSPECTION OF THE AUXILIARY POWER UNIT (APU) GENERATOR/ADAPTOR DRY CAVITY							Service	ATA:24
	MOS	07-Oct-19						MSG-3	
	HRS	11087	500 (+40/-40)						
	APUS								
				PROC. REF: GENERIC NO REF, MTC 24-20-00-210, MTC 24-20-00-210				PKG:500	
24-20-00-211 (MSG3)	APU - DISCARD OF THE AUXILIARY POWER UNIT (APU) GENERATOR/ADAPTOR FILTER ELEMENT							Service	ATA:24
	MOS	23-Jan-13						MSG-3	
	HRS	9032	2500 (+40/-40)		11532	11572	242 (+40)		
	APUS								
				PROC. REF: GENERIC NO REF, MTC 24-20-00-211, MTC 24-20-00-211					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
24-20-01-201 (MSG3)^S DISCARD OF THE INTEGRATED DRIVE GENERATOR (IDG)CHARGE (OIL-IN) FILTER ELEMENT.								
	MOS	08-Nov-18						Service ATA:24
	HRS	9297.1	2400 (+40/-40)					MSG-3
	AFL	5212						
				PROC. REF: MTC 24-20-01-201				PKG:140
24-30-00-201 (MSG3)^S OPERATIONAL TEST TRANSFORMER RECTIFIER UNIT (TRU) FAN								
	MOS	20-Sep-21						Service ATA:24
	HRS	9728	400 (+40/-40)					MSG-3
	AFL	5799						
				PROC. REF: MTC 24-30-00-201				PKG:100
24-30-00-202 (MSG3) FUNCTIONAL TEST (CAPACITY CHECK) OF THE APU BATTERY								
	MOS/MSC	22-Mar-17	N/A	Adj -14d				Service ATA:24
	HRS	9008.4						MSG-3
	AFL	4847						
				PROC. REF: MTC 24-30-00-202				
24-30-00-203 (MSG3)^S OPERATIONAL TEST DC ESS BUS								
	MOS	08-Nov-18						Service ATA:24
	HRS	9297.1	800 (+40/-40)					MSG-3
	AFL	5212						
				PROC. REF: MTC 24-30-00-203				PKG:110
24-30-00-204 (MSG3)^S OPERATIONAL TEST LEFT AND RIGHT BATTERY BUSES								
	MOS	05-Feb-14						Service ATA:24
	HRS	8472.27	1600 (+40/-40)					MSG-3
	AFL	4374						
				PROC. REF: MTC 24-30-00-204				PKG:130
24-30-00-205 (MSG3) FUNCTIONAL TEST (CAPACITY CHECK) AUXILIARY BATTERY (AC 5001 TO 5134 PRE SB-601-0418)								
	MOS/MSC	24-Sep-90	N/A					Service ATA:24
	HRS	0						MSG-3
	AFL	0						
				PROC. REF: MTC 24-30-00-205				
242001^U COCKPIT AC FREQUENCY INDICATOR								
PN:600-50912-1	MOS/MSC	09-May-05	O/C					Component ATA:24
SN:92100316	HRS	4391.2		TSR 0				
	AFL	2278		TSR 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
242100-001	NO. 1 IDG GENERATOR							Component	ATA:24
PN:720845D	MOS/MSC	24-Jul-15	O/C						
SN:1264	HRS	8801.8							
	AFL	4615							
PROC. REF: AMM 24-21-00									
242100-002	NO. 2 IDG GENERATOR							Component	ATA:24
PN:731579C	MOS/MSC	24-Jul-15	O/C		TSO 0				
SN:0281/0725	HRS	8801.8			TSO 0				
	AFL	4615			TSO 0				
PROC. REF: AMM 24-21-00									
242101-001	NO. 1 GENERATOR CONTROL UNIT							Component	ATA:24
PN:7208469	MOS/MSC	04-Jun-10	O/C						
SN:0907	HRS	6167.27							
	AFL	3268							
PROC. REF: AMM 24-21-41									
242101-002	NO. 2 GENERATOR CONTROL UNIT							Component	ATA:24
PN:7208469	MOS/MSC	04-Jun-10	O/C						
SN:0861	HRS	6167.27							
	AFL	3268							
PROC. REF: AMM 24-21-41									
242101-003	NO. 3 GENERATOR CONTROL UNIT							Component	ATA:24
PN:720846B	MOS/MSC	24-Sep-90	O/C						
SN:0907	HRS	0			TSN 0				
	AFL	0							
PROC. REF: AMM 24-21-41									
242103-001	NO. 1 HEAT IDG EXCHANGER							Component	ATA:24
PN:24E26-1	MOS/MSC	24-Sep-90	O/C						
SN:06900163	HRS	0			TSN 0				
	AFL	0							
PROC. REF: AMM 24-21-36									
242103-002	NO. 2 HEAT IDG EXCHANGER							Component	ATA:24
PN:24E26-1	MOS/MSC	24-Sep-90	O/C						
SN:05900925	HRS	0			TSN 0				
	AFL	0							
PROC. REF: AMM 24-21-36									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
242200-001	APU GENERATOR ADAPTER							Component	ATA:24
PN:722773C	MOS/MSC	24-Sep-90	O/C						
SN:0265	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 24-22-00					
242301-001	ADG AIR DRIVEN TURBINE ASSY							Component	ATA:24
PN:728315D	MOS/MSC	08-Mar-18	O/C						
SN:0352	HRS	9210.8							
	AFL	5081							
				PROC. REF: AMM 24-23-00					
242302-001	AIR DRIVEN GENERATOR UPLOCK ASSEMBLY							Component	ATA:24
PN:721863C	MOS/MSC	18-Nov-94	O/C						
SN:0174	HRS	912							
	AFL	433							
				PROC. REF: AMM 24-23-31					
242303-001	AIR DRIVEN GEN AUTO DEPLOY CONTROLLER							Component	ATA:24
PN:600-59143-5	MOS/MSC	08-Sep-16	O/C						
SN:017	HRS	8875.9							
	AFL	4712							
				PROC. REF: AMM 24-23-46					
242304-001	AIR DRIVEN GENERATOR HAND PUMP							Component	ATA:24
PN:731879B	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 24-23-00					
242305-001	AIR DRIVEN GENERATOR EJECT JACK							Component	ATA:24
PN:728431B	MOS/MSC	24-Sep-90	O/C						
SN:348	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 24-23-16					
242306-001	ELECTRICAL UPLOCK (SQUIB) ACTUATOR							Component	ATA:24
PN:055046B	MOS/MSC	20-Sep-21	O/C	TSN 4					
SN:822-830	HRS	9728		TSN 0					
	AFL	5799		TSN 0					
				PROC. REF: AMM 24-23-31					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
242306-001A	SERVICE LIFE ELECTRICAL UPLOCK (SQUIB) ACTUATOR (42 MOS FROM INSTALLATION)							Service	ATA:24
PN:055046B	MOS	20-Sep-21	42		20-Mar-25		504 d	SERVICE LIFE LIMIT	
SN:822-830	HRS								
	AFL								
PROC. REF: GENERIC NO REF, TLMC 5-10-20									
242306-001B	SHELF LIFE ELECTRICAL UPLOCK (SQUIB) ACTUATOR (60 MOS FROM MANUFACTURE)							Service	ATA:24
PN:055046B	MOS	01-May-21	60		01-May-26		911 d	LIFE LIMIT	
SN:822-830	HRS								
	AFL								
PROC. REF: TLMC 5-10-20									
242310-001	AIR DRIVEN GENERATOR CONTROL							Component	ATA:24
PN:728318B	MOS/MSC	24-Sep-90	O/C						
SN:1077	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 24-23-36									
242341-701 ^U	SWITCH BANK (ALT P/N C63228-1) ASSEMBLY							Component	ATA:24
PN:600-90830-5	MOS/MSC	29-Oct-19	O/C						
SN:526	HRS	9469							
	AFL	5428							
243300-002	MAIN BATTERY							Component	ATA:24
PN:40178-26	MOS/MSC	19-Oct-22	O/C	TSN 44, TSO 0					
SN:0905200218537	HRS	9861.1		TSN 482.7, TSO 0					
	AFL	5949		TSN 657, TSO 0					
PROC. REF: AMM 24-33-00									
243300-002A ^U	FUNCTIONAL CHECK MAIN BATTERY (CAPACITY TEST)							Service	ATA:24
PN:40178-26	MOS	15-May-23	6		15-Nov-23		13 d	MSG-3	
SN:0905200218537	HRS	9985.1							
	AFL	6050							
243303-002	MAIN BATTERY CHARGER							Component	ATA:24
PN:600-59140-11-35	MOS/MSC	06-Feb-15	O/C						
SN:326	HRS	8624.1							
	AFL	4512							
PROC. REF: AMM 24-33-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
244100-001	MONITOR - EXTERNAL POWER RELAY							Component	ATA:24
PN:EP361	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
PROC. REF: GENERIC NO REF									
245101-001	FREQUENCY/VOLTAGE SENSOR							Component	ATA:24
PN:VS403.3	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
PROC. REF: GENERIC NO REF									
245303-001	NO. 1 TRANSFORMER RECTIFIER (TRU) AC UNIT							Component	ATA:24
PN:MS17976-2	MOS/MSC	07-Feb-13	O/C	TSR 17					
SN:4684	HRS	7916.67		TSR 0					
	AFL	4115		TSR 0					
PROC. REF: AMM 24-31-06									
245303-002	NO. 2 TRANSFORMER RECTIFIER (TRU) AC UNIT							Component	ATA:24
PN:MS17976-2	MOS/MSC	07-Feb-13	O/C	TSR 7					
SN:5188	HRS	7916.67		TSR 0					
	AFL	4115		TSR 0					
PROC. REF: AMM 24-31-06									
245303-003	NO. 3 TRANSFORMER RECTIFIER (TRU) AC UNIT							Component	ATA:24
PN:MS17976-2	MOS/MSC	23-Oct-00	O/C	TSO 6					
SN:3559	HRS	2951		TSO 0					
	AFL	1494		TSO 0					
PROC. REF: AMM 24-31-06									
245303-004	NO. 4 TRANSFORMER RECTIFIER (TRU) AC UNIT							Component	ATA:24
PN:28VS100Y10A	MOS/MSC	16-Jul-02	O/C						
SN:4783	HRS	3545							
	AFL	1823							
PROC. REF: AMM 24-31-06									
24BATT1 ^U	SPARE BATTERY							Component	ATA:24
PN:PN	MOS/MSC		O/C					CUSTOMER CODE	
SN:UNKNOWN	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
25-10-00-201 (MSG3) ^S		OPERATIONAL TEST INERTIAL REEL AND INERTIA REEL CONTROL						Service	ATA:25
	MOS	20-Sep-21	24 (+1m/-1m)					MSG-3	
	HRS	9728							
	AFL	5799							
				PROC. REF: MTC 25-10-00-201				PKG:210	
25-10-00-202 (MSG3) ^S		GENERAL VISUAL INSPECTION CREW SEATS						Service	ATA:25
	MOS	20-Sep-21	24 (+1m/-1m)					MSG-3	
	HRS	9728							
	AFL	5799							
				PROC. REF: MTC 25-10-00-202				PKG:210	
251100-001		PILOT SEAT						Component	ATA:25
PN:600-40022-7	MOS/MSC	24-Sep-90	O/C						
SN:243-90	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 25-11-00					
251100-002		COPILOT SEAT						Component	ATA:25
PN:600-40022-8	MOS/MSC	05-Sep-16	O/C						
SN:241-90	HRS	8875.9		TSN 8875.9					
	AFL	4712							
				PROC. REF: AMM 25-11-00					
251300-001		NO. 1 REEL AND CONTROL HARNESS						Component	ATA:25
PN:1S20B25A4X21	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 25-13-11					
251300-002		NO. 2 REEL AND CONTROL HARNESS						Component	ATA:25
PN:1S20B25A4X21	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 25-13-11					
251326-001		PILOT LAP BELT						Component	ATA:25
PN:1101020-29	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 25-13-26					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
251326-002		COPILOT LAP BELT						Component	ATA:25
PN:1101020-31	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 25-13-26									
253010 ^U		LH COCKPIT EVAS						Component	ATA:25
PN:107STC-119	MOS/MSC	02-Oct-23	O/C					CUSTOMER CODE	
SN:0066X09P	HRS	10027.9							
	AFL	6138							
253010-1 ^U		LH EVAS INSPECTION & OPERATIONAL CHECK IAW STC CAM PARAGRAPH 2.1.2.1						Service	ATA:25
PN:107STC-119	MOS	02-Oct-23	3		02-Jan-24		61 d	CUSTOMER CODE	
SN:0066X09P	HRS	10027.9	300		10327.9		300		
	AFL	6138							
253010-2 ^U		LH EVAS CONDITION CHECK IAW STC CAM PARAGRAPH 2.1.3						Service	ATA:25
PN:107STC-119	MOS	02-Oct-23	24		02-Oct-25		700 d	CONDITION CHECK	
SN:0066X09P	HRS	10027.9							
	AFL	6138							
253010-3 ^U		LH EVAS OVERHAUL IAW STC CAM PARAGRAPH 2.2						Service	ATA:25
PN:107STC-119	MOS	02-Oct-23	120		02-Oct-33		3622 d	OVERHAUL	
SN:0066X09P	HRS	10027.9							
	AFL	6138							
253020 ^U		RH COCKPIT EVAS						Component	ATA:25
PN:107STC-120	MOS/MSC	02-Oct-23	O/C	TSN 121, TSO 67				CUSTOMER CODE	
SN:0067X09P	HRS	10027.9		TSN 1744.37, TSO 817.1					
	AFL	6138		TSN 1866, TSO 1057					
253020-1 ^U		RH EVAS INSPECTION & OPERATIONAL CHECK IAW STC CAM PARAGRAPH 2.1.2.1						Service	ATA:25
PN:107STC-120	MOS	02-Oct-23	3		02-Jan-24		61 d	CUSTOMER CODE	
SN:0067X09P	HRS	10027.9	300		10327.9		300		
	AFL	6138							
253020-2 ^U		RH EVAS CONDITION CHECK IAW STC CAM PARAGRAPH 2.1.3						Service	ATA:25
PN:107STC-120	MOS	02-Oct-23	24		02-Oct-25		700 d	CONDITION CHECK	
SN:0067X09P	HRS	10027.9							
	AFL	6138							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
253020-3 ^U	RH EVAS OVERHAUL IAW STC CAM PARAGRAPH 2.2							Service	ATA:25
PN:107STC-120	MOS	02-Oct-23	120		02-Oct-33		3622 d	OVERHAUL	
SN:0067X09P	HRS	10027.9							
	AFL	6138							
256510-720 ^U	MONTHLY CHECK DEFIBRILLATOR (AED)							Service	ATA:25
	MOS	02-Oct-23	1		02-Nov-23		0 d		
	HRS	10027.9							
	AFL	6138							
256510-725 ^U	DEFIBRILLATOR (AED)							Component	ATA:25
PN:M5068A	MOS/MSC	07-Jul-15	O/C						
SN:A14J-07942	HRS	8799.6							
	AFL	4612							
259201 ^U	EMERGENCY LOCATOR TRANSMITTER							Component	ATA:25
PN:453-5002-366	MOS/MSC	29-Apr-15	N/R						
SN:170-06088	HRS	8737.8							
	AFL	4571							
259202 ^{U S}	INSPECT ELT BENCH AND ON AIRCRAFT PERFORMANCE TEST							Service	ATA:25
	MOS	19-Oct-22	12						
	HRS	9861.1							
	AFL	5949							
PKG:200									
259203 ^{U S}	INSPECT/CHECK ELT EQUIPMENT MOUNTING SECURITY AND CONDITION							Service	ATA:25
	MOS	19-Oct-22	12						
	HRS	9861.1							
	AFL	5949							
PKG:200									
259205 ^{U S}	CHECK EMERGENCY LOCATOR TRANSMITTER (ELT)							Service	ATA:25
PN:453-5002-366	MOS	19-Oct-22	12						
SN:170-06088	HRS	9861.1							
	AFL	5949							
PKG:200									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
259206^U ELT ANTENNA Component ATA:25								
PN:455-5015-999	MOS/MSC	02-Sep-04	N/R					
SN:4013304	HRS	4124		TSN 0				
	AFL	2131		TSN 0				
259209^U ELT NAV INTERFACE UNIT Component ATA:25								
PN:455-6500	MOS/MSC		O/C					
SN:03805	HRS							
	AFL							
259225^{U S} INSP/CHCK EMERGENCY LOCATOR TRANSMITTER BATTERY Service ATA:25								
PN:453-5002-366	MOS	19-Oct-22	12					
SN:170-06088	HRS	9861.1						
	AFL	5949						
PKG:200								
259227^U REPLACE EMERGENCY LOCATOR TRANSMITTER BATTERY Service ATA:25								
PN:453-5002-366	MOS/MSC	02-Oct-18	DUE		31-Oct-23 (M)		OVD	
SN:170-06088	HRS	9282.6						
	AFL	5200						
259301^U NO. 1 LIFE JACKET Component ATA:25								
PN:P01074-209	MOS/MSC	19-Oct-22	O/C	TSN 0				
SN:UNKNOWN	HRS	9861.1		TSN 0				
	AFL	5949		TSN 0				
259303^U NO. 2 LIFE JACKET Component ATA:25								
PN:P01074-209	MOS/MSC	19-Oct-22	O/C	TSN 0				
SN:UNKNOWN	HRS	9861.1		TSN 0				
	AFL	5949		TSN 0				
259305^U NO. 3 LIFE JACKET Component ATA:25								
PN:P01074-209	MOS/MSC	19-Oct-22	O/C	TSN 0				
SN:UNKNOWN	HRS	9861.1		TSN 0				
	AFL	5949		TSN 0				
259307^U NO. 4 LIFE JACKET Component ATA:25								
PN:P01074-209	MOS/MSC	19-Oct-22	O/C	TSN 0				
SN:UNKNOWN	HRS	9861.1		TSN 0				
	AFL	5949		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
259309^U NO. 5 LIFE JACKET Component ATA:25								
PN:P01074-209	MOS/MSC	19-Oct-22	O/C	TSN 0				
SN:UNKNOWN	HRS	9861.1		TSN 0				
	AFL	5949		TSN 0				
259311^U NO. 6 LIFE JACKET Component ATA:25								
PN:P01074-209	MOS/MSC	19-Oct-22	O/C	TSN 0				
SN:UNKNOWN	HRS	9861.1		TSN 0				
	AFL	5949		TSN 0				
259313^U NO. 7 LIFE JACKET Component ATA:25								
PN:P01074-209	MOS/MSC	19-Oct-22	O/C	TSN 0				
SN:UNKNOWN	HRS	9861.1		TSN 0				
	AFL	5949		TSN 0				
259315^U NO. 8 LIFE JACKET Component ATA:25								
PN:P01074-209	MOS/MSC	19-Oct-22	O/C	TSN 0				
SN:UNKNOWN	HRS	9861.1		TSN 0				
	AFL	5949		TSN 0				
259317^U NO. 9 LIFE JACKET Component ATA:25								
PN:P01074-209	MOS/MSC	19-Oct-22	O/C	TSN 0				
SN:UNKNOWN	HRS	9861.1		TSN 0				
	AFL	5949		TSN 0				
259319^U NO. 10 LIFE JACKET Component ATA:25								
PN:P01074-209	MOS/MSC	19-Oct-22	O/C	TSN 0				
SN:UNKNOWN	HRS	9861.1		TSN 0				
	AFL	5949		TSN 0				
259321^U NO. 11 LIFE JACKET Component ATA:25								
PN:P01074-209	MOS/MSC	19-Oct-22	O/C	TSN 0				
SN:UNKNOWN	HRS	9861.1		TSN 0				
	AFL	5949		TSN 0				
259323^U NO. 12 LIFE JACKET Component ATA:25								
PN:P01074-209	MOS/MSC	19-Oct-22	O/C	TSN 0				
SN:UNKNOWN	HRS	9861.1		TSN 0				
	AFL	5949		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
259325^U NO. 13 LIFE JACKET Component ATA:25								
PN:P01074-209	MOS/MSC	19-Oct-22	O/C	TSN 0				
SN:UNKNOWN	HRS	9861.1		TSN 0				
	AFL	5949		TSN 0				
259327^U NO. 14 LIFE JACKET Component ATA:25								
PN:P01074-209	MOS/MSC	19-Oct-22	O/C	TSN 0				
SN:UNKNOWN	HRS	9861.1		TSN 0				
	AFL	5949		TSN 0				
259351^U CHECK NO. 1 LIFE JACKET Service ATA:25								
PN:P01074-209	MOS	19-Oct-22	120		19-Oct-32		3274 d	
SN:UNKNOWN	HRS	9861.1						
	AFL	5949						
259353^U CHECK NO. 2 LIFE JACKET Service ATA:25								
PN:P01074-209	MOS	19-Oct-22	120		19-Oct-32		3274 d	
SN:UNKNOWN	HRS	9861.1						
	AFL	5949						
259355^U CHECK NO. 3 LIFE JACKET Service ATA:25								
PN:P01074-209	MOS	19-Oct-22	120		19-Oct-32		3274 d	
SN:UNKNOWN	HRS	9861.1						
	AFL	5949						
259357^U CHECK NO. 4 LIFE JACKET Service ATA:25								
PN:P01074-209	MOS	19-Oct-22	120		19-Oct-32		3274 d	
SN:UNKNOWN	HRS	9861.1						
	AFL	5949						
259359^U CHECK NO. 5 LIFE JACKET Service ATA:25								
PN:P01074-209	MOS	19-Oct-22	120		19-Oct-32		3274 d	
SN:UNKNOWN	HRS	9861.1						
	AFL	5949						
259361^U CHECK NO. 6 LIFE JACKET Service ATA:25								
PN:P01074-209	MOS	19-Oct-22	120		19-Oct-32		3274 d	
SN:UNKNOWN	HRS	9861.1						
	AFL	5949						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
259363 ^U	CHECK NO. 7 LIFE JACKET							Service	ATA:25
PN:P01074-209	MOS	19-Oct-22	120		19-Oct-32		3274 d		
SN:UNKNOWN	HRS	9861.1							
	AFL	5949							
259365 ^U	CHECK NO. 8 LIFE JACKET							Service	ATA:25
PN:P01074-209	MOS	19-Oct-22	120		19-Oct-32		3274 d		
SN:UNKNOWN	HRS	9861.1							
	AFL	5949							
259367 ^U	CHECK NO. 9 LIFE JACKET							Service	ATA:25
PN:P01074-209	MOS	19-Oct-22	120		19-Oct-32		3274 d		
SN:UNKNOWN	HRS	9861.1							
	AFL	5949							
259369 ^U	CHECK NO. 10 LIFE JACKET							Service	ATA:25
PN:P01074-209	MOS	19-Oct-22	120		19-Oct-32		3274 d		
SN:UNKNOWN	HRS	9861.1							
	AFL	5949							
259371 ^U	CHECK NO. 11 LIFE JACKET							Service	ATA:25
PN:P01074-209	MOS	19-Oct-22	120		19-Oct-32		3274 d		
SN:UNKNOWN	HRS	9861.1							
	AFL	5949							
259373 ^U	CHECK NO. 12 LIFE JACKET							Service	ATA:25
PN:P01074-209	MOS	19-Oct-22	120		19-Oct-32		3274 d		
SN:UNKNOWN	HRS	9861.1							
	AFL	5949							
259375 ^U	CHECK NO. 13 LIFE JACKET							Service	ATA:25
PN:P01074-209	MOS	19-Oct-22	120		19-Oct-32		3274 d		
SN:UNKNOWN	HRS	9861.1							
	AFL	5949							
259377 ^U	CHECK NO. 14 LIFE JACKET							Service	ATA:25
PN:P01074-209	MOS	19-Oct-22	120		19-Oct-32		3274 d		
SN:UNKNOWN	HRS	9861.1							
	AFL	5949							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
259401 ^U		NO. 1 LIFE RAFT						Component	ATA:25
PN:1015FASA-6K4-1-105	MOS/MSC	24-May-22	O/C	TSN 112					
SN:10UL-01897	HRS	9803		TSN 1887.83					
	AFL	5878		TSN 1765					
259401A ^U		CHECK NO. 1 LIFE RAFT						Service	ATA:25
PN:1015FASA-6K4-1-105	MOS	24-May-22	36		24-May-25		569 d		
SN:10UL-01897	HRS	9803							
	AFL	5878							
259406 ^U		NO. 2 LIFE RAFT						Component	ATA:25
PN:1015FASA-6K4-1-105	MOS/MSC	24-May-22	O/C	TSN 112, TSO 34					
SN:10UL-01898	HRS	9803		TSN 1887.83, TSO 355.8					
	AFL	5878		TSN 1765, TSO 490					
259406A ^U		CHECK NO. 2 LIFE RAFT						Service	ATA:25
PN:1015FASA-6K4-1-105	MOS	24-May-22	36		24-May-25		569 d		
SN:10UL-01898	HRS	9803							
	AFL	5878							
259406B ^U		HYDROSTATIC TEST NO. 2 LIFE RAFT BOTTLE						Service	ATA:25
PN:1015FASA-6K4-1-105	MOS	24-May-22	60		24-May-27		1299 d		
SN:10UL-01898	HRS	9803							
	AFL	5878							
259451 ^U		PILOT SMOKE HOOD						Component	ATA:25
PN:MR-10010N	MOS/MSC	17-Oct-15	DUE	TSN 0	28-Feb-26 (M)		849 d		
SN:R1421336	HRS	8832.9		TSN 0					
	AFL	4664		TSN 0					
259453 ^U		COPILOT SMOKE HOOD						Component	ATA:25
PN:MR-10010N	MOS/MSC	17-Oct-15	DUE	TSN 0	28-Feb-26 (M)		849 d		
SN:R1421379	HRS	8832.9		TSN 0					
	AFL	4664		TSN 0					
259455 ^U		JUMP SEAT SMOKE HOOD						Component	ATA:25
PN:MR-10010N	MOS/MSC	17-Oct-15	DUE	TSN 0	28-Feb-26 (M)		849 d		
SN:R1421402	HRS	8832.9		TSN 0					
	AFL	4664		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
259457^U PROTECTIVE BREATHING EQUIPMENT Component ATA:25								
PN:MR10010N	MOS/MSC	17-Oct-15	DUE	TSN 0	28-Feb-26 (M)		849 d	
SN:R1421336	HRS	8832.9		TSN 0				
	AFL	4664		TSN 0				
		Expiry Date: : 28-Feb-26						
259501^U FIRST AID KIT Component ATA:25								
PN:RE1013-107	MOS/MSC	28-Sep-20	O/C	TSN 18				
SN:FASAO036	HRS	9564.1		TSN 0				
	AFL	5575		TSN 0				
259501A^{U S} CHECK AND INSPECT FIRST AID KIT Service ATA:25								
PN:RE1013-107	MOS	19-Oct-22	12					
SN:FASAO036	HRS	9861.1						
	AFL	5949						
								PKG:200
259501B^U MONTHLY CHECK FIRST AID KIT Service ATA:25								
	MOS	02-Oct-23	1		02-Nov-23		0 d	
	HRS	10027.9						
	AFL	6138						
259511-901^U CHECK AIRCELL (TRANSCIEVER, DIU, CTU) AND FDR , INSTALLATIONS, AFTWARDROBE.WIRING FOR CUTS, ABRASIONS, BURNS, ETC. AND CONNECTORS FOR WIRE TERMINATIONS• ATTACHMENTS - CHECK FOR CONDITION AND SECURITY OF MOUNTING Service ATA:25								
	MOS	03-Mar-21						
	HRS	9644.1	600		10244.1		216.2	
	AFL	5660						
259605^U CD/DVD CONTROL PANEL SIDE LEDGE Component ATA:25								
PN:0300-401	MOS/MSC		O/C					
SN:0611P056	HRS							
	AFL							
259607^U DVD INSTALLATION GALLEY Component ATA:25								
PN:0601-001	MOS/MSC	17-Mar-10	O/C					
SN:0910Y003	HRS	6129.88						
	AFL	3248						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
259607A ^U		CHECK DVD INSTALLATION GALLEY WIRING FOR CUTS, ABRASIONS, BURNS, ETC. AND CONNECTORS FOR WIRE TERMINATIONS• ATTACHMENTS - CHECK FOR CONDITION AND SECURITY OF MOUNTING						Service	ATA:25
PN:0601-001	MOS	03-Mar-21							
SN:0910Y003	HRS	9644.1	600		10244.1		216.2		
	AFL	5660							
259610 ^U		GALLEY FREQUENCY CONVERTER						Component	ATA:25
PN:1-002-0102-1959	MOS/MSC	14-Mar-14	O/C						
SN:HT000237	HRS								
	AFL								
259613 ^U		AERIAL VIEW CAMERA HEAD						Component	ATA:25
PN:AVS460-24-28T-CH	MOS/MSC	07-Sep-07	O/C						
SN:47572-506M1	HRS	5330							
	AFL	2854							
259615 ^U		CAMERA CONTROL UNIT						Component	ATA:25
PN:AVS460-24-28T-CCU	MOS/MSC	07-Sep-07	N/R						
SN:202933-506M1	HRS	5330							
	AFL	2854							
259620 ^U		VIDEO SWITCH						Component	ATA:25
PN:912000	MOS/MSC	18-Nov-94	N/R						
SN:977	HRS	912		TSN 0					
	AFL	433		TSN 0					
259621 ^U		AIRSHOW COMPUTER						Component	ATA:25
PN:925000-100	MOS/MSC	03-May-19	N/R	TSR 0					
SN:F01006875	HRS	9427.6		TSR 0					
	AFL	5352		TSR 0					
259631 ^U		AIRSHOW FLIGHT DECK CONTROLLER						Component	ATA:25
PN:922000-2	MOS/MSC	02-Sep-04	O/C						
SN:G03243279	HRS	4124.52							
	AFL	2131							
259721 ^U		17" MONITOR-						Component	ATA:25
PN:1700-001	MOS/MSC	18-Jan-05	O/C	TSR 0					
SN:0312T007	HRS	4220		TSR 0					
	AFL	2193							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
259731 ^U	17" MONITOR CONTROL PANEL							Component	ATA:25
PN:0300-402	MOS/MSC	02-Sep-04	O/C						
SN:120303	HRS	4124.52							
	AFL	2131							
389202 ^U	NO. 1 TOILET ELECTRIC MOTOR							Component	ATA:25
PN:3500-10	MOS/MSC	12-Oct-11	O/C						
SN:1740	HRS			TSO 0					
	AFL			TSO 0					
ATA 26 - FIRE PROTECTION									
26-10-00-201 (MSG3) ^S	GENERAL VISUAL INSPECTION MAIN LANDING GEAR (MLG) SENSING ELEMENT							Service	ATA:26
	MOS	08-Nov-18					MSG-3		
	HRS	9297.1	800 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 26-10-00-201				PKG:110	
26-10-00-202 (MSG3) ^S	FUNCTIONAL TEST MAIN LANDING GEAR (MLG) SENSING ELEMENT							Service	ATA:26
	MOS	25-Jan-13					MSG-3		
	HRS	7915.17	3200 (+40/-40)						
	AFL	4113							
				PROC. REF: MTC 26-10-00-202				PKG:150	
26-20-00-203 (MSG3)	DETAILED INSPECTION FIRE-EXTINGUISHING- SYSTEM LINES							Service	ATA:26
	MOS	24-Nov-21	48 (+1m/-1m)		24-Nov-25	24-Dec-25	753 d (+30)	MSG-3	
	HRS	9754							
	AFL	5828							
				PROC. REF: MTC 26-20-00-203					
26-20-00-204 (MSG3) ^S	FUNCTIONAL TEST BOTTLE 1 AND BOTTLE 2 ARMED PUSH TO DISCH SWITCH/LIGHTS							Service	ATA:26
	MOS	08-Nov-18					MSG-3		
	HRS	9297.1	4800 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 26-20-00-204				PKG:160	
26-20-00-205 (MSG3) ^S	DETAILED INSPECTION ENGINE FIRE-EXTINGUISHER-BOTTLE PRESSURE GAUGE							Service	ATA:26
	MOS	19-Oct-22	12 (+1m/-1m)				MSG-3		
	HRS	9861.1							
	AFL	5949							
				PROC. REF: MTC 26-20-00-205				PKG:200	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26-20-00-206 (MSG3) ^S	DETAILED INSPECTION AUXILIARY POWER UNIT (APU) FIRE-EXTINGUISHER-BOTTLE PRESSURE GAUGE							Service	ATA:26
	MOS	19-Oct-22	12 (+1m/-1m)					MSG-3	
	HRS	9861.1							
	AFL	5949							
				PROC. REF: MTC 26-20-00-206				PKG:200	
26-20-00-208 (MSG3) ^S	FUNCTIONAL TEST ENGINE FIRE SHUT-OFF RELAY CIRCUITRY							Service	ATA:26
	MOS	11-Mar-14						MSG-3	
	HRS	8472.27	1600 (+40/-40)						
	AFL	4374							
				PROC. REF: MTC 26-20-00-208				PKG:130	
26-20-00-210 (MSG3) ^S	FUNCTIONAL TEST AUXILIARY POWER UNIT (APU) FIRE-EXTINGUISHING SYSTEM							Service	ATA:26
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	4800 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 26-20-00-210				PKG:160	
26-20-00-211 (MSG3) ^S	OPERATIONAL TEST HYDRAULIC FIREWALL SHUT-OFF VALVE							Service	ATA:26
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	1600 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 26-20-00-211				PKG:130	
26-20-00-212 (MSG3) ^S	OPERATIONAL TEST ENGINE-FIREWALL FUEL SHUT-OFF VALVE							Service	ATA:26
	MOS	20-Sep-21						MSG-3	
	HRS	9728	400 (+40/-40)						
	AFL	5799							
				PROC. REF: MTC 26-20-00-212				PKG:100	
26-20-00-213 (MSG3) ^S	NO. 1 ENGINE - OPERATIONAL TEST OF THE ENGINE-FIREWALL FUEL SHUT-OFFVALVE FOR LEAKS							Service	ATA:26
	MOS	24-Sep-90						MSG-3	
	HRS	0	1600 (+40/-40)						
	ENC	0							
				PROC. REF: MTC 26-20-00-213, MTC 26-20-00-213, MTC 26-20-00-213					
26-20-00-213 (MSG3) ^S	NO. 2 ENGINE - OPERATIONAL TEST OF THE ENGINE-FIREWALL FUEL SHUT-OFFVALVE FOR LEAKS							Service	ATA:26
	MOS	24-Sep-90						MSG-3	
	HRS	0	1600 (+40/-40)						
	ENC	0							
				PROC. REF: MTC 26-20-00-213, MTC 26-20-00-213, MTC 26-20-00-213					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26-20-00-213 (MSG3) ^S	OPERATIONAL TEST OF THE ENGINE-FIREWALL FUEL SHUT-OFF VALVE FOR LEAKS							Service	ATA:26
	MOS	27-Feb-14						MSG-3	
	HRS	8472.27	1600 (+40/-40)						
	AFL	4374							
	PROC. REF: MTC 26-20-00-213								PKG:130
26-20-00-217 (MSG3) ^S	DETAILED INSPECTION OF THE CABIN NO. 1 PORTABLE FIRE-EXTINGUISHER CONTAINER							Service	ATA:26
	MOS	24-Sep-90	144 (+1m/-1m)					MSG-3	
	HRS	0							
	AFL	0							
	PROC. REF: MTC 26-20-00-202								
26-20-00-217 (MSG3)	DETAILED INSPECTION OF THE COCKPIT PORTABLE FIRE-EXTINGUISHER CONTAINER							Service	ATA:26
PN:C325	MOS	02-Oct-23	144 (+1m/-1m)		02-Oct-35	02-Nov-35	4352 d (+31)	MSG-3	
SN:C32533389	HRS	10027.9							
	AFL	6138							
	PROC. REF: MTC 26-20-00-202								
26-20-00-218 (MSG3)	DETAILED INSPECTION OF THE ENGINE NO.1 FIRE-EXTINGUISHER CONTAINERS							Service	ATA:26
PN:899074-1	MOS	09-Oct-19	60 (+1m/-1m)		09-Oct-24	09-Nov-24	342 d (+31)	MSG-3	
SN:56242EL	HRS								
	AFL								
	PROC. REF: MTC 26-20-00-218								
26-20-00-218 (MSG3)	DETAILED INSPECTION OF THE ENGINE NO.2 FIRE-EXTINGUISHER CONTAINERS							Service	ATA:26
PN:899074-1	MOS	11-Jan-19	60 (+1m/-1m)		11-Jan-24	11-Feb-24	70 d (+31)	MSG-3	
SN:14082EL	HRS	9373.1							
	AFL	5288							
	PROC. REF: MTC 26-20-00-218								
26-25-00-212	WEIGHT CHECK COCKPIT FIRE EXTINGUISHER BOTTLE							Service	ATA:26
PN:C325	MOS	02-Oct-23	12 (+1m/-1m)		02-Oct-24	02-Nov-24	335 d (+31)		
SN:C32533389	HRS	10027.9							
WC#: 26.180	AFL	6138							
	PROC. REF: GENERIC NO REF								PKG:200

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
26-25-00-213	HYDROSTATIC TEST COCKPIT FIRE EXTINGUISHER BOTTLE							Service	ATA:26
PN:C325	MOS	02-Oct-23	60		02-Oct-28		1796 d	HYDROSTATIC TEST	
SN:C32533389	HRS	10027.9							
WC#: 26.145	AFL	6138							
PROC. REF: GENERIC NO REF, TLMC 5-20-15									
261000-001	LEFT ENGINE FIRE DETECTION CONTROL							Component	ATA:26
PN:377-02836	MOS/MSC	24-Sep-90	O/C						
SN:8947-026	HRS	0		TSN 0					
	AFL	0							
PROC. REF: GENERIC NO REF									
261000-002	RIGHT ENGINE FIRE DETECTION CONTROL							Component	ATA:26
PN:377-02836	MOS/MSC	24-Sep-90	O/C						
SN:8905-026	HRS	0		TSN 0					
	AFL	0							
PROC. REF: GENERIC NO REF									
261000-003	LH JETPIPE & PYLON FIRE DETECTION CONTROL							Component	ATA:26
PN:377-02836	MOS/MSC	24-Sep-90	O/C						
SN:8905-002	HRS	0		TSN 0					
	AFL	0							
PROC. REF: GENERIC NO REF									
261000-004	RH JETPIPE & PYLON FIRE DETECTION CONTROL							Component	ATA:26
PN:377-02836	MOS/MSC	24-Sep-90	O/C						
SN:8905-006	HRS	0		TSN 0					
	AFL	0							
PROC. REF: GENERIC NO REF									
261000-005	APU FIRE DETECTION CONTROL							Component	ATA:26
PN:377-02836	MOS/MSC	24-Sep-90	O/C						
SN:8905-022	HRS	0		TSN 0					
	AFL	0							
PROC. REF: GENERIC NO REF									
261000-006	MLG WHEEL BIN FIRE DETECTION CONTROL							Component	ATA:26
PN:377-02836	MOS/MSC	24-Sep-90	O/C						
SN:8939-027	HRS	0		TSN 0					
	AFL	0							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
261001-001	NO. 1 MAIN LANDING GEAR FIRE SENSING ELEMENT							Component	ATA:26
PN:244-03615	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: GENERIC NO REF								
261001-002	NO. 2 MAIN LANDING GEAR FIRE SENSING ELEMENT							Component	ATA:26
PN:244-03615	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: GENERIC NO REF								
261010-001	NO. 1 FIRE SENSING PYLON ELEMENT							Component	ATA:26
PN:244-05215	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 26-10-11								
261010-002	NO. 2 FIRE SENSING PYLON ELEMENT							Component	ATA:26
PN:244-05215	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 26-10-11								
261011-001	LEFT INBOARD FIRE SENSING ELEMENT							Component	ATA:26
PN:244-06322	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 26-10-11								
261011-003	LEFT OUTBOARD FIRE SENSING ELEMENT							Component	ATA:26
PN:244-06322	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 26-10-11								
261011-004	RIGHT OUTBOARD FIRE SENSING ELEMENT							Component	ATA:26
PN:244-06322	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 26-10-11								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
261011-007	RIGHT INBOARD FIRE SENSING ELEMENT							Component	ATA:26
PN:244-06322	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 26-10-11					
261012-001	NO. 1 OVERHEAT DETECTION JET PIPE ELEMENT							Component	ATA:26
PN:244-12445	MOS/MSC	12-Oct-05	O/C						
SN:40509	HRS	4563		TSN 0					
	AFL	2363		TSN 0					
				PROC. REF: AMM 26-10-11					
261012-002	NO. 2 OVERHEAT DETECTION JET PIPE ELEMENT							Component	ATA:26
PN:244-12445	MOS/MSC	07-Sep-07	O/C	TSN 0					
SN:65018	HRS	5330		TSN 0					
	AFL	2854		TSN 0					
				PROC. REF: AMM 26-10-11					
261014-001	FIRE SENSING - APU ELEMENT							Component	ATA:26
PN:744-21086	MOS/MSC	07-Sep-07	O/C						
SN:72001	HRS	5330							
	AFL	2854							
				PROC. REF: AMM 26-10-11					
262111-001	APU FIRE EXTINGUISHER BOTTLE							Component	ATA:26
PN:897889-2	MOS/MSC	19-Oct-22	O/C	TSO 0					
SN:60898EL	HRS	9861.1		TSO 0					
	AFL	5949		TSO 0					
				PROC. REF: AMM 26-21-11					
262111-001C	FUNCTIONAL TEST APU FIRE EXTINGUISHER BOTTLE AUXILIARY POWER UNIT (APU) FIRE-EXTINGUISHER CONTAINER (26-20-00-214)							Service	ATA:26
PN:897889-2	MOS	19-Oct-22	60 (+1m/-1m)		19-Oct-27	19-Nov-27	1447 d (+31)	MSG-3	
SN:60898EL	HRS	9861.1							
WC#: 26.005	AFL	5949							
				PROC. REF: GENERIC NO REF					
262300-001	LEFT NO.1 FIRE EXTINGUISHING CARTRIDGE							Component	ATA:26
PN:M897776-01	MOS	27-Jan-23	120		01-Dec-32		3317 d	LIFE LIMIT	
SN:14033	HRS	9918.5		TSN 0					
	AFL	5992		TSN 0					
		Manufacture Date:: 01-Dec-22		PROC. REF: AMM 26-23-16					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
262300-002		LEFT NO.2 FIRE EXTINGUISHING CARTRIDGE							Component ATA:26
PN:M897776-01	MOS	27-Jan-23	120		01-Dec-32		3317 d	LIFE LIMIT	
SN:14234	HRS	9918.5		TSN 0					
	AFL	5992		TSN 0					
		Manufacture Date:: 01-Dec-22	PROC. REF: AMM 26-23-16						
262300-003		RIGHT NO. 1 FIRE EXTINGUISHING CARTRIDGE							Component ATA:26
PN:M897776-01	MOS	27-Jan-23	120		01-Dec-32		3317 d	LIFE LIMIT	
SN:14232	HRS	9918.5		TSN 0					
	AFL	5992		TSN 0					
		Manufacture Date:: 01-Dec-22	PROC. REF: AMM 26-23-16						
262300-004		RIGHT NO. 2 FIRE EXTINGUISHING CARTRIDGE							Component ATA:26
PN:M897776-01	MOS	27-Jan-23	120		01-Dec-32		3317 d	LIFE LIMIT	
SN:14325	HRS	9918.5		TSN 0					
	AFL	5992		TSN 0					
		Manufacture Date:: 01-Dec-22	PROC. REF: AMM 26-23-16						
262300-005		APU FIRE EXTINGUISHING CARTRIDGE							Component ATA:26
PN:897776-01	MOS	11-Dec-19	120		01-Jun-29		2038 d	LIFE LIMIT	
SN:12814	HRS	9478		TSN 0					
	AFL	5444		TSN 0					
		Manufacture Date:: 01-Jun-19	PROC. REF: AMM 26-21-16						
262311-001		NO. 1 ENGINE FIRE EXTINGUISHER BOTTLE							Component ATA:26
PN:899074-1	MOS/MSC	07-Nov-19	O/C	TSO 1					
SN:56242EL	HRS	9473		TSO 0					
	AFL	5436		TSO 0					
				PROC. REF: AMM 26-23-11					
262311-002		NO. 2 ENGINE FIRE EXTINGUISHER BOTTLE							Component ATA:26
PN:899074-1	MOS/MSC	22-Feb-19	O/C	TSO 1					
SN:14082EL	HRS	9373.1		TSO 0					
	AFL	5288		TSO 0					
				PROC. REF: AMM 26-23-11					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
262500-001	COCKPIT FIRE EXTINGUISHER BOTTLE							Component	ATA:26
PN:C325	MOS/MSC	02-Oct-23	O/C	TSN 82					
SN:C32533389	HRS	10027.9		TSN 1096.1					
	AFL	6138		TSN 1364					
				PROC. REF: AMM 26-25-00					
262500-001C ^U	MONTHLY CHECK COCKPIT FIRE EXTINGUISHER BOTTLE							Service	ATA:26
	MOS	02-Oct-23	1		02-Nov-23		0 d		
	HRS	10027.9							
	AFL	6138							
269006 ^U	CABIN FIRE EXTINGUISHER - PORTABLE BOTTLE							Component	ATA:26
PN:C352	MOS/MSC	02-Oct-23	O/C	TSN 42					
SN:G-05851646	HRS	10027.9		TSN 463.8					
	AFL	6138		TSN 563					
269026 ^U	WEIGHT CHECK CABIN FIRE EXTINGUISHER - PORTABLE BOTTLE							Service	ATA:26
PN:C352	MOS	02-Oct-23	12		02-Oct-24		335 d		
SN:G-05851646	HRS								
	AFL								
								PKG:200	
269046 ^U	HYDROSTATIC TEST CABIN FIRE EXTINGUISHER - PORTABLE BOTTLE							Service	ATA:26
PN:C352	MOS	02-Oct-23	60		02-Oct-28		1796 d	HYDROSTATIC TEST	
SN:G-05851646	HRS								
	AFL								
269066 ^U	MONTHLY CHECK CABIN FIRE EXTINGUISHER - PORTABLE BOTTLE							Service	ATA:26
	MOS	02-Oct-23	1		02-Nov-23		0 d		
	HRS	10027.9							
	AFL	6138							
269216 ^U	NO. 1 AFT BAGGAGE SMOKE DETECTOR							Component	ATA:26
PN:FR2213	MOS/MSC	01-May-91	N/R						
SN:644	HRS	29							
	AFL	11							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
269226 ^U	SMOKE VANITY DETECTOR							Component	ATA:26
PN:FR2213	MOS/MSC	01-May-91	N/R						
SN:646	HRS	29							
	AFL	11							
ATA 27 - FLIGHT CONTROLS									
27-10-00-201 (MSG3) ^S	DETAILED INSPECTION FLIGHT CONTROL CABLES IN THE LOWER FORWARD FUSELAGE							Service	ATA:27
	MOS	07-Oct-19	60 (+1m/-1m)				MSG-3		
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 27-10-00-201				PKG:220	
27-10-00-202 (MSG3) ^S	FUNCTIONAL TEST ROLL DISCONNECT SYSTEM							Service	ATA:27
	MOS	08-Nov-18					MSG-3		
	HRS	9297.1	800 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 27-10-00-202				PKG:110	
27-10-00-203 (MSG3) ^S	DETAILED INSPECTION AILERON FLUTTER DAMPERS							Service	ATA:27
	MOS	08-Nov-18					MSG-3		
	HRS	9297.1	800 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 27-10-00-203				PKG:110	
27-10-00-204 (MSG3) ^S	OPERATIONAL TEST AILERON ANTI-UPFLOAT MECHANISM							Service	ATA:27
	MOS	08-Nov-18					MSG-3		
	HRS	9297.1	800 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 27-10-00-204				PKG:110	
27-10-00-205 (MSG3) ^S	DETAILED INSPECTION FLIGHT CONTROL CABLES IN THE MAIN AVIONICS COMPARTMENT							Service	ATA:27
	MOS	07-Oct-19	60 (+1m/-1m)				MSG-3		
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 27-10-00-205				PKG:220	
27-10-00-206 (MSG3) ^S	DETAILED INSPECTION FLIGHT CONTROL CABLES IN THE MAIN LANDING GEAR (MLG) WHEEL WELL							Service	ATA:27
	MOS	07-Oct-19	60 (+1m/-1m)				MSG-3		
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 27-10-00-206				PKG:220	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-10-00-207 (MSG3) ^S	DETAILED INSPECTION FLIGHT CONTROL CABLES IN THE MID-LOWER FUSELAGE							Service	ATA:27
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 27-10-00-207				PKG:220	
27-10-00-208 (MSG3) ^S	DETAILED INSPECTION FLIGHT CONTROL CABLES IN THE OUTBOARD WING BOX							Service	ATA:27
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 27-10-00-208				PKG:220	
27-10-00-209 (MSG3) ^S	DETAILED INSPECTION FLIGHT CONTROL CABLES IN THE INBOARD TRAILING EDGE							Service	ATA:27
	MOS	20-Sep-21	24 (+1m/-1m)					MSG-3	
	HRS	9728							
	AFL	5799							
				PROC. REF: MTC 27-10-00-209				PKG:210	
27-10-00-210 (MSG3) ^S	DETAILED INSPECTION FLIGHT CONTROL CABLES IN THE OUTBOARD TRAILING EDGE							Service	ATA:27
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 27-10-00-210				PKG:220	
27-10-00-211 (MSG3) ^S	FUNCTIONAL TEST AILERON FLUTTER DAMPERS							Service	ATA:27
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	4800 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 27-10-00-211				PKG:160	
27-10-00-212 (MSG3) ^S	DETAILED INSPECTION FLIGHT CONTROL CABLES IN THE CONTROL COLUMN							Service	ATA:27
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 27-10-00-212				PKG:220	
27-10-00-213 (MSG3) ^S	FUNCTIONAL TEST (BACKLASH) OF THE AILERON PCU							Service	ATA:27
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	800 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 27-10-00-213				PKG:110	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-10-00-214 (MSG3) ^S	LUBRICATION AILERON FLUTTER DAMPERS, PART NO. 600-75142-5/-7/-9							Service	ATA:27
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	800 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 27-10-00-214				PKG:110	
27-20-00-201 (MSG3) ^S	FUNCTIONAL TEST LOAD LIMITER TRAVEL (IN VERTICAL STABILIZER)							Service	ATA:27
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	4800 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 27-20-00-201				PKG:160	
27-20-00-202 (MSG3) ^S	GENERAL VISUAL INSPECTION RUDDER BALANCE SPRING							Service	ATA:27
	MOS	12-Feb-14						MSG-3	
	HRS	8472.27	1600 (+40/-40)						
	AFL	4374							
				PROC. REF: MTC 27-20-00-202				PKG:130	
27-20-00-203 (MSG3) ^S	GENERAL VISUAL INSPECTION SINGLE RUDDER CONTROL PATH							Service	ATA:27
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	4800 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 27-20-00-203				PKG:160	
27-20-00-207 (MSG3) ^S	DETAILED INSPECTION FLIGHT CONTROL CABLES IN THE AFT EQUIPMENT COMPARTMENT							Service	ATA:27
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 27-20-00-207				PKG:220	
27-20-00-208 (MSG3) ^S	DETAILED INSPECTION FLIGHT CONTROL MECHANISM IN THE FUSELAGE/STABILIZER SECTION							Service	ATA:27
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 27-20-00-208				PKG:220	
27-20-00-209 (MSG3) ^S	FUNCTIONAL TEST (BACKLASH) OF THE RUDDER PCU							Service	ATA:27
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	800 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 27-20-00-209				PKG:110	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-20-00-210 (MSG3) ^S	OPERATIONAL TEST JAM BREAKOUT MECHANISM							Service	ATA:27
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	4800 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 27-20-00-210				PKG:160	
27-30-00-201 (MSG3) ^S	OPERATIONAL TEST ELEVATOR DISCONNECT SYSTEM							Service	ATA:27
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	800 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 27-30-00-201				PKG:110	
27-30-00-206 (MSG3) ^S	DETAILED INSPECTION FLIGHT CONTROL CABLES IN THE VERTICAL STABILIZER							Service	ATA:27
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 27-30-00-206				PKG:220	
27-30-00-208 (MSG3) ^S	OPERATIONAL TEST JAM-TOLERANT MECHANISM							Service	ATA:27
	MOS	15-Jan-13						MSG-3	
	HRS	7915.17	3200 (+40/-40)						
	AFL	4113							
				PROC. REF: MTC 27-30-00-208				PKG:150	
27-30-00-209 (MSG3) ^S	OPERATIONAL TEST LOAD LIMITER (VERTICAL STABILIZER)							Service	ATA:27
	MOS	15-Jan-13						MSG-3	
	HRS	7915.17	3200 (+40/-40)						
	AFL	4113							
				PROC. REF: MTC 27-30-00-209				PKG:150	
27-30-00-211 (MSG3) ^S	GENERAL VISUAL INSPECTION ELEVATOR POWER-CONTROL-UNIT (PCU) CENTERING-SPRING							Service	ATA:27
	MOS	15-Jan-13						MSG-3	
	HRS	7915.17	3200 (+40/-40)						
	AFL	4113							
				PROC. REF: MTC 27-30-00-211				PKG:150	
27-30-00-212 (MSG3) ^S	FUNCTIONAL TEST ELEVATOR FLUTTER DAMPERS							Service	ATA:27
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	4800 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 27-30-00-212				PKG:160	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-30-00-213 (MSG3) ^S	DETAILED INSPECTION ELEVATOR FLUTTER DAMPERS							Service	ATA:27
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	800 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 27-30-00-213				PKG:110	
27-30-00-214 (MSG3) ^S	FUNCTIONAL TEST OF THE PITCH FEEL SIMULATOR.							Service	ATA:27
	MOS	14-Feb-14						MSG-3	
	HRS	8472.27	1600 (+40/-40)						
	AFL	4374							
				PROC. REF: MTC 27-30-00-214				PKG:130	
27-30-00-215 (MSG3) ^S	GENERAL VISUAL INSPECTION ELEVATOR BALANCE SPRINGS							Service	ATA:27
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	4800 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 27-30-00-215				PKG:160	
27-30-00-216 (MSG3) ^S	FUNCTIONAL TEST ELEVATOR BACKLASH							Service	ATA:27
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	800 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 27-30-00-216				PKG:110	
27-30-00-217 (MSG3) ^S	LUBRICATION ELEVATOR FLUTTER DAMPERS, PART NO. 600-75142-5/-7/-9							Service	ATA:27
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	800 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 27-30-00-217				PKG:110	
27-39-00-101	FUNCTIONAL TEST STALL PROTECTION SYSTEM (SPS) (PRE SB-601-0510) - OF THE FLAP INPUT							Service	ATA:27
	MOS/MSC	04-Mar-05	N/A					TERMINATED	
	HRS	4287							
	AFL	2234							
				PROC. REF: AMM 27-39-00					
27-39-00-102	FUNCTIONAL TEST STALL PROTECTION SYSTEM (SPS) (PRE SB-601-0510) - OF THE PHASE ADVANCE AND SIDESLIP COMPENSATION							Service	ATA:27
	MOS/MSC	27-Apr-07	N/A						
	HRS	5232.17							
	AFL	2809							
				PROC. REF: AMM 27-39-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-39-00-103	FUNCTIONAL TEST STALL PROTECTION SYSTEM (SPS) (POST SB-601-0510) - OF THE FLAP AND SIDESLIP COMPENSATION MONITOR							Service	ATA:27
	MOS	08-Nov-18							
	HRS	9297.1	4800		14097.1		4069.2		
	AFL	5212							
	PROC. REF: AMM 27-39-00								PKG:160
27-39-00-104	FUNCTIONAL TEST OF STICK PUSHER CAPSTAN (SPS) SHAFT							Service	ATA:27
	MOS	16-Sep-23						AIRWORTHINESS	
	HRS	10006.3	1500	Adj -34.03	11472.27		1444.4		
	AFL	6093							
	PROC. REF: AMM 27-39-31								
27-39-00-201 (MSG3) ^S	OPERATIONAL TEST SINGLE CHANNEL OF THE STALL PROTECTION COMPUTER							Service	ATA:27
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	800 (+40/-40)						
	AFL	5212							
	PROC. REF: MTC 27-39-00-201								PKG:110
27-39-00-202 (MSG3) ^S	OPERATIONAL TEST DUAL CHANNEL OF THE STALL PROTECTION COMPUTER							Service	ATA:27
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	800 (+40/-40)						
	AFL	5212							
	PROC. REF: MTC 27-39-00-202								PKG:110
27-40-00-102	OPERATIONAL TEST TRIM SYSTEM ACTUATOR BRAKE (POST SB-A601-0443, PART C AND/OR POST SB601-0555)							Service	ATA:27
	MOS/MSC		N/A					AIRWORTHINESS	
	HRS								
	AFL								
	PROC. REF: AMM 27-40-00								
27-40-00-201 (MSG3) ^S	LUBRICATION HORIZONTAL STABILIZER PITCH TRIM ACTUATOR							Service	ATA:27
	MOS	01-Jul-17						MSG-3	
	HRS	9064	1200 (+40/-40)						
	AFL	4900							
	PROC. REF: MTC 27-40-00-201								PKG:120
27-40-00-203 (MSG3) ^S	FUNCTIONAL TEST (BACKLASH) OF THE PITCH TRIM ACTUATOR							Service	ATA:27
	MOS	01-Jul-17						MSG-3	
	HRS	9064	1200 (+40/-40)						
	AFL	4900							
	PROC. REF: MTC 27-40-00-203								PKG:120

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-40-00-204 (MSG3) ^S	DETAILED INSPECTION HORIZONTAL-STABILIZER TRIM-ACTUATOR ASSEMBLY							Service	ATA:27
	MOS	01-Jul-17						MSG-3	
	HRS	9064	1200 (+40/-40)						
	AFL	4900							
				PROC. REF: MTC 27-40-00-204				PKG:120	
27-40-00-205 (MSG3)	FUNCTIONAL TEST TRIM SYSTEM ACTUATOR BRAKE							Service	ATA:27
	MOS	15-Mar-21						MSG-3	
	HRS	9646.2	600 (+40/-40)	Adj 26.07	10272.27	10312.27	244.4 (+40)		
	AFL	5664							
				PROC. REF: MTC 27-40-00-205					
27-50-00-201 (MSG3) ^S	FUNCTIONAL TEST ASYMMETRY/OVERSPEED DETECTOR AND BRAKE UNIT							Service	ATA:27
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	800 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 27-50-00-201				PKG:110	
27-50-00-202 (MSG3) ^S	DETAILED INSPECTION FLEXIBLE DRIVE SHAFT ASSEMBLY							Service	ATA:27
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	2400 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 27-50-00-202				PKG:140	
27-50-00-203 (MSG3) ^S	LUBRICATION BALL NUT OF THE FLAP ACTUATORS							Service	ATA:27
	MOS	19-Oct-22	12 (+1m/-1m)					MSG-3	
	HRS	9861.1							
	AFL	5949							
				PROC. REF: MTC 27-50-00-203				PKG:200	
27-50-00-204 (MSG3) ^S	LUBRICATION FLAP VANE ACTUATOR RODS							Service	ATA:27
	MOS	19-Oct-22	12 (+1m/-1m)					MSG-3	
	HRS	9861.1							
	AFL	5949							
				PROC. REF: MTC 27-50-00-204				PKG:200	
27-50-00-205 (MSG3) ^S	LUBRICATION BENT-UP TRAILING EDGE (BUTE) DOOR ROLLERS AND HINGE ASSEMBLIES							Service	ATA:27
	MOS	19-Oct-22	12 (+1m/-1m)					MSG-3	
	HRS	9861.1							
	AFL	5949							
				PROC. REF: MTC 27-50-00-205				PKG:200	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50-00-206 (MSG3) ^S		DETAILED INSPECTION INBOARD AND OUTBOARD FLAP ACTUATORS						Service	ATA:27
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	800 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 27-50-00-206				PKG:110	
27-50-00-207 (MSG3) ^S		FUNCTIONAL TEST INBOARD AND OUTBOARD FLAP ACTUATORS						Service	ATA:27
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	2400 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 27-50-00-207				PKG:140	
27-50-00-210 (MSG3) ^S		OPERATIONAL TEST FLAP PDU MOTOR BRAKE						Service	ATA:27
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	800 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 27-50-00-210				PKG:110	
27-50-00-211 (MSG3) ^S		OPERATIONAL TEST FLAP CONTROL UNIT ALL-DRIVERS-ON CIRCUIT						Service	ATA:27
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	4800 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 27-50-00-211				PKG:160	
27-50-16-101		RESTORATION LEFT INBOARD (OUTER FLAP) ACTUATOR						Service	ATA:27
PN:600-93000-93	MOS							RESTORE	
SN:2013	HRS								
	AFL	0	9600		9600		3462		
				PROC. REF: MPD SECTION 2.3.5, TLMC 5-10-30					
27-50-16-101		RESTORATION LEFT OUTBOARD (OUTER FLAP) ACTUATOR						Service	ATA:27
PN:600-93000-113	MOS							RESTORE	
SN:1214M	HRS								
	AFL	0	9600		9600		3462		
				PROC. REF: MPD SECTION 2.3.5, TLMC 5-10-30					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-50-16-101	RESTORATION OUTBOARD RIGHT OUTER FLAP ACTUATOR							Service	ATA:27
PN:600-93000-114	MOS							RESTORE	
SN:91-333M	HRS								
	AFL	0	9600		9600		3462		
PROC. REF: MPD SECTION 2.3.5, TLMC 5-10-30									
27-50-16-101	RESTORATION RIGHT INBOARD (OUTER FLAP) ACTUATOR							Service	ATA:27
PN:600-93000-93	MOS							RESTORE	
SN:1949	HRS								
	AFL	0	9600		9600		3462		
PROC. REF: MPD SECTION 2.3.5, TLMC 5-10-30									
27-60-00-201 (MSG3) ^S	LUBRICATION FLIGHT SPOILER FLEXSHAFT AND CONTROL CABLE ENDS							Service	ATA:27
	MOS	20-Sep-21						MSG-3	
	HRS	9728	400 (+40/-40)						
	AFL	5799							
PROC. REF: MTC 27-60-00-201									
27-60-00-206 (MSG3) ^S	GENERAL VISUAL INSPECTION FLIGHT SPOILER PCU							Service	ATA:27
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	800 (+40/-40)						
	AFL	5212							
PROC. REF: MTC 27-60-00-206									
27-60-00-207 (MSG3) ^S	DETAILED INSPECTION FLIGHT SPOILER DETENT MECHANISM ASSEMBLY							Service	ATA:27
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	800 (+40/-40)						
	AFL	5212							
PROC. REF: MTC 27-60-00-207									
27-60-00-208 (MSG3) ^S	OPERATIONAL TEST FLIGHT SPOILER PCU							Service	ATA:27
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	800 (+40/-40)						
	AFL	5212							
PROC. REF: MTC 27-60-00-208									
27-60-00-209 (MSG3) ^S	OPERATIONAL TEST GO-AROUND ALERT SYSTEM (POST SB-601-0040 & PRE SB-601-0095)							Service	ATA:27
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	800 (+40/-40)						
	AFL	5212							
PROC. REF: MTC 27-60-00-209									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
27-60-00-210 (MSG3) ^S		OPERATIONAL TEST THROTTLE SWITCHES						Service	ATA:27
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	800 (+40/-40)						
	AFL	5212							
					PROC. REF: MTC 27-60-00-210			PKG:110	
27-60-00-211 (MSG3)		OPERATIONAL TEST GROUND SPOILER PCU LOCKING MECHANISM (PRE SB-601-0224 - EFF 5001 TO 5038)						Service	ATA:27
	MOS/MSC	24-Jan-11	N/A					MSG-3	
	HRS	6628.52							
	AFL	3467							
					PROC. REF: MTC 27-60-00-211				
27-60-00-212 (MSG3)		OPERATIONAL TEST GROUND SPOILER / THRUST REVERSER SEPARATION DIODE (PRE SB-601-0113)						Service	ATA:27
	MOS/MSC	11-Jul-11	N/A					MSG-3	
	HRS	6902.37							
	AFL	3576							
					PROC. REF: MTC 27-60-00-212				
270000-001		PILOT CONTROL COLUMN WHEEL						Component	ATA:27
PN:600-90101-5	MOS/MSC	24-Sep-90	O/C						
SN:0409	HRS	0		TSN 0					
	AFL	0							
					PROC. REF: AMM 27-11-21				
270000-002		COPILOT CONTROL COLUMN WHEEL						Component	ATA:27
PN:600-90101-6	MOS/MSC	24-Sep-90	O/C						
SN:0416	HRS	0		TSN 0					
	AFL	0							
					PROC. REF: AMM 27-11-21				
270001-001		CONTROL SURFACE POSITION INDICATOR						Component	ATA:27
PN:600-50930-5	MOS/MSC	28-Jun-13	O/C						
SN:278	HRS	8162.27							
	AFL								
					PROC. REF: AMM 27-07-05				
270002-001		SURFACE TRIM INDICATOR						Component	ATA:27
PN:600-59125-17	MOS/MSC	28-Jun-13	O/C						
SN:322B	HRS	8162.27							
	AFL								
					PROC. REF: AMM 27-08-05				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
270500-001	FLIGHT CONTROL MONITOR UNIT							Component	ATA:27
PN:600-59133-5	MOS/MSC	24-Sep-90	O/C						
SN:318	HRS	0		TSN 0					
	AFL	0							
PROC. REF: GENERIC NO REF									
271016 ^U	LEFT AILERON POSITION TRANSMITTER							Component	ATA:27
PN:13TX0515A	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
271021 ^U	RIGHT AILERON POSITION TRANSMITTER							Component	ATA:27
PN:13TX0515A	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
271111-001	LEFT TENSION - AILERON REGULATOR							Component	ATA:27
PN:600-91301-9	MOS/MSC	24-Sep-90	O/C						
SN:177-90	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 27-11-11									
271111-002	RIGHT TENSION - AILERON REGULATOR							Component	ATA:27
PN:600-91301-10	MOS/MSC	24-Sep-90	O/C						
SN:176-90	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 27-11-11									
271116-001	RUDDER TRIM (ROLL & YAW) ACTUATOR							Component	ATA:27
PN:600-91100-3	MOS/MSC	28-Jun-13	O/C						
SN:10425	HRS	8162.27		TSN 248.1, TSR 0					
	AFL			TSN 119, TSR 0					
PROC. REF: AMM 27-21-16									
271116-002	AILERON TRIM (ROLL & YAW) ACTUATOR							Component	ATA:27
PN:600-91100-3	MOS/MSC	24-Sep-90	O/C						
SN:0503	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 27-11-16									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
271700-001	NO. 1 POWER CONTROL AILERON PCU							Component	ATA:27
PN:600-75100-15	MOS/MSC	12-Oct-12	O/C	TSR 0					
SN:0675CD	HRS	7674.43		TSR 0					
	AFL	4003		TSR 0					
	PROC. REF: AMM 27-17-00								
271700-002	NO. 2 POWER CONTROL AILERON PCU							Component	ATA:27
PN:600-75100-15	MOS/MSC	24-Sep-90	O/C						
SN:0505	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 27-17-00								
272041 ^U	RUDDER MIDDLE LOAD LIMITER							Component	ATA:27
PN:37380	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
272100-001	RUDDER POSITION TRANSMITTER							Component	ATA:27
PN:13TX0515A	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 27-23-11								
272102-001	NO. 1 LOAD - POWER CONTROL UNITS LIMITER							Component	ATA:27
PN:36990	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 27-21-11								
272111-001	YAW DAMPER LOAD LIMITER							Component	ATA:27
PN:36980	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 27-21-11								
272112-001	RUDDER LOAD LIMITER							Component	ATA:27
PN:600-91302-31	MOS/MSC	08-Nov-18	O/C						
SN:352081	HRS	9297.1							
	AFL	5212							
	PROC. REF: AMM 27-21-11								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
272112-002	RUDDER LOAD LIMITER							Component	ATA:27
PN:37390	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 27-21-11					
272500-001	NO. 1 POWER CONTROL RUDDER UNIT							Component	ATA:27
PN:600-75101-27	MOS/MSC	08-Nov-18	O/C						
SN:0610C	HRS	9297.1							
	AFL	5212							
				PROC. REF: AMM 27-25-00					
272500-002	NO. 2 POWER CONTROL RUDDER UNIT							Component	ATA:27
PN:600-75101-27	MOS/MSC	03-Feb-12	O/C	TSR 65					
SN:0634C	HRS	7234.2		TSR 0					
	AFL	3720		TSR 0					
				PROC. REF: AMM 27-25-00					
272500-003	NO. 3 POWER CONTROL RUDDER UNIT							Component	ATA:27
PN:600-75101-27	MOS/MSC	18-Jan-13	O/C	TSR 4					
SN:0584C	HRS	7915.17		TSR 0					
	AFL	4113		TSR 0					
				PROC. REF: AMM 27-25-00					
273100-001	NO. 1 LOAD - ELEVATOR CONTROLS LIMITER							Component	ATA:27
PN:36960	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: GENERIC NO REF					
273100-002	NO. 2 LOAD - ELEVATOR CONTROLS LIMITER							Component	ATA:27
PN:36960	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: GENERIC NO REF					
273101-001	NO. 1 PITCH FEEL SIMULATOR							Component	ATA:27
PN:600-92300-53	MOS/MSC	24-Sep-90	O/C						
SN:482	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 27-31-11					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
273101-001A		FUNCTIONAL TEST NO. 1 PITCH FEEL SIMULATOR (27-31-11-101)						Service	ATA:27
PN:600-92300-53	MOS	16-Sep-23						AIRWORTHINESS	
SN:482	HRS	10006.3	1500	Adj -34.03	11472.27		1444.4		
	AFL	6093							
PROC. REF: AMM 27-31-11									
273101-001B ^S		FUNCTIONAL TEST NO. 1 PITCH FEEL SIMULATOR (27-30-00-214)						Service	ATA:27
PN:600-92300-53	MOS	14-Feb-14						MSG-3	
SN:482	HRS	8472.27	1600 (+40/-40)						
WC#: 27.655	AFL	4374							
PROC. REF: AMM 27-31-11									
273101-002		NO. 2 PITCH FEEL SIMULATOR						Component	ATA:27
PN:600-92300-53	MOS/MSC	24-Sep-90	O/C						
SN:483	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 27-31-11									
273101-002A		FUNCTIONAL TEST NO. 2 PITCH FEEL SIMULATOR (27-31-11-101)						Service	ATA:27
PN:600-92300-53	MOS	16-Sep-23						AIRWORTHINESS	
SN:483	HRS	10006.3	1500	Adj -34.03	11472.27		1444.4		
	AFL	6093							
PROC. REF: AMM 27-31-11									
273101-002B ^S		FUNCTIONAL TEST NO. 2 PITCH FEEL SIMULATOR (27-30-00-214)						Service	ATA:27
PN:600-92300-53	MOS	14-Feb-14						MSG-3	
SN:483	HRS	8472.27	1600 (+40/-40)						
WC#: 27.655	AFL	4374							
PROC. REF: AMM 27-31-11									
273102-001		NO. 1 POSN ELEVATOR TRANSMITTER						Component	ATA:27
PN:600-59132-3	MOS/MSC	15-Apr-91	O/C						
SN:11280	HRS	17		TSN 0					
	AFL	7		TSN 0					
PROC. REF: AMM 27-33-16									
273102-002		NO. 2 POSITION TRANSMITTER						Component	ATA:27
PN:13TX0515A	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 27-33-16									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
273311-001		LOB ELEVATOR DAMPER					Component	ATA:27	
PN:1018100-7	MOS/MSC	08-Nov-18	O/C	TSR 0					
SN:HA0225	HRS	9297.1		TSR 0					
	AFL	5212		TSR 0					
PROC. REF: AMM 27-33-11									
273311-002		LIB ELEVATOR DAMPER					Component	ATA:27	
PN:600-75142-9	MOS/MSC	08-Nov-18	O/C						
SN:HAI2221	HRS	9297.1							
	AFL	5212							
PROC. REF: AMM 27-33-11									
273311-003		RIB ELEVATOR DAMPER					Component	ATA:27	
PN:600-75142-9	MOS/MSC	08-Nov-18	O/C						
SN:HAI4008	HRS	9297.1							
	AFL	5212							
PROC. REF: AMM 27-33-11									
273311-004		ROB ELEVATOR DAMPER					Component	ATA:27	
PN:600-75142-9	MOS/MSC	08-Nov-18	O/C						
SN:HAI4007	HRS	9297.1							
	AFL	5212							
PROC. REF: AMM 27-33-11									
273312-001		NO. 1 AILERON FLUTTER DAMPER					Component	ATA:27	
PN:600-75142-3	MOS/MSC	08-Nov-18	O/C	TSR 0					
SN:HAI5259	HRS	9297.1		TSR 0					
	AFL	5212		TSR 0					
PROC. REF: AMM 27-13-21									
273312-002		NO.2 AILERON FLUTTER DAMPER					Component	ATA:27	
PN:1018100-7	MOS/MSC	08-Nov-18	O/C						
SN:HA0502	HRS	9297.1							
	AFL	5212							
PROC. REF: AMM 27-13-21									
273700-001		NO. 1 POWER CONTROL ELEVATOR PCU					Component	ATA:27	
PN:600-75102-21	MOS/MSC	24-Sep-90	O/C						
SN:995	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 27-37-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
273700-002	NO. 2 POWER CONTROL ELEVATOR PCU							Component	ATA:27
PN:2770538-111	MOS/MSC	18-Jan-13	O/C	TSR 40					
SN:0769	HRS	7915.17		TSR 0					
	AFL	4113		TSR 0					
	PROC. REF: AMM 27-37-00								
273700-003	NO. 3 POWER CONTROL ELEVATOR PCU							Component	ATA:27
PN:600-75102-21	MOS/MSC	24-Sep-90	O/C						
SN:994	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 27-37-00								
273700-004	NO. 4 POWER CONTROL ELEVATOR PCU							Component	ATA:27
PN:600-75102-21	MOS/MSC	27-Mar-17	O/C	TSR 0					
SN:0854	HRS	9008.4		TSR 0					
	AFL	4847		TSR 0					
	PROC. REF: AMM 27-37-00								
273903-001	STICK PUSHER ACTUATOR							Component	ATA:27
PN:600-59156-15	MOS/MSC	26-May-07	O/C						
SN:1227	HRS	5266.58		TSR 0					
	AFL	2830		TSR 0					
	PROC. REF: AMM 27-39-00								
273904-001	STICK PUSHER CAPSTAN (SPS) SHAFT							Component	ATA:27
PN:PN	MOS/MSC	24-Sep-90	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM 27-39-31								
273912-001	NO. 1 LATERAL STALL WARNING SYSTEM ACCELEROMETER							Component	ATA:27
PN:600-29199-9	MOS/MSC	06-Dec-02	O/C						
SN:2687	HRS	3667		TSN 0					
	AFL	1891		TSN 0					
	PROC. REF: AMM 27-39-21								
273912-002	NO. 2 LATERAL STALL WARNING SYSTEM ACCELEROMETER							Component	ATA:27
PN:600-59199-9	MOS/MSC	30-May-07	O/C	TSR 0					
SN:2934	HRS	5268.57		TSR 0					
	AFL	2833		TSR 0					
	PROC. REF: AMM 27-39-21								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
273913-001		STALL WARNING COMPUTER							Component ATA:27
PN:600-59152-29	MOS/MSC	28-Apr-07	O/C						
SN:001-035MI-60	HRS	5234.23		TSR 0					
	AFL	2811		TSR 0					
PROC. REF: AMM 27-39-16									
273914-001		LEFT ANGLE OF ATTACK TRANSDUCER							Component ATA:27
PN:600-59154-3	MOS/MSC	27-Jan-23	O/C						
SN:GST05321	HRS	9918.5		TSO 5355.5					
	AFL	5992		TSO 3629					
PROC. REF: AMM 27-39-11									
273914-001A		FUNCTIONAL TEST LEFT ANGLE OF ATTACK TRANSDUCER VANE LINEARITY (27-39-11-101)							Service ATA:27
PN:600-59154-3	MOS	27-Jan-23						AIRWORTHINESS	
SN:GST05321	HRS	9918.5	300	Adj -54.4	10164.1		136.2		
	AFL	5992							
PROC. REF: AMM 27-39-11									
273914-001B		OVERHAUL LEFT ANGLE OF ATTACK TRANSDUCER VANE, PART NUMBER 600-59154-5 (27-39-11-102)							Service ATA:27
PN:600-59154-3	MOS/MSC	27-Jan-23	N/A						
SN:GST05321	HRS	9918.5							
	AFL	5992							
PROC. REF: AMM 27-39-11									
273914-002		RIGHT ANGLE OF ATTACK TRANSDUCER							Component ATA:27
PN:600-59154-1	MOS/MSC	27-Jan-23	O/C						
SN:103-85	HRS	9918.5							
	AFL	5992							
PROC. REF: AMM 27-39-11									
273914-002A		FUNCTIONAL TEST RIGHT ANGLE OF ATTACK TRANSDUCER VANE LINEARITY (27-39-11-101)							Service ATA:27
PN:600-59154-1	MOS	27-Jan-23						AIRWORTHINESS	
SN:103-85	HRS	9918.5	300	Adj -54.4	10164.1		136.2		
	AFL	5992							
PROC. REF: AMM 27-39-11									
273914-002B		OVERHAUL RIGHT ANGLE OF ATTACK TRANSDUCER VANE, PART NUMBER 600-59154-5 (27-39-11-102)							Service ATA:27
PN:600-59154-1	MOS/MSC	27-Jan-23	N/A						
SN:103-85	HRS	9918.5							
	AFL	5992							
PROC. REF: AMM 27-39-11									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
273915-001	NO. 1 STALL MARGIN INDICATOR							Component	ATA:27
PN:563-127	MOS/MSC		24-Sep-90	O/C					
SN:UNKNOWN	HRS		0		TSN 0				
	AFL		0						
PROC. REF: GENERIC NO REF									
273915-002	NO. 2 STALL MARGIN INDICATOR							Component	ATA:27
PN:563-127	MOS/MSC		24-Sep-90	O/C					
SN:UNKNOWN	HRS		0		TSN 0				
	AFL		0						
PROC. REF: GENERIC NO REF									
273916-001	NO. 1 STICK SHAKER							Component	ATA:27
PN:600-59155-1	MOS/MSC		24-Sep-90	O/C					
SN:4083	HRS		0		TSN 0				
	AFL		0						
PROC. REF: AMM 27-39-00									
273916-002	NO. 2 STICK SHAKER							Component	ATA:27
PN:600-59155-1	MOS/MSC		24-Sep-90	O/C					
SN:4102	HRS		0		TSN 0				
	AFL		0						
PROC. REF: AMM 27-39-00									
273917-001	NO. 1 ALTITUDE TRANSDUCER							Component	ATA:27
PN:7001648-902	MOS/MSC		24-Sep-90	O/C					
SN:90031082	HRS		0		TSN 0				
	AFL		0						
PROC. REF: AMM 27-39-16									
273917-002	NO. 2 ALTITUDE TRANSDUCER							Component	ATA:27
PN:7001648-902	MOS/MSC		24-Sep-90	O/C					
SN:90041104	HRS		0		TSN 0				
	AFL		0						
PROC. REF: AMM 27-39-16									
274002-001	HORIZONTAL STABILIZER TRIM ACTUATOR							Component	ATA:27
PN:21207-008	MOS		26-Jan-11					LIFE LIMIT	
SN:135	HRS		6628.52	13200	TSN 7300	12528.52	2500.6		
	AFL		3467						
PROC. REF: AMM 27-40-11									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
274002-001A	OVERHAUL HORIZONTAL STABILIZER TRIM ACTUATOR (27-40-16-101)							Service	ATA:27
PN:21207-008	MOS	27-Jan-11						OVERHAUL	
SN:135	HRS	6628.52	6600	TAC 986	12242.52		2214.6		
	AFL	3467							
				PROC. REF: TLMC 5-10-30					
274002-001B	OVERHAUL HORIZONTAL STABILIZER TRIM ACTUATOR (27-40-00-202)							Service	ATA:27
	MOS	27-Jan-11						MSG-3	
	HRS	6628.52	6600 (+40/-40)	Adj -28.52	13200	13240	3172.1 (+40)		
WC#: 27.010	AFL	3467							
				PROC. REF: MTC 27-40-00-202					
274010-001	HORIZONTAL STABILIZER TRIM CONTROL UNIT							Component	ATA:27
PN:601-59116-3	MOS/MSC	15-Aug-11	O/C	TSR 8					
SN:94017	HRS	6922.03		TSR 0					
	AFL	3584		TSR 0					
				PROC. REF: AMM 27-40-11					
274021-001	HORIZONTAL STABILIZER POSITION TRANSMITTER							Component	ATA:27
PN:600-92443-9	MOS/MSC	28-Jun-13	O/C						
SN:REL0547632	HRS	8162.27		TSR 0					
	AFL								
				PROC. REF: AMM 27-40-21					
274300-001	NO. 1 LOWER ATTACH HSTA INST. PIN							Component	ATA:27
PN:600-92383-1	MOS	24-Sep-90		TSN 0				LIFE LIMIT	
SN:12-5079-A	HRS	0		TSN 0					
	AFL	0	50000	TSN 0	50000		43862		
				PROC. REF: TLMC 5-10-10, TLMC 5-10-11, TLMC 5-10-12					
274300-002	NO. 2 LOWER ATTACH HSTA INST. PIN							Component	ATA:27
PN:600-92383-1	MOS	08-Nov-18		TSN 0				LIFE LIMIT	
SN:0015	HRS	9297.1		TSN 0					
	AFL	5212	50000	TSN 0	55212		49074		
				PROC. REF: TLMC 5-10-10, TLMC 5-10-11, TLMC 5-10-12					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
274300-003	NO. 1 UPPER ATTACH HSTA INST. PIN							Component	ATA:27
PN:600-92384-1	MOS	24-Sep-90		TSN 0				LIFE LIMIT	
SN:11-5079-A	HRS	0		TSN 0					
	AFL	0	50000	TSN 0	50000		43862		
PROC. REF: TLMC 5-10-10, TLMC 5-10-11, TLMC 5-10-12									
274300-004	NO. 2 UPPER ATTACH HSTA INST. PIN							Component	ATA:27
PN:600-92384-1	MOS	24-Sep-90		TSN 0				LIFE LIMIT	
SN:21-5079-A	HRS	0		TSN 0					
	AFL	0	50000	TSN 0	50000		43862		
PROC. REF: TLMC 5-10-10, TLMC 5-10-11, TLMC 5-10-12									
275000-001	UNIT FLAP CONTROL							Component	ATA:27
PN:600-93000-121	MOS/MSC	04-Jun-10	O/C						
SN:229	HRS	6167.27							
	AFL	3268							
PROC. REF: AMM 27-50-13									
275016-001	LEFT INBOARD (INNER FLAP) ACTUATOR							Component	ATA:27
PN:600-93000-95	MOS/MSC	12-Aug-09	O/C						
SN:74-1643	HRS	6111.25							
	AFL	3241							
PROC. REF: AMM 27-50-16									
275016-001A	FUNCTIONAL TEST OF LEFT INBOARD (INNER FLAP) FLAP ACTUATOR							Service	ATA:27
	MOS	24-Sep-90						MSG-3	
	HRS	0							
WC#: 27.015	AFL	0	9600 (+40/-40)		9600	9640	3462 (+40)		
PROC. REF: MTC 27-50-00-208									
275016-002	RIGHT INBOARD (INNER FLAP) ACTUATOR							Component	ATA:27
PN:600-93000-95	MOS/MSC	12-Aug-09	O/C						
SN:1121-731	HRS	6111.25							
	AFL	3241							
PROC. REF: AMM 27-50-16									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
275016-002A	FUNCTIONAL TEST OF RIGHT INBOARD (INNER FLAP) FLAP ACTUATOR							Service	ATA:27
	MOS	24-Sep-90						MSG-3	
	HRS	0							
WC#: 27.015	AFL	0	9600 (+40/-40)		9600	9640	3462 (+40)		
PROC. REF: MTC 27-50-00-208									
275016-003	OUTBOARD LEFT (INNER FLAP) ACTUATOR							Component	ATA:27
PN:600-93000-93	MOS/MSC	24-Sep-90	O/C						
SN:79-1301	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-50-16									
275016-003A	FUNCTIONAL TEST OF LEFT OUTBOARD (INNER FLAP) FLAP ACTUATOR							Service	ATA:27
	MOS	24-Sep-90						MSG-3	
	HRS	0							
WC#: 27.015	AFL	0	9600 (+40/-40)		9600	9640	3462 (+40)		
PROC. REF: MTC 27-50-00-208									
275016-004	RIGHT OUTBOARD (INNER FLAP) ACTUATOR							Component	ATA:27
PN:600-93000-93	MOS/MSC	24-Sep-90	O/C						
SN:79-1292	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-50-16									
275016-004A	FUNCTIONAL TEST OF RIGHT OUTBOARD (INNER FLAP) FLAP ACTUATOR							Service	ATA:27
	MOS	24-Sep-90						MSG-3	
	HRS	0							
WC#: 27.015	AFL	0	9600 (+40/-40)		9600	9640	3462 (+40)		
PROC. REF: MTC 27-50-00-208									
275016-005	LEFT INBOARD (OUTER FLAP) ACTUATOR							Component	ATA:27
PN:600-93000-93	MOS/MSC	12-Aug-09	O/C						
SN:2013	HRS	6111.25							
	AFL	3241		TSN 4385					
PROC. REF: AMM 27-50-16									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
275016-005A		RESTORATION LEFT INBOARD (OUTER FLAP) ACTUATOR (OVERHAUL) (27-50-00-209)						Service	ATA:27
PN:600-93000-93	MOS	24-Sep-90						MSG-3	
SN:2013	HRS	0							
WC#: 27.015	AFL	0	9600 (+40/-40)		9600	9640	3462 (+40)		
PROC. REF: MTC 27-50-00-209									
275016-006		RIGHT INBOARD (OUTER FLAP) ACTUATOR						Component	ATA:27
PN:600-93000-93	MOS/MSC	12-Aug-09	O/C						
SN:1949	HRS	6111.25							
	AFL	3241		TSN 4411					
PROC. REF: AMM 27-50-16									
275016-006A		RESTORATION RIGHT INBOARD (OUTER FLAP) ACTUATOR (OVERHAUL) (27-50-00-209)						Service	ATA:27
	MOS	24-Sep-90						MSG-3	
	HRS	0							
WC#: 27.015	AFL	0	9600 (+40/-40)		9600	9640	3462 (+40)		
PROC. REF: MTC 27-50-00-209									
275016-007		LEFT OUTBOARD (OUTER FLAP) ACTUATOR						Component	ATA:27
PN:600-93000-113	MOS/MSC	12-Aug-09	O/C						
SN:1214M	HRS	6111.25							
	AFL	3241		TSN 3297					
PROC. REF: AMM 27-50-16									
275016-007A		RESTORATION LEFT OUTBOARD (OUTER FLAP) ACTUATOR (OVERHAUL) (27-50-00-209)						Service	ATA:27
	MOS	24-Sep-90						MSG-3	
	HRS	0							
WC#: 27.015	AFL	0	9600 (+40/-40)		9600	9640	3462 (+40)		
PROC. REF: MTC 27-50-00-209									
275016-008		OUTBOARD RIGHT OUTER FLAP ACTUATOR						Component	ATA:27
PN:600-93000-114	MOS/MSC	12-Aug-09	O/C						
SN:91-333M	HRS	6111.25							
	AFL	3241		TSN 6483					
PROC. REF: AMM 27-50-16									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
275016-008A	RESTORATION OUTBOARD RIGHT OUTER FLAP ACTUATOR (OVERHAUL) (27-50-00-209)							Service	ATA:27
	MOS	24-Sep-90						MSG-3	
	HRS	0							
WC#: 27.015	AFL	0	9600 (+40/-40)		9600	9640	3462 (+40)		
PROC. REF: MTC 27-50-00-209									
275020-001	FLAP SYSTEM CONTROL LEVER							Component	ATA:27
PN:600-93003-5	MOS/MSC	09-Apr-10	O/C	TSR 0					
SN:183	HRS	6135.38		TSR 0					
	AFL			TSR 0					
PROC. REF: AMM 27-50-56									
275023-001	POWER DRIVE FLAP UNIT							Component	ATA:27
PN:600-93000-71	MOS/MSC	19-Feb-07	O/C	TSR 0					
SN:41-454	HRS	5148.63		TSR 0					
	AFL	2767		TSR 0					
PROC. REF: AMM 27-50-21									
275026-001	LH FLAP BRAKE DETECTOR UNIT							Component	ATA:27
PN:600-93000-123	MOS/MSC	08-Nov-18	O/C						
SN:1513	HRS	9297.1							
	AFL	5212							
PROC. REF: AMM 27-50-26									
275026-002	RH FLAP BRAKE DETECTOR UNIT							Component	ATA:27
PN:600-93000-123	MOS/MSC	08-Nov-18	O/C	TSR 1					
SN:11-831MA	HRS	9297.1		TSR 0					
	AFL	5212		TSR 0					
PROC. REF: AMM 27-50-26									
275031-001	NO. 1 FLAP POSITION TRANSMITTER							Component	ATA:27
PN:600-93030-1	MOS/MSC	24-Sep-90	O/C						
SN:46A	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 27-50-31									
275031-002	NO. 2 FLAP POSITION TRANSMITTER							Component	ATA:27
PN:600-93030-5	MOS/MSC	25-Sep-08	O/C	TSN 0					
SN:9294601-002	HRS	5756.32		TSN 0					
	AFL	3051		TSN 0					
PROC. REF: AMM 27-50-31									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
275032-001		FLAP POSITION INDICATOR						Component	ATA:27
PN:600-59179-1	MOS/MSC	27-Apr-05	O/C	TSR 0					
SN:87030193	HRS	4349.2		TSR 0					
	AFL	2269		TSR 0					
PROC. REF: AMM 27-50-31									
275041-001		LEFT NO.1 FLEXIBLE DRIVE SHAFT						Component	ATA:27
PN:600-93000-61	MOS/MSC	24-Sep-90	O/C						
SN:78-822	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-50-41									
275041-002		RIGHT NO. 1 FLEXIBLE DRIVE SHAFT						Component	ATA:27
PN:600-93000-61	MOS/MSC	24-Sep-90	O/C						
SN:78-826	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-50-41									
275041-003		LEFT NO.2 FLEXIBLE DRIVE SHAFT						Component	ATA:27
PN:2022264-7	MOS/MSC	08-Nov-18	O/C						
SN:2027	HRS	9297.1							
	AFL	5212							
PROC. REF: AMM 27-50-41									
275041-004		RIGHT NO. 2 FLEXIBLE DRIVE SHAFT						Component	ATA:27
PN:600-93000-63	MOS/MSC	24-Sep-90	O/C						
SN:19-814	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-50-41									
275041-005		LEFT NO.3 FLEXIBLE DRIVE SHAFT						Component	ATA:27
PN:600-93000-65	MOS/MSC	12-Oct-05	O/C						
SN:2166	HRS	4563		TSN 0					
	AFL	2363		TSN 0					
PROC. REF: AMM 27-50-41									
275041-006		RIGHT NO. 3 FLEXIBLE DRIVE SHAFT						Component	ATA:27
PN:600-93000-65	MOS/MSC	12-Oct-05	O/C						
SN:2194	HRS	4563		TSN 0					
	AFL	2363		TSN 0					
PROC. REF: AMM 27-50-41									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
275041-007	LEFT NO.4 FLEXIBLE DRIVE SHAFT							Component	ATA:27
PN:600-93000-67	MOS/MSC	24-Sep-90	O/C						
SN:19-833	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM 27-50-41								
275041-008	RIGHT NO. 4 FLEXIBLE DRIVE SHAFT							Component	ATA:27
PN:600-93000-67	MOS/MSC	24-Sep-90	O/C						
SN:98-799	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM 27-50-41								
275041-009	LEFT NO.5 FLEXIBLE DRIVE SHAFT							Component	ATA:27
PN:600-93000-69	MOS/MSC	12-Oct-05	O/C						
SN:2316	HRS	4563		TSN 0					
	AFL	2363		TSN 0					
	PROC. REF: AMM 27-50-41								
275041-010	RIGHT NO. 5 FLEXIBLE DRIVE SHAFT							Component	ATA:27
PN:600-93000-69	MOS/MSC	12-Oct-05	O/C						
SN:2317	HRS	4563		TSN 0					
	AFL	2363		TSN 0					
	PROC. REF: AMM 27-50-41								
276000-003	LEFT FLIGHT SPOILER PROXIMITY SWITCH							Component	ATA:27
PN:84-738-713	MOS/MSC	24-Jul-10	O/C		TSN 0				
SN:618	HRS	6251.75			TSN 0				
WC#: 27.625	AFL	3302			TSN 0				
	PROC. REF: GENERIC NO REF								
276000-004	RIGHT FLIGHT SPOILER PROXIMITY SWITCH							Component	ATA:27
PN:PN	MOS/MSC	24-Sep-90	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 27.625	AFL	0			TSN 0				
	PROC. REF: GENERIC NO REF								
276001 ^U	LEFT FLIGHT SPOILER LOAD LIMITER							Component	ATA:27
PN:37315	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 27 - FLIGHT CONTROLS								
276006^U RIGHT FLIGHT SPOILER LOAD LIMITER Component ATA:27								
PN:37315	MOS/MSC	24-Sep-90	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0						
276033^U LH GROUND SPOILER PROXIMITY SWITCH Component ATA:27								
PN:8-405-04	MOS/MSC	04-Mar-05	O/C					
SN:B56218	HRS	4287						
	AFL	2234						
276039^U RH GROUND SPOILER PROXIMITY SWITCH Component ATA:27								
PN:84-738-713	MOS/MSC	17-Sep-12	O/C	TSN 31				CONDITION CHECK
SN:663	HRS	7643.98		TSN 0				
	AFL	3989		TSN 0				
276066^U LEFT FLIGHT SPOILER POSITION TRANSMITTER Component ATA:27								
PN:13TX0515A	MOS/MSC	24-Sep-90	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0						
276101-001 SPOILER CONTROL LEVER Component ATA:27								
PN:600-90606-7	MOS/MSC	07-May-11	O/C	TSR 6				
SN:526	HRS	6778.02		TSR 0				
	AFL	3533		TSR 0				
PROC. REF: AMM 27-61-11								
276105-001 GROUND SPOILER CONTROL Component ATA:27								
PN:600-59147-5	MOS/MSC	09-Apr-10	O/C	TSR 0				
SN:0365	HRS	6135.38		TSR 0				
	AFL			TSR 0				
PROC. REF: AMM 27-67-11								
276500-001 NO. 1 POWER CONTROL GROUND SPOILER UNIT Component ATA:27								
PN:600-75103-15	MOS/MSC	24-Sep-90	O/C					
SN:0989	HRS	0		TSN 0				
	AFL	0						
PROC. REF: AMM 27-65-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 27 - FLIGHT CONTROLS									
276500-002	NO. 2 POWER CONTROL GROUND SPOILER UNIT							Component	ATA:27
PN:600-75103-15	MOS/MSC	24-Sep-90	O/C						
SN:0988	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 27-65-00					
276500-003	NO. 3 POWER CONTROL FLIGHT SPOILER UNIT							Component	ATA:27
PN:600-75103-15	MOS/MSC	24-Sep-90	O/C						
SN:0990	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 27-65-00					
276500-004	NO. 4 POWER CONTROL FLIGHT SPOILER UNIT							Component	ATA:27
PN:600-75103-15	MOS/MSC	24-Sep-90	O/C						
SN:0991	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 27-65-00					
276900-001	NO. 1 GROUND SPOILER ACTUATOR PCU							Component	ATA:27
PN:600-75106-5	MOS/MSC	24-Sep-90	O/C						
SN:0508	HRS	0		TSN 0					
	AFL	0		TSN 0					
				PROC. REF: AMM 27-69-00					
276900-002	NO. 2 GROUND SPOILER ACTUATOR PCU							Component	ATA:27
PN:600-75106-5	MOS/MSC	24-Sep-90	O/C						
SN:0509	HRS	0		TSN 0					
	AFL	0		TSN 0					
				PROC. REF: AMM 27-69-00					
276901-001	GROUND SPOILER SELECT MANIFOLD							Component	ATA:27
PN:600-75124-7	MOS/MSC	12-Apr-10	O/C						
SN:458	HRS	6136.88		TSR 0					
	AFL	3252		TSR 0					
				PROC. REF: AMM 27-69-00					
ATA 28 - FUEL									
28-10-00-201 (MSG3) ^S	GENERAL VISUAL INSPECTION FUEL TANK EXTERIOR							Service	ATA:28
	MOS	08-Nov-18					MSG-3		
	HRS	9297.1	2400 (+40/-40)						
	AFL	5212							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
				PROC. REF: MTC 28-10-00-201				PKG:140
28-10-00-204 (MSG3) ^S	GENERAL VISUAL INSPECTION GRAVITY FILLER CAP							Service ATA:28
	MOS	19-Oct-22	12 (+1m/-1m)				MSG-3	
	HRS	9861.1						
	AFL	5949						
				PROC. REF: MTC 28-10-00-204				PKG:200
28-10-00-205 (MSG3) ^S	FUNCTIONAL TEST (PRESSURE TEST) OF THE FUEL VENT-LINE SHROUDS							Service ATA:28
	MOS	07-Oct-19	60 (+1m/-1m)				MSG-3	
	HRS	9460.5						
	AFL	5416						
				PROC. REF: MTC 28-10-00-205				PKG:220
28-10-00-206 (MSG3) ^S	OPERATIONAL TEST TAIL-TANK VENT-LINE CHECK-VALVE (POST SB-601-0262)							Service ATA:28
	MOS	14-Feb-14					MSG-3	
	HRS	8472.27	1600 (+40/-40)					
	AFL	4374						
				PROC. REF: MTC 28-10-00-206				PKG:130
28-10-01-202 (MSG3) ^S	VISUAL CHECK SHROUD DRAIN OUTLETS FOR LEAKAGE/OBSTRUCTION							Service ATA:28
	MOS	20-Sep-21					MSG-3	
	HRS	9728	400 (+40/-40)					
	AFL	5799						
				PROC. REF: MTC 28-10-01-202				PKG:100
28-10-01-203 (MSG3) ^S	FUNCTIONAL TEST (LEAK CHECK) OF THE FORWARD AND AFT FUSELAGE INTERSPACE SHROUDS							Service ATA:28
	MOS	07-Oct-19	60 (+1m/-1m)				MSG-3	
	HRS	9460.5						
	AFL	5416						
				PROC. REF: MTC 28-10-01-203				PKG:220
28-15-00-201 (MSG3) ^S	FUNCTIONAL TEST ROTOR-BURST PROTECTION SYSTEM							Service ATA:28
	MOS	18-Mar-14					MSG-3	
	HRS	8472.27	1600 (+40/-40)					
	AFL	4374						
				PROC. REF: MTC 28-15-00-201				PKG:130

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
28-15-00-202 (MSG3) ^S	DISCARD TAIL-TANK FUEL TRANSFER CHECK-VALVE (POST SB-601-0262)							Service	ATA:28
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	4800 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 28-15-00-202				PKG:160	
28-15-00-203 (MSG3) ^S	FUNCTIONAL TEST TAIL-TANK BEFORE-FUEL WARNING SYSTEM (POST SB-601-0262)							Service	ATA:28
	MOS	20-Sep-21						MSG-3	
	HRS	9728	400 (+40/-40)						
	AFL	5799							
				PROC. REF: MTC 28-15-00-203				PKG:100	
28-15-00-204 (MSG3) ^S	FUNCTIONAL TEST ROTOR BURST SHROUD PRESSURE (POST SB-601-0262)							Service	ATA:28
	MOS	20-Sep-21						MSG-3	
	HRS	9728	400 (+40/-40)						
	AFL	5799							
				PROC. REF: MTC 28-15-00-204				PKG:100	
28-20-00-201 (MSG3) ^S	DISCARD AUXILIARY POWER UNIT (APU) FUEL SUPPLY FILTER							Service	ATA:28
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	800 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 28-20-00-201				PKG:110	
28-20-00-202 (MSG3)	OPERATIONAL TEST COLLECTOR-TANK FLAPPER CHECK-VALVE							Service	ATA:28
	MOS	23-Apr-18	96 (+1m/-1m)	Adj -22d	01-Apr-26	01-May-26	881 d (+30)	MSG-3	
	HRS	9232.8							
	AFL	5108							
				PROC. REF: MTC 28-20-00-202					
28-20-00-203 (MSG3) ^S	FUNCTIONAL TEST AUXILIARY POWER UNIT (APU) RETURN LINE CHECK VALVE (A/C 3001 TO 5109)							Service	ATA:28
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 28-20-00-203				PKG:220	
28-30-00-201 (MSG3) ^S	FUNCTIONAL TEST FUEL JETTISON SYSTEM (POST SB-601-0262)							Service	ATA:28
	MOS	20-Sep-21						MSG-3	
	HRS	9728	400 (+40/-40)						
	AFL	5799							
				PROC. REF: MTC 28-30-00-201				PKG:100	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282000-001		LEFT MAIN EJECTOR PRESSURE SWITCH					Component	ATA:28	
PN:12543-3	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-20-11									
282000-002		RIGHT MAIN EJECTOR PRESSURE SWITCH					Component	ATA:28	
PN:12543-3	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-20-11									
282000-003		LEFT ELECTRONIC BOOST PUMP PRESSURE SWITCH					Component	ATA:28	
PN:12543-3	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 28-20-11									
282000-004		RIGHT ELECTRONIC BOOST PUMP PRESSURE SWITCH					Component	ATA:28	
PN:12543-3	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 28-20-11									
282011-001^U		S33QA FUEL PUMP PRESSURE SWITCH					Component	ATA:28	
PN:600-59180-3	MOS/MSC	12-Oct-05	O/C	TSN 1				CUSTOMER CODE	
SN:2050	HRS	4563		TSN 0					
	AFL	2363		TSN 0					
282011-002^U		S34QA FUEL PUMP PRESSURE SWITCH					Component	ATA:28	
PN:600-59180-3	MOS/MSC	12-Oct-05	O/C	TSN 1				CUSTOMER CODE	
SN:2048	HRS	4563		TSN 0					
	AFL	2363		TSN 0					
282011-003^U		S35QA FUEL PUMP PRESSURE SWITCH					Component	ATA:28	
PN:600-59180-3	MOS/MSC	12-Oct-05	O/C	TSN 1				CUSTOMER CODE	
SN:2049	HRS	4563		TSN 0					
	AFL	2363		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282011-004 ^U	S36QA FUEL PUMP PRESSURE SWITCH							Component	ATA:28
PN:600-59180-3	MOS/MSC	25-Jun-13	O/C					CUSTOMER CODE	
SN:2341	HRS	8162.27		TSN 0					
	AFL								
282101-001	NO. 1 FUEL MOTORIZED SHUTOFF VALVE							Component	ATA:28
PN:AV16B2082-4	MOS/MSC	21-Jun-12	O/C						
SN:T17391	HRS	7471.28							
	AFL	3926							
					PROC. REF: AMM 28-27-16				
282102-001	NO. 1 FUEL TRANSFER EJECTOR PUMP							Component	ATA:28
PN:2780473-105	MOS/MSC	24-Sep-90	O/C						
SN:498	HRS	0		TSN 0					
	AFL	0							
					PROC. REF: AMM 28-21-31				
282102-002	NO. 2 FUEL TRANSFER EJECTOR PUMP							Component	ATA:28
PN:2780473-105	MOS/MSC	24-Sep-90	O/C						
SN:603	HRS	0		TSN 0					
	AFL	0							
					PROC. REF: AMM 28-21-31				
282103-001	NO. 1 FUEL SCAVENGER EJECTOR PUMP							Component	ATA:28
PN:2780472-103	MOS/MSC	24-Sep-90	O/C						
SN:477	HRS	0		TSN 0					
	AFL	0							
					PROC. REF: AMM 28-21-26				
282103-002	NO. 2 FUEL SCAVENGER EJECTOR PUMP							Component	ATA:28
PN:2780472-103	MOS/MSC	24-Sep-90	O/C						
SN:482	HRS	0		TSN 0					
	AFL	0							
					PROC. REF: AMM 28-21-26				
282115-001	LEFT FUEL SHUTOFF VALVE							Component	ATA:28
PN:601-62900-1	MOS/MSC	24-Sep-90	O/C						
SN:253	HRS	0		TSN 0					
	AFL	0							
					PROC. REF: AMM 28-27-16				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282115-002	RIGHT FUEL SHUTOFF VALVE							Component	ATA:28
PN:601-62900-2	MOS/MSC	24-Sep-90	O/C						
SN:147	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 28-27-16					
282116-001	NO. 1 FUEL SHUTOFF VALVE							Component	ATA:28
PN:601-62900-1	MOS/MSC	15-Apr-91	O/C						
SN:N73443	HRS	17		TSN 0					
	AFL	7							
				PROC. REF: AMM 28-27-16					
282116-002	NO. 2 FUEL SHUTOFF VALVE							Component	ATA:28
PN:13TX0515A	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 28-27-16					
282116-003	NO. 3 FUEL SHUTOFF VALVE							Component	ATA:28
PN:601-62900-7	MOS/MSC	18-Dec-12	O/C	TSR 10					
SN:AA182841	HRS	7844.7		TSR 0					
	AFL	4078		TSR 0					
				PROC. REF: AMM 28-27-16					
282121-001	NO. 1 FUEL EJECTOR PUMP							Component	ATA:28
PN:2780602-105	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 28-21-21					
282121-002	NO. 2 FUEL EJECTOR PUMP							Component	ATA:28
PN:2780602-105	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 28-21-21					
282200-002	NO.2 FLOAT - AUX TANK LOW LEVEL SWITCH							Component	ATA:28
PN:88-5475	MOS/MSC	15-Apr-91	O/C						
SN:UNKNOWN	HRS	17		TSN 0					
	AFL	7		TSN 0					
				PROC. REF: AMM 28-22-16					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282200-003		NO.1 FLOAT - TAIL TANK LOW LEVEL SWITCH						Component	ATA:28
PN:601-62157-1	MOS/MSC	29-Oct-13	O/C						
SN:10808	HRS	8347.45							
	AFL	4307							
PROC. REF: AMM 28-22-16									
282200-004		NO.2 FLOAT - TAIL TANK LOW LEVEL SWITCH						Component	ATA:28
PN:88-5475	MOS/MSC	25-Sep-91	O/C						
SN:367	HRS	229		TSN 0					
	AFL	95		TSN 0					
PROC. REF: AMM 28-22-16									
282200-005		FLOAT - TAIL TANK FULL LEVEL SWITCH						Component	ATA:28
PN:88-5475	MOS/MSC	27-Apr-92	O/C						
SN:0382	HRS	296							
	AFL	137							
PROC. REF: AMM 28-22-16									
282200-006		NO. 3 FLOAT - TAIL TANK LOW LEVEL SWITCH						Component	ATA:28
PN:601-62157-1	MOS/MSC	29-Oct-13	O/C						
SN:10368	HRS	8347.45							
	AFL	4307							
PROC. REF: AMM 28-22-16									
282216-001^U		TAIL TANK LEVEL SENSOR						Component	ATA:28
PN:601-62157-1	MOS/MSC	13-Oct-11	O/C	TSN 18				CUSTOMER CODE	
SN:1605	HRS	7024.68		TSN 0					
	AFL	3622		TSN 0					
282311-001		NO. 1 FUEL PUMP DC CARTRIDGE						Component	ATA:28
PN:600-62991-5	MOS/MSC	07-Oct-19	O/C						
SN:B-866	HRS	9460.5							
	AFL	5416							
PROC. REF: AMM 28-23-11									
282311-002		NO. 2 FUEL PUMP DC CARTRIDGE						Component	ATA:28
PN:600-62991-5	MOS/MSC	07-Dec-20	O/C	TSO 0					
SN:B-896	HRS	9608.1		TSO 0					
	AFL	5632		TSO 0					
PROC. REF: AMM 28-23-11									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282312-003	TAIL TANK FUEL PUMP DC CANISTER							Component	ATA:28
PN:600-62991-5	MOS/MSC	19-Jun-03	O/C						
SN:B1010	HRS	3799		TSN 0					
	AFL	1959		TSN 0					
PROC. REF: AMM 28-22-06									
282501-001	3-WAY APU FUEL VALVE							Component	ATA:28
PN:AV23B1149-2	MOS/MSC	24-Sep-90	O/C						
SN:N68709	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 28-25-32									
282711-001	NO. 1 FUEL VENT - FLOAT VALVE							Component	ATA:28
PN:2780491-121	MOS/MSC	24-Sep-90	O/C						
SN:802	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 28-27-11									
282711-002	NO. 2 FUEL VENT - FLOAT VALVE							Component	ATA:28
PN:2780491-121	MOS/MSC	24-Sep-90	O/C						
SN:690	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 28-27-11									
282711-003	AUX FUEL VENT VALVE							Component	ATA:28
PN:2780491-121	MOS/MSC	24-Sep-90	O/C						
SN:773	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 28-27-11									
282716-001	NO. 1 SHUTOFF VALVE							Component	ATA:28
PN:2760129-101	MOS/MSC	24-Sep-90	O/C						
SN:756S	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 28-27-16									
282716-002	NO. 2 SHUTOFF VALVE							Component	ATA:28
PN:2760129-101	MOS/MSC	24-Sep-90	O/C						
SN:757S	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 28-27-16									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282716-003	AUX SHUTOFF VALVE							Component	ATA:28
PN:2760129-101	MOS/MSC	24-Sep-90	O/C						
SN:758S	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 28-27-16								
282726-001	NO. 1 TRANSFER FLOAT VALVE							Component	ATA:28
PN:2810007-101	MOS/MSC	24-Sep-90	O/C						
SN:467	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 28-21-36								
282726-002	NO. 2 TRANSFER FLOAT VALVE							Component	ATA:28
PN:2810007-101	MOS/MSC	24-Sep-90	O/C						
SN:466	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 28-21-36								
282726-003	AUX FLOAT VALVE							Component	ATA:28
PN:2760131-101	MOS/MSC	24-Sep-90	O/C						
SN:506	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 28-21-36								
282727-001	NO. 1 MAIN TANK FLOAT LEVEL CONTROL VALVE							Component	ATA:28
PN:2840000-102	MOS/MSC	24-Sep-90	O/C						
SN:535A	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 28-27-26								
282727-002	NO. 2 MAIN TANK FLOAT LEVEL CONTROL VALVE							Component	ATA:28
PN:2840000-102	MOS/MSC	24-Sep-90	O/C						
SN:529A	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 28-27-26								
284000-001	LEFT NO.1 FUEL QUANTITY TRANSMITTER							Component	ATA:28
PN:391002-332	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 28-40-11, AMM 28-40-16, AMM 28-40-21								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
284000-002	RIGHT NO. 1 FUEL QUANTITY TRANSMITTER							Component	ATA:28
PN:391002-332	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 28-40-11, AMM 28-40-16, AMM 28-40-21								
284001-001	LEFT NO.2 FUEL QUANTITY TRANSMITTER							Component	ATA:28
PN:391002-333	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 28-40-11, AMM 28-40-16, AMM 28-40-21								
284001-002	RIGHT NO. 2 FUEL QUANTITY TRANSMITTER							Component	ATA:28
PN:391002-333	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 28-40-11, AMM 28-40-16, AMM 28-40-21								
284003-001	LEFT NO.3 FUEL QUANTITY TRANSMITTER							Component	ATA:28
PN:391002-334	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 28-40-11, AMM 28-40-16, AMM 28-40-21								
284003-002	RIGHT NO. 3 FUEL QUANTITY TRANSMITTER							Component	ATA:28
PN:391002-334	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 28-40-11, AMM 28-40-16, AMM 28-40-21								
284004-001	LEFT NO.4 FUEL QUANTITY TRANSMITTER							Component	ATA:28
PN:391002-418	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 28-40-11, AMM 28-40-16, AMM 28-40-21								
284004-002	RIGHT NO. 4 FUEL QUANTITY TRANSMITTER							Component	ATA:28
PN:391002-418	MOS/MSC	13-Jul-11	O/C						
SN:178F	HRS	6902.37							
	AFL	3576							
	PROC. REF: AMM 28-40-11, AMM 28-40-16, AMM 28-40-21								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
284005-001	LEFT NO.5 FUEL QUANTITY TRANSMITTER							Component	ATA:28
PN:391002-419	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 28-40-11, AMM 28-40-16, AMM 28-40-21								
284005-002	RIGHT NO. 5 FUEL QUANTITY TRANSMITTER							Component	ATA:28
PN:391002-419	MOS/MSC	13-Jul-11	O/C						
SN:476E	HRS	6902.37							
	AFL	3576							
	PROC. REF: AMM 28-40-11, AMM 28-40-16, AMM 28-40-21								
284006-001	LEFT NO.6 FUEL QUANTITY TRANSMITTER							Component	ATA:28
PN:391002-420	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 28-40-11, AMM 28-40-16, AMM 28-40-21								
284006-002	RIGHT NO.6 FUEL QUANTITY TRANSMITTER							Component	ATA:28
PN:391002-420	MOS/MSC	13-Jul-11	O/C	TSR 158					
SN:449E	HRS	6902.37		TSR 0					
	AFL	3576		TSR 0					
	PROC. REF: AMM 28-40-11, AMM 28-40-16, AMM 28-40-21								
284008-001	NO. 1 AUX FUEL QUANTITY TRANSMITTER							Component	ATA:28
PN:391002-421	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 28-40-11, AMM 28-40-16, AMM 28-40-21								
284008-002	NO. 2 AUX FUEL QUANTITY TRANSMITTER							Component	ATA:28
PN:391002-422	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 28-40-11, AMM 28-40-16, AMM 28-40-21								
284009-001	FUEL QUANTITY TRANSMITTER							Component	ATA:28
PN:391002-438	MOS/MSC	04-Aug-11	O/C						
SN:317	HRS	6912.3							
	AFL	3580							
	PROC. REF: AMM 28-40-11, AMM 28-40-16, AMM 28-40-21								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
284010-001	NO. 1 FUEL QUANTITY TRANSMITTER							Component	ATA:28
PN:391057-297	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 28-40-11, AMM 28-40-16, AMM 28-40-21								
284010-002	NO. 2 FUEL QUANTITY TRANSMITTER							Component	ATA:28
PN:391057-297	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 28-40-11, AMM 28-40-16, AMM 28-40-21								
284013-001	SIGNAL CONDITIONER							Component	ATA:28
PN:473382	MOS/MSC	23-Mar-17	O/C						
SN:184F	HRS	9008.4							
	AFL	4847							
	PROC. REF: AMM 28-40-00								
284014-001	FUEL QUANTITY INDICATOR							Component	ATA:28
PN:478-286-105	MOS/MSC	08-Sep-16	O/C	TSR 4					
SN:601	HRS	8875.9		TSR 0					
	AFL	4712		TSR 0					
	PROC. REF: AMM 28-40-00								
284015-001	AFT FUEL TANK (TAIL) PROBE							Component	ATA:28
PN:391002-446	MOS/MSC	15-Apr-91	O/C						
SN:054	HRS	17		TSN 0					
	AFL	7							
	PROC. REF: GENERIC NO REF								
285016 ^U	TAIL TANK FUEL DUMP VALVE							Component	ATA:28
PN:AV16B2178	MOS/MSC	15-Apr-91	O/C						
SN:N77495	HRS	17		TSN 0					
	AFL	7							
285071 ^U	TAIL TANK AFT REFUEL/DEFUEL SHUTOFF VALVE							Component	ATA:28
PN:601-62900-1	MOS/MSC	15-Apr-91	O/C						
SN:N73440	HRS	17		TSN 0					
	AFL	7							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
285081 ^U	TAIL TANK FUEL TRANSFER SHUTOFF VALVE							Component	ATA:28
PN:601-62900-1	MOS/MSC	15-Apr-91	O/C						
SN:N73441	HRS	17		TSN 0					
	AFL	7							
285126 ^U	TAIL TANK FUEL QUANTITY CONDTIONER							Component	ATA:28
PN:473382-01	MOS/MSC	04-Aug-11	O/C						
SN:317	HRS	6912.3							
	AFL	3580							
285156 ^U	TAIL TANK NO.3 EMPTY LEVEL SWITCH							Component	ATA:28
PN:88-5475	MOS/MSC	26-Apr-93	O/C						
SN:UNKNOWN	HRS	499							
	AFL	242							
285160 ^U	TAIL TANK WATER DRAIN VALVE							Component	ATA:28
PN:68D4	MOS/MSC		O/C						
SN:254	HRS								
	AFL								
ATA 29 - HYDRAULIC POWER									
29-11-00-201 (MSG3) ^S	VISUAL CHECK FILTER DIFFERENTIAL-PRESSURE INDICATOR							Service	ATA:29
	MOS	20-Sep-21					MSG-3		
	HRS	9728	400 (+40/-40)						
	AFL	5799							
				PROC. REF: MTC 29-11-00-201				PKG:100	
29-11-00-202 (MSG3) ^S	FUNCTIONAL TEST RESERVOIR-MOUNTED RETURN-LINE CHECK-VALVE							Service	ATA:29
	MOS	24-Feb-14					MSG-3		
	HRS	8472.27	1600 (+40/-40)						
	AFL	4374							
				PROC. REF: MTC 29-11-00-202				PKG:130	
29-11-00-203 (MSG3) ^S	RESTORATION OF THE RETURN LINE CHECK-VALVES							Service	ATA:29
	MOS	08-Nov-18					MSG-3		
	HRS	9297.1	4800 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 29-11-00-203				PKG:160	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
29-11-00-204 (MSG3) ^S		DETAILED INSPECTION HYDRAULIC ACCUMULATOR						Service	ATA:29
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 29-11-00-204				PKG:220	
291000-001		NO. 1 HYDRAULIC PUMP MOTOR						Component	ATA:29
PN:9008D15-2	MOS/MSC	07-Sep-07	O/C		TSO 0				
SN:UF775	HRS	5330			TSO 0				
	AFL	2854			TSO 0				
				PROC. REF: AMM 29-11-11					
291000-002		NO. 2 HYDRAULIC PUMP MOTOR						Component	ATA:29
PN:9008D15-2	MOS/MSC	08-Nov-12	O/C						
SN:Y02154	HRS	7773.95							
	AFL	4042							
				PROC. REF: AMM 29-11-11					
291000-003		LEFT NO. 3 HYDRAULIC PUMP MOTOR						Component	ATA:29
PN:62613	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0							
				PROC. REF: AMM 29-11-11					
291000-004		RIGHT NO. 3 HYDRAULIC PUMP MOTOR						Component	ATA:29
PN:62613	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0							
				PROC. REF: AMM 29-11-11					
291004-001		NO. 1 HYDRAULIC PUMP						Component	ATA:29
PN:63108-06	MOS/MSC	07-Sep-07	O/C		TSR 0				
SN:K0188	HRS	5330			TSR 0				
	AFL	2854			TSR 0				
				PROC. REF: AMM 29-11-11					
291004-002		NO. 2 HYDRAULIC PUMP						Component	ATA:29
PN:63108-03	MOS/MSC	23-Oct-00	O/C		TSO 4				
SN:184749	HRS	2951			TSO 0				
	AFL	1494			TSO 0				
				PROC. REF: AMM 29-11-11					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
291004-003	LEFT NO. 3 HYDRAULIC PUMP							Component	ATA:29
PN:63108-03	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 29-11-11					
291004-004	RIGHT NO. 3 HYDRAULIC PUMP							Component	ATA:29
PN:63108-03	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 29-11-11					
291006-001	NO. 1 IN-LINE CHECK VALVE							Component	ATA:29
PN:95160	MOS/MSC	08-Nov-18	O/C	TSN 0					
SN:1316	HRS	9297.1		TSN 0					
WC#: 29.160	AFL	5212		TSN 0					
				PROC. REF: AMM 29-10-00					
291006-002	NO. 2 IN-LINE CHECK VALVE							Component	ATA:29
PN:95160	MOS/MSC	08-Nov-18	O/C	TSN 0					
SN:1321	HRS	9297.1		TSN 0					
WC#: 29.160	AFL	5212		TSN 0					
				PROC. REF: AMM 29-10-00					
291105-001	NO. 1 AIR PRESSURE INDICATOR GAUGE							Component	ATA:29
PN:600-75125-3	MOS/MSC	07-Sep-07	O/C	TSN 0					
SN:07-0731853	HRS	5330		TSN 0					
	AFL	2854		TSN 0					
				PROC. REF: GENERIC NO REF					
291105-002	NO. 2 AIR PRESSURE INDICATOR GAUGE							Component	ATA:29
PN:600-75125-1	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: GENERIC NO REF					
291105-003	NO. 3 AIR PRESSURE INDICATOR GAUGE							Component	ATA:29
PN:600-75125-1	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: GENERIC NO REF					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
291111-001	NO. 1 HYDRAULIC PUMP							Component	ATA:29
PN:601-75100-5	MOS/MSC	20-Oct-96	O/C						
SN:MX395530A	HRS	1445							
	AFL	709							
					PROC. REF: AMM 29-11-11				
291111-002	NO. 2 HYDRAULIC PUMP							Component	ATA:29
PN:601-75100-5	MOS/MSC	17-Apr-09	O/C		TSR 0				
SN:MX-429485A	HRS	5983.1			TSN 4712, TSR 0				
	AFL	3179			TSR 0				
					PROC. REF: AMM 29-11-11				
291121-001	NO. 1 HYDRAULIC SHUTOFF VALVE							Component	ATA:29
PN:AV16B2069B2	MOS/MSC	11-Aug-97	O/C						
SN:P26522	HRS	1770							
	AFL	868							
					PROC. REF: AMM 29-11-21				
291121-002	NO. 2 MOTORIZED SHUTOFF VALVE							Component	ATA:29
PN:AV16B2069B2	MOS/MSC	24-Sep-90	O/C						
SN:N67102	HRS	0			TSN 0				
	AFL	0							
					PROC. REF: AMM 29-11-21				
291126-001	NO. 1 HYDRAULIC RESERVOIR ASSEMBLY							Component	ATA:29
PN:600-75112-9	MOS/MSC	24-Sep-90	O/C						
SN:252A	HRS	0			TSN 0				
	AFL	0							
					PROC. REF: AMM 29-11-26				
291126-002	NO. 2 HYDRAULIC RESERVOIR ASSEMBLY							Component	ATA:29
PN:600-75112-11	MOS/MSC	24-Sep-90	O/C						
SN:266A	HRS	0			TSN 0				
	AFL	0							
					PROC. REF: AMM 29-11-26				
291146-001	NO. 1 HYDRAULIC SYSTEM ACCUMULATOR							Component	ATA:29
PN:2770571-103	MOS/MSC	24-Sep-90	O/C						
SN:1001A	HRS	0			TSN 0				
	AFL	0							
					PROC. REF: AMM 29-11-46				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
291146-002	NO. 2 HYDRAULIC SYSTEM ACCUMULATOR							Component	ATA:29
PN:2770571-103	MOS/MSC	24-Sep-90	O/C						
SN:1005A	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 29-11-46									
291151-001	NO. 1/NO. 2 HEAT HYDRAULIC FLUID EXCHANGER							Component	ATA:29
PN:600-75122-7	MOS/MSC	07-Sep-07	O/C		TSR 0				
SN:1115	HRS	5330			TSR 0				
	AFL	2854			TSR 0				
PROC. REF: AMM 29-11-51									
291166 ^U	NO. 3 HYDRAULIC SYSTEM HYDRAULIC RESERVOIR							Component	ATA:29
PN:600-75111-5	MOS/MSC	24-Sep-90	O/C						
SN:262	HRS	0		TSN 0					
	AFL	0							
291291 ^U	NO. 3 RIGHT HYDRAULIC SYSTEM ACOUSTIC FILTER							Component	ATA:29
PN:206001-003	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0							
291300-001	NO. 1 RELIEF VALVE							Component	ATA:29
PN:600-75111-7	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
291300-002	NO. 2 RELIEF VALVE							Component	ATA:29
PN:600-75111-7	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
291300-003	NO. 3 RELIEF VALVE							Component	ATA:29
PN:600-75111-7	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
291311-003	NO. 3 ACOUSTIC FILTER							Component	ATA:29
PN:206001-003	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 29-13-11					
291326-001	NO. 3 HYDRAULIC SYSTEM ACCUMULATOR							Component	ATA:29
PN:601R75138-3	MOS/MSC	18-Jan-13	O/C		TSN 3				
SN:60164-2439TNA	HRS	7915.17			TSN 0				
	AFL	4113			TSN 0				
				PROC. REF: AMM 29-13-26					
293100-001	NO. 1 HYDRAULIC PRESSURE INDICATOR							Component	ATA:29
PN:600-50932-3	MOS/MSC	17-Dec-12	O/C		TSR 18				
SN:93010948	HRS	7844.7			TSR 0				
	AFL	4078			TSR 0				
				PROC. REF: GENERIC NO REF					
293100-002	NO. 2 HYDRAULIC PRESSURE INDICATOR							Component	ATA:29
PN:600-50932-3	MOS/MSC	24-Sep-90	O/C						
SN:90030730	HRS	0			TSN 0				
	AFL	0							
				PROC. REF: GENERIC NO REF					
293100-003	NO. 3 HYDRAULIC PRESSURE INDICATOR							Component	ATA:29
PN:600-50932-3	MOS/MSC	24-Sep-90	O/C						
SN:90030729	HRS	0			TSN 0				
	AFL	0							
				PROC. REF: GENERIC NO REF					
293101-001	NO. 1 PRESSURE SYSTEM TRANSDUCER							Component	ATA:29
PN:600-59174-17	MOS/MSC	17-Dec-12	O/C		TSN 8				
SN:7961-12-277	HRS	7844.7			TSN 0				
	AFL	4078			TSN 0				
				PROC. REF: AMM 29-11-36, AMM 29-13-31					
293101-002	NO. 2 PRESSURE TRANSDUCER							Component	ATA:29
PN:600-59174-7	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0							
				PROC. REF: AMM 29-11-36, AMM 29-13-31					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
293101-003	NO. 3 PRESSURE SYSTEM TRANSDUCER							Component	ATA:29
PN:600-59174-7	MOS/MSC	25-Sep-08	O/C	TSN 0					
SN:7116-8-293	HRS	5756.32		TSN 0					
	AFL	3051		TSN 0					
PROC. REF: AMM 29-11-36, AMM 29-13-31									
293300-001	NO. 1 HYDRAULIC QUANTITY INDICATOR							Component	ATA:29
PN:600-50931-3	MOS/MSC	17-Dec-12	O/C	TSR 45					
SN:80B0090	HRS	7844.7		TSR 0					
	AFL	4078		TSR 0					
PROC. REF: GENERIC NO REF									
293300-002	NO. 2 HYDRAULIC QUANTITY INDICATOR							Component	ATA:29
PN:600-50931-3	MOS/MSC	24-Sep-90	O/C						
SN:90040739	HRS	0		TSN 0					
	AFL	0							
PROC. REF: GENERIC NO REF									
293300-003	NO. 3 HYDRAULIC QUANTITY INDICATOR							Component	ATA:29
PN:600-50931-3	MOS/MSC	24-Sep-90	O/C						
SN:90040730	HRS	0		TSN 0					
	AFL	0							
PROC. REF: GENERIC NO REF									
ATA 30 - ICE AND RAIN PROTECTION									
30-10-00-201 (MSG3)	FUNCTIONAL TEST WING ANTI-ICE TEMPERATURE SENSORS (CEF 30-10-00-03)							Service	ATA:30
	MOS	07-Oct-19					MSG-3		
	HRS	9460.5	9600 (+40/-40)		19060.5	19100.5	9032.6 (+40)		
	AFL	5416							
PROC. REF: MTC 30-10-00-201									
30-10-00-202 (MSG3) ^S	FUNCTIONAL TEST SENSOR DETECTION CIRCUIT							Service	ATA:30
	MOS	08-Nov-18					MSG-3		
	HRS	9297.1	2400 (+40/-40)						
	AFL	5212							
PROC. REF: MTC 30-10-00-202									
								PKG:140	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
30-11-00-101 (MSG3)		DETAILED INSPECTION WING ANTI-ICING - WING DUCT PICCOLO TUBE. (POST SB 601-0590)						Service	ATA:30
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	4800		14097.1		4069.2		
	AFL	5212							
PROC. REF: AMM 30-11-06								PKG:160	
30-11-00-102 (MSG3)		FUNCTIONAL TEST WING ANTI-ICING - THERMAL SWITCHES AND SENSORS. (POST SB 601-0590)						Service	ATA:30
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	4800		14097.1		4069.2		
	AFL	5212							
PROC. REF: AMM 30-11-00								PKG:160	
30-11-00-103*		FUNCTIONAL TEST OF THE LOW TEMPERATURE GROUND WING ANTI-ICE(LTGWAIS) OVERHEAT CIRCUIT (POST SB 601-0641)						Service	ATA:30
	MOS							ALI	
	HRS		2400		?		?		
	AFL								
PROC. REF: AMM 30-11-31									
30-11-00-104		OPERATIONAL TEST OF THE COWL ANTI-ICE FAILURE INDICATION (POST SB 601-0641)						Service	ATA:30
	MOS/MSC	EFF	N/A					ALI	
	HRS								
	AFL								
PROC. REF: GENERIC NO REF									
30-40-00-201 (MSG3) ^S		FUNCTIONAL TEST NO. 1 COCKPIT WINDSHIELD ASSEMBLY RAIN-REPELLENT LAYER						Service	ATA:30
PN:604-33030-05	MOS	16-Sep-23						MSG-3	
SN:1929	HRS	10016.7	400 (+40/-40)						
	AFL	6124							
PROC. REF: MTC 30-40-00-201								PKG:100	
30-40-00-201 (MSG3) ^S		FUNCTIONAL TEST NO. 2 COCKPIT WINDSHIELD ASSEMBLY RAIN-REPELLENT LAYER						Service	ATA:30
PN:604-33030-26	MOS	20-Sep-21						MSG-3	
SN:11440	HRS	9728	400 (+40/-40)						
	AFL	5799							
PROC. REF: MTC 30-40-00-201								PKG:100	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
301000-001	ANTI-ICE CONTROLLER							Component	ATA:30
PN:624382-2	MOS/MSC	24-Sep-90	O/C						
SN:060C277	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 30-11-16					
301011-001	NO. 1 MODULATING/SHUTOFF VALVE							Component	ATA:30
PN:3214442-4	MOS/MSC	EFF	O/C						
SN:445	HRS			TSN 0					
	AFL								
				PROC. REF: AMM 30-11-11					
301011-002	NO. 2 MODULATING/SHUTOFF VALVE							Component	ATA:30
PN:3214442-4	MOS/MSC		O/C						
SN:439	HRS			TSN 0					
	AFL								
				PROC. REF: AMM 30-11-11					
301106-701 ^U	LEFT WING PICCOLO TUBE INBOARD COUPLING							Component	ATA:30
PN:601-80033-1	MOS/MSC	08-Nov-18	O/C						
SN:G58320	HRS	9297.1							
	AFL	5212							
302001-001	NO. 1 OVER PRESSURE RELIEF VALVE							Component	ATA:30
PN:228-56480-103	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
				PROC. REF: AMM 30-20-26					
302001-002	NO. 2 OVER PRESSURE RELIEF VALVE							Component	ATA:30
PN:228-56480-103	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
				PROC. REF: AMM 30-20-26					
302011-001	NO. 1 COWL ANTI-ICE VALVE							Component	ATA:30
PN:601-97097-7	MOS/MSC	14-Jan-03	O/C						
SN:2330	HRS	3695		TSN 0					
	AFL	1906		TSN 0					
				PROC. REF: GENERIC NO REF					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
302011-002	NO. 2 COWL ANTI-ICE VALVE							Component	ATA:30
PN:734027B	MOS/MSC	29-Jan-19	O/C	TSN 390					
SN:0397	HRS	9355.6		TSN 11095.6					
	AFL	5268		TSN 6586					
PROC. REF: GENERIC NO REF									
302016-001	NO. 1 COWL ANTI-ICE PRESSURE SWITCH							Component	ATA:30
PN:12681	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 30-20-16									
302016-002	NO. 2 COWL ANTI-ICE PRESSURE SWITCH							Component	ATA:30
PN:12681	MOS/MSC	25-Feb-15	O/C						
SN:UNKNOWN	HRS	8648.2							
	AFL	4524							
PROC. REF: AMM 30-20-16									
303000-001	ADS HEATER CONTROL PANEL							Component	ATA:30
PN:40-546-9	MOS/MSC	07-Sep-16	O/C						
SN:9413-001	HRS	8875.9							
	AFL	4712							
PROC. REF: AMM 30-30-00									
304101-001	NO. 1 WINDSHIELD TEMPERATURE CONTROLLER							Component	ATA:30
PN:600-59100-11	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 30-41-11									
304101-002	NO. 2 WINDSHIELD TEMPERATURE CONTROLLER							Component	ATA:30
PN:600-59100-11	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 30-41-11									
304102-001	NO. 1 SIDE WINDOW TEMPERATURE CONTROLLER							Component	ATA:30
PN:600-59100-13	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-41-11									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
304102-002	NO. 2 SIDE WINDOW TEMPERATURE CONTROLLER							Component	ATA:30
PN:600-59100-13	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 30-41-11									
308000-001	NO. 1 ICE DETECTOR							Component	ATA:30
PN:604-51262-1	MOS/MSC	14-Feb-02	O/C						
SN:556	HRS	3389		TSN 0					
	AFL	1746		TSN 0					
PROC. REF: AMM 30-80-11									
308000-002	NO. 2 ICE DETECTOR							Component	ATA:30
PN:604-51262-1	MOS/MSC	27-Feb-06	O/C		TSN 0				
SN:2105	HRS	4745.58		TSN 0					
	AFL	2450		TSN 0					
PROC. REF: AMM 30-80-11									
ATA 31 - INDICATING/RECORDING SYSTEMS									
31-50-00-201 (MSG3) ^S	FUNCTIONAL TEST AURAL WARNING SYSTEM							Service	ATA:31
	MOS	20-Sep-21	24 (+1m/-1m)					MSG-3	
	HRS	9728							
	AFL	5799							
PROC. REF: MTC 31-50-00-201									
313100-001	FLIGHT DATA RECORDER (FDR)							Component	ATA:31
PN:S603-1000-00	MOS/MSC	25-Nov-15	O/C		TSN 68				
SN:000641608	HRS	8852.6			TSN 2722.72				
WC#: 31.025	AFL	4690			TSN 1442				
PROC. REF: AMM 31-31-00									
313101-001	FLIGHT DATA RECORDER UNDERWATER LOCATOR BEACON							Component	ATA:31
PN:266-E0305-00	MOS/MSC	20-Sep-21	O/C		TSN 139				
SN:SC71867	HRS	9728			TSN 0				
WC#: 31.070	AFL	5799			TSN 0				
PROC. REF: FAR PART 91.411, AMM 31-31-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
313101-001A^U DISCARD FLIGHT DATA RECORDER UNDERWATER LOCATOR BEACON Service ATA:31								
PN:266-E0305-00	MOS	20-Sep-21	72		20-Sep-27		1418 d	
SN:SC71867	HRS	9728						
	AFL	5799						
313101-001B^{U S} OPERATIONAL CHECK/CLEANING FLIGHT DATA RECORDER UNDERWATER LOCATOR BEACON AND BATTERY Service ATA:31								
PN:266-E0305-00	MOS	20-Sep-21	24					
SN:SC71867	HRS	9728						
	AFL	5799						
PKG:210								
313102-001 FLIGHT DATA RECORDER ACCELEROMETER Component ATA:31								
PN:3001-01-111	MOS/MSC	17-Mar-10	O/C	TSN 0				
SN:0509-15465	HRS	6129.88		TSN 0				
WC#: 31.005	AFL	3248		TSN 0				
PROC. REF: AMM 31-31-00								
315026^U FDR DIGITAL CONVERTER Component ATA:31								
PN:500-2301	MOS/MSC	17-Mar-10	O/C					
SN:721	HRS	6129.88						
	AFL	3248						
315100-001 AURAL WARNING UNIT Component ATA:31								
PN:529-6	MOS/MSC	09-Sep-16	O/C	TSR 30				
SN:039	HRS	8875.9		TSR 0				
	AFL	4712		TSR 0				
PROC. REF: AMM 31-51-00								
315101-001 AURAL WARNING TEST PANEL Component ATA:31								
PN:530-5	MOS/MSC	08-Sep-16	O/C	TSR 2				
SN:0243	HRS	8875.9		TSR 0				
	AFL	4712		TSR 0				
PROC. REF: AMM 31-51-00								
315300-001 CIRCUIT BREAKER BOX Component ATA:31								
PN:70-0197-3	MOS/MSC	24-Sep-90	O/C					
SN:0311	HRS	0		TSN 0				
	AFL	0						
PROC. REF: AMM 31-53-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
315301-001	10-CHANNEL MASTER WARNING CAUTION PANEL							Component	ATA:31
PN:843346-5	MOS/MSC	24-Sep-90	O/C						
SN:320	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 31-53-00								
315302-001	08-CHANNEL MASTER WARNING CAUTION PANEL							Component	ATA:31
PN:843347-3	MOS/MSC	14-Feb-02	O/C						
SN:034	HRS	3389							
	AFL	1746							
	PROC. REF: AMM 31-53-00								
315303-001	NO. 1 DIMMING MODULE ASSEMBLY							Component	ATA:31
PN:846199-1	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: GENERIC NO REF								
315303-002	NO. 2 DIMMING MODULE ASSEMBLY							Component	ATA:31
PN:846199-1	MOS/MSC	27-Apr-92	O/C						
SN:381	HRS	296		TSO 0					
	AFL	137		TSO 0					
	PROC. REF: GENERIC NO REF								
ATA 32 - LANDING GEAR									
32-00-00-201 (MSG3) ^S	FUNCTIONAL TEST LANDING-GEAR EMERGENCY-EXTENSION SYSTEM							Service	ATA:32
	MOS	08-Nov-18					MSG-3		
	HRS	9297.1	800 (+40/-40)						
	AFL	5212							
	PROC. REF: MTC 32-00-00-201								
32-00-00-202 (MSG3) ^S	FUNCTIONAL TEST MAIN LANDING GEAR (MLG) SHOCK STRUT ASSEMBLY							Service	ATA:32
	MOS	08-Nov-18					MSG-3		
	HRS	9297.1	800 (+40/-40)						
	AFL	5212							
	PROC. REF: MTC 32-00-00-202								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-00-00-203 (MSG3)^S FUNCTIONAL TEST NOSE LANDING GEAR (NLG) SHOCK STRUT ASSEMBLY								
	MOS	08-Nov-18						Service ATA:32
	HRS	9297.1	800 (+40/-40)					MSG-3
	AFL	5212						
				PROC. REF: MTC 32-00-00-203				PKG:110
32-00-00-204 (MSG3)^S LUBRICATION MAIN LANDING GEAR (MLG) ASSEMBLY.								
	MOS	20-Sep-21						Service ATA:32
	HRS	9728	400 (+40/-40)					MSG-3
	AFL	5799						
				PROC. REF: MTC 32-00-00-204				PKG:100
32-00-00-205 (MSG3)^S LUBRICATION NOSE LANDING GEAR (NLG) ASSEMBLY.								
	MOS	20-Sep-21						Service ATA:32
	HRS	9728	400 (+40/-40)					MSG-3
	AFL	5799						
				PROC. REF: MTC 32-00-00-205				PKG:100
32-00-00-206 (MSG3)^S LUBRICATION MAIN LANDING GEAR (MLG) DOORS								
	MOS	20-Sep-21						Service ATA:32
	HRS	9728	400 (+40/-40)					MSG-3
	AFL	5799						
				PROC. REF: MTC 32-00-00-206				PKG:100
32-00-00-207 (MSG3)^S LUBRICATION NOSE LANDING GEAR (NLG) DOORS								
	MOS	20-Sep-21						Service ATA:32
	HRS	9728	400 (+40/-40)					MSG-3
	AFL	5799						
				PROC. REF: MTC 32-00-00-207				PKG:100
32-00-00-208 (MSG3)^S DETAILED INSPECTION LANDING-GEAR EMERGENCY-EXTENSION CABLE IN THE NOSE LANDING GEAR (NLG) WHEEL WELL								
	MOS	08-Nov-18						Service ATA:32
	HRS	9297.1	800 (+40/-40)					MSG-3
	AFL	5212						
				PROC. REF: MTC 32-00-00-208				PKG:110
32-00-00-209 (MSG3)^S DETAILED INSPECTION LANDING-GEAR EMERGENCY-EXTENSION CABLE IN THE FORWARD AVIONICS COMPARTMENT								
	MOS	07-Oct-19	60 (+1m/-1m)					Service ATA:32
	HRS	9460.5						MSG-3
	AFL	5416						
				PROC. REF: MTC 32-00-00-209				PKG:220

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-00-00-210 (MSG3) ^S	DETAILED INSPECTION LANDING-GEAR EMERGENCY-EXTENSION CABLE IN THE MAIN AVIONICS COMPARTMENT							Service	ATA:32
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 32-00-00-210				PKG:220	
32-00-00-211 (MSG3) ^S	DETAILED INSPECTION LANDING-GEAR EMERGENCY-EXTENSION CABLE IN THE MID-LOWER FUSELAGE COMPARTMENT							Service	ATA:32
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 32-00-00-211				PKG:220	
32-00-00-212 (MSG3) ^S	DETAILED INSPECTION LANDING-GEAR EMERGENCY-EXTENSION CABLE IN THE MAIN LANDING GEAR (MLG) WHEEL WELL							Service	ATA:32
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	800 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 32-00-00-212				PKG:110	
32-00-00-213 (MSG3) ^S	GENERAL VISUAL INSPECTION MAIN LANDING GEAR (MLG) ASSEMBLY							Service	ATA:32
	MOS	19-Oct-22	12 (+1m/-1m)					MSG-3	
	HRS	9861.1							
	AFL	5949							
				PROC. REF: MTC 32-00-00-213				PKG:200	
32-00-00-214 (MSG3) ^S	GENERAL VISUAL INSPECTION NOSE LANDING GEAR (NLG) ASSEMBLY							Service	ATA:32
	MOS	19-Oct-22	12 (+1m/-1m)					MSG-3	
	HRS	9861.1							
	AFL	5949							
				PROC. REF: MTC 32-00-00-214				PKG:200	
32-00-00-215 (MSG3)	DETAILED INSPECTION MAIN LANDING GEAR (MLG) ASSEMBLY							Service	ATA:32
	MOS	07-Oct-19	60 (+1m/-1m)		07-Oct-24	07-Nov-24	340 d (+31)	MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 32-00-00-215				PKG:220	
32-00-00-216 (MSG3)	DETAILED INSPECTION NOSE LANDING GEAR (NLG) ASSEMBLY							Service	ATA:32
	MOS	07-Oct-19	60 (+1m/-1m)		07-Oct-24	07-Nov-24	340 d (+31)	MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 32-00-00-216				PKG:220	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
32-00-00-217 (MSG3)^S RESTORATION (OVERHAUL) OF THE MAIN LANDING GEAR (MLG)ASSEMBLY								
	MOS	03-Mar-11	240 (+1m/-1m)					Service ATA:32 MSG-3
	HRS							
	AFL							
				PROC. REF: MTC 32-00-00-217				PKG:240
32-00-00-218 (MSG3)^S RESTORATION (OVERHAUL) OF THE NOSE LANDING GEAR (NLG)ASSEMBLY								
	MOS	03-Mar-11	240 (+1m/-1m)					Service ATA:32 MSG-3
	HRS	0						
	AFL	0						
				PROC. REF: MTC 32-00-00-218				PKG:240
32-00-00-219 (MSG3)^S OPERATIONAL TEST LANDING GEAR CONTROL UNIT								
	MOS	08-Nov-18						Service ATA:32 MSG-3
	HRS	9297.1	800 (+40/-40)					
	AFL	5212						
				PROC. REF: MTC 32-00-00-219				PKG:110
32-00-00-220 (MSG3) RESTORATION MLG SELECTOR VALVE (OVERHAUL) OF THE MAIN LANDING GEAR (MLG)SELECTOR VALVE, PART NO.61750 AND 61750-1								
PN:61750	MOS	24-Sep-90						Service ATA:32 MSG-3
SN:258	HRS	0						
	AFL	0	15000 (+40/-40)		15000	15040	8862 (+40)	
				PROC. REF: MTC 32-00-00-220				
32-00-00-221 (MSG3)^S FUNCTIONAL TEST PRIORITY VALVES								
	MOS	08-Nov-18						Service ATA:32 MSG-3
	HRS	9297.1	2400 (+40/-40)					
	AFL	5212						
				PROC. REF: MTC 32-00-00-221				PKG:140
32-00-00-301 (MSG3) CLEANING OF THE LANDING GEAR								
	MOS/MSC	24-Sep-90	A/R					Service ATA:32 MSG-3
	HRS	0						
	AFL	0						
				PROC. REF: MTC 32-00-00-301				
32-12-00-201 (MSG3)^S DETAILED INSPECTION HINGE AND FASTENERS OF THE MAIN LANDING-GEAR DOOR								
	MOS	07-Oct-19	60 (+1m/-1m)					Service ATA:32 MSG-3
	HRS	9460.5						
	AFL	5416						
				PROC. REF: MTC 32-12-00-201				PKG:220

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-40-00-201 (MSG3) ^S	FUNCTIONAL TEST BRAKE ACCUMULATORS							Service	ATA:32
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	800 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 32-40-00-201				PKG:110	
32-40-00-204 (MSG3) ^S	LUBRICATION MAIN LANDING GEAR (MLG) BRAKE CONTROL-VALVE ASSEMBLY							Service	ATA:32
	MOS	20-Sep-21						MSG-3	
	HRS	9728	400 (+40/-40)						
	AFL	5799							
				PROC. REF: MTC 32-40-00-204				PKG:100	
32-40-00-205 (MSG3) ^S	DETAILED INSPECTION BRAKE WEAR PINS							Service	ATA:32
	MOS	20-Sep-21						MSG-3	
	HRS	9728	400 (+40/-40)						
	AFL	5799							
				PROC. REF: MTC 32-40-00-205				PKG:100	
32-40-00-208 (MSG3) ^S	DETAILED INSPECTION BRAKE ACCUMULATOR							Service	ATA:32
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 32-40-00-208				PKG:220	
32-40-00-209 (MSG3) ^S	OPERATIONAL TEST PARKING BRAKE SHUT-OFF VALVE							Service	ATA:32
	MOS	23-Jan-13						MSG-3	
	HRS	7915.17	3200 (+40/-40)						
	AFL	4113							
				PROC. REF: MTC 32-40-00-209				PKG:150	
32-50-00-202 (MSG3) ^S	OPERATIONAL TEST NOSEWHEEL STEERING SELECTOR AND ARMING VALVE							Service	ATA:32
	MOS	20-Sep-21						MSG-3	
	HRS	9728	400 (+40/-40)						
	AFL	5799							
				PROC. REF: MTC 32-50-00-202				PKG:100	
32-50-00-203 (MSG3) ^S	OPERATIONAL TEST NOSEWHEEL STEERING ELECTRONIC-CONTROL-MODULE (ECM), P/N 601-86100-13. VENDOR P/N 7040-13/15							Service	ATA:32
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	800 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 32-50-00-203				PKG:110	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
32-50-21-02	DISCARD RUDDER PEDAL POTENTIOMETER COUPLING SETSCREWS							Service	ATA:32
PN:PN	MOS/MSC	24-Sep-90	T:A/R		30-Oct-26 (M)		1093 d	LIFE LIMIT	
SN:UNKNOWN	HRS	0							
	AFL	0							
PROC. REF: AMM 32-50-21									
32-ZL-00-204 (MSG3) ^S	GENERAL VISUAL INSPECTION NOSE-LANDING-GEAR DOOR							Service	ATA:32
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
PROC. REF: MTC 32-ZL-00-204									
32-ZL-00-207 (MSG3) ^S	GENERAL VISUAL INSPECTION MAIN-LANDING-GEAR DOOR							Service	ATA:32
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
PROC. REF: MTC 32-ZL-00-207									
320500 ^U	LANDING GEAR CONTROL LEVER							Component	ATA:32
PN:600-50967-9	MOS/MSC	24-Nov-06	O/C					CUSTOMER CODE	
SN:140	HRS	5061.13		TSR 0					
	AFL	2719		TSR 0					
321001-001	NO. 1 MLG SHOCK STRUT							Component	ATA:32
PN:601-85001-25	MOS/MSC	04-Mar-16	O/C	TSR 1					
SN:DEC075/84/00R	HRS	8874.9		TSR 0					
WC#: 32.620	AFL	4711		TSN 5664, TSR 0					
PROC. REF: AMM 32-10-11									
321001-002	NO. 2 MLG SHOCK STRUT							Component	ATA:32
PN:601-85001-25	MOS/MSC	04-Mar-16	O/C	TSR 1					
SN:DEC074/84/00R	HRS	8874.9		TSR 0					
WC#: 32.620	AFL	4711		TSN 5664, TSR 0					
PROC. REF: AMM 32-10-11									
321004-001	LH MAIN LANDING GEAR							Component	ATA:32
PN:601-85001-31	MOS/MSC	03-Mar-16	O/C	TSR 1					
SN:DEC/039/84/00R	HRS	8874.9		TSR 0					
WC#: 32.320	AFL	4711		TSN 5664, TSR 0					
PROC. REF: SMM 32-10-05, AMM 32-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
321004-002	RH MAIN LANDING GEAR							Component	ATA:32
PN:601-85001-32	MOS/MSC	03-Mar-16	O/C						
SN:DEC036/84/00R	HRS	8874.9		TSN 9458.38					
WC#: 32.320	AFL	4711		TSN 5664					
PROC. REF: SMM 32-10-05, AMM 32-10-00									
321011-001	NO. 1 MLG SHOCK STRUT LOWER PIN							Component	ATA:32
PN:6232-1	MOS	04-Mar-16						LIFE LIMIT	
SN:1-3034/05	HRS	8874.9							
	AFL	4711	50000	TSN 5664	49047		42909		
PROC. REF: AMM 32-10-11									
321011-002	NO. 2 MLG SHOCK STRUT LOWER PIN							Component	ATA:32
PN:6232-1	MOS	04-Mar-16						LIFE LIMIT	
SN:2-3034/05	HRS	8874.9							
	AFL	4711	50000	TSN 5664	49047		42909		
PROC. REF: AMM 32-10-11									
321012-001	NO. 1 MLG SHOCK STRUT UPPER PIN							Component	ATA:32
PN:6232-3	MOS	04-Mar-16						LIFE LIMIT	
SN:DCL048	HRS	8874.9							
	AFL	4711	50341	TSN 5664	49388		43250		
PROC. REF: AMM 32-10-11									
321012-002	NO. 2 MLG SHOCK STRUT UPPER PIN							Component	ATA:32
PN:6232-3	MOS	04-Mar-16						LIFE LIMIT	
SN:DCL050	HRS	8874.9							
	AFL	4711	50341	TSN 5664	49388		43250		
PROC. REF: AMM 32-10-11									
321013-001	NO. 1 MLG SHOCK STRUT CYLINDER							Component	ATA:32
PN:6216-1	MOS	04-Mar-16						LIFE LIMIT	
SN:IA0750	HRS	8874.9							
	AFL	4711	50000	TSN 277	54434		48296		
PROC. REF: AMM 32-10-11									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
321013-002	NO. 2 MLG SHOCK STRUT CYLINDER							Component	ATA:32
PN:6216-1	MOS	04-Mar-16						LIFE LIMIT	
SN:DER1002	HRS	8874.9							
	AFL	4711	50000	TSN 5664	49047		42909		
	PROC. REF: AMM 32-10-11								
321040-001	NO. 1 MLG AXLE							Component	ATA:32
PN:6433-1	MOS	04-Mar-16						LIFE LIMIT	
SN:DCL526	HRS	8874.9							
	AFL	4711	50000	TSN 2483	52228		46090		
	PROC. REF: AMM 32-10-21								
321040-002	NO. 2 MLG AXLE							Component	ATA:32
PN:6433-1	MOS	04-Mar-16						LIFE LIMIT	
SN:DCL519	HRS	8874.9							
	AFL	4711	50000	TSN 2483	52228		46090		
	PROC. REF: AMM 32-10-21								
321056 ^U	R MLG SIDE STAY/RET ACT							Component	ATA:32
PN:600-85001-85	MOS/MSC	03-Mar-16	O/C	TSR 1				LIFE LIMIT	
SN:DEC156/83/00R/05	HRS	8874.9		TSN 9458.38, TSR 0					
	AFL	4711		TSN 5664, TSR 0					
321700-001	NO. 1 MLG SHOCK STRUT PISTON							Component	ATA:32
PN:6226-3	MOS	04-Mar-16						LIFE LIMIT	
SN:DCL621	HRS	8874.9							
	AFL	4711	50000	TSN 5664	49047		42909		
	PROC. REF: AMM 32-10-11								
321700-002	NO. 2 MLG SHOCK STRUT PISTON							Component	ATA:32
PN:6226-3	MOS	04-Mar-16						LIFE LIMIT	
SN:103	HRS	8874.9							
	AFL	4711	50000	TSN 5664	49047		42909		
	PROC. REF: AMM 32-10-11								
321701-001	NO. 1 MLG TRAILING ARM							Component	ATA:32
PN:6416-1	MOS	04-Mar-16						LIFE LIMIT	
SN:0110	HRS	8874.9							
	AFL	4711	50000	TSN 5664	49047		42909		
	PROC. REF: AMM 32-10-36								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
321701-002	NO. 2 MLG TRAILING ARM							Component	ATA:32
PN:6416-1	MOS	04-Mar-16						LIFE LIMIT	
SN:0130	HRS	8874.9							
	AFL	4711	50000	TSN 5664	49047		42909		
	PROC. REF: AMM 32-10-36								
321744-001	NO. 1 MLG FITTING							Component	ATA:32
PN:6316-5	MOS	04-Mar-16						LIFE LIMIT	
SN:DEC004	HRS	8874.9							
	AFL	4711	13288	TSN 5664	12335		6197		
	PROC. REF: AMM 32-10-00								
321744-002	NO. 2 MLG FITTING							Component	ATA:32
PN:6316-2	MOS	04-Mar-16						LIFE LIMIT	
SN:108	HRS	8874.9							
	AFL	4711	13288	TSN 5664	12335		6197		
	PROC. REF: AMM 32-10-00								
321754-001	NO. 1 MLG PINTLE PIN							Component	ATA:32
PN:6324-1	MOS	04-Mar-16						LIFE LIMIT	
SN:CDER390/00	HRS	8874.9							
	AFL	4711	47734	TSN 5664	46781		40643		
	PROC. REF: AMM 32-10-00								
321754-002	NO. 2 MLG PINTLE PIN							Component	ATA:32
PN:6324-1	MOS	04-Mar-16						LIFE LIMIT	
SN:CDER385/09	HRS	8874.9							
	AFL	4711	47734	TSN 5664	46781		40643		
	PROC. REF: AMM 32-10-00								
321756-001	NO. 1 MLG PIVOT PIN							Component	ATA:32
PN:6329-3	MOS	04-Mar-16						LIFE LIMIT	
SN:CDER391/00	HRS	8874.9							
	AFL	4711	50000	TSN 5664	49047		42909		
	PROC. REF: AMM 32-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
321756-002	NO. 2 MLG PIVOT PIN							Component	ATA:32
PN:6329-3	MOS	04-Mar-16						LIFE LIMIT	
SN:MBM0519	HRS	8874.9							
	AFL	4711	50000	TSN 2650	52061		45923		
	PROC. REF: AMM 32-10-00								
321758-001	NO. 1 MLG DOOR STUD							Component	ATA:32
PN:6349-1	MOS	04-Mar-16						LIFE LIMIT	
SN:1-3034/11	HRS	8874.9							
	AFL	4711	50000	TSN 5664	49047		42909		
	PROC. REF: AMM 32-10-00								
321758-002	NO. 2 MLG DOOR STUD							Component	ATA:32
PN:6349-1	MOS	04-Mar-16						LIFE LIMIT	
SN:2-3034/11	HRS	8874.9							
	AFL	4711	50000	TSN 5664	49047		42909		
	PROC. REF: AMM 32-10-00								
321759-001	NO. 1 MLG SIDE STAY PIN							Component	ATA:32
PN:6318-3	MOS	04-Mar-16						LIFE LIMIT	
SN:DCL841	HRS	8874.9							
	AFL	4711	43611	TSN 3681	44641		38503		
	PROC. REF: AMM 32-10-00								
321759-002	NO. 2 MLG SIDE STAY PIN							Component	ATA:32
PN:6318-1	MOS	04-Mar-16						LIFE LIMIT	
SN:1-3012/01	HRS	8874.9			TSN 7290.1				
	AFL	4711	43611	TSN 4332	43990		37852		
	PROC. REF: AMM 32-10-00								
322000-001	NOSE LANDING GEAR							Component	ATA:32
PN:600-85002-11	MOS/MSC	11-Aug-16	O/C						
SN:DCL251/90/00R	HRS	8875.9			TSO 2746.02				
WC#: 32.325	AFL	4712			TSO 1464				
	PROC. REF: AMM 32-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
322011-001		NOSE LANDING GEAR STRUT							Component ATA:32
PN:601-85002-11	MOS/MSC	04-Mar-16	O/C	TSR 1					
SN:DEC149/83/00R	HRS	8874.9		TSR 0					
WC#: 32.625	AFL	4711		TSN 5664, TSR 0					
PROC. REF: GENERIC NO REF									
322012-001		NLG MAIN FITTING							Component ATA:32
PN:200811316	MOS	04-Mar-16						LIFE LIMIT	
SN:09LHM0251	HRS	8874.9							
	AFL	4711	19480	TSN 277	23914		17776		
PROC. REF: AMM 32-20-00									
322013-001		NLG AXLE FITTING							Component ATA:32
PN:200811308	MOS	04-Mar-16						LIFE LIMIT	
SN:DCL411	HRS	8874.9							
	AFL	4711	19480	TSN 5664	18527		12389		
PROC. REF: AMM 32-20-21									
322017-001		NLG DOORS ACTUATOR							Component ATA:32
PN:600-75136-3	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0							
	AFL	0		TSN 0					
PROC. REF: AMM 32-20-17									
322021-001^U		NLG FOLLOW UP DOOR ATTACH FITTING							Component ATA:32
PN:600-33213-1	MOS/MSC	23-Aug-14	O/C	TSN 0					
SN:UN-KNOWN	HRS	8540.55		TSN 0					
	AFL	4405		TSN 0					
322041^U		NOSE LANDING GEAR HARNESS							Component ATA:32
PN:601-57788-9	MOS/MSC	03-Dec-05	O/C					CUSTOMER CODE	
SN:881	HRS	4631.1		TSN 0					
	AFL	2391		TSN 0					
322042^U		L/H OUTBD MLG SENSOR HARNESS							Component ATA:32
PN:601-57788-69	MOS/MSC	07-Sep-07	O/C	TSN 2					
SN:865	HRS			TSN 0					
	AFL			TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
322104-001	NO. 1 NLG (TRUNION) PIVOT PIN							Component	ATA:32
PN:200811601	MOS	04-Mar-16						LIFE LIMIT	
SN:DCL15	HRS	8874.9							
	AFL	4711	19480	TSN 5664	18527		12389		
PROC. REF: TLMC 5-10-10, TLMC 5-10-11, TLMC 5-10-12									
322104-002	NO. 2 NLG (TRUNION) PIVOT PIN							Component	ATA:32
PN:200811601	MOS	04-Mar-16						LIFE LIMIT	
SN:DCL012	HRS	8874.9							
WC#: 32.545	AFL	4711	19480	TSN 5664	18527		12389		
PROC. REF: TLMC 5-10-10, TLMC 5-10-11, TLMC 5-10-12									
322105-001	NLG SLIDING TUBE SHOCK STRUT							Component	ATA:32
PN:200811707	MOS	04-Mar-16						LIFE LIMIT	
SN:MBM0113	HRS	8874.9							
	AFL	4711	19480	TSN 5664	18527		12389		
PROC. REF: AMM 32-20-31									
322106-001	NLG FORGING DRAG BRACE UPPER LINK							Component	ATA:32
PN:200814312	MOS	17-Mar-10						LIFE LIMIT	
SN:DER1028	HRS	6129.88		TSN 6129.88					
	AFL	3248	19480	TSN 3248	19480		13342		
PROC. REF: AMM 32-30-26									
322107-001	NLG DRAG BRACE UPPER LINK							Component	ATA:32
PN:7202-3	MOS	04-Mar-16						LIFE LIMIT	
SN:DER1033	HRS	8874.9							
	AFL	4711	19480	TSN 5664	18527		12389		
PROC. REF: AMM 32-30-26									
322113-001	NLG DRAG BRACE LOWER LINK							Component	ATA:32
PN:200814311	MOS	04-Mar-16						LIFE LIMIT	
SN:CDER401/00	HRS	8874.9							
	AFL	4711	19480	TSN 5664	18527		12389		
PROC. REF: AMM 32-30-26									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
322115-001	NLG ATTACHMENT PIN							Component	ATA:32
PN:200811721	MOS	04-Mar-16						LIFE LIMIT	
SN:1-3034/11	HRS	8874.9							
	AFL	4711	19480	TSN 5664	18527		12389		
PROC. REF: AMM 32-20-00									
322116-001	NO. 1 NLG DRAG BRACE, UPPER PIVOT PIN							Component	ATA:32
PN:200814601	MOS	04-Mar-16						LIFE LIMIT	
SN:1-3034/11	HRS	8874.9							
	AFL	4711	19480	TSN 5664	18527		12389		
PROC. REF: AMM 32-30-26									
322116-002	NO. 2 NLG DRAG BRACE, UPPER PIVOT PIN							Component	ATA:32
PN:200814601	MOS	04-Mar-16						LIFE LIMIT	
SN:MSA/359/05	HRS	8874.9							
WC#: 32.550	AFL	4711	19480	TSN 6458	17733		11595		
PROC. REF: AMM 32-30-26									
322117-001	NLG DRAG BRACE HINGE PIN							Component	ATA:32
PN:200814624	MOS	04-Mar-16						LIFE LIMIT	
SN:10MER59433	HRS	8874.9							
	AFL	4711	19480	TSN 277	23914		17776		
PROC. REF: AMM 32-30-26									
322118-001	NLG SLIDING TUBE TO END FITTING PIN							Component	ATA:32
PN:200811602	MOS	04-Mar-16						LIFE LIMIT	
SN:1-3034/05	HRS	8874.9							
	AFL	4711	19480	TSN 5664	18527		12389		
PROC. REF: AMM 32-20-31									
322250 ^U	LH MAIN OUTBD WOW PROXIMITY SWITCH							Component	ATA:32
PN:84-738-709	MOS/MSC	22-Jun-20	O/C	TSN 0					
SN:00740	HRS	9550		TSN 0					
	AFL	5553		TSN 0					
322251 ^U	LH MAIN INBD WOW PROXIMITY SWITCH							Component	ATA:32
PN:8-405-34	MOS/MSC		O/C						
SN:F56947	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
322252^U RH MAIN OUTB WOW PROXIMITY SWITCH Component ATA:32								
PN:84-738-709	MOS/MSC	06-Aug-13	O/C					
SN:02164	HRS							
	AFL							
322253^U RH MAIN INBD WOW PROXIMITY SWITCH Component ATA:32								
PN:8-405-34	MOS/MSC	03-Dec-05	O/C	TSN 0				
SN:F57445	HRS	4631.12		TSN 0				
	AFL	2391		TSN 0				
323001-001 MLG SELECTOR VALVE Component ATA:32								
PN:61750	MOS/MSC	24-Sep-90	O/C					
SN:258	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-30-31								
323002-001 NOSE LANDING GEAR UPLOCK Component ATA:32								
PN:600-85002-9	MOS	24-Sep-90						LIFE LIMIT
SN:DCL175-90	HRS	0		TSN 0				
	AFL	0	52065	TSN 0	52065		45927	
PROC. REF: AMM 32-30-51								
323005-001 NO. 1 MLG UPLOCK Component ATA:32								
PN:600-85001-33	MOS	24-Sep-90						LIFE LIMIT
SN:DCL334-90	HRS	0		TSN 0				
	AFL	0	61008	TSN 0	61008		54870	
PROC. REF: SMM 32-30-63, AMM 32-30-46								
323005-002 NO. 2 MLG UPLOCK Component ATA:32								
PN:600-85001-33	MOS	07-May-08		TSR 0				LIFE LIMIT
SN:CWDD/DRG25/80	HRS	5573.1		TSN 13836.8, TSR 0				
	AFL	2969	61008	TSN 10065, TSR 0	53912		47774	
PROC. REF: SMM 32-30-63, AMM 32-30-46								
323006-001 NLG RETRACTION ACTUATOR Component ATA:32								
PN:104471003	MOS/MSC	04-Mar-16	O/C	TSR 1				
SN:DEC103-84	HRS	8874.9		TSR 0				
	AFL	4711		TSN 5664, TSR 0				
PROC. REF: AMM 32-30-16								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
323008-001	NOSE LANDING GEAR SELECTOR VALVE							Component	ATA:32
PN:601R75146-1	MOS/MSC	24-Aug-16	O/C	TSN 128					
SN:0893T	HRS	8875.9		TSN 4244.78					
	AFL	4712		TSN 2321					
	PROC. REF: AMM 32-30-36								
323012-001	NO. 1 MLG SIDE STAY CYLINDER							Component	ATA:32
PN:104467734	MOS	04-Mar-16						LIFE LIMIT	
SN:SL01551	HRS	8874.9							
	AFL	4711	50000	TSN 1256	53455		47317		
	PROC. REF: TLMC 5-10-10, TLMC 5-10-11, TLMC 5-10-12								
323012-002	NO. 2 MLG SIDE STAY CYLINDER							Component	ATA:32
PN:104467734	MOS	04-Mar-16						LIFE LIMIT	
SN:DER1054	HRS	8874.9							
	AFL	4711	50000	TSN 1256	53455		47317		
	PROC. REF: TLMC 5-10-10, TLMC 5-10-11, TLMC 5-10-12								
323013-001	NO. 1 MLG SIDE STAY PISTON ROD							Component	ATA:32
PN:104467816	MOS	04-Mar-16						LIFE LIMIT	
SN:CDER405/00	HRS	8874.9							
	AFL	4711	50000	TSN 5664	49047		42909		
	PROC. REF: GENERIC NO REF								
323013-002	NO. 2 MLG SIDE STAY PISTON ROD							Component	ATA:32
PN:104467816	MOS	04-Mar-16						LIFE LIMIT	
SN:CDER397/00	HRS	8874.9							
	AFL	4711	50000	TSN 5664	49047		42909		
	PROC. REF: GENERIC NO REF								
323015-001	NO. 1 MLG SIDE STAY EYE BOLT							Component	ATA:32
PN:9025-1	MOS	04-Mar-16						LIFE LIMIT	
SN:RTC1092	HRS	8874.9							
	AFL	4711	63536	TSN 1256	66991		60853		
	PROC. REF: TLMC 5-10-10, TLMC 5-10-11, TLMC 5-10-12								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
323015-002	NO. 2 MLG SIDE STAY EYE BOLT							Component	ATA:32
PN:9025-1	MOS	04-Mar-16						LIFE LIMIT	
SN:RTC1082	HRS	8874.9							
	AFL	4711	63536	TSN 1256	66991		60853		
PROC. REF: TLMC 5-10-10, TLMC 5-10-11, TLMC 5-10-12									
323017-001	LANDING GEAR UNIT CONTROL							Component	ATA:32
PN:600-50969-9	MOS/MSC	23-May-13	O/C						
SN:252	HRS	8112.22		TSN 6313.1					
	AFL	4197		TSN 3470					
PROC. REF: AMM 32-30-71									
323020-001	NOSE LANDING GEAR DOORS SELECTOR VALVE							Component	ATA:32
PN:601R75146-1	MOS/MSC	10-Aug-16	O/C						
SN:0279	HRS	8875.9		TSO 4312.9					
	AFL	4712		TSO 2349					
PROC. REF: AMM 32-30-41									
323021-001	NO. 1 MLG DOWNLOCK ASSIST ACTUATOR							Component	ATA:32
PN:600-85001-87	MOS/MSC	24-Sep-90	O/C						
SN:DCL481-90	HRS	0							
	AFL	0		TSN 0					
PROC. REF: AMM 32-30-21									
323021-002	NO. 2 MLG DOWNLOCK ASSIST ACTUATOR							Component	ATA:32
PN:600-85001-87	MOS/MSC	24-Sep-90	O/C						
SN:DCL477-90	HRS	0							
	AFL	0		TSN 0					
PROC. REF: AMM 32-30-21									
323046-001	NO. 1 MLG UPLOCK ACTUATOR							Component	ATA:32
PN:PN	MOS/MSC	04-Oct-00	O/C		TSN 0				
SN:UNKNOWN	HRS	2951			TSN 0				
WC#: 32.020	AFL	1494			TSN 0				
PROC. REF: AMM 32-30-46									
323046-002	NO. 2 MLG UPLOCK ACTUATOR							Component	ATA:32
PN:PN	MOS/MSC	24-Sep-90	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 32.020	AFL	0			TSN 0				
PROC. REF: AMM 32-30-46									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
323304-001	NLG RETRACTION ACTUATOR, LOWER PIN							Component	ATA:32
PN:200811773	MOS/MSC	04-Mar-16	O/C						
SN:N/A	HRS	8874.9		TSN 6394.2					
	AFL	4711		TSN 4850					
PROC. REF: AMM 32-30-16									
324111-001	NO. 1 MLG WHEEL ASSEMBLY							Component	ATA:32
PN:5009029-1	MOS/MSC	19-Jan-21	O/C		TSO 12				
SN:S-NOV89-0128/DEC87-0041	HRS	9639.7		TSO 0					
	AFL	5642		TSO 0					
PROC. REF: AMM 32-41-11									
324111-001C	SPECIAL DETAILED INSPECTION NO. 1 MLG WHEEL ASSEMBLY MAIN WHEELS (32-40-00-202)							Service	ATA:32
PN:5009029-1	MOS/MSC	19-Jan-21	T/C					MSG-3	
SN:S-NOV89-0128/DEC87-0041	HRS	9639.7							
WC#: 32.640	AFL	5642							
PROC. REF: MTC 32-40-00-202									
324111-001D	RESTORATION NO. 1 MLG WHEEL ASSEMBLY MAIN WHEELS (32-40-00-206)							Service	ATA:32
PN:5009029-1	MOS/MSC	19-Jan-21	A/R						
SN:S-NOV89-0128/DEC87-0041	HRS	9639.7							
WC#: 32.640	AFL	5642							
PROC. REF: MTC 32-40-00-206									
324111-002	NO. 2 MLG WHEEL ASSEMBLY							Component	ATA:32
PN:5009029-1	MOS/MSC	05-Aug-19	O/C		TSO 0				
SN:FEB01-1521	HRS	9452		TSO 0					
	AFL	5400		TSO 0					
PROC. REF: AMM 32-41-11									
324111-002C	SPECIAL DETAILED INSPECTION NO. 2 MLG WHEEL ASSEMBLY MAIN WHEELS (32-40-00-202)							Service	ATA:32
PN:5009029-1	MOS/MSC	05-Aug-19	T/C					MSG-3	
SN:FEB01-1521	HRS	9452							
WC#: 32.640	AFL	5400							
PROC. REF: MTC 32-40-00-202									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324111-002D	RESTORATION NO. 2 MLG WHEEL ASSEMBLY MAIN WHEELS (32-40-00-206)							Service	ATA:32
PN:5009029-1	MOS/MSC	05-Aug-19	A/R						
SN:FEB01-1521	HRS	9452							
WC#: 32.640	AFL	5400							
					PROC. REF: MTC 32-40-00-206				
324111-003	NO. 3 MLG WHEEL ASSEMBLY							Component	ATA:32
PN:5009029-1	MOS/MSC	11-Nov-19	O/C	TSO 1					
SN:NOV93-0744	HRS	9473		TSO 0					
	AFL	5436		TSO 0					
					PROC. REF: AMM 32-41-11				
324111-003C	SPECIAL DETAILED INSPECTION NO. 3 MLG WHEEL ASSEMBLY MAIN WHEELS (32-40-00-202)							Service	ATA:32
PN:5009029-1	MOS/MSC	11-Nov-19	T/C					MSG-3	
SN:NOV93-0744	HRS	9473							
WC#: 32.640	AFL	5436							
					PROC. REF: MTC 32-40-00-202				
324111-003D	RESTORATION NO. 3 MLG WHEEL ASSEMBLY MAIN WHEELS (32-40-00-206)							Service	ATA:32
PN:5009029-1	MOS/MSC	11-Nov-19	A/R						
SN:NOV93-0744	HRS	9473							
WC#: 32.640	AFL	5436							
					PROC. REF: MTC 32-40-00-206				
324111-004	NO. 4 MLG WHEEL ASSEMBLY							Component	ATA:32
PN:5009029R-1	MOS/MSC	20-Sep-21	O/C	TSO 0					
SN:JAN84-314	HRS	9728		TSO 0					
	AFL	5799		TSO 0					
					PROC. REF: AMM 32-41-11				
324111-004C	SPECIAL DETAILED INSPECTION NO. 4 MLG WHEEL ASSEMBLY MAIN WHEELS (32-40-00-202)							Service	ATA:32
PN:5009029R-1	MOS/MSC	20-Sep-21	T/C					MSG-3	
SN:JAN84-314	HRS	9728							
WC#: 32.640	AFL	5799							
					PROC. REF: MTC 32-40-00-202				
324111-004D	RESTORATION NO. 4 MLG WHEEL ASSEMBLY MAIN WHEELS (32-40-00-206)							Service	ATA:32
PN:5009029R-1	MOS/MSC	20-Sep-21	A/R						
SN:JAN84-314	HRS	9728							
WC#: 32.640	AFL	5799							
					PROC. REF: MTC 32-40-00-206				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324116-001	LEFT NLG WHEEL ASSEMBLY							Component	ATA:32
PN:5006450-1	MOS/MSC	20-Sep-21	O/C						
SN:SEP89-0425	HRS	9728							
	AFL	5799							
PROC. REF: AMM 32-41-16									
324116-001C	SPECIAL DETAILED INSPECTION LEFT NLG WHEEL ASSEMBLY NOSE WHEELS (32-40-00-203)							Service	ATA:32
PN:5006450-1	MOS/MSC	20-Sep-21	T/C					MSG-3	
SN:SEP89-0425	HRS	9728							
WC#: 32.645	AFL	5799							
PROC. REF: SMM 32-46-12, MTC 32-40-00-203									
324116-001D	RESTORATION LEFT NLG WHEEL ASSEMBLY NOSE WHEELS (32-40-00-207)							Service	ATA:32
PN:5006450-1	MOS/MSC		A/R						
SN:SEP89-0425	HRS								
WC#: 32.645	AFL								
PROC. REF: MTC 32-40-00-207									
324116-002	RIGHT NLG WHEEL ASSEMBLY							Component	ATA:32
PN:5006450-1	MOS/MSC	20-Sep-21	O/C						
SN:FEB97-0052	HRS	9728							
	AFL	5799							
PROC. REF: AMM 32-41-16									
324116-002C	SPECIAL DETAILED INSPECTION RIGHT NLG WHEEL ASSEMBLY NOSE WHEELS (32-40-00-203)							Service	ATA:32
PN:5006450-1	MOS/MSC	20-Sep-21	T/C					MSG-3	
SN:FEB97-0052	HRS	9728							
WC#: 32.645	AFL	5799							
PROC. REF: SMM 32-46-12, MTC 32-40-00-203									
324116-002D	RESTORATION RIGHT NLG WHEEL ASSEMBLY NOSE WHEELS (32-40-00-207)							Service	ATA:32
PN:5006450-1	MOS/MSC		A/R						
SN:FEB97-0052	HRS								
WC#: 32.645	AFL								
PROC. REF: MTC 32-40-00-207									
324117-001	NO. 1 MLG WHEEL TUBELESS TIRE							Component	ATA:32
PN:256K43-3	MOS/MSC	19-Jan-21	O/C	TSN 2					
SN:93065740	HRS	9639.7		TSN 0					
	AFL	5642		TSN 0					
PROC. REF: AMM 32-41-11									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324117-002	NO. 2 MLG WHEEL TUBELESS TIRE							Component	ATA:32
PN:256K43-3	MOS/MSC	05-Aug-19	O/C	TSN 0					
SN:83005567	HRS	9452		TSN 0					
	AFL	5400		TSN 0					
PROC. REF: AMM 32-41-11									
324117-003	NO. 3 MLG WHEEL TUBELESS TIRE							Component	ATA:32
PN:256K43-3	MOS/MSC	11-Nov-19	O/C	TSN 0					
SN:83015563	HRS	9473		TSN 0					
	AFL	5436		TSN 0					
PROC. REF: AMM 32-41-11									
324117-004	NO. 4 MLG WHEEL TUBELESS TIRE							Component	ATA:32
PN:256K43-3	MOS/MSC	20-Sep-21	O/C	TSN 0					
SN:90205596	HRS	9728		TSN 0					
	AFL	5799		TSN 0					
PROC. REF: AMM 32-41-11									
324118-001	LEFT NLG TIRE							Component	ATA:32
PN:031-614-0	MOS/MSC	20-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	9728		TSN 0					
	AFL	5799		TSN 0					
PROC. REF: AMM 32-41-16									
324118-002	RIGHT NLG TIRE							Component	ATA:32
PN:031-614-0	MOS/MSC	20-Sep-21	O/C	TSN 0					
SN:UNKNOWN	HRS	9728		TSN 0					
	AFL	5799		TSN 0					
PROC. REF: AMM 32-41-16									
324301-001	BRAKE PRESSURE INDICATOR							Component	ATA:32
PN:600-50940-3	MOS/MSC	24-Sep-90	O/C						
SN:90010240	HRS	0		TSN 0					
	AFL	0							
PROC. REF: GENERIC NO REF									
324302-001	BRAKE ACCUMULATOR							Component	ATA:32
PN:2770571-103	MOS/MSC	24-Sep-90	O/C						
SN:1021A	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 32-43-16									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324302-002	BRAKE ACCUMULATOR							Component	ATA:32
PN:2770571-103	MOS/MSC	26-Aug-16	O/C						
SN:1014A	HRS	8875.9		TSN 8875.9					
	AFL	4712							
				PROC. REF: AMM 32-43-16					
324304-001	NO. 1 BRAKE HYDRAULIC FUSE							Component	ATA:32
PN:6190	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 32-43-26					
324304-002	NO. 2 BRAKE HYDRAULIC FUSE							Component	ATA:32
PN:6190	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 32-43-26					
324304-003	NO. 3 BRAKE HYDRAULIC FUSE							Component	ATA:32
PN:6190	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 32-43-26					
324304-004	NO. 4 BRAKE HYDRAULIC FUSE							Component	ATA:32
PN:6190	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 32-43-26					
324311-001	NO. 1 MLG BRAKE							Component	ATA:32
PN:5009027-5	MOS/MSC	03-Mar-16	O/C	TSO 3					
SN:DEC82-581	HRS	8874.9		TSO 0					
	AFL	4711		TSO 0					
				PROC. REF: AMM 32-43-11					
324311-002	NO. 2 MLG BRAKE							Component	ATA:32
PN:5009027-5	MOS/MSC	18-Oct-16	O/C	TSO 2					
SN:S-MAY16-0114	HRS	8895.5		TSO 0					
	AFL	4735		TSO 0					
				PROC. REF: AMM 32-43-11					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324311-003	NO. 3 MLG BRAKE							Component	ATA:32
PN:5009027-5	MOS/MSC	17-Sep-18	O/C						
SN:APR91-0345	HRS	9278.6							
	AFL	5192							
	PROC. REF: AMM 32-43-11								
324311-004	NO. 4 MLG BRAKE							Component	ATA:32
PN:5009027-5	MOS/MSC	03-Mar-16	O/C	TSO 3					
SN:S-JUL15-0108	HRS	8874.9		TSO 0					
	AFL	4711		TSO 0					
	PROC. REF: AMM 32-43-11								
324321-001	INBOARD BRAKE CONTROL VALVE							Component	ATA:32
PN:600-75115-19	MOS/MSC	25-Jun-11	O/C						
SN:2062	HRS	6889.33							
WC#: 32.675	AFL	3573							
	PROC. REF: AMM 32-43-21								
324321-002	OUTBOARD BRAKE CONTROL VALVE							Component	ATA:32
PN:PN	MOS/MSC	24-Sep-90	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.675	AFL	0		TSN 0					
	PROC. REF: AMM 32-43-21								
324500-001	PARKING BRAKE SOV VALVE							Component	ATA:32
PN:15886-1	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 32-45-31								
324700-001	ANTI-SKID CONTROL							Component	ATA:32
PN:600-87000-103	MOS/MSC	04-Aug-11	O/C						
SN:DEC87-0108	HRS	6912.3							
	AFL	3580							
	PROC. REF: AMM 32-47-21								
324701-001	INBOARD BRAKE ANTI-SKID VALVE							Component	ATA:32
PN:600-87000-3	MOS/MSC	24-Sep-90	O/C						
SN:JAN90-524	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 32-47-16								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324701-002	OUTBOARD BRAKE ANTI-SKID VALVE							Component	ATA:32
PN:600-87000-3	MOS/MSC	24-Sep-90	O/C						
SN:JAN90-525	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 32-47-16								
324711-001	NO. 1 WHEEL SPEED - ANTI-SKID SYSTEM SENSOR							Component	ATA:32
PN:6002504	MOS/MSC	17-Sep-18	O/C						
SN:APR81-1506	HRS	9278.6		TSN 9458.38					
	AFL	5192		TSN 5664					
	PROC. REF: AMM 32-47-11								
324711-002	NO. 2 WHEEL SPEED - ANTI-SKID SYSTEM SENSOR							Component	ATA:32
PN:6006568	MOS/MSC	19-Aug-18	O/C						
SN:MAR09-1880	HRS	9269.9							
	AFL	5174							
	PROC. REF: AMM 32-47-11								
324711-003	NO. 3 WHEEL SPEED - ANTI-SKID SYSTEM SENSOR							Component	ATA:32
PN:6006568	MOS/MSC	19-Aug-18	O/C						
SN:MAY96-0108	HRS	9269.9							
	AFL	5174							
	PROC. REF: AMM 32-47-11								
324711-004	NO. 4 WHEEL SPEED - ANTI-SKID SYSTEM SENSOR							Component	ATA:32
PN:6002504	MOS/MSC	19-Aug-18	O/C						
SN:JUN92-2156	HRS	9269.9							
	AFL	5174							
	PROC. REF: AMM 32-47-11								
325000-001	NLG STEERING SELECTOR - (FS177.00) VALVE							Component	ATA:32
PN:150446002	MOS/MSC	20-Jan-15	O/C						
SN:DH-0022-03	HRS	8616.8							
	AFL	4504							
	PROC. REF: AMM 32-50-16								
325000-002	NLG STEERING - (FS193.00) ARMING VALVE							Component	ATA:32
PN:150446002	MOS/MSC	06-Jan-15	O/C						
SN:CWDD/DRG29/87	HRS	8601.8							
	AFL	4494							
	PROC. REF: AMM 32-50-16								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
325003-001	NOSE WHEEL STEERING ACTUATOR							Component	ATA:32
PN:PN	MOS/MSC	24-Sep-90	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 32.035	AFL	0			TSN 0				
PROC. REF: SMM 32-50-26									
325005-001	NLG STEERING POTENTIOMETER CONTROL							Component	ATA:32
PN:601-86100-13	MOS/MSC	24-Sep-90	O/C						
SN:89-296	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 32-50-21									
325008-001	NOSEWHEEL STEERING ASSY HANDWHEEL							Component	ATA:32
PN:601-86100-19	MOS/MSC	24-Sep-90	O/C						
SN:DCL239-90	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 32-50-06									
325009-001	NOSEWHEEL STEERING MANIFOLD CONTROL							Component	ATA:32
PN:601-86100-15	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 32-50-11									
325011-001	RVDT SENSOR							Component	ATA:32
PN:PN	MOS/MSC	24-Sep-90	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 32.605	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
325012-001	SERVO VALVE							Component	ATA:32
PN:PN	MOS/MSC	24-Sep-90	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 32.725	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
325013-001	ELECTRONIC STEER-BY-WIRE ECU COMPENSATOR							Component	ATA:32
PN:600-85002-13	MOS/MSC	24-Sep-90	O/C						
SN:DCL182-90	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
325014-001	ELECTRONIC STEER BY WIRE ECU CONTROL							Component	ATA:32
PN:7040-15	MOS/MSC	04-Feb-15	O/C						
SN:93-383	HRS	8624.1							
	AFL	4512							
PROC. REF: GENERIC NO REF									
325021-001	RUDDER PEDAL POTENTIOMETER COUPLING SETSCREWS							Component	ATA:32
PN:PN	MOS/MSC	24-Sep-90	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
326000-001	LEFT NO. 1 MLG DOWNLOCK HARNESS							Component	ATA:32
PN:PN	MOS/MSC	24-Sep-90	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.385	AFL	0		TSN 0					
PROC. REF: AMM 32-30-56									
326000-002	RIGHT NO. 1 MLG DOWNLOCK HARNESS							Component	ATA:32
PN:PN	MOS/MSC	24-Sep-90	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.385	AFL	0		TSN 0					
PROC. REF: AMM 32-30-56									
326001-001	LEFT NO. 2 MLG DOWNLOCK HARNESS							Component	ATA:32
PN:601-57788-63	MOS/MSC	23-May-13	O/C						
SN:3535-1/01	HRS	8112.22							
WC#: 32.380	AFL	4197							
PROC. REF: AMM 32-30-56									
326001-002	RIGHT NO. 2 MLG DOWNLOCK HARNESS							Component	ATA:32
PN:PN	MOS/MSC	24-Sep-90	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.380	AFL	0		TSN 0					
PROC. REF: AMM 32-30-56									
326003-001	LOB MLG WOW SENSOR HARNESS ASSY							Component	ATA:32
PN:PN	MOS/MSC	24-Sep-90	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.360	AFL	0		TSN 0					
PROC. REF: AMM 32-10-31									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
326003-002 LIB MLG WOW SENSOR HARNESS ASSY Component ATA:32								
PN:601-57788-45	MOS/MSC	23-Dec-12	O/C	TSN 15				
SN:UNKNOWN	HRS	7860.2		TSN 0				
WC#: 32.360	AFL	4083		TSN 0				
PROC. REF: AMM 32-10-31								
326003-003 RIB MLG WOW SENSOR HARNESS ASSY Component ATA:32								
PN:PN	MOS/MSC	24-Sep-90	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.360	AFL	0		TSN 0				
PROC. REF: AMM 32-10-31								
326003-004 ROB MLG WOW SENSOR HARNESS ASSY Component ATA:32								
PN:PN	MOS/MSC	24-Sep-90	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.360	AFL	0		TSN 0				
PROC. REF: AMM 32-10-31								
326004-001 NO. 1 MLG UPLOCK HARNESS Component ATA:32								
PN:PN	MOS/MSC	24-Sep-90	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.390	AFL	0		TSN 0				
PROC. REF: AMM 32-30-47								
326004-002 MLG UPLOCK HARNESS Component ATA:32								
PN:PN	MOS/MSC	24-Sep-90	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.390	AFL	0		TSN 0				
PROC. REF: AMM 32-30-47								
326005-001 NO. 1 NLG DOWNLOCK HARNESS ASSY Component ATA:32								
PN:PN	MOS/MSC	24-Sep-90	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.365	AFL	0		TSN 0				
PROC. REF: AMM 32-30-61								
326005-002 NO. 2 NLG DOWNLOCK HARNESS ASSY Component ATA:32								
PN:PN	MOS/MSC	24-Sep-90	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
WC#: 32.365	AFL	0		TSN 0				
PROC. REF: AMM 32-30-61								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
326007-001	NLG WOW & OLEO CENTERING HARNESS ASSY							Component	ATA:32
PN:PN	MOS/MSC	24-Sep-90	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.370	AFL	0		TSN 0					
PROC. REF: AMM 32-20-41									
326008-001	NO.1 PROXIMITY SWITCH							Component	ATA:32
PN:PN	MOS/MSC	24-Sep-90	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.635	AFL	0		TSN 0					
PROC. REF: AMM 32-05-16									
326008-002	NO.2 PROXIMITY SWITCH							Component	ATA:32
PN:PN	MOS/MSC	24-Sep-90	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.635	AFL	0		TSN 0					
PROC. REF: AMM 32-05-16									
326008-003	NO.3 PROXIMITY SWITCH							Component	ATA:32
PN:PN	MOS/MSC	24-Sep-90	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-05-16									
326008-004	NO.4 PROXIMITY SWITCH							Component	ATA:32
PN:PN	MOS/MSC	24-Sep-90	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-05-16									
326009-001	NLG UPLOCK HARNESS							Component	ATA:32
PN:PN	MOS/MSC	24-Sep-90	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.400	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
326010-001	LH NLG DOOR CONTROL HARNESS							Component	ATA:32
PN:PN	MOS/MSC	24-Sep-90	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.395	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
326010-002	RH NLG DOOR CONTROL HARNESS							Component	ATA:32
PN:PN	MOS/MSC	24-Sep-90	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 32.395	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
329010 ^U	NOSE LANDING GEAR STEERING BODY							Component	ATA:32
PN:200812305	MOS/MSC	17-Mar-10	O/C	TSN 0					
SN:08CAM1144	HRS	6129.88		TSN 0					
	AFL	3248		TSN 0					
329032 ^U	NOSE LANDING GEAR DRAG BRACE							Component	ATA:32
PN:7200-5	MOS	04-Mar-16		TSR 1				LIFE LIMIT	
SN:DEC149/83/00R	HRS	8874.9		TSR 0					
	AFL	4711	14500	TSN 5664, TSR 0	13547		7409		
329051 ^U	L MLG SIDE STAY/RET ACT							Component	ATA:32
PN:600-85001-85	MOS/MSC	03-Mar-16	O/C	TSR 1					
SN:DRG529/81/00R/05	HRS	8874.9		TSN 9458.38, TSR 0					
	AFL	4711		TSN 5664, TSR 0					
329131 ^U	NOSE LANDING GEAR LOWER TORQUE LINK							Component	ATA:32
PN:200813303	MOS/MSC	17-Mar-10	N/R						
SN:DCL365	HRS	6129.88							
	AFL	3248		TSO 0					
329136 ^U	NOSE LANDING GEAR UPPER TORQUE LINK							Component	ATA:32
PN:200811312	MOS/MSC	17-Mar-10	N/R						
SN:DCL293	HRS	6129.88							
	AFL	3248							
329161 ^U	NOSE STEERING CUFF							Component	ATA:32
PN:200811314	MOS/MSC	17-Mar-10	N/R						
SN:DLP1038	HRS	6129.88							
	AFL	3248							
ATA 33 - LIGHTS									
33-10-00-201 (MSG3) ^S	OPERATIONAL TEST ORDINANCE SIGNS							Service	ATA:33
	MOS	19-Oct-22	12 (+1m/-1m)					MSG-3	
	HRS	9861.1							
	AFL	5949							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
PROC. REF: MTC 33-10-00-201						PKG:200			
33-50-00-201 (MSG3) ^S	FUNCTIONAL TEST EMERGENCY BATTERY POWER SUPPLY							Service	ATA:33
	MOS	19-Oct-22	12 (+1m/-1m)					MSG-3	
	HRS	9861.1							
	AFL	5949							
PROC. REF: MTC 33-50-00-201						PKG:200			
33-50-01-202 (MSG3) ^S	OPERATIONAL TEST EMERGENCY LIGHTS							Service	ATA:33
	MOS	19-Oct-22	12 (+1m/-1m)					MSG-3	
	HRS	9861.1							
	AFL	5949							
PROC. REF: MTC 33-50-01-202						PKG:200			
331031 ^U	CENTER PEDESTAL INCANDESCENT DIMMER							Component	ATA:33
PN:2-459-06	MOS/MSC	14-Jan-03	O/C						
SN:3636	HRS	3695							
	AFL	1906							
331036 ^U	LEFT COCKPIT FLOOR DIMMER							Component	ATA:33
PN:600-51519-1	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
331041 ^U	RIGHT COCKPIT FLOOR DIMMER							Component	ATA:33
PN:600-51519-1	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
331046 ^U	LEFT SIDE CONSOLE DIMMER							Component	ATA:33
PN:2-459-06	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
331051 ^U	RIGHT SIDE CONSOLE DIMMER							Component	ATA:33
PN:2-459-06	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
331100-001	NO. 1 DIMMER CONTROL ASSEMBLY							Component	ATA:33
PN:70-0180-3	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
					PROC. REF: AMM 33-11-00				
331100-002	NO. 2 DIMMER CONTROL ASSEMBLY							Component	ATA:33
PN:70-0180-3	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
					PROC. REF: AMM 33-11-00				
331301-001	PILOT FLUORESCENT LIGHT INVERTER							Component	ATA:33
PN:10-701B2LR16-00	MOS/MSC	25-Jun-11	O/C	TSN 0					
SN:433	HRS	6889.33		TSN 0					
WC#: 33.040	AFL	3573		TSN 0					
					PROC. REF: AMM 33-13-00				
331301-002	COPILOT FLUORESCENT LIGHT INVERTER							Component	ATA:33
PN:PN	MOS/MSC	24-Sep-90	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 33.040	AFL	0		TSN 0					
					PROC. REF: AMM 33-13-00				
331301-003	CENTER FLUORESCENT LIGHT INVERTER							Component	ATA:33
PN:55-0521-4	MOS/MSC	24-Jul-10	O/C						
SN:1913	HRS	6251.75		TSN 0					
WC#: 33.040	AFL	3302		TSN 0					
					PROC. REF: AMM 33-13-00				
332000 ^U	GALLEY LIGHT POWER SUPPLY							Component	ATA:33
PN:AL5114	MOS/MSC	15-Jul-05	O/C	TSN 0					
SN:9377	HRS	4491.7		TSN 0					
	AFL	2332		TSN 0					
332050 ^U	RH GALLEY LIGHT POWER SUPPLY							Component	ATA:33
PN:AL-5112	MOS/MSC	07-Oct-13	O/C	TSN 14				CUSTOMER CODE	
SN:45794	HRS	8283.53		TSN 0					
	AFL	4272		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
334026-003 TAIL ANTI-COLLISION/POS LIGHT ASSEMBLY Component ATA:33								
PN:30-1192-7	MOS/MSC	22-Feb-06	O/C					
SN:1553	HRS	4743		TSN 0				
	AFL	2447		TSN 0				
PROC. REF: AMM 33-44-00								
334027-001 NO. 1 WING STROBE ASSEMBLY Component ATA:33								
PN:30-1467-1	MOS/MSC	20-Feb-15	O/C					
SN:12483	HRS	8643.6		TSN 12851.9				
	AFL	4521		TSN 7946				
PROC. REF: AMM 33-44-00								
334027-002 NO. 2 WING STROBE ASSEMBLY Component ATA:33								
PN:30-1467-1	MOS/MSC	25-Aug-20	O/C	TSO 4				
SN:13278	HRS	9550		TSO 0				
	AFL	5553		TSO 0				
PROC. REF: AMM 33-44-00								
334404-001 LEFT STROBE POWER SUPPLY Component ATA:33								
PN:60-2799-3	MOS/MSC	24-Sep-90	O/C					
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0						
PROC. REF: AMM 33-44-00								
334404-002 RIGHT STROBE POWER SUPPLY Component ATA:33								
PN:60-2799-3	MOS/MSC	25-Aug-20	O/C	TSO 19				
SN:7857	HRS	9550		TSO 0				
	AFL	5553		TSO 0				
PROC. REF: AMM 33-44-00								
334407-001 TAIL STROBE POWER SUPPLY Component ATA:33								
PN:60-2799-3	MOS/MSC	15-Apr-91	O/C					
SN:15490	HRS	17						
	AFL	7						
PROC. REF: AMM 33-44-00								
335001^U CABIN DOOR EMERGENCY LIGHTING POWER SUPPLY Component ATA:33								
PN:60-1321-1	MOS/MSC	25-Feb-14	O/C					
SN:25019	HRS	8472.27		TSR 188.73				
	AFL	4374		TSR 102				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
335003^U OVERWING EMERGENCY LIGHTING POWER SUPPLY Component ATA:33								
PN:60-1321-1	MOS/MSC	25-Feb-14	O/C	TSR 16				
SN:17669	HRS	8472.27		TSN 8472.27, TSR 797.83				
	AFL	4374		TSR 371				
335042-701^U NO. 1 EMERGENCY BATTERY ASSEMBLY Component ATA:33								
PN:61-0478-9	MOS/MSC	20-Sep-21	O/C	TSO 0				
SN:UNKNOWN	HRS	9728		TSO 0				
	AFL	5799		TSO 0				
335042-702^U NO. 2 EMERGENCY BATTERY ASSEMBLY Component ATA:33								
PN:61-0478-9	MOS/MSC	20-Sep-21	O/C	TSO 0				
SN:UNKNOWN	HRS	9728		TSO 0				
	AFL	5799		TSO 0				
339001^U NO. 1 CABIN EMERGENCY LIGHT POWER SUPPLY Component ATA:33								
PN:60-1321-1	MOS/MSC	07-Oct-19	O/C					
SN:17669	HRS	9460.5						
	AFL	5416						
339003^U NO. 2 CABIN EMERGENCY LIGHT POWER SUPPLY Component ATA:33								
PN:60-1321-1	MOS/MSC	07-Oct-19	O/C					
SN:17456	HRS	9460.5						
	AFL	5416						
339005^{U S} CHECK/REPLACE NO. 1 CABIN EMERGENCY LIGHT POWER SUPPLY Service ATA:33								
PN:60-1321-1	MOS	19-Oct-22	12					
SN:17669	HRS	9861.1						
	AFL	5949						
PKG:200								
339007^{U S} CHECK/REPLACE NO. 2 CABIN EMERGENCY LIGHT POWER SUPPLY Service ATA:33								
PN:60-1321-1	MOS	19-Oct-22	12					
SN:17456	HRS	9861.1						
	AFL	5949						
PKG:200								
339009^U NO. 3 CABIN EMERGENCY LIGHT POWER SUPPLY Component ATA:33								
PN:60-1321-1	MOS/MSC	07-Oct-19	O/C	TSN 12				
SN:N/A	HRS	9460.5		TSN 177.9				
	AFL	5416		TSN 216				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
339011 ^{U S}	CHECK/REPLACE NO. 3 CABIN EMERGENCY LIGHT POWER SUPPLY							Service	ATA:33
PN:60-1321-1	MOS	19-Oct-22	12						
SN:N/A	HRS	9861.1							
	AFL	5949							
							PKG:200		
							WO#: 12683-09-2020		
339101 ^U	UPPER STROBE LIGHT							Component	ATA:33
PN:30-1136-1	MOS/MSC	01-May-91	N/R						
SN:2473	HRS	29							
	AFL	11							
339103 ^U	LOWER STROBE LIGHT							Component	ATA:33
PN:30-1136-1	MOS/MSC	29-Sep-20	N/R						
SN:4130	HRS	9564.1							
	AFL	5575							
339105 ^U	UPPER STROBE POWER SUPPLY							Component	ATA:33
PN:60-2667-1	MOS/MSC	01-May-91	N/R						
SN:2453	HRS	29							
	AFL	11							
339107 ^U	LOWER STROBE POWER SUPPLY							Component	ATA:33
PN:60-2267-1	MOS/MSC	21-Jul-06	N/R						
SN:3499	HRS	4940.5							
	AFL	2657							
339115 ^U	STROBE LIGHT CONTROL							Component	ATA:33
PN:1150-10-4-4	MOS/MSC	01-May-91	N/R						
SN:B00211	HRS	29							
	AFL	11							
ATA 34 - NAVIGATION									
332060 ^U	LH CABIN LIGHT POWER SUPPLY							Component	ATA:34
PN:AL5112	MOS/MSC		O/C					CUSTOMER CODE	
SN:41829	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-11-01-201 (MSG3) ^S	FUNCTIONAL TEST PITOT-STATIC SYSTEM							Service	ATA:34
	MOS	20-Sep-21	24 (+1m/-1m)					MSG-3	
	HRS	9728							
	AFL	5799							
				PROC. REF: MTC 34-11-01-201				PKG:210	
34-11-01-202 (MSG3) ^S	DETAILED INSPECTION OF THE PITOT-STATIC PROBES AND STATIC PORTS.							Service	ATA:34
	MOS	20-Sep-21	24 (+1m/-1m)					MSG-3	
	HRS	9728							
	AFL	5799							
				PROC. REF: MTC 34-11-01-202				PKG:210	
34-11-01-203 (MSG3) ^S	SERVICING OF THE PITOT-STATIC SYSTEM DRAIN ASSEMBLY.							Service	ATA:34
	MOS	19-Oct-22	12 (+1m/-1m)					MSG-3	
	HRS	9861.1							
	AFL	5949							
				PROC. REF: MTC 34-11-01-203				PKG:200	
34-12-00-201 (MSG3) ^S	FUNCTIONAL TEST STANDBY BAROMETRIC ALTIMETER INDICATOR (A/C 5001 AND SUBS)							Service	ATA:34
	MOS	20-Sep-21	24 (+1m/-1m)					MSG-3	
	HRS	9728							
	AFL	5799							
				PROC. REF: MTC 34-12-00-201				PKG:210	
34-12-00-202 (MSG3) ^S	FUNCTIONAL TEST STANDBY AIRSPEED INDICATOR (ASI)							Service	ATA:34
	MOS	20-Sep-21	24 (+1m/-1m)					MSG-3	
	HRS	9728							
	AFL	5799							
				PROC. REF: MTC 34-12-00-202				PKG:210	
34-23-00-201 (MSG3) ^S	FUNCTIONAL TEST (CAPACITY CHECK) OF THE INERTIALREFERENCING SYSTEM (IRS) BATTERY/CHARGER UNIT(A/C 5001 TO 5194).							Service	ATA:34
	MOS	19-Oct-22	12 (+1m/-1m)					MSG-3	
	HRS	9861.1							
	AFL	5949							
				PROC. REF: MTC 34-23-00-201				PKG:200	
34-54-00-201 (MSG3) ^S	FUNCTIONAL TEST AIR TRAFFIC CONTROL (ATC) TRANSPONDER SELECT SWITCH							Service	ATA:34
	MOS	20-Sep-21	24 (+1m/-1m)					MSG-3	
	HRS	9728							
	AFL	5799							
				PROC. REF: MTC 34-54-00-201				PKG:210	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34-61-00-201 (MSG3) ^S		OPERATIONAL TEST FLIGHT MANAGEMENT SYSTEM (FMS) MANUAL TUNE SWITCH						Service	ATA:34
	MOS	28-Jan-13						MSG-3	
	HRS	7915.17	3200 (+40/-40)						
	AFL	4113							
PROC. REF: MTC 34-61-00-201								PKG:150	
341000-001		NO. 1 MACH AIRSPEED INDICATOR						Component	ATA:34
PN:7002860-912	MOS/MSC	31-Jan-13	O/C	TSR 5					
SN:90121385	HRS	7915.55		TSR 0					
	AFL	4114		TSR 0					
PROC. REF: GENERIC NO REF									
341000-002		NO. 2 MACH AIRSPEED INDICATOR						Component	ATA:34
PN:7002860-912	MOS/MSC	10-Jul-08	O/C						
SN:87050746	HRS	5660.2							
	AFL	3012							
PROC. REF: GENERIC NO REF									
341001-001		NO. 1 TCAS/VERTICAL SPEED INDICATOR						Component	ATA:34
PN:4013013-907	MOS/MSC	24-Sep-90	O/C						
SN:90015884	HRS	0		TSN 0					
	AFL	0							
PROC. REF: GENERIC NO REF									
341010-001		NO. 1 ALTIMETER						Component	ATA:34
PN:4016341-904	MOS/MSC	29-Sep-23	O/C						
SN:90015928	HRS	10027.9		TSN 10027.9					
	AFL	6138							
PROC. REF: GENERIC NO REF									
341010-001B		RECERTIFY NO. 1 ALTIMETER PER FAR 91.411						Service	ATA:34
PN:4016341-904	MOS	29-Sep-23	24	Adj -9d	30-Sep-25		698 d		
SN:90015928	HRS	10027.9							
	AFL	6138							
PROC. REF: GENERIC NO REF, FAR PART 91.411								PKG:210	
341010-002		NO. 2 ALTIMETER						Component	ATA:34
PN:4016341-904	MOS/MSC	29-Sep-23	O/C	TSR 74					
SN:90035954	HRS	10027.9		TSR 880.5					
	AFL	6138		TSR 1117					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
341010-002B		RECERTIFY NO. 2 ALTIMETER PER FAR 91.411						Service	ATA:34
PN:4016341-904	MOS	29-Sep-23	24	Adj -9d	30-Sep-25		698 d		
SN:90035954	HRS	10027.9							
	AFL	6138							
PROC. REF: GENERIC NO REF, FAR PART 91.411								PKG:210	
341010-003		STANDBY ALTIMETER						Component	ATA:34
PN:8047-10	MOS/MSC	29-Sep-23	O/C	TSO 115					
SN:8571B	HRS	10027.9		TSO 1555.63					
	AFL	6138		TSO 1764					
PROC. REF: GENERIC NO REF									
341010-003B		RECERTIFY STANDBY ALTIMETER PER FAR 91.411						Service	ATA:34
PN:8047-10	MOS	29-Sep-23	24	Adj -9d	30-Sep-25		698 d		
SN:8571B	HRS	10027.9							
	AFL	6138							
PROC. REF: GENERIC NO REF, FAR PART 91.411								PKG:210	
341046^U		RIGHT VERTICAL SPEED INDICATOR						Component	ATA:34
PN:4013013-907	MOS/MSC	24-Sep-90	O/C						
SN:90015935	HRS	0		TSN 0					
	AFL	0							
341100-001		NO. 1 PITOT STATIC PROBE						Component	ATA:34
PN:0856KV9	MOS	09-Aug-16		TSN 107				LIFE LIMIT	
SN:246798	HRS	8875.9	9600	TSN 3545.9	14930		4902.1		
	AFL	4712		TSN 1858					
PROC. REF: AMM 34-11-00									
341100-002		NO. 2 PITOT STATIC PROBE						Component	ATA:34
PN:856KV10	MOS	09-Aug-16		TSN 107				LIFE LIMIT	
SN:241205	HRS	8875.9	9600	TSN 3545.9	14930		4902.1		
	AFL	4712		TSN 1858					
PROC. REF: AMM 34-11-00									
341101-001		LEFT STATIC PRESSURE PORT						Component	ATA:34
PN:ST300-3HA	MOS/MSC	17-Mar-10	O/C	TSN 0					
SN:739414	HRS	6129.88		TSN 0					
	AFL	3248		TSN 0					
PROC. REF: AMM 34-11-16									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
341101-002		R/H FWD STATIC PRESSURE PORT					Component	ATA:34	
PN:ST300-3HA	MOS/MSC	17-Mar-10	O/C	TSN 0					
SN:739404	HRS	6129.88		TSN 0					
	AFL	3248		TSN 0					
PROC. REF: AMM 34-11-16									
341101-003 ^U		RH AFT PRESSURE STATIC PORT					Component	ATA:34	
PN:ST300-3HA	MOS/MSC	17-Mar-10	O/C						
SN:739417	HRS	6129.88		TSN 0					
	AFL	3248		TSN 0					
341121-001		TOTAL TEMPERATURE SENSOR					Component	ATA:34	
PN:102CP2AG	MOS/MSC	24-Sep-90	O/C						
SN:84819	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 34-11-21									
341201-001		STANDBY AIRSPEED INDICATOR					Component	ATA:34	
PN:8059-2B	MOS/MSC	19-Oct-16	O/C	TSR 5					
SN:7154	HRS	8895.5		TSR 0					
	AFL	4735		TSR 0					
PROC. REF: AMM 34-12-00									
341201-001A ^S		CALIBRATION CHECK STANDBY AIRSPEED INDICATOR (34-11-00-206)					Service	ATA:34	
PN:8059-2B	MOS	08-Mar-18	24 (+1m/-1m)						
SN:7154	HRS	9210.8							
	AFL	5081							
PROC. REF: AMM 34-11-00									
341300-001		NO. 1 AIR DATA COMPUTER					Component	ATA:34	
PN:7000700-974	MOS/MSC	29-Sep-23	O/C						
SN:87082269	HRS	10027.9		TSO 7710.9					
	AFL	6138		TSO 4912					
PROC. REF: AMM 34-13-00									
341300-001A		FUNCTIONAL TEST NO. 1 AIR DATA COMPUTER (34-13-00-101)					Service	ATA:34	
PN:7000700-974	MOS	29-Sep-23	24	Adj -20d	30-Sep-25		698 d	AIRWORTHINESS	
SN:87082269	HRS								
	AFL								
PROC. REF: AMM 34-13-00									

PKG:210

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
341300-001B RECERTIFY NO. 1 AIR DATA COMPUTER PER FAR 91.411 Service ATA:34								
PN:7000700-974	MOS	29-Sep-23	24	Adj -20d	30-Sep-25		698 d	
SN:87082269	HRS							
	AFL							
PROC. REF: GENERIC NO REF, FAR PART 91.411								PKG:210
341300-002 NO. 2 AIR DATA COMPUTER Component ATA:34								
PN:7000700-974	MOS/MSC	29-Sep-23	O/C					
SN:90023926	HRS	10027.9						
	AFL	6138						
PROC. REF: AMM 34-13-00								
341300-002A FUNCTIONAL TEST NO. 2 AIR DATA COMPUTER (34-13-00-101) Service ATA:34								
PN:7000700-974	MOS	29-Sep-23	24	Adj -20d	30-Sep-25		698 d	AIRWORTHINESS
SN:90023926	HRS							
	AFL							
PROC. REF: AMM 34-13-00								PKG:210
341300-002B RECERTIFY NO. 2 AIR DATA COMPUTER PER FAR 91.411 Service ATA:34								
PN:7000700-974	MOS	29-Sep-23	24	Adj -20d	30-Sep-25		698 d	
SN:90023926	HRS							
	AFL							
PROC. REF: GENERIC NO REF, FAR PART 91.411								PKG:210
342000-001 NO. 1 (SG-815) SYMBOL GENERATOR Component ATA:34								
PN:7011674-625	MOS/MSC	10-Aug-16	O/C	TSR 19				
SN:92090870	HRS	8875.9		TSR 242.4				
	AFL	4712		TSR 196				
PROC. REF: AMM 34-22-00								
342000-002 NO. 2 (SG-815) SYMBOL GENERATOR Component ATA:34								
PN:7011674-625	MOS/MSC	22-Apr-18	O/C	TSR 0				
SN:86100110	HRS	9232.8		TSR 0				
	AFL	5108		TSR 0				
PROC. REF: AMM 34-22-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
342000-003	MFD (MG-815) SYMBOL GENERATOR							Component	ATA:34
PN:7011674-625	MOS/MSC	10-Aug-16	O/C						
SN:090110402	HRS	8875.9							
	AFL	4712							
PROC. REF: AMM 34-22-00									
342001-001	PILOT EFIS - EADI DISPLAY							Component	ATA:34
PN:7003110-901	MOS/MSC	07-Oct-13	O/C		TSN 32				
SN:0809C806	HRS	8283.53			TSN 0				
	AFL	4272			TSN 0				
PROC. REF: GENERIC NO REF									
342001-002	PILOT EFIS - EHSI DISPLAY							Component	ATA:34
PN:7003110-901	MOS/MSC	31-May-05	O/C		TSR 0				
SN:94018065	HRS	4426.35			TSR 0				
	AFL	2295			TSR 0				
PROC. REF: GENERIC NO REF									
342001-003	CENTER EFIS - MULTI FUNCTION DISPLAY							Component	ATA:34
PN:7003110-901	MOS/MSC	31-Jan-13	O/C		TSR 0				
SN:99122095	HRS	7915.55			TSR 0				
	AFL	4114			TSR 0				
PROC. REF: AMM 34-22-00									
342001-004	COPILOT EFIS - EADI DISPLAY							Component	ATA:34
PN:7003110-901	MOS/MSC	31-Jan-13	O/C		TSR 1				
SN:98091403	HRS	7915.55			TSR 0				
	AFL	4114			TSR 0				
PROC. REF: AMM 34-22-11									
342001-005	COPILOT EFIS - EHSI DISPLAY							Component	ATA:34
PN:7003110-901	MOS/MSC	24-Sep-90	O/C						
SN:90034493	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
342003-001	EFIS MFD CONTROLLER							Component	ATA:34
PN:7007062-921	MOS/MSC	12-Oct-12	O/C		TSR 3				
SN:88060444	HRS	7674.43			TSR 0				
	AFL	4003			TSR 0				
PROC. REF: AMM 34-22-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
342200-001	INSTRUMENT REMOTE CONTROLLER							Component	ATA:34
PN:7011345-902	MOS/MSC	22-Oct-19	O/C	TSR 9					
SN:89110378	HRS	9466.5		TSR 0					
	AFL	5424		TSR 0					
	PROC. REF: AMM 34-22-00								
342200-002	NO.2 INSTRUMENT REMOTE CONTROLLER							Component	ATA:34
PN:7011345-912	MOS/MSC	24-Sep-90	O/C						
SN:90020394	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM 34-22-00								
342300-001	NO. 1 INERTIAL REFERENCE UNIT							Component	ATA:34
PN:HG1075AE03	MOS/MSC	13-Oct-14	O/C						
SN:1193	HRS	8566.43							
	AFL	4447							
	PROC. REF: AMM 34-23-00								
342300-002	NO. 2 INERTIAL REFERENCE UNIT							Component	ATA:34
PN:HG1075AE04	MOS/MSC	06-Nov-17	O/C	TSR 0					
SN:99112858	HRS	9127.4		TSR 0					
	AFL	4982		TSR 0					
	PROC. REF: AMM 34-23-00								
342300-003	NO. 3 INERTIAL REFERENCE UNIT							Component	ATA:34
PN:HG1075AE03	MOS/MSC	07-Jan-21	O/C	TSR 10					
SN:1164	HRS	9630.7		TSR 0					
	AFL	5640		TSR 0					
	PROC. REF: AMM 34-23-00								
342301-001	NO. 1 AC (LIRS) BLOWER							Component	ATA:34
PN:26012761-101	MOS/MSC	27-Dec-13	O/C						
SN:10786	HRS	8347.45							
	AFL	4307							
	PROC. REF: GENERIC NO REF								
342301-002	NO. 2 AC (LIRS) BLOWER							Component	ATA:34
PN:10089782-101	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
342301-003	NO. 3 AC (LIRS) BLOWER							Component	ATA:34
PN:10089782-101	MOS/MSC	17-Aug-94	O/C	TSN 4					
SN:UNKNOWN	HRS	880		TSN 0					
	AFL	418		TSN 0					
PROC. REF: GENERIC NO REF									
342302-001	NO.1 IRS DISPLAY							Component	ATA:34
PN:CG1230AC11	MOS/MSC	20-Feb-15	O/C						
SN:96090367	HRS	8643.6							
	AFL	4521							
PROC. REF: AMM 34-22-00									
342311-001	NO. 1 I.R.S BATTERY CHARGER							Component	ATA:34
PN:100-0202-01	MOS/MSC	22-Jan-19	O/C						
SN:1138	HRS	9348.5							
	AFL	5261							
PROC. REF: AMM 34-23-11									
342311-001B	CAPACITY CHECK NO. 1 I.R.S BATTERY CHARGER 34-23-11-213 (POST SB-601-0478)							Service	ATA:34
PN:100-0202-01	MOS/MSC		N/A						
SN:1138	HRS								
	AFL								
PROC. REF: SMM 24-32-06									
342311-002	NO. 2 I.R.S BATTERY CHARGER							Component	ATA:34
PN:100-0202-01	MOS/MSC	20-Sep-21	O/C	TSO 0					
SN:1360	HRS	9728		TSO 0					
	AFL	5799		TSO 0					
PROC. REF: AMM 34-23-11									
342311-002B	CAPACITY CHECK NO. 2 I.R.S BATTERY CHARGER 34-23-11-213 (POST SB-601-0478)							Service	ATA:34
PN:100-0202-01	MOS/MSC		N/A						
SN:1360	HRS								
	AFL								
PROC. REF: SMM 24-32-06									
342311-003	NO. 3 I.R.S BATTERY CHARGER							Component	ATA:34
PN:100-0202-01	MOS/MSC	02-Feb-11	O/C	TSR 0					
SN:1413	HRS	6628.52		TSN 3083.52, TSR 0					
	AFL	3467		TSN 1644, TSR 0					
PROC. REF: AMM 34-23-11									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342311-003B CAPACITY CHECK NO. 3 I.R.S BATTERY CHARGER 34-23-11-213 (POST SB-601-0478) Service ATA:34								
PN:100-0202-01	MOS/MSC	25-Sep-08	N/A					
SN:1413	HRS	5756.32						
	AFL	3051						
PROC. REF: SMM 24-32-06								
342400-001 STANDBY HORIZON INDICATOR Component ATA:34								
PN:501-1197-05	MOS/MSC	29-Oct-10	O/C	TSR 0				
SN:1055	HRS	6442.22		TSR 0				
	AFL	3384		TSR 0				
PROC. REF: AMM 34-28-00								
342700-001 STANDBY COMPASS Component ATA:34								
PN:PAI700-38V	MOS/MSC	01-Dec-22	O/C					
SN:74169	HRS	9880						
	AFL	5968						
PROC. REF: AMM 34-27-00								
342700-001A SWING CHECK STANDBY COMPASS Service ATA:34								
PN:PAI700-38V	MOS	01-Dec-22	12 (+1m/-1m)		01-Dec-23	01-Jan-24	29 d (+31)	
SN:74169	HRS	9880						
WC#: 34.105	AFL	5968						
PROC. REF: GENERIC NO REF								
344030-001 NO. 1 IRU MODE SELECTOR Component ATA:34								
PN:CG1042AB03	MOS/MSC	24-Sep-90	O/C					
SN:876	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-22-00								
344030-002 NO. 2 IRU MODE SELECTOR Component ATA:34								
PN:CG1042AB03	MOS/MSC	18-Jan-05	O/C	TSR 8				
SN:98082408	HRS	4220		TSR 0				
	AFL	2193		TSR 0				
PROC. REF: AMM 34-22-00								
344030-003 NO. 3 IRU MODE SELECTOR Component ATA:34								
PN:CG1042AB03	MOS/MSC	17-Aug-94	O/C	TSN 2				
SN:94061575	HRS	880		TSN 0				
	AFL	418		TSN 0				
PROC. REF: AMM 34-22-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
344101-001	NO. 1 WEATHER RADAR CONTROL							Component	ATA:34
PN:7008471-405	MOS/MSC	17-Mar-10	O/C						
SN:90071061	HRS	6129.88							
	AFL	3248							
					PROC. REF: AMM 34-41-00				
344110-001	WEATHER RADAR TRANSCEIVER							Component	ATA:34
PN:7021450-801	MOS/MSC	05-Sep-17	O/C		TSR 0				
SN:1509E153	HRS	9097.9			TSR 0				
	AFL	4952			TSR 0				
					PROC. REF: AMM 34-41-00				
344200-001	RADIO ALTITUDE TRANSCEIVER							Component	ATA:34
PN:7001840-912	MOS/MSC	24-Nov-06	O/C						
SN:87022153	HRS	5061.13			TSR 0				
	AFL	2719			TSR 0				
					PROC. REF: AMM 34-42-00				
344201-001	NO. 1 RADIO ALTIMETER ANTENNA							Component	ATA:34
PN:622-6793-001	MOS/MSC	24-Nov-06	O/C						
SN:3421	HRS	5061.13			TSN 0				
	AFL	2719			TSN 0				
					PROC. REF: AMM 34-42-11				
344201-002	NO. 2 RADIO ALTIMETER ANTENNA							Component	ATA:34
PN:622-6793-001	MOS/MSC	24-Nov-06	O/C						
SN:3423	HRS	5061.13			TSN 0				
	AFL	2719			TSN 0				
					PROC. REF: AMM 34-42-11				
345005-003	CONTROL ADAPTOR (TRANSPONDER) ANTENNA							Component	ATA:34
PN:622-6590-001	MOS/MSC	24-Sep-90	O/C						
SN:4562	HRS	0			TSN 0				
	AFL	0			TSN 0				
					PROC. REF: AMM 34-54-00				
345100-001	NO. 1 VHF NAVIGATION RECEIVER							Component	ATA:34
PN:622-6137-201	MOS/MSC	10-Aug-16	O/C						
SN:9451	HRS	8875.9							
	AFL	4712							
					PROC. REF: AMM 34-51-00				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345100-002	NO. 2 VHF NAVIGATION RECEIVER							Component	ATA:34
PN:622-6137-201	MOS/MSC	10-Aug-16	O/C	TSR 77					
SN:9763	HRS	8875.9		TSR 1640.52					
	AFL	4712		TSR 989					
PROC. REF: AMM 34-51-00									
345101-001	NO. 1 VHF NAVIGATION CONTROL							Component	ATA:34
PN:622-6521-013	MOS/MSC	24-Sep-90	O/C						
SN:9211	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 34-51-00									
345101-002	NO. 2 VHF NAVIGATION CONTROL							Component	ATA:34
PN:622-6521-013	MOS/MSC	24-Sep-90	O/C						
SN:9805	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-51-00									
345102-001	VOR/LOC PHASING COUPLER							Component	ATA:34
PN:DMN4-17-4	MOS/MSC	21-Feb-14	O/C	TSN 21					
SN:8781	HRS	8472.27		TSN 0					
	AFL	4374		TSN 0					
PROC. REF: AMM 34-51-26									
345103-001	NO. 1 VOR/ILS ANTENNA							Component	ATA:34
PN:DMN4-17-1A	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
PROC. REF: GENERIC NO REF									
345103-002	NO. 2 VOR/ILS ANTENNA							Component	ATA:34
PN:DMN4-17-1A	MOS/MSC	13-Aug-97	O/C						
SN:3612	HRS	1770		TSN 0					
	AFL	868							
PROC. REF: GENERIC NO REF									
345111-001	AFT MARKER BEACON ANTENNA							Component	ATA:34
PN:S35-1000-2	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-51-16									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345112-001	GLIDESLOPE ANTENNA							Component	ATA:34
PN:541422-2	MOS/MSC	24-Aug-16	O/C						
SN:1796	HRS	8875.9		TSN 6558.9					
	AFL	4712		TSN 3486					
				PROC. REF: AMM 34-51-11					
345201-001	ADF (ANT-462B) ANTENNA							Component	ATA:34
PN:622-7384-001	MOS/MSC	07-Sep-16	O/C						
SN:639	HRS	8875.9							
	AFL	4712							
				PROC. REF: AMM 34-52-11					
345203-001	NO. 1 ADF CONTROL							Component	ATA:34
PN:622-6522-005	MOS/MSC	12-Oct-05	O/C						
SN:6306	HRS	4563		TSN 4563, TSR 0					
	AFL	2363		TSN 2363, TSR 0					
				PROC. REF: AMM 34-52-00					
345203-002	NO. 2 ADF CONTROL							Component	ATA:34
PN:622-6522-005	MOS/MSC	24-Jan-13	O/C		TSR 158				
SN:10354	HRS	7915.17			TSR 0				
	AFL	4113			TSR 0				
				PROC. REF: AMM 34-52-00					
345205-001	NO. 1 ADF RECEIVER							Component	ATA:34
PN:622-7382-101	MOS/MSC	10-Aug-16	O/C						
SN:1014	HRS	8875.9			TSN 8875.9				
	AFL	4712							
				PROC. REF: AMM 34-52-00					
345205-002	NO. 2 ADF RECEIVER							Component	ATA:34
PN:622-7382-101	MOS/MSC	24-Sep-90	O/C						
SN:1021	HRS	0			TSN 0				
	AFL	0			TSN 0				
				PROC. REF: AMM 34-52-00					
345300-001	NO. 1 DME TRANSCEIVER							Component	ATA:34
PN:622-7318-001	MOS/MSC	25-Jun-13	O/C		TSO 7				
SN:1658	HRS	8162.27			TSO 0				
	AFL								
				PROC. REF: AMM 34-53-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345300-002		NO. 2 DME TRANSCEIVER						Component	ATA:34
PN:622-6263-001	MOS/MSC	10-Aug-16	O/C						
SN:8558	HRS	8875.9							
	AFL	4712							
PROC. REF: AMM 34-53-00									
345302-001		NO.1 DME ANTENNA						Component	ATA:34
PN:DMNI50-2-2	MOS/MSC	16-Jul-02	O/C						
SN:84261	HRS	3545		TSN 0					
	AFL	1823		TSN 0					
	APH			TSN 0					
PROC. REF: AMM 34-53-11									
345302-002		NO.2 DME ANTENNA						Component	ATA:34
PN:DMNI50-2-2	MOS/MSC	12-Oct-05	O/C						
SN:101698	HRS	4563		TSN 0					
	AFL	2363		TSN 0					
PROC. REF: AMM 34-53-11									
345400-001		NO. 1 MODE-S TRANSPONDER						Component	ATA:34
PN:622-9210-501	MOS/MSC	29-Sep-23	O/C	TSO 59					
SN:4BVDG	HRS	10027.9		TSO 730.8					
	AFL	6138		TSO 926					
PROC. REF: AMM 34-54-00									
345400-001B		RECERTIFY NO. 1 MODE-S TRANSPONDER PER FAR 91.413						Service	ATA:34
PN:622-9210-501	MOS	29-Sep-23	24	Adj -9d	30-Sep-25		698 d		
SN:4BVDG	HRS	10027.9							
	AFL	6138							
PROC. REF: GENERIC NO REF, FAR PART 91.413									
345400-002		NO. 2 MODE-S TRANSPONDER						Component	ATA:34
PN:622-9210-501	MOS/MSC	29-Sep-23	O/C	TSO 59					
SN:491VH	HRS	10027.9		TSO 730.8					
	AFL	6138		TSO 926					
PROC. REF: AMM 34-54-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345400-002B	RECERTIFY NO. 2 MODE-S TRANSPONDER PER FAR 91.413							Service	ATA:34
PN:622-9210-501	MOS	29-Sep-23	24	Adj -9d	30-Sep-25		698 d		
SN:491VH	HRS	10027.9							
	AFL	6138							
PROC. REF: GENERIC NO REF, FAR PART 91.413								PKG:210	
345401-001	ATC CONTROLLER							Component	ATA:34
PN:822-1807-003	MOS/MSC	18-Apr-13	O/C						
SN:1GK2T	HRS	8060.02							
	AFL	4180							
PROC. REF: AMM 34-54-00									
345403-001	NO.1 ATC (TRANSPONDER) ANTENNA							Component	ATA:34
PN:S65-5366-7L	MOS/MSC	24-Aug-16	O/C	TSN 0					
SN:261-122603	HRS	8875.9		TSN 0					
	AFL	4712		TSN 0					
PROC. REF: AMM 34-54-11									
345403-002	NO.2 ATC (TRANSPONDER) ANTENNA							Component	ATA:34
PN:S65-5366-7L	MOS/MSC	24-Aug-16	O/C	TSN 0					
SN:261-121534	HRS	8875.9		TSN 0					
	AFL	4712		TSN 0					
PROC. REF: AMM 34-54-11									
345407-701 ^U	AFID ADAPTOR							Component	ATA:34
PN:833613-00	MOS/MSC	08-Nov-18	O/C					CUSTOMER CODE	
SN:111	HRS	9297.1							
	AFL	5212							
345408-701 ^U	GPS RECEIVER							Component	ATA:34
PN:1203C	MOS/MSC	08-Nov-18	O/C					CUSTOMER CODE	
SN:1835K502	HRS	9297.1							
	AFL	5212							
346000-001	NO. 1 DIGITAL CLOCK							Component	ATA:34
PN:811BLB	MOS/MSC	07-Oct-19	O/C	TSN 90					
SN:N/A	HRS	9460.5		TSN 1545.33					
	AFL	5416		TSN 1303					
PROC. REF: AMM 34-62-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
346000-001A^S REMOVE NO. 1 DIGITAL CLOCK BATTERIES AND INSTALL NEW (34-62-00-303) Service ATA:34								
PN:811BLB	MOS	20-Sep-21	24 (+1m/-1m)					
SN:N/A	HRS	9728						
	AFL	5799						
PROC. REF: MPD SECTION 3.2								PKG:210
346000-002 NO. 2 DIGITAL CLOCK Component ATA:34								
PN:811BLB	MOS/MSC	07-Oct-19	O/C					
SN:N/A	HRS	9460.5						
	AFL	5416						
PROC. REF: AMM 34-62-00								
346000-002A^S REMOVE NO. 2 DIGITAL CLOCK BATTERIES AND INSTALL NEW (34-62-00-303) Service ATA:34								
PN:811BLB	MOS	20-Sep-21	24 (+1m/-1m)					
SN:N/A	HRS	9728						
	AFL	5799						
PROC. REF: MPD SECTION 3.2								PKG:210
346100-001 NO. 1 NAVIGATION COMPUTER Component ATA:34								
PN:7018879-03030	MOS/MSC	19-Oct-12	O/C					
SN:96010775	HRS	7685.77		TSR 0				
	AFL	4009		TSR 0				
PROC. REF: AMM 34-61-00								
346100-001A^U REPLACE/DISCARD NO. 1 NAVIGATION COMPUTER BATTERY Service ATA:34								
PN:7018879-03030	MOS/MSC	04-Mar-19	DUE		22-Jan-28 (M)		1542 d	
SN:96010775	HRS	9384.2						
	AFL	5297						
346100-002 NO. 2 NAVIGATION COMPUTER Component ATA:34								
PN:7018879-03030	MOS/MSC	19-Oct-12	O/C					
SN:95060292	HRS	7685.77		TSR 0				
	AFL	4009		TSR 0				
PROC. REF: AMM 34-61-00								
346100-002A^U REPLACE/DISCARD NO. 2 NAVIGATION COMPUTER BATTERY Service ATA:34								
PN:7018879-03030	MOS/MSC	04-Mar-19	DUE		22-Jan-28 (M)		1542 d	
SN:95060292	HRS	9384.2						
	AFL	5297						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
346105-001	NO. 1 DISPLAY (FMS) CONTROL UNIT							Component	ATA:34
PN:2888-01-1	MOS/MSC	10-Oct-16	O/C	TSR 0					
SN:1707	HRS	8885.3		TSR 0					
	AFL	4727		TSR 0					
	PROC. REF: AMM 34-61-00								
346105-002	NO. 2 DISPLAY (FMS) CONTROL UNIT							Component	ATA:34
PN:2888-01-1	MOS/MSC	19-Jun-03	O/C						
SN:1201	HRS	3799		TSN 0					
	AFL	1959		TSN 0					
	PROC. REF: AMM 34-61-00								
346109-001 ^U	UPDATE FMS NAV DATABASE							Service	ATA:34
	MOS/MSC	03-Aug-23	DUE		?		?		
	HRS	10006.3							
	AFL	6093							
346111-001	NO. 1 EFIS DISPLAY CONTROL							Component	ATA:34
PN:7005819-707	MOS/MSC	24-Sep-90	O/C						
SN:90041512	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM 34-22-00								
346111-002	NO. 2 EFIS DISPLAY CONTROL							Component	ATA:34
PN:7005819-707	MOS/MSC	26-Apr-12	O/C	TSR 13					
SN:85030155	HRS	7342.67		TSR 0					
	AFL	3770		TSR 0					
	PROC. REF: AMM 34-22-00								
349003 ^U	FMS DATA LOADER							Component	ATA:34
PN:G7226-01	MOS/MSC	25-Nov-19	N/R	TSN 22					
SN:38244	HRS	9478		TSN 0					
	AFL	5444		TSN 0					
349201 ^U	EGPWS COMPUTER WITH RAAS CAPABILITY							Component	ATA:34
PN:965-0976-040-218-218	MOS/MSC	08-Sep-14	N/R	TSR 0					
SN:11849	HRS	8547.9		TSR 0					
	AFL	4418		TSR 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
349237^U GPWS AOA PROBE Component ATA:34								
PN:861CAL501FC4	MOS/MSC	12-Oct-05	N/R					
SN:01290	HRS	4563		TSN 0				
	AFL	2363		TSN 0				
349269^U NO.1 CONFIGURATION MODULE Component ATA:34								
PN:7014940-903	MOS/MSC	07-Feb-97	O/C					
SN:96091595	HRS	1517		TSN 0				
	AFL	741		TSN 0				
349270^U NO.2 CONFIGURATION MODULE Component ATA:34								
PN:7014940-903	MOS/MSC	07-Feb-97	O/C					
SN:9609196	HRS	1517		TSN 0				
	AFL	741		TSN 0				
349291^U GPS NO.1 ANTENNA Component ATA:34								
PN:S67-1575-145	MOS/MSC	08-Nov-18	O/C		TSN 0			
SN:824-5932	HRS	9297.1		TSN 0				
	AFL	5212		TSN 0				
349353^U TCAS CONTROLLER Component ATA:34								
PN:622-9614-113	MOS/MSC	18-Nov-94	N/R					
SN:854	HRS	912		TSN 0				
	AFL	433		TSN 0				
349355^U TCAS COMPUTER Component ATA:34								
PN:4066010-914	MOS/MSC	07-Oct-13	N/R					
SN:95032354	HRS	8283.53						
	AFL							
349369^U UPPER TCAS ANTENNA Component ATA:34								
PN:7514060-902	MOS/MSC	18-Nov-94	N/R					
SN:94073991	HRS	912		TSN 0				
	AFL	433		TSN 0				
349370^U LOWER TCAS ANTENNA Component ATA:34								
PN:7514060-902	MOS/MSC	18-Nov-94	N/R					
SN:94063904	HRS	912		TSN 0				
	AFL	433		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
349629 ^U	#1 WX RADAR ANTENNA							Component	ATA:34
PN:4057697-901	MOS/MSC	07-Oct-13	N/R	TSN 0					
SN:13072456	HRS	8283.53		TSN 0					
	AFL	4272		TSN 0					
349631 ^U	LIGHTNING SENSR PROCESSOR							Component	ATA:34
PN:7011822-903	MOS/MSC	10-Aug-16	N/R	TSR 64					
SN:94060694	HRS	8875.9		TSR 592.37					
	AFL	4712		TSR 440					
349671 ^U	AFIS DATA MANAGEMENT UNIT							Component	ATA:34
PN:400-045500-2011	MOS/MSC	19-Dec-03	O/C						
SN:3657	HRS	3908							
	AFL	2020							
349673 ^U	AFIS CONFIGURATION MODULE							Component	ATA:34
PN:31990-1	MOS/MSC	19-Dec-03	O/C						
SN:10973	HRS	3908							
	AFL	2020							
349675 ^U	AFIS PRINTER							Component	ATA:34
PN:714042-9005	MOS/MSC	24-Feb-14	O/C	TSR 8					
SN:SP4012003080310	HRS	8472.27		TSR 0					
	AFL	4374		TSR 0					
349677 ^{U S}	INSPECT/CHECK AFIS SYSTEM AND PRINTER FOR PROPER INSTALLATION & MOUNTING							Service	ATA:34
	MOS	19-Oct-22	12						
	HRS	9861.1							
	AFL	5949							
								PKG:200	
349679 ^{U S}	INSPECT/CHECK AFIS SYSTEM AND PRINTER FOR WIRING AND CONDUITS FOR PROPER ROUTING, SECURE MOUNTING AND OBVIOUS DEFECTS; BONDING AND SHIELDING FOR PROPER INSTALLATION AND GOOD CONDITION							Service	ATA:34
	MOS	19-Oct-22	12						
	HRS	9861.1							
	AFL	5949							
								PKG:200	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
34R001 ^U	GNSSU							Component	ATA:34
PN:HG2021GD02	MOS/MSC	17-Oct-07	N/R						
SN:00055118	HRS	5347.2		TSR 0					
	AFL	2864		TSR 0					
34R006 ^U	AUDIO GNS AMPLIFIER							Component	ATA:34
PN:M1093	MOS/MSC	18-Nov-94	N/R						
SN:9408144	HRS	912		TSN 0					
	AFL	433		TSN 0					
ATA 35 - OXYGEN									
35-00-00-202 (MSG3)	DISCARD/REPLACE CREW OXYGEN CYLINDER OXYGEN CYLINDER							Service	ATA:35
	MOS/MSC	18-Mar-14	-					MSG-3	
	HRS	8472.27							
	AFL	4374							
PROC. REF: MTC 35-00-00-202									
35-00-00-203 (MSG3)	OPERATIONAL TEST CREW OXYGEN MASK							Service	ATA:35
	MOS	19-Oct-22	36 (+1m/-1m)	Adj -41d	08-Sep-25	08-Oct-25	676 d (+30)	MSG-3	
	HRS	9861.1							
	AFL	5949							
PROC. REF: MTC 35-00-00-203									
35-00-00-205 (MSG3) ^S	VISUAL CHECK OXYGEN INDICATION SYSTEM							Service	ATA:35
	MOS	19-Oct-22	12 (+1m/-1m)					MSG-3	
	HRS	9861.1							
	AFL	5949							
PROC. REF: MTC 35-00-00-205									
351000-001	NO. 1 OXYGEN REGULATOR MASK ASSEMBLY							Component	ATA:35
PN:MC10-13-03	MOS/MSC	11-Feb-22	O/C	TSO 0					
SN:SE532411	HRS	9779		TSO 0					
	AFL	5850		TSO 0					
PROC. REF: GENERIC NO REF									
351000-001B	RESTORATION (OVERHAUL) OF NO. 1 OXYGEN REGULATOR MASKASSEMBLY							Service	ATA:35
PN:MC10-13-03	MOS	11-Feb-22	72 (+1m/-1m)		11-Feb-28	11-Mar-28	1562 d (+29)	RESTORE	
SN:SE532411	HRS	9779							
WC#: 35.040	AFL	5850							
PROC. REF: SMM 35-13-63, MTC 35-00-00-204									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
351000-002	NO. 2 OXYGEN REGULATOR MASK ASSEMBLY							Component	ATA:35
PN:MC10-13-03	MOS/MSC	16-Mar-20	O/C	TSO 0					
SN:71827	HRS	9526.1		TSO 0					
	AFL	5515		TSO 0					
PROC. REF: GENERIC NO REF									
351000-002B	RESTORATION (OVERHAUL) OF NO. 2 OXYGEN REGULATOR MASKASSEMBLY							Service	ATA:35
PN:MC10-13-03	MOS	16-Mar-20	72 (+1m/-1m)		16-Mar-26	16-Apr-26	865 d (+31)	RESTORE	
SN:71827	HRS	9526.1							
WC#: 35.040	AFL	5515							
PROC. REF: SMM 35-13-63, MTC 35-00-00-204									
351001-001	OXYGEN FILL VALVE							Component	ATA:35
PN:170080	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
PROC. REF: GENERIC NO REF									
351016-001	OXYGEN PRESSURE GAUGE							Component	ATA:35
PN:171007	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 35-10-16									
351016-002	OXYGEN PRESSURE GAUGE							Component	ATA:35
PN:600-44100-3	MOS/MSC	24-Sep-90	O/C						
SN:0255	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 35-10-16									
359026 ^U	CABIN PORTABLE OXYGEN CYLINDER							Component	ATA:35
PN:5600-9C1A-YON	MOS/MSC	11-Nov-21	N/R	TSN 0					
SN:P21081203	HRS	9754		TSN 0					
	AFL	5828		TSN 0					
359036 ^U	HYDROSTATIC TEST CABIN PORTABLE OXYGEN CYLINDER							Service	ATA:35
PN:5600-9C1A-YON	MOS	11-Nov-21	60		11-Nov-26		1105 d		
SN:P21081203	HRS	9754							
	AFL	5828							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 35 - OXYGEN								
359046^U MONTHLY CHECK CABIN PORTABLE OXYGEN CYLINDER AND MASK Service ATA:35								
	MOS	16-Sep-23	1		16-Oct-23		OVD	
	HRS	10006.3						
	AFL	6093						
359061^U NO. 1 CABIN OXYGEN CYLINDER REGULATOR Component ATA:35								
PN:89501015	MOS/MSC	01-May-91	N/R	TSN 8				
SN:2144	HRS	29						
	AFL	11						
359066^U NO. 2 CABIN OXYGEN CYLINDER REGULATOR Component ATA:35								
PN:89501015	MOS/MSC	01-May-91	N/R	TSN 8				
SN:2141	HRS	29						
	AFL	11						
359086^U CABIN PORTABLE OXYGEN REGULATOR Component ATA:35								
PN:5600-9CLA-YON	MOS/MSC	01-May-91	N/R	TSN 8				
SN:1713	HRS	29						
	AFL	11						
359101^U NO. 1 CABIN OXYGEN CYLINDER Component ATA:35								
PN:895-01015	MOS	23-Jan-18	180	TSN 68, TSR 2	23-May-27		1298 d	LIFE LIMIT
SN:C12090540	HRS	9178.5		TSR 0				
	AFL	5051		TSR 0				
359106^U NO. 2 CABIN OXYGEN CYLINDER Component ATA:35								
PN:895-01015	MOS	23-Jan-18	180	TSN 101	23-Aug-24		295 d	LIFE LIMIT
SN:ALT282-21787	HRS	9178.5						
	AFL	5051						
359201^U PASSENGER OXYGEN CONTROL PANEL Component ATA:35								
PN:RCA73-01	MOS/MSC	28-Jan-11	N/R	TSO 0				
SN:2174	HRS	6628.52		TSO 0				
	AFL	3467		TSO 0				
359216^U PASSENGER OXYGEN WARNING PRESSURE SWITCH Component ATA:35								
PN:8012	MOS/MSC	01-May-91	N/R					
SN:0183	HRS	29						
	AFL	11						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
359218 ^U	PASSENGER OXYGEN TEST PRESSURE SWITCH							Component	ATA:35
PN:A45C-128	MOS/MSC	01-May-91	N/R						
SN:112	HRS	29							
	AFL	11							
ATA 36 - PNEUMATIC									
36-20-00-201 (MSG3) ^S	FUNCTIONAL TEST WING BLEED-AIR LEAK DETECTION THERMAL SWITCHES							Service	ATA:36
	MOS	07-Oct-19	120 (+1m/-1m)				MSG-3		
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 36-20-00-201				PKG:230	
361001 ^U	10TH STAGE ISOLATION VALVE							Component	ATA:36
PN:979998-1	MOS/MSC	24-Sep-90	O/C						
SN:575	HRS	0		TSN 0					
	AFL	0							
361001-001	NO. 1 CHECK VALVE							Component	ATA:36
PN:3202232-1	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 36-10-21					
361001-002	NO. 2 CHECK VALVE							Component	ATA:36
PN:3202232-1	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
				PROC. REF: AMM 36-10-21					
361006 ^U	NO. 1 ENGINE 10TH STAGE PRESSURE REGULATING SHUTOFF VALVE							Component	ATA:36
PN:979998-2	MOS/MSC	16-Jul-02	O/C						
SN:2458	HRS	3545							
	AFL	1823							
361009 ^U	NO. 2 ENGINE 10TH STAGE PRESSURE REGULATING SHUTOFF VALVE							Component	ATA:36
PN:979998-2	MOS/MSC	31-May-05	O/C	TSR 0					
SN:3355	HRS	4426.35		TSR 0					
	AFL	2295		TSR 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
361011-001	NO. 1 10TH STAGE PRESSURE REGULATING SHUTOFF VALVE							Component	ATA:36
PN:604-97602-1	MOS/MSC	31-Jul-15	O/C						
SN:2464	HRS	8807.6							
	AFL	4620							
PROC. REF: AMM 36-10-16, AMM 36-10-17									
361011-002	NO. 2 10TH STAGE PRESSURE REGULATING SHUTOFF VALVE							Component	ATA:36
PN:604-97602-1	MOS/MSC	31-Jul-15	O/C						
SN:2477	HRS	8807.6							
	AFL	4620							
PROC. REF: AMM 36-10-16, AMM 36-10-17									
361012-001	GROUND AIR CHECK VALVE							Component	ATA:36
PN:600-97006-7	MOS/MSC	23-Apr-10	O/C						
SN:117379	HRS	6145.97							
WC#: 36.050	AFL	3256							
PROC. REF: AMM 36-10-21									
361016-001	NO. 1 BLEED AIR -14TH STAGE SHUTOFF VALVE							Component	ATA:36
PN:3289590-3	MOS/MSC	02-Sep-04	O/C						
SN:280C	HRS	4124							
	AFL	2131							
PROC. REF: AMM 36-10-16, AMM 36-10-18									
361016-002	NO. 2 BLEED AIR-14TH STAGE SHUTOFF VALVE							Component	ATA:36
PN:604-97603-1	MOS/MSC	02-Sep-04	O/C						
SN:269C	HRS	4124							
	AFL	2131							
PROC. REF: AMM 36-10-16, AMM 36-10-18									
361021-001	NO. 1 BLEED AIR CHECK VALVE							Component	ATA:36
PN:62490-7B	MOS/MSC	17-Mar-10	O/C		TSO 0				
SN:559	HRS	6129.88			TSO 0				
	AFL	3248			TSO 0				
PROC. REF: AMM 36-10-21									
361021-002	NO. 2 BLEED AIR CHECK VALVE							Component	ATA:36
PN:62490-7B	MOS/MSC	31-May-05	O/C		TSO 0				
SN:553	HRS	4426.35			TSO 0				
	AFL	2295			TSO 0				
PROC. REF: AMM 36-10-21									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
361022-001	APU - BLEED AIR CHECK VALVE							Component	ATA:36
PN:PN	MOS/MSC	01-Nov-99	O/C	TSN 0					
SN:UNKNOWN	HRS	5382		TSN 5382					
	APUS	0		TSN 0					
PROC. REF: GENERIC NO REF, AMM 36 11 07 960 801									
362100-001	BLEED AIR PRESSURE INDICATOR							Component	ATA:36
PN:600-50933-3	MOS/MSC	30-Sep-92	O/C						
SN:89060247	HRS	387							
	AFL	179							
PROC. REF: GENERIC NO REF									
362111-001	NO. 1 PRESSURE 10TH STAGE TRANSDUCER							Component	ATA:36
PN:600-59174-9	MOS/MSC	12-Oct-05	O/C						
SN:7055-7-307	HRS	4563		TSN 0					
	AFL	2363		TSN 0					
PROC. REF: AMM 36-21-11									
362111-002	NO. 2 PRESSURE 10TH STAGE TRANSDUCER							Component	ATA:36
PN:600-59174-9	MOS/MSC	23-Oct-10	O/C	TSN 0					
SN:7833-8-431	HRS	6434.43		TSN 0					
	AFL	3381		TSN 0					
PROC. REF: AMM 36-21-11									
362311-001	NO. 1 ENGINE BLEED AIR CONTROLLER							Component	ATA:36
PN:35008-32	MOS/MSC	24-Sep-90	O/C						
SN:A585	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 36-23-11									
362311-002	NO. 2 ENGINE BLEED AIR CONTROLLER							Component	ATA:36
PN:35008-32	MOS/MSC	24-Sep-90	O/C						
SN:A586	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 36-23-11									
369061 ^U	APU BLEED AIR CHECK VALVE							Component	ATA:36
PN:3202072-2-1	MOS/MSC	24-Sep-90	O/C						
SN:202	HRS	0		TSN 0					
	AFL	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 36 - PNEUMATIC									
49-52-11-213 ^U	APU BLEED AIR CHECK VALVE							Component	ATA:36
PN:3202896-1	MOS/MSC	06-Dec-02	O/C	TSN 0					
SN:889	HRS	3667		TSN 0					
	AFL	1891		TSN 0					
	APH	3858							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 38 - WATER/WASTE								
380010^U GALLEY WATER HEATER Component ATA:38								
PN:8921082G5	MOS/MSC	30-Mar-10	O/C	TSR 0				CUSTOMER CODE
SN:UEW05783	HRS	6132.22		TSR 0				
	AFL	3249		TSR 0				
380100^U AFT DRAIN MAST Component ATA:38								
PN:8921270G2	MOS/MSC	28-Sep-06	O/C					CUSTOMER CODE
SN:1850	HRS	5000		TSR 0				
	AFL	2682		TSR 0				
382101-701^U GALLEY WATER SYSTEM SOLENOID VALVE Component ATA:38								
PN:8210G001	MOS/MSC	30-Mar-10	O/C	TSN 0				
SN:T207126	HRS	6132.22		TSN 0				
	AFL	3249		TSN 0				
382102-701^U AFT WATER SYSTEM PANEL SOLENOID VALVE Component ATA:38								
PN:8210G1	MOS/MSC	30-Mar-10	O/C	TSN 0				
SN:C292333	HRS	6132.22		TSN 0				
	AFL	3249		TSN 0				
389001^U LAVATORY WATER FILTER Component ATA:38								
PN:MP4A	MOS/MSC	07-Oct-19	O/C	TSN 0				
SN:NSN	HRS	9460.5		TSN 0				
	AFL	5416		TSN 0				
389003^{U S} REPLACE LAVATORY WATER FILTER Service ATA:38								
PN:MP4A	MOS	19-Oct-22	12					
SN:NSN	HRS	9861.1						
	AFL	5949						
389010^U LAVATORY TOILET TIMER ASSEMBLY Component ATA:38								
PN:11059-57	MOS/MSC	30-Mar-10	O/C	TSR 0				
SN:4-2596	HRS	6132.22		TSR 0				
	AFL	3249		TSR 0				
ATA 49 - AIRBORNE AUXILIARY POWER								
49-10-10-201 (MSG3)^S APU - OPERATIONAL TEST OF THE APU ENCLOSURE DRAINS Service ATA:49								
	MOS	22-Apr-18						MSG-3
	HRS	10859	1000 (+40/-40)					

PKG:200
WO#: 12683-09-2020

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 49 - AIRBORNE AUXILIARY POWER									
	APUS	0							
					PROC. REF: GENERIC NO REF, MTC 49-10-10-201, MTC 49-10-10-201, MTC 49-10-10-201, MTC 49-10-10-201			PKG:1000	
49-10-10-203 (MSG3) ^S	APU - DETAILED INSPECTION OF THE APU ENCLOSURE ASSEMBLY							Service	ATA:49
	MOS	07-Oct-19						MSG-3	
	HRS	11087	500 (+40/-40)						
	APUS								
					PROC. REF: GENERIC NO REF, MTC 49-10-10-203, MTC 49-10-10-203, MTC 49-10-10-203, MTC 49-10-10-203			PKG:500	
49-10-60-201 (MSG3) ^S	APU - GENERAL VISUAL INSPECTION OF THE APU INLET DUCT SCREENS							Service	ATA:49
	MOS	22-Aug-15						MSG-3	
	HRS	10422	1500 (+40/-40)						
	APUS								
					PROC. REF: GENERIC NO REF, MTC 49-10-60-201, MTC 49-10-60-201, MTC 49-10-60-201, MTC 49-10-60-201			PKG:1500	
49-10-60-202 (MSG3) ^S	APU - GENERAL VISUAL INSPECTION OF THE APU LOWER RUBBER BOOT							Service	ATA:49
	MOS	22-Aug-15						MSG-3	
	HRS	10422	1500 (+40/-40)						
	APUS								
					PROC. REF: GENERIC NO REF, MTC 49-10-60-202, MTC 49-10-60-202, MTC 49-10-60-202, MTC 49-10-60-202			PKG:1500	
49-10-60-203 (MSG3) ^S	APU - GENERAL VISUAL INSPECTION OF THE APU UPPER AND LOWER INLET DUCT							Service	ATA:49
	MOS	17-Feb-14						MSG-3	
	HRS	10048	3000 (+40/-40)						
	APUS								
					PROC. REF: GENERIC NO REF, MTC 49-10-60-203, MTC 49-10-60-203, MTC 49-10-60-203, MTC 49-10-60-203			PKG:3000	
49-15-01-201 (MSG3) ^S	APU - OPERATIONAL TEST OF THE APU DRAINS							Service	ATA:49
	MOS	17-Feb-14						MSG-3	
	HRS	10048	3000 (+40/-40)						
	APUS								
					PROC. REF: GENERIC NO REF, MTC 49-15-01-201, MTC 49-15-01-201, MTC 49-15-01-201, MTC 49-15-01-201			PKG:3000	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 49 - AIRBORNE AUXILIARY POWER									
49-22-03-201 ^U	APU - DISCARD TURBINE ROTOR OF THE APU TURBINE ROTOR							Service	ATA:49
PN:3842368-1	MOS	06-Jul-07							
SN:060134507048	HRS	7183	10000		17183		5893		
	APUS								
49-22-05-201 (MSG3)	APU - DETAILED INSPECTION OF THE APU COMPRESSOR HOUSING SHROUD							Service	ATA:49
	MOS/MSC	01-Nov-99	C/C					MSG-3	
	HRS	5382							
	APUS	0							
					PROC. REF: GENERIC NO REF, MTC 49-22-05-201, MTC 49-22-05-201, MTC 49-22-05-201, MTC 49-22-05-201, MTC 49-22-05-201				
49-22-07-201 (MSG3)	APU - DETAILED INSPECTION OF THE APU CONTAINMENT RING AND TURBINE HOUSING							Service	ATA:49
	MOS/MSC	01-Nov-99	C/C					MSG-3	
	HRS	5382							
	APUS	0							
					PROC. REF: MTC 49-22-07-201, MTC 49-22-07-201, MTC 49-22-07-201, MTC 49-22-07-201, MM 49-20-00				
49-31-00-201 (MSG3) ^S	APU - GENERAL VISUAL INSPECTION OF THE APU FUEL SYSTEM COMPONENTS							Service	ATA:49
	MOS	07-Oct-19						MSG-3	
	HRS	11087	500 (+40/-40)						
	APUS								
					PROC. REF: MTC 49-31-00-201, MTC 49-31-00-201, MTC 49-31-00-201, MTC 49-31-00-201, MM 49-30-00				
49-31-00-202 (MSG3) ^S	APU - GENERAL VISUAL INSPECTION OF THE APU FUEL FILTER DIFFERENTIAL PRESSURE INDICATOR							Service	ATA:49
	MOS	07-Oct-19						MSG-3	
	HRS	11087	500 (+40/-40)						
	APUS								
					PROC. REF: GENERIC NO REF, MTC 49-31-00-202, MTC 49-31-00-202, MTC 49-31-00-202, MTC 49-31-00-202, MTC 49-31-00-202				
49-42-01-201 (MSG3)	APU - RESTORATION MOTOR STARTER OF THE APU STARTER MOTOR							Service	ATA:49
PN:2704458-1	MOS	23-Jan-13						MSG-3	
SN:1207	HRS	9032	2500		11532		242		
	APUS								
					PROC. REF: MTC 49-42-01-201, MTC 49-42-01-201, MTC 49-42-01-201, MTC 49-42-01-201, MM 49-40-35				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 49 - AIRBORNE AUXILIARY POWER									
49-43-02-201 (MSG3)	APU - DETAILED INSPECTION OF THE APU IGNITER PLUG							Service	ATA:49
	MOS	22-Apr-18						MSG-3	
	HRS	10859	2000 (+40/-40)		12859	12899	1569 (+40)		
	APUS	0							
				PROC. REF: MTC 49-43-02-201, MTC 49-43-02-201, MTC 49-300-10, MTC 49-43-02-201, MM 49-40-33					
49-43-04-201 (MSG3) ^S	APU - OPERATIONAL TEST OF THE APU EXTERNAL REMOTE SWITCH							Service	ATA:49
	MOS	22-Apr-18						MSG-3	
	HRS	10859	1000 (+40/-40)						
	APUS	0							
				PROC. REF: GENERIC NO REF, MTC 49-43-04-201, MTC 49-43-04-201, MTC 49-43-04-201, MTC 49-43-04-201				PKG:1000	
49-51-00-301 (MSG3) ^S	APU - RESTORATION LOAD CONTROL VALVE (ON-WING CLEANING) OF THE AUXILIARY POWER UNIT (APU) LOAD CONTROL VALVE FILTER							Service	ATA:49
PN:3885091-4	MOS	07-Oct-19						MSG-3	
SN:0135	HRS	11087	500						
	APUS								
				PROC. REF: MTC 49-51-00-301, MTC 49-51-00-301, MTC 49-51-00-301				PKG:500	
49-80-00-204 (MSG3) ^S	APU - DETAIL INSPECTION OF THE AUXILIARY POWER UNIT EXHAUST SYSTEM							Service	ATA:49
	MOS	22-Apr-18						MSG-3	
	HRS	10859	1000 (+40/-40)						
	APUS	0							
				PROC. REF: GENERIC NO REF, MTC 49-80-00-204, MTC 49-80-00-204, MTC 49-80-00-204, MTC 49-80-00-204				PKG:1000	
49-80-00-205 (MSG3)	APU - DETAILED INSPECTION OF THE AUXILIARY POWER UNIT EXHAUST NOZZLE							Service	ATA:49
	MOS/MSC	01-Nov-99	A/R					MSG-3	
	HRS	5382							
	APUS	0							
				PROC. REF: GENERIC NO REF, MTC 49-80-00-205, MTC 49-80-00-205, MTC 49-80-00-205, MTC 49-80-00-205					
49-81-00-201 (MSG3) ^S	APU - DETAILED INSPECTION OF THE APU EXHAUST SHIELD AND VISOR ASSEMBLY							Service	ATA:49
	MOS	22-Apr-18						MSG-3	
	HRS	10859	1000 (+40/-40)						
	APUS	0							
				PROC. REF: GENERIC NO REF, MTC 49-81-00-201, MTC 49-81-00-201, MTC 49-81-00-201, MTC 49-81-00-201				PKG:1000	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 49 - AIRBORNE AUXILIARY POWER								
49-90-00-202 (MSG3)^S APU - DISCARD OF THE APU OIL Service ATA:49								
	MOS	15-Jan-19						MSG-3
	HRS	10970	1000 (+40/-40)					
	APUS	0						
	PROC. REF: GENERIC NO REF, MTC 49-90-00-202, MTC 49-90-00-202, MTC 49-90-00-202, MTC 49-90-00-202							PKG:1000
49-90-03-201 (MSG3)^S APU - DETAILED INSPECTION OF THE APU MAGNETIC CHIP DETECTOR Service ATA:49								
	MOS	07-Oct-19						MSG-3
	HRS	11087	500 (+40/-40)					
	APUS							
	PROC. REF: MTC 49-90-03-201, MTC 49-90-03-201, MTC 49-90-03-201, MTC 49-90-03-201, MM 49-90-48							PKG:500
49-90-03-202 (MSG3)^S APU - DISCARD OF THE AUXILIARY POWER UNIT OIL FILTER ELEMENT Service ATA:49								
	MOS	11-Dec-18						MSG-3
	HRS	10956	1000 (+40/-40)					
	APUS	0						
	PROC. REF: MTC 49-90-03-202, MTC 49-90-03-202, MTC 49-90-03-202, MTC 49-90-03-202, MM 49-90-47							PKG:1000
492006-001 APU - GEARBOX Component ATA:49								
PN:3862083-2	MOS/MSC	20-Jul-07	O/C	TSO 0				
SN:MS98P27043	HRS	7183		TSO 0				
	APUS			TSO 0				
	PROC. REF: GENERIC NO REF							
492010-001 APU - POWER SECTION Component ATA:49								
PN:3801340-1	MOS/MSC	20-Jul-07	O/C	TSN 0				
SN:0707001	HRS	7183		TSN 0				
	APUS			TSN 0				
	PROC. REF: GENERIC NO REF							
492200-001 APU - COMPRESSOR ROTOR Component ATA:49								
PN:3822632-1	MOS	20-Jul-07		TSN 0				LIFE LIMIT
SN:060316002317	HRS	7183	20000 (+40/-40)	TSN 0	27183	27223	15893 (+40)	
	APUS							
	PROC. REF: GENERIC NO REF, AMM 49 20 01 960 801, AMM 49-20-01, AMM 49 24 00 220 801, MTC 49-22-01-201							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 49 - AIRBORNE AUXILIARY POWER									
492201-001	APU - TURBINE ROTOR							Component	ATA:49
PN:3842368-1	MOS	20-Jul-07		TSN 0				LIFE LIMIT	
SN:060134507048	HRS	7183	10000 (+40/-40)	TSN 0	17183	17223	5893 (+40)		
	APUS								
PROC. REF: GENERIC NO REF, AMM 49 22 03 960 801, AMM 49-22-03, AMM 49 20 03 961 801, MTC 49-22-03-201									
493001 ^U	APU FUEL BOOSTER PUMP							Component	ATA:49
PN:600-62991-7	MOS/MSC	20-Jun-94	O/C						
SN:D249	HRS	823							
	AFL	395							
493008-001	APU - FUEL CONTROL ASSY							Component	ATA:49
PN:3883964-3	MOS/MSC	20-Jul-07	O/C	TSN 0					
SN:32027	HRS	7183		TSN 0					
	APUS			TSN 0					
PROC. REF: MM 49-30-52									
493016 ^U	2 WAY APU FUEL VALVE							Component	ATA:49
PN:AV16E1295	MOS/MSC	24-Sep-90	O/C						
SN:N68123	HRS	0		TSN 0					
	AFL	0		TSN 0					
493054-001	APU - SOLENOID VALVE							Component	ATA:49
PN:692545-18	MOS/MSC	11-Jul-17	O/C	TSR 0					
SN:T#05914	HRS	10708		TSR 0					
	APUS	0		TSR 0					
PROC. REF: MM 49-30-54									
493260-001	APU - WIRING HARNESS							Component	ATA:49
PN:3888524-3	MOS/MSC	20-Jul-07	O/C	TSN 0					
SN:061622613768	HRS	7183		TSN 0					
	APUS			TSN 0					
PROC. REF: AMM 49 13 01 000 801, AMM 49 13 01 400 801, MM 49-20-02									
494010-001	APU - MOTOR STARTER							Component	ATA:49
PN:2704458-1	MOS/MSC	17-Jan-13	O/C	TSO 32					
SN:1207	HRS	9032		TSO 0					
	APUS			TSO 0					
PROC. REF: AMM 49-44-01, AMM 49 44 01 000 801, AMM 49 44 01 400 801, AMM 49 44 01 000 801, AMM 49 44 01 400 801, MM 49-40-35									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 49 - AIRBORNE AUXILIARY POWER									
494034-001	APU - IGNITION UNIT							Component	ATA:49
PN:3876280-4	MOS/MSC	11-Jul-17	O/C	TSO 2					
SN:060218074002	HRS	10708		TSO 0					
	APUS			TSO 0					
PROC. REF: AMM 49-42-01, AMM 49 42 01 000 801, AMM 49 42 01 400 801, AMM 49 42 01 000 801, AMM 49 42 01 400 801, MM 49-40-32									
495010-001	APU - SURGE VALVE							Component	ATA:49
PN:3884538-6	MOS/MSC	20-Jul-07	O/C	TSN 0					
SN:1076	HRS	7183		TSN 0					
	APUS			TSN 0					
PROC. REF: GENERIC NO REF, AMM 49-53-01, AMM 49 53 01 000 801, AMM 49 53 01 400 801, AMM 49 53 01 000 801, AMM 49 53 01 400 801, AMM 49 53 01 400 801									
495014-001	APU - LOAD CONTROL VALVE							Component	ATA:49
PN:3885091-4	MOS/MSC	20-Apr-12	O/C	TSO 1					
SN:0135	HRS			TSO 0					
	APUS			TSO 0					
PROC. REF: MM 49-50-33									
496030-001	APU - SENSOR							Component	ATA:49
PN:3876225-1	MOS/MSC	20-Jul-07	O/C	TSN 0					
SN:071121406363	HRS	7183		TSN 0					
	APUS			TSN 0					
PROC. REF: MM 49-60-47, MM 49-60-48									
496045-001	APU - THERMOCOUPLE (APU)							Component	ATA:49
PN:3876003-3	MOS/MSC	20-Jul-07	O/C	TSN 0					
SN:072021903627	HRS	7183		TSN 0					
	APUS			TSN 0					
PROC. REF: AMM 49-61-04, AMM 49 61 04 000 801, AMM 49 61 04 400 801, AMM 49 61 04 000 801, AMM 49 61 04 400 801, MM 49-60-45									
496100-001	APU - ELECTRONIC CONTROL UNIT							Component	ATA:49
PN:PN	MOS/MSC	20-Jul-07	O/C	TSN 0					
SN:UNKNOWN	HRS	7183		TSN 5382					
	APUS			TSN 0					
PROC. REF: AMM 49 61 01 000 801, AMM 49 61 01 400 801, AMM 49-61-01, AMM 49 61 01 000 801, AMM 49 61 01 400 801, MM 49-60-46									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 49 - AIRBORNE AUXILIARY POWER									
496101-001	APU ELECTRIC CONTROL UNIT ECU							Component	ATA:49
PN:2119584-5002	MOS/MSC	07-Sep-07	O/C	TSN 0					
SN:37-T0186	HRS	5330		TSN 0					
	AFL	2854		TSN 0					
PROC. REF: AMM 49-61-01, AMM 49-61-01									
497000-001	APU FAULT INDICATOR							Component	ATA:49
PN:604-53201-1	MOS/MSC	27-Apr-05	O/C	TSN 0					
SN:B0014	HRS	4349.2		TSN 0					
	AFL	2269		TSN 0					
PROC. REF: GENERIC NO REF									
497100-001	APU EGT INDICATOR							Component	ATA:49
PN:124-491-3	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
PROC. REF: GENERIC NO REF									
497101-001	APU RPM INDICATOR							Component	ATA:49
PN:124-492-3	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
PROC. REF: GENERIC NO REF									
497103-001	APU CONTROL PANEL							Component	ATA:49
PN:600-51158-823	MOS/MSC	19-Apr-13	O/C						
SN:UNKNOWN	HRS	8060.02		TSN 8060.02					
	AFL	4180							
PROC. REF: AMM 49-70-00									
499060-702 ^U	APU - LOW OIL PRESSURE SWITCH							Component	ATA:49
PN:3876001-8	MOS/MSC	25-Nov-11	O/C						
SN:10717	HRS	8925.42							
	APUS								
499100-001	APU - OIL FILTER ELEMENT							Component	ATA:49
PN:365303-1	MOS	11-Dec-18		TSN 0					
SN:N/A	HRS	10956	1000	TSN 0	11956		666		
	APUS	0		TSN 0					
PROC. REF: AMM 49-91-07, AMM 49 91 07 000 801, AMM 49 91 07 400 801, AMM 49 91 07 000 801, AMM 49 91 07 400 801, MM 49-90-47									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 49 - AIRBORNE AUXILIARY POWER									
499110-001	APU - SOAP CHECK OIL							Service	ATA:49
	MOS	11-Dec-18							
	HRS	10956	400	Adj -4	11352		62		
	APUS	0							
PROC. REF: GENERIC NO REF									
49APU1	APU							Component	ATA:49
PN:3800804-1	MOS/MSC	12-Aug-09	E/C						
SN:P-108C	HRS	6111.25		TSN 7851					
WC#: 49.APU1	AFL	3241							
PROC. REF: AMM 49-10-00, AMM 49-10-00, AMM 49-10-00									
ATA 52 - DOORS									
52-10-00-101	NDT CHECK PASSENGER DOOR HINGE							Service	ATA:52
	MOS	08-Nov-18							
	HRS	9297.1	2400		11697.1		1669.2		
	AFL	5212							
PROC. REF: NDT ET-52-10-01									
52-10-00-201 (MSG3) ^S	FUNCTIONAL TEST PASSENGER-DOOR LATCH MECHANISM							Service	ATA:52
	MOS	18-Mar-14						MSG-3	
	HRS	8472.27	1600 (+40/-40)						
	AFL	4374							
PROC. REF: MTC 52-10-00-201									
52-10-00-203 (MSG3) ^S	LUBRICATION PASSENGER DOOR (INTERNAL) (PRE SB 601-0451)							Service	ATA:52
	MOS	07-Oct-19						MSG-3	
	HRS	9460.5	1600 (+40/-40)						
	AFL	5416							
PROC. REF: MTC 52-10-00-203									
52-10-00-204 (MSG3)	LUBRICATION PASSENGER DOOR (INTERNAL) (POST SB 601-0451)							Service	ATA:52
	MOS/MSC	18-Mar-14	N/A					MSG-3	
	HRS	8472.27							
	AFL	4374							
PROC. REF: MTC 52-10-00-204									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-10-01-202 (MSG3)	LUBRICATION PASSENGER DOOR (EXTERNAL).							Service	ATA:52
	MOS	20-Sep-21						MSG-3	
	HRS	9728	400 (+40/-40)		10128	10168	100.1 (+40)		
	AFL	5799							
				PROC. REF: MTC 52-10-01-202				PKG:100	
52-11-00-202 (MSG3) ^S	DETAILED INSPECTION FITTINGS AND ATTACHMENTS OF THE PASSENGER DOOR							Service	ATA:52
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 52-11-00-202				PKG:220	
52-11-00-203 (MSG3) ^S	DETAILED INSPECTION INTERNAL STRUCTURE OF THE PASSENGER DOOR							Service	ATA:52
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 52-11-00-203				PKG:220	
52-20-00-105	VISUAL CHECK OVERWING EMERGENCY EXIT - ATTACHMENT FITTINGS							Service	ATA:52
	MOS	24-Sep-90							
	HRS		T:10200		10200		172.1		
	AFL								
				PROC. REF: NDT VC-52-20-01					
52-20-00-201 (MSG3) ^S	OPERATIONAL TEST LATCH MECHANISM OF THE OVERWING EMERGENCY-EXIT DOOR							Service	ATA:52
	MOS	20-Sep-21	24 (+1m/-1m)					MSG-3	
	HRS	9728							
	AFL	5799							
				PROC. REF: MTC 52-20-00-201				PKG:210	
52-20-00-202 (MSG3) ^S	FUNCTIONAL TEST EXIT-PULL SIGN							Service	ATA:52
	MOS	20-Sep-21	24 (+1m/-1m)					MSG-3	
	HRS	9728							
	AFL	5799							
				PROC. REF: MTC 52-20-00-202				PKG:210	
52-20-00-203 (MSG3) ^S	LUBRICATION EMERGENCY-EXIT DOOR							Service	ATA:52
	MOS	20-Sep-21	24 (+1m/-1m)					MSG-3	
	HRS	9728							
	AFL	5799							
				PROC. REF: MTC 52-20-00-203				PKG:210	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-21-00-202 (MSG3) ^S	DETAILED INSPECTION LATCH FITTINGS AND DOOR STOPS OF THE OVERWING EMERGENCY-EXIT DOOR							Service	ATA:52
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 52-21-00-202				PKG:220	
52-21-00-203 (MSG3) ^S	DETAILED INSPECTION INTERNAL STRUCTURE OF THE OVERWING EMERGENCY-EXIT DOOR							Service	ATA:52
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 52-21-00-203				PKG:220	
52-30-00-201 (MSG3) ^S	LUBRICATION BAGGAGE COMPARTMENT DOOR							Service	ATA:52
	MOS	20-Sep-21						MSG-3	
	HRS	9728	400 (+40/-40)						
	AFL	5799							
				PROC. REF: MTC 52-30-00-201				PKG:100	
52-31-00-202 (MSG3) ^S	DETAILED INSPECTION STOP FITTINGS OF THE CARGO COMPARTMENT DOOR							Service	ATA:52
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 52-31-00-202				PKG:220	
52-31-00-203 (MSG3) ^S	DETAILED INSPECTION INTERNAL STRUCTURE OF THE CARGO COMPARTMENT DOOR							Service	ATA:52
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 52-31-00-203				PKG:220	
52-40-00-201 (MSG3) ^S	LUBRICATION SERVICING DOORS							Service	ATA:52
	MOS	20-Sep-21						MSG-3	
	HRS	9728	400 (+40/-40)						
	AFL	5799							
				PROC. REF: MTC 52-40-00-201				PKG:100	
52-70-00-201 (MSG3) ^S	OPERATIONAL TEST PASSENGER/CREW ENTRANCE DOOR SWITCHES							Service	ATA:52
	MOS	01-Jul-17						MSG-3	
	HRS	9064	1200 (+40/-40)						
	AFL	4900							
				PROC. REF: MTC 52-70-00-201				PKG:120	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-70-00-202 (MSG3) ^S	OPERATIONAL TEST BAGGAGE DOOR SWITCHES							Service	ATA:52
	MOS	01-Jul-17						MSG-3	
	HRS	9064	1200 (+40/-40)						
	AFL	4900							
				PROC. REF: MTC 52-70-00-202				PKG:120	
52-80-00-102	VISUAL CHECK MAIN LANDING GEAR DOORS HINGES (A/C 5001 TO 5006 ONLY)							Service	ATA:52
	MOS/MSC	24-Sep-90	N/A						
	HRS	0							
	AFL	0							
				PROC. REF: NDT VC-52-10-03					
52-ZL-00-206 (MSG3) ^S	GENERAL VISUAL INSPECTION PASSENGER DOOR - EXTERNAL							Service	ATA:52
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 52-ZL-00-206				PKG:220	
52-ZL-00-207 (MSG3) ^S	GENERAL VISUAL INSPECTION PASSENGER DOOR - INTERNAL							Service	ATA:52
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 52-ZL-00-207				PKG:220	
52-ZL-00-208 (MSG3) ^S	GENERAL VISUAL INSPECTION OVERWING EMERGENCY-EXIT DOOR - EXTERNAL							Service	ATA:52
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 52-ZL-00-208				PKG:230	
52-ZL-00-209 (MSG3) ^S	GENERAL VISUAL INSPECTION OVERWING EMERGENCY-EXIT DOOR - INTERNAL							Service	ATA:52
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 52-ZL-00-209				PKG:220	
52-ZL-00-210 (MSG3) ^S	GENERAL VISUAL INSPECTION CARGO COMPARTMENT DOOR - EXTERNAL							Service	ATA:52
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 52-ZL-00-210				PKG:220	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
52-ZL-00-211 (MSG3) ^S	GENERAL VISUAL INSPECTION CARGO COMPARTMENT DOOR - INTERNAL							Service	ATA:52
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 52-ZL-00-211				PKG:220	
520011 ^U	FWD BAGGAGE DOOR BALANCE SPRING MOTOR							Component	ATA:52
PN:ML3844-11A	MOS/MSC	07-May-11	O/C	TSN 0					
SN:13196	HRS	6778.02		TSN 0					
	AFL	3533		TSN 0					
520012 ^U	AFT BAGGAGE DOOR BALANCE SPRING MOTOR							Component	ATA:52
PN:ML3844-12A	MOS/MSC	07-May-11	O/C	TSN 0				CUSTOMER CODE	
SN:13159	HRS	6778.02		TSN 0					
	AFL	3533		TSN 0					
521002-001	FORWARD GAS SPRING							Component	ATA:52
PN:601R31911-13	MOS/MSC	07-Sep-07	O/C	TSN 0					
SN:MS001290	HRS	5330		TSN 0					
	AFL	2854		TSN 0					
				PROC. REF: AMM 52-12-21					
521002-002	AFT GAS SPRING							Component	ATA:52
PN:601R31911-13	MOS/MSC	07-Sep-07	O/C	TSN 0					
SN:MS001324	HRS	5330		TSN 0					
	AFL	2854		TSN 0					
				PROC. REF: AMM 52-12-21					
528000-001	NO. 1 ASSEMBLY MLG DOOR							Component	ATA:52
PN:PN	MOS/MSC	24-Sep-90	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 52.070	AFL	0		TSN 0					
				PROC. REF: AMM 52-80-00					
528000-002	NO. 2 ASSEMBLY MLG DOOR							Component	ATA:52
PN:600-31178-1008	MOS/MSC	09-Sep-16	O/C						
SN:292	HRS	8875.9							
WC#: 52.070	AFL	4712							
				PROC. REF: AMM 52-80-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-00-102	VISUAL CHECK WINDSHIELD UPPER SILL - FS 234.0, BL 2.5							Service	ATA:53
	MOS	01-Jul-17						AIRWORTHINESS	
	HRS	9064	1200		10264		236.1		
	AFL	4900							
				PROC. REF: NDT VC-53-10-14				PKG:120	
53-10-00-103	VISUAL CHECK UNDERFLOOR PRESSURE BULKHEAD - FS 409.0							Service	ATA:53
	MOS	25-Oct-00							
	HRS	2951.5	15000		17951.5		7923.6		
	AFL	1494							
				PROC. REF: MPD SECTION 2.1.3, TLMC 5-10-30					
53-10-00-104	NON DESTRUCTIVE TEST KEEL LONGERON							Service	ATA:53
	MOS	20-Jun-17						AIRWORTHINESS	
	HRS	9064	1200		10264		236.1		
	AFL	4900							
				PROC. REF: NDT ET-53-10-05				PKG:120	
53-10-00-105	VISUAL CHECK FLOOR BEAM ATTACHMENT TO PRESSURE BULKHEAD - FS 621.0							Service	ATA:53
	MOS	24-Sep-90						AIRWORTHINESS	
	HRS		T:12600		12600 (M)		2572.1		
	AFL								
				PROC. REF: NDT VC-53-10-30					
53-10-00-106	VISUAL CHECK WINDSHIELD LOWER SILL - FS 209.0							Service	ATA:53
	MOS	07-Oct-19						AIRWORTHINESS	
	HRS	9460.5	1800		11260.5		1232.6		
	AFL	5416							
				PROC. REF: NDT VC-53-10-11					
53-10-00-107	VISUAL CHECK REAR PRESSURE BULKHEAD WEB - FEED-THROUGH HOLES AND CUTOUTS FS 621.0							Service	ATA:53
	MOS	08-Nov-18						AIRWORTHINESS	
	HRS	9297.1	2400		11697.1		1669.2		
	AFL	5212							
				PROC. REF: NDT VC-53-10-31				PKG:140	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-00-108	VISUAL CHECK WINDSHIELD LOWER SILL - FS 235.0, FS 249.0 AND FS 264.0							Service	ATA:53
	MOS	08-Nov-18						AIRWORTHINESS	
	HRS	9297.1	2400		11697.1		1669.2		
	AFL	5212							
				PROC. REF: NDT VC-53-10-12				PKG:140	
53-10-00-109	VISUAL CHECK FORWARD FUSELAGE FRAME - FS 220.0, WL 103.9							Service	ATA:53
	MOS	08-Nov-18						AIRWORTHINESS	
	HRS	9297.1	2400		11697.1		1669.2		
	AFL	5212							
				PROC. REF: NDT VC-53-10-15				PKG:140	
53-10-00-110	VISUAL CHECK INTEGRAL ATTACHMENT FRAME - FS 513.0, BL 16.0							Service	ATA:53
	MOS	24-Sep-90						AIRWORTHINESS	
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
				PROC. REF: NDT VC-53-10-28					
53-10-00-111	NON DESTRUCTIVE TEST AND VISUAL CHECK OVERWING EMERGENCY EXIT AND SURROUND STRUCTURE							Service	ATA:53
	MOS	24-Sep-90						AIRWORTHINESS	
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
				PROC. REF: NDT ET-53-10-04					
53-10-00-113	VISUAL CHECK REAR PRESSURE BULKHEAD WEB - UNDER THE VERTICAL STIFFENERS							Service	ATA:53
	MOS	24-Jan-11						AIRWORTHINESS	
	HRS	6628.52	4200		10828.52		800.6		
	AFL	3467							
				PROC. REF: NDT VC-53-10-32					
53-10-00-114	VISUAL CHECK REAR PRESSURE BULKHEAD, FLOOR BEAMS, FUSELAGE SKIN PANELS AND ASSOCIATED STRUCTURE AT FS 621.0							Service	ATA:53
	MOS	24-Sep-90						AIRWORTHINESS	
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
				PROC. REF: NDT VC-53-10-37					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-00-116	VISUAL CHECK FORWARD PRESSURE BULKHEAD VERTICAL STIFFENER - FS 202.75, BL 22.0							Service	ATA:53
	MOS	08-Nov-18						AIRWORTHINESS	
	HRS	9297.1	4800		14097.1		4069.2		
	AFL	5212							
				PROC. REF: NDT VC-53-10-01				PKG:160	
53-10-00-117	NON DESTRUCTIVE CHECK FUSELAGE FRAME DRAG ANGLE - FS 755.0, BL 5.28							Service	ATA:53
	MOS	08-Nov-18						AIRWORTHINESS	
	HRS	9297.1	4800		14097.1		4069.2		
	AFL	5212							
				PROC. REF: NDT ET-53-30-10				PKG:160	
53-10-00-118	VISUAL CHECK LONGITUDINAL FLOOR BEAMS - FS 513.0, BL 18.0							Service	ATA:53
	MOS	24-Sep-90						AIRWORTHINESS	
	HRS		T:12000		12000 (M)		1972.1		
	AFL								
				PROC. REF: NDT VC-53-10-27					
53-10-00-120	VISUAL CHECK STIFFENING VERTICAL ANGLES ON FORWARD FACE OF ENGINE SUPPORT BEAM - FS 625.3 - FOR CRACKS AND DISTORTION							Service	ATA:53
	MOS	24-Sep-90						AIRWORTHINESS	
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
				PROC. REF: NDT VC-53-10-39					
53-10-00-122	VISUAL CHECK TRANSVERSE BEAM - AFT PRESSURE BULKHEAD - FS 621.0							Service	ATA:53
	MOS	17-Mar-10						AIRWORTHINESS	
	HRS	6129.88	6000		12129.88		2102		
	AFL	3248							
				PROC. REF: NDT VC-53-10-29					
53-10-00-123	VISUAL CHECK FORWARD PRESSURE BULKHEAD WEB - FS 202.75							Service	ATA:53
	MOS	24-Jan-11						AIRWORTHINESS	
	HRS	6628.52	6000		12628.52		2600.6		
	AFL	3467							
				PROC. REF: NDT VC-53-10-02					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-00-124	VISUAL CHECK LONGITUDINAL FLOOR BEAMS - FS 484.0							Service	ATA:53
	MOS	24-Sep-90						AIRWORTHINESS	
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
			PROC. REF: NDT VC-53-10-24						
53-10-00-125	VISUAL CHECK INTERCOSTALS AND CLIPS - FS 621.0 TO FS 625.3							Service	ATA:53
	MOS	07-Oct-19						AIRWORTHINESS	
	HRS	9460.5	7800		17260.5		7232.6		
	AFL	5416							
			PROC. REF: NDT VC-53-10-33						
53-10-00-126	VISUAL CHECK PRESSURE BULKHEAD STIFFENER - FS 621.0							Service	ATA:53
	MOS	28-Feb-17						AIRWORTHINESS	
	HRS	8991.4	8400		17391.4		7363.5		
	AFL	4829							
			PROC. REF: NDT VC-53-10-35						
53-10-00-127	NON DESTRUCTIVE TEST AND VISUAL CHECK SIDE PANEL END POST - FS 280.0							Service	ATA:53
	MOS	16-Sep-19						AIRWORTHINESS	
	HRS	9460.5	9600		19060.5		9032.6		
	AFL	5416							
			PROC. REF: NDT ET-53-10-01						
53-10-00-128	VISUAL CHECK OVERWING FLOOR INTERCOSTAL - FS 421.0, 427.0, 439.0, 449.85, 461.5, 469.58, 476.72, 484.0							Service	ATA:53
	MOS	07-Oct-19						AIRWORTHINESS	
	HRS	9460.5	9600		19060.5		9032.6		
	AFL	5416							
			PROC. REF: NDT VC-53-10-21						
53-10-00-129	VISUAL CHECK CLEAT - FRAME TO LONGERON - FS 439.0, 461.0, 484.0, 499.0, 529.0, 544.0							Service	ATA:53
	MOS	07-Oct-19						AIRWORTHINESS	
	HRS	9460.5	9600		19060.5		9032.6		
	AFL	5416							
			PROC. REF: NDT VC-53-10-22						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-00-130	VISUAL CHECK FLOOR STRUCTURE AND UNDERFLOOR LONGERONS - FS 513.0, BL 45.0							Service	ATA:53
	MOS	24-Sep-90						AIRWORTHINESS	
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
	PROC. REF: NDT VC-53-10-26								
53-10-00-131	VISUAL CHECK KEEL LONGERON LINKS AND BOLTS							Service	ATA:53
	MOS	24-Sep-90						AIRWORTHINESS	
	HRS		T:14400		14400 (M)		4372.1		
	AFL								
	PROC. REF: NDT VC-53-10-25								
53-10-00-133	VISUAL CHECK PASSENGER DOOR AND SURROUNDING STURCTURE							Service	ATA:53
	MOS	24-Sep-90						AIRWORTHINESS	
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
	PROC. REF: NDT VC-53-10-18								
53-10-00-134	VISUAL CHECK PRESSURE FLOOR - WING TIE BEAM - FS 460.0							Service	ATA:53
	MOS	24-Sep-90						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:15000		15000		8862		
	PROC. REF: NDT VC-53-10-23								
53-10-00-135	VISUAL CHECK FUSELAGE FRAME CAP ANGLE - FS 755.0							Service	ATA:53
	MOS	24-Sep-90						AIRWORTHINESS	
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
	PROC. REF: NDT VC-53-10-42								
53-10-00-136	VISUAL CHECK FUSELAGE FRAME AT FS755.0 - VERTICAL STABILIZER FRONT SPAR ATTACHMENT							Service	ATA:53
	MOS	24-Sep-90						AIRWORTHINESS	
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
	PROC. REF: NDT VC-53-10-44								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-00-137	VISUAL CHECK FORWARD PRESSURE BULKHEAD VERTICAL MEMBER NEAR BL 22.0, WL 79.5 - WL 93.0							Service	ATA:53
	MOS	24-Sep-90						AIRWORTHINESS	
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
	PROC. REF: NDT VC-53-10-04								
53-10-00-138	VISUAL CHECK FUSELAGE FRAME FS 235.0 UPPER CAP ANGLE AT BL 8.0.							Service	ATA:53
	MOS	24-Sep-90						AIRWORTHINESS	
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
	PROC. REF: NDT VC-53-10-16								
53-10-00-139	VISUAL CHECK PILOT FLOOR CONNECTION CLIPS AT BL 13.0.							Service	ATA:53
	MOS	24-Sep-90						AIRWORTHINESS	
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
	PROC. REF: NDT VC-53-10-05								
53-10-00-140	VISUAL CHECK FORWARD PRESSURE BULKHEAD WEB AT WL 79.5 TO 91.7							Service	ATA:53
	MOS	24-Sep-90						AIRWORTHINESS	
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
	PROC. REF: NDT VC-53-10-03								
53-10-00-141	VISUAL CHECK NLG BEAM WEB BELOW DRAG BEAM - FS 210.0 TO FS 215.0.							Service	ATA:53
	MOS	24-Sep-90						AIRWORTHINESS	
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
	PROC. REF: NDT VC-53-10-06								
53-10-00-142	VISUAL CHECK NLG DRAG STRUT AT FS 213.0.							Service	ATA:53
	MOS	24-Sep-90						AIRWORTHINESS	
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
	PROC. REF: NDT VC-53-10-08								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-00-143	VISUAL CHECK NLG BEAM VERTICAL STIFFENER CLIP - FS 215.0.								Service ATA:53
	MOS	24-Sep-90							
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
	PROC. REF: NDT VC-53-10-09								
53-10-00-144	VISUAL CHECK NLG BEAM UPPER CAP - FS 210.0.								Service ATA:53
	MOS	24-Sep-90							
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
	PROC. REF: NDT VC-53-10-07								
53-10-00-145	VISUAL CHECK NLG BEAM LOWER CAP AT FS 224.0.								Service ATA:53
	MOS	24-Sep-90							
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
	PROC. REF: NDT VC-53-10-10								
53-10-00-146	VISUAL CHECK OVERWING EMERGENCY EXIT - SURROUND STRUCTURE.								Service ATA:53
	MOS	24-Sep-90							
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
	PROC. REF: NDT VC-53-10-19								
53-10-00-147	VISUAL CHECK PASSENGER DOOR FRAMES - FS 310.0 AND FS 349.0.								Service ATA:53
	MOS	24-Sep-90							
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
	PROC. REF: NDT VC-53-10-17								
53-10-00-148	VISUAL CHECK FRAME ASSEMBLY PRESSURE BULKHEAD - VERTICAL STIFFENER - FS 621.0.								Service ATA:53
	MOS	24-Sep-90							
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
	PROC. REF: NDT VC-53-10-36								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-00-149	VISUAL CHECK REAR PRESSURE BULKHEAD - FS 621.0 - FRAME CAP.							Service	ATA:53
	MOS	24-Sep-90							
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
	PROC. REF: NDT VC-53-10-34								
53-10-00-150	VISUAL CHECK REAR PRESSURE BULKHEAD VERTICAL STIFFENER							Service	ATA:53
	MOS	24-Sep-90							
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
	PROC. REF: NDT VC-53-10-38								
53-10-00-151	NDT AND VISUAL CHECK OUTER FLANGE CAP SPLICE ANGLE - FS 625.3.							Service	ATA:53
	MOS								
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
	PROC. REF: NDT ET-53-10-07, NDT VC-53-30-42								
53-10-00-152	VISUAL CHECK FRAME SPLICE - FS 672.2, STRINGER 6.							Service	ATA:53
	MOS								
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
	PROC. REF: NDT VC-53-10-41								
53-10-00-153	VISUAL CHECK FUSELAGE FRAME FS 755.0 WEB BL 5.5 WL 125.0 TO WL 131.0							Service	ATA:53
	MOS								
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
	PROC. REF: NDT VC-53-10-43								
53-10-00-154	VISUAL CHECK STRINGER #8 (L/R), 17 (L/R) AND 24 (L/R) BETWEEN FRAMES 55.62% AND 67.5% OF THE VERTICAL STABILIZER CHORD (A/C 5001 TO 5134 POST SB 601-0262 AND A/C 5135 TO 5194)							Service	ATA:53
	MOS	24-Sep-90							
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
	PROC. REF: NDT VC-53-10-45								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-00-178	NON DESTRUCTIVE TEST AND VISUAL CHECK FUSELAGE TO FRAME ATTACHMENT - FS 424.0, WL 73.0							Service	ATA:53
	MOS	24-Sep-90							
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
	PROC. REF: NDT ET-53-10-09								
53-10-00-190	ACCOMPLISH MACHINED STRAP - FS409.0, LBL6.0 TO RBL6.0 (POST 601-0503)							Service	ATA:53
	MOS								
	HRS	0	T:15000		15000		4972.1		
	AFL								
	PROC. REF: MPD SECTION 2.1.3, TLMC 5-10-30								
53-10-00-191	ACCOMPLISH FUSELAGE FRAME CAP - FS409.0, LBL18.0 AND RBL18.0 (POST SB 601-0503)							Service	ATA:53
	MOS								
	HRS	0	T:15000		15000		4972.1		
	AFL								
	PROC. REF: MPD SECTION 2.1.3, TLMC 5-10-30								
53-10-00-197	NDT CHECK REAR PRESSURE BULKHEAD WEB - FS621, FWD FACE							Service	ATA:53
	MOS	24-Sep-90						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:12000		12000		5862		
	PROC. REF: NDT ET-53-10-15, NDT UT-53-10-03								
53-10-00-198	VISUAL CHECK ENGINE SUPPORT BEAM							Service	ATA:53
	MOS	24-Sep-90						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:7800		7800		1662		
	PROC. REF: NDT VC-53-10-81								
53-10-00-201 (MSG3) ^S	DETAILED INSPECTION INTERNAL FUSELAGE, FRAMES AND FORWARD BULKHEAD - FS169.00 TO FS202.75							Service	ATA:53
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 53-10-00-201								PKG:230

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-00-203 (MSG3) ^S	DETAILED INSPECTION INTERNAL FUSELAGE STRUCTURE - FS202.75 TO FS280.00 BELOW THE FLOOR							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-10-00-203				PKG:220	
53-10-00-204 (MSG3) ^S	DETAILED INSPECTION INTERNAL FUSELAGE STRUCTURE - FS202.75 TO FS280.00 ABOVE THE FLOOR							Service	ATA:53
	MOS	15-Nov-21	120 (+1m/-1m)					MSG-3	
	HRS	9754							
	AFL	5828							
				PROC. REF: MTC 53-10-00-204				PKG:230 WO#: Q526-08-2021	
53-10-00-431 ^U	VISUAL CHECK WINDSHIELD LOWER SILL, FS235.00 TO FS250.00							Service	ATA:53
	MOS							05-10-25 AIRWORTHINESS	
	HRS		T:10329		10329	10329	301.1		
	AFL								
53-10-01-101	NDT CHECK UPPER LATCH PINS OF THE PASSENGER DOOR - (REF PSP 612 PART 7 - MT-53-40-02)							Service	ATA:53
	MOS	24-Sep-90							
	HRS	0							
	AFL	0	T:9000		9000		2862		
				PROC. REF: NDT MT-53-40-02					
53-10-01-102	NDT CHECK SPLICE STRAP AND SKIN AT STRINGER 20L AND 20R BETWEEN FS559.0 AND FS621.0							Service	ATA:53
	MOS	24-Sep-90						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:15000		15000		8862		
				PROC. REF: NDT ET-53-10-17					
53-10-01-103	VISUAL CHECK OF FORWARD PRESSURE BULKHEAD CAP ANGLE - AFT SIDE							Service	ATA:53
	DAYS	24-Sep-90						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:12261		12261		6123		
				PROC. REF: NDT VC-53-10-91					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-10-01-208 (MSG3) ^S	DETAILED INSPECTION BEAMS, CROSSMEMBERS, PANELS AND SEAT RAILS OF THE FLOOR STRUCTURE - FS169.00 TO FS280.00							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-10-01-208				PKG:220	
53-10-01-210 (MSG3) ^S	DETAILED INSPECTION FORWARD JACKING POINT - FS278.00.							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-10-01-210				PKG:220	
53-10-01-212 (MSG3) ^S	DETAILED INSPECTION NOSE LANDING GEAR WHEEL WELL STRUCTURE							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-10-01-212				PKG:220	
53-10-01-213 (MSG3) ^S	DETAILED INSPECTION NOSE LANDING GEAR INTERNAL BOX STRUCTURE - FS169.00 TO FS235.00							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-10-01-213				PKG:220	
53-10-01-218 (MSG3) ^S	DETAILED INSPECTION AFT SIDE OF THE PILOT BULKHEAD AND FRAME - FS280.00 ABOVE THE FLOOR							Service	ATA:53
	MOS	15-Nov-21	120 (+1m/-1m)					MSG-3	
	HRS	9754							
	AFL	5828							
				PROC. REF: MTC 53-10-01-218				PKG:230 WO#: Q526-08-2021	
53-20-00-155	VISUAL CHECK PILOT'S FLOOR WEB ADJACENT TO PRESSURE BULKHEAD - FS 203.0, BL 16.0							Service	ATA:53
	MOS	24-Sep-90							
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
				PROC. REF: NDT VC-53-20-01					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-20-00-201 (MSG3) ^S	DETAILED INSPECTION SILLS, FRAMES AND EXTERNAL SKIN AROUND THE PASSENGER DOOR CUTOUT							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-20-00-201				PKG:220	
53-20-00-202 (MSG3) ^S	DETAILED INSPECTION FITTINGS AND THE HINGE ON THE FUSELAGE FOR THE PASSENGER DOOR							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-20-00-202				PKG:220	
53-20-00-204 (MSG3) ^S	DETAILED INSPECTION FLOOR SUPPORT STRUCTURE - FS280.00 TO FS409.00							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-20-00-204				PKG:220	
53-20-00-205 (MSG3) ^S	DETAILED INSPECTION INTERNAL FUSELAGE STRUCTURE - FS280.00 TO FS621.00 ABOVE THE FLOOR							Service	ATA:53
	MOS	23-Nov-21	120 (+1m/-1m)					MSG-3	
	HRS	9754							
	AFL	5828							
				PROC. REF: MTC 53-20-00-205				PKG:230 WO#: Q526-08-2021	
53-20-00-207 (MSG3) ^S	DETAILED INSPECTION INTERNAL MID-FUSELAGE STRUCTURE FS280.00 TO FS409.00 BELOW THE FLOOR, INCLUDING THE FS409 BULKHEAD FORWARD FACE AND THE EXTERNAL SURFACES OF THE FORWARD-AUXILIARY FUEL TANK							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-20-00-207				PKG:220	
53-20-00-210 (MSG3) ^S	DETAILED INSPECTION INTERNAL FORWARD KEEL BEAM - FS364.00 TO FS394.00							Service	ATA:53
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-20-00-210				PKG:230	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-20-00-211 (MSG3) ^S	DETAILED INSPECTION FORWARD KEEL BEAM PRESSURE BOX AND KEEL BEAM LUGS AND LINKS - FS394.00 TO FS409.00							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-20-00-211				PKG:220	
53-20-00-212 (MSG3) ^S	DETAILED INSPECTION AFT KEEL BEAM - FS513.00 TO FS559.00							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-20-00-212				PKG:220	
53-20-00-216 (MSG3) ^S	DETAILED INSPECTION AFT FACE OF THE FRAME BELOW THE FLOOR - FS409.00							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-20-00-216				PKG:220	
53-20-00-217 (MSG3) ^S	DETAILED INSPECTION SILLS, FRAMES AND EXTERNAL SKIN AROUND THE EMERGENCY-EXIT DOOR CUTOUT							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-20-00-217				PKG:220	
53-20-00-218 (MSG3) ^S	DETAILED INSPECTION FITTINGS OF THE EMERGENCY-EXIT DOOR							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-20-00-218				PKG:220	
53-20-00-220 (MSG3) ^S	DETAILED INSPECTION FLOOR SILL AREA OVER THE WING BOX - FS409.00 TO FS559.00							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-20-00-220				PKG:220	
53-20-00-221 (MSG3) ^S	DETAILED INSPECTION WING-TO-FUSELAGE ATTACHMENT LUG - FS424.00							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-20-00-221				PKG:220	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-20-00-222 (MSG3) ^S	DETAILED INSPECTION WING-TO-FUSELAGE ATTACHMENT LUG - FS473.15							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
					PROC. REF: MTC 53-20-00-222			PKG:220	
53-20-00-223 (MSG3) ^S	DETAILED INSPECTION FRAME BELOW THE FLOOR - FS513.00							Service	ATA:53
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
					PROC. REF: MTC 53-20-00-223			PKG:230	
53-20-00-224 (MSG3) ^S	DETAILED INSPECTION WING-TO-FUSELAGE ATTACHMENT LINK - FS513.00							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
					PROC. REF: MTC 53-20-00-224			PKG:220	
53-20-00-225 (MSG3) ^S	DETAILED INSPECTION WING-TO-FLOOR TIE BEAM - FS460.00							Service	ATA:53
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
					PROC. REF: MTC 53-20-00-225			PKG:230	
53-20-00-226 (MSG3) ^S	DETAILED INSPECTION SKIN PANELS (TOP SURFACE) AND FLOOR SUPPORT BEAMS - FS409.00 TO FS559.00 AND BL36L TO BL36R							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
					PROC. REF: MTC 53-20-00-226			PKG:220	
53-20-00-227 (MSG3) ^S	DETAILED INSPECTION LOWER SURFACE OF THE PRESSURE FLOOR SKIN PANEL - FS409.00 TO FS559.00 AND BL36L TO BL36R							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
					PROC. REF: MTC 53-20-00-227			PKG:220	
53-20-00-229 (MSG3) ^S	DETAILED INSPECTION UNDERFLOOR LONGERON ASSEMBLY - FS409.00 TO FS559.00							Service	ATA:53
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
					PROC. REF: MTC 53-20-00-229			PKG:230	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-20-00-230 (MSG3) ^S	DETAILED INSPECTION MLG UPLOCK STRUCTURE - FS513.00 TO FS559.00 BELOW WL73 (LH AND RH)							Service	ATA:53
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-20-00-230				PKG:230	
53-20-00-232 (MSG3) ^S	DETAILED INSPECTION INTERNAL SKIN AND STRUCTURE OF THE FORWARD AUXILIARY TANK							Service	ATA:53
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-20-00-232				PKG:230	
53-20-00-233 (MSG3) ^S	LUBRICATION WING-TO-FUSELAGE ATTACHMENT LINKS - FS513.00							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
WC#: 53.575	AFL	5416							
				PROC. REF: MTC 53-20-00-233				PKG:220	
53-20-00-401 ^U	NDT CHECK FLOOR SUPPORT STRUCTURE (ACCESS 142-BZ-CZ)							Service	ATA:53
	MOS							05-10-25 AIRWORTHINESS	
	HRS		T:10160		10160		132.1		
	AFL								
53-30-00-156	NDT CHECK CABIN WINDOW CUTOUTS							Service	ATA:53
	MOS	06-May-21							
	HRS	9650	600		10250		222.1		
	AFL	5680							
				PROC. REF: NDT ET-53-30-01					
53-30-00-158	VISUAL CHECK LIGHT FUSELAGE FRAMES, FS220.00 TO FS605.00							Service	ATA:53
	MOS	24-Sep-90							
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
				PROC. REF: NDT VC-53-30-10					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30-00-160	VISUAL CHECK FUSELAGE SKIN PANEL - FS 625.3, STRINGER 0.0							Service	ATA:53
	MOS	24-Sep-90							
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
	PROC. REF: NDT VC-53-30-12								
53-30-00-162	VISUAL CHECK STRINGER SPLICE - FS 513.0, STRINGER 13							Service	ATA:53
	MOS	17-Feb-12						AIRWORTHINESS	
	HRS	7235.2	6000		13235.2		3207.3		
	AFL	3721							
	PROC. REF: NDT VC-53-30-09								
53-30-00-164	VISUAL CHECK CABIN WINDOW SURROUND STRUCTRES FS 364.0 TO FS 529.0, STRINGERS 10 TO 13							Service	ATA:53
	MOS	24-Sep-90							
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
	PROC. REF: NDT VC-53-30-04								
53-30-00-166	VISUAL CHECK OF FUSELAGE SKIN PANEL - FS559.00, STRINGER 0.0							Service	ATA:53
	MOS	24-Sep-90							
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
	PROC. REF: NDT VC-53-30-11								
53-30-00-167	VISUAL CHECK FUSELAGE SKIN AT NLG CUTOUT - FS 235.0							Service	ATA:53
	MOS	10-Oct-20							
	HRS	9601.1	9600	Adj -1.1	19200		9172.1		
	AFL	5612							
	PROC. REF: NDT VC-53-30-02								
53-30-00-169	NDT CHECK WING TO FUSELAGE ATTACHMENT FRAME - FS 513.0							Service	ATA:53
	MOS	24-Sep-90							
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
	PROC. REF: NDT ET-53-30-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30-00-171	VISUAL CHECK STRINGER SPLICE AT FS 473.0, STRINGER 3							Service	ATA:53
	MOS	24-Sep-90							
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
	PROC. REF: NDT VC-53-30-08								
53-30-00-172	VISUAL CHECK SKIN SPLICE AT STRINGER 0 - FS 439.0							Service	ATA:53
	MOS	24-Sep-90							
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
	PROC. REF: NDT VC-53-30-06								
53-30-00-173	VISUAL CHECK SKIN SPLICE - FS 424.0 TO FS 439.0, STRINGER 8							Service	ATA:53
	MOS	24-Sep-90							
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
	PROC. REF: NDT VC-53-30-05								
53-30-00-174	VISUAL CHECK STRINGER SPLICE - STRINGER 1 L&R FS 718.0							Service	ATA:53
	MOS	24-Sep-90							
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
	PROC. REF: NDT VC-53-30-14								
53-30-00-175	VISUAL CHECK FUSELAGE STRINGER SPLICE AT STRINGER 0, FORWARD OF FS 718.0							Service	ATA:53
	MOS	24-Sep-90							
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
	PROC. REF: NDT VC-53-30-14								
53-30-00-176	NDT CHECK BAGGAGE DOOR AND SURROUND STRUCTURE							Service	ATA:53
	MOS								
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
	PROC. REF: NDT ET-53-30-12								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30-00-177	NON DESTRUCTIVE TEST AND VISUAL CHECK PRESSURE SKIN/FLOOR ANGLE AT WL 73.0 BETWEEN FS 409.0 AND FS 559.0							Service	ATA:53
	MOS	24-Sep-90							
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
	PROC. REF: NDT ET-53-30-04								
53-30-00-179	VISUAL CHECK FUSELAGE FRAME REF VS 55.625%, STRINGER 5							Service	ATA:53
	MOS								
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
	PROC. REF: NDT VC-53-30-15								
53-30-00-180	NON DESTRUCTIVE TEST DRAG ANGLE AT FRAME 67.5% OF THE VERTICAL STABILIZER CHORD (A/C 5001 TO 5134 POST SB 601-0262 AND A/C 5135 TO 5194)							Service	ATA:53
	MOS								
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
	PROC. REF: NDT ET-53-30-07								
53-30-00-181	VISUAL CHECK EXTERNAL SKIN AND DRAG ANGLES BETWEEN FRAMES 55.62% AND 67.5% OF VERTICAL STABILIZER CHORD (A/C 5001 TO 5134 POST SB 601-0262 AND A/C 5135 TO 5194)							Service	ATA:53
	MOS	24-Sep-90							
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
	PROC. REF: NDT VC-53-30-20								
53-30-00-188	VISUAL CHECK STRUCTURES ADJACENT TO OVERBOARD LAVATORY SERVICES (INTERNAL)							Service	ATA:53
	MOS	06-Jul-11							
	HRS	6902.37	3600		10502.37		474.5		
	AFL	3576							
	PROC. REF: NDT VC-53-30-01								
53-30-00-189	VISUAL CHECK STRUCTURES ADJACENT TO OVERBOARD LAVATORY SERVICES (EXTERNAL)							Service	ATA:53
	MOS	27-Jan-23						AIRWORTHINESS	
	HRS	9918.5	300	Adj -21.4	10197.1		169.2		
	AFL	5992							
	PROC. REF: NDT VC-53-30-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30-00-190	VISUAL CHECK STRUCTURE ADJACENT TO HYDRAULIC SYSTEM NO. 3 ACCUMULATOR ATFS574.00 (POST SB 601-0637)							Service	ATA:53
	MOS/MSC	EFF	N/A					ALI	
	HRS								
	AFL								
	PROC. REF: NDT VC-53-30-41								
53-30-00-191	NDT CHECK OF SKIN CIRCUMFERENTIAL SPLICE AT FS559.00, BETWEEN STR10L AND STR10R							Service	ATA:53
	MOS	24-Sep-90							
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
	PROC. REF: NDT VC-53-30-42, NDT ET-71-20-03, NDT UT-71-20-02								
53-30-00-201 (MSG3) ^S	DETAILED INSPECTION AFT FACE OF THE PRESSURE BULKHEAD BELOW THE FLOOR - FS559.00							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 53-30-00-201								
	PKG:220								
53-30-00-202 (MSG3) ^S	DETAILED INSPECTION FORWARD FACE OF THE PRESSURE BULKHEAD BELOW THE FLOOR - FS559.00							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 53-30-00-202								
	PKG:220								
53-30-00-203 (MSG3) ^S	DETAILED INSPECTION AFT FACE OF THE REAR PRESSURE BULKHEAD - FS621.00							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 53-30-00-203								
	PKG:220								
53-30-00-204 (MSG3) ^S	DETAILED INSPECTION STABILIZER DRAG ANGLES - FS700.00 TO FS820.00, AND STRINGER 2L AND 2R							Service	ATA:53
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 53-30-00-204								
	PKG:230								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30-00-205 (MSG3) ^S	DETAILED INSPECTION FORWARD FACE OF THE REAR PRESSURE BULKHEAD ABOVE THE FLOOR - FS621.00							Service	ATA:53
	MOS	11-Nov-21	120 (+1m/-1m)					MSG-3	
	HRS	9754							
	AFL	5828							
				PROC. REF: MTC 53-30-00-205				PKG:230 WO#: Q526-08-2021	
53-30-00-206 (MSG3) ^S	DETAILED INSPECTION PROFILE PLATES OF THE FLOOR SUPPORT STRUCTURE - FS559.00 TO FS621.00							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-30-00-206				PKG:220	
53-30-00-208 (MSG3) ^S	DETAILED INSPECTION ENGINE SUPPORT BEAM STRUCTURE							Service	ATA:53
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-30-00-208				PKG:230	
53-30-00-209 (MSG3) ^S	DETAILED INSPECTION INTERNAL AFT FUSELAGE STRUCTURE FS559.00 TO FS621.00 BELOW THE FLOOR, INCLUDING THE FS621 BULKHEAD FORWARD FACE AND THE EXTERNAL SURFACES OF THE AFT-AUXILIARY FUEL TANK							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-30-00-209				PKG:220	
53-30-00-211 (MSG3) ^S	DETAILED INSPECTION TRACK SUPPORTS NEAR, AND THE SILLS AND FRAMES AROUND, THE CARGO COMPARTMENT DOOR CUTOUT							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-30-00-211				PKG:220	
53-30-00-213 (MSG3) ^S	DETAILED INSPECTION FITTINGS OF THE CARGO COMPARTMENT DOOR							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-30-00-213				PKG:220	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30-00-215 (MSG3) ^S	DETAILED INSPECTION INTERNAL SKIN AND FUSELAGE STRUCTURE - FS621.00 TO FS755.00							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-30-00-215				PKG:220	
53-30-00-217 (MSG3) ^S	DETAILED INSPECTION EXTERNAL SKIN AROUND THE APU EXHAUST CUTOUT							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-30-00-217				PKG:220	
53-30-00-219 (MSG3) ^S	DETAILED INSPECTION EXTERNAL SIDE SKIN PANELS OF THE FUSELAGE - FS559.00 TO FS755.00 AND STRINGER 6L TO 20L AND 6R TO 20R COVERED BY PYLON							Service	ATA:53
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-30-00-219				PKG:230	
53-30-00-426 ^U	NDT CHECK FUSELAGE SKIN, FS349.00 TO FS364.00 AND FS379.00 TO FS394.00, BETWEEN STRINGERS 6L/6R/7L/7R							Service	ATA:53
	MOS	07-Oct-13						05-10-25 AIRWORTHINESS	
	HRS	8283.53	3355		11638.53		1610.6		
	AFL	4272							
53-30-00-442 ^U	NDT AND VISUAL CHECK FUSELAGE SKIN FROM FS235.00 TO FS250.00, BETWEEN STRINGERS 26R AND 27, AND FRAME AT FS235.00.							Service	ATA:53
	MOS	16-Sep-19						05-10-25 AIRWORTHINESS	
	HRS	9460.5	9600		19060.5		9032.6		
	AFL	5416							
53-30-00-443 ^U	NDT CHECK BAGGAGE DOOR LOWER SILL							Service	ATA:53
	MOS							05-10-25 AIRWORTHINESS	
	HRS		T:15000		15000		4972.1		
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-30-01-222 (MSG3) ^S	DETAILED INSPECTION INTERNAL SKIN AND STRUCTURE OF THE AFT AUXILIARY TANK							Service	ATA:53
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-30-01-222				PKG:230	
53-40-00-183	VISUAL CHECK INTEGRAL FRAME ATTACHMENT LUGS - FS 424.0 BL 45							Service	ATA:53
	MOS								
	HRS		T:15000		15000		4972.1		
	AFL								
				PROC. REF: NDT VC-53-40-01					
53-40-00-184	NON DESTRUCTIVE TEST AND VISUAL CHECK TAIL TANK ATTACHMENT BOLTS (A/C 5001 TO 5134 POST SB 601-0262 OR A/C 5135 TO 5194)							Service	ATA:53
	MOS	04-Dec-20							
	HRS	9608.1	9600	Adj -8.1	19200		9172.1		
	AFL	5632							
				PROC. REF: NDT MT-53-40-01					
53-40-00-185	VISUAL CHECK INTEGRAL FRAME ATTACHMENT LUGS - FS 473 BL 45.0							Service	ATA:53
	MOS	24-Sep-90							
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
				PROC. REF: NDT VC-53-40-03					
53-40-00-186	VISUAL CHECK INTEGRAL FRAME ATTACHMENT LUGS - FS 513.0, BL 45.0 AND BL 13.5							Service	ATA:53
	MOS	24-Sep-90							
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
				PROC. REF: NDT VC-53-40-04					
53-40-00-192	NON DESTRUCTIVE TEST INTEGRAL FRAME ATTACHMENT BOLTS - FS 424.0 BL 45.0							Service	ATA:53
	MOS								
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
				PROC. REF: NDT UT-53-40-01					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-40-00-193	NON DESTRUCTIVE TEST INTEGRAL FRAME ATTACHMENT BOLTS - FS 473.0 BL 45.0							Service	ATA:53
	MOS								
	HRS	0	T:15000		15000		4972.1		
	AFL								
	PROC. REF: NDT UT-53-40-02								
53-40-00-194	NON DESTRUCTIVE TEST INTEGRAL FRAME ATTACHMENT BOLTS - FS 513.0, BL 45.0 AND BL 13.5							Service	ATA:53
	MOS								
	HRS	0	T:15000		15000		4972.1		
	AFL								
	PROC. REF: NDT UT-53-40-03								
53-40-00-195	VISUAL CHECK OVERWING EMERGENCY EXIT - SURROUND STRUCTURE AND ATTACHMENT FITTINGS							Service	ATA:53
	MOS	24-Sep-90							
	HRS		T:10200		10200		172.1		
	AFL								
	PROC. REF: NDT VC-53-40-05								
53-43-00-202 (MSG3) ^S	DETAILED INSPECTION AFT FACE OF THE FRAME - VS67.50%							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)				MSG-3		
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 53-43-00-202							PKG:220	
53-43-00-203 (MSG3) ^S	DETAILED INSPECTION INTERNAL SKIN AND FUSELAGE STRUCTURE - FS755.00 TO VS67.50%							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)				MSG-3		
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 53-43-00-203							PKG:220	
53-50-00-201 (MSG3) ^S	DETAILED INSPECTION INTERNAL SKIN AND STRUCTURE OF THE TAIL TANK (POST SB 601-0262)							Service	ATA:53
	MOS	07-Oct-19	120 (+1m/-1m)				MSG-3		
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 53-50-00-201							PKG:230	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-50-00-202 (MSG3) ^S	DETAILED INSPECTION FLOOR STRUCTURE OF THE TAIL TANK (POST SB 601-0262)							Service	ATA:53
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 53-50-00-202								PKG:230
53-50-00-203 (MSG3) ^S	DETAILED INSPECTION FORWARD FACE OF THE TAIL TANK FORWARD BULKHEAD (POST SB 601-0262)							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 53-50-00-203								PKG:220
53-50-00-204 (MSG3) ^S	DETAILED INSPECTION AFT FACE OF THE TAIL TANK AFT BULKHEAD (POST SB 601-0262)							Service	ATA:53
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 53-50-00-204								PKG:230
53-50-00-205 (MSG3)	DETAILED INSPECTION INTERNAL STRUCTURE OF THE TAIL CONE (PRE SB 601-0262)							Service	ATA:53
	MOS/MSC	24-Sep-90	N/A					MSG-3	
	HRS	0							
	AFL	0							
	PROC. REF: MTC 53-50-00-205								
53-ZL-00-201 (MSG3) ^S	GENERAL VISUAL INSPECTION NOSE RADOME - EXTERNAL							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 53-ZL-00-201								PKG:220
53-ZL-00-202 (MSG3) ^S	GENERAL VISUAL INSPECTION NOSE RADOME - INTERNAL							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 53-ZL-00-202								PKG:220
53-ZL-00-203 (MSG3) ^S	GENERAL VISUAL INSPECTION NOSE COMPARTMENT - LOWER EXTERNAL							Service	ATA:53
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 53-ZL-00-203								PKG:230

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-ZL-00-204 (MSG3) ^S	GENERAL VISUAL INSPECTION NOSE COMPARTMENT - LOWER INTERNAL LH							Service	ATA:53
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-ZL-00-204				PKG:230	
53-ZL-00-205 (MSG3) ^S	GENERAL VISUAL INSPECTION NOSE COMPARTMENT - LOWER INTERNAL RH							Service	ATA:53
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-ZL-00-205				PKG:230	
53-ZL-00-206 (MSG3) ^S	GENERAL VISUAL INSPECTION NLG WHEEL WELL							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-ZL-00-206				PKG:220	
53-ZL-00-207 (MSG3) ^S	GENERAL VISUAL INSPECTION FORWARD AVIONICS AND FLIGHT CONTROLS COMPARTMENT - EXTERNAL							Service	ATA:53
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-ZL-00-207				PKG:230	
53-ZL-00-208 (MSG3) ^S	GENERAL VISUAL INSPECTION FORWARD AVIONICS AND FLIGHT CONTROLS COMPARTMENT - INTERNAL							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-ZL-00-208				PKG:220	
53-ZL-00-210 (MSG3) ^S	GENERAL VISUAL INSPECTION MAIN AVIONICS COMPARTMENT - EXTERNAL							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-ZL-00-210				PKG:220	
53-ZL-00-211 (MSG3) ^S	GENERAL VISUAL INSPECTION MAIN AVIONICS COMPARTMENT - INTERNAL							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-ZL-00-211				PKG:220	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-ZL-00-212 (MSG3) ^S	GENERAL VISUAL INSPECTION MID-FUSELAGE - LOWER EXTERNAL							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 53-ZL-00-212								PKG:220
53-ZL-00-213 (MSG3) ^S	GENERAL VISUAL INSPECTION LOWER SURFACE OF THE PRESSURE-FLOOR FROM FS409.00 TO FS559.00							Service	ATA:53
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 53-ZL-00-213								PKG:230
53-ZL-00-214 (MSG3) ^S	GENERAL VISUAL INSPECTION MAIN LANDING GEAR WHEEL WELL							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 53-ZL-00-214								PKG:220
53-ZL-00-215 (MSG3) ^S	GENERAL VISUAL INSPECTION MID-FUSELAGE BETWEEN THE PRESSURE FLOOR AND THE CABIN FLOOR - LOWER INTERNAL							Service	ATA:53
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 53-ZL-00-215								PKG:230
53-ZL-00-216 (MSG3) ^S	GENERAL VISUAL INSPECTION AFT COMPARTMENT AND AFT WING-TO-FUSELAGE FAIRING - EXTERNAL							Service	ATA:53
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 53-ZL-00-216								PKG:230
53-ZL-00-217 (MSG3) ^S	GENERAL VISUAL INSPECTION MID-FUSELAGE COMPARTMENT - LOWER INTERNAL (FS589.00 TO FS621.00)							Service	ATA:53
	MOS	20-Sep-21	24 (+1m/-1m)					MSG-3	
	HRS	9728							
	AFL	5799							
	PROC. REF: MTC 53-ZL-00-217								PKG:210
53-ZL-00-218 (MSG3) ^S	GENERAL VISUAL INSPECTION FORWARD EQUIPMENT COMPARTMENT - EXTERNAL							Service	ATA:53
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 53-ZL-00-218								PKG:230

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-ZL-00-219 (MSG3) ^S	GENERAL VISUAL INSPECTION FORWARD EQUIPMENT COMPARTMENT - INTERNAL							Service	ATA:53
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-ZL-00-219				PKG:230	
53-ZL-00-220 (MSG3) ^S	GENERAL VISUAL INSPECTION FLIGHT COMPARTMENT - EXTERNAL							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-ZL-00-220				PKG:220	
53-ZL-00-221 (MSG3) ^S	GENERAL VISUAL INSPECTION FLIGHT COMPARTMENT - INTERNAL WITHOUT REMOVAL OF THE HEADLINER AND THE GLARESHIELD							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-ZL-00-221				PKG:220	
53-ZL-00-222 (MSG3) ^S	GENERAL VISUAL INSPECTION PASSENGER COMPARTMENT - EXTERNAL							Service	ATA:53
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-ZL-00-222				PKG:230	
53-ZL-00-223 (MSG3) ^S	GENERAL VISUAL INSPECTION PASSENGER COMPARTMENT - INTERNAL							Service	ATA:53
	MOS	24-Sep-90	240 (+1m/-1m)					MSG-3	
	HRS	0							
	AFL	0							
				PROC. REF: MTC 53-ZL-00-223				PKG:240	
53-ZL-00-224 (MSG3) ^S	GENERAL VISUAL INSPECTION CARGO COMPARTMENT - EXTERNAL							Service	ATA:53
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-ZL-00-224				PKG:230	
53-ZL-00-225 (MSG3) ^S	GENERAL VISUAL INSPECTION CARGO COMPARTMENT - INTERNAL WITHOUT REMOVAL OF THE HEADLINER							Service	ATA:53
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-ZL-00-225				PKG:230	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-ZL-00-226 (MSG3) ^S	GENERAL VISUAL INSPECTION CARGO COMPARTMENT - INTERNAL WITH THE HEADLINER REMOVED							Service	ATA:53
	MOS	24-Sep-90	240 (+1m/-1m)					MSG-3	
	HRS	0							
	AFL	0							
				PROC. REF: MTC 53-ZL-00-226				PKG:240	
53-ZL-00-227 (MSG3) ^S	GENERAL VISUAL INSPECTION AFT EQUIPMENT COMPARTMENT - EXTERNAL							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-ZL-00-227				PKG:220	
53-ZL-00-228 (MSG3) ^S	GENERAL VISUAL INSPECTION AFT EQUIPMENT COMPARTMENT - INTERNAL							Service	ATA:53
	MOS	19-Oct-22	12 (+1m/-1m)					MSG-3	
	HRS	9861.1							
	AFL	5949							
				PROC. REF: MTC 53-ZL-00-228				PKG:200	
53-ZL-00-229 (MSG3) ^S	GENERAL VISUAL INSPECTION FUSELAGE/STABILIZER SECTION - EXTERNAL							Service	ATA:53
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-ZL-00-229				PKG:230	
53-ZL-00-230 (MSG3) ^S	GENERAL VISUAL INSPECTION FUSELAGE/STABILIZER SECTION - INTERNAL							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-ZL-00-230				PKG:220	
53-ZL-00-231 (MSG3) ^S	GENERAL VISUAL INSPECTION TAIL CONE - EXTERNAL							Service	ATA:53
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-ZL-00-231				PKG:220	
53-ZL-00-232 (MSG3) ^S	GENERAL VISUAL INSPECTION TAIL CONE - INTERNAL							Service	ATA:53
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-ZL-00-232				PKG:230	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
53-ZL-00-233 (MSG3) ^S	GENERAL VISUAL INSPECTION MID-FUSELAGE COMPARTMENT - LOWER INTERNAL (FS559.00 TO FS621.00)							Service	ATA:53
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 53-ZL-00-233				PKG:230	
ATA 54 - NACELLES/PYLONS									
54-10-00-101	VISUAL CHECK ENGINE SUPPORTING BEAM UPPER CAP - FS 625.3 BL 38.0							Service	ATA:54
	MOS								
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
				PROC. REF: NDT VC-54-10-01					
54-10-00-102	NON DESTRUCTIVE TEST PYLON SPAR/FUSELAGE FRAME ATTACHMENT - FS 672.2							Service	ATA:54
	MOS	24-Sep-90							
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
				PROC. REF: NDT ET-54-10-04					
54-10-00-103	NON DESTRUCTIVE TEST PYLON SPAR UPPER CAP - FS 625.3							Service	ATA:54
	MOS								
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
				PROC. REF: NDT ET-54-10-01					
54-10-00-104	VISUAL CHECK PYLON CANTED RIB - UPPER SPLICE AT FS 672.2							Service	ATA:54
	MOS	24-Sep-90							
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
				PROC. REF: NDT VC-54-10-02					
54-10-00-106	NDT CHECK RIB UPPER CAP, SKIN AND DOUBLER FROM FS672.2 TO FS682.0							Service	ATA:54
	MOS	24-Sep-90						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:15000		15000		8862		
				PROC. REF: NDT ET-54-10-03					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 54 - NACELLES/PYLONS									
54-30-00-105	VISUAL CHECK PYLON UPPER SKIN - FS 682.0							Service	ATA:54
	MOS								
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
			PROC. REF: NDT VC-54-30-01						
54-50-00-201 (MSG3) ^S	DETAILED INSPECTION FORWARD ENGINE-MOUNT SPAR ASSEMBLY							Service	ATA:54
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
			PROC. REF: MTC 54-50-00-201						PKG:230
54-50-00-203 (MSG3) ^S	DETAILED INSPECTION INTERNAL STRUCTURE OF THE PYLON							Service	ATA:54
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
			PROC. REF: MTC 54-50-00-203						PKG:220
54-50-00-204 (MSG3) ^S	DETAILED INSPECTION AFT ENGINE-MOUNT SUPPORT STRUCTURE							Service	ATA:54
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
			PROC. REF: MTC 54-50-00-204						PKG:230
54-ZL-00-201 (MSG3) ^S	GENERAL VISUAL INSPECTION PYLON - EXTERNAL							Service	ATA:54
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
			PROC. REF: MTC 54-ZL-00-201						PKG:220
54-ZL-00-203 (MSG3) ^S	GENERAL VISUAL INSPECTION PYLON LEADING EDGE - INTERNAL							Service	ATA:54
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
			PROC. REF: MTC 54-ZL-00-203						PKG:220
54-ZL-00-205 (MSG3) ^S	GENERAL VISUAL INSPECTION PYLON MID-SECTION - INTERNAL							Service	ATA:54
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
			PROC. REF: MTC 54-ZL-00-205						PKG:220

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 54 - NACELLES/PYLONS									
54-ZL-00-207 (MSG3) ^S	GENERAL VISUAL INSPECTION PYLON TRAILING EDGE - INTERNAL							Service	ATA:54
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 54-ZL-00-207								PKG:230
ATA 55 - STABILIZERS									
55-00-00-101	VISUAL CHECK PITCH TRIM ACTUATOR							Service	ATA:55
	MOS	24-Sep-90						AIRWORTHINESS	
	HRS	0	T:10000		10000		OVD		
	AFL	0							
	PROC. REF: NDT VC-55-00-01								
55-10-00-102	VISUAL CHECK HORIZONTAL STABILIZER REAR SPAR CENTERLINE SPLICE							Service	ATA:55
	MOS	24-Sep-90							
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
	PROC. REF: NDT VC-55-10-05								
55-10-00-103	NON DESTRUCTIVE CHECK HORIZONTAL STABILIZER REAR SPAR UPPER CAP AT RIB 1, BL6.0							Service	ATA:55
	MOS	28-Jan-11							
	HRS	6628.52	4200		10828.52		800.6		
	AFL	3467							
	PROC. REF: NDT ET-55-10-01								
55-10-00-104	VISUAL CHECK HORIZONTAL STABILIZER REAR SPAR UPPER CAP AND SPLICE							Service	ATA:55
	MOS	24-Sep-90							
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
	PROC. REF: NDT VC-55-10-04								
55-10-00-105	NON DESTRUCTIVE CHECK HORIZONTAL STABILIZER FRONT SPAR UPPER CAP SPLICE, BL6.0							Service	ATA:55
	MOS	24-Sep-90							
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
	PROC. REF: NDT ET-55-10-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-10-00-106	VISUAL CHECK HORIZONTAL STABILIZER, UPPER STRINGER 1, BL6.0							Service	ATA:55
	MOS								
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
			PROC. REF: NDT VC-55-10-03						
55-10-00-107	VISUAL CHECK HORIZONTAL STABILIZER, CENTERLINE RIB							Service	ATA:55
	MOS								
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
			PROC. REF: NDT VC-55-10-02						
55-10-00-201 (MSG3) ^S	DETAILED INSPECTION ATTACHMENT FITTINGS AND SKIN SPLICES OF THE HORIZONTAL STABILIZER.							Service	ATA:55
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
			PROC. REF: MTC 55-10-00-201						PKG:220
55-10-00-207 (MSG3) ^S	DETAILED INSPECTION INNER PIVOT PIN OF THE HORIZONTAL STABILIZER							Service	ATA:55
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
			PROC. REF: MTC 55-10-00-207						PKG:220
55-10-01-202 (MSG3) ^S	DETAILED INSPECTION FRONT SPAR OF THE HORIZONTAL STABILIZER							Service	ATA:55
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
			PROC. REF: MTC 55-10-01-202						PKG:220
55-10-01-203 (MSG3) ^S	DETAILED INSPECTION HORIZONTAL STABILIZER (INTERNAL SKINS, STRUCTURE, REAR SPAR AND HINGE FITTINGS) AND THE ELEVATOR (FORWARD FACE OF THE FRONT SPAR, HINGE FITTINGS AND BOLTS)							Service	ATA:55
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
			PROC. REF: MTC 55-10-01-203						PKG:220

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-20-00-108	NON DESTRUCTIVE CHECK ELEVATOR/HORIZONTAL STABILIZER PCU & SUPPORTING HINGES							Service	ATA:55
	MOS	12-Jul-11							
	HRS	6902.37	7200		14102.37		4074.5		
	AFL	3576							
	PROC. REF: NDT ET-55-20-01								
55-20-00-109	VISUAL CHECK ELEVATOR, SKIN AND FRONT SPAR							Service	ATA:55
	MOS								
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
	PROC. REF: NDT VC-55-20-01								
55-20-00-202 (MSG3) ^S	DETAILED INSPECTION EXTERNAL SURFACES OF THE ELEVATOR							Service	ATA:55
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 55-20-00-202								PKG:220
55-30-00-110	VISUAL CHECK VERTICAL STABILIZER - MID SPAR CAP AT RIB 1							Service	ATA:55
	MOS								
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
	PROC. REF: NDT VC-55-30-04								
55-30-00-111	VISUAL CHECK VERTICAL STABILIZER - FRONT SPAR							Service	ATA:55
	MOS	24-Sep-90							
	HRS		T:15000		15000		4972.1		
	AFL								
	PROC. REF: NDT VC-55-30-01								
55-30-00-112	VISUAL CHECK VERTICAL STABILIZER - FRONT SPAR CAP FS755.0, WS137.5							Service	ATA:55
	MOS	24-Sep-90							
	HRS		T:15000		15000		4972.1		
	AFL								
	PROC. REF: NDT VC-55-30-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-30-00-113	VISUAL CHECK VERTICAL STABILIZER - STRINGER SPLICE							Service	ATA:55
	MOS								
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
			PROC. REF: NDT VC-55-30-03						
55-30-00-114	VISUAL CHECK VERTICAL STABILIZER - STRINGER SPLICE - VS 31.875% AT RIB 2 AND VS 55.625% AT RIB 3							Service	ATA:55
	MOS								
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
			PROC. REF: NDT VC-55-30-06						
55-30-00-115	VISUAL CHECK VERTICAL STABILIZER - ACCESS HOLE SKIN CUT							Service	ATA:55
	MOS								
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
			PROC. REF: NDT VC-55-30-05						
55-30-00-116	NON DESTRUCTIVE CHECK VERTICAL STABILIZER - REAR SPAR							Service	ATA:55
	MOS								
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
			PROC. REF: NDT ET-55-30-03						
55-30-00-117	NON DESTRUCTIVE TEST VERTICAL STABILIZER - FRONT SPAR CAP AT RIB 1							Service	ATA:55
	MOS								
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
			PROC. REF: NDT ET-55-30-01						
55-30-00-118	VISUAL CHECK VERTICAL STABILIZER - REAR SPAR WEB AT RIB 7							Service	ATA:55
	MOS								
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
			PROC. REF: NDT VC-55-30-07						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-30-00-119	NON DESTRUCTIVE TEST VERTICAL STABILIZER - FRONT SPAR CAP SPLICE STRAP							Service	ATA:55
	MOS								
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
PROC. REF: NDT ET-55-30-02									
55-30-00-201 (MSG3) ^S	DETAILED INSPECTION VERTICAL STABILIZER (FORWARD SIDE OF THE FRONT SPAR, ATTACHMENT FITTINGS AND THE SPLICE STRAP)							Service	ATA:55
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
PROC. REF: MTC 55-30-00-201									
55-30-00-205 (MSG3) ^S	DETAILED INSPECTION UPPER FACE OF THE TOP CANTED RIB AND THE RIB FITTINGS OF THE VERTICAL STABILIZER.							Service	ATA:55
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
PROC. REF: MTC 55-30-00-205									
55-30-00-206 (MSG3) ^S	DETAILED INSPECTION INTERNAL STRUCTURE OF THE VERTICAL STABILIZER							Service	ATA:55
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
PROC. REF: MTC 55-30-00-206									
55-40-00-120	NON DESTRUCTIVE CHECK RUDDER/VERTICAL STABILIZER SUPPORT AND PCU HINGE FITTINGS							Service	ATA:55
	MOS	16-Feb-12							
	HRS	7234.2	7800		15034.2		5006.3		
	AFL	3720							
PROC. REF: NDT ET-55-40-01									
55-40-00-121	VISUAL CHECK RUDDER, SKIN AND FRONT SPAR							Service	ATA:55
	MOS								
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
PROC. REF: NDT VC-55-40-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-40-00-201 (MSG3) ^S	DETAILED INSPECTION EXTERNAL SURFACES OF THE RUDDER							Service	ATA:55
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 55-40-00-201				PKG:220	
55-40-00-202 (MSG3) ^S	DETAILED INSPECTION RUDDER (FORWARD FACE OF THE FRONT SPAR AND HINGE BOLTS) AND THE VERTICAL STABILIZER (AFT FACE OF THE REAR SPAR AND RUDDER HINGE FITTINGS)							Service	ATA:55
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 55-40-00-202				PKG:220	
55-50-00-122	NON DESTRUCTIVE TEST VERTICAL STABILIZER PITCH TRIM ACTUATOR PIVOT LUGS							Service	ATA:55
	MOS							AIRWORTHINESS	
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
				PROC. REF: NDT ET-55-50-02					
55-50-00-123	NON DESTRUCTIVE TEST VERTICAL STABILIZER/HORIZONTAL STABILIZER PIVOT FITTING							Service	ATA:55
	MOS								
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
				PROC. REF: NDT UT-55-50-01					
55-50-00-124	VISUAL CHECK HORIZONTAL STABILIZER PIVOT FITTING LUG							Service	ATA:55
	MOS								
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
				PROC. REF: NDT VC-55-50-02					
55-50-00-125	VISUAL CHECK HORIZONTAL STABILIZER BATHTUB FITTINGS							Service	ATA:55
	MOS								
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
				PROC. REF: NDT VC-55-50-01					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
55-50-00-126	VISUAL CHECK RUDDER HINGE BOLTS							Service	ATA:55
	MOS	07-Oct-19							
	HRS	9460.5	9600		19060.5		9032.6		
	AFL	5416							
	PROC. REF: NDT VC-55-50-03								
55-50-00-127	VISUAL CHECK ELEVATOR HINGE BOLTS							Service	ATA:55
	MOS	07-Oct-19							
	HRS	9460.5	9600		19060.5		9032.6		
	AFL	5416							
	PROC. REF: NDT VC-55-50-04								
55-ZL-00-201 (MSG3) ^S	GENERAL VISUAL INSPECTION VERTICAL STABILIZER ASSEMBLY - EXTERNAL							Service	ATA:55
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 55-ZL-00-201								PKG:220
55-ZL-00-202 (MSG3) ^S	GENERAL VISUAL INSPECTION RAM AIR INTAKE AND DORSAL FAIRING - INTERNAL							Service	ATA:55
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 55-ZL-00-202								PKG:230
55-ZL-00-203 (MSG3) ^S	GENERAL VISUAL INSPECTION LEADING EDGE OF THE VERTICAL STABILIZER - INTERNAL							Service	ATA:55
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 55-ZL-00-203								PKG:230
55-ZL-00-204 (MSG3) ^S	GENERAL VISUAL INSPECTION VERTICAL STABILIZER - INTERNAL							Service	ATA:55
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 55-ZL-00-204								PKG:230
55-ZL-00-205 (MSG3) ^S	GENERAL VISUAL INSPECTION TIP OF THE VERTICAL STABILIZER - INTERNAL							Service	ATA:55
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 55-ZL-00-205								PKG:230

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
55-ZL-00-206 (MSG3)^S GENERAL VISUAL INSPECTION HORIZONTAL STABILIZER - EXTERNAL								
	MOS	07-Oct-19	120 (+1m/-1m)					Service ATA:55
	HRS	9460.5						MSG-3
	AFL	5416						
					PROC. REF: MTC 55-ZL-00-206			PKG:230
55-ZL-00-208 (MSG3)^S GENERAL VISUAL INSPECTION LEADING EDGE OF THE HORIZONTAL STABILIZER - INTERNAL								
	MOS	07-Oct-19	120 (+1m/-1m)					Service ATA:55
	HRS	9460.5						MSG-3
	AFL	5416						
					PROC. REF: MTC 55-ZL-00-208			PKG:230
55-ZL-00-210 (MSG3)^S GENERAL VISUAL INSPECTION HORIZONTAL STABILIZER - INTERNAL								
	MOS	07-Oct-19	120 (+1m/-1m)					Service ATA:55
	HRS	9460.5						MSG-3
	AFL	5416						
					PROC. REF: MTC 55-ZL-00-210			PKG:230
551000-001 HORIZONTAL STABILIZER ASSEMBLY								
PN:600-23025-1013	MOS/MSC	24-Sep-90	O/C					Component ATA:55
SN:5080	HRS	0		TSN 0				
	AFL	0						
					PROC. REF: AMM 55-10-11			
552000-001 LEFT ELEVATOR ASSEMBLY								
PN:PN	MOS/MSC	24-Sep-90	O/C					Component ATA:55
SN:UNKNOWN	HRS	0		TAC 0				
	AFL	0						
					PROC. REF: AMM 27-33-00			
552000-002 RIGHT ELEVATOR ASSEMBLY								
PN:PN	MOS/MSC	24-Sep-90	O/C					Component ATA:55
SN:UNKNOWN	HRS	0		TAC 0				
	AFL	0						
					PROC. REF: AMM 27-33-00			
554000-001 RUDDER ASSEMBLY								
PN:600-22000-1003	MOS/MSC	24-Sep-90	O/C					Component ATA:55
SN:69	HRS	0		TSN 0				
	AFL	0						
					PROC. REF: GENERIC NO REF			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
56-10-00-101	VISUAL CHECK SIDE WINDOW GLAZINGS - PRISM CHECKS							Service	ATA:56
	MOS	24-Jun-21						AIRWORTHINESS	
	HRS	9677.3	600	Adj -13.3	10264		236.1		
	AFL	5720							
	PROC. REF: NDT VC-56-10-01								
56-10-00-102	VISUAL CHECK WINDSHIELD AND SIDE WINDOW GLAZINGS - PRISM CHECKS							Service	ATA:56
	MOS	01-Jul-17						AIRWORTHINESS	
	HRS	9064	1200		10264		236.1		
	AFL	4900							
	PROC. REF: NDT VC-56-10-02								
56-10-00-104	NON DESTRUCTIVE CHECK WINDSHIELD AND SIDE WINDOW 'T' PLATE FASTENERS							Service	ATA:56
	MOS	04-Jun-18						AIRWORTHINESS	
	HRS	9242.9	2400		11642.9		1615		
	AFL	5128							
	PROC. REF: NDT PT-56-10-01								
56-10-00-105	VISUAL CHECK WINDSHIELD AND SIDE WINDOW LOWER T-CAPS							Service	ATA:56
	MOS	08-Nov-18							
	HRS	9297.1	2400		11697.1		1669.2		
	AFL	5212							
	PROC. REF: NDT VC-56-10-03								
56-10-00-106	NON DESTRUCTIVE TEST WINDSHIELD AND SIDEWINDOW GLAZING - ALL FASTENERS							Service	ATA:56
	MOS	08-Nov-18							
	HRS	9297.1	9600		18897.1		8869.2		
	AFL	5212							
	PROC. REF: NDT PT-56-10-02								
561011-001	NO. 1 COCKPIT WINDSHIELD ASSY, (LH)							Component	ATA:56
PN:604-33030-05	MOS/MSC	16-Sep-23	O/C		TSN 0				
SN:1929	HRS	10016.7			TSN 0				
	AFL	6124			TSN 0				
	PROC. REF: AMM 56-10-11								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
561011-002	NO. 2 COCKPIT WINDSHIELD ASSY, (RH)							Component	ATA:56
PN:604-33030-26	MOS/MSC	01-May-13	O/C						
SN:11440	HRS	8069.92							
	AFL	4184							
	PROC. REF: AMM 56-10-11								
561016-001	NO. 1 SIDE WINDOW							Component	ATA:56
PN:600-33030-27	MOS/MSC	07-May-11	O/C	TSN 0					
SN:8657	HRS	6778.02		TSN 0					
	AFL	3533		TSN 0					
	PROC. REF: AMM 56-10-16								
561016-002	NO. 2 SIDE WINDOW							Component	ATA:56
PN:600-33030-28	MOS/MSC	07-May-11	O/C	TSN 0					
SN:8758	HRS	6778.02		TSN 0					
	AFL	3533		TSN 0					
	PROC. REF: AMM 56-10-16								
562000-001	NO.1 CABIN WINDOW							Component	ATA:56
PN:600R31056-17	MOS/MSC	22-Jan-98	O/C						
SN:9828	HRS	1995		TSN 0					
	AFL	976		TSN 0					
	PROC. REF: AMM 56-20-00								
562000-002	NO.2 CABIN WINDOW							Component	ATA:56
PN:600R31056-17	MOS/MSC	22-Jan-98	O/C						
SN:9858	HRS	1995		TSN 0					
	AFL	976		TSN 0					
	PROC. REF: AMM 56-20-00								
562000-003	NO. 3 CABIN WINDOW							Component	ATA:56
PN:600R31056-17	MOS/MSC	22-Jan-98	O/C						
SN:9889	HRS	1995		TSN 0					
	AFL	976		TSN 0					
	PROC. REF: AMM 56-20-00								
562000-004	NO.4 CABIN WINDOW							Component	ATA:56
PN:600R31056-17	MOS/MSC	22-Jan-98	O/C						
SN:9872	HRS	1995		TSN 0					
	AFL	976		TSN 0					
	PROC. REF: AMM 56-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
562000-005	NO.5 CABIN WINDOW							Component	ATA:56
PN:600R31056-17	MOS/MSC	22-Jan-98	O/C						
SN:9883	HRS	1995		TSN 0					
	AFL	976		TSN 0					
	PROC. REF: AMM 56-20-00								
562000-006	NO.6 CABIN WINDOW							Component	ATA:56
PN:600R31056-17	MOS/MSC	22-Jan-98	O/C						
SN:9860	HRS	1995		TSN 0					
	AFL	976		TSN 0					
	PROC. REF: AMM 56-20-00								
562000-007	NO.7 CABIN WINDOW							Component	ATA:56
PN:600R31056-17	MOS/MSC	22-Jan-98	O/C						
SN:9904	HRS	1995		TSN 0					
	AFL	976		TSN 0					
	PROC. REF: AMM 56-20-00								
562000-008	NO.8 CABIN WINDOW							Component	ATA:56
PN:600-31055-7	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM 56-20-00								
562000-009	NO.9 CABIN WINDOW							Component	ATA:56
PN:600R31056-17	MOS/MSC	22-Jan-98	O/C						
SN:9870	HRS	1995		TSN 0					
	AFL	976		TSN 0					
	PROC. REF: AMM 56-20-00								
562000-010	NO.10 CABIN WINDOW							Component	ATA:56
PN:600R31056-17	MOS/MSC	22-Jan-98	O/C						
SN:9903	HRS	1995		TSN 0					
	AFL	976		TSN 0					
	PROC. REF: AMM 56-20-00								
562000-011	NO.11 CABIN WINDOW							Component	ATA:56
PN:600-31055-7	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM 56-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
562000-012	NO. 12 CABIN WINDOW							Component	ATA:56
PN:600R31056-17	MOS/MSC	22-Jan-98	O/C						
SN:9873	HRS	1995		TSN 0					
	AFL	976		TSN 0					
PROC. REF: AMM 56-20-00									
562000-013	CABIN - OVERWING EMERGENCY WINDOW							Component	ATA:56
PN:600R31056-19	MOS/MSC	22-Jan-98	O/C						
SN:1144	HRS	1995		TSN 0					
	AFL	976		TSN 0					
PROC. REF: AMM 56-20-00									
562061 ^U	LEFT FS 551 CABIN WINDOW							Component	ATA:56
PN:600-31056-3	MOS/MSC	01-May-91	O/C						
SN:4533	HRS	29		TSN 0					
	AFL	11							
562066 ^U	RIGHT FS 551 CABIN WINDOW							Component	ATA:56
PN:600R31056-17	MOS/MSC	22-Jan-98	O/C						
SN:9821	HRS	1995		TSN 0					
	AFL	976		TSN 0					
ATA 57 - WINGS									
57-10-00-101	NDT CHECK LOWER WING PLANK AND REAR SPAR - WS 45.0 AND WS 47.0							Service	ATA:57
	MOS	24-Sep-90							
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
PROC. REF: NDT RT-57-10-01									
57-10-00-102	NDT CHECK LOWER WING PLANK - REAR SPAR WS 178.0 AND WS 189.0							Service	ATA:57
	MOS	24-Sep-90							
	HRS		T:10200		10200		172.1		
	AFL								
PROC. REF: NDT ET-57-10-02									
57-10-00-103	NDT CHECK LOWER WING PLANK - REAR SPAR AT WS 166.0							Service	ATA:57
	MOS	24-Sep-90							
	HRS		T:10200		10200		172.1		
	AFL								
PROC. REF: NDT ET-57-30-12									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-00-104	VISUAL CHECK FRONT SPAR WEB AT LOWER WING PLANK - WS 45.0							Service	ATA:57
	MOS	24-Sep-90							
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
	PROC. REF: NDT VC-57-10-08								
57-10-00-106	VISUAL CHECK FRONT SPAR SPLICE AT THE LOWER WING PLANK - WS 29.42							Service	ATA:57
	MOS	24-Sep-90							
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
	PROC. REF: NDT VC-57-10-09								
57-10-00-108	VISUAL CHECK LOWER WING PLANK AND REAR SPAR AT WS 148.0							Service	ATA:57
	MOS	05-Feb-14							
	HRS	8472.27	1800		10272.27		244.4		
	AFL	4374							
	PROC. REF: NDT VC-57-30-18								
57-10-00-109	VISUAL CHECK LOWER WING PLANK - REAR SPAR - WS 242.0							Service	ATA:57
	MOS	24-Sep-90							
	HRS		T:15000		15000		4972.1		
	AFL								
	PROC. REF: NDT VC-57-10-05								
57-10-00-110	VISUAL CHECK WING BOX - INTERNAL STRUCTURE							Service	ATA:57
	MOS	07-Oct-19							
	HRS	9460.5	9600		19060.5		9032.6		
	AFL	5416							
	PROC. REF: NDT VC-57-10-01								
57-10-00-111	NDT CHECK LOWER WING PLANK - REAR SPAR AT WS 260.0							Service	ATA:57
	MOS	24-Sep-90							
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
	PROC. REF: NDT ET-57-10-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-00-112	NDT CHECK LOWER WING PLANK - REAR SPAR AT WS 217.0 AND WS 222.0							Service	ATA:57
	MOS	24-Sep-90							
	HRS		T:15000		15000		4972.1		
	AFL								
	PROC. REF: NDT ET-57-10-04								
57-10-00-113	NDT CHECK REAR SPAR/LOWER WING PLANK AT WS 219.0							Service	ATA:57
	MOS	24-Sep-90							
	HRS		T:15000		15000		4972.1		
	AFL								
	PROC. REF: NDT RT-57-10-02								
57-10-00-114	VISUAL CHECK LOWER WING PLANK - WS 314.5, BUTT STRAP AND FRONT SPAR							Service	ATA:57
	MOS	24-Sep-90							
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
	PROC. REF: NDT VC-57-10-07								
57-10-00-115	VISUAL CHECK LOWER WING PLANK - WS 315.0, BUTT STRAP AND REAR SPAR							Service	ATA:57
	MOS	24-Sep-90							
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
	PROC. REF: NDT VC-57-10-06								
57-10-00-201 (MSG3) ^S	DETAILED INSPECTION EXTERNAL CENTER WING (FRONT SPAR AND THE BAYONET FITTING) - LWS50.00 TO RWS50.00							Service	ATA:57
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 57-10-00-201								PKG:230
57-10-00-202 (MSG3) ^S	DETAILED INSPECTION INTERNAL CENTER WING (SPARS, RIB AND WING PLANK SURFACES) - LWS45.00 TO RWS45.00							Service	ATA:57
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 57-10-00-202								PKG:220

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-00-204 (MSG3) ^S	DETAILED INSPECTION EXTERNAL CENTER WING (REAR SPAR AND UPPER WING PLANK, MLG SIDE BRACE FITTING AND REAR SPAR BAYONET-FITTING) - LWS48.00 TO RWS48.00							Service	ATA:57
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
					PROC. REF: MTC 57-10-00-204			PKG:220	
57-10-00-211 (MSG3) ^S	DETAILED INSPECTION AFT FACE OF THE REAR SPAR OF THE WING - WS48.00 TO WS353.00							Service	ATA:57
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
					PROC. REF: MTC 57-10-00-211			PKG:220	
57-10-00-213 (MSG3) ^S	DETAILED INSPECTION INTERNAL SKIN AND THE WING STRUCTURE - CANTED WS314.50 TO WS353.00							Service	ATA:57
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
					PROC. REF: MTC 57-10-00-213			PKG:220	
57-10-00-217 (MSG3) ^S	DETAILED INSPECTION INTERNAL WING (AUXILIARY SPAR, PLANKS, SKINS, STRUCTURE AND THE MLG TRUNNION FITTING) - WS48.00 TO WS139.90							Service	ATA:57
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
					PROC. REF: MTC 57-10-00-217			PKG:220	
57-10-00-224 (MSG3) ^S	DETAILED INSPECTION WING-TO-FUSELAGE ATTACHMENT FITTINGS AND BOLTS - FS424.00, FS473.15, AND FS513.00							Service	ATA:57
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
					PROC. REF: MTC 57-10-00-224			PKG:220	
57-10-00-227 (MSG3) ^S	DETAILED INSPECTION ATTACHMENT FITTINGS OF THE FLAP HINGE BOX OF THE INBOARD FLAP - WS76.50 AND WS127.25							Service	ATA:57
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
					PROC. REF: MTC 57-10-00-227			PKG:220	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-10-00-228 (MSG3) ^S	DETAILED INSPECTION ATTACHMENT FITTINGS OF THE FLAP HINGE BOX OF THE OUTBOARD FLAP - WS178.00, WS220.00 AND WS264.00							Service	ATA:57
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
					PROC. REF: MTC 57-10-00-228			PKG:220	
57-10-00-229 (MSG3) ^S	DETAILED INSPECTION AILERON (EXTERNAL SURFACES, WING-TO-AILERON HINGE FITTINGS, HINGE BOLTS AND ANTI-FLOAT TORSION BAR)							Service	ATA:57
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
					PROC. REF: MTC 57-10-00-229			PKG:230	
57-10-00-230 (MSG3) ^S	DETAILED INSPECTION HINGE FITTINGS FOR THE GROUND SPOILER							Service	ATA:57
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
					PROC. REF: MTC 57-10-00-230			PKG:230	
57-10-00-231 (MSG3) ^S	DETAILED INSPECTION HINGE FITTINGS FOR THE FLIGHT SPOILER							Service	ATA:57
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
					PROC. REF: MTC 57-10-00-231			PKG:230	
57-10-01-208 (MSG3) ^S	DETAILED INSPECTION OF THE FORWARD FACE OF THE FRONTSPAR OF THE WING - WS50.00 TO WS353.00.							Service	ATA:57
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
					PROC. REF: MTC 57-10-01-208			PKG:220	
57-10-01-209 (MSG3) ^S	DETAILED INSPECTION OF THE INTERNAL WING (FRONT SPAR, REAR SPAR, WING PLANKS, STRUCTURE AND THE MLGMOUNTING FITTINGS) - WS45.00 TO CANTED WS314.50.							Service	ATA:57
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
					PROC. REF: MTC 57-10-01-209			PKG:220	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-20-00-116	VISUAL CHECK WING TIP - EXTERNAL SURFACE							Service	ATA:57
	MOS	10-Oct-20							
	HRS	9601.1	2400	Adj -1.1	12000		1972.1		
	AFL	5612							
	PROC. REF: NDT VC-57-20-01								
57-30-00-117	NDT CHECK LOWER CENTER WING PLANK - WS 65.0, STRINGER 14 AND 15							Service	ATA:57
	MOS	06-May-21						AIRWORTHINESS	
	HRS	9650	600		10250		222.1		
	AFL	5680							
	PROC. REF: NDT ET-57-30-08								
57-30-00-118	NDT CHECK LOWER WING PLANK NEAR MAIN LANDING GEAR TRUNNION - WS 65.75							Service	ATA:57
	MOS	16-Sep-19							
	HRS	9460.5	1800		11260.5		1232.6		
	AFL	5416							
	PROC. REF: NDT ET-57-30-01								
57-30-00-119	NDT CHECK LOWER WING PLANK - AUXILIARY SPAR ACCES HOLE AT WS 85.0							Service	ATA:57
	MOS	20-Jun-17						AIRWORTHINESS	
	HRS	9064	1200		10264		236.1		
	AFL	4900							
	PROC. REF: NDT ET-57-30-02							PKG:120	
57-30-00-120	VISUAL CHECK LOWER WING PLANK - WS 88.0, BETWEEN STRINGERS 14 AND 15							Service	ATA:57
	MOS	01-Jul-17							
	HRS	9064	1200		10264		236.1		
	AFL	4900							
	PROC. REF: NDT VC-57-30-13							PKG:120	
57-30-00-121	NDT CHECK LOWER CENTER WING PLANK AT WS 45.0 - STRINGERS 14 AND 15, CENTER AND FORWARD SPLICE							Service	ATA:57
	MOS	20-Jun-17							
	HRS	9064	1200		10264		236.1		
	AFL	4900							
	PROC. REF: NDT ET-57-30-06							PKG:120	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-30-00-122	NDT CHECK LOWER CENTER WING PLANK - WS 65.0, STRINGER 10							Service	ATA:57
	MOS	06-May-21						AIRWORTHINESS	
	HRS	9650	600		10250		222.1		
	AFL	5680							
	PROC. REF: NDT ET-57-30-09								
57-30-00-124	NDT CHECK LOWER CENTER WING PLANK - WS 45.0, STRINGER 10							Service	ATA:57
	MOS	20-Jun-17							
	HRS	9064	1200		10264		236.1		
	AFL	4900							
	PROC. REF: NDT ET-57-30-10							PKG:120	
57-30-00-125	NDT CHECK LOWER WING PLANKS - WS 45.0, STRINGERS 15 AND 16							Service	ATA:57
	MOS	20-Jun-17							
	HRS	9064	1200		10264		236.1		
	AFL	4900							
	PROC. REF: NDT ET-57-30-11							PKG:120	
57-30-00-126	VISUAL CHECK WING UPPER COVER							Service	ATA:57
	MOS	04-Dec-20							
	HRS	9608.1	1200	Adj -8.1	10800		772.1		
	AFL	5632							
	PROC. REF: NDT VC-57-30-28								
57-30-00-127	NDT CHECK LOWER WING PLANK - AFT EDGE - WS 163.0 TO 170.5							Service	ATA:57
	MOS	24-Sep-90							
	HRS		T:10200		10200		172.1		
	AFL								
	PROC. REF: NDT ET-57-10-01								
57-30-00-128	NDT CHECK LOWER WING PLANKS - WS 86.0, STRINGERS 14 TO 17							Service	ATA:57
	MOS	24-Sep-90							
	HRS		T:10200		10200		172.1		
	AFL								
	PROC. REF: NDT ET-57-30-14								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-30-00-129	NDT CHECK LOWER WING PLANKS - WS 163.0, STRINGER 15							Service	ATA:57
	MOS	24-Sep-90							
	HRS		T:15000		15000		4972.1		
	AFL								
	PROC. REF: NDT ET-57-30-15								
57-30-00-130	NDT CHECK LOWER WING PLANK - WS 148.0, STRINGER 19							Service	ATA:57
	MOS	24-Sep-90							
	HRS		T:15000		15000		4972.1		
	AFL								
	PROC. REF: NDT RT-57-30-01								
57-30-00-131	VISUAL CHECK LOWER WING PLANK - WS 127.5, STRINGERS 9 AND 10							Service	ATA:57
	MOS	24-Sep-90							
	HRS		T:15000		15000		4972.1		
	AFL								
	PROC. REF: NDT VC-57-30-17								
57-30-00-132	VISUAL CHECK LOWER WING PLANK - CENTERLINE SPLICE, STRINGERS 15 AND 16							Service	ATA:57
	MOS	24-Sep-90							
	HRS		T:15000		15000		4972.1		
	AFL								
	PROC. REF: NDT VC-57-30-04								
57-30-00-133	VISUAL CHECK LOWER WING PLANK - WS 94.0, STRINGER 23							Service	ATA:57
	MOS								
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
	PROC. REF: NDT VC-57-30-14								
57-30-00-134	VISUAL CHECK LOWER WING PLANK - WS 106.4, STRINGER 10							Service	ATA:57
	MOS	24-Sep-90							
	HRS		T:15000		15000		4972.1		
	AFL								
	PROC. REF: NDT VC-57-30-15								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-30-00-135	VISUAL CHECK LOWER WING PLANK - WS 106.4, STRINGERS 15 AND 16							Service	ATA:57
	MOS	24-Sep-90							
	HRS		T:15000		15000		4972.1		
	AFL								
	PROC. REF: NDT VC-57-30-16								
57-30-00-136	VISUAL CHECK LOWER WING PLANK - WS 199.0, STRINGERS 6 AND 7							Service	ATA:57
	MOS	24-Sep-90							
	HRS		T:15000		15000		4972.1		
	AFL								
	PROC. REF: NDT VC-57-30-21								
57-30-00-137	VISUAL CHECK LOWER WING PLANK - WS 199.0, STRINGER 17							Service	ATA:57
	MOS	24-Sep-90							
	HRS		T:15000		15000		4972.1		
	AFL								
	PROC. REF: NDT VC-57-30-22								
57-30-00-138	VISUAL CHECK LOWER WING PLANK - WS 220.0 STRINGER 7							Service	ATA:57
	MOS	24-Sep-90							
	HRS		T:15000		15000		4972.1		
	AFL								
	PROC. REF: NDT VC-57-30-23								
57-30-00-139	NDT CHECK LOWER WING PLANK - WS148.0 STRINGER 8 & 9							Service	ATA:57
	MOS	16-Sep-19							
	HRS	9460.5	1800		11260.5		1232.6		
	AFL	5416							
	PROC. REF: NDT ET-57-30-05								
57-30-00-140	NDT CHECK LOWER CENTER WING PLANK-WS148 STRINGER 15							Service	ATA:57
	MOS	16-Sep-19							
	HRS	9460.5	1800		11260.5		1232.6		
	AFL	5416							
	PROC. REF: NDT ET-57-30-03								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-30-00-141	NDT CHECK LOWER CENTER WING PANEL ACCESS HOLE, WS112.0 STRINGER 10							Service	ATA:57
	MOS	04-Jan-17							
	HRS	8941.9	1800		10741.9		714		
	AFL	4782							
	PROC. REF: NDT ET-57-30-04								
57-30-00-142	VISUAL CHECK FUEL TANK WATER DRAIN PORT - WS 48.0, STRINGER 17.							Service	ATA:57
	MOS	07-Oct-19						AIRWORTHINESS	
	HRS	9460.5	1800		11260.5		1232.6		
	AFL	5416							
	PROC. REF: NDT VC-57-30-01								
57-30-00-143	NDT CHECK LOWER CENTER WING PLANK ACCESS HOLE, WS220.0 STRINGER 10							Service	ATA:57
	MOS	16-Sep-19							
	HRS	9460.5	1800		11260.5		1232.6		
	AFL	5416							
	PROC. REF: NDT ET-57-30-07								
57-30-00-145	VISUAL CHECK LOWER WING PLANK-WS 45.0,STRINGER 8							Service	ATA:57
	MOS	24-Sep-90							
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
	PROC. REF: NDT VC-57-30-05								
57-30-00-150	NDT CHECK LOWER FORWARD WING PLANK, WS65.75 STRINGER 17							Service	ATA:57
	MOS	16-Sep-19							
	HRS	9460.5	2400		11860.5		1832.6		
	AFL	5416							
	PROC. REF: NDT ET-57-30-13								
57-30-00-153	NDT CHECK LOWER AFT WING PLANK REAR SPAR BETWEEN WS 59.0 AND WS 65.75.							Service	ATA:57
	MOS	24-Sep-90							
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
	PROC. REF: NDT ET-57-30-16								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-30-00-155	VISUAL CHECK LOWER WING PLANK - WS 242.0 STRINGER 9							Service	ATA:57
	MOS	24-Sep-90							
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
	PROC. REF: NDT VC-57-30-26								
57-30-00-156	VISUAL CHECK LOWER WING PLANK - WS 242.0 INBOARD/OUTBOARD AND WS 238.0 STRINGER 16							Service	ATA:57
	MOS	24-Sep-90							
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
	PROC. REF: NDT VC-57-30-24								
57-30-00-159	VISUAL CHECK LOWER WING PLANK - WS 264.0 STRINGER 6 & 7							Service	ATA:57
	MOS	24-Sep-90							
	HRS		T:15000		15000		4972.1		
	AFL								
	PROC. REF: NDT VC-57-30-27								
57-30-00-160	VISUAL CHECK LOWER WING PLANK CENTERLINE BETWEEN SPLICE STRINGER 8 & 9							Service	ATA:57
	MOS	24-Sep-90							
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
	PROC. REF: NDT VC-57-30-03								
57-30-00-162	VISUAL CHECK LOWER WING PLANK - WS 242.0 STRINGER 7							Service	ATA:57
	MOS	24-Sep-90							
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
	PROC. REF: NDT VC-57-30-25								
57-30-00-201 (MSG3) ^S	DETAILED INSPECTION SKIN, SPARS, ATTACHMENT FITTINGS AND INTERNAL STRUCTURE OF THE WINGLET							Service	ATA:57
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 57-30-00-201								PKG:220

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-30-00-402A ^U	NDT AND VISUAL CHECK WING FUEL ACCESS HOLES;ACCESS 550 AB							Service	ATA:57
	MOS	27-Jan-23						05-10-25 AIRWORTHINESS	
	HRS	9918.5	1410		11328.5		1300.6		
	AFL	5992							
57-30-00-402B ^U	NDT AND VISUAL CHECK WING FUEL ACCESS HOLES (ACCESS 540-FB)							Service	ATA:57
	MOS	06-May-21						05-10-25 AIRWORTHINESS	
	HRS	9650	1387		11037		1009.1		
	AFL	5680							
57-30-00-402C ^U	NDT AND VISUAL CHECK WING FUEL ACCESS HOLES (ACCESS 540-BB)							Service	ATA:57
	MOS	20-Oct-21						05-10-25 AIRWORTHINESS	
	HRS	9739	1518		11257		1229.1		
	AFL	5809							
57-30-00-403A ^U	VISUAL CHECK FUEL TANK WATER DRAIN HOLES - WING STATION 88.5;ACCESS 640 EB							Service	ATA:57
	MOS	07-Oct-19						05-10-25 AIRWORTHINESS	
	HRS	9460.5	1356		10816.5		788.6		
	AFL	5416							
57-30-00-403B ^U	VISUAL CHECK FUEL TANK WATER DRAIN HOLES - WING STATION 5.0 FWD;ACCESS 140 DL							Service	ATA:57
	MOS	23-Mar-17						05-10-25 AIRWORTHINESS	
	HRS	9008.4	1092		10100.4		72.5		
	AFL	4847							
57-30-00-403C ^U	VISUAL CHECK FUEL TANK WATER DRAIN HOLES - WING STATION 88.5;ACCESS 540 EB							Service	ATA:57
	MOS	11-May-19						05-10-25 AIRWORTHINESS	
	HRS	9425.3	962		10387.3		359.4		
	AFL	5348							
57-30-00-403D ^U	VISUAL CHECK FUEL TANK WATER DRAIN HOLES - WING STATION 68.7;ACCESS 540 DB,640 DB							Service	ATA:57
	MOS	23-Mar-17						05-10-25 AIRWORTHINESS	
	HRS	9008.4	1092		10100.4		72.5		
	AFL	4847							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-30-00-403E ^U	VISUAL CHECK FUEL TANK WATER DRAIN HOLES - WING STATION 48.0:ACCESS 640-BB							Service	ATA:57
	MOS	09-Jan-18						05-10-25 AIRWORTHINESS	
	HRS	9167.6	1264		10431.6		403.7		
	AFL	5041							
57-40-00-164	NDT CHECK OUTBOARD FLAP ARM-FORWARD UPPER LUGS WS 220.0							Service	ATA:57
	MOS	24-Sep-90							
	HRS								
	AFL		T:15000		15000 (M)		8862		
								PROC. REF: NDT ET-57-40-07	
57-40-00-165	NDT CHECK INBOARD FLAP - FLAP ARM LOWER LUGS							Service	ATA:57
	MOS	24-Sep-90							
	HRS								
	AFL		T:15000		15000 (M)		8862		
								PROC. REF: NDT ET-57-40-04	
57-40-00-166	NDT CHECK OUTBOARD FLAP WING/HINGE BOX FORWARD FITTING							Service	ATA:57
	MOS	24-Sep-90							
	HRS								
	AFL		T:15000		15000 (M)		8862		
								PROC. REF: NDT ET-57-40-08	
57-40-00-167	VISUAL CHECK OUTBOARD FLAP VANE SUPPORT FITTING - FLAP STATIONS 189.57, 235.84 AND 280.66.							Service	ATA:57
	MOS	24-Sep-90							
	HRS								
	AFL		T:15000		15000 (M)		8862		
								PROC. REF: NDT VC-57-40-03	
57-40-00-170	NDT CHECK FLIGHT SPOILERS WING/HINGE ATTCHMENT POINTS							Service	ATA:57
	MOS	28-Feb-14							
	HRS	8472.27	3000		11472.27		1444.4		
	AFL	4374							
								PROC. REF: NDT ET-57-40-01	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-40-00-171	NDT CHECK OUTBOARD FLAP-HINGE BOX LOWER FLANGE SUPPORT							Service	ATA:57
	MOS	24-Sep-90							
	HRS								
	AFL		T:15000		15000 (M)		8862		
								PROC. REF: NDT ET-57-40-09	
57-40-00-172	NDT CHECK INBOARD FLAP - FORWARD ATTACHMENT LUGS							Service	ATA:57
	MOS	24-Sep-90							
	HRS								
	AFL		T:15000		15000 (M)		8862		
								PROC. REF: NDT ET-57-40-05	
57-40-00-173	NDT CHECK INBOARD FLAP - HINGE SUPPORTS							Service	ATA:57
	MOS	07-Sep-18							
	HRS	9275.5							
	AFL	5187	5200		10387		4249		
								PROC. REF: NDT ET-57-40-02	
57-40-00-174	NDT CHECK OUTBOARD FLAP - HINGE BOX FORWARD LUGS							Service	ATA:57
	MOS	24-Sep-90						AIRWORTHINESS	
	HRS								
	AFL		T:8000		8000		1862		
								PROC. REF: NDT ET-57-40-10	
57-40-00-177	NDT CHECK INBOARD FLAP - WS 127.25 WING RIB BACKUP FITTING							Service	ATA:57
	MOS								
	HRS								
	AFL		T:7000		7000 (M)		862		
								PROC. REF: NDT ET-57-40-03	
57-40-00-178	VISUAL CHECK WING TO FUSELAGE ATTACHMENT FITTING LUGS AT FS 424.0 BL 45.0							Service	ATA:57
	MOS	24-Sep-90							
	HRS		T:12000		12000 (M)		1972.1		
	AFL							PROC. REF: NDT VC-57-40-07	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-40-00-179	NDT CHECK INBOARD FLAP - VANE CARRIAGES							Service	ATA:57
	MOS	24-Sep-90							
	HRS								
	AFL		T:15000		15000 (M)		8862		
								PROC. REF: NDT ET-57-40-06	
57-40-00-182	VISUAL CHECK WING/FUSELAGE ATTACH FITTING LUGS - FS473.0 BL45.0, FS513.0 BL 45.0, FS513.0 BL13.5							Service	ATA:57
	MOS	24-Sep-90							
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
								PROC. REF: NDT VC-57-40-02	
57-40-00-188	VISUAL CHECK AILERON HINGE BOLTS							Service	ATA:57
	MOS	10-Oct-20							
	HRS	9601.1	9600	Adj -1.1	19200		9172.1		
	AFL	5612							
								PROC. REF: NDT VC-57-40-05	
57-40-00-197	NON DESTRUCTIVE TEST FLAP HINGE BOLT ATTACHMENTS							Service	ATA:57
	MOS								
	HRS								
	AFL		T:15000		15000 (M)		8862		
								PROC. REF: NDT PT-57-40-01	
57-40-00-198	VISUAL CHECK OF FLIGHT SPOILER HINGE BOLTS							Service	ATA:57
	MOS	04-Dec-20							
	HRS	9608.1	9600	Adj -8.1	19200		9172.1		
	AFL	5632							
								PROC. REF: NDT VC-57-40-06	
57-40-01-101	NDT CHECK INBOARD FLAP - HINGE BOX FORWARD LUGS.							Service	ATA:57
	MOS	24-Sep-90						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:7900		7900		1762		
								PROC. REF: NDT ET-57-40-10	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 57 - WINGS								
57-40-01-900-801-01	HL/HST TYPE	INBOARD FLAP HINGE BOX - WINGFORWARD FITTING FASTENERS						Component ATA:57
PN:PN	MOS/MSC	22-Mar-17	H/T	TSN 0				
SN:UNKNOWN	HRS	9008.4		TSN 0				
	AFL	4847		TSN 0				
PROC. REF: AMM 57-40-01								
57-40-CA-200	DISCARD HL/HST TYPE	INBOARD FLAP HINGE BOX - WINGFORWARD FITTING FASTENERS ALL 16 HL/HST TYPE FASTENERS FROM WS76.50 TO WS127.00(LHS & RHS)						Service ATA:57
PN:PN	MOS	EFF						LIFE LIMIT
SN:UNKNOWN	HRS	EFF						
	AFL	EFF	15000		19847 *		13709	
PROC. REF: AMM 57-40-01								
57-50-00-201 (MSG3) ^S	DETAILED INSPECTION	INBOARD FLAP AND INBOARD FLAP VANE (EXTERNAL SURFACES)						Service ATA:57
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3
	HRS	9460.5						
	AFL	5416						
PROC. REF: MTC 57-50-00-201								
57-50-00-202 (MSG3) ^S	DETAILED INSPECTION	INBOARD FLAP (EXTERNAL SKINS, ATTACHMENT LUGS AND HINGE ARMS)						Service ATA:57
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3
	HRS	9460.5						
	AFL	5416						
PROC. REF: MTC 57-50-00-202								
57-50-00-204 (MSG3) ^S	DETAILED INSPECTION	VANE ACTUATOR SLIDING BEAMS AND CARRIAGES OF THE INBOARD FLAP						Service ATA:57
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3
	HRS	9460.5						
	AFL	5416						
PROC. REF: MTC 57-50-00-204								
57-50-00-206 (MSG3) ^S	DETAILED INSPECTION	OUTBOARD FLAP (EXTERNAL SURFACES) AND THE OUTBOARD FLAP VANE (EXTERNAL SURFACES AND SUPPORT FITTINGS)						Service ATA:57
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3
	HRS	9460.5						
	AFL	5416						
PROC. REF: MTC 57-50-00-206								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-50-00-207 (MSG3) ^S	DETAILED INSPECTION OUTBOARD FLAP (EXTERNAL SKINS, ATTACHMENT LUGS AND HINGE ARMS)							Service	ATA:57
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
					PROC. REF: MTC 57-50-00-207			PKG:230	
57-50-00-210 (MSG3) ^S	DETAILED INSPECTION FLAP HINGE BOXES OF THE INBOARD FLAP							Service	ATA:57
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
					PROC. REF: MTC 57-50-00-210			PKG:220	
57-50-00-211 (MSG3) ^S	DETAILED INSPECTION FLAP HINGE BOXES OF THE OUTBOARD FLAP							Service	ATA:57
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
					PROC. REF: MTC 57-50-00-211			PKG:220	
57-50-00-212 (MSG3) ^S	DETAILED INSPECTION ATTACHMENT BOLTS FOR THE FLAP HINGE BOXES AND THE FLAP HINGE ARMS OF THE NBOARD FLAP							Service	ATA:57
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
					PROC. REF: MTC 57-50-00-212			PKG:220	
57-50-00-213 (MSG3) ^S	DETAILED INSPECTION ATTACHMENT BOLTS FOR THE FLAP HINGE BOXES AND THE FLAP HINGE ARMS OF THE OUTBOARD FLAP							Service	ATA:57
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
					PROC. REF: MTC 57-50-00-213			PKG:220	
57-50-00-215 (MSG3) ^S	DETAILED INSPECTION FRONT SPAR OF THE OUTBOARD FLAP							Service	ATA:57
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
					PROC. REF: MTC 57-50-00-215			PKG:230	
57-51-00-185	VISUAL CHECK AILERONS							Service	ATA:57
	MOS	12-Jul-11							
	HRS	6902.37	3600		10502.37		474.5		
	AFL	3576							
					PROC. REF: NDT VC-57-51-01				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-51-00-186	VISUAL CHECK AILERON - UPPER & LOWER SKIN AND FRONT SPAR							Service	ATA:57
	MOS	24-Sep-90							
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
	PROC. REF: NDT VC-57-51-02								
57-53-00-154	NDT CHECK OUTBOARD FLAP VANE INTERMEDATE SUPPORT- FLAP STATIONS 209.39 AND 254.96.							Service	ATA:57
	MOS								
	HRS								
	AFL		T:15000		15000 (M)		8862		
	PROC. REF: NDT ET-57-53-09, NDT UT-57-53-01								
57-53-00-161	NDT CHECK OUTBOARD FLAP VANE SUPPORT STRUTS FLAP STA 171.94/296.00							Service	ATA:57
	MOS							AIRWORTHINESS	
	HRS								
	AFL		7800		9000 (M)		2862		
	PROC. REF: NDT ET-57-53-08								
57-53-00-175	NDT CHECK OUTBD FLAP VANE INTERMEDIATE SUPPORT FITTINGS - FLAP STATION 209.39 AND 254.96							Service	ATA:57
	MOS	24-Sep-90							
	HRS								
	AFL		T:15000		15000		8862		
	PROC. REF: GENERIC NO REF								
57-53-00-180	NON DESTRUCTIVE TEST OF OUTBOARD FLAP-VANE END RAMPS - FLAP STATIONS 171.94 AND 296.00							Service	ATA:57
	MOS								
	HRS								
	AFL		T:15000		15000 (M)		8862		
	PROC. REF: NDT ET-57-53-06, NDT UT-57-53-02								
57-53-00-181	NON DESTRUCTIVE TEST OUTBOARD FLAP - FORWARD LUGS							Service	ATA:57
	MOS	24-Sep-90							
	HRS								
	AFL		T:15000		15000 (M)		8862		
	PROC. REF: NDT ET-57-53-05								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-53-00-189	VISUAL CHECK INBOARD FLAP - FRONT SPAR							Service	ATA:57
	MOS	24-Sep-90							
	HRS								
	AFL	0	T:11000		11000		4862		
				PROC. REF: NDT VC-57-53-01					
57-53-00-190	NDT CHECK INBOARD FLAP - VANE SUPPORT ATTACH BRACKETS							Service	ATA:57
	MOS								
	HRS								
	AFL		T:7000		8749 (M)		2611		
				PROC. REF: NDT ET-57-53-01					
57-53-00-191	NDT CHECK OUTBOARD FLAP - VANE TANGS END SUPPORT - FLAP STATIONS 189.57, 235.84 AND 280.66							Service	ATA:57
	MOS	24-Sep-90							
	HRS								
	AFL		T:10000		10000 (M)		3862		
				PROC. REF: NDT ET-57-53-02					
57-53-00-193	NDT CHECK OUTBOARD FLAP - FRONT SPAR							Service	ATA:57
	MOS	24-Sep-90							
	HRS								
	AFL		T:10000		10000 (M)		3862		
				PROC. REF: NDT ET-57-53-03					
57-55-00-196	VISUAL CHECK FLIGHT SPOILER - UPPER & LOWER SKIN							Service	ATA:57
	MOS	24-Sep-90							
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
				PROC. REF: NDT VC-57-55-01					
57-70-00-201 (MSG3) ^S	DETAILED INSPECTION EXTERNAL SURFACES AND FORWARD FACE OF THE FRONT SPAR OF THE GROUND SPOILER.							Service	ATA:57
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 57-70-00-201					PKG:220

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-70-00-202 (MSG3) ^S	SPECIAL DETAILED INSPECTION BONDED SKINS OF THE GROUND SPOILER.							Service	ATA:57
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 57-70-00-202								PKG:220
57-70-00-203 (MSG3) ^S	DETAILED INSPECTION EXTERNAL SURFACES AND FORWARD FACE OF THE FRONT SPAR OF THE FLIGHT SPOILER.							Service	ATA:57
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 57-70-00-203								PKG:220
57-70-00-204 (MSG3) ^S	SPECIAL DETAILED INSPECTION BONDED SKINS OF THE FLIGHT SPOILER.							Service	ATA:57
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 57-70-00-204								PKG:220
57-70-00-205 (MSG3) ^S	DETAILED INSPECTION HINGE BOLTS OF THE GROUND SPOILER							Service	ATA:57
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 57-70-00-205								PKG:230
57-70-00-206 (MSG3) ^S	DETAILED INSPECTION HINGE BOLTS OF THE FLIGHT SPOILER							Service	ATA:57
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 57-70-00-206								PKG:230
57-ZL-00-201 (MSG3) ^S	GENERAL VISUAL INSPECTION WING CENTER SECTION - EXTERNAL							Service	ATA:57
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 57-ZL-00-201								PKG:220
57-ZL-00-203 (MSG3) ^S	GENERAL VISUAL INSPECTION WING CENTER SECTION - EXTERNAL							Service	ATA:57
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 57-ZL-00-203								PKG:230

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-ZL-00-204 (MSG3) ^S	GENERAL VISUAL INSPECTION WING CENTER SECTION - INTERNAL							Service	ATA:57
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
					PROC. REF: MTC 57-ZL-00-204			PKG:230	
57-ZL-00-206 (MSG3) ^S	GENERAL VISUAL INSPECTION INBOARD LEADING EDGE OF THE WING - EXTERNAL							Service	ATA:57
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
					PROC. REF: MTC 57-ZL-00-206			PKG:220	
57-ZL-00-208 (MSG3) ^S	GENERAL VISUAL INSPECTION INBOARD LEADING EDGE OF THE WING - INTERNAL							Service	ATA:57
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
					PROC. REF: MTC 57-ZL-00-208			PKG:220	
57-ZL-00-210 (MSG3) ^S	GENERAL VISUAL INSPECTION OUTBOARD LEADING EDGE OF THE WING - EXTERNAL							Service	ATA:57
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
					PROC. REF: MTC 57-ZL-00-210			PKG:220	
57-ZL-00-212 (MSG3) ^S	GENERAL VISUAL INSPECTION OUTBOARD LEADING EDGE OF THE WING - INTERNAL							Service	ATA:57
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
					PROC. REF: MTC 57-ZL-00-212			PKG:220	
57-ZL-00-214 (MSG3) ^S	GENERAL VISUAL INSPECTION WING FROM WS47.00 TO WS148.00 - EXTERNAL							Service	ATA:57
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
					PROC. REF: MTC 57-ZL-00-214			PKG:220	
57-ZL-00-216 (MSG3) ^S	GENERAL VISUAL INSPECTION WING FROM WS45.00 TO WS148.00 - INTERNAL							Service	ATA:57
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
					PROC. REF: MTC 57-ZL-00-216			PKG:230	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
57-ZL-00-218 (MSG3) ^S	GENERAL VISUAL INSPECTION WING FROM WS14.008 TO WS353.00 - EXTERNAL							Service	ATA:57
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 57-ZL-00-218				PKG:220	
57-ZL-00-220 (MSG3) ^S	GENERAL VISUAL INSPECTION WING FROM WS148.00 TO WS353.00 - INTERNAL							Service	ATA:57
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 57-ZL-00-220				PKG:230	
57-ZL-00-222 (MSG3) ^S	GENERAL VISUAL INSPECTION WINGLET - EXTERNAL							Service	ATA:57
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 57-ZL-00-222				PKG:220	
57-ZL-00-226 (MSG3) ^S	GENERAL VISUAL INSPECTION INBOARD TRAILING EDGE OF THE WING - EXTERNAL							Service	ATA:57
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 57-ZL-00-226				PKG:220	
57-ZL-00-228 (MSG3) ^S	GENERAL VISUAL INSPECTION WING TRAILING EDGE - INTERNAL							Service	ATA:57
	MOS	20-Sep-21	24 (+1m/-1m)					MSG-3	
	HRS	9728							
	AFL	5799							
				PROC. REF: MTC 57-ZL-00-228				PKG:210	
57-ZL-00-230 (MSG3) ^S	GENERAL VISUAL INSPECTION OUTBOARD TRAILING EDGE OF THE WING - EXTERNAL							Service	ATA:57
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 57-ZL-00-230				PKG:220	
57-ZL-00-234 (MSG3) ^S	GENERAL VISUAL INSPECTION AILERON SHROUD - INTERNAL							Service	ATA:57
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 57-ZL-00-234				PKG:230	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
572000-001	NO. 1 AILERON ANTI-FLT TORSION BAR							Component	ATA:57
PN:600-10057-5	MOS	24-Sep-90						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0	10000	TSN 0	10000		3862		
PROC. REF: GENERIC NO REF									
572000-002	NO. 2 AILERON ANTI-FLT TORSION BAR							Component	ATA:57
PN:600-10057-6	MOS	24-Sep-90						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0	10000	TSN 0	10000		3862		
PROC. REF: GENERIC NO REF									
574000-001	NO. 1 MLG SIDE BRACE FITTING SHAFT							Component	ATA:57
PN:600-10237-3	MOS	03-Mar-16		TSN 1				LIFE LIMIT	
SN:0111	HRS	8874.9		TSN 0					
WC#: 57.520	AFL	4711	30000	TSN 0	34711		28573		
PROC. REF: TLMC 5-10-10, TLMC 5-10-11, TLMC 5-10-12									
574000-002	NO. 2 MLG SIDE BRACE FITTING SHAFT							Component	ATA:57
PN:600-10237-3	MOS	03-Mar-16		TSN 1				LIFE LIMIT	
SN:0118	HRS	8874.9		TSN 0					
WC#: 57.520	AFL	4711	30000	TSN 0	34711		28573		
PROC. REF: TLMC 5-10-10, TLMC 5-10-11, TLMC 5-10-12									
575100-001	NO. 1 AILERON							Component	ATA:57
PN:600-13000-819	MOS/MSC	24-Sep-90	O/C						
SN:5079	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 27-13-00									
575100-002	NO. 2 AILERON							Component	ATA:57
PN:600-13000-821	MOS/MSC	24-Sep-90	O/C						
SN:5079	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 27-13-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
575300-001	LH INBOARD FLAP							Component	ATA:57
PN:600-14002-805	MOS/MSC	24-Jul-10	O/C	TSR 0					
SN:5837	HRS	6251.45		TSR 0					
	AFL	3302		TSR 0					
PROC. REF: AMM 27-50-11									
575300-002	RH INBOARD FLAP							Component	ATA:57
PN:600-14002-806	MOS/MSC	24-Sep-90	O/C						
SN:5079	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 27-50-11									
575305-001	LEFT INBOARD FLAP VANE ASSEMBLY							Component	ATA:57
PN:600-14302-3	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-50-46, AMM 27-50-51									
575305-002	RIGHT INBOARD FLAP VANE ASSEMBLY							Component	ATA:57
PN:600-14302-4	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 27-50-46, AMM 27-50-51									
575306-001	LEFT OUTBOARD FLAP ASSEMBLY							Component	ATA:57
PN:600-14500-805	MOS/MSC	24-Sep-90	O/C						
SN:5079	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 27-50-11									
575306-002	RIGHT OUTBOARD FLAP ASSEMBLY							Component	ATA:57
PN:600-14500-806	MOS/MSC	24-Sep-90	O/C						
SN:5079	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 27-50-11									
575317-001	NO.1 FLAP VANE ACTUATOR BEAM ASSEMBLY							Component	ATA:57
PN:PN	DAYS	24-Sep-90						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0	9600	TSN 0	9600		3462		
PROC. REF: AMM 27-50-51									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
575317-002	NO.2 FLAP VANE ACTUATOR BEAM ASSEMBLY							Component	ATA:57
PN:PN	MOS	24-Sep-90		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0	9600	TSN 0	9600		3462		
PROC. REF: AMM 27-50-51									
575317-003	NO. 3 FLAP VANE ACTUATOR BEAM ASSEMBLY							Component	ATA:57
PN:PN	MOS	24-Sep-90		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0	9600	TSN 0	9600		3462		
PROC. REF: AMM 27-50-51									
575317-004	NO.4 FLAP VANE ACTUATOR BEAM ASSEMBLY							Component	ATA:57
PN:PN	MOS	24-Sep-90		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0	9600	TSN 0	9600		3462		
PROC. REF: AMM 27-50-51									
575317-005	NO.5 FLAP VANE ACTUATOR BEAM ASSEMBLY							Component	ATA:57
PN:PN	MOS	24-Sep-90		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0	9600	TSN 0	9600		3462		
PROC. REF: AMM 27-50-51									
575317-006	NO.6 FLAP VANE ACTUATOR BEAM ASSEMBLY							Component	ATA:57
PN:PN	MOS	24-Sep-90		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0	9600	TSN 0	9600		3462		
PROC. REF: AMM 27-50-51									
575500-001	LEFT FLIGHT SPOILER							Component	ATA:57
PN:600-10602-61	MOS/MSC	24-Sep-90	O/C						
SN:251	HRS	0		TSN 0					
	AFL	0							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
575500-002	RIGHT FLIGHT SPOILER							Component	ATA:57
PN:600-10602-62	MOS/MSC	24-Sep-90	O/C						
SN:190	HRS	0		TSN 0					
	AFL	0							
PROC. REF: GENERIC NO REF									
575700-001	NO. 1 GROUND SPOILER							Component	ATA:57
PN:600-10502-41	MOS/MSC	24-Sep-90	O/C						
SN:239	HRS	0		TSN 0					
	AFL	0							
PROC. REF: GENERIC NO REF									
575700-002	NO. 2 GROUND SPOILER							Component	ATA:57
PN:600-10502-42	MOS/MSC	24-Sep-90	O/C						
SN:234	HRS	0		TSN 0					
	AFL	0							
PROC. REF: GENERIC NO REF									
ATA 71 - POWER PLANT									
71-10-00-101	NDT CHECK NOSE COWL ACTUATOR SUPPORT FITTING - FORWARD ATTACHMENT LUGS							Service	ATA:71
	MOS	20-Jun-17						AIRWORTHINESS	
	HRS	9064	1200		10264		236.1		
	AFL	4900							
PROC. REF: NDT ET-71-10-01									
71-10-00-102	NDT CHECK FORWARD NACELLE STRUCTURE AT THE ENGINE NACELLE JOINT							Service	ATA:71
	MOS								
	HRS		T:13800		13800 (M)		3772.1		
	AFL								
PROC. REF: NDT ET-71-10-02									
71-12-00-202 (MSG3) ^S	DETAILED INSPECTION CORE BLOW-OUT DOORS							Service	ATA:71
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	2400 (+40/-40)						
	AFL	5212							
PROC. REF: MTC 71-12-00-202									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-12-00-203 (MSG3) ^S	GENERAL VISUAL INSPECTION DRAINS MAST AND CHANNELS							Service	ATA:71
	MOS	20-Sep-21						MSG-3	
	HRS	9728	400 (+40/-40)						
	AFL	5799							
				PROC. REF: MTC 71-12-00-203				PKG:100	
71-12-00-204 (MSG3) ^S	OPERATIONAL TEST DRAINS MAST AND CHANNELS							Service	ATA:71
	MOS	20-Sep-21						MSG-3	
	HRS	9728	400 (+40/-40)						
	AFL	5799							
				PROC. REF: MTC 71-12-00-204				PKG:100	
71-12-00-205 (MSG3) ^S	DETAILED INSPECTION HINGE FITTINGS OF THE CORE COWL DOOR							Service	ATA:71
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 71-12-00-205				PKG:230	
71-13-00-201 (MSG3) ^S	DETAILED INSPECTION THRUST-REVERSER SLIDER BLOCKS							Service	ATA:71
	MOS	13-Feb-14						MSG-3	
	HRS	8472.27	1600 (+40/-40)						
	AFL	4374							
				PROC. REF: MTC 71-13-00-201				PKG:130	
71-13-00-202 (MSG3) ^S	DETAILED INSPECTION SERVICE PYLON CASTING AND SUPPORT RAILS							Service	ATA:71
	MOS	07-Oct-19	120 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 71-13-00-202				PKG:230	
71-20-00-103	NDT CHECK AFT ENGINE MOUNT - THRUST FITTING							Service	ATA:71
	MOS	24-Sep-90							
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
				PROC. REF: NDT ET-71-20-01					
71-20-00-104	NDT CHECK ENGINE MOUNT YOKE - LOWER LUG							Service	ATA:71
	MOS							AIRWORTHINESS	
	HRS		T:15000		15000		4972.1		
	AFL								
				PROC. REF: NDT ET-71-20-02					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-20-00-105	NDT CHECK FWD ENGINE MOUNT UPPER LINK							Service	ATA:71
	MOS	24-Sep-90							
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
	PROC. REF: NDT UT-71-20-01								
71-20-00-106	NDT CHECK FWD ENGINE MOUNT UPPER BOLTS							Service	ATA:71
	MOS	24-Sep-90							
	HRS	0	T:15000		15000		4972.1		
	AFL	0							
	PROC. REF: NDT PT-71-20-01, NDT ET-71-20-03, NDT UT-71-20-02								
71-20-00-202 (MSG3) ^S	DETAILED INSPECTION FORWARD ENGINE MOUNT YOKE AND LINK ASSEMBLY.							Service	ATA:71
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 71-20-00-202								PKG:220
71-20-00-203 (MSG3) ^S	DETAILED INSPECTION AFT ENGINE MOUNT ASSEMBLY.							Service	ATA:71
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
	PROC. REF: MTC 71-20-00-203								PKG:220
71-30-00-201 (MSG3) ^S	GENERAL VISUAL INSPECTION ENGINE FIRE SEALS							Service	ATA:71
	MOS	17-Jan-13						MSG-3	
	HRS	7915.17	3200 (+40/-40)						
	AFL	4113							
	PROC. REF: MTC 71-30-00-201								PKG:150
71-61-00-202 (MSG3) ^S	LUBRICATION BALLSCREW ACTUATOR SUPPORT BUSHINGS							Service	ATA:71
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	800 (+40/-40)						
	AFL	5212							
	PROC. REF: MTC 71-61-00-202								PKG:110
71-61-00-203 (MSG3) ^S	DETAILED INSPECTION BALLSCREW ACTUATOR SUPPORT FITTINGS							Service	ATA:71
	MOS	17-Jan-13						MSG-3	
	HRS	7915.17	3200 (+40/-40)						
	AFL	4113							
	PROC. REF: MTC 71-61-00-203								PKG:150

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
71-61-00-205 (MSG3)^S DETAILED INSPECTION ATTACHMENT RING OF THE NOSE INLET COWL								
	MOS	07-Oct-19	60 (+1m/-1m)					Service ATA:71
	HRS	9460.5						MSG-3
	AFL	5416						
					PROC. REF: MTC 71-61-00-205			PKG:220
71-ZL-00-201 (MSG3)^S GENERAL VISUAL INSPECTION NACELLE - EXTERNAL.								
	MOS	07-Oct-19	60 (+1m/-1m)					Service ATA:71
	HRS	9460.5						MSG-3
	AFL	5416						
					PROC. REF: MTC 71-ZL-00-201			PKG:220
71-ZL-00-203 (MSG3)^S GENERAL VISUAL INSPECTION NOSE INLET ACCESS-COWL - INSIDE								
	MOS	20-Sep-21	24 (+1m/-1m)					Service ATA:71
	HRS	9728						MSG-3
	AFL	5799						
					PROC. REF: MTC 71-ZL-00-203			PKG:210
71-ZL-00-205 (MSG3)^S GENERAL VISUAL INSPECTION TRANSLATING COWL - INTERNAL.								
	MOS	07-Oct-19	60 (+1m/-1m)					Service ATA:71
	HRS	9460.5						MSG-3
	AFL	5416						
					PROC. REF: MTC 71-ZL-00-205			PKG:220
71-ZL-00-207 (MSG3)^S GENERAL VISUAL INSPECTION CORE COWL - INTERNAL								
	MOS	20-Sep-21	24 (+1m/-1m)					Service ATA:71
	HRS	9728						MSG-3
	AFL	5799						
					PROC. REF: MTC 71-ZL-00-207			PKG:210
712001-001 LH FORWARD ENGINE MOUNT YOKE FITTING ASSEMBLY								
PN:601-37015-1	MOS/MSC	17-Mar-10	O/C		TSR 0			Component ATA:71
SN:5079LH	HRS	6129.88			TSR 0			
WC#: 71.095	AFL	3248			TSR 0			
					PROC. REF: AMM 71-20-00			
712001-002 RH FORWARD ENGINE MOUNT YOKE FITTING ASSEMBLY								
PN:601-37015-2	MOS/MSC	17-Mar-10	O/C		TSR 0			Component ATA:71
SN:5079RH	HRS	6129.88			TSR 0			
WC#: 71.095	AFL	3248			TSR 0			
					PROC. REF: AMM 71-20-00			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
712002-001		LH AFT ENGINE MOUNT THRUST SHAFT						Component	ATA:71
PN:601-37020-5	MOS/MSC	17-Mar-10	O/C						
SN:5079LH	HRS	6129.88		TSO 0					
WC#: 71.230	AFL	3248		TSO 0					
PROC. REF: AMM 71-22-01									
712002-002		RH AFT ENGINE MOUNT THRUST SHAFT						Component	ATA:71
PN:601-37020-5	MOS/MSC	17-Mar-10	O/C						
SN:5079RH	HRS	6129.88		TSO 0					
WC#: 71.230	AFL	3248		TSO 0					
PROC. REF: AMM 71-22-01									
712003-001		LH FORWARD ENGINE MOUNT LINK ASSEMBLY						Component	ATA:71
PN:601-37016-1	MOS/MSC	17-Mar-10	O/C	TSR 0					
SN:5079LH	HRS	6129.88		TSR 0					
WC#: 71.170	AFL	3248		TSR 0					
PROC. REF: AMM 71-21-01									
712003-002		RH FORWARD ENGINE MOUNT LINK ASSEMBLY						Component	ATA:71
PN:601-37016-1	MOS/MSC	17-Mar-10	O/C	TSR 0					
SN:5079RH	HRS	6129.88		TSR 0					
WC#: 71.170	AFL	3248		TSR 0					
PROC. REF: AMM 71-21-01									
712004-001		LEFT HAND UPPER FORWARD ENGINE MOUNT YOKE BOLT						Component	ATA:71
PN:601-37040-15	MOS/MSC	17-Mar-10	O/C						
SN:5079LHU	HRS	6129.88		TSO 0					
WC#: 71.005	AFL	3248		TSO 0					
PROC. REF: AMM 71-21-01									
712004-002		LEFT HAND LOWER FORWARD ENGINE MOUNT YOKE BOLT						Component	ATA:71
PN:601-37040-15	MOS/MSC	17-Mar-10	O/C						
SN:5079LHL	HRS	6129.88		TSO 0					
WC#: 71.005	AFL	3248							
PROC. REF: AMM 71-21-01									
712004-003		RIGHT HAND UPPER FORWARD ENGINE MOUNT YOKE BOLT						Component	ATA:71
PN:601-37040-15	MOS/MSC	17-Mar-10	O/C						
SN:5079RHU	HRS	6129.88		TSO 0					
WC#: 71.005	AFL	3248		TSO 0					
PROC. REF: AMM 71-21-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
712004-004	RIGHT HAND LOWER FORWARD ENGINE MOUNT YOKE BOLT							Component	ATA:71
PN:601-37040-15	MOS/MSC	17-Mar-10	O/C						
SN:5079RHL	HRS	6129.88		TSO 0					
WC#: 71.005	AFL	3248		TSO 0					
PROC. REF: AMM 71-21-01									
712010-001	NO. 1 ENGINE FORWARD MOUNT							Component	ATA:71
PN:601-37015-1	MOS/MSC	17-Mar-10	O/C	TSR 0					
SN:5079LH	HRS	6129.88		TSN 6129.88, TSR 0					
	AFL	3248		TSN 3248, TSR 0					
PROC. REF: AMM 71-21-01									
712010-002	NO. 2 ENGINE FORWARD MOUNT							Component	ATA:71
PN:601-37015-2	MOS/MSC	17-Mar-10	O/C	TSN 234, TSR 0					
SN:5079RH	HRS	6129.88		TSN 6129.88, TSR 0					
	AFL	3248		TSN 3248, TSR 0					
PROC. REF: AMM 71-21-01									
712014-001	NO. 1 ENGINE AFT MOUNT							Component	ATA:71
PN:601-37002-1	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 71-22-01									
712014-002	NO. 2 ENGINE AFT MOUNT							Component	ATA:71
PN:601-37002-1	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
PROC. REF: AMM 71-22-01									
715000-001	NO. 1 THRUST REVERSER STOW SWITCH							Component	ATA:71
PN:PN	MOS/MSC	24-Sep-90	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 71.235	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
715000-002	NO. 2 THRUST REVERSER STOW SWITCH							Component	ATA:71
PN:PN	MOS/MSC	24-Sep-90	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 71.235	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71EN1	NO. 1 ENGINE							Component	ATA:71
PN:6063T01G04	MOS/MSC	17-Mar-10	E/C						
SN:350405	HRS	6129.88		TSN 5977.58					
WC#: 71.EN1	AFL	3248							
PROC. REF: GENERIC NO REF									
71EN2	NO. 2 ENGINE							Component	ATA:71
PN:6063T01G04	MOS/MSC	23-Feb-19	E/C						
SN:350406	HRS	9373.1		TSN 9043.5					
WC#: 71.EN2	AFL	5288							
PROC. REF: GENERIC NO REF									
ATA 72 - ENGINE									
72-00-00-201 (MSG3)^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF FAN STATOR FOR THE FOLLOWING: (1) FLOWPATH ALUMINUM SKIN FOR DENTS AND CRACKS. (2) ABRADABLE RUB STRIP FOR RUBBING.(REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS	20-Sep-21						MSG-3	
	HRS	9471.3	400 (+40/-40)						
	ENC	6338							
PROC. REF: GENERIC NO REF									
72-00-00-201 (MSG3)^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF FAN STATOR FOR THE FOLLOWING: (1) FLOWPATH ALUMINUM SKIN FOR DENTS AND CRACKS. (2) ABRADABLE RUB STRIP FOR RUBBING.(REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS	08-Sep-16						MSG-3	
	HRS	8771.3	400 (+40/-40)						
	ENC	5279							
PROC. REF: GENERIC NO REF									
72-00-00-203 (MSG3)^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE FOLLOWING: (1) ENGINE MOUNTS (2) FAN ROTOR (3) FAN STATOR (4) COMPRESSOR CASE (5) FRONT FRAME, PAYING PARTICULAR ATTENTION AROUNDAGB MOUNT PADS (6) ACCESSORY GEARBOX (REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS	20-Sep-21						MSG-3	
	HRS	9471.3	400 (+40/-40)						
	ENC	6338							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-00-00-203 (MSG3) ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE FOLLOWING: (1) ENGINE MOUNTS (2) FAN ROTOR (3) FAN STATOR (4) COMPRESSOR CASE (5) FRONT FRAME, PAYING PARTICULAR ATTENTION AROUNDAGB MOUNT PADS (6) ACCESSORY GEARBOX (REF. G.E. MM SEI-580, SECTION 5-21-00)						Service	ATA:72
	MOS	08-Sep-16					MSG-3	
	HRS	8771.3	400 (+40/-40)					
	ENC	5279						
PROC. REF: GENERIC NO REF								
72-00-00-207 (MSG3) ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF ENGINE EXTERNAL LINES, PORTS, FLANGES, CLAMPS, BRACKETS, ELECTRICAL CONNECTORS, ENGINE SURFACE AND ACCESSORIES. (REF. G.E. MM SEI-580, SECTION 5-21-00)						Service	ATA:72
	MOS	20-Sep-21					MSG-3	
	HRS	9471.3	400 (+40/-40)					
	ENC	6338						
PROC. REF: GENERIC NO REF								
72-00-00-207 (MSG3) ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF ENGINE EXTERNAL LINES, PORTS, FLANGES, CLAMPS, BRACKETS, ELECTRICAL CONNECTORS, ENGINE SURFACE AND ACCESSORIES. (REF. G.E. MM SEI-580, SECTION 5-21-00)						Service	ATA:72
	MOS	08-Sep-16					MSG-3	
	HRS	8771.3	400 (+40/-40)					
	ENC	5279						
PROC. REF: GENERIC NO REF								
72-00-00-208 (MSG3) ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF HIGH PRESSURE TURBINE SECTION CASING, PAYING PARTICULAR ATTENTION FOR CRACKS, BULGES, HOT SPOTS AND SECURITY OF CENTER BODY.(REF. G.E. MM SEI-580, SECTION 5-21-00)						Service	ATA:72
	MOS	20-Sep-21					MSG-3	
	HRS	9471.3	400 (+40/-40)					
	ENC	6338						
PROC. REF: GENERIC NO REF								
72-00-00-208 (MSG3) ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF HIGH PRESSURE TURBINE SECTION CASING, PAYING PARTICULAR ATTENTION FOR CRACKS, BULGES, HOT SPOTS AND SECURITY OF CENTER BODY.(REF. G.E. MM SEI-580, SECTION 5-21-00)						Service	ATA:72
	MOS	08-Sep-16					MSG-3	
	HRS	8771.3	400 (+40/-40)					
	ENC	5279						
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-209 (MSG3) ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE FOLLOWING: (1) COMPRESSOR ASSEMBLY FOR MISSING LOCK TABS ONVISIBLE VARIABLE VANE OUTER SHANKNUTS (2) FAN ROTOR BLADE REMOVAL PORT, WATER DRAIN FOR BLOCKAGE.(REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS	08-Nov-18						MSG-3	
	HRS	9042.7	800 (+40/-40)						
	ENC	5751							
PROC. REF: GENERIC NO REF								PKG:110	
72-00-00-209 (MSG3) ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE FOLLOWING: (1) COMPRESSOR ASSEMBLY FOR MISSING LOCK TABS ONVISIBLE VARIABLE VANE OUTER SHANKNUTS (2) FAN ROTOR BLADE REMOVAL PORT, WATER DRAIN FOR BLOCKAGE.(REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS	12-Feb-14						MSG-3	
	HRS	8366.22	800 (+40/-40)						
	ENC	4936							
PROC. REF: GENERIC NO REF									
72-00-00-210 (MSG3) ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION FOR CRACKS IN THE COMBUSTION CHAMBER FRAME. BORESCOPE INSPECTION OF THE FOLLOWING: (1) COMBUSTION LINER (2) FUEL INJECTORS, PAYING PARTICULAR INSPECTION TO CENTERING IN SWIRLERS. (3) OUTER TRANSITION LINER (APPLIES TO ENGINES 350489 AND BELOW AS INSTRUCTED IN G.E. SB 72-32 THAT HAVE NOT BEEN MODIFIED TO G.E. SB 72-38).(REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS	18-Mar-14						MSG-3	
	HRS	8319.98	1600 (+40/-40)						
	ENC	4903							
PROC. REF: GENERIC NO REF								PKG:130	
72-00-00-210 (MSG3) ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION FOR CRACKS IN THE COMBUSTION CHAMBER FRAME. BORESCOPE INSPECTION OF THE FOLLOWING: (1) COMBUSTION LINER (2) FUEL INJECTORS, PAYING PARTICULAR INSPECTION TO CENTERING IN SWIRLERS. (3) OUTER TRANSITION LINER (APPLIES TO ENGINES 350489 AND BELOW AS INSTRUCTED IN G.E. SB 72-32 THAT HAVE NOT BEEN MODIFIED TO G.E. SB 72-38).(REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS	18-Mar-14						MSG-3	
	HRS	8366.22	1600 (+40/-40)						
	ENC	4936							
PROC. REF: GENERIC NO REF									
72-00-00-211 (MSG3) ^S	NO. 1 ENGINE - BORESCOPE (DETAILED) INSPECTION OF TURBINE SECTION, STAGE 1 NOZZLE AND HPT STAGE 1 BLADES. (REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS	12-Feb-14						MSG-3	
	HRS	8319.98	1600 (+40/-40)						
	ENC	4903							
PROC. REF: GENERIC NO REF								PKG:130	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-211 (MSG3) ^S	NO. 2 ENGINE - BORESCOPE (DETAILED) INSPECTION OF TURBINE SECTION, STAGE 1 NOZZLE AND HPT STAGE 1 BLADES. (REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS	12-Feb-14						MSG-3	
	HRS	8366.22	1600 (+40/-40)						
	ENC	4936							
PROC. REF: GENERIC NO REF									
72-00-00-212 (MSG3)	NO. 1 ENGINE - BORESCOPE (DETAILED) INSPECTION OF POWER TAKE-OFF (PTO) PART NO. 60371T72G01 OR 6037T72G06, FOR FORWARD MOVEMENT OF THE CARBON SLEEVE (PRE G.E. SB (CF34) 72-11).(REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS/MSC	12-Feb-14	N/A						
	HRS	8319.98							
	ENC	4903							
PROC. REF: GENERIC NO REF									
72-00-00-212 (MSG3)	NO. 2 ENGINE - BORESCOPE (DETAILED) INSPECTION OF POWER TAKE-OFF (PTO) PART NO. 60371T72G01 OR 6037T72G06, FOR FORWARD MOVEMENT OF THE CARBON SLEEVE (PRE G.E. SB (CF34) 72-11).(REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS/MSC	12-Feb-14	N/A						
	HRS	8366.22							
	ENC	4936							
PROC. REF: GENERIC NO REF									
72-00-00-213 (MSG3) ^S	NO. 1 ENGINE - MIDPOINT INSPECTION (REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS	06-Nov-19						MSG-3	
	HRS	9121.3	3200 (+40/-40)						
	ENC	5284							
PROC. REF: GENERIC NO REF									
PKG:1									
72-00-00-213 (MSG3) ^S	NO. 2 ENGINE - MIDPOINT INSPECTION (REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS	06-Nov-19						MSG-3	
	HRS	9043.5	3200 (+40/-40)						
	ENC	5530							
PROC. REF: GENERIC NO REF									
PKG:1									
72-00-00-214 (MSG3) ^S	NO. 1 ENGINE - BORESCOPE (DETAILED) INSPECTION OF THE COMPRESSOR. VISUAL CHECK OF THE FOLLOWING:(1) VISIBLE AREAS OF THE COMPRESSOR CASINGS (2) VARIABLE VANES, PAYING PARTICULAR ATTENTION FOR NICKS, DENTS, CRACKS AND EXCESSIVE MOVEMENT.(REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS	06-Nov-19						MSG-3	
	HRS	9121.3	3200 (+40/-40)						
	ENC	5284							
PROC. REF: GENERIC NO REF									
PKG:1									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-214 (MSG3) ^S	NO. 2 ENGINE - BORESCOPE (DETAILED) INSPECTION OF THE COMPRESSOR. VISUAL CHECK OF THE FOLLOWING:(1) VISIBLE AREAS OF THE COMPRESSOR CASINGS (2) VARIABLE VANES, PAYING PARTICULAR ATTENTION FOR NICKS, DENTS, CRACKS AND EXCESSIVE MOVEMENT.(REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS	06-Nov-19						MSG-3	
	HRS	9043.5	3200 (+40/-40)						
	ENC	5530							
PROC. REF: GENERIC NO REF								PKG:1	
72-00-00-217 (MSG3) ^S	NO. 1 ENGINE - DETAILED INSPECTION OF ENGINE ACCESSORY GEARBOX MOUNTS. (REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS	06-Nov-19						MSG-3	
	HRS	9121.3	3200 (+40/-40)						
	ENC	5284							
PROC. REF: GENERIC NO REF								PKG:1	
72-00-00-217 (MSG3) ^S	NO. 2 ENGINE - DETAILED INSPECTION OF ENGINE ACCESSORY GEARBOX MOUNTS. (REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS	06-Nov-19						MSG-3	
	HRS	9043.5	3200 (+40/-40)						
	ENC	5530							
PROC. REF: GENERIC NO REF								PKG:1	
72-00-00-218A (MSG3)	NO. 1 ENGINE - OVERHAUL (REF. GE MM SEI-582)							Service	ATA:72
	MOS	17-Mar-10						MSG-3	
	HRS	5977.58	6400 (+40/-40)		(12377.58) 12634.28	12417.58	2606.4 (+40)		
	ENC	3700							
PROC. REF: GENERIC NO REF								PKG:1	
72-00-00-218A (MSG3)	NO. 2 ENGINE - OVERHAUL (REF. GE MM SEI-582)							Service	ATA:72
	MOS	17-Mar-10						MSG-3	
	HRS	6023.33	6400 (+40/-40)		(12423.33) 12680.23	12463.33	2652.3 (+40)		
	ENC	3733							
PROC. REF: GENERIC NO REF								PKG:1	
72-00-00-218B (MSG3)	NO. 1 ENGINE - BORESCOPE DETAILED INSPECTION (REF. G.E. MM SEI-580)							Service	ATA:72
	MOS	06-Nov-19	120 (+1m/-1m)		06-Nov-29	06-Dec-29	2196 d (+30)	MSG-3	
	HRS	9121.3	3200 (+40/-40)		(12321.3) 12578	12361.3	2550.1 (+40)		
	ENC	5284							
PROC. REF: EMM 5-21-00								PKG:1	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-218B (MSG3)	NO. 2 ENGINE - BORESCOPE DETAILED INSPECTION (REF. G.E. MM SEI-580)							Service	ATA:72
	MOS	06-Nov-19	120 (+1m/-1m)		06-Nov-29	06-Dec-29	2196 d (+30)	MSG-3	
	HRS	9043.5	3200 (+40/-40)		(12243.5) 12500.4	12283.5	2472.5 (+40)		
	ENC	5530							
	PROC. REF: EMM 5-21-00								PKG:1
72-00-00-219 (MSG3) ^S	NO. 1 ENGINE - CHECK OIL SAMPLE (REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS	08-Nov-18						MSG-3	
	HRS	9042.7	800 (+40/-40)						
	ENC	5751							
	PROC. REF: GENERIC NO REF								PKG:110
72-00-00-219 (MSG3) ^S	NO. 2 ENGINE - CHECK OIL SAMPLE (REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS	06-Feb-14						MSG-3	
	HRS	8366.22	800 (+40/-40)						
	ENC	4936							
	PROC. REF: GENERIC NO REF								
72-00-00-220 (MSG3)	NO. 1 ENGINE - FUNCTIONAL TEST B-SUMP PRESSURE MEASUREMENT CHECK (PRE G.E. SB (CF34) 75-2)(REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS/MSC	15-Feb-12	N/A						
	HRS	7075.68							
	ENC	4227							
	PROC. REF: GENERIC NO REF								
72-00-00-220 (MSG3)	NO. 2 ENGINE - FUNCTIONAL TEST B-SUMP PRESSURE MEASUREMENT CHECK (PRE G.E. SB (CF34) 75-2)(REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS/MSC	15-Feb-12	N/A						
	HRS	7133.97							
	ENC	4260							
	PROC. REF: GENERIC NO REF								
72-00-00-221 (MSG3) ^S	NO. 1 ENGINE - VISUAL CHECK OF 6 O'CLOCK C-SUMP SCAVENGE TUBE AND GROOVE COKING.(REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS	06-Nov-19						MSG-3	
	HRS	9121.3	3200 (+40/-40)						
	ENC	5284							
	PROC. REF: GENERIC NO REF								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-221 (MSG3) ^S	NO. 2 ENGINE - VISUAL CHECK OF 6 O'CLOCK C-SUMP SCAVENGE TUBE AND GROOVE COKING.(REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS	06-Nov-19						MSG-3	
	HRS	9043.5	3200 (+40/-40)						
	ENC	5530							
	PROC. REF: GENERIC NO REF								PKG:1
72-00-00-222 (MSG3) ^S	NO. 1 ENGINE - VISUAL CHECK OF LPT STATOR ASSEMBLY PART NO. 6020T15G14 FOR TACK WELDING OF THE PIN AND CLIP ASSEMBLIES. REWORK AND RE-IDENTIFY AS REQUIRED. (REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS	06-Nov-19						MSG-3	
	HRS	9121.3	3200 (+40/-40)						
	ENC	5284							
	PROC. REF: GENERIC NO REF								PKG:1
72-00-00-222 (MSG3) ^S	NO. 2 ENGINE - VISUAL CHECK OF LPT STATOR ASSEMBLY PART NO. 6020T15G14 FOR TACK WELDING OF THE PIN AND CLIP ASSEMBLIES. REWORK AND RE-IDENTIFY AS REQUIRED. (REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS	06-Nov-19						MSG-3	
	HRS	9043.5	3200 (+40/-40)						
	ENC	5530							
	PROC. REF: GENERIC NO REF								PKG:1
72-00-00-223 (MSG3) ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF HPT STAGE 1 AND STAGE 2 SHROUDS. (REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS	06-Nov-19						MSG-3	
	HRS	9121.3	3200 (+40/-40)						
	ENC	5284							
	PROC. REF: GENERIC NO REF								PKG:1
72-00-00-223 (MSG3) ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF HPT STAGE 1 AND STAGE 2 SHROUDS. (REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS	06-Nov-19						MSG-3	
	HRS	9043.5	3200 (+40/-40)						
	ENC	5530							
	PROC. REF: GENERIC NO REF								PKG:1
72-00-00-224 (MSG3) ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF TURBINE THERMOCOUPLE HARNESS (REF. G.E. MM SEI-580, SECTION 5-21-00).							Service	ATA:72
	MOS	06-Nov-19						MSG-3	
	HRS	9121.3	3200 (+40/-40)						
	ENC	5284							
	PROC. REF: GENERIC NO REF								PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-224 (MSG3) ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF TURBINE THERMOCOUPLE HARNESS (REF. G.E. MM SEI-580, SECTION 5-21-00).							Service	ATA:72
	MOS	06-Nov-19						MSG-3	
	HRS	9043.5	3200 (+40/-40)						
	ENC	5530							
	PROC. REF: GENERIC NO REF							PKG:1	
72-00-00-225 (MSG3) ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF TURBINE NOZZLES. (REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS	06-Nov-19						MSG-3	
	HRS	9121.3	3200 (+40/-40)						
	ENC	5284							
	PROC. REF: GENERIC NO REF							PKG:1	
72-00-00-225 (MSG3) ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF TURBINE NOZZLES. (REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS	06-Nov-19						MSG-3	
	HRS	9043.5	3200 (+40/-40)						
	ENC	5530							
	PROC. REF: GENERIC NO REF							PKG:1	
72-00-00-226 (MSG3) ^S	NO. 1 ENGINE - DETAILED VISUAL INSPECTION OF THE SWIRLERS AFTER REMOVAL OF THE INJECTORS. (REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS	06-Nov-19						MSG-3	
	HRS	9121.3	3200 (+40/-40)						
	ENC	5284							
	PROC. REF: GENERIC NO REF							PKG:1	
72-00-00-226 (MSG3) ^S	NO. 2 ENGINE - DETAILED VISUAL INSPECTION OF THE SWIRLERS AFTER REMOVAL OF THE INJECTORS. (REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS	06-Nov-19						MSG-3	
	HRS	9043.5	3200 (+40/-40)						
	ENC	5530							
	PROC. REF: GENERIC NO REF							PKG:1	
72-00-00-227 (MSG3) ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE PRIMARY SWIRLERS PAYING PARTICULAR ATTENTION FOR WEAR. (REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS	06-Nov-19						MSG-3	
	HRS	9121.3	3200 (+40/-40)						
	ENC	5284							
	PROC. REF: GENERIC NO REF							PKG:1	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-227 (MSG3) ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE PRIMARY SWIRLERS PAYING PARTICULAR ATTENTION FOR WEAR.(REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS	06-Nov-19						MSG-3	
	HRS	9043.5	3200 (+40/-40)						
	ENC	5530							
	PROC. REF: GENERIC NO REF							PKG:1	
72-00-00-228 (MSG3) ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF STAGE 1 AND STAGE 2 NOZZLE ASSEMBLIES (REF. G.E. MM SEI-580, SECTION 5-21-00).							Service	ATA:72
	MOS	06-Nov-19						MSG-3	
	HRS	9121.3	3200 (+40/-40)						
	ENC	5284							
	PROC. REF: GENERIC NO REF							PKG:1	
72-00-00-228 (MSG3) ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF STAGE 1 AND STAGE 2 NOZZLE ASSEMBLIES (REF. G.E. MM SEI-580, SECTION 5-21-00).							Service	ATA:72
	MOS	06-Nov-19						MSG-3	
	HRS	9043.5	3200 (+40/-40)						
	ENC	5530							
	PROC. REF: GENERIC NO REF							PKG:1	
72-00-00-229 (MSG3) ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE COMBUSTION LINER AFTER DISASSEMBLY(REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS	06-Nov-19						MSG-3	
	HRS	9121.3	3200 (+40/-40)						
	ENC	5284							
	PROC. REF: GENERIC NO REF							PKG:1	
72-00-00-229 (MSG3) ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE COMBUSTION LINER AFTER DISASSEMBLY(REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS	06-Nov-19						MSG-3	
	HRS	9043.5	3200 (+40/-40)						
	ENC	5530							
	PROC. REF: GENERIC NO REF							PKG:1	
72-00-00-230 (MSG3) ^S	NO. 1 ENGINE - DETAILED INSPECTION COMBUSTION SECTION FUEL INJECTOR HEAT SHIELDS FOR LOOSENESS (REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS	06-Nov-19						MSG-3	
	HRS	9121.3	3200 (+40/-40)						
	ENC	5284							
	PROC. REF: GENERIC NO REF							PKG:1	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-00-230 (MSG3) ^S	NO. 2 ENGINE - DETAILED INSPECTION COMBUSTION SECTION FUEL INJECTOR HEAT SHIELDS FOR LOOSENESS (REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS	06-Nov-19						MSG-3	
	HRS	9043.5	3200 (+40/-40)						
	ENC	5530							
	PROC. REF: GENERIC NO REF								PKG:1
72-00-00-231 (MSG3) ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE FAN DISK TO ENSURE BUSHINGS ARE NOT PROTRUDING (REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS	06-Nov-19						MSG-3	
	HRS	9121.3	3200 (+40/-40)						
	ENC	5284							
	PROC. REF: GENERIC NO REF								PKG:1
72-00-00-231 (MSG3) ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE FAN DISK TO ENSURE BUSHINGS ARE NOT PROTRUDING (REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:72
	MOS	06-Nov-19						MSG-3	
	HRS	9043.5	3200 (+40/-40)						
	ENC	5530							
	PROC. REF: GENERIC NO REF								PKG:1
720110 ^S	NO. 1 ENGINE - REPLACE NO.5 BEARING CARBON SEAL PREFORMED PACKING							Service	ATA:72
	MOS	06-Nov-19						LIFE LIMIT	
	HRS	9121.3	3200						
	ENC	5284							
	PROC. REF: GENERIC NO REF								PKG:1
720110	NO. 2 ENGINE - REPLACE NO.5 BEARING CARBON SEAL PREFORMED PACKING							Service	ATA:72
	MOS	06-Nov-19						LIFE LIMIT	
	HRS	9043.5	3200		(12243.5) 12500.4		2472.5		
	ENC	5530							
	PROC. REF: GENERIC NO REF								PKG:1
722150-001	NO. 1 ENGINE - FAN DISC							Component	ATA:72
PN:6078T00G01	MOS	23-May-19						LIFE LIMIT	
SN:GAT2Y853	HRS	9121.3		TSN 9120.9					
	ENC	5284	9000	TSN 5284	(9000) 8461		2323		
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
722150-001	NO. 2 ENGINE - FAN DISC							Component	ATA:72
PN:6078T00G01	MOS	07-Feb-19						LIFE LIMIT	
SN:GAT2Y843	HRS	9043.5		TSN 9043.5					
	ENC	5530	9000	TSN 5530	(9000) 8604		2466		
PROC. REF: GENERIC NO REF									
722151-001	NO. 1 ENGINE - FAN DRIVE SHAFT							Component	ATA:72
PN:6036T78P02	MOS	23-May-19						LIFE LIMIT	
SN:REA1617H	HRS	9121.3		TSN 9121.3					
	ENC	5284	15000	TSN 5284	(15000) 14461		8323		
PROC. REF: GENERIC NO REF									
722151-001	NO. 2 ENGINE - FAN DRIVE SHAFT							Component	ATA:72
PN:6036T78P02	MOS	07-Feb-19						LIFE LIMIT	
SN:REA1620H	HRS	9043.5		TSN 9043.5					
	ENC	5530	15000	TSN 5530	(15000) 14604		8466		
PROC. REF: GENERIC NO REF									
722152-001	NO. 1 ENGINE - FAN FORWARD SHAFT							Component	ATA:72
PN:6017T63P05	MOS	23-May-19						LIFE LIMIT	
SN:GAT2T623	HRS	9121.3		TSN 9121.3					
	ENC	5284	38280	TSN 5284	(38280) 37741		31603		
PROC. REF: GENERIC NO REF									
722152-001	NO. 2 ENGINE - FAN FORWARD SHAFT							Component	ATA:72
PN:6017T63P05	MOS	07-Feb-19						LIFE LIMIT	
SN:GAT2T620	HRS	9043.5		TSN 9043.5					
	ENC	5530	38280	TSN 5530	(38280) 37884		31746		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
722210-001	NO. 1 ENGINE - COMPRESSOR ROTOR REAR SHAFT							Component	ATA:72
PN:6087T03P03	MOS	23-May-19						LIFE LIMIT	
SN:GEE1G9L1	HRS	9121.3		TSN 3143.72					
	ENC	5284	23000	TSN 1584	(26700) 26161		20023		
PROC. REF: GENERIC NO REF									
722210-001	NO. 2 ENGINE - COMPRESSOR ROTOR REAR SHAFT							Component	ATA:72
PN:6087T03P03	MOS	07-Feb-19						LIFE LIMIT	
SN:GEE1G809	HRS	9043.5		TSN 3019.67					
	ENC	5530	23000	TSN 1797	(26733) 26337		20199		
PROC. REF: GENERIC NO REF									
723120-001	NO. 1 ENGINE - FAN SPEED SENSOR							Component	ATA:72
PN:4021T56P03	MOS/MSC	22-Jan-98	O/C						
SN:GDB01978	HRS	1842.4		TSN 1842					
	ENC	1049		TSN 1049					
PROC. REF: GENERIC NO REF									
723120-001	NO. 2 ENGINE - FAN SPEED SENSOR							Component	ATA:72
PN:4021T56P03	MOS/MSC	08-Apr-98	O/C						
SN:GDBD1932	HRS	1995.5							
	ENC	1139							
PROC. REF: GENERIC NO REF									
723318-001	NO. 1 ENGINE - COMPRESSOR ROTOR FWD SHAFT							Component	ATA:72
PN:5037T01P03	MOS	23-May-19						LIFE LIMIT	
SN:GAT2T569	HRS	9121.3		TSN 9121.3					
	ENC	5284	11740	TSN 5284	(11740) 11201		5063		
PROC. REF: GENERIC NO REF									
723318-001	NO. 2 ENGINE - COMPRESSOR ROTOR FWD SHAFT							Component	ATA:72
PN:5037T01P03	MOS	07-Feb-19						LIFE LIMIT	
SN:GAT2T580	HRS	9043.5		TSN 9043.5					
	ENC	5530	11740	TSN 5530	(11740) 11344		5206		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723320-001	NO. 1 ENGINE - STAGE 1 COMPRESSOR ROTOR DISC							Component	ATA:72
PN:6087T00G02	MOS	23-May-19						LIFE LIMIT	
SN:GATHKK0C	HRS	9121.3		TSN 3143.72					
	ENC	5284	15000	TSN 1584	(18700) 18161		12023		
PROC. REF: GENERIC NO REF									
723320-001	NO. 2 ENGINE - STAGE 1 COMPRESSOR ROTOR DISC							Component	ATA:72
PN:6087T00G02	MOS	07-Feb-19						LIFE LIMIT	
SN:GATHKE8T	HRS	9043.5		TSN 3019.67					
	ENC	5530	15000	TSN 1797	(18733) 18337		12199		
PROC. REF: GENERIC NO REF									
723322-001	NO. 1 ENGINE - STAGE 2 COMPRESSOR ROTOR DISC							Component	ATA:72
PN:6036T91P01	MOS	23-May-19						LIFE LIMIT	
SN:GAT6686A	HRS	9121.3		TSN 9121.3					
	ENC	5284	15000	TSN 5284	(15000) 14461		8323		
PROC. REF: GENERIC NO REF									
723322-001	NO. 2 ENGINE - STAGE 2 COMPRESSOR ROTOR DISC							Component	ATA:72
PN:6036T91P01	MOS	07-Feb-19						LIFE LIMIT	
SN:GAT6685A	HRS	9043.5		TSN 9043.5					
	ENC	5530	15000	TSN 5530	(15000) 14604		8466		
PROC. REF: GENERIC NO REF									
723326-001	NO. 1 ENGINE - CDP SEAL							Component	ATA:72
PN:4019T38P01	MOS	23-May-19						LIFE LIMIT	
SN:AVP63249	HRS	9121.3		TSN 9121.3					
	ENC	5284	14400	TSN 5284	(14400) 13861		7723		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723326-001	NO. 2 ENGINE - CDP SEAL							Component	ATA:72
PN:4019T38P01	MOS	07-Feb-19						LIFE LIMIT	
SN:APV63229	HRS	9043.5		TSN 9043.5					
	ENC	5530	14400	TSN 5530	(14400) 14004		7866		
PROC. REF: GENERIC NO REF									
723328-001	NO. 1 ENGINE - 3 - 8 STAGE COMPRESSOR ROTOR FWD SPOOL							Component	ATA:72
PN:6078T56P05	MOS	23-May-19						LIFE LIMIT	
SN:GATHNE3G	HRS	9121.3		TSN 3143.72					
	ENC	5284	15000	TSN 1584	(18700) 18161		12023		
PROC. REF: GENERIC NO REF									
723328-001	NO. 2 ENGINE - 3 - 8 STAGE COMPRESSOR ROTOR FWD SPOOL							Component	ATA:72
PN:6078T56P05	MOS	07-Feb-19						LIFE LIMIT	
SN:GATHNFGM	HRS	9043.5		TSN 3019.67					
	ENC	5530	15000	TSN 1797	(18733) 18337		12199		
PROC. REF: GENERIC NO REF									
723330-001	NO. 1 ENGINE - STAGE 10 - 14 COMPRESSOR ROTOR REAR SPOOL							Component	ATA:72
PN:5087T46P02	MOS	23-May-19						LIFE LIMIT	
SN:GATHJA6C	HRS	9121.3		TSN 3143.72					
	ENC	5284	22000	TSN 1584	(25700) 25161		19023		
PROC. REF: GENERIC NO REF									
723330-001	NO. 2 ENGINE - STAGE 10 - 14 COMPRESSOR ROTOR REAR SPOOL							Component	ATA:72
PN:5087T46P02	MOS	07-Feb-19						LIFE LIMIT	
SN:GATHM5P7	HRS	9043.5		TSN 3019.67					
	ENC	5530	22000	TSN 1797	(25733) 25337		19199		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723351-001	NO. 1 ENGINE - STAGE 9 COMPRESSOR ROTOR DISK							Component	ATA:72
PN:6087T01P03	MOS	23-May-19						LIFE LIMIT	
SN:NCE500FK	HRS	9121.3		TSN 3143.72					
	ENC	5284	23000	TSN 1584	(26700) 26161		20023		
PROC. REF: GENERIC NO REF									
723351-001	NO. 2 ENGINE - STAGE 9 COMPRESSOR ROTOR DISK							Component	ATA:72
PN:6087T01P03	MOS	07-Feb-19						LIFE LIMIT	
SN:NCE783FA	HRS	9043.5		TSN 3019.67					
	ENC	5530	23000	TSN 1797	(26733) 26337		20199		
PROC. REF: GENERIC NO REF									
724220-001	NO. 1 ENGINE - ENGINE COMBUSTION LINER							Component	ATA:72
PN:6078T65G01	MOS/MSC	22-Jan-98	O/C						
SN:GGMTM773	HRS	1842.4		TSN 930					
	ENC	1049		TSN 542					
PROC. REF: GENERIC NO REF									
724220-001	NO. 2 ENGINE - ENGINE COMBUSTION LINER							Component	ATA:72
PN:5922T35G01	MOS/MSC	08-Apr-98	O/C						
SN:GGMTM774	HRS	1995.5		TSN 1083					
	ENC	1139		TSN 634					
PROC. REF: GENERIC NO REF									
724514-001	NO. 2 ENGINE - TURBINE HIGH PRESSURE INNER CASING							Component	ATA:72
PN:6020T59G05	MOS/MSC	02-Feb-19	O/C						
SN:GGDB7940	HRS	9043.5							
	ENC	5530							
PROC. REF: GENERIC NO REF									
724611-001	NO. 1 ENGINE - STAGE 1 TURBINE DISC							Component	ATA:72
PN:6078T93P02	MOS	22-May-19						LIFE LIMIT	
SN:GATJ61ER	HRS	9121.3		TSN 0					
	ENC	5284	6000	TSN 0	(11284) 10745		4607		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
724611-001	NO. 2 ENGINE - STAGE 1 TURBINE DISC							Component	ATA:72
PN:6078T93P02	MOS	16-Jan-19						LIFE LIMIT	
SN:GATJ61ET	HRS	9043.5		TSN 0					
	ENC	5530	6000	TSN 0	(11530) 11134		4996		
PROC. REF: GENERIC NO REF									
724612-001	NO. 1 ENGINE - STAGE 2 TURBINE DISC							Component	ATA:72
PN:6078T94P02	MOS	22-May-19						LIFE LIMIT	
SN:GATJ65F3	HRS	9121.3		TSN 0					
	ENC	5284	6000	TSN 0	(11284) 10745		4607		
PROC. REF: GENERIC NO REF									
724612-001	NO. 2 ENGINE - STAGE 2 TURBINE DISC							Component	ATA:72
PN:6078T94P02	MOS	16-Jan-19						LIFE LIMIT	
SN:GATJ65F2	HRS	9043.5		TSN 0					
	ENC	5530	6000	TSN 0	(11530) 11134		4996		
PROC. REF: GENERIC NO REF									
724620-001	NO. 1 ENGINE - HPT SHAFT							Component	ATA:72
PN:6017T00P05	MOS	22-May-19						LIFE LIMIT	
SN:GEE1GWD8	HRS	9121.3		TSN 0					
	ENC	5284	6000	TSN 0	(11284) 10745		4607		
PROC. REF: GENERIC NO REF									
724620-001	NO. 2 ENGINE - HPT SHAFT							Component	ATA:72
PN:6017T00P05	MOS	16-Jan-19						LIFE LIMIT	
SN:GEE1GW6R	HRS	9043.5		TSN 0					
	ENC	5530	6000	TSN 0	(11530) 11134		4996		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
724628-001	NO. 1 ENGINE - BALANCE PISTON ROTATING AIR SEAL							Component	ATA:72
PN:6078T90P01	MOS	22-May-19						LIFE LIMIT	
SN:NCU30086	HRS	9121.3		TSN 0					
	ENC	5284	6000	TSN 0	(11284) 10745		4607		
PROC. REF: GENERIC NO REF									
724628-001	NO. 2 ENGINE - BALANCE PISTON ROTATING AIR SEAL							Component	ATA:72
PN:6078T90P01	MOS	16-Jan-19						LIFE LIMIT	
SN:NCU30087	HRS	9043.5		TSN 0					
	ENC	5530	6000	TSN 0	(11530) 11134		4996		
PROC. REF: GENERIC NO REF									
724628-002	NO. 1 ENGINE - BALANCE PISTON STATIONARY AIR SEAL							Component	ATA:72
PN:PN	MOS/MSC	24-Sep-90	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724628-002	NO. 2 ENGINE - BALANCE PISTON STATIONARY AIR SEAL							Component	ATA:72
PN:PN	MOS/MSC	24-Sep-90	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724630-001	NO. 1 ENGINE - STAGE 1 FRONT COOLING PLATE							Component	ATA:72
PN:4027T15P02	MOS	23-May-19						LIFE LIMIT	
SN:NCE400DP	HRS	9121.3		TSN 3143.72					
	ENC	5284	6000	TSN 1584	(9700) 9161		3023		
PROC. REF: GENERIC NO REF									
724630-001	NO. 2 ENGINE - STAGE 1 FRONT COOLING PLATE							Component	ATA:72
PN:4027T15P02	MOS	16-Jan-19						LIFE LIMIT	
SN:NCE569HW	HRS	9043.5		TSN 0					
	ENC	5530	6000	TSN 0	(11530) 11134		4996		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
724632-001	NO. 1 ENGINE - STAGE 1 COOLING AFT PLATE							Component	ATA:72
PN:5041T70P03	MOS	23-May-19						LIFE LIMIT	
SN:GATCWHJ4	HRS	9121.3		TSN 3143.72					
	ENC	5284	6000	TSN 1584	(9700) 9161		3023		
PROC. REF: GENERIC NO REF									
724632-001	NO. 2 ENGINE - STAGE 1 COOLING AFT PLATE							Component	ATA:72
PN:5041T70P03	MOS	07-Feb-19						LIFE LIMIT	
SN:GATCWMRD	HRS	9043.5		TSN 3019.67					
	ENC	5530	6000	TSN 1797	(9733) 9337		3199		
PROC. REF: GENERIC NO REF									
724636-001	NO. 1 ENGINE - INNER TORQUE COUPLING							Component	ATA:72
PN:5079T02P01	MOS	22-May-19						LIFE LIMIT	
SN:GATJ67EF	HRS	9121.3		TSN 0					
	ENC	5284	6000	TSN 0	(11284) 10745		4607		
PROC. REF: GENERIC NO REF									
724636-001	NO. 2 ENGINE - INNER TORQUE COUPLING							Component	ATA:72
PN:5079T02P01	MOS	16-Jan-19						LIFE LIMIT	
SN:GATJ63L5	HRS	9043.5		TSN 0					
	ENC	5530	6000	TSN 0	(11530) 11134		4996		
PROC. REF: GENERIC NO REF									
724638-001	NO. 1 ENGINE - OUTER TORQUE COUPLING							Component	ATA:72
PN:5041T67P02	MOS	22-May-19						LIFE LIMIT	
SN:FCV05096	HRS	9121.3		TSN 0					
	ENC	5284	6000	TSN 0	(11284) 10745		4607		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
724638-001	NO. 2 ENGINE - OUTER TORQUE COUPLING							Component	ATA:72
PN:5041T67P02	MOS	16-Jan-19						LIFE LIMIT	
SN:FCV05100	HRS	9043.5		TSN 0					
	ENC	5530	6000	TSN 0	(11530) 11134		4996		
PROC. REF: GENERIC NO REF									
724640-001	NO. 1 ENGINE - STAGE 2 FRONT COOLING PLATE							Component	ATA:72
PN:5042T29P01	MOS/MSC	23-May-19	O/C						
SN:GATYA340	HRS	9121.3		TSN 9121.3					
	ENC	5284		TSN 5284					
PROC. REF: GENERIC NO REF									
724640-001	NO. 2 ENGINE - STAGE 2 FRONT COOLING PLATE							Component	ATA:72
PN:5042T29P01	MOS/MSC	07-Feb-19	O/C						
SN:GATYD083	HRS	9043.5		TSN 9043.5					
	ENC	5530		TSN 5530					
PROC. REF: GENERIC NO REF									
724642-001	NO. 1 ENGINE - STAGE 2 AFT COOLING PLATE							Component	ATA:72
PN:5023T97P02	MOS	22-May-19						LIFE LIMIT	
SN:NCE196KH	HRS	9121.3		TSN 0					
	ENC	5284	6000	TSN 0	(11284) 10745		4607		
PROC. REF: GENERIC NO REF									
724642-001	NO. 2 ENGINE - STAGE 2 AFT COOLING PLATE							Component	ATA:72
PN:5023T97P02	MOS	16-Jan-19						LIFE LIMIT	
SN:NCE198KH	HRS	9043.5		TSN 0					
	ENC	5530	6000	TSN 0	(11530) 11134		4996		
PROC. REF: GENERIC NO REF									
725011-001	NO. 1 ENGINE - HPT STAGE 2 STUDS							Component	ATA:72
PN:PN	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725011-001	NO. 2 ENGINE - HPT STAGE 2 STUDS							Component	ATA:72
PN:PN	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0							
PROC. REF: GENERIC NO REF									
725120	NO. 1 ENGINE - REPLACE HIGH PRESSURE TURBINE STAGE 2 NOZZLE RETAINING RING SECTOR							Service	ATA:72
	MOS/MSC	17-Mar-10	N/A						
	HRS	5977.58							
	ENC	3701							
PROC. REF: GENERIC NO REF									
725120	NO. 2 ENGINE - REPLACE HIGH PRESSURE TURBINE STAGE 2 NOZZLE RETAINING RING SECTOR							Service	ATA:72
	MOS/MSC	17-Mar-10	N/A						
	HRS	6023.83							
	ENC	3734							
PROC. REF: GENERIC NO REF									
725214-001	NO. 1 ENGINE - STAGE 2 HPT BLADES							Component	ATA:72
PN:6036T94P06	MOS/MSC	22-May-19	O/C	TSN 0					
SN:VARIOUS	HRS	9121.3		TSN 0					
	ENC	5284		TSN 0					
PROC. REF: GENERIC NO REF									
725214-001	NO. 2 ENGINE - STAGE 2 HPT BLADES							Component	ATA:72
PN:6036T94P06	MOS/MSC	02-Feb-19	O/C	TSN 0					
SN:VARIOUS	HRS	9043.5		TSN 0					
	ENC	5530		TSN 0					
PROC. REF: GENERIC NO REF									
725220-001	NO. 1 ENGINE - LEFT ASSEMBLY THERMOCOUPLE							Component	ATA:72
PN:6030T41P01	MOS/MSC	22-Jan-98	O/C						
SN:GGB08310	HRS	1842.4		TSN 1842					
	ENC	1049		TSN 1049					
PROC. REF: GENERIC NO REF									
725220-001	NO. 2 ENGINE - LEFT ASSEMBLY THERMOCOUPLE							Component	ATA:72
PN:8TE32ABA2	MOS/MSC	02-Feb-19	O/C						
SN:DT4915M	HRS	9043.5		TSN 0					
	ENC	5530		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725220-002	NO. 1 ENGINE - RIGHT ASSEMBLY THERMOCOUPLE							Component	ATA:72
PN:6030T40P01	MOS/MSC	22-Jan-98	O/C						
SN:GDB08303	HRS	1842.4		TSN 1842					
	ENC	1049		TSN 1049					
PROC. REF: GENERIC NO REF									
725220-002	NO. 2 ENGINE - RIGHT ASSEMBLY THERMOCOUPLE							Component	ATA:72
PN:6030T40P01	MOS/MSC	08-Apr-98	O/C						
SN:GDB08305	HRS	1995.5		TSN 1995					
	ENC	1139		TSN 1139					
PROC. REF: GENERIC NO REF									
725236-001	NO. 1 ENGINE - STAGE 1 HPT BLADES							Component	ATA:72
PN:6078T19P02	MOS/MSC	22-May-19	O/C						
SN:VARIOUS	HRS	9121.3							
	ENC	5284							
PROC. REF: GENERIC NO REF									
725236-001	NO. 2 ENGINE - STAGE 1 HPT BLADES							Component	ATA:72
PN:6078T19P02	MOS/MSC	02-Feb-19	O/C						
SN:VARIOUS	HRS	9043.5							
	ENC	5530							
PROC. REF: GENERIC NO REF									
725314-001	NO. 1 ENGINE - LOW PRESSURE TURBINE REAR SHAFT							Component	ATA:72
PN:6030T72P02	MOS	23-May-19						LIFE LIMIT	
SN:GATWP159	HRS	9121.3		TSN 9121.3					
	ENC	5284	39000	TSN 5284	(39000) 38461		32323		
PROC. REF: GENERIC NO REF									
725314-001	NO. 2 ENGINE - LOW PRESSURE TURBINE REAR SHAFT							Component	ATA:72
PN:6030T72P02	MOS	07-Feb-19						LIFE LIMIT	
SN:GATWP145	HRS	9043.5		TSN 9043.5					
	ENC	5530	39000	TSN 5530	(39000) 38604		32466		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725323-001	NO. 1 ENGINE - LPT STAGE 3 DISK							Component	ATA:72
PN:6078T91P02	MOS	22-May-19						LIFE LIMIT	
SN:XAE110AT	HRS	9121.3		TSN 0					
	ENC	5284	15000	TSN 0	(20284) 19745		13607		
PROC. REF: GENERIC NO REF									
725323-001	NO. 2 ENGINE - LPT STAGE 3 DISK							Component	ATA:72
PN:6078T91P02	MOS	16-Jan-19						LIFE LIMIT	
SN:XAE077AT	HRS	9043.5		TSN 0					
	ENC	5530	15000	TSN 0	(20530) 20134		13996		
PROC. REF: GENERIC NO REF									
725324-001	NO. 1 ENGINE - LPT STAGE 4 DISK							Component	ATA:72
PN:6078T02P04	MOS	22-May-19						LIFE LIMIT	
SN:XAE091CD	HRS	9121.3		TSN 0					
	ENC	5284	17000	TSN 0	(22284) 21745		15607		
PROC. REF: GENERIC NO REF									
725324-001	NO. 2 ENGINE - LPT STAGE 4 DISK							Component	ATA:72
PN:6078T02P04	MOS	16-Jan-19						LIFE LIMIT	
SN:XAE069CD	HRS	9043.5		TSN 0					
	ENC	5530	17000	TSN 0	(22530) 22134		15996		
PROC. REF: GENERIC NO REF									
725325-001	NO. 1 ENGINE - LPT STAGE 5 DISK							Component	ATA:72
PN:6078T92P02	MOS	23-May-19		TSN 113				LIFE LIMIT	
SN:GATHNM10	HRS	9121.3		TSN 3143.72					
	ENC	5284	15000	TSN 1584	(18700) 18161		12023		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725325-001	NO. 2 ENGINE - LPT STAGE 5 DISK							Component	ATA:72
PN:6078T92P02	MOS	07-Feb-19						LIFE LIMIT	
SN:GATHNM12	HRS	9043.5		TSN 3017.67					
	ENC	5530	15000	TSN 1797	(18733) 18337		12199		
PROC. REF: GENERIC NO REF									
725326-001	NO. 1 ENGINE - LPT STAGE 6 DISK							Component	ATA:72
PN:6078T89P03	MOS	23-May-19		TSN 113				LIFE LIMIT	
SN:GATHNGR0	HRS	9121.3		TSN 3143.72					
	ENC	5284	15000	TSN 1584	(18700) 18161		12023		
PROC. REF: GENERIC NO REF									
725326-001	NO. 2 ENGINE - LPT STAGE 6 DISK							Component	ATA:72
PN:6078T89P03	MOS	07-Feb-19						LIFE LIMIT	
SN:GATHNMOK	HRS	9043.5		TSN 3019.67					
	ENC	5530	15000	TSN 1797	(18733) 18337		12199		
PROC. REF: GENERIC NO REF									
725330-001	NO. 1 ENGINE - 3 - 4 STAGE TURBINE SEAL							Component	ATA:72
PN:5023T59P02	MOS	23-May-19						LIFE LIMIT	
SN:ABID9654	HRS	9121.3		TSN 9121.3					
	ENC	5284	29730	TSN 5284	(29730) 29191		23053		
PROC. REF: GENERIC NO REF									
725330-001	NO. 2 ENGINE - 3 - 4 STAGE TURBINE SEAL							Component	ATA:72
PN:5023T59P02	MOS	07-Feb-19						LIFE LIMIT	
SN:ABID7826	HRS	9043.5		TSN 9043.5					
	ENC	5530	29730	TSN 5530	(29730) 29334		23196		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725332-001	NO. 1 ENGINE - 4 - 5 STAGE TURBINE SEAL							Component	ATA:72
PN:5023T67P01	MOS	23-May-19						LIFE LIMIT	
SN:PAML3788	HRS	9121.3		TSN 9121.3					
	ENC	5284	29730	TSN 5284	(29730) 29191		23053		
PROC. REF: GENERIC NO REF									
725332-001	NO. 2 ENGINE - 4 - 5 STAGE TURBINE SEAL							Component	ATA:72
PN:5023T67P01	MOS	07-Feb-19						LIFE LIMIT	
SN:PAML3741	HRS	9043.5		TSN 9043.5					
	ENC	5530	29730	TSN 5530	(29730) 29334		23196		
PROC. REF: GENERIC NO REF									
725334-001	NO. 1 ENGINE - 5 - 6 STAGE TURBINE SEAL							Component	ATA:72
PN:5023T64P02	MOS	23-May-19						LIFE LIMIT	
SN:HAAD2925	HRS	9121.3		TSN 9121.3					
	ENC	5284	29730	TSN 5284	(29730) 29191		23053		
PROC. REF: GENERIC NO REF									
725334-001	NO. 2 ENGINE - 5 - 6 STAGE TURBINE SEAL							Component	ATA:72
PN:5023T64P02	MOS	07-Feb-19						LIFE LIMIT	
SN:HAAD2916	HRS	9043.5		TSN 9043.5					
	ENC	5530	29730	TSN 5530	(29730) 29334		23196		
PROC. REF: GENERIC NO REF									
725338-001	NO. 1 ENGINE - TURBINE DRIVE CONE							Component	ATA:72
PN:5023T40P01	MOS	23-May-19						LIFE LIMIT	
SN:GAT2L719	HRS	9121.3		TSN 9121.3					
	ENC	5284	15000	TSN 5284	(15000) 14461		8323		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
725338-001	NO. 2 ENGINE - TURBINE DRIVE CONE							Component	ATA:72
PN:5023T40P01	MOS	07-Feb-19						LIFE LIMIT	
SN:GAT2M802	HRS	9043.5		TSN 9043.5					
	ENC	5530	15000	TSN 5530	(15000) 14604		8466		
PROC. REF: GENERIC NO REF									
726210-001	NO. 1 ENGINE - ACCESSORY GEARBOX							Component	ATA:72
PN:6014T81G12	MOS/MSC	22-Jan-98	O/C						
SN:AGRA7354	HRS	1842.4		TSN 1842					
	ENC	1049		TSN 1049					
PROC. REF: EMM 72-60-00									
726210-001	NO. 2 ENGINE - ACCESSORY GEARBOX							Component	ATA:72
PN:6014T81G23	MOS/MSC	08-Apr-98	O/C						
SN:AGRA7353	HRS	1995.5		TSN 1995					
	ENC	1139		TSN 1139					
PROC. REF: EMM 72-60-00									
726410-001	NO. 1 ENGINE - POWER TAKE OFF ASSEMBLY DRIVE							Component	ATA:72
PN:6037T72G10	MOS/MSC	22-Jan-98	O/C						
SN:AGRA7436	HRS	1842.4							
	ENC	1049							
PROC. REF: GENERIC NO REF									
726410-001	NO. 2 ENGINE - POWER TAKE OFF ASSEMBLY DRIVE							Component	ATA:72
PN:6037T72G10	MOS/MSC	08-Apr-98	O/C						
SN:AGRA7365	HRS	1995.5		TSN 1995					
	ENC	1139		TSN 1139					
PROC. REF: GENERIC NO REF									
EC40-141009	NO. 1 ENGINE - REVIEW TR 05-045							Service	ATA:72
	MOS/MSC		-						
	HRS								
	ENC								
EC40-141009	NO. 2 ENGINE - REVIEW TR 05-045							Service	ATA:72
	MOS/MSC		-						
	HRS								
	ENC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-11-204 (MSG3) ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION FUEL PUMP ASSEMBLY - ENGINE FUEL PUMP ASSEMBLY.(REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:73
	MOS	06-Nov-19						MSG-3	
	HRS	9121.3	3200 (+40/-40)						
	ENC	5284							
	PROC. REF: GENERIC NO REF							PKG:1	
73-10-11-204 (MSG3) ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION FUEL PUMP ASSEMBLY - ENGINE FUEL PUMP ASSEMBLY.(REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:73
	MOS	06-Nov-19						MSG-3	
	HRS	9043.5	3200 (+40/-40)						
	ENC	5530							
	PROC. REF: GENERIC NO REF							PKG:1	
73-10-16-208 (MSG3) ^S	NO. 1 ENGINE - VISUAL CHECK FUEL HEATER ASSEMBLY - FOR EVIDENCE OF LEAKAGE FROMTHE FUEL HEATER (REF. G.E. MM SEI-580, SECTION 5-21-00).							Service	ATA:73
	MOS	20-Sep-21						MSG-3	
	HRS	9471.3	400 (+40/-40)						
	ENC	6338							
	PROC. REF: GENERIC NO REF							PKG:100	
73-10-16-208 (MSG3) ^S	NO. 2 ENGINE - VISUAL CHECK FUEL HEATER ASSEMBLY - FOR EVIDENCE OF LEAKAGE FROMTHE FUEL HEATER (REF. G.E. MM SEI-580, SECTION 5-21-00).							Service	ATA:73
	MOS	08-Sep-16						MSG-3	
	HRS	8771.3	400 (+40/-40)						
	ENC	5279							
	PROC. REF: GENERIC NO REF							PKG:100	
73-10-21-202 (MSG3) ^S	NO. 1 ENGINE - VISUAL CHECK FUEL FILTER ASSEMBLY - BYPASS INDICATOR AND DO A VISUAL CHECK (GVI) OF THE MOUNTING BRACKET.							Service	ATA:73
	MOS	20-Sep-21						MSG-3	
	HRS	9471.3	400 (+40/-40)						
	ENC	6338							
	PROC. REF: GENERIC NO REF							PKG:100	
73-10-21-202 (MSG3) ^S	NO. 2 ENGINE - VISUAL CHECK FUEL FILTER ASSEMBLY - BYPASS INDICATOR AND DO A VISUAL CHECK (GVI) OF THE MOUNTING BRACKET.							Service	ATA:73
	MOS	08-Sep-16						MSG-3	
	HRS	8771.3	400 (+40/-40)						
	ENC	5279							
	PROC. REF: GENERIC NO REF							PKG:100	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-21-203 (MSG3) ^S	NO. 1 ENGINE - DETAILED INSPECTION FUEL FILTER ASSEMBLY & INSTALL NEW FUEL FILTER ELEMENT							Service	ATA:73
	MOS	08-Nov-18						MSG-3	
	HRS	9042.7	800 (+40/-40)						
	ENC	5751							
				PROC. REF: AMM 73-10-21				PKG:110	
73-10-21-203 (MSG3) ^S	NO. 2 ENGINE - DETAILED INSPECTION FUEL FILTER ASSEMBLY & INSTALL NEW FUEL FILTER ELEMENT							Service	ATA:73
	MOS	12-Feb-14						MSG-3	
	HRS	8366.22	800 (+40/-40)						
	ENC	4936							
				PROC. REF: AMM 73-10-21					
73-20-11-206 (MSG3) ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE MAIN FUEL CONTROL ASSEMBLY (REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:73
	MOS	06-Nov-19						MSG-3	
	HRS	9121.3	3200 (+40/-40)						
	ENC	5284							
				PROC. REF: EMM 73-00-00				PKG:1	
73-20-11-206 (MSG3) ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE MAIN FUEL CONTROL ASSEMBLY (REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:73
	MOS	06-Nov-19						MSG-3	
	HRS	9043.5	3200 (+40/-40)						
	ENC	5530							
				PROC. REF: EMM 73-00-00				PKG:1	
73-20-16-210 (MSG3) ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF CONTROL AMPLIFIER ISOLATORS.(REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:73
	MOS	20-Sep-21						MSG-3	
	HRS	9471.3	400 (+40/-40)						
	ENC	6338							
				PROC. REF: EMM 74-00-00				PKG:100	
73-20-16-210 (MSG3) ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF CONTROL AMPLIFIER ISOLATORS.(REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:73
	MOS	08-Sep-16						MSG-3	
	HRS	8771.3	400 (+40/-40)						
	ENC	5279							
				PROC. REF: EMM 74-00-00					
730006-001	NO. 1 ENGINE - COMPRESSOR INLET TEMPERATURE SENSOR							Component	ATA:73
PN:4071T72P01	MOS/MSC	22-Jan-98	O/C						
SN:WYG57717	HRS	1842.4		TSN 1842					
	ENC	1049		TSN 1049					
				PROC. REF: EMM 73-00-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
730006-001	NO. 2 ENGINE - COMPRESSOR INLET TEMPERATURE SENSOR							Component	ATA:73
PN:4071T72P01	MOS/MSC	08-Apr-98	O/C						
SN:WYG57719	HRS	1995.5		TSN 1995					
	ENC	1139		TSN 1139					
				PROC. REF: EMM 73-00-00					
730010-001	NO. 1 ENGINE - FUEL HEATER							Component	ATA:73
PN:5023T57P02	MOS/MSC	22-Jan-98	O/C	TSN 84					
SN:JADA3371	HRS	1842.4		TSN 1838					
	ENC	1049							
				PROC. REF: EMM 73-00-00					
730010-001	NO. 2 ENGINE - FUEL HEATER							Component	ATA:73
PN:5023T57P02	MOS/MSC	08-Apr-98	O/C						
SN:JADA0393	HRS	1995.5		TSN 1995					
	ENC	1139		TSN 1139					
				PROC. REF: EMM 73-00-00					
731011-001	NO. 1 ENGINE - MFC - MAIN FUEL CONTROL							Component	ATA:73
PN:6091T07P03	MOS/MSC	06-Dec-02	O/C						
SN:WYG67264	HRS	3514.28		TSN 3224					
	ENC			TSN 1811					
				PROC. REF: EMM 73-00-00					
731011-001	NO. 2 ENGINE - MFC - MAIN FUEL CONTROL							Component	ATA:73
PN:6091T07P03	MOS/MSC	12-Oct-05	O/C	TSR 0					
SN:WYG91398	HRS	4457.42		TSN 3545, TSR 0					
	ENC	2701		TSN 2196, TSR 0					
				PROC. REF: EMM 73-00-00					
731014-001	NO. 1 ENGINE - FUEL PUMP							Component	ATA:73
PN:6052T06P05	MOS/MSC	22-Jan-98	O/C	TSN 85					
SN:CWGE0204	HRS	1842.4		TSN 1775					
	ENC	1049							
				PROC. REF: EMM 73-00-00					
731014-001	NO. 2 ENGINE - FUEL PUMP							Component	ATA:73
PN:6052T06P05	MOS/MSC	08-Apr-98	O/C						
SN:CGWE0201	HRS	1995.5		TSN 1995					
	ENC	1139		TSN 1139					
				PROC. REF: EMM 73-00-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
732000-001	NO. 1 CONTROLLER AMPLIFIER							Component	ATA:73
PN:4074T27G03	MOS/MSC	08-Apr-98	O/C						
SN:ECDZ0197	HRS	2101		TSN 1995					
	AFL	1139		TSN 1139					
PROC. REF: AMM 73-20-16									
732000-002	NO. 2 CONTROLLER AMPLIFIER							Component	ATA:73
PN:4074T27G03	MOS/MSC	22-Jan-98	O/C						
SN:ECDZ0194	HRS	1995		TSN 1842					
	AFL	1049		TSN 1049					
PROC. REF: AMM 73-20-16									
733011 ^U	FUEL FLOW INDICATOR							Component	ATA:73
PN:418-107-104	MOS/MSC	17-Mar-10	O/C						
SN:582	HRS	6129.88		TSR 0					
	AFL	3248		TSR 0					
733100-001	NO. 1 FUEL FLOWMETER							Component	ATA:73
PN:9-127-58	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 73-31-11									
733100-002	NO. 2 FUEL FLOWMETER							Component	ATA:73
PN:9-127-58	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 73-31-11									
733300-001	NO. 1 TEMPERATURE BULB							Component	ATA:73
PN:MS28034-3	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 73-33-11									
733300-002	NO. 2 TEMPERATURE BULB							Component	ATA:73
PN:MS28034-3	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 73-33-11									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
733301-001	FUEL TEMPERATURE INDICATOR							Component	ATA:73
PN:124-494-5	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
733500-001	NO. 1 LOW FUEL PRESSURE WARNING SWITCH							Component	ATA:73
PN:601-62904-1	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 73-35-11									
733500-002	NO. 2 LOW FUEL PRESSURE WARNING SWITCH							Component	ATA:73
PN:601-62904-1	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 73-35-11									
ATA 74 - IGNITION									
74-10-11-203 (MSG3) ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION IGNITION EXCITER (REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:74
	MOS	20-Sep-21						MSG-3	
	HRS	9471.3	400 (+40/-40)						
	ENC	6338							
PROC. REF: EMM 74-00-00									
74-10-11-203 (MSG3) ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION IGNITION EXCITER (REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:74
	MOS	08-Sep-16						MSG-3	
	HRS	8771.3	400 (+40/-40)						
	ENC	5279							
PROC. REF: EMM 74-00-00									
74-10-16-202 (MSG3) ^S	NO. 1 ENGINE - DETAIL INSPECTION IGNITER PLUG (REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:74
	MOS	20-Sep-21						MSG-3	
	HRS	9471.3	400 (+40/-40)						
	ENC	6338							
PROC. REF: EMM 74-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
74-10-16-202 (MSG3) ^S	NO. 2 ENGINE - DETAIL INSPECTION IGNITER PLUG (REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:74
	MOS	08-Sep-16						MSG-3	
	HRS	8771.3	400 (+40/-40)						
	ENC	5279							
	PROC. REF: EMM 74-00-00								
74-10-16-211 (MSG3) ^S	NO. 1 ENGINE - DETAILED INSPECTION IGNITER PLUGS (REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:74
	MOS	12-Feb-14						MSG-3	
	HRS	8319.98	1600 (+40/-40)						
	ENC	4903							
	PROC. REF: EMM 74-00-00								
74-10-16-211 (MSG3) ^S	NO. 2 ENGINE - DETAILED INSPECTION IGNITER PLUGS (REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:74
	MOS	12-Feb-14						MSG-3	
	HRS	8366.22	1600 (+40/-40)						
	ENC	4936							
	PROC. REF: EMM 74-00-00								
740001 ^U	LEFT ENGINE FAN INLET TEMPERATURE TRANSMITTER							Component	ATA:74
PN:4033T65P03	MOS/MSC	08-Apr-98	O/C						
SN:EGNC3808	HRS	2101		TSN 1995					
	AFL	1139		TSN 1139					
740006 ^U	RIGHT ENGINE FAN INLET TEMPERATURE TRANSMITTER							Component	ATA:74
PN:4033T65P03	MOS/MSC	22-Jan-98	O/C						
SN:EGNC3802	HRS	1995		TSN 1842					
	AFL	1049		TSN 1049					
741000-001	RUDDER STATIC IGNITION INVERTER							Component	ATA:74
PN:ASH671-2	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM 74-11-02								
741024-001	NO. 1 ENGINE - IGNITION EXCITER							Component	ATA:74
PN:9238M66P07	MOS/MSC	22-Jan-98	N/A						
SN:UNNCW717	HRS	1842.4		TSN 1842					
	ENC	1049		TSN 1049					
	PROC. REF: EMM 74-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
741024-001	NO. 2 ENGINE - IGNITION EXCITER							Component	ATA:74
PN:9238M66P07	MOS/MSC	08-Apr-98	N/A						
SN:UNNCW704	HRS	1995.5							
	ENC	1139							
					PROC. REF: EMM 74-00-00				
741024-002	NO. 1 ENGINE - IGNITION EXCITER							Component	ATA:74
PN:9238M66P07	MOS/MSC		N/A						
SN:UNNCW714	HRS	1995		TSN 1842					
	ENC	1049		TSN 1049					
					PROC. REF: EMM 74-00-00				
741024-002	NO. 2 ENGINE - IGNITION EXCITER							Component	ATA:74
PN:9238M66P07	MOS/MSC	08-Apr-98	N/A						
SN:UNNCW689	HRS	1995.5							
	ENC	1139							
					PROC. REF: EMM 74-00-00				
742000-001	NO. 1 ENGINE - IGNITER PLUG							Component	ATA:74
PN:4096T38P10	MOS/MSC	04-Mar-14	O/C	TSN 13					
SN:UNJ8R067	HRS	8319.98		TSN 0					
	ENC	4903		TSN 0					
					PROC. REF: EMM 74-00-00				
742000-001	NO. 2 ENGINE - IGNITER PLUG							Component	ATA:74
PN:4096T38P10	MOS/MSC	04-Mar-14	O/C	TSN 1					
SN:UNJ8R057	HRS	8366.22		TSN 0					
	ENC	4936		TSN 0					
					PROC. REF: EMM 74-00-00				
742000-002	NO. 1 ENGINE - IGNITER PLUG							Component	ATA:74
PN:4096T38P10	MOS/MSC	04-Mar-14	O/C	TSN 1					
SN:UNJ8R056	HRS	8319.98		TSN 0					
	ENC	4903		TSN 0					
					PROC. REF: EMM 74-00-00				
742000-002	NO. 2 ENGINE - IGNITER PLUG							Component	ATA:74
PN:4096T38P10	MOS/MSC	04-Mar-14	O/C	TSN 1					
SN:UNJ8R059	HRS	8366.22		TSN 0					
	ENC	4936		TSN 0					
					PROC. REF: EMM 74-00-00				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
743014-001	NO. 1 ENGINE - FAN INLET TEMPERATURE SENSOR							Component	ATA:74
PN:4033T65P03	MOS/MSC		O/C						
SN:UNKNOWN	HRS								
	ENC								
PROC. REF: EMM 74-00-00									
743014-001	NO. 2 ENGINE - FAN INLET TEMPERATURE SENSOR							Component	ATA:74
PN:4033T65P03	MOS/MSC		O/C						
SN:UNKNOWN	HRS								
	ENC								
PROC. REF: EMM 74-00-00									
ATA 75 - AIR									
75-30-00-201 (MSG3) ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION VARIABLE GEOMETRY CONTROL - OF THE VG SYSTEM, PAYING PARTICULAR ATTENTION TO ROD END BUSHINGS, ACTUATOR SHAFT BEARINGS, LEVER ARMS, FEEDBACK CABLE, ACTUATOR ATTACHMENT POINTS, TURNBUCKLES, ACTUATOR RING AND TORQUE SHAFT FORWARD BEARING FOR MIGRATION. LUBRICATE VG ROD END BEARINGS (24 LOCATIONS)(REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:75
	MOS	20-Sep-21						MSG-3	
	HRS	9471.3	400 (+40/-40)						
	ENC	6338							
PROC. REF: GENERIC NO REF									
75-30-00-201 (MSG3) ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION VARIABLE GEOMETRY CONTROL - OF THE VG SYSTEM, PAYING PARTICULAR ATTENTION TO ROD END BUSHINGS, ACTUATOR SHAFT BEARINGS, LEVER ARMS, FEEDBACK CABLE, ACTUATOR ATTACHMENT POINTS, TURNBUCKLES, ACTUATOR RING AND TORQUE SHAFT FORWARD BEARING FOR MIGRATION. LUBRICATE VG ROD END BEARINGS (24 LOCATIONS)(REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:75
	MOS	08-Sep-16						MSG-3	
	HRS	8771.3	400 (+40/-40)						
	ENC	5279							
PROC. REF: GENERIC NO REF									
750007-001	NO. 1 ENGINE - B-SUMP VENT REGULATOR VALVE							Component	ATA:75
PN:4060T81G03	MOS/MSC	24-Sep-90	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: EMM 75-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
750007-001	NO. 2 ENGINE - B-SUMP VENT REGULATOR VALVE							Component	ATA:75
PN:4060T81G03	MOS/MSC	24-Sep-90	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: EMM 75-00-00									
751003-001	NO. 1 ENGINE - VARIABLE GEOMETRY ACTUATOR							Component	ATA:75
PN:5050T37G01	MOS/MSC	24-Sep-90	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
751003-001	NO. 2 ENGINE - VARIABLE GEOMETRY ACTUATOR							Component	ATA:75
PN:5050T37G01	MOS/MSC	24-Sep-90	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
751003-002	NO. 1 ENGINE - VARIABLE GEOMETRY ACTUATOR							Component	ATA:75
PN:5050T37G01	MOS/MSC	24-Sep-90	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
751003-002	NO. 2 ENGINE - VARIABLE GEOMETRY ACTUATOR							Component	ATA:75
PN:5050T37G01	MOS/MSC	24-Sep-90	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
751020-001	NO. 1 ENGINE - PRESSURE REGULATING VALVE							Component	ATA:75
PN:4020T35G04	MOS/MSC	24-Sep-90	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
751020-001	NO. 2 ENGINE - PRESSURE REGULATING VALVE							Component	ATA:75
PN:4020T35G04	MOS/MSC	24-Sep-90	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 76 - ENGINE CONTROLS								
76-11-00-201 (MSG3)^S FUNCTIONAL TEST THROTTLE CONTROL								
	MOS	23-Jan-13						Service ATA:76 MSG-3
	HRS	7915.17	3200 (+40/-40)					
	AFL	4113						
PROC. REF: MTC 76-11-00-201						PKG:150		
76-11-00-209 (MSG3)^S GENERAL VISUAL INSPECTION ENGINE THROTTLE PUSH/PULL CONTROL ASSEMBLY								
	MOS	08-Nov-18						Service ATA:76 MSG-3
	HRS	9297.1	800 (+40/-40)					
	AFL	5212						
PROC. REF: MTC 76-11-00-209						PKG:110		
761011-001 ENGINE THROTTLE QUADRANT								
PN:600-90601-1035	MOS/MSC	14-Dec-12	O/C	TSR 9				Component ATA:76
SN:245	HRS	7844.7		TSR 0				
	AFL	4078		TSR 0				
PROC. REF: AMM 76-10-11, AMM 76-10-11								
761100-001 NO. 1 THROTTLE CONTROL GEARBOX								
PN:2100140-003	MOS/MSC	17-Mar-10	O/C					Component ATA:76
SN:412	HRS	6129.88						
	AFL	3248						
PROC. REF: AMM 76-10-21								
761100-001A FUNCTIONAL TEST OF THE ENGINE THROTTLE CONTROL GEARBOX ASSEMBLY , PART NO. 2100140-003 / -005 / -007/ -010. (76-10-00-101)								
	MOS	07-Oct-19						Service ATA:76 CMR
	HRS	9460.5	1000		10460.5		432.6	
	AFL	5416						
PROC. REF: AMM 76-10-00								
761100-002 NO. 2 THROTTLE CONTROL GEARBOX								
PN:2100140-003	MOS/MSC	17-Mar-10	O/C					Component ATA:76
SN:411	HRS	6129.88						
	AFL	3248						
PROC. REF: AMM 76-10-21								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 76 - ENGINE CONTROLS									
761100-002A	FUNCTIONAL TEST OF THE ENGINE THROTTLE CONTROL GEARBOX ASSEMBLY , PART NO. 2100140-003 / -005 / -007/ -010 (76-10-00-101)							Service	ATA:76
	MOS	07-Oct-19						CMR	
	HRS	9460.5	1000		10460.5		432.6		
	AFL	5416							
PROC. REF: AMM 76-10-00									
ATA 77 - ENGINE INDICATING									
771000-001	N1 FAN RPM INDICATOR							Component	ATA:77
PN:601-50911-3	MOS/MSC	07-Aug-13	O/C						
SN:363	HRS	8207.43							
	AFL								
PROC. REF: GENERIC NO REF									
771001-001	N2 TURBINE RPM INDICATOR							Component	ATA:77
PN:PN	MOS/MSC	24-Sep-90	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 77.045	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
771003-001	DIGITAL BOARD N2 INDICATOR							Component	ATA:77
PN:418-098-120	MOS/MSC	25-Jun-12	O/C						
SN:980	HRS	7471.28		TSR 0					
	AFL	3926		TSR 0					
PROC. REF: GENERIC NO REF									
771014-001	NO. 1 ENGINE - ENGINE APR CONTROL AMPLIFIER							Component	ATA:77
PN:4074T27G01	MOS/MSC		O/C						
SN:UNKNOWN	HRS								
	ENC								
PROC. REF: GENERIC NO REF									
771014-001	NO. 2 ENGINE - ENGINE APR CONTROL AMPLIFIER							Component	ATA:77
PN:4074T27G01	MOS/MSC		O/C						
SN:UNKNOWN	HRS								
	ENC								
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 77 - ENGINE INDICATING									
771100-001	ENGINE INSTRUMENT CONTROL PANEL							Component	ATA:77
PN:601-50920-1	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
772000-001	ITT TURBINE INLET TEMPERATURE INDICATOR							Component	ATA:77
PN:418-101-120	MOS/MSC	30-Mar-10	O/C		TSR 0				
SN:614	HRS	6132.22			TSR 0				
	AFL	3249			TSR 0				
PROC. REF: GENERIC NO REF									
773000-001	ENGINE VIBRATION INDICATOR							Component	ATA:77
PN:124-497-1	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
773010-001	ENGINE VIBRATION SIGNAL CONDITIONER							Component	ATA:77
PN:601-50910-9	MOS/MSC	24-Sep-90	O/C						
SN:019037	HRS	0			TSN 0				
	AFL	0							
PROC. REF: GENERIC NO REF									
773011-001	NO. 1 ENGINE VIBRATION ACCELEROMETER							Component	ATA:77
PN:600-59131-1	MOS/MSC	24-Sep-90	O/C						
SN:AH81	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 77-30-11									
773011-002	NO. 2 ENGINE VIBRATION ACCELEROMETER							Component	ATA:77
PN:600-59131-1	MOS/MSC	24-Sep-90	O/C						
SN:AH92	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 77-30-11									
ATA 78 - EXHAUST									
78-10-00-201 (MSG3)	DETAILED INSPECTION EXHAUST NOZZLE ASSEMBLY							Service	ATA:78
	MOS	17-Mar-10						MSG-3	
	HRS	6129.88	6400 (+40/-40)		12529.88	12569.88	2502 (+40)		
	AFL	3248							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
PROC. REF: MTC 78-10-00-201									
78-30-00-101	NDT CHECK THRUST REVERSER - MAIN TRACK AFT LUGS							Service	ATA:78
	MOS	16-Sep-19							
	HRS	9460.5	1800		11260.5		1232.6		
	AFL	5416							
PROC. REF: NDT ET-78-30-01									
78-30-00-102	NDT CHECK THRUST REVERSER, MAIN UPPER & LOWER PYLON TRACKS							Service	ATA:78
	MOS	08-Nov-18						AIRWORTHINESS	
	HRS	9297.1	4800		14097.1		4069.2		
	AFL	5212							
PROC. REF: NDT ET-78-30-02									
78-30-00-103	NDT CHECK THRUST REVERSER - MAIN TRACK ATTACHMENT FITTING							Service	ATA:78
	MOS	05-Jan-17							
	HRS	8941.9	5400		14341.9		4314		
	AFL	4782							
PROC. REF: NDT ET-78-30-05, NDT ET-78-30-06									
78-30-00-104	NDT CHECK THRUST REVERSER - MAIN TRACKS LOWER FLANGE							Service	ATA:78
	MOS	28-Jan-11							
	HRS	6628.52	6600		13228.52		3200.6		
	AFL	3467							
PROC. REF: NDT ET-78-30-03									
78-30-00-105	NDT CHECK THRUST REVERSER, SERVICE PYLON SUPPORT RAIL							Service	ATA:78
	MOS	12-Jul-11							
	HRS	6902.37	7200		14102.37		4074.5		
	AFL	3576							
PROC. REF: NDT ET-78-30-04									
78-30-00-106	VISUAL CHECK SERVICE PYLON-UPPER/LOWER PYLO TRACK SUPPORT BED							Service	ATA:78
	MOS								
	HRS		T:15000		15000 (M)		4972.1		
	AFL								
PROC. REF: NDT VC-78-30-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
78-30-00-203 (MSG3) ^S	LUBRICATION THRUST-REVERSER FLEX-DRIVE SHAFTS							Service	ATA:78
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	2400 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 78-30-00-203				PKG:140	
78-30-00-204 (MSG3) ^S	DETAILED INSPECTION FLEX-DRIVE SHAFTS							Service	ATA:78
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	2400 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 78-30-00-204				PKG:140	
78-30-00-205 (MSG3) ^S	FUNCTIONAL TEST AUTO-THROTTLE RETARDER SYSTEM, THROTTLE LOCKS AND BELLCRANK							Service	ATA:78
	MOS	23-Jan-13						MSG-3	
	HRS	7915.17	3200 (+40/-40)						
	AFL	4113							
				PROC. REF: MTC 78-30-00-205				PKG:150	
78-30-00-206 (MSG3) ^S	DETAILED INSPECTION 6 O'CLOCK SAM PANEL AND UNDERLYING BRACKETS (PRE SB 601-1084)							Service	ATA:78
	MOS	20-Sep-21						MSG-3	
	HRS	9728	400 (+40/-40)						
	AFL	5799							
				PROC. REF: MTC 78-30-00-206				PKG:100	
78-30-00-207 (MSG3)	DETAILED INSPECTION PNEUMATIC DRIVE UNIT (PDU) FLEXSHAFT LOCK UNIT FILTER (PRE ALLIED SIGNAL SB 126758-78-1487)							Service	ATA:78
	MOS/MSC	27-Feb-14	N/A					MSG-3	
	HRS	8472.27							
	AFL	4374							
				PROC. REF: MTC 78-30-00-207					
78-30-00-209 (MSG3) ^S	DETAILED INSPECTION SUPPORT FITTINGS OF THE THRUST-REVERSER BALLSCREW ACTUATORS.							Service	ATA:78
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 78-30-00-209				PKG:220	
78-30-00-210 (MSG3) ^S	DETAILED INSPECTION MAIN PYLON TRACKS OF THE THRUST REVERSER.							Service	ATA:78
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 78-30-00-210				PKG:220	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
78-30-00-211 (MSG3) ^S	DETAILED INSPECTION THRUST-REVERSER MAIN TRACKS.							Service	ATA:78
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 78-30-00-211				PKG:220	
78-30-01-202 (MSG3) ^S	LUBRICATION OF THE THRUST-REVERSER BALLSCREWACTUATORS.							Service	ATA:78
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	800 (+40/-40)						
	AFL	5212							
				PROC. REF: MTC 78-30-01-202				PKG:110	
78-30-01-208 (MSG3) ^S	DETAILED INSPECTION OF THE ATTACHMENT FITTINGS FOR THETHRUST-REVERSER MAIN TRACKS.							Service	ATA:78
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 78-30-01-208				PKG:220	
78-ZL-00-201 (MSG3) ^S	GENERAL VISUAL INSPECTION TORQUE BOX OF THE THRUST REVERSER - INTERNAL.							Service	ATA:78
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 78-ZL-00-201				PKG:220	
78-ZL-00-203 (MSG3) ^S	GENERAL VISUAL INSPECTION EXHAUST NOZZLE FAIRING-ASSEMBLY.							Service	ATA:78
	MOS	07-Oct-19	60 (+1m/-1m)					MSG-3	
	HRS	9460.5							
	AFL	5416							
				PROC. REF: MTC 78-ZL-00-203				PKG:220	
780010 ^U	NO. 1 ENGINE - EXHAUST FRAME							Component	ATA:78
PN:5175T43G02	MOS/MSC	22-May-19	O/C						
SN:GGMJL976	HRS								
	ENC								
781001-002	NO. 2 TAILPIPE EXHAUST NOZZLE FAIRING							Component	ATA:78
PN:228-50181-102	MOS/MSC	07-Oct-19	O/C						
SN:108	HRS	9460.5							
WC#: 78.105	AFL	5416							
				PROC. REF: AMM 78-10-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
782050 ^U	RH THRUST REVERSER FLEXSHAFT							Component	ATA:78
PN:121754-6	MOS/MSC	15-Jul-11	O/C	TSN 1				CUSTOMER CODE	
SN:061013016658	HRS	6902.37		TSN 0					
	AFL	3576		TSN 0					
783000-001	NO. 1 THRUST REVERSER PDU							Component	ATA:78
PN:126758-6-2	MOS/MSC	03-Apr-14	O/C	TSR 5					
SN:535	HRS	8491.47		TSR 0					
	AFL	4382		TSR 0					
				PROC. REF: AMM 78-30-46					
783000-002	NO. 2 THRUST REVERSER PDU							Component	ATA:78
PN:126758-6-2	MOS/MSC	12-Mar-14	O/C	TSR 10					
SN:395	HRS	8472.27		TSR 0					
	AFL	4374		TSR 0					
				PROC. REF: AMM 78-30-46					
783001-001	NO.1 ACTUATOR GEARBOX BALLSCREW							Component	ATA:78
PN:3272570-3	MOS	07-Sep-07		TSR 0				LIFE LIMIT	
SN:1382	HRS	5330		TSN 5232					
	AFL	2854	16000	TSN 2809	16045		9907		
				PROC. REF: AMM 78-30-56					
783001-002	NO.2 ACTUATOR GEARBOX BALLSCREW							Component	ATA:78
PN:3272570-3	MOS	27-Apr-07						LIFE LIMIT	
SN:1533	HRS	5232.17		TSN 4490.4, TSR 0					
	AFL	2809	16000	TSN 2485, TSR 0	16324		10186		
				PROC. REF: AMM 78-30-56					
783001-003	NO. 3 ACTUATOR GEARBOX BALLSCREW							Component	ATA:78
PN:3272570-3	MOS	07-Sep-07		TSR 7				LIFE LIMIT	
SN:1709	HRS	5330		TSN 3041					
	AFL	2854	16000	TSN 4207	14647		8509		
				PROC. REF: AMM 78-30-56					
783001-004	NO.4 ACTUATOR GEARBOX BALLSCREW							Component	ATA:78
PN:3272570-3	MOS	24-Sep-90						LIFE LIMIT	
SN:1380	HRS	0		TSN 0					
	AFL	0	16000	TSN 0	16000		9862		
				PROC. REF: AMM 78-30-56					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
783001-005		NO.5 ACTUATOR GEARBOX BALLSCREW						Component	ATA:78
PN:3272570-3	MOS	07-Sep-07		TSR 2				LIFE LIMIT	
SN:1379	HRS	5330		TSN 5232					
	AFL	2854	16000	TSN 2809	16045		9907		
PROC. REF: AMM 78-30-56									
783001-006		NO.6 ACTUATOR GEARBOX BALLSCREW						Component	ATA:78
PN:3272570-3	MOS	07-Sep-07		TSR 0				LIFE LIMIT	
SN:1098	HRS	5330		TSN 5653					
	AFL	2854	16000	TSN 4010	14844		8706		
PROC. REF: AMM 78-30-56									
783001-007		NO.7 ACTUATOR GEARBOX BALLSCREW						Component	ATA:78
PN:3272570-3	MOS	07-Sep-07		TSR 18				LIFE LIMIT	
SN:857	HRS	5330		TSN 14145					
	AFL	2854	16000	TSN 5526	13328		7190		
PROC. REF: AMM 78-30-56									
783001-008		NO.8 ACTUATOR GEARBOX BALLSCREW						Component	ATA:78
PN:3272570-3	MOS	27-Apr-07						LIFE LIMIT	
SN:P-247	HRS	5232.17		TSN 8399.9, TSR 0					
	AFL	2809	16000	TSN 4791, TSR 0	14018		7880		
PROC. REF: AMM 78-30-56									
783004-001		NO. 1 STOW THRUST REVERSER SWITCH						Component	ATA:78
PN:MS24331-4	MOS/MSC	10-Sep-14	O/C						
SN:UNKNOWN	HRS	8547.9							
	AFL	4418							
PROC. REF: AMM 78-30-66									
783004-002		NO. 2 STOW THRUST REVERSER SWITCH						Component	ATA:78
PN:4EN1-6	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 78-30-66									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
783040-001	NO.1 THRUST REVERSER ROD END							Component	ATA:78
PN:3233445-1	MOS	24-Sep-90						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0	6500	TSN 0	6500		362		
PROC. REF: TLMC 5-10-20									
783040-002	NO.2 THRUST REVERSER ROD END							Component	ATA:78
PN:3233445-1	MOS	24-Sep-90						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0	6500	TSN 0	6500		362		
PROC. REF: TLMC 5-10-20									
783040-003	NO. 3 THRUST REVERSER ROD END							Component	ATA:78
PN:3233445-1	MOS	24-Sep-90						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0	6500	TSN 0	6500		362		
PROC. REF: TLMC 5-10-20									
783040-004	NO. 4 THRUST REVERSER ROD END							Component	ATA:78
PN:3233445-1	MOS	24-Sep-90						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0	6500	TSN 0	6500		362		
PROC. REF: TLMC 5-10-20									
783040-005	NO.5 THRUST REVERSER ROD END							Component	ATA:78
PN:3233445-1	MOS	24-Sep-90						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0	6500	TSN 0	6500		362		
PROC. REF: TLMC 5-10-20									
783040-006	NO.6 THRUST REVERSER ROD END							Component	ATA:78
PN:3233445-1	MOS	24-Sep-90						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0	6500	TSN 0	6500		362		
PROC. REF: TLMC 5-10-20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
783040-007	NO.7 THRUST REVERSER ROD END							Component	ATA:78
PN:3233445-1	MOS	24-Sep-90						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0	6500	TSN 0	6500		362		
PROC. REF: TLMC 5-10-20									
783040-008	NO.8 THRUST REVERSER ROD END							Component	ATA:78
PN:3233445-1	MOS	24-Sep-90						LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0	6500	TSN 0	6500		362		
PROC. REF: TLMC 5-10-20									
783046-001	2 O'CLOCK LEFT ANTI ROTATION TANG							Component	ATA:78
PN:3233586-1	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: TLMC 5-10-20									
783046-002	4 O'CLOCK LEFT ANTI ROTATION TANG							Component	ATA:78
PN:3233586-1	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: TLMC 5-10-20									
783046-003	8 O'CLOCK LEFT ANTI ROTATION TANG							Component	ATA:78
PN:3233586-1	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: TLMC 5-10-20									
783046-004	10 O'CLOCK LEFT ANTI ROTATION TANG							Component	ATA:78
PN:3233586-1	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: TLMC 5-10-20									
783046-005	2 O'CLOCK RIGHT ANTI ROTATION TANG							Component	ATA:78
PN:3233586-1	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: TLMC 5-10-20									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
783046-006	4 O'CLOCK RIGHT ANTI ROTATION TANG							Component	ATA:78
PN:3233586-1	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
				PROC. REF: TLMC 5-10-20					
783046-007	8 O'CLOCK RIGHT ANTI ROTATION TANG							Component	ATA:78
PN:3233586-1	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
				PROC. REF: TLMC 5-10-20					
783046-008	10 O'CLOCK RIGHT ANTI ROTATION TANG							Component	ATA:78
PN:3233586-1	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
				PROC. REF: TLMC 5-10-20					
783066-001	NO. 1 T/REVERSER DEPLOY SWITCH							Component	ATA:78
PN:PN	MOS/MSC	24-Sep-90	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
WC#: 78.315	AFL	0			TSN 0				
				PROC. REF: AMM 78-30-66					
783066-002	NO. 2 T/REVERSER DEPLOY SWITCH							Component	ATA:78
PN:1EN61-6	MOS/MSC	18-Mar-14	O/C						
SN:UNKNOWN	HRS	8472.17							
WC#: 78.315	AFL	4374							
				PROC. REF: AMM 78-30-66					
783158 ^U	VISUAL CHECK LEFT THRUST REVERSER - MAIN TRACK ATTACHMENT FITTINGS							Service	ATA:78
	MOS	05-Jan-17						AIRWORTHINESS	
	HRS	8941.9	5400		14341.9		4314		
	AFL	4782							
783159 ^U	VISUAL CHECK RIGHT THRUST REVERSER - MAIN TRACK ATTACHMENT FITTINGS							Service	ATA:78
	MOS	05-Jan-17						AIRWORTHINESS	
	HRS	8941.9	5400		14341.9		4314		
	AFL	4782							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 78 - EXHAUST								
784010^U LH INBD THRUST REVERSER FLEXSHAFT								
PN:121754-2	MOS/MSC	07-Sep-07	O/C	TSN 0				Component ATA:78 CUSTOMER CODE
SN:120513012456	HRS	5330		TSN 0				
	AFL	2854		TSN 0				
784020^U LH OUTBD THRUST REVERSER FLEXSHAFT								
PN:121754-2	MOS/MSC	07-Sep-07	O/C	TSN 0				Component ATA:78 CUSTOMER CODE
SN:010713013287	HRS	5330		TSN 0				
	AFL	2854		TSN 0				
784030^U LH THRUST REVERSER FLEXSHAFT								
PN:121754-3	MOS/MSC	07-Sep-07	O/C	TSN 0				Component ATA:78 CUSTOMER CODE
SN:090513012124	HRS	5330		TSN 0				
	AFL	2854		TSN 0				
784040^U LH THRUST REVERSER FLEXSHAFT								
PN:121754-5	MOS/MSC	07-Sep-07	O/C	TSN 0				Component ATA:78 CUSTOMER CODE
SN:100613013048	HRS	5330		TSN 0				
	AFL	2854		TSN 0				
784050^U LH THRUST REVERSER FLEXHAFT								
PN:121754-6	MOS/MSC	07-Sep-07	O/C	TSN 0				Component ATA:78 CUSTOMER CODE
SN:050713013848	HRS	5330		TSN 0				
	AFL	2854		TSN 0				
785010^U RH INBD THRUST REVERSER FLEXSCHAFT								
PN:121754-2	MOS/MSC	12-Oct-05	O/C					Component ATA:78 CUSTOMER CODE
SN:060513011748	HRS	4563		TSN 0				
	AFL	2363		TSN 0				
785020^U RH OUTBD THRUST REVERSER FLEXSHAFT								
PN:121754-2	MOS/MSC	12-Oct-05	O/C					Component ATA:78 CUSTOMER CODE
SN:060513011747	HRS	4563		TSN 0				
	AFL	2363		TSN 0				
785030^U RH THRUST REVERSER FLEXSCHAFT								
PN:121754-3	MOS/MSC		O/C					Component ATA:78 CUSTOMER CODE
SN:120213006897	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 78 - EXHAUST									
785040 ^U	RH THRUST REVERSER FLEXSHAFT							Component	ATA:78
PN:121754-5	MOS/MSC	12-Oct-05	O/C					CUSTOMER CODE	
SN:020513011167	HRS	4563		TSN 0					
	AFL	2363		TSN 0					
ATA 79 - OIL									
79-20-21-203 (MSG3) ^S	NO. 1 ENGINE - DETAILED INSPECTION & INSTALL NEW OIL FILTER ELEMENT (REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:79
	MOS	08-Nov-18						MSG-3	
	HRS	9042.7	800 (+40/-40)						
	ENC	5751							
				PROC. REF: GENERIC NO REF				PKG:110	
79-20-21-203 (MSG3) ^S	NO. 2 ENGINE - DETAILED INSPECTION & INSTALL NEW OIL FILTER ELEMENT (REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:79
	MOS	09-Sep-16						MSG-3	
	HRS	8771.3	800 (+40/-40)						
	ENC	5279							
				PROC. REF: GENERIC NO REF					
79-20-26-208 (MSG3) ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OIL/FUEL HEAT EXCHANGER ASSEMBLY - PAYING PARTICULAR ATTENTION FOR CHAFING OF THE HOUSING FROM THE LOOP CLAMP ON THE C-SUMP AFT SCAVENGE HOSE. (REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:79
	MOS	12-Feb-14						MSG-3	
	HRS	8319.98	1600 (+40/-40)						
	ENC	4903							
				PROC. REF: GENERIC NO REF				PKG:130	
79-20-26-208 (MSG3) ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OIL/FUEL HEAT EXCHANGER ASSEMBLY - PAYING PARTICULAR ATTENTION FOR CHAFING OF THE HOUSING FROM THE LOOP CLAMP ON THE C-SUMP AFT SCAVENGE HOSE. (REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:79
	MOS	13-Feb-14						MSG-3	
	HRS	8366.22	1600 (+40/-40)						
	ENC	4936							
				PROC. REF: GENERIC NO REF					
79-20-31-201 (MSG3) ^S	NO. 1 ENGINE - CHECK (FUNCTIONAL TEST) CHIP DETECTOR (5 PER ENGINE)							Service	ATA:79
	MOS	01-Dec-22						MSG-3	
	HRS	9623.3	100 (+40/-40)						
	ENC	6507							
				PROC. REF: GENERIC NO REF				PKG:0	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
79-20-31-201 (MSG3) ^S	NO. 2 ENGINE - CHECK (FUNCTIONAL TEST) CHIP DETECTOR (5 PER ENGINE)							Service	ATA:79
	MOS	02-Jan-18						MSG-3	
	HRS	9063.8	100 (+40/-40)						
	ENC	5617							
	PROC. REF: GENERIC NO REF								
79-21-01-202 (MSG3) ^S	NO. 1 ENGINE - DETAILED INSPECTION C--SUMP SCAVENGE SCREENS (REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:79
	MOS	06-Nov-19						MSG-3	
	HRS	9121.3	3200 (+40/-40)						
	ENC	5284							
	PROC. REF: GENERIC NO REF								
79-21-01-202 (MSG3) ^S	NO. 2 ENGINE - DETAILED INSPECTION C--SUMP SCAVENGE SCREENS (REF. G.E. MM SEI-580, SECTION 5-21-00)							Service	ATA:79
	MOS	06-Nov-19						MSG-3	
	HRS	9043.5	3200 (+40/-40)						
	ENC	5530							
	PROC. REF: GENERIC NO REF								
79-30-26-204 (MSG3) ^S	NO. 1 ENGINE - FUNCTION TEST OIL FILTER IMPENDING BYPASS SENSOR							Service	ATA:79
	MOS	08-Nov-18						MSG-3	
	HRS	9042.7	800 (+40/-40)						
	ENC	5751							
	PROC. REF: AMM 79-30-26								
79-30-26-204 (MSG3) ^S	NO. 2 ENGINE - FUNCTION TEST OIL FILTER IMPENDING BYPASS SENSOR							Service	ATA:79
	MOS	24-Feb-14						MSG-3	
	HRS	8366.22	800 (+40/-40)						
	ENC	4936							
	PROC. REF: AMM 79-30-26								
790010-001	NO. 1 ENGINE - OIL COOLER							Component	ATA:79
PN:4048T39P01	MOS/MSC	22-Jan-98	O/C						
SN:AEY03713	HRS	1842.4		TSN 1842					
	ENC	1049		TSN 1049					
	PROC. REF: EMM 79-00-00								
790010-001	NO. 2 ENGINE - OIL COOLER							Component	ATA:79
PN:4048T39P01	MOS/MSC	08-Apr-98	O/C						
SN:AEY04617	HRS	1995.5		TSN 1995					
	ENC	1139		TSN 1139					
	PROC. REF: EMM 79-00-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
791000-001	SELECTOR - OIL REPL SYSTEM VALVE							Component	ATA:79
PN:601-63902-1	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM 79-10-26								
791001-001	ENGINE OIL LEVEL CONTROL							Component	ATA:79
PN:601-63903-9	MOS/MSC	24-Sep-90	O/C						
SN:259	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: GENERIC NO REF								
791002-001	NO. 1 OIL LEVEL PROBE							Component	ATA:79
PN:601-63903-7	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM 79-10-31								
791002-002	NO. 2 OIL LEVEL PROBE							Component	ATA:79
PN:601-63903-7	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM 79-10-31								
791003-001	LUBRICATING SYSTEM PUMP							Component	ATA:79
PN:601-63901-1	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM 79-20-11								
791006-001	NO. 1 OIL FILTER BYPASS SENSOR							Component	ATA:79
PN:4060T64P01	MOS/MSC	07-Feb-08	O/C	TSN 0					
SN:SN-UNKOWN	HRS	5479.5		TSN 0					
	AFL	2925		TSN 0					
	PROC. REF: AMM 79-30-26								
791006-002	NO. 2 OIL FILTER BYPASS SENSOR							Component	ATA:79
PN:4060T64P01	MOS/MSC	17-Oct-05	O/C						
SN:APFA5201	HRS	4564		TSN 0					
	AFL	2366		TSN 0					
	PROC. REF: AMM 79-30-26								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
791012-001	NO. 1 ENGINE - LUBE & SCAVENGE PUMP							Component	ATA:79
PN:4022T27G22	MOS/MSC	22-Jan-98	O/C						
SN:NMAA1044	HRS	1842.4		TSN 1842					
	ENC	1049		TSN 1049					
				PROC. REF: EMM 79-00-00					
791012-001	NO. 2 ENGINE - LUBE & SCAVENGE PUMP							Component	ATA:79
PN:4022T27G22	MOS/MSC	08-Apr-98	O/C						
SN:NMAA1060	HRS	1995.5		TSN 1995					
	ENC	1139		TSN 1139					
				PROC. REF: EMM 79-00-00					
791014-001	NO. 1 ENGINE - A-SUMP SCAVENGE PUMP							Component	ATA:79
PN:4018T11P02	MOS/MSC	22-Jan-98	O/C						
SN:LJA29476	HRS	1842.4		TSN 1842					
	ENC	1049		TSN 1049					
				PROC. REF: EMM 79-00-00					
791014-001	NO. 2 ENGINE - A-SUMP SCAVENGE PUMP							Component	ATA:79
PN:4018T11P02	MOS/MSC	08-Apr-98	O/C						
SN:LJA29727	HRS	1995.5		TSN 1995					
	ENC	1139		TSN 1139					
				PROC. REF: EMM 79-00-00					
793000-001	NO. 1 ENGINE OIL PRESSURE TRANSDUCER							Component	ATA:79
PN:601-50919-3	MOS/MSC	07-Sep-07	O/C		TSN 0				
SN:7365-7-409	HRS	5330			TSN 0				
	AFL	2854			TSN 0				
				PROC. REF: AMM 79-30-16					
793000-002	NO. 2 ENGINE OIL PRESSURE TRANSDUCER							Component	ATA:79
PN:20016-0000-02(601-63903-7)	MOS/MSC	09-Aug-12	O/C						
SN:631	HRS	7564.72							
	AFL	3960							
				PROC. REF: AMM 79-30-16					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
793001-001	NO. 1 ENGINE OIL PRESSURE SWITCH							Component	ATA:79
PN:1153P0012	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM 79-30-21								
793001-002	NO. 2 ENGINE OIL PRESSURE SWITCH							Component	ATA:79
PN:1153P0012	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
	PROC. REF: AMM 79-30-21								
793002-001	NO. 1 TEMPERATURE BULB							Component	ATA:79
PN:MS28034-3	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 79-30-11								
793002-002	NO. 2 TEMPERATURE BULB							Component	ATA:79
PN:MS28034-3	MOS/MSC	24-Sep-90	O/C						
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 79-30-11								
793003-001	OIL TEMPERATURE INDICATOR							Component	ATA:79
PN:418-105-116	MOS/MSC	08-Mar-18	O/C						
SN:510	HRS	9210.8							
	AFL	5081							
	PROC. REF: GENERIC NO REF								
793004-001	OIL PRESSURE INDICATOR							Component	ATA:79
PN:418-106-106	MOS/MSC	30-Mar-10	O/C		TSR 0				
SN:666	HRS	6132.22			TSR 0				
	AFL	3249			TSR 0				
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Status Report

Model: CL-601-3A/3R (MSG 3) Serial: 5079 RegNo: N836CM HRS: 10027.9 AFL: 6138 As Of: 02-Oct-2023

02-Nov-2023 05:15 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 80 - STARTING									
80-11-00-201 (MSG3) ^S	SERVICING AIR TURBINE STARTER (ATS) OIL SUPPLY							Service	ATA:80
	MOS	20-Sep-21						MSG-3	
	HRS	9728	400 (+40/-40)						
	AFL	5799							
	PROC. REF: MTC 80-11-00-201							PKG:100	
80-11-00-202 (MSG3) ^S	DETAILED INSPECTION DRAIN-PLUG MAGNETIC CHIP-DETECTOR (PART NO. 3505188-9 AND SUBS)							Service	ATA:80
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	800 (+40/-40)						
	AFL	5212							
	PROC. REF: MTC 80-11-00-202							PKG:110	
80-11-00-203 (MSG3) ^S	DISCARD AIR TURBINE STARTER (ATS) OIL							Service	ATA:80
	MOS	08-Nov-18						MSG-3	
	HRS	9297.1	800 (+40/-40)						
	AFL	5212							
	PROC. REF: MTC 80-11-00-203							PKG:110	
801000-001	NO. 1 ENGINE AIR STARTER							Component	ATA:80
PN:3505188-7-2	MOS/MSC	24-Sep-90	O/C						
SN:461	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 80-10-11								
801000-002	NO. 2 ENGINE AIR STARTER							Component	ATA:80
PN:3505188-7-4	MOS/MSC	12-Oct-05	O/C						
SN:3187C	HRS	4563		TSR 0					
	AFL	2363		TSR 0					
	PROC. REF: AMM 80-10-11								
801016-001	NO. 1 ENGINE AIR START VALVE							Component	ATA:80
PN:898930-7-2	MOS/MSC	24-Sep-90	O/C						
SN:680	HRS	0		TSN 0					
	AFL	0							
	PROC. REF: AMM 80-10-16, AMM 80-10-21								
801016-002	NO. 2 ENGINE AIR START VALVE							Component	ATA:80
PN:898930-9	MOS/MSC	14-Mar-14	O/C	TSR 43					
SN:731-C	HRS	8472.27		TSR 0					
	AFL	4374		TSR 0					
	PROC. REF: AMM 80-10-16, AMM 80-10-21								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task