



AI Rosense

Change for Life

PULAR

- Elegant matt finish
- Minimalist simplicity
- Seamless double louver
- Curved edges & rounded Lines



NON INVERTER


EXTRA COMFORT

Advanced Airflow

 7 Speed fan with vertical auto swing



Advanced Airflow

 Airflow distance of up to 10m ensure quick user comfort



EXTRA HEALTH

Easy user cleaning

 Integrated filter blocks impurities and is easy to remove and clean



Self cleaning

 Gree evaporator auto clean tech ensure the removal of dirt and odours



| SET MODEL | | GWH09AGAXA | GWH12AGBXB | GWH18AGCXD | GWH24AGDXE | GWH30AGEXF | GWH36AGEXH |
|---------------------------------|-------------------|----------------------|----------------------|----------------------|----------------------|----------------------|------------------------|
| Power Supply | | 220-240V, 50Hz, 1Ph | | | | | |
| Cooling Capacity | kW | 2.4 | 3.1 | 4.6 | 6 | 9.2 | 9.8 |
| Heating Capacity | kW | 2.45 | 3.15 | 4.95 | 6.55 | 9.7 | 10.3 |
| Cooling Power Input | W | 797 | 1030 | 1529 | 1993 | 2615 | 2874 |
| Heating Power Input | W | 718 | 981 | 1451 | 1920 | 2465 | 2853 |
| Cooling Power Current | A | 3.7 | 4.8 | 6.6 | 8.9 | 12 | 12 |
| Heating Power Current | A | 3.4 | 4.6 | 6.4 | 8.7 | 11.5 | 12 |
| Rated Current | A | 5.8 | 7 | 11.6 | 15 | 18.5 | 19.5 |
| EER | W/W | 3.01 | 3.01 | 3.01 | 3.01 | 3.52 | 3.41 |
| COP | W/W | 3.41 | 3.21 | 3.41 | 3.41 | 3.94 | 3.61 |
| Air Flow Volume(H/M/L) | m ³ /h | 520/470/420/250 | 590/520/400/320/300 | 650/590/480/370/340 | 950/840/690/590/540 | 1250/1100/980/820 | 1250/1100/1000/900/850 |
| Dehumidifying Volume | L/h | 0.8 | 1.6 | 1.8 | 1.8 | 3.0 | 3.2 |
| INDOOR MODEL | | GWH09AGAXA-K3NNA1A/I | GWH12AGBXB-K3NNA1B/I | GWH18AGCXD-K3NNA1B/I | GWH24AGDXE-K3NNA1B/I | GWH30AGEXF-K3NNA1A/I | GWH36AGEXH-K3NTA2A/I |
| Unit Dimensions Indoor (W×H×D) | mm | 704×260×185 | 779×260×185 | 825×293×196 | 982×311×221 | 1075×333×246 | 1075×333×246 |
| Box Dimensions Indoor (W/H/D) | mm | 753×332×258 | 828×332×258 | 875×365×268 | 1044×385×297 | 1133×414×333 | 1133×414×333 |
| Net Weight Indoor | kg | 7.6 | 8.5 | 10.3 | 13.7 | 16.9 | 16.9 |
| Gross Weight | kg | 8.8 | 10 | 11.9 | 16 | 19.6 | 18.5 |
| Indoor sound pressure(H/M/L) | dB (A) | 40/37/31/25 | 40/37/34/30/28 | 41/40/36/34/32 | 45/42/38/35/34 | 48/45/40/37 | 49/46/44/42/41 |
| Operating Temp (cool/heat) | °C | 18 - 43 / -15 - 24 | 18 - 43 / -7 - 24 | 18 - 43 / -15 - 24 | 18 - 43 / -15 - 24 | 18 - 43 / -15 - 24 | 18 - 43 / -7 - 24 |
| OUTDOOR MODEL | | GWH09AGAXA-K3NNA1A/O | GWH12AGBXB-K3NNA1B/O | GWH18AGCXD-K3NNA1B/O | GWH24AGDXE-K3NNA1B/O | GWH30AGEXF-K3NNA1A/O | GWH36AGEXH-K3NTA2A/O |
| Unit Dimensions Outdoor (W×H×D) | mm | 710×450×293 | 732×555×330 | 802×555×350 | 873×555×376 | 958×660×402 | 1000×746×427 |
| Box Dimensions Outdoor (W×H×D) | mm | 764×525×330 | 794×615×376 | 872×620×398 | 951×620×431 | 1032×737×456 | 1080×483×810 |
| Net Weight Outdoor | kg | 25 | 28 | 39 | 43 | 57 | 66 |
| Gross Weight Outdoor | kg | 27 | 31 | 41 | 46 | 61 | 71 |
| Outdoor sound pressure(H/M/L) | dB (A) | 49 | 52 | 53 | 55 | 60 | 59 |
| Refrigerant | Type | R410a | R410a | R410a | R410a | R410a | R410a |
| Pipe size (Liquid/gas) | Inch | 1/4" & 3/8" | 1/4" & 1/2" | 1/4" & 1/2" | 1/4" & 1/2" | 1/4" & 5/8" | 1/4" & 5/8" |
| Pipe run max | m | 15 | 20 | 25 | 25 | 30 | 25 |
| Pipe run max (vertical) | m | 10 | 10 | 10 | 10 | 10 | 10 |



AI Rosense



AI Rosense



AI Rosense