



**CHAMPION**

HANDPIECE	SPINDLE COMBO	IMPELLER	FRONT BEARING	REAR BEARING	O-RING	LOADING SPRING	SPACER	CANISTER	MISC.	BACK CAP
MINI CANISTER	30114M	-	40405CM	40405CM	404072	40410	-	30303A		30116
MINI PB	-	-	40405CM	40405CM	404072	40410	-	30303PB-MINI		30116PB
CANISTER	30114	30113	40405CM	40405CM	404072	40410	-	30303		30116
CANISTER PB	30303 SPIN	30113	40405CM	40405CM	404072	40410	-	30303PBC 30303PBC-B		30116PB
Supergrade (Torque Head)										
Manual			40405CM	40405CM	404072	40410		30303S		N/A
Push Button			40405CM	40405CM	404072	40410		30303SP		N/A

CHAMPION

**CHINESE (page 1)**

HANDPIECE	SPINDLE COMBO	IMPELLER	FRONT BEARING	REAR BEARING	O-RING	LOADING SPRING	SPACER	TURBINE	MISC.	BACK CAP
ANDAIRE								SO-SAFCO		
BEYES										
600M/800M	80900PB		40405CM	40405CM	10106S	40410		80900		
600S/800S	80901PB		40405CM	40405CM	10106S	40410		80901		
M600	80902PB		40405CM	40405CM	404075	40410		80902		
M700	80903PB		40405CM	40405CM	404075	40410		80903		
DELMA	10116Y	10116YI	40405CM	40405CM	10106SR	40410	10116TS			
PM-MQ						(IN CAP)				
DYM										
SKI-202P								30303PBC		
JINME								SO-SAFCO		
JIN-TU										
PANA MAX	80650PB		60102M	60102M	404072	40410	40410D			
PAX-SU-M4										
40410D- BETWEEN THE REAR BEARING AND IMPELLER.										
THE ORIGINAL BEARING CUP AND SLING MUST BE REUSED.										
PANA MAX										
PAX-TU M4	10116PBL	10108A	40405CM	40405CM	404072	40410-IN BACK CAP				
SANDENT	80650PB		60102M	60102M	404072 (Cap)	40410	40410D			
40410D- BETWEEN THE REAR BEARING AND IMPELLER.										
THE ORIGINAL BEARING CUP AND SLINGER MUST BE USED.										
TORNADO	10116PBS	90188I	40405CM	40405CM	10106S	40410 (2)	40410D (2) - Between brgs. And Impeller			
S333 M4										
LQS666K	60182PB-XXX	90188I	40405CM	40405CM	10106SR		40410D (2) - Between brg. And Impeller			

**CHINESE (page 2)**

HANDPIECE	SPINDLE COMBO	IMPELLER	FRONT BEARING	REAR BEARING	O-RING	LOADING SPRING	SPACER	SETTING TOOL	MISC.	BACK CAP
YA BANG BANG			40405CM	40405CM	404075	40410 (2)				
YBB-SA-M4-SU										
40410- 1 IN THE BACK CAP AND 1 IN THE HEAD.										
YA BANG BANG										
YBB-T-M4-SU	10116PBL-XXX	ORIGINAL	40405CM	40405CM	404075	40410 (2)				
THE ORIGINAL BEARING CUP AND SLINGER MUST BE REUSED.										
NOT ALL PIECES HAVE BEARING CUP AND SLINGER ( THOSE USE 40405B ON THE FRONT AND 10106S O RING).										
40410- 1 IN THE BACK CAP AND 1 IN THE HEAD.										
SKY SEA	30303SPIN	ORIGINAL	40405CM	40405CM	404075	70109 (IN CAP)				
WOLF-wsl-kv	10116T	10116TI	40405CM	40405CM	10106S	10216 (2-Large)				
646B (ChromeCa	10116PBS	10108	10101ANG	10101ANG	10106S					
Denshine (Canister style)	30303PBC									
Denshine	10116PBL-XXX	Orig.	40405CM	40405CM	404072	Flat Spacer (Front)	40410 (Rear)			
(Note: Must score i.d. of impeller with exacto blade)										
Gingle	10116PBL	10108A	10101ANG	10101ANG	10106S		40410D			
Being Foshan	10116Y		40405CM	40405CM						
Loyus 302PB-M4										

**CHINESE (page 3)**

HANDPIECE	SPINDLE COMBO	IMPELLER	FRONT BEARING	REAR BEARING	O-RING	LOADING SPRING	SPACER	TURBINE	MISC.	Cap
Brasseler										
Brio 440	60182PB-XXX	Orig	60102M	60102M	404075					90115-Brio
(Can open cap with TDC4500 Cap tool, part# 00062)										
Sandent 45	SO-NCHSU03-A									
Yabangbang 45	SO-NCHSU03-A									
Neovo Evolve 6110	10116PBS (Spindle Only)	Orig	40405CM	40405CM	10106S	50108				
Yusendent CX207E	70116SSYNEA-XXX (Must re-use slinger, front washer and impeller)	Orig	40405CM	40405CM	10106S	2-40410E In Cap				
KaVo M9000L	(Overhaul only)	Orig	60102M	60102M	10106SR	10216				
(Why is it not OEM...This has a straight spindle, the OEM has a Body Line on it, This has a small serial number on housing)										
KaVo M9000L	10116T	10116TI	60102M	40405CM	10106SR	10216				
(If you're replacing the turbine)										
Medidenta Large Head with Self Generating Light										
	10116PBL-XXX	Orig	40405CM	40405CM	404072		90189S		90189	

**DABI ALANTE**

HANDPIECE	SPINDLE COMBO	IMPELLER	FRONT BEARING	REAR BEARING	O-RING	Turbine				BACK CAP
MS-350	70401	-	10101DG	10101DG	10106	70400				-
RS-350	70402	-	40405BM	40405BM	404072	-				-

DABI ALANTE

## DENTEX

HANDPIECE	SPINDLE COMBO	IMPELLER	FRONT BEARING	REAR BEARING	O-RING	LOADING SPRING	SPACER	Turbine	MISC.	BACK CAP
M3-M (mini)	70500	RED	40405BM	40433	70506	40410E	70502	70505		70507
M3-S (Standard)	70501	GREEN	40405BM	40405BM	70506	40410E	70502	70504		70508
M1-M (manual)								30303A		30116
M1-M (PB)								30303PB-mini		30116PB
M1-S (manual)								30303		30116
M1-S (push button)								30303PBC		30116PB

DENTEX

### IMPACT AIR

HANDPIECE	SPINDLE COMBO	IMPELLER	FRONT BEARING	REAR BEARING	O-RING	FRONT WASHERS	TURBINE KIT	BACK CAP
Impact Air 45	SO-IM009	SO-IM010	40405A	40405A	404072	SO-IM004	SO-IM003	SO-IM001
or Timken	SO-IM009-A	SO-IM010	40405A	40405A	404072	SO-IM005		
or (after-market turbine that works with OEM cap)							SO-IM005-OEM	
Impact Air 45 OEM		SO-IM010	40405A	40405A	404072	SO-IM004	SO-ImpactAir45/PB	
OEM chuck	SO-IM014							
Note: For improved performance, you can try a 404075 O-ring on the Front Bearing.								

IMPACT AIR



**J.Morita**

HANDPIECE	SABLE TURBINE	IMPELLER	FRONT BEARING	REAR BEARING	O-RING	LOADING SPRING	SPACER	OEM TURBINE	MISC.	BACK CAP
4HUMX-O			40405CM	40405CM	404075	70109		80701UM		80705
4HMX-O			40405CM	40405CM	404075	70109		80701		80706
4HUEX-O			40405CM	40405CM	404075	70109		80701M		80705
4HEX-O	Sable turbine 80701T		40405CM	40405CM	404075	70109		80703		80706
4HX-O			40405CM	40405CM	404075	70109				
4HEX-O-45			40405CM	40405CM	404075	70109		80702		80706

**KAVO (page 1)**

HANDPIECE	SPINDLE COMBO	IMPELLER	FRONT BEARING	REAR BEARING	O-RING	LOADING SPRING	SPACER/ SLINGER	SETTING TOOL	BACK CAP
625C	10116PBL	10108A	10101ANG	10101ANG	10106	-	-	.102	-
625CD	10116PBL	10108A	10101ANG	10101ANG	10106	-	40410D	.102	10114CD
632 / 642 / 643	10116PBS	10108	10101ANG	10101ANG	10106	-	-	.102	10113
636CP / 636 / 646	10116PBL	10108A	10101ANG	10101ANG	10106	-	40410D	.102	10114AB
634P4	10116PBS	10108	10101ANG	10101ANG	10106	-	40410D	.102	-
635B	10116Z	10108C	10101ANG	10101635B	10106	-	10125	.114	10113AB
635BR	10116Z	10108C	10101ACER	10101635BCER	10106	-	10125BR	.114	10113AB
630 / 640	10116PBL	10108A	10101ANG	10101ANG	10106	-	-	.102	10114
647 / 649	10116X	10108	10101ANG	10101ANG	10106	-	10126	.102	10114AB
650B	10116X	10108A	10101ANG	10101ANG	10106SR	-	10126-650	.102	10114AB
655B / 660B	10116B	10116YI	10101ANG	40405CM	10106SR	10216		.096	10114AB
659B	10116B	10116YI	10101DG	40405CM	10106SR	10216	-	.096	10114AB
659B OEM KaVo			10101635B	10102B	10106SR				
659BR OEM KaVo			60102	60102	10106SR	10216 LARGE X2			
4500B	10116R		10101DG	10101DG	10106SR	10216 SMALL X2	-	.096	10113-4500
4500B OEM/SV/C			101014500	10101635B	10106SR	10216 SMALL X2	-		10113-4500
6000B /SV/S/A	10116Y	10116YI	10101DG	40405CM	10106SR	10216	-	.096	10114-6000
6000B OEM/C			10101635B	10102B	10106SR	10216	-		10114-6000
6500B	10116T/-A	10116TI	10101ANG	40405CM	10106SR	10216	10116TS	.096	10114-6500
6500BR	10116T	10116TI	60102	40405CM	10106SR	10216	10116TS		10114-6000
6500BR OEM/SV/C		10116TI	60102	40405CM	10106SR	10216	10116TS		10114-6500
8000B	10116T	10116TI	60102	40405CM	10106SR	10216	10116TS		
<i>S605C/615</i>	<i>10116L</i>		<i>40405CM</i>	<i>40405CM</i>	<i>10106SR</i>	<i>10216 (Both Large)</i>			<i>10113S</i>
605/15 OEM/SV/C			10102B	10102B	10106SR	10216			10113S
S609C/619C/S619L	10116M		60102	40405CM	10106SR	10216			10114-6500
OEM/SV/C			60102	60102	10106SR				10114-6500
E675L	10116R	10116RI	10101DG	40405CM	10106SR	10216 (Both Small)			10113-E675L
E675L OEM/SV/C		10116RI	101014500	10102B	10106SR	10216 (Both Small)			10113-E675L
E679L	10116N		10102B	10101DG	10106SR	10216			10114-E679L
E679L OEM/-A	10116N-A		60102	10101635B	10106SR	10216			10114-E679L
If they differ, we have noted the Originals with "OEM KaVo" following the model number.									
Some SPINDLE COMBO'S ARE AVAILABLE IN TIMKEN -A.									
MOST SPINDLES ARE AVAILABLE IN BALANCED -B, Carbide -C									
MOST SPINDLE COMBO'S ARE AVAILABLE IN SABLE -S or -SV									

**KAVO**

**KAVO (PAGE 2)**

HANDPIECE	SPINDLE COMBO	IMPELLER	FRONT BEARING	REAR BEARING	O-RING	LOADING SPRING	SPACER	SETTING TOOL	BACK CAP
M4500L	10116R		10101DG	10101DG	10106SR	10216 (Both Small)			10113-4500
OEM/SV/C			101014500	10101635B	10106SR	10216			10113-4500
M8700L	10116R		10101DG	40405CM	10106SR	10216		10116D-BR	10113S
OEM/SV/C	10116D		101014500	10102B	10106SR	10216			10113S
M8900L	10116C		60102M-C	40405CM	10106SR	10216		10116C-BR	
OEM/C-A	10116C-A		60102M-C	60102M-C	10106SR	10216	40410C		
S459L	10116M-C		60102M-C	60102M-C	10106SR	10216			SO-MaximaProBC
(Note, can use HS Maxima Pro turbine)									

**LARES**

HANDPIECE	SPINDLE COMBO	IMPELLER	FRONT BEARING	REAR BEARING	O-RING	LOADING SPRING	CHUCK NUT	TURBINE	BACK CAP
<b>LARES 557</b>									
557	50116PBS	50113	50106B	50106A	50110	40410E		50116PBS-OEM	50121
EURO	50117PBS	50113	50106B	50106A	50110	50108		50116PBS-OEM	50121
TURBO	50116PBS	50113	50106B	50106A	50110	40410E		50116PBS-OEM	50121
ULTRALITE	50117PBS	50113	50106B	50106A	50110	50108		50116PBS-OEM	50121
ULTRALITE CX	50117PBS-CX	50113	50106B	50106B	50110	50108		50116PBS-CX	50121CX
<b>LARES 757</b>									
757	50116PBL	50114	50106B	50106A	50110	-		50116PBL-OEM	50120
EURO	50117PBL	50114U	50106B	50106A	50110	50108		50117PBL-OEM	50120
WORKHORSE	50117PBL	50116	50106B	50106A	50110	-		50116PBL-OEM	50120
ULTRALITE	50117PBL	50113	50106B	50106A	50110	50108		50117PBL-OEM	50120
ULTRALITE CX	50117PBL-CX	50114CX	50106B	50106B	50110	50108		50116PBL-OEM-CX	50120CX
<b>LARES 330E</b>									
330E		50113	50106B	50106B	50110	50108	50109	50119	
<b>ULTRA-ACCESS</b>									
EURO	50116PBS-U	50113U	50106B	50106B	50110	50108		50116U-OEM	50123
MX	50116PBS-U	50113U	50106B	50106B	50110	50108		50116U-OEM	50123
<b>ProStyle 4H</b>									
ProStyle 4H	50117PBL	50116	50106B	50106A	50110	50108			50120

**LARES**

## New MIDWEST/SIRONA Handpieces

HANDPIECE	SPINDLE COMBO	IMPELLER	FRONT BEARING	REAR BEARING	O-RING	LOADING SPRING	SPACER	BACK CAP	TURBINE
<b>Tradition TB/TL FIXED BACKEND HANDPIECE (Pre-2020 Models only, 4-Digit Serial Numbers)</b>									
Tradition TB	40496PB-A		40405TP	40405TP	10106S	10216 (Lg)			40496PB-T
Tradition TL	40496PB-A		40405TP	40405TP	10106S	10216 (Lg)			40496PB-T
<b>Tradition PRO TBF/TLF FIXED BACKEND HANDPIECE (Pre-2020 Models only, 4-Digit Serial Numbers)</b>									
Tradition PRO TBF	40496PB-A		40405TP	40405TP	10106S	10216 (Lg)			40496PB-T
Tradition PRO TLF	40496PB-A		40405TP	40405TP	10106S	10216 (Lg)			40496PB-T
<b>Tradition TC SWIVEL STYLE BACKEND</b>									
Tradition TC	40495PB-A		40516PM	40516PM	10106S	40410A		40415-STP	
<b>TRADITION</b>									
MANUAL CHUCK	40497	40498	40405BM	40405CM	404072	-	-	40415	-
PUSH BUTTON	40497PB-A, -B	40498PB	40405A	40405A	404072	-		40415PBO	-
LEVER	40497L-A, -B	40498	40405A	40405D	404072	-	40410D	40415AL	-
PLUS +	40497PL-A		60102M-C	60102M-C	40511S		2-70109		40497PL-T
(Trad+ has a removable spacer on the back-side of the impeller (OEM) only. (40410D))									
<b>TRADITION/DENTSPLY SIRONA TB</b>									
	60182PB-XXX	Orig	40405CM	40405CM	10106S	70109			
<b>STYLUS</b>									
NO MODEL #	40519	40521	40516	40516	40511		40518	40500	40510
360	40519-A	40521	40516	40516	40511		40518	40500	40510
361	40519-A	40521	40516	40516	40511		40518	40500	40510
LITE	40519-A	40521	40516	40516	40511		40518	40500	40510
540	40519M-A	40521	40516	40516	40511			40500	40510MINI
540S	40519M-A	40521	40516	40516	40511			40500	40510MINI
541	40519M-A	40521	40516	40516	40511			40500	40510MINI
360, 540, 540S REQUIRE THE MIDWEST COUPLER									
361, 541, REQUIRE THE KAVO COUPLER									
Stylus Plus	60182PB-XXX		40516P	40516P	10106SR	OEM			40510Plus-OEM
(Must LocTite Bearings; re-use impeller, Loading spring F/R)									

## New MIDWEST/SIRONA Handpieces

HANDPIECE	SPINDLE COMBO	IMPELLER	FRONT BEARING	REAR BEARING	O-RING	LOADING SPRING	SPACER	BACK CAP	TURBINE
<b>Tradition TB/TL - FIXED BACKEND HANDPIECE (Pre-2020 Models only, 4-Digit Serial Numbers)</b>									
Tradition TB	40496PB-A		40405TP	40405TP	10106S	10216 (Lg)			40496PB-T
Tradition TL	40496PB-A		40405TP	40405TP	10106S	10216 (Lg)			40496PB-T
<b>Tradition PRO TBF/TLF - FIXED BACKEND HANDPIECE (Pre-2020 Models only, 4-Digit Serial Numbers)</b>									
Tradition PRO TBF	40496PB-A		40405TP	40405TP	10106S	10216 (Lg)			40496PB-T
Tradition PRO TLF	40496PB-A		40405TP	40405TP	10106S	10216 (Lg)			40496PB-T
<b>Tradition TC - SWIVEL STYLE BACKEND</b>									
Tradition TC	40495PB-A		40516PM	40516PM	10106S	40410A		40415-STP	40495PB-T
<b>Tradition PRO TC and TCF - Swivel Style Handpiece</b>									
Tradition PRO TC and TCF	40495PB-A		40516PM	40516PM	10106S	40410A		40415-STP	40495PB-T
<b>Midwest Stylus PLUS</b>									
Stylus Plus	40495PB-A		40516PM	40516PM	10106S	40410A		40415-STP	40495PB-T
OEM turbine =									40510PLUS-OEM
<b>Midwest Phoenix and Phoenix PRO</b>									
Phoenix	40495PB-A		40516PM	40516PM	10106S	40410A		40415-STP	40495PB-T
Phoenix PRO	40495PB-A		40516PM	40516PM	10106S	40410A		40415-STP	40495PB-T
OEM turbine for both =									40510PLUS-OEM
<b>Midwest Tradition PLUS</b>									
Tradition Plus	40497PL-A		60102M-C	60102M-C	10106S	70109	40518PL-1	40415PB-P	40497PL-T
							& 40518PL-2		

**MIDWEST**

**MK DENT**

HANDPIECE	SPINDLE	IMPELLER	FRONT BEARING	REAR BEARING	O-RING	LOADING SPRING	SPACER	SETTING TOOL	MISC.	BACK CAP
HC2001	10116PBL	10108A	10101ANG	10101ANG	10106			.102		10114
2002	10116PBL	10108A	10101ANG	10101ANG	10106			.102		10114
2011	10116PBL	10108A	10101ANG	10101ANG	10106			.102		10114
2012	10116PBL	10108A	10101ANG	10101ANG	10106			.102		10114
HC2022	10116PBL	10108A	10101ANG	10101ANG	10106			.102		10114
4021	10116PBL	10108A	10101ANG	10101ANG	10106			.102		10114
5021	10116PBL	10108A	10101ANG	10101ANG	10106			.102		10114
6021	10116PBL	10108A	10101ANG	10101ANG	10106			.102		10114
7021	10116PBL	10108A	10101ANG	10101ANG	10106			.102		10114
HC2013	10116PBS	10108	10101ANG	10101ANG	10106			.102		10113
2014	10116PBS	10108	10101ANG	10101ANG	10106			.102		10113
4012	10116PBS	10108	10101ANG	10101ANG	10106			.102		10113
4022	10116PBS	10108	10101ANG	10101ANG	10106			.102		10113
5012	10116PBS	10108	10101ANG	10101ANG	10106			.102		10113
5022	10116PBS	10108	10101ANG	10101ANG	10106			.102		10113
6012	10116PBS	10108	10101ANG	10101ANG	10106			.102		10113
6022	10116PBS	10108	10101ANG	10101ANG	10106			.102		10113
7012	10116PBS	10108	10101ANG	10101ANG	10106			.102		10113
7022	10116PBS	10108	10101ANG	10101ANG	10106			.102		10113
HC9021W	10116	10116TI	10101ANG	40405CM	10106	10216		.102		10113
	PBL-XXX									
ALL SPINDLE COMBO'S ARE AVAILABLE IN SABLE -S & -SV										
ALL SPINDLE COMBO'S ARE ALSO AVAILABLE IN -B & -C										

**MK DENT**

**NSK**

Handpiece	Spindle Combo	Impeller	Front Bearing	Rear Bearing	O-Ring	Slinger/Bea ring Cup	Wavy Washer	Back Cap	Turbine Cartridge
PANA MAX S (SU04 and N5000)	90187PB	90187I	40405CM	40405CM	90183-OR	90189S/ 90189	70109	90187BC	SO-PANAMAXS 90187
PANA MAX T (TU04)	90188PB	90188I	40405CM	40405CM	90183-OR	90189S/ 90189	70109	90188BC	SO-PANAMAXT
X500 / 9000M	90180-A	90180I	90180BRG	40405CM	404072 / 90183-OR	90183		90180BC	SO-TIXMU03 or <b>90184</b>
X600 / 9000S	90181-A	90181I	40405CM	10102B	90183-OR	90183	70109 x 2	90181BC	SO-TIXSU03 or <b>90185</b>
X700 / 9000T	90182-A	90182I	40405CM	10102B	90183-OR	90183		90182BC	SO-TIXTU03 or <b>90186</b>
Pana 2000								SO-PA2000BC	SO-PA2000-A
S-Max M500								90115-M500	SO-SXMU03-A
S-Max M600								90115-M600	SO-SXSU03-A
S-Max PICO								90115-PICO	SO-SXPU03-A
Brasseler Brio 440 (Refer to Chinese Page)								90115-Brio	
NLXK-KS									SO-TiZMU03-A
N-45S, NL-45S								90112	SO-NCHSU03-A
N-45T, NL-45T								90112T	SO-NCHTU03-A
N-65M, NL-65M; N-75M, NL-75M; N-85M, NL-85M								90112M	SO-NMCMU03-A
N-65S, NL-65S; N-75S, NL-75S; N-85S, NL-85S								90112	SO-NMCSU03-A
N-65T, NL-65T; N-75T, NL-75T; N-85T, NL-85T								90112T	SO-NMCTU03-A
N-95M, NL-95M								90115M	SO-TiMU03-A
N-95S, NL-95S								90115	SO-TiSU03-A
N-95T, NL-95T								90115T	SO-TiTU03-A
VIPER 360	08001PB	08001A	40405A	40405A	404072	40410		Not Available	80001
ALPHA LITE	08000PB	08000A	40405A	40405A	404072	40410		Not Available	80000
ALPHA LITE-T	08002PB	08002A	40405A	40405A	404072	40410		08002C	80002
Z800								90115-Z800	SO-TiZMU03-A
Z900								90115-Z900	SO-TiZSU03-A



**SIRONA**

HANDPIECE	SPINDLE COMBO	IMPELLER	FRONT BEARING	REAR BEARING	O-RING	Slinger	TURBINE	SETTING TOOL	BACK CAP
T1 Mini	80500T1		10101635B	10101635B	80504M	80500S	80500ST	0.096	-
T1 Control	80502T1		10101ANG	10101ANG	80504M		80502ST	0.114	
T2/T3 Mini	80500, 80500-A		60102	60102	80504		80500S	0.114	80500BC
T2/T3 Racer	80501, 80501-A		60102	60102	80504		80501S	0.114	80501BC
T2 Control	80502, 80502-A		60102	60102	404072		80502S	0.114	-
Sirona Back Cap Tool is part# 00071									

**SIRONA**

**STAR**

HANDPIECE	SPINDLE COMBO	IMPELLER	FRONT BEARING	REAR BEARING	O-RING	SPACER	SETTING TOOL	BACK CAP
STAR 430 Manual	60117/60108S	60116	60103C-NH	60103C-NH	404075			60110
430 Push Button	60182PB-A	60116	40409BM	40409BM	404075	60182Z	0.114	60183
431	60182PB-A	60116	40409BM	40409BM	404075	60182Z	0.114	60183
430 SWL TORQUE	60182PBT-A	60116	40409BM	40409BM	404075	60182Z	0.114	60183
SOLARA	60182PB	60116	40409BM	40409BM	404075	60182Z	0.114	60183
SOLARA PLUS	N/A							
<b>Note: All of the rebuilds require: (2-60104A; 1-60104B; 1-60104C; 1-60104D)</b>								
MOST SPINDLE COMBO'S ARE AVAILABLE IN -A, or -B								
MANY SPINDLE COMBO'S ARE AVAILABLE IN SABLE -S and Sable -SV								

**STAR**

**W & H (page1)**

HANDPIECE	SPINDLE COMBO	FRONT BEARING	REAR BEARING	O-RING	LOADING SPRING	SPACER	BACK CAP
<b>Alegra</b>							
RC-95RM	70116RC95-B	70101	70101	80504	70101A		
TE-95	70116LALEGRA-B	60102	60102	70115	70109	70110	70123A
TE-96	70116SALEGRA-B	60102	60102	70115	70109	70110	
<b>SABRA</b>							
Small Head	70116SSABRA	40405CM	40405CM	70115	70109	70110	70118
395/397	70116LSABRA	40405CM	40405CM	70115	70109	70110	70119
<b>SYNEA</b>							
TA96 / L / LW ***	70116SSYNEA	60102	60102	70115	70109	70110	70125
TA97 / 97LED	70116SSYNEA-LED	60102	60102	70115	70109		70125A
TA98 / L / LW ***	70116LSYNEA	60102	60102	70115	70109	70110	70123
TA98 LED	70116LSYNEA-LED	60102	60102	70115-98LED	70109		70123A
<b>Topair / Toplight</b>							
196/896	70116STOPAIR	60102	60102	70115	70109	70110	70118
198/898	70116LTOPAIR	60102	60102	70115	70109	70110	70119
<b>TREND</b>							
TC-95RM	70116LTREND	60102	60102	70115	70109	70110	
Some spindle combos are also available in the Sable -S, & -SV; also -A, and balanced -B							
<b>NOTE:</b>							
*** W&H / ADEC Synea handpieces with 3-Notch Back Caps require the LED turbines.							

**W & H**

**W&H (page 2)**

HANDPIECE	SPINDLE COMBO	IMPELLER	FRONT BEARING	REAR BEARING	O-RING	LOADING SPRING	SPACER	Turbines	MISC.	BACK CAP
TE-97	70116S-TE97-A		70101	70101	70115	70101A (2)		70116S-TE97T		
TE-98	70116L-TE98-A		70101	70101	80504	70101A (2)		70116L-TE98T		
TG-97	70116S-TG97-A		60102M-C	60102M-C	80504	70109 (2)		70116S-TG97T		
TG-98	70116L-TG98-A		60102M-C	60102M-C	70115W	70109 (2)		70116L-TG98T		
TK-94	70116-TK94-A		40405CM-C	40405CM-C	70115	70109 (2)		70116-TK94T		
TK-97	70116S-TK97-A		60102M-C	60102M-C	70115	70109 (2)		70116-TK97T		
TK-98	70116L-TK98-A		60102M-C	60102M-C	70115	70109 (2)		70116L-TK98T		
TK-100	70116L-TK100-A		60102M-C	60102M-C	70115	70109 (2)		70116L-TK100T		