



Liftco

Manufacturing



Welcome to Liftco Manufacturing

Your source for all industrial lifting products

Liftco has been providing customers with top of the line competitively priced products since 1985. We specialize in manufacturing synthetic lifting slings along with wire rope and chain and carry a large variety of hardware and accessories. Liftco strives to please our customers by providing them with knowledge and service unrivaled by our competitors. Our company's representatives have over 40 years of experience in designing and manufacturing custom products that meet specific needs when standard products don't meet the necessary requirements.

This catalog has been designed to be comprehensive. Please contact us about a specific need that is not featured in this catalog. At Liftco, our goal is to take care of our customers the old fashioned way.

Type 1 Nylon & Polyester Slings

TRIANGLE - CHOKER



ONE PLY

SLING SIZE PLY / WIDTH	VERTICAL PULL	CHOKER PULL	BASKET PULL
TC1 — 802	3,200	2,400	6,400
TC1 — 803	4,800	3,600	9,400
TC1 — 804	6,400	4,800	12,800
TC1 — 806	9,600	7,200	19,200
TC1 — 808	12,800	9,600	25,600
TC1 — 810	16,000	12,000	32,000
TC1 — 812	19,200	14,400	38,400

TWO PLY

Rated Capacities in Lbs.

SLING SIZE PLY / WIDTH	VERTICAL PULL	CHOKER PULL	BASKET PULL
TC2 — 802	6,400	4,800	12,800
TC2 — 803	8,600	6,500	17,200
TC2 — 804	11,500	8,600	23,000
TC2 — 806	16,800	12,600	33,600
TC2 — 808	22,400	16,800	44,800
TC2 — 810	28,000	21,000	56,000
TC2 — 812	33,600	25,200	67,200

Tel: 936-931-1022
Fax: 936-931-1033

LIFTCO

www.liftco.ws
sales@liftco.ws

Type 2 Nylon & Polyester Slings

TRIANGLE - TRIANGLE



ONE PLY

SLING SIZE PLY / WIDTH	VERTICAL PULL	BASKET PULL
TT1 — 802	3,200	6,400
TT1 — 803	4,800	9,400
TT1 — 804	6,400	12,800
TT1 — 806	9,600	19,200
TT1 — 808	12,800	25,600
TT1 — 810	16,000	32,000
TT1 — 812	19,200	38,400

TWO PLY

Rated Capacities in Lbs.

SLING SIZE PLY / WIDTH	VERTICAL PULL	BASKET PULL
TT2 — 802	6,400	12,800
TT2 — 803	8,600	17,200
TT2 — 804	11,500	23,000
TT2 — 806	16,800	33,600
TT2 — 808	22,400	44,800
TT2 — 810	28,000	56,000
TT2 — 812	33,600	67,200



Tel: 936-931-1022
Fax: 936-931-1033

LIFTCO

www.liftco.ws
sales@liftco.ws

Type 3 & 4 Nylon & Polyester Slings

EYE AND EYE



ONE PLY

SLING SIZE PLY / WIDTH	VERTICAL PULL	CHOKER PULL	BASKET PULL
EE1 — 801	1,600	1,200	3,200
EE1 — 802	3,200	2,400	6,400
EE1 — 803	4,800	3,600	9,600
EE1 — 804	6,400	4,800	12,800
EE1 — 805	8,000	6,000	16,000
EE1 — 806	9,600	7,200	19,200
EE1 — 808	12,800	9,600	25,600
EE1 — 810	16,000	12,000	32,000
EE1 — 812	19,000	14,400	38,400

TWO PLY

Rated Capacities in Lbs.

SLING SIZE PLY / WIDTH	VERTICAL PULL	CHOKER PULL	BASKET PULL
EE2 — 801	3,200	2,400	6,400
EE2 — 802	6,400	4,800	12,800
EE2 — 803	8,600	6,500	17,200
EE2 — 804	11,500	8,600	23,000
EE2 — 805	13,600	10,200	27,200
EE2 — 806	16,300	12,200	32,600
EE2 — 808	19,200	14,400	38,400
EE2 — 810	22,400	16,800	44,800
EE2 — 812	26,900	20,100	53,800

Tel: 936-931-1022
Fax: 936-931-1033

LIFTCO


www.liftco.ws
sales@liftco.ws

Type 3 & 4 Nylon & Polyester Slings

EYE AND EYE



THREE PLY



SLING SIZE PLY / WIDTH	VERTICAL PULL	CHOKER PULL	BASKET PULL
EE3 — 801	4,100	3,100	8,200
EE3 — 802	8,300	6,200	16,600
EE3 — 803	12,500	9,300	25,000
EE3 — 804	16,000	12,000	32,000
EE3 — 805	19,200	14,400	38,400
EE3 — 806	23,000	17,200	46,000
EE3 — 808	30,700	23,000	61,400
EE3 — 810	36,800	27,600	73,600
EE3 — 812	44,000	33,000	88,000

FOUR PLY

Rated Capacities in Lbs.

SLING SIZE PLY / WIDTH	VERTICAL PULL	CHOKER PULL	BASKET PULL
EE4 — 801	5,000	3,800	10,000
EE4 — 802	10,000	7,500	20,000
EE4 — 803	14,900	11,100	29,800
EE4 — 804	19,800	14,800	39,600
EE4 — 805	24,800	18,600	49,600
EE4 — 806	29,800	22,300	59,600
EE4 — 808	39,700	29,700	79,400
EE4 — 810	49,600	37,200	99,200
EE4 — 812	59,500	44,600	119,000


Tel: 936-931-1022
Fax: 936-931-1033

LIFTCO

www.liftco.ws
sales@liftco.ws

Type 5 Nylon & Polyester Slings

ENDLESS FLAT **EN**



ONE PLY

SLING SIZE PLY / WIDTH	VERTICAL PULL	CHOKER PULL	BASKET PULL
EN1 — 801	3,200	2,500	6,400
EN1 — 802	6,400	5,000	12,800
EN1 — 803	8,600	6,900	17,200
EN1 — 804	11,500	9,200	23,000
EN1 — 805	13,600	10,900	27,200
EN1 — 806	16,000	12,000	32,000
EN1 — 808	19,200	14,400	38,400
EN1 — 810	22,400	17,900	44,800
EN1 — 812	26,900	21,500	53,800

TWO PLY

Rated Capacities in Lbs.

SLING SIZE PLY / WIDTH	VERTICAL PULL	CHOKER PULL	BASKET PULL
EN2 — 801	6,200	4,900	12,400
EN2 — 802	12,200	9,800	24,400
EN2 — 803	16,300	13,000	32,600
EN2 — 804	20,700	16,500	41,400
EN2 — 805	24,500	19,600	49,000
EN2 — 806	28,600	23,000	57,200
EN2 — 808	30,700	24,500	61,400
EN2 — 810	33,600	26,800	67,200
EN2 — 812	37,600	30,000	75,200

Tel: 936-931-1022
Fax: 936-931-1033

LIFTCO

www.liftco.ws
sales@liftco.ws

Type 5 Nylon & Polyester Slings

ENDLESS FLAT **EN**

THREE PLY



SLING SIZE PLY / WIDTH	VERTICAL PULL	CHOKER PULL	BASKET PULL
EN3 — 801	8,000	6,400	16,000
EN3 — 802	16,000	12,800	32,000
EN3 — 803	21,500	17,200	43,000
EN3 — 804	28,700	23,000	57,400
EN3 — 805	34,000	27,200	68,000
EN3 — 806	40,700	32,500	81,400
EN3 — 808	46,000	36,800	92,000
EN3 — 810	51,500	41,200	108,000
EN3 — 812	59,200	47,300	118,400

FOUR PLY

Rated Capacities in Lbs.

SLING SIZE PLY / WIDTH	VERTICAL PULL	CHOKER PULL	BASKET PULL
EN4 — 801	10,000	8,000	20,000
EN4 — 802	19,800	15,800	39,600
EN4 — 803	26,700	21,300	53,400
EN4 — 804	35,600	28,400	71,200
EN4 — 805	42,200	33,700	84,400
EN4 — 806	50,500	40,400	101,000
EN4 — 808	57,600	46,000	115,200
EN4 — 810	67,200	53,700	134,400
EN4 — 812	80,700	64,500	161,400


Tel: 936-931-1022
Fax: 936-931-1033

LIFTCO

www.liftco.ws
sales@liftco.ws

Type 5 Nylon & Polyester Slings

ENDLESS ROUND



SLING SIZE PLY / WIDTH	COLOR	MINIMUM-LENGTH	APPROXIMATE DIAMETER (NO LOAD)	APPROXIMATE WEIGHT PER FOOT	VERTICAL PULL	CHOKER PULL	BASKET PULL
ENR1	Purple	3'	.0625"	0.3 lb.	2,600	2,100	5,200
ENR2	Green	3'	0.875"	0.4 lb.	5,300	4,200	10,600
ENR3	Yellow	3'	1.125"	.05 lb.	8,400	6,700	16,800
ENR4	Tan	3'	1.125"	0.6 lb.	10,600	8,500	21,200
ENR5	Red	3'	1.375"	0.8 lb.	13,200	10,600	26,400
ENR6	White	6'	1.375"	0.9 lb.	16,800	13,400	33,600
ENR7	Blue	6'	1.625"	1.3 lb.	21,200	17,000	42,400
ENR8	Orange	6'	1.750"	1.6 lb.	25,000	20,000	50,000
ENR9	Orange	6'	2.125"	2.0 lb.	31,000	24,800	62,000
ENR10	Orange	6'	2.350"	2.6 lb.	40,000	32,000	80,000
ENR11	Orange	8'	3.150"	3.4 lb.	53,000	42,400	106,000
ENR12	Orange	8'	3.950"	4.3 lb.	66,000	52,800	132,000
ENR13	Orange	8'	4.800"	5.9 lb.	90,000	72,000	180,000

Rated Capacities in Lbs.

Tel: 936-931-1022
Fax: 936-931-1033

LIFTCO


www.liftco.ws
sales@liftco.ws

Type 6 Nylon & Polyester Slings

REVERSED EYE **RE**



ONE PLY



SLING SIZE PLY / WIDTH	VERTICAL PULL	CHOKER PULL	BASKET PULL
RE1 — 802	4,500	3,600	9,000
RE1 — 803	6,900	5,500	13,800
RE1 — 804	7,700	6,200	15,400
RE1 — 806	11,000	8,800	22,000

TWO PLY

Rated Capacities in Lbs.

SLING SIZE PLY / WIDTH	VERTICAL PULL	CHOKER PULL	BASKET PULL
RE2 — 802	6,500	5,200	13,000
RE2 — 803	11,500	9,200	23,000
RE2 — 804	13,000	10,400	26,000
RE2 — 806	20,000	16,000	40,000


Tel: 936-931-1022
Fax: 936-931-1033

LIFTCO

www.liftco.ws
sales@liftco.ws

Type 8 Nylon & Polyester Slings

ATTACHED EYE WIDE-LIFT



ONE PLY

Body Width (in.)	Code	Rated Capacity (lbs.) Vertical Basket	Eye Length (in.)	Eye Material Width (.in)
6	WLA1-806	3,000	10	1
8	WLA1-808	3,000	10	1
10	WLA1-810	3,000	12	1
12	WLA1-812	3,000	12	1
16	WLA1-816	5,000	12	2
20	WLA1-820	5,000	18	2
24	WLA1-824	5,000	18	2

TWO PLY

Rated Capacities in Lbs.

Body Width (in.)	Code	Rated Capacity (lbs.) Vertical Basket	Eye Length (in.)	Eye Material Width (.in)
6	WLA2-806	6,000	10	1
8	WLA2-808	6,000	10	1
10	WLA2-810	6,000	12	1
12	WLA2-812	6,000	12	1
16	WLA2-816	10,000	12	2
20	WLA2-820	10,000	18	2
24	WLA2-824	10,000	18	2


Tel: 936-931-1022
Fax: 936-931-1033

LIFTCO

www.liftco.ws
sales@liftco.ws

Type 8 Nylon & Polyester Slings

CONTINUOUS EYE WIDE-LIFT



ONE PLY



Body Width (in.)	Code	Rated Capacity (lbs.) Vertical Basket	Eye Length (in.)	Eye Material Width (.in)
6	WL1-806	15,400	9	1 1/2
8	WL1-808	20,400	12	2
10	WL1-810	25,600	15	2 1/2
12	WL1-812	30,800	18	2
16	WL1-816	38,000	24	2 3/4
20	WL1-820	45,000	30	3 1/2
24	WL1-824	52,000	36	4

TWO PLY

Rated Capacities in Lbs.

Body Width (in.)	Code	Rated Capacity (lbs.) Vertical Basket	Eye Length (in.)	Eye Material Width (.in)
6	WL2-806	28,600	9	1 1/2
8	WL2-808	38,000	12	2
10	WL2-810	47,600	15	2 1/2
12	WL2-812	57,200	18	3
16	WL2-816	61,500	24	4
20	WL2-820	63,000	30	5
24	WL2-824	70,000	36	6

Tel: 936-931-1022
Fax: 936-931-1033

LIFTCO

www.liftco.ws
sales@liftco.ws

Nylon & Polyester Slings

BOAT LIFTING



ECONOMY BOAT SLINGS

SLING SIZE PLY / WIDTH	BASKET PULL
BS1 — 802	6,400
BS1 — 804	12,800
BS1 — 806	19,200
BS1 — 808	25,600
BS1 — 810	32,000
BS1 — 812	38,400

Rated Capacities in Lbs.

DELUXE BOAT SLINGS

SLING SIZE PLY / WIDTH	BASKET PULL
BS1 — 802	6,400
BS1 — 804	12,800
BS1 — 806	19,200
BS1 — 808	25,600
BS1 — 810	32,000
BS1 — 812	38,400

Tel: 936-931-1022
Fax: 936-931-1033

LIFTCO

www.liftco.ws
sales@liftco.ws

Nylon & Polyester Slings TIE DOWN RATCHET ASSEMBLIES

SLING SIZE WIDTH	WORKING LOAD LIMIT	BREAKING STRENGTH
------------------	--------------------	-------------------

1 INCH	800	3,000
2 INCH	3,300	10,000
4 INCH	5,000	15,000

Rated Capacities in Lbs.

Assemblies

1 Inch



2 Inch



4 Inch



Hardware

1 Inch



2 Inch



4 Inch



Tel: 936-931-1022
Fax: 936-931-1033

LIFTCO


www.liftco.ws
sales@liftco.ws

Nylon & Polyester Slings TIE DOWN WINCH STRAP ASSEMBLIES

SLING SIZE WIDTH	WORKING LOAD LIMIT	BREAKING STRENGTH
4 INCH	5,000	15,000

Rated Capacities in Lbs.

Assemblies



Winch Hardware



Tel: 936-931-1022
Fax: 936-931-1033

LIFTCO

www.liftco.ws
sales@liftco.ws

CHAIN SLINGS



Sling Hook



Grab Hook



Foundry Hook



Latch Hook



Oblong Link

SINGLE LEG CHAIN SLING

SIZE
OF
CHAIN

GRADE 80
WORKING
LOAD LIMIT
AT 90°

IN.	MM.	
9/32	7	3,500
3/8	10	7,100
1/2	13	12,000
5/8	16	18,100
3/4	20	28,300
7/8	22	34,200
1	26	47,700
1-1/4	32	72,300


Rated Capacities in Lbs.

Tel: 936-931-1022
Fax: 936-931-1033

LIFTCO

www.liftco.ws
sales@liftco.ws

CHAIN SLINGS



Sling Hook



Foundry Hook



Grab Hook



Latch Hook

TWO LEG CHAIN SLING

**SIZE
OF
CHAIN**

**GRADE 80
WORKING
LOAD LIMIT
AT 60°**

**GRADE 80
WORKING
LOAD LIMIT
AT 45°**

**GRADE 80
WORKING
LOAD LIMIT
AT 30°**

IN.	MM.			
9/32	7	6,100	4,900	3,500
3/8	10	12,300	10,000	7,100
1/2	13	20,800	17,000	12,000
5/8	16	31,300	25,600	18,100
3/4	20	49,000	40,000	28,300
7/8	22	59,200	48,400	34,200
1	26	82,600	67,400	47,700
1-1/4	32	125,200	102,200	72,300

Rated Capacities in Lbs.


Tel: 936-931-1022
Fax: 936-931-1033

LIFTCO

www.liftco.ws
sales@liftco.ws

CHAIN SLINGS

TRIPLE/QUAD LEG CHAIN SLING



Triple Leg



Quad Leg

SIZE OF CHAIN

GRADE 80
WORKING
LOAD LIMIT
AT 60°

GRADE 80
WORKING
LOAD LIMIT
AT 45°

GRADE 80
WORKING
LOAD LIMIT
AT 30°

IN.	MM.			
9/32	7	9,100	7,400	5,200
3/8	10	18,400	15,100	10,600
1/2	13	31,200	25,500	18,000
5/8	16	47,000	38,400	27,100
3/4	20	73,500	60,000	42,400
7/8	22	88,900	72,500	51,300
1	26	123,900	101,200	71,500
1-1/4	32	187,800	153,400	108,400

Rated Capacities in Lbs.

Tel: 936-931-1022
Fax: 936-931-1033

LIFTCO

www.liftco.ws
sales@liftco.ws

EYE/EYE WIRE ROPE SLINGS

Rope Diameter	Vertical	Choker Hitch	Vertical Basket	Hoist Hooks (Tons)	Standard Eye Dimensions (W"xL")		G-414 Heavy Duty Thimble (W"xL")		Minimum Eye & Eye Sling Length
1/4	.65	.48	1.3	3/4-C	2	4	7/8	1 5/8	1' 6"
5/16	1.0	.74	2	1-C	2 1/2	5	1 1/16	1 7/8	1' 9"
3/8	1.4	1.1	2.8	1 1/2-C	3	6	1 1/8	2 1/8	2'
1/2	2.5	1.9	5.0	3-C	4	8	1 1/2	2 3/4	2' 6"
9/16	3.2	2.4	6.4	5-A	4 1/2	9	1 1/2	2 3/4	2' 9"
5/8	3.9	2.9	7.8	5-A	5	10	1 3/4	3 1/4	3'
3/4	5.6	4.1	11	7-A	6	12	2	3 3/4	3' 6"
7/8	7.6	5.6	15	11-A	7	14	2 1/4	4 1/4	4'
1	9.8	7.2	20	11-A	8	16	2 1/2	4 1/2	4' 6"
1 1/8	12	9.1	24	15-A	9	18	2 7/8	5 1/8	5'
1 1/4	15	11	30	15-A	10	20	2 7/8	5 1/8	5' 6"
1 3/8	18	13	36	22-A	11	22	3 1/2	6 1/4	5'
1 1/2	21	16	42	22-A	12	24	3 1/2	6 1/4	7'
1 3/4	28	21	56	30-A	14	28	4 1/2	9	8'
2	36	28	72	37-A	16	32	6	12	9'
2 1/4	44	35	88	45-A	18	36	7	14	10'
2 1/2	54	42	108	60-A	20	40	-	-	11'
2 3/4	65	51	130	-	22	44	-	-	12'
3	77	60	154	-	24	48	-	-	13'
3 1/2	102	79	204	-	28	56	-	-	16' 6"
3 3/4	115	90	230	-	30	60	-	-	18'
4	130	101	260	-	32	64	-	-	20'
4 1/2	160	124	320	-	36	72	-	-	24'



Tel: 936-931-1022
Fax: 936-931-1033

LIFTCO

www.liftco.ws
sales@liftco.ws



6 x 25 Wire Rope



7 x 19 A/C Cable



7 x 7 A/C Cable

Size	Finish
7/16 in	SS
1/2 in	SS
9/16 in	SS
5/8 in	SS
11/16 in	SS
3/4 in	SS
1/2 in	Bright
7/8 in	Bright
1 in	Galv
5/8 in	Galv
3/4 in	Galv
7/8 in	Galv
1/2 in	Galv

Size	Finish
1/8 in	Galv
5/32 in	Galv
3/16 in	Galv
1/4 in	Galv
5/16 in	Galv
3/8 in	Galv
3/16 in	Galv -V.C.
3/16 x 1/4 in	Galv -V.C.
1/4 x 5/16 in	Galv -V.C.
5/16 x 3/8 in	Galv -V.C.
3/32 in	SS
1/8 in	SS
3/16 in	SS
1/4 in	SS
5/16 in	SS
3/8 in	SS

Size	Finish
1/16 in	Galv
3/32 in	Galv
1/8 in	Galv
1/16 x 3/32 in	Galv - V/C
3/32 x 1/8 in	Galv - V/C
1/16 in	SS
3/32 in	SS
1/8 in	SS
1/16 x 3/32 in	SS
3/32 x 1/8 in	SS
1/16 x 1/8 in	SS
1/8 x 3/16 in	SS

A/C (Air Craft Cable)

V/C (Vinyl Coated)

7 x 7 & 7 x 19 galvanized A/C cable is known as "aircraft cable" (A/C) - not intended for aircraft use. Vinyl-coated (V/C) is galvanized aircraft cable with a PVC coating. Cable meets Federal spec.

For specific working load limits, please call Liftco.

