

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

TB - BAR (EDIBLE SOLID) // PRODUCED: APR 18, 2024

CLIENT: TASTEFULLY BAKED // BATCH: PASS



BATCH NO.: TB - MINT MELTAWAY - 0424 ¹
MATRIX: EDIBLE SOLID ¹
SAMPLE ID: NAL-240416-023
COLLECTED ON: APR 16, 2024

RECEIVED ON: APR 16, 2024 BATCH SIZE: 160 UNITS ¹ SAMPLE SIZE: 1 UNITS ¹

SAMPLED BY: JANELLE LAPLANTE RECEIVED BY: KENDALL ERICKSEN SERVING SIZE: 28.1762 G ²

1 ENTERED BY CLIENT, 2 ENTERED BY LAB

CANNABINOID OVERVIEW					
Δ ⁹ -THC:	112 mg/srv				
Δ ¹⁰ -THC:	2.85 mg/srv				
TOTAL CANNABINOIDS:	115 mg/srv				

CULTIVATOR INFO

CULTIVATOR
COREY LAPLANTE
65 MILLIKEN STREET
PORTLAND, ME 04103

LICENSE CGR26048 MEDICINAL - CAREGIVER

BATCH RESULT: PASS

POTENCY TESTED

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: APR 17, 2024 // ANALYSIS: APR 18, 2024

ANALYTE	LIMIT AMT	AMT	LOD/LOQ (%)	PASS/FAIL
CBC	ND	ND	0.00312/0.00623	N/A
CBCA	ND	ND	0.00312/0.00623	N/A
CBD	ND	ND	0.00312/0.00623	N/A
CBDA	ND	ND	0.00312/0.00623	N/A
CBDV	ND	ND	0.00312/0.00623	N/A
CBDVA	ND	ND	0.00312/0.00623	N/A
CBG	< LOQ	< LOQ	0.00312/0.00623	N/A
CBGA	ND	ND	0.00312/0.00623	N/A
CBL	ND	ND	0.00623/0.00623	N/A
CBLA	ND	ND	0.00312/0.00623	N/A
CBN	< LOQ	< LOQ	0.00312/0.00623	N/A
CBNA	ND	ND	0.00312/0.00623	N/A
Δ8-THC	ND	ND	0.00623/0.00623	N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
Δ ⁸ -THCA		ND	ND	0.00623/0.00623	N/A
Δ ⁹ -ΤΗC		0.399 %	3.99 mg/g	0.00312/0.00623	N/A
Δ ¹⁰ -THC		0.0101 %	0.101 mg/g	0.00312/0.00623	N/A
EXO-THC		ND	ND	0.00623/0.00623	N/A
THCA		ND	ND	0.00623/0.00623	N/A
THCV		ND	ND	0.00312/0.00623	N/A
THCVA		ND	ND	0.00312/0.00623	N/A
TOTAL THC**		0.399 %	3.99 mg/g		N/A
TOTAL CBD**		ND	ND)	N/A
CBD/SRV		ND			N/A
Δ ⁹ -THC/SRV		112 mg			N/A
TOTAL THC/SRV**		112 mg			N/A
TOTAL CBD/SRV**		ND			N/A

** TOTAL CBD = (CBDA X 0.877) + CBD

** TOTAL THC = (THCA X 0.877) + THC

Reported on an as received basis

 $1000 \mu g/g = 1 mg/g$



AUTHORIZED BY: ZACHARY SMITH LABORATORY MANAGER, NOVA ANALYTIC LABS APR 18, 2024



ZACHARY SMITH APR 18, 2024 POTENCY & CANNABINOID PROFILE BY HPLC-UV

THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.

PRODUCT IMAGES



* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO BERONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT

