



Levels

Box Beam Levels.....2-3
 I-Box® Levels.....4
 I-Beam Levels.....5-6
 Top Read Levels.....5
 Speedlite® Levels.....7
 Torpedo Levels.....7-10
 Specialty Levels.....11

Squares®

Speed® Squares.....12-13
 Speedlite® Squares.....14
 The Big® 12 Speedlite® Squares.....14
 Speed® Bevel Speed® Squares.....14
 Wizard® Folding Framing Squares.....15
 Combination Square.....15
 Speedlite® Combination Square.....15
 Pro Combination Square.....15
 Builder's Squares.....16-17
 Wallboard Squares.....18

Accessories

Straight Edges.....19
 Tape Measures.....20
 Compact Measuring Wheels.....20
 Carpenter Pencils & Refills.....21
 Saws.....21
 Plumb Bobs.....22
 Stair Gauges.....22
 Blue Book of Instructions.....22
 Hinge Butt Marker.....22

Factory Direct Distributor Pricing or Better!

 **WARNING:** Cancer and/or reproductive harm - www.P65Warnings.ca.gov
 ALL ITEMS WITHIN

Lighted Box Beam Levels

- End caps provide maximum shock absorption
- V-grooved edge for working with round stock
- Comfort grips for easy handling
- Durable block vials accurate to .00050/in.
- Professional box beam frame offers maximum durability
- Super Bright LEDs simultaneously light all 3 vials for low-light areas
- Available in magnetic model (BLL24M, BLL48M), with IMS Technology™ Magnetic System-6 super strong earth magnets

| MFR # | Length | Std Pack Qty | Control # |
|--------|--------------|--------------|-----------|
| BLL240 | 24" | 3 | |
| BLL480 | 48" | 3 | |
| BLL24M | 24" Magnetic | 3 | |
| BLL48M | 48" Magnetic | 3 | |



BLL240

Aluminum Box Beam Levels

- Deep accurized V-groove for round and square stock
- Multi-ring vials indicate 2° and 4° grade for drainage
- Super Shock® end caps
- Cushion-grip hand grips
- Precision milled edges
- Superior heavy-duty aluminum frame for maximum durability
- Durable block vials accurate to .00050/in.
- Available in magnetic model (BBL24M, BBL48M), with IMS Technology™ Magnetic System-6 super strong earth magnets

| MFR # | Length | Std Pack Qty | Control # |
|--------|--------------|--------------|-----------|
| BBL240 | 24" | 3 | |
| BBL480 | 48" | 3 | |
| BBL720 | 72" | 3 | |
| BBL24M | 24" Magnetic | 3 | |
| BBL48M | 48" Magnetic | 3 | |



BBL240

Professional Series Levels



Box Beam

Professional Box Beam Levels with Gelshock™ End Caps

- Continuous dual rail frame
- .029° vial accuracy
- Precision machined
- Gelshock™ end caps
- Diamond® bumpers eliminate marring
- 80% stronger Savage™ strength frame
- Acrylic block vials
- Multi-ring vials
- Available in magnetic model (SVB24M-SVB96M)

| MFR # | Length | Std Pack Qty | Control # |
|----------|--------------|--------------|-----------|
| SVB180 | 18" | 3 | |
| SVB240 | 24" | 3 | |
| SVB320 | 32" | 3 | |
| SVB360 | 36" | 3 | |
| SVB480 | 48" | 3 | |
| SVB540 | 54" | 3 | |
| SVB600 | 60" | 3 | |
| SVB720 | 72" | 1 | |
| * SVB960 | 96" | 1 | |
| SVB24M | 24" Magnetic | 3 | |
| SVB32M | 32" Magnetic | 3 | |
| SVB36M | 36" Magnetic | 3 | |
| SVB48M | 48" Magnetic | 3 | |
| SVB78M | 78" Magnetic | 1 | |
| * SVB96M | 96" Magnetic | 1 | |



SVB180

* FOB - Houston GFL Dock Only Due to Overlength

Lightning® Box Beam Luminated Levels

- Continuous dual rail frame
- .029° vial accuracy
- Precision machined
- Super Shock® end caps
- Diamond® bumpers eliminate marring
- 80% stronger Savage™ strength frame
- Acrylic block vials
- Multi-ring vials

| MFR # | Length | Std Pack Qty | Control # |
|--------|--------|--------------|-----------|
| SVLB24 | 24" | 3 | |
| SVLB48 | 48" | 3 | |



SVLB24



SVBJKM

Professional Box Beam Level Kits with Gelshock™ End Caps

- Contractor Value Kit (SVBCK0) - Professional Box Beam Levels
- Jamber Kit (SVBJKM) - Magnetic Professional Box Beam Levels
- Tub Surround Kit (SVBTS0) - Professional Box Beam Levels

| MFR # | Length | Std Pack Qty | Control # |
|--------|-------------------|--------------|-----------|
| SVBCK0 | 24", 48", 78" | 1 | |
| SVBJKM | 32", 78" Magnetic | 1 | |
| SVBTS0 | 32", 54" | 1 | |



I-Box® Levels

- Exclusive Diamond™ Designs are raised slightly to avoid surface scratches
- Multi-ring vials indicate 2° and 4° grade for drainage
- Super Shock® end caps
- Precision milled edges
- Durable block vials accurate to .00050/in.
- Available in magnetic model (IBX24M, IBX48M)

| MFR # | Length | Std Pack Qty | Control # |
|--------|--------------|--------------|-----------|
| IBX240 | 24" | 3 | |
| IBX480 | 48" | 3 | |
| IBX24M | 24" Magnetic | 3 | |
| IBX48M | 48" Magnetic | 3 | |



I-Box® Levels

- Precision-milled, extruded heavy-duty aluminum frame for maximum durability
- BRIGHTVIEW® reflects light for improved visibility
- Ergonomic, rubberized grips for comfortable, easy handling
- Durable acrylic block vials accurate to .00050 in.
- Available in magnetic model (SWIBX24M, SWIBX48M)

| MFR # | Length | Std Pack Qty | Control # |
|----------|--------------|--------------|-----------|
| SWIBX240 | 24" | 3 | |
| SWIBX480 | 48" | 3 | 1520826 |
| SWIBX24M | 24" Magnetic | 3 | |
| SWIBX48M | 48" Magnetic | 3 | |



I-Beam® Levels

- V-grooved for working with round stock
- High-grade aluminum frame
- Shock resistant rubber and end caps
- BRIGHTVIEW® reflects light for improved visibility
- Ergonomic, rubberized grips for comfortable, easy handling
- Vials accurate to .029°/.00050 in.
- Available in magnetic model (SWIBL24M - SWIBL78M)

| MFR # | Length | Std Pack Qty | Control # |
|----------|--------------|--------------|-----------|
| SWIBL240 | 24" | 3 | |
| SWIBL480 | 48" | 3 | |
| SWIBL24M | 24" Magnetic | 3 | 1520800 |
| SWIBL48M | 48" Magnetic | 3 | 1520801 |
| SWIBL78M | 72" Magnetic | 3 | 1520819 |



I-Beam® Levels

- V-grooved for working with round stock
- Oversized Vial Port - to improve readability
- Screwed tight vial covers
- Top read vial for an accurate read from all angle
- Heavy duty rubber end caps for superior shock absorption
- Available in magnetic model (IBL24M - IBL78M)

| MFR # | Length | Std Pack Qty | Control # |
|--------|--------------|--------------|-----------|
| IBL240 | 24" | 3 | |
| IBL480 | 48" | 3 | |
| IBL24M | 24" Magnetic | 3 | |
| IBL48M | 48" Magnetic | 3 | |
| IBL78M | 78" Magnetic | 3 | |



Top Read I-Beam® Levels

- Precision-milled, extruded heavy-duty aluminum frame for maximum durability
- Ruled edge for measuring, includes 1/8 and 1/16 gradations
- V-grooved for working with round stock and pipes
- Durable, acrylic windows protect vials
- Continuous rail for uninterrupted scribe lines
- Top-read center vial for an accurate read in tight spaces
- Vials accurate to .029° .0005 in.


| MFR # | Length | Std Pack Qty | Control # |
|--------|--------|--------------|-----------|
| TRL240 | 24" | 3 | |
| TRL480 | 48" | 6 | |



Top Read Aluminum Levels

- V-grooved for working with round stock
- Ruled edge for measuring
- High-grade aluminum frame
- Acrylic windows protect vials from breakage
- Vials accurate to .029°/.00050 in.
- Continuous rail for continuous scribes without frame interruption

| MFR # | Length | Std Pack Qty | Control # |
|----------|--------|--------------|-----------|
| SWTRL240 | 24" | 3 | |
| SWTRL360 | 36" | 3 | |
| SWTRL480 | 48" | 6 | |



I-Beam Levels

- .029° vial accuracy
- Precision machined
- Multi-ring vials
- Gel Shock® end caps
- 2X stronger Savage™ strength frame
- Available in magnetic models (SVI24M-SVI78M)

| MFR # | Length | Std Pack Qty | Control # |
|--------|--------------|--------------|-----------|
| SVI240 | 24" | 3 | |
| SVI480 | 48" | 3 | |
| SVI24M | 24" Magnetic | 3 | |
| SVI48M | 48" Magnetic | 3 | |
| SVI78M | 78" Magnetic | 1 | |



SVI240

Levels

Speedlite[®], Torpedo



Speedlite[®] Levels

- Durable acrylic windows protect vials
- Three different vials: Plumb, Level, and 45°
- Lightweight composite body
- Cut outs for easy handling
- Ruled edges on the top for easy measuring
- Inches and centimeter (1/8th & mm)



| MFR # | Length | Std Pack Qty | Control # |
|--------|--------|--------------|-----------|
| PL0024 | 24" | 3 | |
| PL0048 | 48" | 3 | |

Aluminum Top Read Tool Box Magnetic Level


- Multi-pitch vial reads from level to 1/2 in Pitch in 1/8 in. increments
- Full-length strip magnet
- BRIGHTVIEW[®] reflects light for improved visibility
- Extruded aluminum frame
- V-Grooved for working with round stock and pipes
- 2 Top Read Vials



| MFR # | Length | Std Pack Qty | Control # |
|---------|--------------|--------------|-----------|
| TBL001M | 12" Magnetic | 5 | |

High-Impact Aluminum Magnetic Torpedo Level


- Full length strip magnet
- High grade solid aluminum frame
- High-impact composite inserts
- Easy to read vial windows



| MFR # | Length | Std Pack Qty | Control # |
|--------|-------------|--------------|-----------|
| TL001M | 9" Magnetic | 10 | |

Extruded Aluminum Torpedo Magnetic Level

- 3 incredibly strong rare earth magnets
- High grade aluminum extrusion construction
- High-impact composite inserts
- Easy to read vial windows



| MFR # | Length | Std Pack Qty | Control # |
|--------|-------------|--------------|-----------|
| TL002M | 9" Magnetic | 10 | |

Shock Resistant Magnetic Torpedo Level

- 6 Incredibly strong interally sealed rare earth magnets
- Features IMS Technology™
- Super Shock® end caps
- Durable extruded aluminum frame
- Deep V-grooved for working with round stock and pipes

| MFR # | Length | Std Pack Qty | Control # |
|--------|-------------|--------------|-----------|
| TL009M | 9" Magnetic | 6 | |



TL009M

Lightweight Speedlite® Torpedo Level

- Lightweight and compact design for portability
- Impact-resistant composite body
- Acrylic high visibility vials

| MFR # | Length | Std Pack Qty | Control # |
|-------|--------|--------------|-----------|
| TL011 | 9" | 20 | 1520828 |



TL011

Shock Absorbing Speedlite® Magnetic Torpedo Level

- Full-length strip magnet
- Top read feature for ease of use in tight spots
- Rubber end caps for shock absorption
- Impact-resistant composite body
- Acrylic high visibility vials

| MFR # | Length | Std Pack Qty | Control # |
|--------|-------------|--------------|-----------|
| TL021M | 9" Magnetic | 6 | |



TL021M

Pro-Cast® Magnetic Torpedo Level

- Milled working surface for precision accuracy
- 4 super strong rare earth magnets
- Heavy-duty acrylic block vials accurate to .00050/in.
- Thermally bonded high-visibility powder coat finish

| MFR # | Length | Std Pack Qty | Control # |
|--------|--------------|--------------|-----------|
| TL035M | 10" Magnetic | 6 | |



TL035M

Levels

Torpedo



Shock-Resistant Magnetic Torpedo Level

- 6 incredibly strong internally sealed rare earth magnets
- Features IMS Technology™
- BRIGHTVIEW® reflects light for improved visibility
- Super Shock® end caps
- Extruded aluminum frame
- V-grooved for working with round stock and pipes



SWTL900M

| MFR # | Length | Std Pack Qty | Control # |
|----------|-------------|--------------|-----------|
| SWTL900M | 9" Magnetic | 6 | 1520817 |

Extruded Magnetic Torpedo Level

- 3 Incredibly strong rare earth magnets
- BRIGHTVIEW® reflects light for improved visibility
- Extruded aluminum frame
- V-grooved for working with round stock and pipes



SWTL800M

| MFR # | Length | Std Pack Qty | Control # |
|----------|-------------|--------------|-----------|
| SWTL800M | 9" Magnetic | 10 | 1520815 |

DIY Magnetic Aluminum Torpedo Level

- Durable extruded aluminum frame
- V-grooved, full-length, heavy-duty magnetic strip provides stability and strength when working with round stock and pipes
- Lightweight, compact design for portability carry it in your pocket or tool pouch
- BRIGHTVIEW® reflects light for improved visibility



SWTL700M

| MFR # | Length | Std Pack Qty | Control # |
|----------|-------------|--------------|-----------|
| SWTL700M | 9" Magnetic | 10 | 1520814 |

Aluminum Tool Box Magnetic Level

- Multi-pitch vial reads from level to 1/2 in. pitch in 1/8 in. increments
- Full-length strip magnet
- BRIGHTVIEW® reflects light for improved visibility
- Extruded aluminum frame
- V-grooved for working with round stock and pipes



SWTBL500M

| MFR # | Length | Std Pack Qty | Control # |
|-----------|--------------|--------------|-----------|
| SWTBL500M | 12" Magnetic | 6 | |

Shock Absorbing Magnetic Aluminum Torpedo Level

- 4 strong Neodymium V-grooved magnets
- Solid billet 3X stronger
- BRIGHTVIEW® vial surrounds
- .029° / .0005 in. vial accuracy
- V-grooved edge
- Shock absorbing end caps

| MFR # | Length | Std Pack Qty | Control # |
|--------|--------------|--------------|-----------|
| SVT011 | 11" Magnetic | 6 | 1520806 |



SVT011

Digital Magnetic Torpedo Level

- 4 strong Neodymium V-grooved magnets
- BRIGHTVIEW® vial surrounds
- Audible tones
- Green backlight
- 3 Modes
- 90° & 0° vials
- Precision machined

| MFR # | Length | Std Pack Qty | Control # |
|--------|-------------|--------------|-----------|
| SVT200 | 9" Magnetic | 6 | 1520827 |




SVT200

Magnetic Aluminum Torpedo Level with Conduit Clamps

- Tri-Loc® conduit clamp
- 4 strong Neodymium magnets
- Solid billet 3X stronger
- 4 leveling vials for conduit bends
- BRIGHTVIEW® vial surrounds
- .029° / .0005° / in. vial accuracy
- Acrylic vials are extremely durable

| MFR # | Length | Std Pack Qty | Control # |
|--------|-------------|--------------|-----------|
| TL041M | 6" Magnetic | 6 | 1520807 |




TL041M

Magnetic Aluminum Torpedo Level

- 4 strong Neodymium magnets
- Solid billet 3X stronger
- 4 leveling vials for conduit bends
- BRIGHTVIEW® vial surrounds
- .029° / .0005° / in. vial accuracy
- Acrylic vials are extremely durable

| MFR # | Length | Std Pack Qty | Control # |
|--------|-------------|--------------|-----------|
| TL043M | 9" Magnetic | 6 | 1520808 |



TL043M

Lighting Aluminum Magnetic Torpedo Level

- 4 strong Neodymium magnets
- Vial lighted system
- Solid billet 3X stronger
- BRIGHTVIEW® vial surrounds
- .029° / .0005 in. vial accuracy
- 10 minute shut-off
- V-grooved edge
- Includes 2 CR2032 batteries

| MFR # | Length | Std Pack Qty | Control # |
|---------|-------------|--------------|-----------|
| TLL049M | 9" Magnetic | 6 | 1520809 |



TLL049M

Levels

Specialty Levels



Magnetic Angle Finder

- Determine any angle quickly
- Can be used with a straight edge or carpenter square for fast layout
- Block magnetic base
- High-grade composite construction
- V-grooved edge

| MFR # | Dimensions | Std Pack Qty | Control # |
|--------|-----------------|--------------|-----------|
| AF006M | 8 3/8" x 5 1/2" | 6 | |




AF006M

Cross Check Level

- Precision accurate vials in a durable composite housing
- Two mounting holes

| MFR # | Dimensions | Std Pack Qty | Control # |
|--------|-----------------|--------------|-----------|
| CCL001 | 1 1/2" x 2 1/2" | 12 | |



CCL001

Aluminum Line Level

- High-grade aluminum frame
- Snag-free open hooks allow level to slide freely

| MFR # | Length | Std Pack Qty | Control # |
|--------|--------|--------------|-----------|
| LLA001 | 4" | 12 | 1520820 |



LLA001

Lightweight Speedlite® Line Level

- V-groove for use on pipe or conduit
- 2 pack
- Snag free open hooks allows to slide freely

| MFR # | Length | Std Pack Qty | Control # |
|--------|--------|--------------|-----------|
| LLP002 | 3" | 12 | 1520816 |



LLP002

Speedlite® Magnetic Post Level

- Strip magnets and elastic strap for hands free work
- Constructed of high impact composite material
- Hands free plumb and level of posts and more

| MFR # | Length | Std Pack Qty | Control # |
|--------|-----------------|--------------|-----------|
| PL001M | 8 1/2" x 8 1/2" | 10 | |



PL001M

Surface Level

- Lightweight, composite construction that you can take anywhere
- 3 Pre rounded fastening holes allow you to attach the level to working surface
- Use to level appliances, fence posts, tables and more

| MFR # | Diameter | Std Pack Qty | Control # |
|--------|----------|--------------|-----------|
| SL0002 | 1.75" | 12 | |



SL0002

Wood Magnet®

- Compress fits to any 2X material (2x4, 2x6, etc.)
- Use with square posts, round posts up to 4 in. in diameter
- Levels studs and joists
- 3 easy to read vials
- High impact composite body


| MFR # | Length | Std Pack Qty | Control # |
|--------|---------|--------------|-----------|
| T04424 | 2" x 4" | 6 | |



T04424

Speed® Square with Black Markings & Blue Book

- The Speed® Square, is essential for every carpenter, construction professional, roofer and DIYer
- Multi-tool: Try square, miter square, saw guide, line scribe, and protractor
- Includes pocket-sized Swanson® Blue Book (Comprehensive Reference Guide)
- Features: 1/4 in. spaced scribing notches and the Diamond® cutout for easy rafter seat cuts and scribing the most common and popular stud widths
- Gradations included for marking common, hip, valley, and jack rafters. Useful for determining and marking angles and making square cuts on boards
- Heavy-gauge billet aluminum alloy construction is die-cast for increased accuracy over laser-etched and extruded stamped rafter squares
- High-visibility, black gradations with a non-glare, matte finish for easy reading in any lighting conditions
- Available with plain gradations & blue book (T0101)
- Available with Speed Clip (S0101-C)
- Available with bulk display merchandiser contains 20 Speed® Squares with plain markings (DB101) and bulk display merchandiser with 12 Speed® Squares (tag carded) with Plain Markings & Blue Books (DT101)



S0101




T0101

| MFR # | Length | Std Pack Qty | Control # |
|---------|--------|--------------|-----------|
| S0101 | 7" | 5 | 1520802 |
| S0101-C | 7" | 5 | |
| T0101 | 7" | 5 | |
| DB101 | 7" | 1 Box of 20 | |
| DT101 | 7" | 1 Box of 20 | |

Speed® Square Pro

- 2X longer scribe bar with 1/8 in. increments and the diamond cut out bridge that adds support and the famous trademark Swanson Diamond™ Cut Out at the 3 in. mark
- 1-1/2 in. EDGE - the width of 2X material - mark both sides of studs
- 22-1/2° ANGLE - coming off of the pivot for quick layouts
- 3 1/2 in. Diamond™ cutout for working with 2 x 6 material
- Beveled edges get the square closer to the working material resulting in more accurate Top Cut measurements
- Easier to see numbers and markings
- 2 Convenient marking edges for 3/4 in. and 1/2 in.
- High-visibility, black gradations with a non-glare, matte finish for easy reading in any lighting conditions



S0100-A

| MFR # | Length | Std Pack Qty | Control # |
|---------|--------|--------------|-----------|
| S0100-A | 7" | 4 | |

Speed[®] Squares


Trim, Big 12[®], Metric Speed[®] Square



Speed[®] Trim Square

- Swanson[®] Diamond™ 3 1/2 in. mark
- Scribe Bar 1/8 in. marks
- 22-1/2° 30°, 45° and 67 1/2° markings - easy angle finder
- 3/8 in. Drill Guide for self-centering drill bits on 3/4 in. stock
- Dual Reference Base: 1/4 in. & 3/8 in. perfect for centering morises and tenons
- Anti-glare finish
- Easy read markings

| MFR # | Length | Std Pack Qty | Control # |
|-------|--------|--------------|-----------|
| S0145 | 4 1/2" | 4 | |




S0145

The Big 12[®] Speed[®] Square

- Seven tools in one: framing square, try square, miter square, protractor, saw guide, stair gauge and out-of-square corner angle finder
- Heavy gauge aluminum
- 1/4 in. and 1/2 in. spaced notches to facilitate scribing lines
- Matte finish to prevent glare
- Black gradations for easy reading
- Great for deck framing and stairway building
- Patented layout bar
- Available without layout bar (T0108)

| MFR # | Length | Std Pack Qty | Control # |
|-------|--------|--------------|-----------|
| S0107 | 12" | 5 | 1520803 |
| T0108 | 12" | 5 | 1520821 |



S0107

Metric Speed[®] Square

- Two separate scales for common and hip-valley rafters, metric and degree
- High-grade aluminum alloy construction
- Traditional One-Number MethodSM for rafter layout for easier measuring
- 0.5 cm spaced notches facilitate scribing lines
- Matte finish to prevent glare
- Available with English/German/French packaging and Green Book (EU202) and English/Spanish instruction book (NA202)

| MFR # | Length | Std Pack Qty | Control # |
|-------|--------|--------------|-----------|
| EU202 | 25 cm | 5 | |
| NA202 | 25 cm | 5 | |




EU202

Speedlite® Level Square

- Built-in block vial - Easy to read from all angles
- Beveled edge for ease of reading
- Lightweight high-impact structural composite material
- Great for siding and won't mar finish
- 1/8 in. spaced notches to facilitate scribing lines
- Center line guide for locating center of round stock
- Diamond® cut out for easy layout

| MFR # | Length | Color | Std Pack Qty | Control # |
|-------|--------|---------------|--------------|-----------|
| T0111 | 8" | Gray | 5 | |
| T0811 | 8" | Hi-Viz Orange | 5 | |



T0811

Speedlite® Square

- 8 in. size is great for siding and larger materials
- Beveled edge for ease of reading
- Construction of lightweight high-impact structural composite material
- Great for siding and won't mar finish
- 1/8 in. spaced notches to facilitate scribing lines
- Center line guide for locating center of round stock

| MFR # | Length | Color | Std Pack Qty | Control # |
|-------|--------|---------------|--------------|-----------|
| T0112 | 8" | Gray | 5 | |
| T0118 | 8" | Hi-Viz Orange | 5 | 1520804 |
| T0119 | 8" | Hi-Viz Yellow | 5 | |




T0118

Big 12® Speedlite® Square

- Beveled edge for ease of reading
- Construction of lightweight high-impact structural composite material
- Great for siding and won't mar finish
- 1/4 in. and 1/2 in. spaced notches to facilitate scribing lines
- Center line guide for locating center of round stock
- Diamond® cut out for easy layout

| MFR # | Length | Color | Std Pack Qty | Control # |
|-------|--------|--------|--------------|-----------|
| T0701 | 12" | Orange | 5 | 1520805 |



T0701

Speed® Bevel Folding Speed® Square

- 6 Tools in One: Try Square, Miter Square, Rafter Square, Line Scriber, Angle Finder, T-Bevel
- Construction of lightweight high-impact structural composite material
- Won't mar finish
- Folds to only 10-1/4" in. L 2-1/4 in. W and 1 in. D

| MFR # | Length | Color | Std Pack Qty | Control # |
|--------|--------|--------|--------------|-----------|
| T0SB01 | 7" | Orange | 5 | |



T0SB01

Folding & Combination Squares



Folding, Combination, Pro Combination

Wizard® Folding Aluminum Framing Square

- Multi-Tool: Framing Square, Miter Square, Angle Finder, Saw Guide and Try Square
- Durable, high-grade anodized aluminum construction features pitch finder Swanson® Diamond® cutout
- Simultaneously mark top and bottom stud plates
- Portable, compact design folds down to fit into a standard toolbox
- Includes instruction book for using the Swanson® One-Number® Method and an Allen wrench for adjusting the square
- Precision laser etching on high-visibility blue finish creates contrast for easy readings
- Includes Jack rafter/rake wall scales



T001WZ

| MFR # | Length | Std Pack Qty | Control # |
|--------|--------|--------------|-----------|
| T001WZ | 24" | 6 | |

Pocket Combination Square

- Precision machined die-cast zinc body
- Hi-impact composite head
- Spring loaded, brass bolt assures firm, accurate settings
- Etched stainless steel blade
- Screw fit brass scribe and impact resistant acrylic vial
- 1/8 in., 1/16 in., 1/32 in., and mm scale gradations
- Available in 12" model (TC132)



TC130

| MFR # | Length | Std Pack Qty | Control # |
|-------|--------|--------------|-----------|
| TC130 | 6" | 6 | |

Speedlite® Combination Square

- Spring loaded, brass bolt assures firm, accurate settings
- Stainless steel blades with black precision etchings, includes brass hardware
- Screw fit brass scribe and impact resistant acrylic vial



TC131

| MFR # | Length | Color | Std Pack Qty | Control # |
|-------|--------|--------|--------------|-----------|
| TC131 | 12" | Yellow | 6 | 1520822 |
| TC132 | 12" | Black | 6 | |

Pro Combination Square

- Precision machined die-cast zinc head
- Spring loaded, brass bolt assures firm, accurate settings
- Stainless steel blades with black precision etchings, includes brass hardware
- Screw fit brass scribe and impact resistant acrylic level vial
- 1/8 in., 1/16 in., 1/32 in. and mm scale gradations



TC134

| MFR # | Length | Std Pack Qty | Control # |
|-------|--------|--------------|-----------|
| TC134 | 16" | 6 | |

Combination Square

- Chemical etching
- Precision machined surfaces
- Stainless steel blade
- Brass tightening bolt and scribe all
- Acrylic block vial
- Savage™ strength frame-aerospace aluminum



SVC133

| MFR # | Length | Color | Std Pack Qty | Control # |
|--------|--------|--------------------------|--------------|-----------|
| SVC133 | 12" | Stainless Steel & Orange | 6 | 1520813 |





Builder Squares

Carpenter, Rafter

Steel Carpenter Square

- High-grade tempered steel
- Nickel Plated, resists rust
- Reverse-reading scale
- Acid wash for anti-glare matte finish
- Permanently impressed gradations

| MFR # | Length | Color | Std Pack Qty | Control # |
|-------|-----------|-------|--------------|-----------|
| TS157 | 16" x 24" | Steel | 6 | 1520824 |

Aluminum Carpenter Square

- Reverse-reading scale
- 1/8, 1/10, 1/12, 1/16 & 1/100 Scales
- Permanently impressed gradations

| MFR # | Length | Color | Std Pack Qty | Control # |
|-------|-----------|----------|--------------|-----------|
| TA123 | 16" x 24" | Aluminum | 6 | |

Carpenter Square

- Lightweight and Durable
- Anodized aerospace aluminum
- Precision laser etching
- Reverse reading scale

| MFR # | Length | Color | Std Pack Qty | Control # |
|--------|-----------|--------|--------------|-----------|
| SVL123 | 16" x 24" | Orange | 6 | 1520810 |



Aluminum Rafter Square

- Rafter, brace & essex tables; octagon scales
- 1/8, 1/10, 1/12, 1/16 & 1/100 Scales
- Permanently impressed gradations

| MFR # | Length | Color | Std Pack Qty | Control # |
|-------|-----------|----------|--------------|-----------|
| TA122 | 16" x 24" | Aluminum | 6 | |

Black Anodized Rafter Square


- Highly visible, permanently impressed gradations in 1/8 in., 1/10 in., 1/12 in. and 1/16 in. scale
- 1/16 and 1/100 Scales
- White gradients over black anodizing for easy readability
- Rafter, brace and essex table, octagon scales

| MFR # | Length | Color | Std Pack Qty | Control # |
|-------|-----------|-------|--------------|-----------|
| TA126 | 16" x 24" | Black | 6 | |

Heavy-Duty Aluminum Rafter Square

- 3/16 in. thick aluminum alloy
- Rafter, brace & essex tables; octagon scales
- 1/8, 1/10, 1/12, 1/16 & 1/100 Scales
- Permanently impressed gradations

| MFR # | Length | Color | Std Pack Qty | Control # |
|-------|-----------|----------|--------------|-----------|
| TA127 | 16" x 24" | Aluminum | 6 | |



Builder Squares


Steel Rafter, Utility, Try & Miter, Sliding T-Bevel



Steel Rafter Square

- High-grade tempered steel with "Hi-Vis" yellow coated finish
- 1/8, 1/10, 1/12, 1/16, & 1/100 Scales
- Reverse-reading scale
- Black thermo-bounded gradations
- Rafter, brace & essex tables; octagon scales

| MFR # | Length | Color | Std Pack Qty | Control # |
|-------|-----------|---------------|--------------|-----------|
| TS154 | 16" x 24" | Hi-Vis Yellow | 6 | |



TS154

Utility Square

- High-grade steel
- Nickel Plated, resists rust
- Face gradations in 8ths & 12ths
- Back gradations in 8ths & 16ths
- Acid wash for anti-glare matte finish
- Permanently impressed gradations

| MFR # | Length | Color | Std Pack Qty | Control # |
|-------|----------|-------|--------------|-----------|
| TS153 | 8" x 12" | Steel | 12 | 1520823 |



TS153

Try & Miter Square

- 1/16 in. & 1/8 in. gradations
- High impact molded handle with vial
- Etched stainless steel blade, 1/8 in. & 1/16 in. gradations
- 45° angle in handle for easy layout
- Available with brass bound hardwood handle (TS152)

| MFR # | Length | Color | Std Pack Qty | Control # |
|-------|--------|-----------------------|--------------|-----------|
| TS151 | 8" | Black Plastic & Steel | 6 | |
| TS152 | 8" | Wood, Brass & Steel | 6 | |



TS151

Try Square

- Aerospace Aluminum anodized frame with rubber coated handle insert
- Retractable Kickstand™ helps hold materials
- Stainless steel etched blade
- Blade scribe bar

| MFR # | Length | Color | Std Pack Qty | Control # |
|--------|--------|--------------------------|--------------|-----------|
| SVR149 | 9" | Stainless Steel & Orange | 6 | |



SVR149



Sliding T-Bevel

- All brass hardware
- Hardwood handle
- Etched stainless steel 9 in. blade
- Brass bound ends

| MFR # | Length | Color | Std Pack Qty | Control # |
|-------|--------|--------------|--------------|-----------|
| TS149 | 9" | Brass & Wood | 6 | |



TS149

T-Bevel with Metal Knob

- Bottom located tightening bolt
- Stainless steel chemically etched blade
- Aerospace aluminum anodized frame with rubber coated handle insert

| MFR # | Length | Color | Std Pack Qty | Control # |
|--------|--------|--------------------------|--------------|-----------|
| SVV150 | 9" | Stainless Steel & Orange | 6 | |



SVV150



Sliding T-Bevel with Level Vial

- Level vial in handle for easy referencing
- Heavy-duty composite handle
- Etched stainless steel 8 in. blade

| MFR # | Length | Color | Std Pack Qty | Control # |
|-------|--------|-----------------------|--------------|-----------|
| TS150 | 8" | Black Plastic & Steel | 6 | |



TS150



Wallboard Squares

Drywall, Wallboard

Drywall Square

- Durable alluminum alloy frame is 1/8" thick
- Body is standard outlet size for easy marking
- Five rivets and two steel roll pins accurately secure head and body
- Black thermobonded gradations over a hi-viz yellow for easy reading
- Resists nicks from utility knives

| MFR # | Length | Color | Std Pack Qty | Control # |
|--------|--------|--------|--------------|-----------|
| TDT148 | 48" | Yellow | 2 | |




TDT148

Adjustable Aluminum Drywall Square

- Full adjustable head allows multiple angle cuts
- Collapses fully, easier storage and portability
- Thermo-bonded gradations
- Resists nicks from utility knives

| MFR # | Length | Color | Std Pack Qty | Control # |
|-------|--------|----------|--------------|-----------|
| AD124 | 48" | Aluminum | 3 | |




AD124

Aluminum T-Square Wallboard Square

- Resists nicks from utility knives
- Body is standard outlet size for easy marking
- Five rivets and two steel roll pins accurately secure head and body

| MFR # | Length | Color | Std Pack Qty | Control # |
|-------|--------|--------|--------------|-----------|
| TD124 | 48" | Yellow | 2 | |
| TD540 | 54" | Yellow | 2 | |




TD124

Wallboard Square

- 5 Stainless steel rivots
- Body is 3/16" thick
- Precision laser etching
- Anodized aerospace aluminum

| MFR # | Length | Color | Std Pack Qty | Control # |
|--------|--------|--------|--------------|-----------|
| SVW124 | 48" | Orange | 2 | |



SVW124



Straight Edges

Cutting Guide



Straight Edges

- High-grade aluminum alloy
- Thermally fused yellow powder paint finish
- Lightweight and strong
- Non-glare finish
- Black thermo-bonded gradations

| MFR # | Length | Width | Std Pack Qty | Control # |
|-------|--------|--------|--------------|-----------|
| AE141 | 36" | 1-1/4" | 10 | |
| AE142 | 48" | 2" | 3 | |
| AE143 | 60" | 2" | 3 | |
| AE144 | 72" | 2" | 3 | |



AE141

Aluminum Cutting Guide

- Includes two 50" cutting guides; joining bar allows expansion to 100"
- Low-profile design guides any saw, router, or utility knife
- Made of durable, high-grade anodized aluminum
- Includes C-clamps
- Break-down design makes for easy storage

| MFR # | Length | Std Pack Qty | Control # |
|-------|--------|--------------|-----------|
| CG100 | 100" | 6 | |



CG100


No Slip Straight Edges

- No Slip Grip backing
- Thumb Saver raised edge
- Anodized aerospace aluminum
- Precision laser etching

| MFR # | Length | Std Pack Qty | Control # |
|----------|--------|--------------|-----------|
| SVE240 | 24" | 3 | |
| SVE360 | 36" | 3 | |
| SVE480 | 48" | 3 | |
| SVE720 | 72" | 1 | |
| * SVE960 | 96" | 1 | |



* FOB - Houston GFL Dock Only Due to Overlength



SVE240



Professional Series Measuring Tapes

Magnetic Proscribe™ 25ft. Tape Measure

- Scribes circles into surfaces with centering pin
- Scribe guide eliminates slivers
- 1 in. wide blade with large number display on top and bottom for easy readability
- Magnetic tip
- 8 ft. standout

| MFR # | Std Pack Qty | Control # |
|----------|--------------|-----------|
| SVPS25M1 | 6 | 1520811 |



Proscribe™ 8 Meter Tape Measure

- Scribes circles into surfaces with centering pin
- Scribe guide eliminates slivers
- 1 in. wide blade with large number display on top and bottom for easy readability

| MFR # | Std Pack Qty | Control # |
|----------|--------------|-----------|
| SVPS8M1M | 6 | |



Magnetic Gripline™ 25ft. Tape Measure

- Grips PVC, conduit and pipe up to 2 in. in diameter
- Grips vertical & rounded edges with rotating tip
- 1 1/16 in. wide blade with large number display on top and bottom for easy readability
- Magnetic tip
- 8 1/2 ft. standout

| MFR # | Std Pack Qty | Control # |
|----------|--------------|-----------|
| SVGL25M1 | 6 | 1520812 |



Gripline™ 8 Meter Tape Measure

- Grips PVC, conduit and pipe up to 2 in. in diameter
- Grips vertical & rounded edges with rotating tip
- 1 1/16 in. wide blade with large number display on top and bottom for easy readability

| MFR # | Std Pack Qty | Control # |
|----------|--------------|-----------|
| SVGL8M1M | 6 | |



Compact Measuring Wheel

- Telescoping handle extends to 36" for comfortable handling
- Easy-to-read magnified counter features large numbers on high-contrast, black and white display
- Button feature easily resets counter to 0
- Handle collapses to 20" for easy portability and storage
- Counter displays feet and inches in separate formats for easy differentiation between units
- Available in Metric model (SWRT3940M)

| MFR # | Std Pack Qty | Control # |
|-----------|--------------|-----------|
| SWRT3940 | 1 | |
| SWRT3940M | 1 | |



SVPS25M1



SVPS8M1M



SVGL25M1



SVGL8M1M



SWRT3940

Accessories

Carpenter Pencil, Refills, Holder & Saw



Always Sharp® Refillable Carpenter Pencil

- Pack features refillable graphite that eliminates sharpening
- Pencil lasts 5 times longer than a traditional Carpenter Pencil
- Each pencil comes with a cap to protect against damage during storage
- 3/8" Graphite tips are sharp on both sides
- Pack includes 2 pencils & 8 refills



CP216

| MFR # | Length | Color | Std Pack Qty | Control # |
|-------|--------|-------|--------------|-----------|
| CP216 | 7.88" | Gray | 1 | |

Always Sharp® Replacement Tips

- 24 replacement tips

| MFR # | Color | Std Pack Qty | Control # |
|--------|-------|--------------|-----------|
| CPLBLK | Black | 10 | |
| CPLRED | Red | 10 | |



CPLBLK



SDP217

Speed Draw Pencil Holder

- Fits most carpenter pencils & markers
- Comfort rubber grip
- Super strong magnets

| MFR # | Length | Color | Std Pack Qty | Control # |
|--------|--------|--------|--------------|-----------|
| SDP217 | 7" | Orange | 12 | 1520825 |

Carpenter Pencils - 5 Pack & 72 Box

- High visibility orange paint finish
- Ideal for all woodworking and remodeling projects
- Stays put - won't roll
- CP700 (5 pack carded) | CP700B (72 bulk box)

| MFR # | Length | Color | Std Pack Qty | Control # |
|--------|--------|--------|--------------|-----------|
| CP700 | 7" | Orange | 10 | |
| CP700B | 7" | Orange | 1 Box of 72 | |



CP700
(carded)



CP700B
(bulk box)

Folding Saw with 3 piece Saw Blade

- 2 cutting positions
- Works with any reciprocating saw blade
- Integrated utility knife
- Convenient belt case
- Folding saw by itself (SVK667)

| MFR # | Std Pack Qty | Control # |
|--------|--------------|-----------|
| SVK666 | 2 | |
| SVK667 | 6 | |



SVK666





Accessories

Plumb Bobs, Stair Gauges, Butt Marker, Instruction Manual

Brass Plumb Bob

- Solid brass
- Removable top to center string
- Hardened steel tip

| MFR # | Weight | Std Pack Qty | Control # |
|--------|--------|--------------|-----------|
| PB008B | 8 oz. | 5 | |
| PB016B | 16 oz. | 5 | |



PB008B

Steel Plumb Bob

- Removable head
- Plated Steel
- Resists rusts

| MFR # | Weight | Std Pack Qty | Control # |
|--------|--------|--------------|-----------|
| PB008S | 8 oz. | 5 | |



PB008S

Solid Brass Stair Gauges

- Precision accuracy
- For stairway construction
- Use to layout repetitive cuts
- Solid Brass construction

| MFR # | Std Pack Qty | Control # |
|--------|--------------|-----------|
| SG0020 | 6 | |




SG0020

Little "Blue Book" of Instructions for Roof & Stairway Layout

- 60 page manual
- "One Number Method"SM for roof layout
- Includes rafter tables & construction diagrams

| MFR # | Std Pack Qty | Control # |
|-------|--------------|-----------|
| P0110 | 5 | |



P0110

Hinge Butt Marker

- High-grade die cast aluminum alloy

| MFR # | Size | Std Pack Qty | Control # |
|-------|------|--------------|-----------|
| S0106 | 4" | 5 | |



S0106