



Featured Item Catalog



Tru-Cut, Incorporated



CARBIDE BURRS

DOUBLE CUT • 1/4" SHANK



CYLINDRICAL

PARTNUM	CUTTER DIA.	HEAD LENGTH	LIST PRICE
CBSA-1*	1/4"	5/8"	
CBSA-2	5/16"	3/4"	
CBSA-3*	3/8"	3/4"	
CBSA-4	7/16"	1"	
CBSA-5*	1/2"	1"	
CBSA-6	5/8"	1"	
CBSA-7	3/4"	1"	



CYLINDRICAL WITH END CUT

PARTNUM	CUTTER DIA.	HEAD LENGTH	LIST PRICE
CBSB-1	1/4"	5/8"	
CBSB-3*	3/8"	3/4"	
CBSB-4	7/16"	1"	
CBSB-5	1/2"	1"	
CBSB-6	5/8"	1"	



CYLINDRICAL WITH BALL NOSE

PARTNUM	CUTTER DIA.	HEAD LENGTH	LIST PRICE
CBSC-1	1/4"	5/8"	
CBSC-2	5/16"	3/4"	
CBSC-3	3/8"	3/4"	
CBSC-4	7/16"	1"	
CBSC-5*	1/2"	1"	
CBSC-6	5/8"	1"	



FLAME SHAPE

PARTNUM	CUTTER DIA.	HEAD LENGTH	LIST PRICE
CBSH-5*	1/2"	1-1/4"	
CBSH-6	5/8"	1-7/16"	



OVAL SHAPE

PARTNUM	CUTTER DIA.	HEAD LENGTH	LIST PRICE
CBSE-1	1/4"	3/8"	
CBSE-3*	3/8"	5/8"	
CBSE-5*	1/2"	7/8"	
CBSE-6*	5/8"	1"	



BALL SHAPE

PARTNUM	CUTTER DIA.	HEAD LENGTH	LIST PRICE
CBSD-1	1/4"	1/4"	
CBSD-3*	3/8"	3/8"	
CBSD-4	7/16"	7/16"	
CBSD-5*	1/2"	1/2"	
CBSD-6	5/8"	5/8"	



TREE SHAPE

PARTNUM	CUTTER DIA.	HEAD LENGTH	LIST PRICE
CBSL-1	1/4"	5/8"	
CBSL-3	3/8"	1-1/16"	
CBSL-4*	1/2"	1-1/8"	
CBSL-5	5/8"	1-3/16"	
CBSL-6	5/8"	1-5/16"	
CBSL-7	3/4"	1-1/2"	



14° INCLUDED ANGLE

PARTNUM	CUTTER DIA.	HEAD LENGTH	LIST PRICE
CBSF-1	1/4"	5/8"	
CBSF-3	3/8"	3/4"	
CBSF-4	7/16"	1"	
CBSF-5	1/2"	1"	
CBSF-6	5/8"	1"	
CBSF-7	3/4"	1"	
CBSF-14	3/4"	1-1/4"	
CBSF-15	3/4"	1-1/2"	



POINTED TREE

PARTNUM	CUTTER DIA.	HEAD LENGTH	LIST PRICE
CBSG-1	1/4"	5/8"	
CBSG-3*	3/8"	3/4"	
CBSG-5*	1/2"	1"	
CBSG-6*	5/8"	1"	



CONE SHAPE

PARTNUM	CUTTER DIA.	HEAD LENGTH	LIST PRICE
CBSM-1	1/4"	1/2"	
CBSM-3	1/4"	1"	
CBSM-4	3/8"	5/8"	
CBSM-5	1/2"	7/8"	
CBSM-6	5/8"	1"	



INVERTED CONE

PARTNUM	CUTTER DIA.	HEAD LENGTH	LIST PRICE
CBSN-4	1/2"	1/2"	
CBSN-6	5/8"	3/4"	

* AVAILABLE IN 6" LENGTH

REAMERS

HEX-NUT REAMERS

PART NUMBER	LARGE DIAMETER	SMALL DIAMETER	OVERALL LENGTH	HEX NUT SIZE	LIST PRICE
RBHX.687	11/16"	3/8"	4-1/2"	1-1/16"	
RBHX.812	13/16"	15/32"	5"	1-1/4"	
RBHX.937	15/16"	19/32"	5"	1-7/8"	
RBHX1.062	1-1/16"	5/8"	5"	1-5/8"	

DESIGNED FOR ENLARGING OR ALIGNING HOLES WITH ROTARY IMPACT SOCKET TOOLS IN HEAVY DUTY STRUCTURAL STEEL, BRIDGE AND SHIPMAKING. THE HIGH HELIX FLUTES SHEER METAL AWAY QUICKLY LETTING YOU GET THE JOB DONE FASTER.

THE HEX HEAD ON THE REAMER IS THE SAME SIZE AS THE HEAD ON THE BOLT YOU'LL BE STICKING IN THE HOLE, MEANING YOU DON'T EVEN HAVE TO CHANGE SOCKETS TO FINISH THE JOB!

CONSTRUCTION REAMERS ARE SIMILAR IN DESIGN TO BRIDGE REAMERS, BUT SHORTER. ENGINEERED TO FIT IN AND ENLARGE MISALIGNED EXISTING HOLES, ESPECIALLY IN TIGHT SPOTS WHERE BRIDGE REAMERS WON'T FIT.

CONSTRUCTION REAMERS

PART NUMBER	LARGE DIAMETER	SMALL DIAMETER	OVERALL LENGTH	LIST PRICE
RBSC.312	5/16"	0.1760"	4-3/4"	
RBSC.375	3/8"	0.1880"	5"	
RBSC.437	7/16"	0.2180"	5-1/4"	
RBSC.500	1/2"	0.2300"	5-15/16"	
RBSC.562	9/16"	0.2925"	5-15/16"	
RBSC.625	5/8"	0.2590"	6-9/16"	
RBSC.687	11/16"	0.3125"	6-9/16"	
RBSC.750	3/4"	0.4530"	7"	
RBSC.812	13/16"	0.5155"	7"	
RBSC.875	7/8"	0.5800"	7-1/4"	
RBSC.937	15/16"	0.6425"	7-1/4"	
RBSC1.000	1"	0.7080"	7-1/4"	
RBSC1.062	1-1/16"	0.7530"	7-1/4"	



GLASS & TILE DRILL BITS

PROFESSIONAL-GRADE DRILL BITS





AVAILABLE BULK PACKAGED OR SKIN CARDED




Glass & Tile Drills

Single Tip	SIZE	LIST
GD.125	1/8"	
GD.156	5/32"	
GD.187	3/16"	
GD.250	1/4"	
GD.312	5/16"	
GD.375	3/8"	
GD.500	1/2"	
GD.SET	4-Piece Set	
Includes one each of: 1/8", 3/16", 1/4", 5/16"		

Quad Tip	SIZE	LIST
GDQ.187	3/16"	
GDQ.250	1/4"	
GDQ.312	5/16"	
GDQ.375	3/8"	
GDQ.500	1/2"	
GDQ.625	5/8"	
GDQ.750	3/4"	
GDQ1.000	1"	
GDQ.SET	4-Piece Set	
Includes one each of: 1/4", 5/16", 3/8", 1/2"		
GDQ.SET2	4-Piece Set	
Includes one each of: 3/16", 1/4", 5/16", 3/8"		



ITEM	ITEM DESCRIPTION	SIZE	LIST
SHCT.625	5/8 CARBIDE TIPPED HOLE CUTTER W-PILOT 1/4 DEPTH	5/8	
SHCT.687	11/16 CARBIDE TIPPED HOLE CUTTER W-PILOT 1/4 DEPTH	11/16	
SHCT.750	3/4 CARBIDE TIPPED HOLE CUTTER W-PILOT 1/4 DEPTH	3/4	
SHCT.812	13/16 CARBIDE TIPPED HOLE CUTTER W-PILOT 1/4 DEPTH	13/16	
SHCT.875	7/8 CARBIDE TIPPED HOLE CUTTER W-PILOT 1/4 DEPTH	7/8	
SHCT.937	15/16 CARBIDE TIPPED HOLE CUTTER W-PILOT 1/4 DEPTH	15/16	
SHCT1.000	1 inch CARBIDE TIPPED HOLE CUTTER W-PILOT 1/4 DEPTH	1"	
SHCT1.062	1-1/16 CARBIDE TIPPED HOLE CUTTER W-PILOT 1/4 DEPTH	1-1/16	
SHCT1.125	1-1/8 CARBIDE TIPPED HOLE CUTTER W-PILOT 1/4 DEPTH	1-1/8	
SHCT1.187	1-3/16 CARBIDE TIPPED HOLE CUTTER W-PILOT 1/4 DEPTH	1-3/16	
SHCT1.250	1-1/4 CARBIDE TIPPED HOLE CUTTER W-PILOT 1/4 DEPTH	1-1/4	
SHCT1.375	1-3/8 CARBIDE TIPPED HOLE CUTTER W-PILOT 1/4 DEPTH	1-3/8	
SHCT1.500	1-1/2 CARBIDE TIPPED HOLE CUTTER W-PILOT 1/4 DEPTH	1-1/2	
SHCT1.625	1-5/8 CARBIDE TIPPED HOLE CUTTER W-PILOT 1/4 DEPTH	1-5/8	
SHCT1.750	1-3/4 CARBIDE TIPPED HOLE CUTTER W-PILOT 1/4 DEPTH	1-3/4	
SHCT1.875	1-7/8 CARBIDE TIPPED HOLE CUTTER W-PILOT 1/4 DEPTH	1-7/8	
SHCT2.000	2 CARBIDE TIPPED HOLE CUTTER W-PILOT 1/4 DEPTH	2"	
SHCT2.125	2-1/8 CARBIDE TIPPED HOLE CUTTER W-PILOT 1/4 DEPTH	2-1/8	
SHCT2.250	2-1/4 CARBIDE TIPPED HOLE CUTTER W-PILOT 1/4 DEPTH	2-1/4	
SHCT2.375	2-3/8 CARBIDE TIPPED HOLE CUTTER W-PILOT 1/4 DEPTH	2-3/8	
SHCT2.500	2-1/2 CARBIDE TIPPED HOLE CUTTER W-PILOT 1/4 DEPTH	2 - 1/2	
SHCT2.625	2-5/8 CARBIDE TIPPED HOLE CUTTER W-PILOT 1/4 DEPTH	2-5/8	
SHCT2.750	2-3/4 CARBIDE TIPPED HOLE CUTTER W-PILOT 1/4 DEPTH	2-3/4	
SHCT3.000	3 inch CARBIDE TIPPED HOLE CUTTER W-PILOT 1/4 DEPTH	3"	
SHCT3.250	3-1/4 CARBIDE TIPPED HOLE CUTTER W-PILOT 1/4 DEPTH	3-1/4	
SHCT3.500	3-1/2 CARBIDE TIPPED HOLE CUTTER W-PILOT 1/4 DEPTH	3-1/2	
SHCT3.625	3-5/8 CARBIDE TIPPED HOLE CUTTER W-PILOT 1/4 DEPTH	3-5/8	
SHCT4.000	4 CARBIDE TIPPED HOLE CUTTER W-PILOT 1/4 DEPTH	4"	
SHCTPILOT	PILOT BIT FOR CARBIDE TIPP HOLES SAWS	PILOT	



ITEM	ITEM DESCRIPTION	SIZE	LIST
SHCT.562L	9/16 CARBIDE TIPPED HOLE CUTTER W-PILOT 3/4 DEPTH	9/16	
SHCT.625L	5/8 CARBIDE TIPPED HOLE CUTTER W-PILOT 3/4 DEPTH	5/8	
SHCT.687L	11/16 CARBIDE TIPPED HOLE CUTTER W-PILOT 3/4 DEPTH	11/16	
SHCT.750L	3/4 CARBIDE TIPPED HOLE CUTTER W-PILOT 3/4 DEPTH	3/4	
SHCT.812L	13/16 CARBIDE TIPPED HOLE CUTTER W-PILOT 3/4 DEPTH	13/16	
SHCT.875L	7/8 CARBIDE TIPPED HOLE CUTTER W-PILOT 3/4 DEPTH	7/8	
SHCT.937L	15/16 CARBIDE TIPPED HOLE CUTTER W-PILOT 3/4 DEPTH	15/16	
SHCT1.000L	1 CARBIDE TIPPED HOLE CUTTER W-PILOT 3/4 DEPTH"	1"	
SHCT1.062L	1-1/16 CARBIDE TIPPED HOLE CUTTER W-PILOT 3/4 DEPTH	1-1/16	
SHCT1.125L	1-1/8 CARBIDE TIPPED HOLE CUTTER W-PILOT 3/4 DEPTH	1-1/8	
SHCT1.187L	1-3/16 CARBIDE TIPPED HOLE CUTTER W-PILOT 3/4 DEPTH	1-3/16	
SHCT1.250L	1-1/4 CARBIDE TIPPED HOLE CUTTER W-PILOT 3/4 DEPTH	1-1/4	
SHCT1.375L	1-3/8 CARBIDE TIPPED HOLE CUTTER W-PILOT 3/4 DEPTH	1-3/8	
SHCT1.500L	1-1/2 CARBIDE TIPPED HOLE CUTTER W-PILOT 3/4 DEPTH	1-1/2	
SHCT1.625L	1-5/8 CARBIDE TIPPED HOLE CUTTER W-PILOT 3/4 DEPTH	1-5/8	
SHCT1.750L	1-3/4 CARBIDE TIPPED HOLE CUTTER W-PILOT 3/4 DEPTH	1-3/4	
SHCT1.875L	1-7/8 CARBIDE TIPPED HOLE CUTTER W-PILOT 3/4 DEPTH	1-7/8	
SHCT2.000L	2 CARBIDE TIPPED HOLE CUTTER W-PILOT 3/4 DEPTH"	2"	
SHCT2.125L	2-1/8 CARBIDE TIPPED HOLE CUTTER W-PILOT 3/4 DEPTH	2-1/8	
SHCT2.250L	2-1/4 CARBIDE TIPPED HOLE CUTTER W-PILOT 3/4 DEPTH	2-1/4	
SHCT2.375L	2-3/8 CARBIDE TIPPED HOLE CUTTER W-PILOT 3/4 DEPTH	2-3/8	
SHCT2.500L	2-1/2 CARBIDE TIPPED HOLE CUTTER W-PILOT 3/4 DEPTH	2-1/2	
SHCT2.750L	2-3/4 CARBIDE TIPPED HOLE CUTTER W-PILOT 3/4 DEPTH	2-3/4	
SHCT3.000L	3 CARBIDE TIPPED HOLE CUTTER W-PILOT 3/4 DEPTH"	3"	
SHCT3.250L	3-1/4 CARBIDE TIPPED HOLE CUTTER W-PILOT 3/4 DEPTH	3-1/4	
SHCT3.500L	3-1/2 CARBIDE TIPPED HOLE CUTTER W-PILOT 3/4 DEPTH	3-1/2	
SHCT3.625L	3-5/8 CARBIDE TIPPED HOLE CUTTER W-PILOT 3/4 DEPTH	3-5/8	
SHCT4.000L	4 CARBIDE TIPPED HOLE CUTTER W-PILOT 3/4 DEPTH"	4"	
SHCT4.500L	4-1/2 CARBIDE TIPPED HOLE CUTTER W-PILOT 3/4 DEPTH	4-1/2	
SHCT5.000L	5 CARBIDE TIPPED HOLE CUTTER W-PILOT 3/4 DEPTH"	5"	

SELF FEED BITS

7/16" QUICK-CHANGE HEX SHANK • INCLUDES SPARE PILOT BIT & ALLEN WRENCH

	DIAMETER	LIST
SFB1.000	1"	210.95
SFB1.125	1-1/8"	220.95
SFB1.250	1-1/4"	240.95
SFB1.375	1-3/8"	244.95
SFB1.500	1-1/2"	244.95
SFB1.750	1-3/4"	244.95
SFB2.000	2"	244.95
SFB2.125	2-1/8"	270.95
SFB2.250	2-1/4"	270.95
SFB2.562	2-9/16"	280.95
SFB3.000	3"	282.95
SFB3.625	3-5/8"	288.95
SFB4.625	4-5/8"	310.95



DRILL BITS FOR MINI DROP-IN ANCHORS



MINI DROP-IN ANCHORS ARE A CARBON STEEL, MACHINE BOLT ANCHOR FOR USE IN SHALLOW EMBEDMENT APPLICATIONS. IN ADDITION TO SOLID CONCRETE AND HOLLOW CORE CONCRETE PLANK, IT CAN ALSO BE USED IN HARD STONE AND SOLID BLOCK, AND MAY BE USED IN OVERHEAD APPLICATIONS.

TRU-CUT'S SDS MINI DROP-IN ANCHOR DRILL BIT ALLOWS THE OPERATOR TO QUICKLY AND SAFELY DRILL THE NEEDED HOLES IN MASONRY TO INSTALL YOUR ANCHORS.

TRU-CUT SDS MINI ANCHOR BITS ARE MADE IN THE USA, AND FEATURE A SOLID HARDENED STEEL BODY DESIGN WITH PREMIUM CARBIDE BRAISED IN THE TIP, A WIDE SHOULDER TO PREVENT DRILLING TOO DEEP AND HITTING REBAR OR HIGH TENSION WIRES, AND AN INNOVATIVE DUST REMOVAL DESIGN FOR FAST DRILLING.

SDS+ MINI DROP-IN ANCHOR BITS 6" OVERALL LENGTH

PARTNUM	FOR ANCHOR DIAMETER	DRILL BIT DIAMETER	DRILLING DEPTH	LIST PRICE
SDS5006MINI	3/8"	1/2"	13/16"	\$1.99
SDS6256MINI	1/2"	5/8"	1-3/16"	\$2.99



TRI-FLUTE WOOD AUGER BITS
3 CUTTING EDGES and SCREW TIPPED
For FASTER DRILLING
1/4" QUICK CHANGE SHANK

Item	Description	List
SAT.625	5/8 x 6 TRI-FLUTE BLUE POWER AUGER BIT	
SAT.687	11/16 X 6 TRI-FLUTE BLUE POWER AUGER BIT	
SAT.750	3/4 X 6 TRI-FLUTE BLUE POWER AUGER BIT	
SAT.812	13/16 x 6 TRI-FLUTE BLUE POWER AUGER BIT	
SAT.875	7/8 x 6 TRI-FLUTE BLUE POWER AUGER BIT	
SAT.937	15/16 x 6 TRI-FLUTE BLUE POWER AUGER BIT	
SAT1.000	1 x 6 TRI-FLUTE BLUE POWER AUGER BIT	
SAT1.125	1-1/8 x 6 TRI-FLUTE BLUE POWER AUGER BIT	
SAT1.250	1-1/4 x 6 TRI-FLUTE BLUE POWER AUGER BIT	
SAT1.375	1-3/8 x 6 TRI-FLUTE BLUE POWER AUGER BIT	
SAT1.500	1-1/2 x 6 TRI-FLUTE BLUE POWER AUGER BIT	
SAT1.562	1-9/16 x 6 TRI-FLUTE BLUE POWER AUGER BIT	





Spline

SDS Max

SDS Plus

Hilti TE
805/905
1000 / 1100

1-1/8" Hex

3/4" Hex



Image	Description	Length	Spline	SDS Max	SDS Plus	Hilti TE	1-1/8" Hex	3/4" Hex
	For Roughing Concrete 16 points	9-1/2"	CBSO16	CBSO16TE			CBSO16DX	CBSO16HX
	For Roughing Concrete 25 points	9-1/2"	CBSCARBPB	CBSCARBTE	CBSCARBSDS			
	For Demolition	10"			CMSDS			
		12"	CM12	CM12TE				CM12HX
		15"				CM15H905	CM15DX	
		18"	CM18	CM18TE	CMSDS18	CM19H905		CM18HX
		30"		CM30TE				
	For Scaling, Chipping and Chiseling	3/4" x 10"			CFSDS			
		1" x 12"	CF12	CF12TE				CF12HX
		1" x 15"						
		1" x 18"	CF18	CF18TE	CFSDS18	CF15H905	CF15DX	
		1" x 24"		CF24TE		CF19H905		CF18HX
		1" x 30"		CF30TE				
1" x 48"		CF48TE						
	For Removing Scale, Rust and Weld Splatter	1-1/2" x 10"			CSSDS			
		2" x 10"			CSSDSX2			
		3" x 7"			CSSDSX3			
		2" x 12"	CS12	CS12TE		CS214H905		
		3" x 12"	CS12X3	CS12TEX3		CS314H905	CS16DX	CS12HX3
		2" x 16"	CS18	CS18TE	CSSDS18X2	CS219H905		CS18HX
3" x 18"		CS18TEX3		CS319H905				
4-1/2" x 12"		CS12TEX4						
4-1/2" x 18"		CS18TEX4						
	Angled Scaling Chisel for easier use	3" x 10"		CBTE	CBSDS			
	For Cutting Slots Between Holes	1" x 12"	CSL12	CSL12TE			CSL12HX	
	For Caulking, Tuck Pointing, Seaming, and Removing Old Mortar	1-1/8" x 15"	CMO15	CMO15TE			CMO15HX	
	For Digging Hard Clay, Packed Dirt, or Gravel	4" x 15"	CCLAY	CCLAYTE		CCLAYH905	CCLAYDX	CCLAYHX
	For Cutting Asphalt or Hard Ground	6" x 20"		CASFTE			CASFDX	
	For Driving Ground Rods	5/8"	GRDPB625	GRDPM625	GRSDS625			
		3/4"	GRDPB750	GRDPM750				
	For Removing Tile, and Other Various Debris from Floors	Tool Shank	CFSPB	CFSMAX		CFS905	CFSDX	CFSHX
		2mm Blade	CFSBLADE					
		Head (Includes Blade)	CFSHEAD					

Quality



Forged Hammer Tools

CMSDS	10 MOIL/BULL POINT SDS-Plus	CBCSCARBPB	1-PC. BUSHING TOOL SPLINE -25 CARB TIP
CM12	12 MOIL/BULL SPLINE	CBCSCARBSDS	1-PC. BUSHING TOOL SDS-Plus - 25 CARB TIP
CM12HX	12 MOIL/BULL 3/4 HEX	CBCSCARBTE	1-PC. BUSHING TOOL SDS MAX - 25 CARB TIP
CM12TE	12 MOIL/BULL SDS MAX		
CM15DX	14 MOIL/BULL 1-1/8 HEX /w NOTCH	CBSDS	3" BENT SCALING CHISEL SDS-Plus
CM15H905	14 MOIL/BULL HILTI 805/905/1000/1100	CBTE	3" BENT SCALING CHISEL SDS MAX
CMSDS18	18 MOIL / BULL SDS-Plus		
CM18	18 MOIL/BULL SPLINE	CBSO16	1-PC. BUSHING TOOL SPLINE
CM18HX	18 MOIL/BULL 3/4 HEX	CBSO16DX	1-1/8 BUSHING TOOL 1-1/8 HEX /w NOTCH
CM18TE	16 MOIL/BULL SDS MAX	CBSO16HX	1 PC. BUSHING TOOL 3/4 HEX
CM19H905	18 MOIL/BULL HILTI 805/905/1000/1100	CBSO16TE	1-PC. BUSHING TOOL SDS MAX
CM30TE	30 MOIL./BULL. SDS MAX		
CFSDS	3/4 x 10 FLAT/COLD SDS	CSL12	1 1/8 x 12 SLOTTING SPLINE
CF12	1 x 12 FLAT/COLD SPLINE	CSL12HX	1 1/8 x 12 SLOTTING 3/4 HEX
CF12HX	1 x 12 COLD/FLAT 3/4 HEX	CSL12TE	1 1/8 x 12 SLOTTING SDS MAX
CF12TE	1 x 12 FLAT/COLD SDS MAX		
CF15DX	1 x 15 FLAT/COLD 1-1/8 HEX /w NOTCH		
CF15H905	1 x 14 FLAT/COLD HILTI 805/905/1000/1100	CMO15	1 1/8 x 12 MORTAR SPLINE
CFSDS18	1 x 18 FLAT / COLD SDS-Plus	CMO15HX	1-1/8 x 15 MORTAR CHISEL 3/4 HEX
CF18	1 x 18 FLAT/COLD SPLINE	CMO15TE	1 1/8 x 15 MORTAR SDS MAX
CF18HX	1 x 18 FLAT/COLD 3/4 HEX		
CF18TE	1 x 16 FLAT/COLD SDS MAX		
CF19H905	1 x 19 FLAT/COLD HILTI 805/905/1000/1100	CCLAY	4 x 12 CLAY SPADE SPLINE
CF24TE	1 x 24 FLAT/COLD SDS MAX	CCLAYDX	5 1/2 x 4 1/2 CLAY 1-1/8 HEX /w NOTCH
CF30TE	1 x 30 FLAT/COLD SDS MAX	CCLAYHX	4 x 12 CLAY SPADE 3/4 HEX
		CCLAYTE	4 x 12 CLAY SPADE SDS MAX
CSSDS	1-1/2 x 10 SCALING SDS-Plus	CASFDX	6" ASPHALT CUTTER 1-1/8 HEX /w NOTCH 6"
CSSDSX2	2 x 10 SCALING SDS-Plus	CASFTE	ASPHALT CUTTER SDS MAX
CSSDSX3	3 x 7 SCALING SDS-Plus		
CS12	2 x 12 SCALING SPLINE		
CS12X3	3 x 12 SCALING SPLINE	GRDPB625	5/8 GROUND ROD DRIVER SPLINE
CSSDS18X2	2 x 18 SCALING SDS-Plus	GRDPB750	3/4 GROUND ROD DRIVER SPLINE
CS18	2 x 16 SCALING SPLINE	GRDPM625	5/8 GROUND ROD DRIVER SDS MAX
CS12TE	2 x 12 SCALING SDS MAX	GRDPM750	3/4 GROUND ROD DRIVER SDS MAX
CS12TEX3	3 x 12 SCALING SDS MAX	GRSDS625	5/8 GROUND ROD DRIVER SDS-Plus
CS12TEX4	4-1/2 x 12 SCALING SDS MAX		
CS18TE	2 x 16 SCALING SDS MAX		
CS18TEX3	3 x 18 SCALING SDS MAX	CFSHEAD	HEAD ASSEMBLY /w 2mm THICK BLADE
CS18TEX4	4-1/2 x 18 SCALING SDS MAX	CFSBLADE	2MM FLEXIBLE REPLACEMENT BLADE
CS16DX	1-1/8 x 3 SCALING 1-1/8 HEX /w NOTCH	CFSHX	CFS SHANK - 3/4 HEX
CS12HX3	3 x 12 SCALING 3/4 HEX	CFSMAX	CFS SHANK - SDS MAX
CS18HX	2 x 16 SCALING 3/4 HEX	CFSPB	CFS SHANK - SPLINE
CS214H905	2 x 16 SCALING HILTI 805/905/1000/1100	CFS905	CFS SHANK - HILTI 805/905/1000/1100
CS219H905	2 x 20 SCALING HILTI 805/905/1000/1100	CFSDX	CFS SHANK - 1-1/8 HEX
CS314H905	3 x 12 SCALING HILTI 805/905/1000/1100		
CS319H905	3 x 20 SCALING HILTI 805/905/1000/1100		



DIAM BIT

Part #	Desc.
GDD.187	3/16"
GDD.250	1/4"
GDD.312	5/16"
GDD.375	3/8"
GDD.500	1/2"

- Faster
- Cleaner
- Lasts Longer

Tru-Cut has developed an exciting new range of hard tile drill bits for glass, and all tiles up to and including Class 5 floor tiles.

This patented product has been over 10 years in development with a welded diamond tip that will perform beyond expectation.

With the addition of the Cool Clear Vision water cooling system, the Diam-Bit stands out from the competition.



It drills...

- Porcelain
- Quarry
- Terracotta
- Glazed
- Terrazzo
- Agglomerate
- Cement
- Glass

... and more!





29pc HSS Kits Sturdy Round Case

MR-29	118° Standard Duty
MR-29BR	118° M2 Steel - Brite Finish
MRHD-29	135° Split Point Heavy Duty - M2 Steel
MRCOB-29	135° Split-Point Heavy Duty Cobalt - M42 Steel
MRHDC-29	135° Split-Point Heavy Duty Black&Gold

Black & Gold sizes larger than $\frac{3}{16}$ " have 3 flats on shank

29pc Kit in a Water Resistant
Storage Case /w Belt Clip

Sizes from $\frac{1}{16}$ " to $\frac{1}{2}$ "
by 64ths



Whitelabel & Custom Packaging Service Available

FlexiBit Extensions

Size	OAL	Part #
3/16	18"	BFE.18718
3/16	24"	BFE.18724
3/16	36"	BFE.18736
3/16	54"	BFE.18754
3/16	72"	BFE.18772
1/4	36"	BFE.25036
1/4	54"	BFE.25054
1/4	72"	BFE.25072

FLEXBEND
For easy and precise control of FlexiBits

Stiff Shank Bellhangers

HSS Tip
for Wood

Carbide Tip
for Masonry

Size	OAL	Part #	Size	OAL	Part #
3/16	12"	BH18712	3/8	36"	BH37536
3/16	18"	BH18718	3/8	48"	BH37548
1/4	12"	BH25012	7/16	18"	BH43718
1/4	18"	BH25018	1/2	12"	BH50012
1/4	24"	BH25024	1/2	18"	BH50018
1/4	36"	BH25036	1/2	36"	BH50036
1/4	48"	BH25048	5/8	18"	BH62518
5/16	12"	BH31212	5/8	24"	BH62524
5/16	18"	BH31218	11/16	18"	BH68718
3/8	12"	BH37512	3/4	18"	BH75018
3/8	18"	BH37518	7/8	18"	BH87518
3/8	24"	BH37524			

Size	OAL	Part #
3/16	18"	BHC18718
1/4	18"	BHC25018
5/16	18"	BHC31218
3/8	18"	BHC37518
3/8	24"	BHC37524
3/8	36"	BHC37536
1/2	18"	BHC50018
1/2	36"	BHC50036
5/8	18"	BHC62518
5/8	24"	BHC62524



Ship Auger

Size	OAL	Part #
3/8	18"	BFA.37518
3/8	24"	BFA.37524
3/8	36"	BFA.37536
3/8	54"	BFA.37554
3/8	72"	BFA.37572
1/2	36"	BFA.50036
1/2	54"	BFA.50054
1/2	72"	BFA.50072
9/16	36"	BFA.56236
9/16	54"	BFA.56254
9/16	72"	BFA.56272
5/8	24"	BFA.62524
5/8	36"	BFA.62536
5/8	54"	BFA.62554
5/8	72"	BFA.62572
3/4	36"	BFA.75036
3/4	72"	BFA.75072
1	54"	BFA.100054
1	72"	BFA.100072



For Wood

Screw Point Auger Style

Size	OAL	Part #
3/8	18"	BFS.37518
3/8	24"	BFS.37524
3/8	36"	BFS.37536
3/8	54"	BFS.37554
3/8	72"	BFS.37572
1/2	18"	BFS.50018
1/2	24"	BFS.50024
1/2	36"	BFS.50036
1/2	54"	BFS.50054
1/2	72"	BFS.50072
9/16	36"	BFS.56236
9/16	54"	BFS.56254
9/16	72"	BFS.56272
3/4	36"	BFS.75036
3/4	54"	BFS.75054
3/4	72"	BFS.75072



For Wood

Thread Flute

Size	OAL	Part #
1/4	18"	BF.25018
1/4	24"	BF.25024
1/4	36"	BF.25036
1/4	54"	BF.25054
1/4	72"	BF.25072
3/8	18"	BF.37518
3/8	24"	BF.37524
3/8	36"	BF.37536
3/8	54"	BF.37554
3/8	72"	BF.37572
1/2	18"	BF.50018
1/2	24"	BF.50024
1/2	36"	BF.50036
1/2	54"	BF.50054
1/2	72"	BF.50072
9/16	36"	BF.56236
9/16	54"	BF.56254
9/16	72"	BF.56272



For Wood

High Speed Steel

Size	OAL	Part #
1/4	18"	BFH.25018
1/4	24"	BFH.25024
1/4	36"	BFH.25036
1/4	48"	BFH.25048
1/4	60"	BFH.25060
1/4	72"	BFH.25072
3/8	24"	BFH.37524
3/8	36"	BFH.37536
3/8	54"	BFH.37554
3/8	72"	BFH.37572
1/2	18"	BFH.50018
1/2	24"	BFH.50024
1/2	36"	BFH.50036
1/2	54"	BFH.50054
1/2	72"	BFH.50072



135° Split Point for Steel

Carbide Tip

Size	OAL	Part #
1/4	36"	BFC.25036
1/4	54"	BFC.25054
1/4	72"	BFC.25072
3/8	18"	BFC.37518
3/8	36"	BFC.37536
3/8	54"	BFC.37554
3/8	72"	BFC.37572
1/2	54"	BFC.50054
1/2	72"	BFC.50072
3/4	60"	BFC.75060
3/4	72"	BFC.75072



Carbide Tipped for Masonry

Tru-Cut Flexible Drill Bits Feature

- Eyelets on both the shank and bit ends for wire fishing (except HSS)
- Long taper leads for easy bit retrieval
- 3-flats on shank to reduce chuck slippage

3/16" Shank
1/4" Shank

3/16" Shank
1/4" Shank

3/16" Shank
1/4" Shank

3/16" Shank
1/4" Shank

1/4" QUIKHEX 1/4" HEX SHANK QUICK CHANGE BITS

HSS QUIKHEX 1/4" QUICK CHANGE BITS MADE WITH PREMIUM M2 HIGH SPEED STEEL

PARTNUM	DIA.	OVERALL LENGTH	USABLE	LIST PRICE
HX.062	1/16"	2-9/16"	13/16"	
HX.093	3/32"	3-1/8"	1-1/4"	
HX.109	7/64"	3-5/8"	1-1/2"	
HX.125	1/8"	3-1/2"	1-3/4"	
HX.140	9/64"	3-5/8"	1-7/8"	
HX.156	5/32"	3-3/4"	2"	
HX.187	3/16"	4-1/4"	3-1/2"	
HX.218	7/32"	4-5/8"	2-5/8"	
HX.250	1/4"	4-17/16"	2-1/2"	
HX.281	9/32"	4-3/8"	3-1/8"	
HX.312	5/16"	4-5/8"	3-1/4"	
HX.375	3/8"	5-1/8"	3-3/4"	
HX.437	7/16"	5-5/8"	4-3/16"	
HX.500	1/2"	6-1/8"	4-5/8"	



AVAILABLE SKINCARD OR BULK PACKAGED

MASONRY QUIKHEX 1/4" QUICK CHANGE BITS

PARTNUM	DIA.	OVERALL LENGTH	USABLE	LIST PRICE
HX1564	5/32"	4-5/16"	2-1/4"	
HX1874	3/16"	4-5/16"	2-1/4"	
HX2504	1/4"	4-5/16"	2-1/4"	



THE ORIGINAL PRAXIS SYSTEM

The smallest screw together bit extension system in the world! With **Tru-Cut** innovation comes a very cost effective way to make a drill bit from 19" long, to 7 feet or more! Add 18" extensions to make a bit of your desired length, and replace only the parts that wear!

Shanks


	Part #	Price
	PCTTMAX	\$44.95
	PCTTSPL	\$57.50
	PCTTSDS	\$44.95
	PCTTW	\$79.50
	PCTT3875	\$109.95

Extensions

	Part #	Price
	PCTTX18	\$75.00
	PCTT18.937	\$75.00

0.937" diameter extensions (PCTT18.937) are recommended for hole sizes > 1"

Bits

	Part #	Price
	PCTT75012	\$41.25
	PCTT87512	\$45.00
	PCTT100012	\$59.50
	PCTT112512	\$65.00
	PCTT125012	\$75.00
	PCTT150012	\$89.50
	PCTT200012	\$129.00

Core Drills & Accessories

*Rope
Thread!*



ThunderCore® 'PCN'-Series Core Drills

Part #	Size
PCN1500	1-1/2 x 5"
PCN1750	1-3/4 x 5"
PCN2000	2 x 5"
PCN2500	2-1/2 x 5"
PCN3000	3 x 5"
PCN3500	3-1/2 x 5"
PCN4000	4 x 5"
PCN4500	4-1/2 x 5"
PCN5000	5 x 5"
PCN6000	6 x 6"



'PCN' - Shanks and Accessories

Part #	Description
PCNSPL12	12" Spline
PCNSPL18	18" Spline
PCNMAX12	12" SDS-Max
PCNMAX18	18" SDS-Max
PCNK	12" Kango 950
PCNK637	12" Kango 637
PCN736	12" - 3/4" Hex Skill736, HD45
PCNW	12" - 3/4" Hex for Wacker
PCN12	12" Extension for PCN Shanks
PCN18	18" Extension for PCN Shanks
PCNSTART	Starter Bit for 'PCN'-Series Drills




PercussionCore

'PC'-Series Core Drills

Part #	Size
PC1500	1-1/2"
PC1750	1-3/4"
PC2000	2"
PC2500	2-1/2"
PC3000	3"
PC3500	3-1/2"
PC4000	4"
PC4500	4-1/2"
PC5000	5"
PC5500	5-1/2"
PC6000	6"

Taper Fit: The shank and core drill will permanently become one piece during use.



'PC' - Shanks and Accessories

Part #	Description
PCMAX12	12" SDS-Max
PCMAX18	18" SDS-Max
PCSPLINE	12" Spline
PCSPLINE18	18" Spline
PCK	Kango 950 12"
PC637	Kango 637 12"
PC726	12" for 7/16" Hex (726)
PC728	12" for 9/16" Hex (728, 731, 732)
PC736	Skil 736 12"
PCSTARTER	"PC" Starter



Thin-Wall Core

'PCT'-Series Core Drills

Part #	Size
PCT1500	1-1/2"
PCT1750	1-3/4"
PCT2000	2"
PCT2500	2-1/2"
PCT3000	3"
PCT3500	3-1/2"
PCT4000	4"


*"Excellent for
lighter material!"*



'PCT' - Shanks and Accessories



Part #	Description
PCTMAX12	12" SDS-Max
PCTMAX18	18" SDS-Max
PCTSDS8	8" SDS+
PCTSDS12	12" SDS+
PCTSPL12	12" Spline
PCTSPL18	18" Spline
PCTSTART	"PCT" Starter





ONE-PIECE REBAR CUTTERS

1/2" SHANK WITH FLATS



ITEM	SIZE
RB50012	1/2" x 12"
RB62512	5/8" x 12"
RB68712	11/16" x 12"
RB75012	3/4" x 12"
RB87512	7/8" x 12"
RB100012	1" x 12"
RB112512	1-1/8" x 12"
RB125012	1-1/4" x 12"



CARBIDE-TIPPED SERRATED WIDE FLUTE

DRILL BITS FOR GRANITE, MARBLE, AND STONE

PRECISION GROUND
CARBIDE INSERT

SERRATED FOR MAXIMUM
CUTTING EFFECTIVENESS
IN HARDER STONES



COPPER ALLOY
VACUUM BRAZE
SUPERIOR CARBIDE BONDING



CNC MACHINED
STEEL BODY
LONG LASTING STRENGTH

WIDE FLUTE DESIGN
FOR FAST DEBRIS REMOVAL



FLATS ON SHANK
FOR A NON-SLIP GRIP

INDIVIDUALLY PACKAGED

WS1253	1/8 x 3 SERRATED GRANITE DRILL BIT	1/8"	3"
WS1256	1/8 x 6 SERRATED GRANITE DRILL BIT	1/8"	6"
WS1563	5/32 x 3 SERRATED GRANITE DRILL BIT	5/32"	3"
WS1873	3/16 x 3 SERRATED GRANITE DRILL BIT	3/16"	3"
WS1874	3/16 x 4 SERRATED GRANITE DRILL BIT	3/16"	4"
WS1876	3/16 x 6 SERRATED GRANITE DRILL BIT	3/16"	6"
WS1878	3/16 x 8 SERRATED GRANITE DRILL BIT	3/16"	8"
WS2184	7/32 x 4 SERRATED GRANITE DRILL BIT	7/32"	4"
WS2504	1/4 x 4 SERRATED GRANITE DRILL BIT	1/4"	4"
WS2506	1/4 x 6 SERRATED GRANITE DRILL BIT	1/4"	6"
WS3124	5/16 x 4 SERRATED GRANITE DRILL BIT	5/16"	4"
WS3126	5/16 x 6 SERRATED GRANITE DRILL BIT	5/16"	6"
WS3756	3/8 x 6 SERRATED GRANITE DRILL BIT	3/8"	6"
WS5006	1/2 x 6 SERRATED GRANITE DRILL BIT	1/2"	6"
WS6256	5/8 x 6 SERRATED GRANITE DRILL BIT	5/8"	6"
WS7506	3/4 x 6 SERRATED GRANITE DRILL BIT	3/4"	6"
WS10006	1 x 6 SERRATED GRANITE DRILL BIT	1"	6"

BULK PACKAGED

WS1874B	3/16 X 4 SERRATED GRANITE DRILL BIT	10/PK TUBE	3/16"	4"
WS1874B50	3/16 X 4 SERRATED GRANITE DRILL BIT	50/PK TUBE	3/16"	4"
WS2504B	1/4 x 4 SERRATED GRANITE DRILL BIT	10/PK TUBE	1/4"	4"
WS2504B50	1/4 x 4 SERRATED GRANITE DRILL BIT	50/PK TUBE	1/4"	4"