

## SAFETY DATA SHEET

#### 1. Identification

Product Identifier	Bright Clean	
Other means of identification		
Product code	HS-6160	
Recommended use	Foaming alkaline coil cleaner.	
<b>Recommended restrictions</b>	Professional use only.	
Manufacturer/supplier/distribu	utor/importer information	
Company name	Harper Supply LLC	
Address	7924 Camp Bowie West Blvd	
	Fort Worth, TX 76116	
Telephone	(817) 529-1091	
Emergency phone number	24 hour Emergency (INFOTRAC)	(800) 535-5053

# 2. Hazard(s) Identification

Physical hazards Health hazards	Not classified. Acute toxicity Serious eye damage Skin corrosion	Category 5 Category 1 Category 1B
Environmental hazards	Not classified.	
OSHA defined hazards	Not listed.	
Label elements	A A A A A A A A A A A A A A A A A A A	
Signal word	Danger.	
Hazard statement	May be harmful if swallowed. Causes severe skin burns and eye d	lamage.
Precautionary statement		

Prevention	Do not breathe dusts or mists. Wash hands and exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.
Response	Call a POISON CENTER/doctor/medical professional if you feel unwell. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable breathing. Immediately call a POISON CENTER/doctor/medical professional. Specific treatment (see Section 4 on the Safety Data Sheet). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None.

Supplemental information None.

#### 3. Composition/information on ingredients

ixtures Chemical name	CAS number	%
Potassium hydroxide	1310-58-3	5-10
2-butoxyethanol	111-76-2	1-5
Other components below reportable levels		90-100

Other components below reportable levels

#### 4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Rinse with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention. Eye wash stations should be located in work area.
Ingestion	Rinse mouth. Get medical attention if symptoms occur. Do not induce vomiting.
Most important symptoms/effects, acute and delayed	Dermatitis. Rash. May cause an allergic skin reaction.
Indication of immediate medical attention and special treatment needed	Provide general support measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

#### 5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide ( $CO_2$ ) None known.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and

emergency procedures Methods and materials for

containment and cleaning up

Wear appropriate protective equipment and clothing during clean-up. Wear eye/face protection.

Caution – spillages may be slippery.

Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas.

Small spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the

SDS.

Environmental precautions	Do not release into the environment (see section 12). Avoid discharge into areas not consistent with package labeling.

## 7. Handling and storage

Precautions for safe handling	Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Do not store in extreme conditions.

# 8. Exposure controls/personal protection

US OSHA Table Z-1 Limits	for Air Contaminan	ts (29 CFR 1910.1000)		
Components	Туре		Value	
2-butoxyethanol	PEL		50 ppm	
Potassium hydroxide	PEL		2 mg/m <sup>3</sup>	
US ACGIH Threshold Limi	t Values			
Components	Туре		Value	
2-butoxyethanol	STEL		20 ppm	
Potassium hydroxide	STEL		2 mg/m <sup>3</sup>	
Biological limit values				
ACGIH Biological Exposur	e Indices			
Components	Value	Determinant	Species	Sampling Time
2-butoxyethanol	200 mg/g	Creatinine	Urine	End of shift.
Appropriate engineering controls	Emergency eye wash stations and showers should be readily accessible. Provide natural or mechanical ventilation.			
Individual protection measu	ires, such as persona	I protective equipment		
Eye/face protection	Avoid contact v	vith eyes. Wear safety glas	ses with side shields (c	or goggles).
Skin protection				
Hand protection	Wear appropriate chemical resistant gloves.			
Other	None.			
<b>Respiratory protection</b>	Respiratory protection not required.			
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.			
General hygiene considerations	When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants Contaminated work clothing should not be allowed out of the workplace.			

## 9. Physical and chemical properties

Appearance	
Physical State	Liquid.
Color	Colorless.
Odor	Citrus.
Odor threshold	Not available.
рН	13-14
Melting/freezing point	Not available.

Initial boiling point and boiling range	>212°F (100°C)
Flash point	>385°F (196°C)
Evaporation rate	Not available.
Flammability	Not available.
Flammability Limits	
Upper	Not available.
Lower	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Specific gravity (water=1)	1.07
Solubility in water	Miscible.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

# 10. Stability and reactivity

Reactivity	This product is stable and non-reactive under normal conditions of use.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Heat, flames can cause product to decompose.
Incompatible materials	Strong acids, strong bases, strong oxidizing agents.
Hazardous decomposition products	Aldehydes, ketones, organic acids, carbon dioxide, carbon monoxide.

# **11.** Toxicological information

Information on likely routes of exposure	
Ingestion	Corrosive to mucous membranes, will damage tissue if there is prolonged contact.
Inhalation	Expected to be a low inhalation hazard.
Skin contact	Repeated and/or prolonged skin contact will cause burns.
Eye contact	Causes severe eye damage. May cause severe corneal injury.
Symptoms related to the physical, chemical and toxicological characteristics	Dermatitis. Rash. May cause an allergic skin reaction.
Acute toxicity	May be harmful if swallowed.

Product	Route and Species	LD <sub>50</sub>
Bright Clean (CAS mixture)		
Acute	<i>Oral,</i> rat	3,350 mg/kg estimated
	Dermal, rabbit	>2,000 mg/kg

Skin corrosion/irritation	Causes severe skin burns.
Serious eye damage/	Causes serious eye damage.
irritation	
Respiratory sensitization	Not classified.

Skin sensitization	Not classified.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not considered a carcinogen.
OSHA Specifically Regulated	Substances (29 CFR 1910.1001-1050)
Not Listed.	
Reproductive toxicity	Not classified.
Specific target organ toxicity – single exposure	Not classified.
Specific target organ toxicity – repeated exposure	Not classified.
Aspiration hazard	Not considered an aspiration hazard.

# 12. Ecological information

Product	Species	Test Results
Bright Clean (CAS mixture)		
Aquatic		
Crustacea	Daphnia	EC <sub>50</sub> (48hr): 558 mg/L estimated
Fish	Fathead	LC <sub>50</sub> (96hr): 337 mg/L estimated

\*Estimates for product may be based on additional component data not shown

Persistence and degradability	No data available.
<b>Bioaccumulative potential</b>	No data available.
Mobility in soil	Not available.
Other adverse effects	No data available.

## 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. Do not release to the environment.
Local disposal regulations	Dispose in accordance with all applicable regulations
Waste from residues/unused product	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. (See: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may contain product residue, follow label warnings even after container is emptied.

## 14. Transport information

DOT	
UN number	UN1760
UN proper shipping name	Corrosive Liquids, n.o.s. (Contains: Potassium hydroxide)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packaging group	III
Marine pollutant	No
Special precautions for user	Read safety instructions, SDS, and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78	Not intended to be transported in bulk.

and the IBC Code DOT



## 15. Regulatory information

US federal regulations
SARA 302 Extremely hazardous substance
Not listed.
SARA 304 Emergency release notification
Not listed.
SARA 311/312 Hazard Categories
Immediate Hazard - Yes
Delayed Hazard – No
Fire Hazard – No
Pressure Hazard – No
Reactivity Hazard – No
SARA 313 (TRI reporting)
2-butoxyethanol (Glycol Ether Category)

# 16. Other information, including date of preparation or last revision

Issue date Revision date Version # HMIS® ratings	4/28/2017 4/28/2017 1 Health: 2 Flammability: 0 Physical hazard: 0
NFPA ratings	Health: 2 Flammability: 0 Instability: 0
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.
Revision information	First issue.