

KEEP QUALITY FOREVER



POULTRY BRINGING THE FUTURE OF HEALTH CARE



BE A PART OF INDIA'S LEADING POULTRY GROUP





NEOTOXYVET

Double Action Anti Bacterial & Infection Treatment

COMPOSITION: EACH 10 GRAM CONTAINS

Neomycin Sulphate IP	550.6 mg
Oxytetracycline HCL IP	550.7 mg
Vitamin A	11000 IU
Vitamin B12	44 mcg
Vitamin B5	0.0359 gm
Vitamin E	3.3 IU
Vitamin B2	0.0176 gm
Vitamin B1	88.1 mg
Vitamin D3	2.200 IU

INDICATION & BENEFITS

- To prevent and treat Coryza, C.R.D. E. Coli. Fowl cholera, B.W.D.
- To prevent Early Chick Mortality (ECM) & other bacterial diseases.
- To prevent mixed infections.
- To treat non-specific diarrhea.

FIRST FOUR DAYS USE



DOSAGE: For 100 Birds

For the prevention of Early Chick Mortality: gm in 2 liter

ANAINO ACIDO

- · For treatment of ECM, Salmonellosis, Fowl
- Typhoid & NE: 1 gm in 1 liter of water.
- For acute infection, dose should be doubled.

AMINERALS POWER

A Combination of Powerful Amino Acids, Vitamins, Trace Minerals with Peptides & Nucleotides.

COMPOSITION: EACH 100ML CONTAINS

Peptides	200 mg	Vitamin B1	375.5 mg
Nucleotides	200 mg	Pantothenic Acid	1530 mg
VITAMINS		Vitamin B12	1.5 mg
Vitamin A	280000 IU	Choline	49.8 mg
Vitamin D3	58000 IU	Biotin	0.2 mg
Vitamin E	427.5 mg	Folic Acid	0.2 mg
Vitamin K3	28.7 mg	Niacin Amide	1066.7 mg
Vitamin B6	212 mg	Vitamin C	627.5 mg
Vitamin B2	417.5 mg	Inositol	0.2 mg

INDICATION & BENEFITS

- Nucleotides are the building blocks that are essential for making new
- DNA and RNA. and to maintain metabolism and health of the body cells.
- Supplementation of nucleotides and petites will increase the resistance to bacterial. Infections & significantly lower the levels of mycotoxin effect in poultry.
- Maintains healthy cells & keeps the phase of the growth & antibody production.
- To Improve Egg production, and to over come stress & mineral deficiency.
- For complete supplement Vitamins, Amino acid & Electrolyte Balance.
- For correction of nutritional disorders with all Essential Ingredients.
- For Peek production and above all for THRIFTINESS of birds
- For better intestinal micro flora Management.
- As an Instant Energy for stress & diseases.

- Chicks: 5-10 ml per 100 birds.
- Broilers & Growers: 10-15 ml per 100 birds.
- Layers: 15-20 ml per 100 birds.
- Breeders: 15-20 ml per 100 birds.
 Cow & Buffalo: 50 ml daily in the morning & evening
- Should be given daily for 7 to 10 days,
- Every month or as recommended by veterinarian.

AMINO ACIDS

AMINO ACIDS	
Methionine	785.5 mg
Lysine	399.6 mg
Histidine	105 mg
Arginine	156.6 mg
Aspartic Acid	805.5 mg
Threonine	304.3 mg
Serine	317.5 mg
Glutamic Acid	478 mg
Proline	96.1 mg
Glycine	712.5 mg
Alanine	2350.2 mg
Cystine	99.5 mg
Valine	215.9 mg
Leucine	355.6 mg
Isoleucine	225.5 mg
Tyrosine	295.3 mg
Phenylalanine	211.3 mg
Tryptophan	54.8 mg
Lactic acid	
bacillus	5526555 cfu
Yeast Extract	600 mg





DOSAGE:

- Chicks: 5 ml per 100 birds.
- Broilers & Growers: 7 ml per 100 birds
- Layers: 10 ml per 100 birds.
- Cows & Buffalos: 10 ml daily.
- Small Animals: 5 ml daily.
- Dogs & Cats: 2-3 ml daily.
- Should be given daily for 7 to 10 days, every month or as recommended by veterinarian.

fertility & milk production.

COMPOSITION: EACH 5 ML CONTAINS

Vitamin A	250000 IU
Vitamin D3	30000 IU
Vitamin E	1500 IU
Vitamin C	500 mg
Vitamin B12	100 mcg
Selenium	50 ppm
Biotin	25 mcg
Lysine	7.5 mg
Choline Chloride	50 mcg
Methionine	50 mg

COMPOSITION: EACH 1ML CONTAINS

Vitamin A

100,000 I.U.

INDICATION & BENEFITS

- To alleviate Vitamin A deficiency, to correct nutritional group.
- Beneficial in enteritis, coccidiosis, helminthiasis for tissue repair.
- Ensure Vitamin A level in combat diseases .
- Assures better growth of chicks.
- Improvement of egg production in layers.
- Assure better vision for birds. Improve hatchability
- and fertility.
- Develop resistance power to infections.

DOSAGE

For 100 Birds

Chicks: 5ml. daily.

Growers and Broilers: 8-10 ml. daily.

Layers and Breeders: 5-10 ml. daily.

Cow and Buffalo: 10 ml. daily

- Should be given daily for 7 to 10 days,
- Every month or as recommended by veterinarian

GROWVIN A

VITAMIN A LIQUID SUPPLEMENT



VETPLEX B

Water Soluble B-Complex with Vitamin-E Powder

INDICATION & BENEFITS

- Improve body weight and feed intake.
- Improve poor feathering and nervous disorders.
- Improve egg production and egg weight.
- Improve hatchability.
- Prevent embryonal malformations & death of embryos in the shell.
- Stimulates natural immunity & protects liver & kidney.
- It improves growth and production & brings vitality back in animals and birds.

DOSAGE:

For 100 Birds:

- Chicks: 5-6 ml. daily.
- Growers and Broilers: 8-10 ml. daily.
- Layers and Breeders: 10-15 ml. daily.
- Cow, Buffalo and Horse: 30-40 ml. daily.
- Goat, Dog and Calf: 10 ml, per day.
- Should be given daily for 7 to 10 days.

The Soluble B-Complex of Wante E Powder	Valor Soluble B-Complex with Whanin E Powder
VET PLE	

COMPOSITION: EACH 5ML	CONTAINS	Choline Chloride	20 mg
Vitamin B1	10 mg	Iron	400 ppm
Vitamin B2	3 mg	Copper	3 ppm
Vitamin B6	2 mg	Cobalt	5 ppm
Vitamin B12	200 mcg	Manganese	200 ppm
Vitamin C	200 mg	lodine	10 ppm
Vitamin E	100 mg	Magnesium	60 ppm
Methionine	20 mg	Zinc	70 ppm
Lysine	30 mg	Molybdenum	4 ppm
Niacinamide	80 mg	Selenium	1000 ppm
Calcium Pantothenate	3 mg	Biotin	30 cg

COMPOSITION: EACH 10ML CONTAINS

Tricholine Citrate 1500mg Protein Hydrolysate 100 mg Vitamin B12 4mcg Inositol 10 mg Methyl Donors 66 mg Selenium 7 mcg Vitamin 20 mg **Biotin** 6 mcg



LIVE FORTE VET

DOUBLE POWER LIVER TONIC

INDICATION & BENEFITS

- A powerful liver tonic for quick recovery of hepatic disorders & diseases.
- Protects and stimulates liver in stress due to exegetic & androgenic
- Combats the ill effects of Hepatopathies & Nephropathies.
- Improves weight gain in broilers.
- Improves egg production in layers.
- Breaks down triglycerides to prevent fatty changes, controls fat deposition.
- Reduced incidence of Gout, Leechi and Ascites.
- Nullify the ill effect of toxins in feed and improves digestibility.
- Stimulates lipase to prevent lipid peroxide oxidation.
- Stimulates the production of alpha & beta lipoproteins.
- Stimulates the function of kidneys in maintaining water salt equilibrium.
- Better detoxification of toxic metabolites.

DOSAGE

- Broilers: 8-10 ml for 100 birds
- Layers: 10-15 ml for 100 birds.
- Breeders: 25-30 ml for 100 birds.
- Cow, Buffalo & Horse: 30-50 ml each animal per day.
- Calves: 20-30 ml each animal per day.
- Sheep, Goat & Dog: 10-15 ml each animal per day

SHOULD BE GIVEN DAILY FOR 7 TO 10 DAYS, EVERY MONTH OR AS RECOMMENDED BY VETERINARIAN.



LIVE VETCARE

VITAMINS, AMINO ACIDS, PROBIOTICS, LIVER STIMULANTS

COMPOSITION : EACH 100 ML

CONTAINS

Vitamin B1 4 mg Vitamin B12 3.5mcg Liver Extract 175 mg Choline Chloride 3000mg Niacin 30mg **D-Panthenol** 3 mg Inositol 30 mg Ascorbic Acid 10 mg

SaccharomycesCerevisiae

SC-47 2,5000 million cfu
Alfa Amylase 1500 mcg
Papain 1500 mcg
Protein Hydrolysate 50 mg
Biotin 2.5 mcg

INDICATION & BENEFITS

- Provide additional nutrients in the form of Alfa Amylase, Papain, Protein Hydrolysis & Biotin.
- · Immunomodulatory effect.
- · Helps in liver regeneration.
- · Appetizer to stimulate feed intake in animals.
- · Supportive treatment in deficiencies.
- · Protects liver from effect of toxins.
- Supportive medication in toxic condition, fatty liver condition and other hepatic disorders.
- · As general tonic to use regularly to enhance
- · liver functioning.
- · Improves FCR and weight gain.
- · For better egg production and livability.

DOSAGE

- Layers: 10 15 ml for 100 birds.
- Breeders: 20-25 ml for 100 birds.
- Cow, Buffalo and Horse:
 30-50 ml each animal day.
- Calves: 20-30 ml each animal day.
- Sheep or Goat: 10-15 ml each animal day or as recommended by the veterinarian

COMPOSITION: EACH 10ML CONTAINS

Organic Calcium 1650 mg
Vitamin D3 8000 I.U.
Vitamin B12 100 mcg
Carbohydrate 40000mg
Phosphorus 850mg
Zinc 90 mg
Magnesium 300 mg

INDICATION & BENEFITS

- Increases milk production.
- · Improves skeletal and muscular strength.
- Prevents milk fever and rickets.
- Optimizes fat level.
- Increases disease resistance.
- Reduces reproductive and pregnancy problem.
- Improves overall growth in broilers and growers.
- Improves egg production and egg shell strength.

DOSAGE

Cow, Buffalo and Horse: 50 - 75 ml daily.

Calf, Foal and Pig: 20 - 25 ml daily.

Sheep, Goat and Dog: 5-10 ml daily.

For 100 Birds:

· Growers and Broilers: 20 ml. daily.

Layers and Breeders: 30 to 40 ml. daily.

 Should be given daily for 7 to 10 days, every month or as recommended by veterinarian.

GROWVET CAL B12

CALCIUM WITH ZINC & MAGNESIUM



GROWVET SELERT E

VITAMIN E FEED SUPPLEMENT FORTIFIED WITH SELENIUM.

INDICATION & BENEFITS

- · During reduced immunity levels.
- To cope up pre & post vaccination stress.
- During out breaks of Immunosuppressive diseases & wing rot condition in growers.
- During vaccination failures, transportation, & debeaking stress etc.
- · For Improvement of weight of bursa, spleen & thymus.
- · To Increases leucocytes count.
- To improves vaccination titre against ND & IBD.
- · To maintain immunity even in presence of mycotoxins.
- · To enhance overall performance production.

COMPOSITION: EACH 200 GM CONTAINS Vitamin E 20 gm Selenium 200 mg

DOSAGE

- Chicks/Growers/Layers: 5 gm. for 200 birds through water or 150-250 gm. per ton of feed.
- · Broilers: 5 gm. for 50 Birds through water
- Should be given daily for 7 to 10 days, every month or as recommended by veterinarian.



COMPOSITION

- BKC Solution
- (Benzalkonium Chloride I.P) 18% V/V
- Citric Acid I.P 24% W/V
- · Inert Ingredients qs



AQUAPURE

A POWERFUL & HIGHLY EFFECTIVE WATER SANITIZER

INDICATION & BENEFITS

- Eliminate the disease causing pathogens viz., bacteria, virus,
- · mycoplasma, fungi and protozoa.
- · Sanitize drinking water.
- Keeping farm and hatchery hygienic.
- Works as a broad spectrum of activity as disinfectant.
- Works as a broad spectrum of activity as a water sanitizer.
- · Ensures safety Non corrosive.
- Ensures safety even in presence of birds.
- Best acidifier, can be used even in presence of birds.
- · Removes scales, mineral deposits, junk & slime
- from water pipes, descale water lines.
- Removes all dirt deposits & keeps water clean & neat.

DOSAGE

- · For Water Sanitation & Acidifier:
- 1-2 ml in 20 liter of water.
- For Disinfection & Descaling :
- · 10-20 ml. per liter of water
- · Should be used regularly.



MULTILACTO LYTE

FOR INSTANT ENERGY
& REMEDY FOR HEAT STRESS

INDICATION & BENEFITS

- · Prevents dehydration & improves immunity.
- · Provides instant source of energy.
- Enhances intestinal microflora, depleted due to heat stress.
- Maintains calcium & magnesium level which is essential for egg shell formation.
- Prevents mortality due to heat stress.
- Maintains performance and production.

DOSAGE

- For Poultry:
- For 100 birds: 1 gm in 2 to 4 liter of water
- · or 250 gm per ton feed
- For Cattle:
- 10 20 gm per animal per day.
- Dosages should be doubled in the condition of severe diarrhea & dehydration

COMPOSITION : EACH 100 GM CONTAINS

Sodium Chloride	1.5 gm
Potassium Chloride	5.0gm
Glycine	3.5 gm
Manganese Sulphate	6.5 gm
Magnesium Sulphate	1.7gm
Calcium Lactate	1.5gm
Sodium Bicarbonate	1.0 gm
Sodium Citrate	2.5 gm
Vitamin C	1.2 gm
Calcium Hypophosphate	0.8 gm
Lactobacillus Acidophilus	3500x10
	(square) 8

COMPOSITION

Anti gout compounds with urine acidifiers

GOUT FREE

ULTIMATE REMEDY OF GOUT

INDICATION & BENEFITS

- Prevent visceral and articular gout.
- · Prevent mortality of chicks due to gout.
- Helps in the excretion of uric acid.
- · Prevents accumulation of uric acid in the body.
- · Removes excess fluids from the body.
- · Prevents formation of stones.

DOSAGE

For 100 Birds:

- 1st Week 1 gm. in 2-3 ltr of water.
- 2nd week 1.5 gm. in 7-8 ltr of water .
- 3rd week 2 gm. in 12-14 ltr of water .
- 4th week 2-3 gm in 18-22 ltr of water .
- or 2-3 mg per kg. bird's body weight till the time the bird is recovered from gout. or as recommended by veterinarian.



CALVET ORG D3

LIQUID FEED SUPPLEMENT FOR LIVESTOCK & POULTRY

INDICATION & BENEFITS

- · Increases milk production.
- · Improves skeletal and muscular strength.
- · Optimizes fat level.
- · Increases disease resistance.
- · Reduces reproductive and pregnancy problem.
- · Improves overall growth in broilers and growers.
- Improves egg production and egg shell strength.

COMPOSITION	:	EACH	20	ML
CONITAINIS				

Calsium 330mg
Phosphorous 170mg
Vitamin B12 20mcg
Vitamin D3 1600IU
Leptadina reticulate 200mg

Asparagus racemosus 60mg

DOSAGE

 Cattle, Buffalo & Horse: 100 to 120ml daily

· Sheep, Goat & Calves: 40 to 80ml daily

Dog & Cats: 10 to 20 ml daily

Poultry /100 birds

Chicks: 20 ml daily

Grower & Broilers : 25 ml daily

Layers: 50ml daily



COMPOSITION: EACH ML CONTAINS

Levofloxacin Hemihydrate IP

Equivalent to Levofloxacin 100mg
Bromhexine HCI IP 15mg

LEBRONE

LEVOFLOXACIN & BROMHEXINE ORAL SOLUTION



DOSAGE

1ml per 10kg body weight.

To be administered continuously for a period of 3-5 days once daily in drinking water depending upon the severity of infection or as recommended by a registered veterinary practitioner.

INDICATION & BENEFITS

For the control & treatment of severe respiratory and bacterial infections of poultry.

WITHDRAWAL PERIOD

Egg: 7 Days after the last administration Meat: 5 Days after the last administration



VRIMIC PLUS+

POWERFUL SPECTRUM BIO SECURITY SOLUTION

INDICATIONS & BENEFITS

- A complete "all-in-one" disinfection programmed for livestock.
- Effectiveness against poultry viral diseases.
- Broad spectrum activity against bacteria (including pseudomonas)
- · Useful for prevention of infectious diseases in livestock housing.
- · For disinfection of poultry & livestock equipment.
- For disinfection in presence of birds & animals. Virimic + Powerful Broad Spectrum Activity, Operator Safety
- Profile and versatility make it the disinfectant of choice for livestock housing, surface, equipment vehicle, footdip, water delivery system and aerial disinfection.

DOSAGES

- To Spray on Birds: 10 gm. in 1ltr. Water (For 1000 sqft. farm 10 liter spray)
- To Spray in Farm: 20 gm. in 1ltr. Water (For 2000 sqft. farm 10 liter spray)
- To Spray on Cleaned Equipment: 10 gm. in 1 ltr. water.
- For regular use or recommended by veterinarian.

COMPOSITION

- Sodium Chloride 1.5% w/w
- Salt Containing Potassium Monopersulphate
- Potassium Hydrogen
- Sulphate Potassium
- Sulphate: 49.6% w/w
- Buffer & Excipients q.s. to 100% Color.

COMPOSITION: EACH 10 ML. CONTAINS

-	Punernava	Boerhaavia Diffusa,Rt.	500mg
1	Panchtrin Mool>	An Equi Mix of roots of five medicinal Plants, Prcd.	500mg
1	kshu Mool*	Saccharum officinarum, Rt	500mg
(Gokshru*	Tribiulus terrestris,Fr.	450mg
(Chharilla*	Parmelia Perlata,Wh.Th.	450mg
١	√arun*	Crataeva nurvala, St. Bk.	400mg
1	Kulatha*	Dolichos biflorus,Sd.	400mg
1	Pashan Bhel*	Bergenia ligulata,Rz.	100mg
١	Palas Pushp*	Butea monosperma,Fl.	100mg
ا	Lajaloo*	Mimosa pudica,Sd.	100mg
1	Makoi*	Solanum nigrum,Pl.	100mg
1	Kakri Beej*	Curcumis utilissimus,Sd.	100mg
1	Daruharidra*	Berberis lycium, St.	50mg

B.Powders of:-

Sudh Shilajeet #	Purified Black Bitumen, Prcd	200mg
Swet Parpati"	Classicall Ay. Preparation, Prcd.	150mg
Moolikshar*	W.S.ash of Raphanus sativus, Prcd.	150 mg
Sheetal Chini*	Piper cubeba, Fr.	100mg
Saindha Namak*	Sodii Chloridum, Prcd.	50kg
Sajjkshar	ClassicalAy.Preparation, Prcd.	50kg

SUGAR + SYRUP BASE :-

Excipient

Colour: Tartrazine (CI 19140), Flavour: Rosewhite other

Ingredients+: Benzoic acid, Sodiu benzoate

MIRIVET

DOUBLE POWER KIDNEY FRESHENER



MICRAL PLUS

EFFECTIVE AGAINST VIRAL, BACTERIAL AND FUNGAL



EFFICIENCY OF GROMIC POULTRY & DOG FARM

Aspergillus

- Problem Caused
- Fowl Pox
- Marek's Diseases
- Egg drop Syndrome
- Guamboro
- Running and Sturring Diseases
- · Infection Bronchits

Virus Type

- Avipox Virus
- Herpes Virus
- Adeno Virus
- · Rota virus
- Reo Virus
- Avain Infection

BACTERIA

Mycoplasanc | Pasteuralla | Salmonella

COMPOSITION

- Ortho Phenyl Phenol
- Ortho Bezyl-Para chlorophenol
- ParaTertiry, Amy Phenol Cetrimide I.P.
- Proflovire Turpentive oil base

12% 10%



USAGE: Dillution Single dillution of 10 ML/1Ltr. Water in Presence of birds 25Ltr.for 20000.Sq.Foot

COMPOSITION: EACH 10 GM CONTAINS

Ciprofloxacin 600mg
Tinidazole 600mg
Vitamins A 20000 I.U.
Vitamin D3 4000 I.U
Vitamin B2 30 mg
Vitamin E 30 mg
Niacin amide 120 mg



CIFLOXVET TZ

CIPROFLOXACIN, TINIDZOLE WITH ESSENTIAL VITAMINS

INDICATIONS

0.45%w/w

- Prevent early chicks mortality
- · For the treatment or infection or E Coli
- Salmonellosis Streptococcal & Mixed
- · Bacterial infections
- Mycoplasma Infection (CRD)
- · Infection Coryza.

DOSAGE

- For Prevention of early chicks mortality:
- 1gms. In 2-3 liter of water
- For Mild Infection: 1gms. In 1-2 liter of water for 3-4 days
- For out break :2gms. Per liter of water for 3-5 days
- · Or as directed by the veterinarians.



STOMPURE DS

KIDNEY FRESHENER & BETTER GROWTH PROMOTER

COMPOSITION: EACH 100 ML CONTAINS

Bhera	200mg	Pipali	100g
Vasa	300mg	Ajowain.	100g
Mulathi	200mg	KaliMirch	100mg
Tulsi	300mg	Banaksha	100g
Kantkari	150 mg	Pudinasty	10mg
Saunth	100 mg	Kakrashinght	50mg

INDICATIONS

- Prevent early chicks mortality for the treatment or infection
- Or E Coli salmonellosis streptococcal & mixed bacterial infections
- Mycoplasma infection (CRD) infection Coryza

DOSAGE

- 100 birds 10 to 20ml. per 100 birds for 4 days along with antibiotic continue.
- Stompure for 3 more days after stooping antibiotic for better result or as directed by the veterinarian.

COMPOSITION:

Each 5ml. contains (approx) 500mcg. Lycopene Vitamin A 50000 IU Vitamin D3 25000 IU Vitamin E 100 mg Vitamin C 12 mcg 10 ppm Selenium Lysine Monohydrochloride 5mg **DL- Methonine** 10mg **Excipients** q.s.

USAGE:

Chicks:-2ml.daily/100 birds. Broiler:-5ml.daily/100 birds. Layers: 10ml.daily/100 birds. Or as Advised by Consultant

STRESSOUT

INDICATIONS:

Improves overall performance, growth and Productivity.

Provides Strength, during Deworming, Climate changes, Prolapes and Cage Fatigue. Helps to recover from Stress and Debility and improves Immunity.

Helps to recover from Vitamin Deficiencies and Improves fertility. Increases FCR, Weight Gain and Hatchability.

Speeds Up egg formation and Production.



GRODIS+04

PROFESSIONAL DISINFECTANT



COMPOSITION:

Didecyl Dimethyl Ammonium Chloride

Benzalkonium Chloride Solution I.P

Bis -n-Tributyltin Oxide

Purified Water

9.2 % w/v

13.8% v/v

1.0% v/v

Q.S

USAGE:

For disinfection of pre cleaned surface: 4ml/litre of water

Disinfection of poultry houses using power sprayer:4ml/liter of water

In presence of birds: 4-8ml/liter of water
In absence of birds: 4-8ml/liter of water
Disinfection of vehicle: 4ml/liter of water
Disinfection of hatching eggs: 4ml/liter of water
Disinfection of Equipment: 2 liter of Grodis+04 in

Disinfection of poultry houses using thermal fogger:

3liter of water to cover 8000 sq.ft.area

PRECAUTIONS:

Keep out of reach of people. Avoid direct contact with eyes & skin.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Avoid breathing spray mist. The fog generated by thermal fogger is irritating to eyes, skin & mucous membrane, under no circumstances should a room or building be entered by anyone until the fog has completely settled. Wear suitable protective clothing, gloves and eye/face protection.



Improve body weight and feed intake.

Improve poor feathering and nervous disorders.

Improve egg production and egg weight.

Improve hatch ability.

Prevent embryonal malformation & death of embryos in the shell.

Stimulates natural immunity & protects liver & kidney.

Its improves growth and production & brings vitality back in animals

and birds.

DOSAGE:

For 100 Birds:

Chicks: 5-6 ml daily.

Growers and Broilers: 8-10 ml. daily. Layers and Breeders: 10-15 ml. daily. Cow, Buffalo and Horse: 30-40 ml. daily. Goat, Dog and Calf: 10 ml. per day. Should be given daily for 7 to 10 days.





WATER SOLUBLE B - COMPLEX
WITH VITAMIN -E POWER

COMPOSITION: - Fach 5ml contains

COIVII OSITIOIN. Lacii Si	ili contains
Vitamin B2	3mg
Vitamin B6	2mg
Vitamin B12	200mcg
Vitamin C	200mg
Vitamin E	100mg
Methionine	20mg
Lysine	30mg
Niacinamide	80mg
Calcium Pantothenate	3mg
Choline Chloride	20mg
Iron	400ppm
Copper	3ppm
Cobalt	5ppm
Manganese	200ppm
lodine	10ppm
Magnesium	60ppm
Zinc	70ppm
Molybdenum	4ppm
Selenium	1000ppm
Biotin	30cg



RESPO-MINT

DRINK & SPRAY EXTRACT OILS,
VITAMIN C WITH NATURAL HERBS

Helps to improve breathing, used for cough & sneezing due to infections or non infections cause

Helps to reduce post vaccination reaction due to IB & NCD Vaccination.

COMPOSITION:

30% v/v
19% v/v
7% v/v
5%
5%
2%
q.s

SPRAY:

1250 sq.meter area and for 24000 chicks below 3 weeks. Mix 250 ml of Respo-ment in 10-15 liter. water and spray twice in a day for above of 3 weeks of chicks: Mix 500 ml of Respo-ment in 10-15 liter. water and spray twice in a day.

PREPARATION METHOD:

Prepare a solution of 10 ml Respo-Mint and 500 ml of warm water (40 C). This solution is then added to 40 liters of drinking water

COMPOSITION: Each 250 gm contains (approx)

Commercial Edition Edition Commercial Complete		
Oxytetracycline HCL	3%	
Neomycin Sulphate	3%	
Probiotics	1%	
Amino Acids	5%	
Vitamin A	1 Lacs IU	

Menadione Sodium

3750mg
5000IU
5%
q.s

NEOTOXYVET+ PLUS

FIRST WEEK COMPLETE PROTECTION

INDICATION:

Prevents easily chick mortality (ECM) and other Bacterial disease.

To prevents mixed infections.

Attains uniform growth.

Ensure better 1st week weight gain

Vitamin-K supplementation minimizes blood loss during debeaking, coccidiosis etc

USAGE:

1 gm./litter of water for 5 days or as recommended by consultant

Double Action Anti Bacterial &infection Treatment unique combination of Antibiotics, Probiotic, Aminoacids, Electrolytes and Vitamins



COFFOUT

RESPIRATORY PROBLEMS SOLUTION WITH NATURAL WAY



COMPOSITION: EACH 100 ML CONTAINS

Adhato	25gm
Salanum Xanthocarpum	25gm
Eucalptus Globules	20gm
Albezia Lebbek	300mg
Cyperus Rotundus	150 mg
Hedychium Spicatum	100 mg
Trachysurmum Ammi	100g
Turmeric Curcuma	100g

INDICATIONS

- · Helps to recover respiratory disorders.
- Helps to improve breathing, used for cough & sneezing due to infections or non-infectious cause.
- Relaxes & Dilates the bronchial passages.
- Decreases pulmonary congestion and swelling.

DOSAGE

Mixing rate in drinking Water (per 100 Birds)

COMPOSITION: EACH ML CONTAINS

BROILER	LAYERS & TURKEYS	QTY
0-2 weeks	0-8 weeks	4ml
3-4 weeks	9-20 weeks	8ml
5th week onwards	21-72 weeks	16ml

IP 50mg

IP 50mg



ENROVET

ENROFLOXACIN & CIPROFLOXACIN
ORAL SOLUTION

INDICATIONS

Enrofloxacin

Ciprofloxacin

Eq. to Ciprofloxacin

For the control and treatment of gastro intestinal and respiratory Infections like enteritis, infectious coryaza, Mycoplasmosis, Salmonellosis, Fowl cholera and colibacillosis.

DOSAGES

All age groups-1ml/1ltr of drinking water for a periods of 3 to 5 days depending on severity of infections or as directed by the veterinarian.

WITHDRAWAL PERIOD

Egg: 7 days after the last administration.

Meat: 28 days after the last administration.





AMPROVIN

AMPROLIUM SOLUBLE POWDER I.P. 20% W/W ANTICOCCIDIAL ORAL ROUTE

COMPOSITION

Each 30gm Contains: Amprolium Hydrochloride I.P Excipient

6gm q.s

DOSAGE & ADMINISTRATION

Dissolve Amprolium Soluble Powder in drinking water as follow: For Prevention: 30gm in 50ltr of water. For Mild Infection: 30gm in 25ltr of water.

For Severe Outbreaks: 60gm in 25 ltr of water.

INDICATIONS

Amprolium Soluble Powder is used for management of coccidiosis in replacement chicks, layer & Breeders Broilers & Turkeys.

USAGE: Use for 5-7 days. Use soluble water as the only source of drinking water. After 5-7 days periods continue treatment for 1-2 week using 30gm of Amprolium solution Powder in 100ltr of water. prepare Solution as per Direction.







KEEP QUALITY FOREVER

Uniformity in flock performance Feed formulated by Highly qualified nutritionist Gallus Poultry Feed

Excellent FCR

Products	Consumption/ Birds	Days	(Avg, Management) Wt.	(Good, Management) Wt.	(Excellent, Management) Wt.
Prestarter	300 gm	1-12	270-280 gms	280-300 gms	300+ gms
Starter	1200 gm	13-24	1180-1200 gms	1200-1250 gms	1250+ gms
Finisher	1500 gm	25-36	1900-2050 gms	2000-2150 gms	2150+ gms
Total	3 kg	36	1900-2050 gms	2000-2150 gms	2150+ gms

