



RuralVet

ANIMAL HEALTH SOLUTIONS

Vaccine Range



vaccine

ULTRAVAC 5 IN 1



Ultravac 5in1 is used to prevent the major clostridial diseases in cattle and sheep. It is recommended for the prevention of enterotoxaemia (pulpy kidney disease), tetanus, black disease, malignant oedema (blackleg-like disease) and blackleg in cattle and sheep.

Dose: 2mL Injection (cattle)

Pack sizes: 50ml (25doses), 100ml (50doses), 250ml (125doses), 500ml (250doses)

ULTRAVAC 7 IN 1



Ultravac 7in1 is used to prevent the common types of leptospirosis which affect cattle (and can also be transmitted from cattle to people) as well as prevent the major life threatening clostridial diseases that commonly can occur in cattle.

Dose: 2.5mL Injection

Pack sizes: 50ml (20 doses), 100ml (40 doses), 250ml (100 doses)

ULTRAVAC BOTULINUM



Ultravac Botulinum provides protection against both *C. botulinum* Type C and Type D. Unvaccinated cattle require an initial 2 doses 4-6 weeks apart then an annual booster. Ultravac Botulinum can also be used as an annual booster for cattle that have previously been vaccinated with Longrange Botulinum.

Dose: 2.5mL Injection

Pack sizes: 250ml (100 doses)

LONGRANGE BOTULINUM



Longrange Botulinum provides protection against *Clostridium botulinum* Types C and D toxins. Unvaccinated cattle can be protected for 12mths with a single dose and can be subsequently boosted with an annual dose of either Longrange Botulinum or Ultravac Botulinum.

Dose: 2.5ml Injection

Pack sizes: 250ml (100 doses)

PESTIGARD



Pestigard is the first vaccine for the prevention of Bovine Viral Diarrhoea Virus (BVDV), otherwise known as Bovine Pestivirus in cattle. This virus can damage herd reproduction rates and cause immunosuppression in recently infected cattle. Consequences include abortions, mastitis and respiratory disease.

Dose: 2ml Injection

Pack sizes: 100ml (50 doses), 250ml (125 doses)

VIBROVAX



Vibrovax vaccine is used for the prevention of infertility and abortion in cattle caused by Vibriosis, a costly venereal disease spread by unvaccinated bulls. Vaccination of all bulls prior to joining is highly recommended for any herd. The need to vaccinate cows and heifers will depend on disease history.

Dose: 5ml Injection

Pack sizes: 50ml (10 doses), 250ml (50 doses)

vaccine



ULTRAVAC SCOURSHIELD

Ultravac Scourshield is for the vaccination of cows as an aid in the prevention of calf scours caused by Ecoli, Rotavirus or Coronavirus. Calf immunity is boosted by timely feeding of sufficient colostrum from a vaccinated cow.

Dose: 2mL Injection

Pack sizes: 100mL (50 doses)



BOVI-SHIELD MH-ONE

Bovi-Shield MH One is a single dose vaccine to control respiratory disease caused by *Mannheimia haemolytica* (MH). MH is a bacteria commonly involved in Bovine Respiratory Disease (BRD) that results in sick and coughing calves. Vaccination just prior to high stress periods such as weaning can reduce risk of BRD.

Dose: 2mL Injection

Pack sizes: 20ml (10 doses), 100ml (50 doses)



RHINO-GARD

Rhinogard is a single dose intra-nasal vaccine for cattle of any age to protect against IBR. IBR is a virus commonly involved in the early stages of Bovine Respiratory Disease (BRD) that results in sick and coughing calves. Routine vaccination of newborn calves within the first 1-2wks of life can reduce calf BRD.

Dose: 2.5ml Injection

Pack sizes: 10 dose pk, 50 dose pk




ULTRAVAC BEF & DILUENT (3 DAY VACCINE)

A live attenuated viral vaccine to reduce the incidence and severity of Bovine Ephemeral Fever (3 day sickness) in cattle. It is recommended that at-risk cattle are vaccinated annually just prior to the expected season.

Dose: 2ml Injection

Pack sizes: 10 dose pk




BOVILIS S

Bovilis S is an aid in the control of cattle salmonellosis caused by Salmonella Dublin and Salmonella typhimurium.

Dose: 2ml Injection

Pack sizes: 100ml (50 doses), 250ml (125 doses)



PILIGUARD PINKEYE

Piliguard is used to aid in the prevention of pinkeye associated with infection by Moraxella bovis strains. A single dose is recommended to be provided 3-6 weeks prior to expected season. Can be given to calves from 2 weeks of age.

Dose: 2ml Injection

Pack sizes: 100ml (50 doses)



Vaccination

From Dr Carl...

It's been said that 'an ounce of prevention is worth a pound of cure' and that definitely rings true when it comes to vaccinations and cattle health. The return on a well implemented vaccination program should not be underestimated.

However, knowing which vaccines are necessary in your herd and developing the best strategy and protocols to ensure all animals receive the right product at the right time is not always easy. Over the years I have helped many farms identify their disease risk and set up vaccination plans that suit their management processes.

If you need help knowing which vaccines are a must for you, which ones you don't need, and which ones may be of some benefit, then get in touch and I can help. I can work with you to identify the best plan for your farm and your risk appetite and design a program that fits into your management schedule.