



DEALS IN: AUTO PARTS, DIESEL, TRACTOR & AIR COMPRESSOR SPARE PARTS

PRODUCT RANGE - PISTON RINGS

[PISTON RINGS FOR ALL ENGINES ARE AVAILABLE RANGING FROM 40MM - 200MM]

| ENGINE | DIA (IN MM) |
|--|--|
| ANDORIA | |
| ANDORIA (S-310) | 85.000 MM |
| ANDORIA (S-231) | 102.000 MM |
| ANDORIA (S-320) (18HP) (0.020") (0.040") | 120.00 MM (0.020") (0.040") |
| ANDORIA (S-321) | 135.000 MM |
| ARMSTRONG SIDDELEY (14/22 HP) | |
| AJS SERIES | 96.880 MM |
| ARMSTRONG SIDDELEY (14/22 HP) | 107.95 MM (0.020") (0.040") (0.060") |
| ATLAS COPCO | |
| ATLAS COPCO (VT-4) | 130.000 MM |
| ATLAS COPCO (VT-4) | 220.000 MM |
| ATLAS COPCO (BETICO) | - |
| BEDFORD | |
| BED FORD 300 | 98.400 MM |
| BED FORD (J4-220 / J6-330) | 103.175 MM |
| BED FORD 500 | 115.890 MM |
| BMC | |
| BMC (4/6 CYL) | 98.000 MM |
| BAJAJ | |
| BAJAJ AVENGER | 67.000 MM |

| | |
|--|------------|
| BAJAJ OPTIMA | 63.500 MM |
| BLACKSTONE | |
| BLACKSTONE JP (16 HP) | 149.220 MM |
| BLACKSTONE OP (26 HP) | 184.150 MM |
| CATERPILLAR | |
| CATERPILLAR (S6KT,S4S,3044,3046,3066) | 94.000 MM |
| CATERPILLAR (2M5558) | 114.000 MM |
| CATERPILLAR (D330/330A) CATERPILLAR (D333/333A) | 114.300 MM |
| CATERPILLAR (72410) | 114.300 MM |
| CATERPILLAR (3304/3306) | 120.650 MM |
| CATERPILLAR (8N3102 / 8N3182/ 9N5250) | 120.650 MM |
| CATERPILLAR (7E-0305-05 / 9Y4004 / 9Y7212) | 137.016 MM |
| CUMMINS | |
| CUMMINS (4 BT) | 102.000 MM |
| CUMMINS (6 BT) | 102.000 MM |
| CUMMINS (EURO-1) | 102.000 MM |
| CUMMINS (EURO-2) | 102.000 MM |
| CUMMINS (EURO-3) | 102.000 MM |
| CUMMINS (3930450) | 102.000 MM |
| CUMMINS (C- SERIE 6C/ 6CT/ 6CTA) | 114.000 MM |
| NTC 230, 230S, 250, 250S, 290, NTCC230, 230S, 240, PT240, 270, NHHTC 250, 290, NTF 255, N 855C, NA 230, NHC 250 NTC 250 | 139.700 MM |
| NTC 270, 310, 335, 350 (2100 rpm) NT 310, 335, 380, 400, 855(2100 rpm) NTC 335/350, NTC 350 NTA 380, 855 (2100 rpm) | 139.700 MM |
| NTA 855 G/GS, NTC 350(BC), 350(SC), NTCC 350, 400(BC) BIG CAM III | 139.700 MM |

| | |
|--------------------------|------------|
| N, NT, NTA 855, NTA 290 | 139.700 MM |
| DAF | |
| DAF (DN/DNT/DNS-620) | 104.175 MM |
| DAF (DF-615) | 104.175 MM |
| DAF (DH-825) | 118.000 MM |
| DAF 1160 TURBO | 130.000 MM |
| DAVID BROWN | |
| DAVID BROWN (SHORT) | 100.046 MM |
| DAVID BROWN (LONG) | 100.046 MM |
| DEUTZ | |
| DEUTZ (FL-612) | 90.000 MM |
| DEUTZ (1011) | 91.000 MM |
| DEUTZ (FL-411) | 92.000 MM |
| DEUTZ (1012) | 94.000 MM |
| DEUTZ (FL-812) | 95.000 MM |
| DEUTZ (FL-511) | 100.000 MM |
| DEUTZ (FL 912) | 100.000 MM |
| DEUTZ (FL 514) | 110.000 MM |
| DEUTZ (FL 413) | 120.000 MM |
| DEUTZ (BFL 513) | 125.000 MM |
| DONGFENG | |
| DONGFENG (R-175) | 75.000 MM |
| DONGFENG (R-180) | 80.000 MM |
| DONGFENG (R-185) | 85.000 MM |
| DONGFENG (EM-185) | 85.000 MM |
| DONGFENG (EM-190) | 90.000 MM |
| DONGFENG (R-195) | 95.000 MM |
| DONGFENG (S-1100) | 100.000 MM |
| DONGFENG (S-1110) | 110.000 MM |
| FIAT / FIAT IVECO | |

| | |
|--|------------|
| FIAT (PALIO 1.5, SIENA 1.5) | 76.000 MM |
| FIAT UNO 60 TEMPRA, TALANTO 1.7, 1. 9 DIESEL | 82.600 MM |
| TIPO TEMPRA 1.9L TURBO | 82.600 MM |
| FIAT (241N D) | 85.000 MM |
| FIAT 128 (1.3) | 86.000 MM |
| FIAT 159,160 (1.6) | 86.400 MM |
| FIAT ARGENTA TD DAILY TURBO 8144.81,8144.21,8140.21 | 93.000 MM |
| FIAT (8030.02, 8040.02, 8060.02 8060.12, 3025.02) | 100.000 MM |
| FIAT (8035.05, 8040.05, 8045.05 8055.05, 8060.05, 8065.05) | 104.000 MM |
| FIAT (F6L 413 F10L 413) | 120.000 MM |
| FORD & FORDSON | |
| FORD (2700 240D 360D TRANSIT) | 104.780 MM |
| FORD (3000) | 106.680 MM |
| FORD (2712, 2715 D610-305, D607-340, D1211-305, 340, 396, 462) | 107.210 MM |
| FORD (4000,4600,4610,4630,6600) | 111.760 MM |
| FORD (750-7000D, 7500D, 7700D 6Y, 7A) | 111.760 MM |
| FORD (7000D, 7600D) | 111.760 MM |
| FORD SON | 100.000 MM |
| HATZ | |
| HATZ (E-75 PM Diesel) | 75.000 MM |
| HATZ (E-79 PM Diesel) | 82.000 MM |
| HATZ (E-80) | 82.000 MM |

| | |
|---|------------|
| HATZ (E-85) | 85.000 MM |
| HATZ (E-89) | 90.000 MM |
| HATZ (E-950 PM Diesel) | 95.000 MM |
| HATZ (E-108) | 108.000 MM |
| HINO | |
| HINO AIR COMPRESSOR (EH700) | 70.000 MM |
| HINO (DM100, BUS RM100, BM320, KM300) | 90.000 MM |
| HINO (DQ100) | 92.000 MM |
| HINO (EC100 TRUCK, KL300 BUS, RL100 TRACTOR HL300) | 97.000 MM |
| HINO (6ET1) | 104.000 MM |
| HINO (EH100 TRUCK BH15 AL500 HL100 BUS BX320) | 105.000 MM |
| HINO (EB300 DUMP TRUCK KB112D) | 120.000 MM |
| HINO (ED100 TRUCK HE 35 HH130) | 128.000 MM |
| IFA | |
| IFA (W 50) | 120.000 MM |
| JENBACH | |
| JENBACH (JW15) | 115.000 MM |
| JENBACH (JW16) | 116.000 MM |
| JENBACH (JW 20) | 125.000 MM |
| JENBACH (9/22) | 126.000 MM |
| JENBACH (JW 30) | 135.000 MM |
| JOHN DEERE | |
| JD-510/1020/350/450, Skidder 440, Traktor T 700, 3120 | 98.000 MM |

| | |
|--|------------|
| Dieselmotor 3164 DL 01- JD 164 Dieselmotor 4219 DL 01 Dieselmotor 6329 DL 01- JD 329 Dieselmotor 3164 DL 03 Dieselmotor 4219 DL 03 Dieselmotor 6329 DL 03 2030 SERIES 4030D TRACTOR, 6600 COMBINE, 164D, 219D, 392D | 102.000 MM |
| Dieselmotor 3239, 4239, 6359, 42390T/TL, 300 NA, 4039 D, 6359 T Dieselmotor 300 NA, 3179 D, 4045 D, 6059 D, 6068 D | 106.500 MM |
| 3020 (4 CYL.), 4020 (6 CYL.) 4520 (6 CYL.) | 107.950 MM |
| 4260, 4630, 7020, 404A TURBO | 107.950 MM |
| 4JD 404, 254, 381 DIESEL POWER UNIT WHEEL TRACTOR 3010, 3020 WHEEL TRACTOR 4000, 4010, 4020, 4270 DIESEL ENG. WHEEL LOADED JD500, JD500A, JD500B, JD600 | 107.950 MM |
| 404D SERIE NR. 422365 UP COMBINE 4230, 7700 | 107.950 MM |
| 6466D NATURALLY ASPIRATED WHEEL TRACTOR 4040, 4240, 4440, COMBINE 6620 | 115.890 MM |
| 4440, 4640, 4840, 8340, 466A, 466T, TURBO | 115.890 MM |
| 531 (6 CYL.) TRACTOR 5010 | 115.890 MM |
| KIA | |
| SEPHIA | 78.000 MM |
| BESTA 2.2 | 86.000 MM |
| BESTA 2.2 R2 | 86.000 MM |
| KUBOTA | |

| | |
|---|------------|
| KUBOTA (KND70A/ER600) | 78.000 MM |
| KUBOTA (KND5B) | 80.000 MM |
| KUBOTA (KND80/ER700) | 84.000 MM |
| KUBOTA (RD85/KND95D1) | 86.000 MM |
| KUBOTA (RD105/KND110) | 92.000 MM |
| KUBOTA (KND105/ER900) | 92.000 MM |
| KUBOTA (KND180/ER1500) | 110.000 MM |
| KUBOTA (KND220D1/ER 1700/2200) | 116.000 MM |
| KUBOTA (KND250D1/ER2500) | 118.000 MM |
| KIRLOSKAR | |
| JV (ROCKET ENGINE) | 76.000 MM |
| AV 16.5:1,553cc, 6.6HP 16.5:1,1106cc, 13.2HP | 80.000 MM |
| IKARUS D2356HMN | 85.000 MM |
| TV 17.5:1, 662cc, 7.5HP 17.5:1, 1324 cc, 15HP | 87.500 MM |
| KIRLOSKAR RET-4 | 90.000 MM |
| HA (DEUTZ) | 100.000 MM |
| KIRLOSKAR RBV/RB-01 | 110.000 MM |
| KOMATSU | |
| KOMATSU (4D94) | 94.000 MM |
| KOMATSU (4D94E) | 94.000 MM |
| 4 95S 4D95 | 95.000 MM |
| S4D95 1D95L | 95.000 MM |
| SA1D95 | 95.000 MM |
| 4 95SW | 95.000 MM |

| | |
|---|------------|
| 4D105 | 105.000 MM |
| S4D105 | 105.000 MM |
| SA6 D110 6D 110 | 110.000 MM |
| 4D115 | 115.000 MM |
| 6D115 | 115.000 MM |
| 4D120-A BULLDOZER D50 | 120.000 MM |
| S4D120 4D120 | 120.000 MM |
| 6D125 | 125.000 MM |
| 1D125 | 125.000 MM |
| 6D125 | 125.000 MM |
| S4D130 4D130 | 130.000 MM |
| NT855 | 139.700 MM |
| 6D140 | 140.000 MM |
| 4D150 BULLDOZER D120 6D150 DE DF | 150.000 MM |
| LADA | |
| 1200, 1200LE, SE, 1200L, 1500 ESTATE, 1500SESTATE | 76.000 MM |
| 1300, RIVA 1300, 1600 WAZ 2105 1.3L | 79.000 MM |
| LADA SAMARA 1.5L | 82.000 MM |
| NIVA 1.9L DIESEL | 83.000 MM |
| NIVA 1800CC | 85.000 MM |
| LAND ROVER | |

| | |
|--|------------|
| 200 TDI 11L, 12L, 13L | 90.490 MM |
| 300 TDI 16L, 23L | 90.490 MM |
| SERIES II/IIA/III 2286 Petrol | 90.490 MM |
| SERIES II/IIA/III 2286 109,110 Diesel | 90.490 MM |
| LISTER | |
| LISTER LT | 82.550 MM |
| LISTER LPW | 86.000 MM |
| LISTER SR | 88.900 MM |
| LISTER ST | 95.250 MM |
| LISTER TR | 98.420 MM |
| LISTER HA, HB, HW | 101.600 MM |
| LISTER HR | 107.950 MM |
| LISTER 8/1, 16/2, 6/9, 616 JP | 114.300 MM |
| LISTER 5/1, 6/1, 10/2, 12/2 | 114.300 MM |
| LISTER | 127.000 MM |
| LISTER | 130.000 MM |
| LEYLAND | |
| LEYLAND 15T 154 | 73.020 MM |
| OEA,OEB 34T | 95.000 MM |
| 4/98 NV/TT,6/98E DV NV Tractor 262,272,470, FG 345,350,420,550,700, 285,485,2100,4100,900 | 98.000 MM |
| 4/98,6/98 DV,NV Tractor 262,272,470, FG 345,350,420,550,700, | 98.000 MM |

| | |
|---|------------|
| 285,485,2100,4100,900 | |
| LEYLAND 412 | 107.210 MM |
| LEYLAND 0400 POWER PLUS Mk I & II, 401,410 TURBOCHARGED ENGINES | 107.230 MM |
| LEYLAND 401 RC/402RC 4RV VIKING, TUSKER, SUPER, COMET 16:1, 6538cc 125/135HP, 2400rpm | 107.230 MM |
| LEYLAND 600 | 121.920 MM |
| LEYLAND 600/600 POWER PLUS Mk I & II ENGINES | 121.920 MM |
| LEYLAND 680[DUMPER] BEAVER/HIPPO [INDL] | 127.010 MM |
| LEYLAND 680 | 127.015 MM |
| LDA 500,502,503, 505,507 | 70.000 MM |
| LDA 520,522,523, 525,527 | 78.000 MM |
| LDA 80 | 80.000 MM |
| LDA 530,532,533, 535,537 | 82.000 MM |
| LDA 450/510, LB | 85.000 MM |
| 3LD450 | 85.000 MM |
| LDA 710, 713, 715, 904 | 90.000 MM |
| LDA 720,723,725,L10 914,L20 | 95.000 MM |
| LDA 95,96,97 LDA 672/673,674 | 95.000 MM |
| LDA 100 L27/40/54/832/833/834 | 100.000 MM |
| LDA 820 | 102.000 MM |
| MACK | |

| | |
|------------------------------------|------------|
| END, ENDT- 673C | 123.820 MM |
| MAN | |
| D 0836, 0846 | 108.000 MM |
| D 0824, 0826 | 108.000 MM |
| D 2146M 2156 M | 121.000 MM |
| D 2146, 2156 M/HM | 121.000 MM |
| D 2366 | 123.000 MM |
| D 25 MTE, 2540 D 2542 MT | 125.000 MM |
| D 2566 2540, 2542, 2548 | 125.000 MM |
| D 2540, 2542, 2548 | 125.000 MM |
| D 2848 M | 128.000 MM |
| D 2840, 2842, 2848, 2865, 2866 | 128.000 MM |
| Air Compressor | 65.000 MM |
| Air compressor D21 | 88.000 MM |
| Air Compressor D25 | 90.000 MM |
| Air Compressor D25 | 90.000 MM |
| MARELLI | |
| Air Compressor AC63/200 AC66 | 70.000 MM |
| AC56 | 73.000 MM |
| Air compressor Fiat 170/190 | 80.000 MM |
| Air Compressor Iveco ACX82 | 82.000 MM |
| MASSEY FERGUSON | |

| | |
|---|------------|
| MF231, 235, 238AD, 3.152 | 91.490 MM |
| MF 261, 263, 236 | 98.480 MM |
| T4.236, T4.39 | 98.480 MM |
| MF 590, A4.248 | 101.054 MM |
| MERCEDES BENZ | |
| OM 314,OM 352 | 97.000 MM |
| OM 364/ 366A | 97.500 MM |
| OM 401 SERIES | 125.000 MM |
| OM 355 | 128.000 MM |
| Air Compressor OM312 | 70.000 MM |
| Air Compressor OM352A/360 | 75.000 MM |
| Air Compressor OM 355 | 80.000 MM |
| Air Compressor OM 360/400/440 | 90.000 MM |
| PERKINS | |
| PERKINS 4.192 | 88.920 MM |
| PERKINS 400 SERIES | 84.000 MM |
| PERKINS P4 16.5:1, 3140cc 43.6HP, 4.203 | 88.920 MM |
| PERKINS 3.152,4.203,6.305 | 91.490 MM |
| PERKINS 6.354 | 98.480 MM |
| PERKINS 4.236,6.354 | 98.480 MM |
| PERKINS 4.236,6.354 | 98.480 MM |
| PERKINS 6.354-4 TURBO | 98.480 MM |
| PERKINS A 4.212 | 98.480 MM |
| PERKINS 3.177,4.354-4 4.236,6.354-4 | 98.480 MM |
| PERKINS 4 TURBO, PHASER 110T, 120T, 160T, | 100.000 MM |

| | |
|--|------------|
| 180T | |
| PERKINS 250AS, PHASER 90 | 100.000 MM |
| PERKINS 2300 Series | 137.160 MM |
| PETTER | |
| PAZ1 | 76.200 MM |
| AV1,AVA1,AV2,AVA2 | 80.000 MM |
| PH 1/2 | 87.310 MM |
| PJ,PJW | 96.880 MM |
| PEUGEOT | |
| 104,204,205,954cc | 70.000 MM |
| 204D 1.3L | 75.000 MM |
| 304-XL3, 304S-XL3S | 76.000 MM |
| 204D, 304D 1.4L | 78.000 MM |
| 204 XK5, 304 XL5/XL5S | 78.000 MM |
| 304D, 305D, X1D | 80.000 MM |
| 205D, XUD7 | 80.000 MM |
| XDP88, XD88 404D, 504D, J7 | 88.000 MM |
| XDP90, J90 504D, 404D,J7 | 90.000 MM |
| 504D, 505D, XD2 | 94.000 MM |
| RENAULT | |
| R4GIL R5GIL R6TL R9/11 | 70.000 MM |
| R6, TL, R1181, RBMAJOR, R8S, RBGORDINI, R10 100, ESTAFETTE | 70.000 MM |
| | 73.000 MM |
| R11 TL R16 II 8CV, R1150 R18 TL/GTL | 76.000 MM |
| R9D R11D | 78.000 MM |

| | |
|--------------------------------|-----------|
| R18 R20/21/25 TRAFIC DIESEL | 86.000 MM |
| R30TS, V6-2664cc | 88.000 MM |
| XDP88, XD88 404D, 504D, J7 | 88.000 MM |
| XDP90, J90 504D, 404D, J7 | 90.000 MM |
| 504D, 505D, XD2 | 94.000 MM |
| ROBIN | |
| SE RY13 SPR30 | 60.000 MM |
| ROBIN SE EY14 | 62.000 MM |
| SE EY15 | 63.000 MM |
| SE EY18 KE12 | 65.000 MM |
| SE EY20 | 67.000 MM |
| SE EY25 | 72.000 MM |
| SE EY27 | 74.000 MM |
| SE EY28 | 75.000 MM |
| SE EY33 | 78.000 MM |
| SE EY35 | 78.000 MM |
| N SE EY40 | 90.000 MM |

| ROMANIA | |
|--|------------------------|
| TRACTOR | 108.000 MM |
| RUMANIAN TRACTOR M-40 | 140.000 MM |
| RD100 | 100.000 MM |
| RUSSIAN | |
| RUSSIAN T62-1 | 120.000 MM |
| RUSSIAN DT-14 | 125.000 MM |
| RUSTON HORNSBY | |
| YWA MK4 | 104.870 MM |
| YDA 15.44; 7391cc 109HP, 2000rpm | 111.18 MM 111.27 MM |
| 6 YDX | 115.000 MM |
| MWM TD 12/TBD 12 8820cc, 162HP, 2300 rpm 11760cc, 216hp, 2300 rpm 117640cc, 324HP, 300rpm | 120.000 MM |
| SCANIA | |
| 99/900 | 90.000 MM |
| D5, D8, L71, D610, D630, D640 | 115.000 MM |
| DS 8 | 115.000 MM |
| DS 9.01/.0/.05 | 115.000 MM |
| D11, 14 | 127.000 MM |
| D10, DS, DS10, L75, LA75/LS75/LT75 | 127.000 MM |
| DS/ DSC11/14 | 127.000 MM |
| DTC1101/DSC14 | 127.000 MM |
| SLAVIA | |
| D-5 | 100.000 MM |

| | |
|--|------------|
| D-8 | 120.000 MM |
| D-12 | 145.000 MM |
| MWM TD 12/TBD 12 8820cc, 162HP, 2300 rpm 11760cc, 216hp, 2300 rpm 117640cc, 324HP, 300rpm | 120.000 MM |
| TATA | |
| Indica Diesel / ACE | 75.000 MM |
| Indica Diesel / ACE | 75.000 MM |
| 207 4DL (TURBO) | 83.000 MM |
| 207 4DL (TURBO) | 83.000 MM |
| OM 312 L3500 19.8:1.4580cc 100HP | 90.000 MM |
| 1210/692 D1 4RV 17:1, 4788cc 112HP, 2800rpm | 92.000 MM |
| 1210/692 D1 5RV 17:1, 4788cc 112HP, 2800rpm | 92.000 MM |
| 1312/695 NA RC, 17:1, 5103cc, 120HP, 2800rpm | 95.000 MM |
| 807/707 RC, 17:1, 3402cc, 70HP, 2800rpm | 95.000 MM |
| 1612/1510/1313 697NA RC 3RV 120PS 1510-110PS, 2400rpm | 97.000 MM |
| 407, 497SP RC 65PS, 3200 rpm | 97.000 MM |

| VOLVO | |
|---|------------|
| 60 TD 2383cc | 76.500 MM |
| D50A/B, TD50A/B | 95.250 MM |
| D 47A/B, TD 47B | 95.250 MM |
| D60/TD60A/TD61 | 98.420 MM |
| D70A/B, TD70A/B | 104.770 MM |
| TD 71/73 | 104.775 MM |
| TD 73 ES | 104.775 MM |
| BOLINDER MUNKTELL 1113/1114 TRACTOR 650 | 111.125 MM |
| VBF, D 96AS/AL/B TURBO TD 96AS/B | 120.650 MM |
| TD 103 | 120.650 MM |
| TD 101 | 120.650 MM |
| D 1000A/B, HD 100A N88, F88, LN88, LF88 TD100A, THD100A, FL88, NB88, G88, B58, 859, N10, TMD100A | 120.650 MM |
| TD102 FS, NL10340 | 120.650 MM |
| D120.00, TD120.00 | 130.175 MM |
| TD 121/12 | 130.180 MM |
| TD 122/12 | 130.180 MM |
| WESTINGHOUSE | |
| EGASO TRONER, DAF 1160 WS, VOLVO | 75.000 MM |
| OM 362/DAF 825 OM 352 A, DAF 1160 | 75.000 MM |

| | |
|--|-----------|
| PT 237 KHD | 75.000 MM |
| WB15 VOLVO TD150, SCANIA DS11/14 | 75.000 MM |
| WB15 | 80.000 MM |
| DAF 825/1160 | 85.000 MM |
| DAF 825/1160 | 85.000 MM |
| YANMAR | |
| TS50 | 70.00 |
| TS60 | 75.00 |
| TF65 | 78.00 |
| TS 70/80, TF75 | 80.00 |
| TS 105/TF85 | 85.00 |
| TS130 | 92.00 |
| TS155 | 95.00 |
| TF135 | 96.00 |
| TS180 | 102.00 |
| SM | 105.00 |
| 190 | 110.00 |
| TS230 | 112.00 |
| ESD | 120.00 |
| EK | 125.00 |
| EKD | 130.00 |
| YANMAR LD | 140.00 |
| N16 | 140.00 |
| N22Y | 140.00 |
| N22Y | 140.00 |
| ZETORA | |

| | |
|---|------------|
| 3511 17.9:1, 2340cc 35HP, 2000rpm | 95.000 MM |
| 2511 17.9:1,1560cc 25HP, 2000rpm | 95.000 MM |
| 4701, 6701, 4712, 4718, 6711, 6718 | 100.000 MM |
| 491,169,116,945 | 102.000 MM |
| 12,800,128,011 | 110.000 MM |

FOR ANY INQUIRIES:

PLEASE VISIT OUR WEBSITE OR CALL US.

MADEV INTERNATIONAL

PLOT 91,
NORTH VIJAYNAGAR COLONY,
AGRA, INDIA - 282004

EMAIL: MADEVINTERNATIONAL@GMAIL.COM

MOB: +91-7452997115 / +91-7895319135