



Purina® Wind and Rain® Storm® Cattle Minerals

Item Number	Formula Number	Loose Mineral Description	Avg Oz/hd/d	Avg Salt %	Avg Ca %	P %	Mg %	K %	Cu ppm	Zn ppm	Mn ppm	Co ppm	I ppm	Se ppm	Vit. A IU/lb	Vit. D IU/lb	Vit. E IU/lb
Wind and Rain® Storm® All Season 4 Complete																	
3010015	380N	W&R SF AS 4 CP	4.0	25.0	18.0	4.0	1.0	0.1	1200	3600	4800	18	60	27	150,000	15,000	150
3010016	380P	W&R SF AS 4 CP ALTOSID	4.0	25.0	18.0	4.0	1.0	0.1	1200	3600	4800	18	60	27	150,000	15,000	150
3010017	380Q	W&R SF AS 4 CP AU2800	4.0	25.0	18.0	4.0	1.0	0.1	1200	3600	4800	18	60	27	150,000	15,000	150
3010018	380R	W&R SF AS 4 CP AU2800 ALTOSID	4.0	25.0	18.0	4.0	1.0	0.1	1200	3600	4800	18	60	27	150,000	15,000	150
3010019	380S	W&R SF AS 4 CP AU5600	4.0	25.0	18.0	4.0	1.0	0.1	1200	3600	4800	18	60	27	150,000	15,000	150
3010020	380T	W&R SF AS 4 CP AU5600 ALTOSID	4.0	25.0	18.0	4.0	1.0	0.1	1200	3600	4800	18	60	27	150,000	15,000	150
3002094	315T	W&R SF AS 4 CP AV4	4.0	25.0	18.0	4.0	1.0	0.1	1100	3168	1760	106	60	27	150,000	15,000	150
3005218	32XR	W&R SF AS 4 CP AV4 ALTOSID	4.0	25.0	18.0	4.0	1.0	0.1	1100	3168	1760	106	60	27	150,000	15,000	150
3003416	323Q	W&R SF AS 4 CP AV4 AU5600 ALTOSID	4.0	25.0	18.0	4.0	1.0	0.1	1100	3168	1760	106	60	27	150,000	15,000	150
3007089	34PC	W&R SF AS 4 CP AV4 ORG SE R1600	4.0	25.0	18.0	4.0	1.0	0.1	1100	3168	1760	106	60	27	150,000	15,000	150
3005196	32XL	W&R SF AS 4 CP AV4 XPC ORG SE	4.0	25.0	18.0	4.0	1.0	0.1	1100	3168	1760	106	60	27	150,000	15,000	150
Wind and Rain® Storm® HI Mag Complete																	
3010063	382L	W&R SF HMG 4 CP	4.0	17.5	13.5	4.0	10.0	0.1	1200	3600	4800	18	60	27	75,000	7,500	75
3010064	382M	W&R SF HMG 4 CP ALTOSID	4.0	17.5	13.5	4.0	10.0	0.1	1200	3600	4800	18	60	27	75,000	7,500	75
3010066	382P	W&R SF HMG 4 CP AU5600	4.0	17.5	13.5	4.0	10.0	0.1	1200	3600	4800	18	60	27	75,000	7,500	75
3010067	382Q	W&R SF HMG 4 CP AU5600 ALTOSID	4.0	17.5	13.5	4.0	10.0	0.1	1200	3600	4800	18	60	27	75,000	7,500	75
3002627	31FD	W&R SF HMG 4 CP AV4	4.0	17.5	13.5	4.0	10.0	0.1	1100	3168	1760	106	60	27	75,000	7,500	75
3005035	32ST	W&R SF HMG 4 CP AV4 ALTOSID	4.0	17.5	13.5	4.0	10.0	0.1	1100	3168	1760	106	60	27	75,000	7,500	75
3006877	34AW	W&R SF HMG 4 CP AV4 AU5600 ALTOSID	4.0	17.5	13.5	4.0	10.0	0.1	1100	3168	1760	106	60	27	75,000	7,500	75
3010068	382R	W&R SF HMG 4 CP HS	4.0	30.0	11.0	4.0	10.0	0.1	1200	3600	4800	18	60	27	75,000	7,500	75
3010069	382S	W&R SF HMG 4 CP HS ALTOSID	4.0	30.0	11.0	4.0	10.0	0.1	1200	3600	4800	18	60	27	75,000	7,500	75
3010070	382T	W&R SF HMG 6 CP	4.0	20.0	13.0	6.0	14.0	0.1	1200	3600	4800	18	60	27	75,000	7,500	75
3001715	316Q	W&R SF HMG 7 CP AV4	4.0	21.0	12.0	7.0	10.0	0.1	1100	3168	1760	106	60	27	150,000	15,000	150
3005036	32SU	W&R SF HMG 7 CP AV4 ALTOSID	4.0	21.0	12.0	7.0	10.0	0.1	1100	3168	1760	106	60	27	150,000	15,000	150
3002361	319H	W&R SF HMG 7 CP AV4 AU5600	4.0	21.0	12.0	7.0	10.0	0.1	1100	3168	1760	106	60	27	150,000	15,000	150
3003040	31WF	W&R SF HMG 7 CP AV4 AU5600 ALTOSID	4.0	21.0	12.0	7.0	10.0	0.1	1100	3168	1760	106	60	27	150,000	15,000	150
3002631	31FF	W&R SF HMG 7 CP AV4 ORG SE AU5600	4.0	21.0	12.0	7.0	10.0	0.1	1100	3168	1760	106	60	27	150,000	15,000	150
3010071	382U	W&R SF HMG 8.5	2.0	21.0	10.0	8.5	10.5	0.1	2400	7200	9600	36	120	54	150,000	15,000	150
Wind and Rain® Storm® All Season 7 Complete																	
3010025	380Y	W&R SF AS 7 CP HS	4.0	40.0	7.5	7.0	1.0	0.1	1200	3600	4800	18	60	27	150,000	15,000	150
3010026	380Z	W&R SF AS 7 CP HS ALTOSID	4.0	40.0	7.5	7.0	1.0	0.1	1200	3600	4800	18	60	27	150,000	15,000	150
3010027	3816	W&R SF AS 7 CP HS SE-PLEX	4.0	40.0	7.5	7.0	1.0	0.1	1200	3600	4800	18	60	27	150,000	15,000	150
3010021	380U	W&R SF AS 7 CP	4.0	23.0	15.0	7.0	1.0	0.1	1200	3600	4800	18	60	27	150,000	15,000	150
3010022	380V	W&R SF AS 7 CP ALTOSID	4.0	23.0	15.0	7.0	1.0	0.1	1200	3600	4800	18	60	27	150,000	15,000	150



Purina® Wind and Rain® Storm® Cattle Minerals

Item Number	Formula Number	Loose Mineral Description	Avg Oz/hd/d	Avg Salt %	Avg Ca %	P %	Mg %	K %	Cu ppm	Zn ppm	Mn ppm	Co ppm	I ppm	Se ppm	Vit. A IU/lb	Vit. D IU/lb	Vit. E IU/lb
Wind and Rain® Storm® All Season 7 Complete																	
3010023	380W	W&R SF AS 7 CP AU5600	4.0	23.0	15.0	7.0	1.0	0.1	1200	3600	4800	18	60	27	150,000	15,000	150
3010024	380X	W&R SF AS 7 CP AU5600 ALTOSID	4.0	23.0	15.0	7.0	1.0	0.1	1200	3600	4800	18	60	27	150,000	15,000	150
3010030	381C	W&R SF AS 7 CP R1600	4.0	23.0	15.0	7.0	1.0	0.1	1200	3600	4800	18	60	27	150,000	15,000	150
3010028	381A	W&R SF AS 7 CP NO SE	4.0	20.0	15.0	7.0	2.0	0.1	1200	3600	4800	18	60	0	150,000	15,000	150
3010029	381B	W&R SF AS 7 CP NO SE ALTOSID	4.0	20.0	15.0	7.0	2.0	0.1	1200	3600	4800	18	60	0	150,000	15,000	150
3001702	316C	W&R SF AS 7 CP AV4 NO SE	4.0	23.0	15.0	7.0	1.0	0.1	1100	3168	1760	106	60	0	150,000	15,000	150
3000418	311S	W&R SF AS 7 CP AV4	4.0	23.0	15.0	7.0	1.0	0.1	1100	3168	1760	106	60	27	150,000	15,000	150
3005027	32SK	W&R SF AS 7 CP AV4 ALTOSID	4.0	23.0	15.0	7.0	1.0	0.1	1100	3168	1760	106	60	27	150,000	15,000	150
3000432	312E	W&R SF AS 7 CP AV4 AU5600	4.0	23.0	15.0	7.0	1.0	0.1	1100	3168	1760	106	60	27	150,000	15,000	150
3000732	310Q	W&R SF AS 7 CP AV4 AU5600 ALTOSID	4.0	23.0	15.0	7.0	1.0	0.1	1100	3168	1760	106	60	27	150,000	15,000	150
3004728	32TH	W&R SF AS 7 CP AV4 XPC AU5600 ALTOSID	4.0	23.0	15.0	7.0	1.0	0.1	1100	3168	1760	106	60	27	150,000	15,000	150
3005369	322K	W&R SF AS 7 CP AV4 R1600	4.0	23.0	15.0	7.0	1.0	0.1	1100	3168	1760	106	60	27	150,000	15,000	150
3010031	381D	W&R SF AS 7 LS NO SE	2.0	3.0	15.0	7.0	2.0	0.1	2400	7200	9600	36	120	0	300,000	30,000	300
Wind and Rain® Storm® All Season 7.5																	
3010032	381E	W&R SF AS 7.5	2.0	6.0	15.0	7.5	1.0	1.0	2400	7200	9600	36	120	54	300,000	30,000	300
3010033	381F	W&R SF AS 7.5 ALTOSID	2.0	6.0	15.0	7.5	1.0	1.0	2400	7200	9600	36	120	54	300,000	30,000	300
3010048	381W	W&R SF AS 7.5 XPC	2.0	6.0	15.0	7.5	1.0	1.0	2400	7200	9600	36	120	54	300,000	30,000	300
3010034	381G	W&R SF AS 7.5 AU5600	2.0	6.0	15.0	7.5	1.0	1.0	2400	7200	9600	36	120	54	300,000	30,000	300
3010150	385Y	W&R SF AS 7.5 B1440	2.0	6.0	15.0	7.5	1.0	1.0	2400	7200	9600	36	120	54	300,000	30,000	300
3010047	381V	W&R SF AS 7.5 R2400	2.0	6.0	15.0	7.5	1.0	1.0	2400	7200	9600	36	120	54	300,000	30,000	300
3001706	316G	W&R SF AS 7.5 AV4	2.0	6.0	15.0	7.5	1.0	1.0	2200	6370	3500	220	120	54	300,000	30,000	300
3002727	31VA	W&R SF AS 7.5 AV4 AU5600	2.0	6.0	15.0	7.5	1.0	1.0	2200	6370	3500	220	120	54	300,000	30,000	300
3006875	34AP	W&R SF AS 7.5 AV4 ALTOSID	2.0	6.0	15.0	7.5	1.0	1.0	2200	6370	3500	220	120	54	300,000	30,000	300
3006796	349A	W&R SF AS 7.5 AV4 R2400	2.0	6.0	15.0	7.5	1.0	1.0	2200	6370	3500	220	120	54	300,000	30,000	300
3010044	381S	W&R SF AS 7.5 HS	2.0	16.0	12.0	7.5	3.0	1.0	2400	7200	9600	36	120	54	300,000	30,000	300
3010045	381T	W&R SF AS 7.5 HS ALTOSID	2.0	16.0	12.0	7.5	3.0	1.0	2400	7200	9600	36	120	54	300,000	30,000	300
3010046	381U	W&R SF AS 7.5 HS CLX SCP	2.0	16.0	12.0	7.5	3.0	1.0	2400	7200	9600	36	120	54	300,000	30,000	300
Wind and Rain® Storm® All Season 7.5 Complete																	
3010035	381H	W&R SF AS 7.5 CP	4.0	20.0	15.0	7.5	1.0	1.0	1200	3600	4800	18	60	27	300,000	30,000	300
3010036	381J	W&R SF AS 7.5 CP ALTOSID	4.0	20.0	15.0	7.5	1.0	1.0	1200	3600	4800	18	60	27	300,000	30,000	300
3010037	381K	W&R SF AS 7.5 CP AU5600	4.0	20.0	15.0	7.5	1.0	1.0	1200	3600	4800	18	60	27	300,000	30,000	300
3010038	381L	W&R SF AS 7.5 CP AU5600 ALTOSID	4.0	20.0	15.0	7.5	1.0	1.0	1200	3600	4800	18	60	27	300,000	30,000	300
3010039	381M	W&R SF AS 7.5 CP AU6400	4.0	20.0	15.0	7.5	1.0	1.0	1200	3600	4800	18	60	27	300,000	30,000	300
3010040	381N	W&R SF AS 7.5 CP AU6400 ALTOSID	4.0	20.0	15.0	7.5	1.0	1.0	1200	3600	4800	18	60	27	300,000	30,000	300



Purina® Wind and Rain® Storm® Cattle Minerals

Item Number	Formula Number	Loose Mineral Description	Avg Oz/hd/d	Avg Salt %	Avg Ca %	P %	Mg %	K %	Cu ppm	Zn ppm	Mn ppm	Co ppm	I ppm	Se ppm	Vit. A IU/lb	Vit. D IU/lb	Vit. E IU/lb
Wind and Rain® Storm® All Season 7.5 Complete																	
3010043	381R	W&R SF AS 7.5 CP R1600	4.0	20.0	15.0	7.5	1.0	1.0	1200	3600	4800	18	60	27	300,000	30,000	300
3010041	381P	W&R SF AS 7.5 CP BIOMOS	4.0	20.0	15.0	7.5	1.0	1.0	1200	3600	4800	18	60	27	300,000	30,000	300
3010042	381Q	W&R SF AS 7.5 CP NO SE	4.0	20.0	15.0	7.5	1.0	1.0	1200	3600	4800	18	60	0	300,000	30,000	300
3010101	383Z	W&R SF AS 7.5 CP CG	4.0	20.0	15.0	7.5	1.0	1.0	1200	3600	4800	18	60	27	300,000	30,000	300
3001707	316H	W&R SF AS 7.5 CP AV4	4.0	20.0	15.0	7.5	1.0	1.0	1100	3168	1760	106	60	27	300,000	30,000	300
3005030	32SN	W&R SF AS 7.5 CP AV4 ALTOSID	4.0	20.0	15.0	7.5	1.0	1.0	1100	3168	1760	106	60	27	300,000	30,000	300
3002773	31XL	W&R SF AS 7.5 CP AV4 AU5600	4.0	20.0	15.0	7.5	1.0	1.0	1100	3168	1760	106	60	27	300,000	30,000	300
3002758	31XK	W&R SF AS 7.5 CP AV4 AU5600 ALTOSID	4.0	20.0	15.0	7.5	1.0	1.0	1100	3168	1760	106	60	27	300,000	30,000	300
3006728	348K	W&R SF AS 7.5 CP AV4 AU6400	4.0	20.0	15.0	7.5	1.0	1.0	1100	3168	1760	106	60	27	300,000	30,000	300
3005303	32XY	W&R SF AS 7.5 CP AV4 AU6400 ALTOSID	4.0	20.0	15.0	7.5	1.0	1.0	1100	3168	1760	106	60	27	300,000	30,000	300
3001708	316J	W&R SF AS 7.5 CP AV4 XPC	4.0	20.0	15.0	7.5	1.0	1.0	1100	3168	1760	106	60	27	300,000	30,000	300
3004339	32H9	W&R SF AS 7.5 CP AV4 XPC ALTOSID	4.0	20.0	15.0	7.5	1.0	1.0	1100	3168	1760	106	60	27	300,000	30,000	300
3003642	325H	W&R SF AS 7.5 CP AV4 XPC AU5600	4.0	20.0	15.0	7.5	1.0	1.0	1100	3168	1760	106	60	27	300,000	30,000	300
3002217	318L	W&R SF AS 7.5 CP AV4 XPC AU5600 ALTOSID	4.0	20.0	15.0	7.5	1.0	1.0	1100	3168	1760	106	60	27	300,000	30,000	300
3003598	325E	W&R SF AS 7.5 CP AV4 XPC ORG SE	4.0	20.0	15.0	7.5	1.0	1.0	1100	3168	1760	106	60	27	300,000	30,000	300
3004850	32VH	W&R SF AS 7.5 CP AV4 XPC ORGSE ALTOSID	4.0	20.0	15.0	7.5	1.0	1.0	1100	3168	1760	106	60	27	300,000	30,000	300
3005681	3450	W&R SF AS 7.5 CP AV4 R1600	4.0	20.0	15.0	7.5	1.0	1.0	1100	3168	1760	106	60	27	300,000	30,000	300
3004606	32NR	W&R SF AS 7.5 CP AV4 XPC R1600	4.0	20.0	15.0	7.5	1.0	1.0	1100	3168	1760	106	60	27	300,000	30,000	300
Wind and Rain® Storm® All Season 10 Complete																	
3010005	380E	W&R SF AS 10 CP	4.0	16.5	12.0	10.0	0.5	1.0	1200	3600	4800	18	60	27	150,000	15,000	150
3010008	380F	W&R SF AS 10 CP AU5600	4.0	16.5	12.0	10.0	0.5	1.0	1200	3600	4800	18	60	27	150,000	15,000	150
3010009	380G	W&R SF AS 10 CP AU5600 ALTOSID	4.0	16.5	12.0	10.0	0.5	1.0	1200	3600	4800	18	60	27	150,000	15,000	150
Wind and Rain® Storm® All Season 12																	
3010010	380H	W&R SF AS 12	2.0	3.0	13.0	12.0	1.0	1.0	2400	7200	9600	36	120	54	300,000	30,000	300
3010014	380M	W&R SF AS 12 NO FE	2.0	5.0	15.0	12.0	1.0	3.0	2400	7200	9600	36	120	54	300,000	30,000	300
Wind and Rain® Storm® All Season 12 Complete																	
3010011	380J	W&R SF AS 12 CP	4.0	22.0	13.0	12.0	1.0	1.0	1200	3600	4800	18	60	27	150,000	15,000	150
3010012	380K	W&R SF AS 12 CP ALTOSID	4.0	22.0	13.0	12.0	1.0	1.0	1200	3600	4800	18	60	27	150,000	15,000	150
3010013	380L	W&R SF AS 12 CP& NO FE	2.0	22.5	13.0	12.0	1.0	1.0	2400	7200	9600	36	120	54	300,000	30,000	300
Wind and Rain® Storm® Fescue Hi Mag 5 Complete																	
3010058	382F	W&R SF FES HMG 5 CP	4.0	20.0	15.0	5.0	10.0	0.1	1600	4800	4800	18	80	27	300,000	30,000	300
3010059	382G	W&R SF FES HMG 5 CP ALTOSID	4.0	20.0	15.0	5.0	10.0	0.1	1600	4800	4800	18	80	27	300,000	30,000	300
3010060	382H	W&R SF FES HMG 5 CP AU5600	4.0	20.0	15.0	5.0	10.0	0.1	1600	4800	4800	18	80	27	300,000	30,000	300
3010061	382J	W&R SF FES HMG 5 CP AU5600 ALTOSID	4.0	20.0	15.0	5.0	10.0	0.1	1600	4800	4800	18	80	27	300,000	30,000	300



Purina® Wind and Rain® Storm® Cattle Minerals

Item Number	Formula Number	Loose Mineral Description	Avg Oz/hd/d	Avg Salt %	Avg Ca %	P %	Mg %	K %	Cu ppm	Zn ppm	Mn ppm	Co ppm	I ppm	Se ppm	Vit. A IU/lb	Vit. D IU/lb	Vit. E IU/lb
Wind and Rain® Storm® Fescue Complete																	
3010149	385X	W&R SF FES 5 CP	4.0	20.0	11.0	5.0	1.0	0.25	1600	4800	4800	18	80	27	300,000	30,000	300
3010050	381Y	W&R SF FES 5 CP ALTOSID	4.0	20.0	11.0	5.0	1.0	0.25	1600	4800	4800	18	80	27	300,000	30,000	300
3010051	381Z	W&R SF FES 7 CP	4.0	20.0	11.0	7.0	1.0	0.25	1600	4800	4800	18	80	27	300,000	30,000	300
3010052	3823	W&R SF FES 7 CP ALTOSID	4.0	20.0	11.0	7.0	1.0	0.25	1600	4800	4800	18	80	27	300,000	30,000	300
3010053	382A	W&R SF FES 7 CP AU2800	4.0	20.0	11.0	7.0	1.0	0.25	1600	4800	4800	18	80	27	300,000	30,000	300
3010054	382B	W&R SF FES 7 CP AU5600	4.0	20.0	11.0	7.0	1.0	0.25	1600	4800	4800	18	80	27	300,000	30,000	300
3010055	382C	W&R SF FES 7 CP AU5600 ALTOSID	4.0	20.0	11.0	7.0	1.0	0.25	1600	4800	4800	18	80	27	300,000	30,000	300
3010056	382D	W&R SF FES 7 CP TASC0	4.0	20.0	11.0	7.0	1.0	0.25	1600	4800	4800	18	80	27	300,000	30,000	300
3010057	382E	W&R SF FES 7 CP TASC0 AU5600	4.0	20.0	11.0	7.0	1.0	0.25	1600	4800	4800	18	80	27	300,000	30,000	300
3010062	382K	W&R SF FES 7 CP TASC0 AU5600 ALTOSID	4.0	20.0	11.0	7.0	1.0	0.25	1600	4800	4800	18	80	27	300,000	30,000	300
Wind and Rain® Storm® Procycle®																	
3007267	37DC	W&R SF 5 CP PROCYCLE & MG	4.0	20.0	15.0	5.0	5.0	1.00	2000	6000	4000	111	200	27	300,000	30,000	800
3007290	37EC	W&R SF 5 CP PROCYCLE & MG ALTOSID	4.0	20.0	15.0	5.0	5.0	1.00	2000	6000	4000	111	200	27	300,000	30,000	800
3006308	341A	W&R SF 7.5 CP PROCYCLE	4.0	20.0	15.0	7.5	1.0	1.00	2000	6000	4000	111	200	27	300,000	30,000	800
3006309	341B	W&R SF 7.5 CP PROCYCLE ALTOSID	4.0	20.0	15.0	7.5	1.0	1.00	2000	6000	4000	111	200	27	300,000	30,000	800
3006310	341C	W&R SF 7.5 CP PROCYCLE AU5600 ALTOSID	4.0	20.0	15.0	7.5	1.0	1.00	2000	6000	4000	111	200	27	300,000	30,000	800
3006311	341D	W&R SF 7.5 CP PROCYCLE AU5600	4.0	20.0	15.0	7.5	1.0	1.00	2000	6000	4000	111	200	27	300,000	30,000	800
Wind and Rain® Storm® Summer Season 6																	
3010084	383F	W&R SF SUM SEAS 6 CP	4.0	20.0	15.0	6.0	1.0	1.00	1200	5200	4800	18	60	27	300,000	30,000	300
3010085	383G	W&R SF SUM SEAS 6 CP ALTOSID	4.0	20.0	15.0	6.0	1.0	1.00	1200	5200	4800	18	60	27	300,000	30,000	300
3010082	383D	W&R SF SUM SEAS 6 CP AU5600	4.0	20.0	15.0	6.0	1.0	1.00	1200	5200	4800	18	60	27	300,000	30,000	300
3010083	383E	W&R SF SUM SEAS 6 CP AU5600 ALTOSID	4.0	20.0	15.0	6.0	1.0	1.00	1200	5200	4800	18	60	27	300,000	30,000	300
Wind and Rain® Storm® Northwest																	
3010078	3839	W&R SF NW HMG 4 CP	4.0	17.5	13.5	4.0	10.0	0.1	2500	7500	4800	18	0	27	75,000	7,500	75
3010079	383A	W&R SF NW HMG 4 CP ALTOSID	4.0	17.5	13.5	4.0	10.0	0.1	2500	7500	4800	18	0	27	75,000	7,500	75
3010074	382X	W&R SF NW AS 7.5 CP	3.0	22.0	13.0	7.5	1.0	1.0	3300	9900	6400	24	80	35	200,000	20,000	200
3010075	382Y	W&R SF NW AS 7.5 CP ALTOSID	3.0	22.0	13.0	7.5	1.0	1.0	3300	9900	6400	24	80	35	200,000	20,000	200
3010077	3830	W&R SF NW AS 7.5 CP AV ZNCU	3.0	22.0	13.0	7.5	1.0	1.0	3300	9900	6400	24	80	35	200,000	20,000	200
3010072	382V	W&R SF NW AS 12 CP	3.0	22.0	12.5	12.0	1.0	1.0	3300	9900	4800	18	80	35	200,000	20,000	200
3010073	382W	W&R SF NW AS 12 CP AV ZNCU	3.0	22.0	12.5	12.0	1.0	1.0	3300	9900	4800	18	80	35	200,000	20,000	200
Wind and Rain® Storm® Texas All Season 5 Complete																	
3010088	383K	W&R SF TX AS 5 CP	4.0	20.0	13.0	5.0	5.0	0.1	2500	7500	4800	18	60	27	75,000	7,500	75
3010089	383L	W&R SF TX AS 5 CP ALTOSID	4.0	20.0	13.0	5.0	5.0	0.1	2500	7500	4800	18	60	27	75,000	7,500	75
3010090	383M	W&R SF TX AS 5 CP AU5600	4.0	20.0	13.0	5.0	5.0	0.1	2500	7500	4800	18	60	27	75,000	7,500	75



Purina® Wind and Rain® Storm® Cattle Minerals

Item Number	Formula Number	Loose Mineral Description	Avg Oz/hd/d	Avg Salt %	Avg Ca %	P %	Mg %	K %	Cu ppm	Zn ppm	Mn ppm	Co ppm	I ppm	Se ppm	Vit. A IU/lb	Vit. D IU/lb	Vit. E IU/lb
Wind and Rain® Storm® Texas All Season 5 Complete																	
3010091	383N	W&R SF TX AS 5 CP AU5600 ALTOSID	4.0	20.0	13.0	5.0	5.0	0.1	2500	7500	4800	18	60	27	75,000	7,500	75
3010092	383P	W&R SF TX AS 5 CP PLTN AVZN	4.0	20.0	13.0	5.0	5.0	0.1	2500	7500	4800	18	60	27	75,000	7,500	75
3007191	379Z	W&R SF TX AS 5 CP AV4	4.0	20.0	13.0	5.0	5.0	1.0	2500	7500	4000	120	60	27	150,000	15,000	150
3007192	37AC	W&R SF TX AS 5 CP AV4 ALTOSID	4.0	20.0	13.0	5.0	5.0	1.0	2500	7500	4000	120	60	27	150,000	15,000	150
Wind and Rain® Storm® Texas All Season 7.5 Complete																	
3010093	383Q	W&R SF TX AS 7.5 CP	4.0	19.0	15.0	7.5	1.0	1.0	2500	7500	4800	18	60	27	150,000	15,000	150
3010094	383R	W&R SF TX AS 7.5 CP ALTOSID	4.0	19.0	15.0	7.5	1.0	1.0	2500	7500	4800	18	60	27	150,000	15,000	150
3010095	383S	W&R SF TX AS 7.5 CP AU5600	4.0	19.0	15.0	7.5	1.0	1.0	2500	7500	4800	18	60	27	150,000	15,000	150
3010096	383T	W&R SF TX AS 7.5 CP XPC AU5600	4.0	19.0	15.0	7.5	1.0	1.0	2500	7500	4800	18	60	27	150,000	15,000	150
3010097	383U	W&R SF TX AS 7.5 CP AU5600 ALTOSID	4.0	19.0	15.0	7.5	1.0	1.0	2500	7500	4800	18	60	27	150,000	15,000	150
3010098	383V	W&R SF TX AS 7.5 CP XPC AU5600 ALTOSID	4.0	19.0	15.0	7.5	1.0	1.0	2500	7500	4800	18	60	27	150,000	15,000	150
3004651	32RB	W&R SF TX AS 7.5 CP AV4	4.0	19.0	15.0	7.5	1.0	1.0	2500	7500	4000	120	60	27	150,000	15,000	150
Wind and Rain® Storm® Texas All Season 12 Complete																	
3010086	383H	W&R SF TX AS 12 CP	4.0	21.0	12.5	12.0	1.0	1.0	2500	7500	4800	18	60	27	150,000	15,000	150
3010087	383J	W&R SF TX AS 12 CP AU5600	4.0	21.0	12.5	12.0	1.0	1.0	2500	7500	4800	18	60	27	150,000	15,000	150
Wind and Rain® All Season Mineral Tubs																	
0033010	304L	W&R AS 4 CP MN TB 225LB	8.0	10.0	4.5	4.0	1.5	2.0	650	2375	1250	30	68	10	80,000	20,000	100
3005043-633	32T6	W&R AS 4 CP MN TB ALT 225LB	8.0	10.0	4.5	4.0	1.5	2.0	650	2375	1250	30	68	10	80,000	20,000	100
3005042-627	32T0	W&R AS 4 CP MN TB ZNCU ALT 125LB	8.0	10.0	4.5	4.0	1.0	2.0	1250	3750	1250	30	68	10	80,000	20,000	100
3005042-633	32T0	W&R AS 4 CP MN TB ZNCU ALT 225LB	8.0	10.0	4.5	4.0	1.0	2.0	1250	3750	1250	30	68	10	80,000	20,000	100
3005042-933	32T0	W&R AS4 CP ZNCU ALT 225LB W/LID	8.0	10.0	4.5	4.0	1.0	2.0	1250	3750	1250	30	68	10	80,000	20,000	100
3005898-633	346U	W&R AS 4 CP MN TB ZNCU DBZ 225LB	8.0	10.0	4.5	4.0	1.0	2.0	1250	3750	1250	30	68	10	80,000	20,000	100
0037462	305U	W&R AS 4 MN TB CP ZNCU 225LB	8.0	10.0	4.5	4.0	1.0	2.0	1250	3750	1250	30	68	10	80,000	20,000	100
0053003	305U	W&R AS 4 MN TB CP ZNCU 225LB W/LID	8.0	10.0	4.5	4.0	1.0	2.0	1250	3750	1250	30	68	10	80,000	20,000	100
0047873	30VJ	W&R AS 4 MAG MIN TUB AV4 225LB	8.0	NA*	4.5	4.0	5.0	2.0	750	2150	1165	75	68	13	80,000	20,000	100
3004790-627	32UW	W&R AS 4 MAG TUB AV4 ALT 125LB	8.0	NA*	4.5	4.0	5.0	2.0	750	2150	1165	75	68	13	80,000	20,000	100
3004790-633	32UW	W&R AS 4 MAG TUB AV4 ALT 225LB	8.0	NA*	4.5	4.0	5.0	2.0	750	2150	1165	75	68	13	80,000	20,000	100
3004664-633	32RM	W&R AS 4 MAG TUB AV4 YST 225LB	8.0	NA*	4.5	4.0	5.0	2.0	750	2150	1165	75	68	13	80,000	20,000	100
0018156	32MW	W&R AS 4 MN TB 125LB	8.0	NA*	5.5	4.0	1.5	2.0	650	2375	1250	30	68	10	80,000	20,000	100
0061541	32MW	W&R AS 4 MN TB 225LB	8.0	NA*	5.5	4.0	1.5	2.0	650	2375	1250	30	68	10	80,000	20,000	100
3004499-622	32MW	W&R AS 4 MN TB 250LB-F	8.0	NA*	5.5	4.0	1.5	2.0	650	2375	1250	30	68	10	80,000	20,000	100
3005047-627	32TC	W&R AS 4 MN TB ALT 125LB	8.0	NA*	5.5	4.0	1.5	2.0	650	2375	1250	30	68	10	80,000	20,000	100
3005047-633	32TC	W&R AS 4 MN TB ALT 225LB	8.0	NA*	5.5	4.0	1.5	2.0	650	2375	1250	30	68	10	80,000	20,000	100
3005047-622	32TC	W&R AS 4 MN TB ALT 250LB-F	8.0	NA*	5.5	4.0	1.5	2.0	650	2375	1250	30	68	10	80,000	20,000	100



Purina® Wind and Rain® Storm® Cattle Minerals

Item Number	Formula Number	Loose Mineral Description	Avg Oz/hd/d	Avg Salt %	Avg Ca %	P %	Mg %	K %	Cu ppm	Zn ppm	Mn ppm	Co ppm	I ppm	Se ppm	Vit. A IU/lb	Vit. D IU/lb	Vit. E IU/lb
Wind and Rain® All Season Mineral Tubs																	
0052842	32JP	W&R AS 4 MN TB AV4 250LB-F	8.0	NA*	5.5	4.0	1.0	2.0	750	2150	1165	75	68	13	80,000	20,000	100
0031678	32JP	W&R AS 4 MN TB AVL4 125LB	8.0	NA*	5.5	4.0	1.0	2.0	750	2150	1165	75	68	13	80,000	20,000	100
0062709	32JP	W&R AS 4 MN TB AVL4 225LB	8.0	NA*	5.5	4.0	1.0	2.0	750	2150	1165	75	68	13	80,000	20,000	100
3005048-633	32TD	W&R AS 4 MN TB AV4 ALT 225LB	8.0	NA*	5.5	4.0	1.5	2.0	750	2150	1165	75	68	13	80,000	20,000	100
3005048-622	32TD	W&R AS 4 TUB AV4 ALT 250LB-F	8.0	NA*	5.5	4.0	1.5	2.0	750	2150	1165	75	68	13	80,000	20,000	100
3000396-627	30XZ	W&R AS 4 MN TB AV4 XPC 125LB	8.0	NA*	5.5	4.0	1.5	2.0	750	2150	1165	75	68	13	80,000	20,000	100
3000396-633	30XZ	W&R AS 4 MN TB AV4 XPC 225LB	8.0	NA*	5.5	4.0	1.5	2.0	750	2150	1165	75	68	13	80,000	20,000	100
3000396-622	30XZ	WR AS 4 MN TB AV4 XPC 250LB-F	8.0	NA*	5.5	4.0	1.5	2.0	750	2150	1165	75	68	13	80,000	20,000	100
3005045-622	32TA	W&R AS 4 TB AV4XPCALT 250LB-F	8.0	NA*	5.5	4.0	1.5	2.0	750	2150	1165	75	68	13	80,000	20,000	100
3005045-627	32TA	W&R AS 4 TUB AV4 XPC ALT 125LB	8.0	NA*	5.5	4.0	1.5	2.0	750	2150	1165	75	68	13	80,000	20,000	100
3005045-633	32TA	W&R AS 4 TUB AV4 XPC ALT 225LB	8.0	NA*	5.5	4.0	1.5	2.0	750	2150	1165	75	68	13	80,000	20,000	100
0064949	38RS	W&R AS 4 MN TB NOSE 225LB	8.0	NA*	5.5	4.0	1.5	2.0	650	2375	1250	30	68	0	80,000	20,000	100
3005044-633	32T7	W&R AS 4 MN TB NOSE ALT 225LB	8.0	NA*	5.5	4.0	1.5	2.0	650	2375	1250	30	68	0	80,000	20,000	100
3003938-633	327M	W&R AS 4 MN TB NOSE AV4 225LB	8.0	NA*	5.5	4.0	1.0	2.0	750	2150	1165	75	68	0	80,000	20,000	100
3006914-633	34C3	W&R AS 4 MNTB NOSE AV4ALT225LB	8.0	NA*	5.5	4.0	1.0	2.0	750	2150	1165	75	68	0	80,000	20,000	100
3006312-633	341E	W&R AS 4 PROCYCLE 225LB	8.0	NA*	5.5	4.0	1.0	2.0	1000	3000	2000	55	100	13.5	150,000	15,000	400
3006312-613	341E	W&R AS 4 PROCYCLE 60LB	8.0	NA*	5.5	4.0	1.0	2.0	1000	3000	2000	55	100	13.5	150,000	15,000	400
3006313-633	341F	W&R AS 4 PROCYCLE ALT 225LB	8.0	NA*	5.5	4.0	1.0	2.0	1000	3000	2000	55	100	13.5	150,000	15,000	400
3005771-613	345T	W&R AS 4 PROCYCLE DBZ TUB 60LB	8.0	NA*	5.5	4.0	1.0	2.0	1000	3000	2000	55	100	13.5	150,000	15,000	400
0041033	307Q	W&R MAG MIN TUB 225LB	8.0	NA*	5.5	4.0	5.0	2.0	1650	2375	1250	30	68	10	80,000	20,000	100
3005041-633	32SZ	W&R MIN MAG TUB ALTOSID 225LB	8.0	NA*	5.5	4.0	5.0	2.0	1650	2375	1250	30	68	10	80,000	20,000	100
0042486	308Z	W&R NW 4 CP MNTB AV4ZNCU 225LB	8.0	NA*	4.5	4.0	0.5	2.0	1650	4950	1000	24	55	17.5	80,000	20,000	100