









SMARTCODE 260 KEYPAD ELECTRONIC LOCK



The SmartCode[™] 260 Keypad Electronic Deadbolt offers a sleek 10-button design, Microban[®] Antimicrobial Technology protection and the convenience of one-touch locking. This keyless deadbolt comes in a traditional or contemporary design, which perfectly complements the Kwikset Prescott and San Clemente handlesets.

Features

- The responsive keypad provides bright LED illumination for easy code access
- Fast motorized deadbolt with one-touch locking
- Auto-locking after 30 seconds or select custom auto-lock time delay
- Protected with Microban[®] Antimicrobial Technology built into the keypad and finish

User Codes


- Up to 50 user codes for family, guests and service professionals
- Programming code for improved access code management




#1 SELLING U.S. LOCK BRAND* *Source: TraQline US quarterly brand unit share report, Q4 2006 through Q2 2022

Battery	Uses 4 x AA 6V alkaline cell batteries with approximately 1 year battery life			
Function	Single cylinder deadbolt			
Door Prep	$1{}^{1}\!{}^{\prime}\!{}^{\prime}$ (38mm) or $2{}^{1}\!{}^{\prime}\!{}^{\prime}$ (54mm) diameter cross bore hole and 1" diameter edge bore hole			
Backset	Adjustable 2 ³ /8" (60mm) or 2 ³ /4" (70mm)			
Door Thickness	1 ³ / ₈ " (35mm) to 1 ³ / ₄ " (44mm) standard. Thick door service part available for 2-1/4" (57mm) thick doors			
Faceplates	1" (25 mm) x 2 $\frac{1}{4}$ " (57 mm) round corner faceplate with drive-in collar standard			
Strikes	2 ³ /4" (70mm) x 1 ¹ /8" (29mm) round corner 4 hole strike			
Bolt	1″ (25mm) throw, steel bolt with anti-saw security pin			
Door Handing	Reversible			
Cylinder	SmartKey Security [™] with 2 KW1 keys			
Temperature Range	Exterior: -40°F to 150°F (-40°C to 66°C) Interior: 32°F to 130°F (0°C to 54°C)			
Humidity	Exterior: 100% condensing Interior: 30% to 95% non-condensing			
Codes	Up to 50 user codes and 10 one-time user codes with optional programming code			

Dimensions







Traditional

Design	Α	В	с	D
Exterior	2 ¹³ /16″ (71 mm)	5 '' (127 mm)	1 '' (25 mm)	
Interior	2 ³/4" (70 mm)	5 ¹ /2" (140 mm)	1 ¹∕s ″ (29 mm)	1 "1/16" (43 mm)

Exterior





Contemporary

Design	Α	В	с	D
Exterior	2 ³/4" (70 mm)	4 ⁹/ 16″ (116 mm)	1 " (25 mm)	
Interior	2 ³/₄'' (70 mm)	5 ¹ /2" (140 mm)	1 ¹ /8 " (29 mm)	1 "/16" (43 mm)

Easy Installation

- Replaces existing door hardware with just a Phillips screwdriver
- No hard wiring needed and fits all standard doors
- Download the free BUT app featuring 3D instructions for quick and easy installation

Innovative Security

- BHMA Grade 2 certified
- 20 Minute fire rating UL certified
- Featuring SmartKey Security[™]

Finishes



992600-001 Polished Brass LO3 260 TRL L03



992600-002 Satin Nickel 15 260 TRL 15



992600-003 Venetian Bronze 11P 260 TRL 11P



992600-004 Satin Nickel 15 260 CNT 15



992600-005 Polished Chrome 26 260 CNT 26



992600-006 Matte Black 514 260 CNT 514



19701 DaVinci, Lake Forest, CA 92610 • Kwikset.com • 1-800-327-LOCK



ONE YEAR ELECTRONIC WARRANTY*

*See kwikset.com/support/warranty for the lifetime limited mechanical and finish warranties and one-year limited electronics warranty.

*Consulte kwikset.com/support/warranty para ver las garantías mecánicas y de acabado limitadas de por vida y la garantía limitada de un año de los electrónicos





SMARTCODE 270 TOUCHPAD ELECTRONIC LOCK



The SmartCode[™] 270 Touchpad Electronic Deadbolt combines touchpad tactile feedback with bright LED illumination for easy code access. This keyless deadbolt comes in a traditional or contemporary design, which perfectly complements the Kwikset Prescott and San Clemente handlesets.

Features

- The responsive touchpad offers sleek style with a large and bright LED to communicate lock status
- Fast motorized deadbolt with one-touch locking
- Auto-locking after 30 seconds or select custom auto-lock time delay

User Codes


- Up to 50 user codes for family, guests and service professionals
- Programming code for improved access code management




#1 SELLING U.S. LOCK BRAND* *Source: TraQline US guarterly brand unit share report, Q4 2006 through Q2 2022

Battery	Uses 4 x AA 6V alkaline cell batteries with approximately 1 year battery life			
Function	Single cylinder deadbolt			
Door Prep	1 ¹ / ₂ " (38mm) or 2 ¹ / ₈ " (54mm) diameter cross bore hole and 1" diameter edge bore hole			
Backset	Adjustable 2 ³ /8" (60mm) or 2 ³ /4" (70mm)			
Door Thickness	1 ³/8" (35mm) to 1 ³/4" (44mm) standard. Thick door service part available for 2-1/4" (57mm) thick doors.			
Faceplates	1" (25 mm) x 2 ¼" (57 mm) round corner faceplate with drive-in collar standard			
Strikes	2 ³/₄" (70mm) x 1 ¹/ଃ" (29mm) round corner 4 hole strike			
Bolt	1" (25mm) throw, steel bolt with anti-saw security pin			
Door Handing	Reversible			
Cylinder	SmartKey Security [™] with 2 KW1 keys			
Temperature Range	Exterior: -40°F to 150°F (-40°C to 66°C) Interior: 32°F to 130°F (0°C to 54°C)			
Humidity	Exterior: 100% condensing Interior: 30% to 95% non-condensing			
Codes	Up to 50 user codes and 10 one-time user codes with optional programming code			

Dimensions






Traditional


В

В

Design	Α	В	с	D
Exterior	2 ¹³ /16″ (71 mm)	5 ³/ 8" (137 mm)	1 '' (25 mm)	
Interior	2 ³/₄" (70 mm)	5 ¹ /2" (140 mm)	1 ¹ /8 " (29 mm)	1 "1/16" (43 mm)

Exterior





Contemporary

Design	Α	В	с	D
Exterior	2 ³/4'' (70 mm)	5 ³/ 16″ (132 mm)	1 '' (25 mm)	
Interior	2 ³/4'' (70 mm)	5 ¹ /2" (140 mm)	1¹∕ፄ ″ (29 mm)	1 "1/16" (43 mm)

Easy Installation

- Replace existing door hardware with just a Phillips screwdriver
- No hard wiring needed and fits all standard doors
- Download the free BUL app featuring 3D instructions for quick and easy installation

Innovative Security

- BHMA Grade 2 certified
- 20 Minute fire rating UL certified
- Featuring SmartKey Security[™]

Finishes



992700-002 Satin Nickel 15 270 TRL 15



992700-003 Venetian Bronze **11P** 270 TRL 11P



992700-004 Satin Nickel 15 270 CNT 15



992700-005 Matte Black 514 270 CNT 514



ONE YEAR ELECTRONIC WARRANTY*

*See kwikset.com/support/warranty for the lifetime limited mechanical and finish warranties and one-year limited electronics warranty.

 Consulte kwikset.com/support/warranty para ver las garantías mecánicas y de acabado limitadas de por vida y la garantía limitada de un año de los electrónicos.



19701 DaVinci, Lake Forest, CA 92610 • Kwikset.com • 1-800-327-LOCK © 2022 Spectrum Brands, Inc. Kwikset is a trademark of Spectrum Brands, Inc. Lake Forest, CA 92610 • KW-1175087



SMARTCODE 888 TOUCHPAD ELECTRONIC DEADBOLT

With Z-Wave^{*} 500 Chipset









Features

- 5-Button keypad with one-touch locking
- Sleek, all metal design
- Z-Wave[®] 500 for extended wireless range, over-the-air firmware updates and superior wireless encryption

User Codes

- Up to 30 user codes
- Send access codes to family and guests
- MasterCode feature for improved user code management

Connected Benefits


- Lock/Unlock your doors from anywhere
- View lock status and receive notifications of your lock's activity
- Connect to other devices in the home and create scenes driven by the door lock

Finishes





Lifetime Polished Brass - LO3







Specifications

Function	Single cylinder deadbolt			
Door Prep	$2{}^{\prime\prime}\!{}_{8}{}^{\prime\prime}$ diameter face hole & 1" diameter latch hole			
Backset	Adjustable 2 ³ /8" or 2 ³ /4"			
Door Thickness	1³/8" - 1³/4" automatic adjustment			
Faceplates	1" x 2 ¼" round corner standard			
Strikes	Round corner strike 2 ³ /4" x 2 ¹ /8"			
Latch	Round corner adjustable 2 ³ / ₈ " x 2 ³ / ₄ "			
Bolt	1" throw, steel deadbolt			
Door Handing	Reversible			
Cylinder	SmartKey*			
Wireless Protocol	Z-Wave 500; lock complies with Z-Wave standard of open air, line of sight transmission of 160 feet or more. Compliant with FCC Part 15. Industry Canada.			
	*Range may vary depending on radio frequency environment			

*Range may vary depending on radio frequency environment. Work with your home control platform to optimize range.

Easy Installation


- Replaces existing deadbolt with just a screwdriver
- No hard wiring needed
- Operates on 4 AA batteries that will last for approximately 1 year

Warranty

- Lifetime mechanical and finish warranty
- 1 year electronics warranty

Innovative Security

- BHMA Grade 3 certified
- Full 128-bit encryption security
- Featuring SmartKey Security[™]
- Revolutionary tapered deadbolt design enables misaligned doors to lock without pulling and pushing your door shut









BACK-LIT KEYPAD FOR INCREASED VISIBILITY

COMPLEMENTS ANY KWIKSET KNOB, LEVER OR HANDLESET.

NO MORE WORRYING ABOUT KEYS!

- Keyless entry deadbolt the ultimate in convenience & security
- One touch locking with a motorized deadbolt
- Eight customizable access codes
- Includes SmartKey[™] for increased peace of mind

EASY TO INSTALL, PROGRAM AND USE.

- Installs in minutes with just a screwdriver no hard wiring required
 4 AA batteries (not included)
- Fits standard doors (1 3/8" 2") no new screw holes required
- Quick Reference Guide located under the interior cover

#1 SELLING U.S. LOCK BRAND



SMARTCODE[™] 909 TOUCHPAD ELECTRONIC DEADBOLT

Specifications:

Function	Single cylinder deadbolt			
Door Prep	2 $1\!\!/_8$ '' diameter face hole & 1'' diameter latch hole			
Backset	Adjustable 2 $\frac{3}{8}$ " or 2 $\frac{3}{4}$ "			
Door Thickness	1³/8" - 2" automatic adjustment			
Cylinder	SmartKey			
Faceplates	1" x 2 $\frac{1}{4}$ " round corner standard			
Strikes	Round corner strike 2 ³ /4" x 2 ¹ /8"			
Latch	Round corner adjustable 2 $3/8$ x 2 $3/4$			
Bolt	1" throw, steel deadbolt			
Door Handing	Reversible			





Finishes:



LO3 Polished Brass




11P Venetian Bronze



IS Satin Nickel

Dimensions:







SMARTCODE 913 TOUCHPAD ELECTRONIC DEADBOLT

The SmartCode 913 is a keypad electronic deadbolt with a metal housing that delivers quality that can be felt for added security and durability. This keyless entry deadbolt allows you to enter your home using a personal code and the motorized deadbolt locks with just the push of a button. Its contemporary design complements homes with a modern décor.

Features

- New contemporary design
- Sleek metal design for enhanced quality
- Tamper resistant interior
 cover
- Customizable automatic door locking after 30 seconds for Increased peace of mind

User Codes

- Up to 16 user access codes for family & guests
- Mastercode feature for improved user access code management





[#]1 SELLING U.S. LOCK BRAND^{*}

ource: TraQline US quarterly brand unit share report, Q4 2006 through Q1 2020

Function	Single cylinder deadbolt		
Door Prep	2 ¼s" diameter face hole & 1" diameter latch hole		
Backset	Adjustable 2 $\frac{3}{8}$ " or 2 $\frac{3}{4}$ "		
Door Thickness	1 ³/ ₈ " - 2"		
Faceplates	1" x 2 ¼" round corner standard		
Strikes	Round corner strike 2 ³ / ₄ " x 1 ¹ / ₈ "		
Latch	Round corner adjustable 2 ³/8" x 2 ³/4"		
Bolt	1" throw, steel deadbolt		
Door Handing	Reversible		
Cylinder	SmartKey Security [™]		

Dimensions





Design	Α	В	с	D
Interior	2 ¹¹ /16″ (68.6 mm)	5 ³/₄" (145.8 mm)	2 ³/ 32 " (53.3 mm)	4 ⁹/ 16″ (116.1 mm)
Exterior	2 ²⁵ / ₃₂ " (70.7 mm)	4 ⁷/ 16″ (113 mm)	1 ³/16 ″ (29.8 mm)	

Innovative Security

- BHMA Grade 2 certified
- 20 Minute fire rating UL certified
- Featuring SmartKey Security[™]
- Revolutionary tapered deadbolt design enables misaligned doors to lock without pulling and pushing your door shut

Easy Intergration

- Replaces existing door hardware with just a screwdriver
- No hard wiring needed
- Operates on 4 AA batteries that will last for approximately 1 year

Finishes



99130-008 Satin Nickel 15 913 CNT 15



99130-009 Venetian Bronze 11P 913 CNT 11P



99130-010 Polished Chrome 26 913 CNT 26



99130-011 Matte Black 514 913 CNT 514













The SmartCode 914 is a touchpad electronic deadbolt with a metal housing that delivers quality that can be felt for added security and durability. Its contemporary design complements homes with a modern décor.

Features

- New contemporary design
- 10 digit backlit touchpad with one touch locking
- Motorized deadbolt enables true remote locking and unlocking
- Sleek metal design for enchanced quality
- Z-Wave 500 wireless technology

User Codes

- Up to 30 customizable user access codes for family & guests
- Mastercode feature for improved user access code management

Connected Benefits

- Lock & Unlock your doors from anywhere
- View lock status and receive notifcations of your lock's activity
- Connect to other devices in the home and create scenes driven by the door lock


Consult your system provider to learn more about your connected benefits

Function	Single cylinder deadbolt			
Door Prep	2 ¼8″ diameter face hole & 1″ diameter latch hole			
Backset	Adjustable 2 $\frac{3}{8}''$ or 2 $\frac{3}{4}''$			
Door Thickness	1³/8″ - 2″ automatic adjustment			
Cylinder	SmartKey® Re-key Technology			
Faceplates	1" x 2 ¼" round corner standard			
Strikes	Round corner strike 2 ³/4″ x 2 ½″			
Latch	Round corner adjustable 2 ³/8″ x 2 ³/4″			
Bolt	1″ throw, steel deadbolt			
Door Handing	Reversible			
Wireless Protocol	Z-Wave 500; lock complies with Z-Wave standard of open air, line of sight transmission of 160 feet or more. Compliant with FCC Part 15. Industry Canada. *Range may vary depending on radio frequency environment. Work with your home control platform to optimize range			

Easy Installation

- Replaces existing door hardware with just a screwdriver
- No hard wiring needed
- Operates on 4 AA batteries that will last for approximately 1 year

Dimensions





Design	Α	В	с	D
Interior	2 ¹¹ /16″ (68.6 mm)	5 ³/₄" (145.8 mm)	2 ³/ 32 " (53.3 mm)	4 ⁹/16'' (116.1 mm)
Exterior	2 ²⁵ / ₃₂ " (70.7 mm)	4 ⁷/ 16″ (113 mm)	1 ³/16 " (29.8 mm)	

Innovative Security

- BHMA Grade 2 certified
- 20 Minute fire rating UL certified
- Full 128-bit encryption security
- Featuring Smartkey Security[™]
- Revolutionary tapered deadbolt design enables misaligned doors to lock without pulling and pushing your door shut

Finishes



99140-019 914CNT ZW 15 SMTCD CP TPR RCALFD Satin Nickel 15



99140-020 914CNT ZW 11P SMTCD CP TPR RCALFD Venetian Bronze 11P



99140-020 914CNT ZW 26 SMTCD CP TPR RCALFD Polished Chrome 26



99140-028 914CNT ZW 514 SMTCD CP TPR RCALFD Iron Black 514







wikset.com/wirelesslocks • 866-863-6584 • connected@kwikset.com





SMARTCODE 915 TOUCHSCREEN ELECTRONIC DEADBOLT

The SmartCode 915 features a capacitive touchscreen with Kwikset's patented SecureScreen™ technology to prevent code detection from fingerprints on the touchscreen. The contemporary design complements homes with a modern décor.

Features

- New contemporary design
- 10 digit capactive touchscreen with one touch locking
- Motorized deadbolt
- Sleek metal design for enchanced quality
- Patented SecureScreen[™] Technology—helps to ensure that user codes cannot be identified by examining fingerprints

User Codes

- Up to 16 user access codes for family & guests
- MasterCode feature for improved user access code management



#1 SELLING U.S. LOCK BRAND


ource: TraQline US quarterly brand unit share report, Q4 2006 through Q1 2020


Function	Single Cylinder Deadbolt			
Door Prep	2 ¼ª" diameter face hole & 1" diameter latch hole			
Backset	Adjustable 2 $^3/_8{}^{\prime\prime}$ or 2 $^3/_4{}^{\prime\prime}$			
Door Thickness	1 ³ / ₈ " - 2"			
Cylinder	SmartKey Security™			
Faceplates	1" x 2 ¼" round corner standard			
Strikes	Round corner, 4 hole strike, 2 ³/4"x 1 ¹/8"			
Latch	Round corner adjustable 2 ³/8" x 2 ³/4"			
Bolt	1″ throw, steel deadbolt			
Door Handing	Reversible			
Batteries	4AA Required			

Easy Installation

- Replaces existing door hardware with just a screwdriver
- No hard wiring needed
- Operates on 4 AA batteries that will last for approximately 1 year

Dimensions





Design	Α	В	с	D
Interior	2 ¹¹ /16″ (68.6 mm)	5 ³/₄″ (145.8 mm)	2 ³/ 32 " (53.3 mm)	4 ⁹/ 16″ (116.1 mm)
Exterior	2 ²⁵ / ₃₂ " (70.7 mm)	5 ¹⁷ / ₃₂ " (140.7 mm)	1 ³/16 " (29.8 mm)	

Innovative Security

- BHMA grade 2 certified
- 20 Minute fire rating UL certified
- Featuring SmartKey Security[™]
- Revolutionary tapered deadbolt design—enables misaligned doors to lock without pulling and pushing your door shut

Finishes



99150-004 Satin Nickel 15 915 CNT TSCR 15



99150-005 Venetian Bronze **11P** 915 CNT TSCR 11P



99140-006 Polished Chrome 26 915 CNT TSCR 26



99150-007 Matte Black **514** 915 CNT TSCR 514





19701 DaVinci, Lake Forest, CA 92610 • Kwikset.com • 1-800-327-LOCK





SMARTCODE 916 TOUCHSCREEN ELECTRONIC DEADBOLT





The SmartCode 916 features a capacitive touchscreen with Kwikset's patented SecureScreen[™] technology to prevent code detection from fingerprints on the touchscreen. The traditional design complements homes with a classic or transitional décor.

Features

- 10 digit capactive touchscreen with one touch locking
- Motorized deadbolt enables true remote locking and unlocking
- SecureScreen[™] helps to ensure user codes cannot be identified by examining fingerprints on screen
- Sleek metal design for enchanced quality

User Codes

- Up to 30 customizable user access codes for family & guests
- Mastercode feature for improved user access code management

Connected Benefits

- Lock & Unlock your doors from anywhere
- View lock status and receive notifcations of your lock's activity
- Connect to other devices in the home and create scenes driven by the door lock


Consult your system provider to learn more about your connected benefits

Function	Single Cylinder Deadbolt			
Door Prep	2 ¼ ″ diameter face hole & 1″ diameter latch hole			
Backset	Adjustable 2 $^{3}\!/_{8}$ " or 2 $^{3}\!/_{4}$ "			
Door Thickness	1 ¾ ″ - 2 ¼ "automatic adjustment			
Cylinder	SmartKey [®] Re-key Technology			
Faceplates	1 " x 2 ¼ " round corner standard			
Strikes	Round corner strike 2 ³ / ₄ " x 2 ¹ / ₈ "			
Latch	Round corner adjustable 2 3/8 " x 2 3/4 "			
Bolt	1" throw, steel deadbolt			
Door Handing	Reversible			
Wireless Protocal	Z-Wave 500; lock complies with Z-Wave standard of open air, line of sight transmission of 160 feet or more. Compliant with FCC Part 15. Industry Canada. *Range may vary depending on radio frequency environment.Work with your home control platform to optimize range			

Easy Installation

- Replaces existing door hardware with just a screwdriver
- No hard wiring needed
- Operates on 4 AA batteries that will last for approximately 1 year

Dimensions



Design	Α	В	с	D
Interior	2 ³ /4" (70 mm)	5 ³/4" (146 mm)	1 ¹⁵ /16 " (49 mm)	4 ⁹/16'' (116 mm)
Exterior	2 ¹³ /16″ (72 mm)	5 ⁵⁄8″ (143 mm)	1 ³/16 " (30 mm)	

Innovative Security

- BHMA Grade 2 certified
- 20 Minute fire rating UL certified
- Full 128-bit encryption security
- Features SmartKey[®] Security Re-Key Technology with BumpGuard[™] Protection
- Revolutionary tapered deadbolt design—enables misaligned doors to lock without pulling and pushing your door shut

Finishes



99160-020 916TRL ZW500 15 RCALFD Satin Nickel 15



99160-021 916TRL ZW500 11P RCALFD Venetian Bronze 11P





kwikset.com/wirelesslocks • 866-863-6584 • connected@kwikset.com © 2022 Spectrum Brands, Inc. Kwikset is a trademark of Spectrum Brands, Inc. Lake Forest, CA 92610 • *1113726-KW*

Kwikset




Features

- Highest residential security rating
- 3-year battery life
- Reversible lever to fit lefthand or right-hand doors
- Lock owner can switch between three different locking modes: Auto-lock, Passage, and Disable Passage

User Codes


- Up to 30 user access codes
- Lock owner can program a one-time user code for emergencies, which deletes after first usage
- For added convenience, lock owners can program the lock from the outside with a programming code




#1 SELLING U.S. LOCK BRAND

Function	Keyed entry electronic lever			
Door Prep	Cross Bore 2- 1/8". Edge Bore 1".			
Backset	2 ³ / ₈ " or 2 ³ / ₄ "			
Door Thickness	1 ³ / ₈ " - 1 ³ / ₄ "			
Faceplates	1″ x 2 ¼″ round corner standard, drive in avaialbe			
Strikes	2 ¼″ full lip round corner			
Latch	Adjustable 2 ³/8″ x 2 ³/4″			
Bolt	1/2" throw, dead latch			
Door Handing	Reversible for right or left-handed doors			
Cylinder	SmartKey Security™			
UL Rating	20 min			
Temperature Range	Exterior: -40F to 150F Interior: 32F to 130F			
Humidity	Exterior: -100% condensing Interior: 30% - 95% non-condensing			


Dimensions






Design	Α	В	с	D
Interior	5 ²¹ / ₃₂ "	4 ⁷ /₅	2 ²⁷ / ₃₂ "	³¹ / ₃₂ "
	(143.9 mm)	(123.5 mm)	(72.1 mm)	(24.7 mm)
Exterior	5 ⁹ /16″	4 ²⁹ / ₃₂ "	3 ¹ / ₃₂ "	1"
	(141.7 mm)	(124.3 mm)	(76.7 mm)	(25.4 mm)

D





Design	А	В	с	D
Interior	5 ⁵/ଃ"	5 ³/₅	2 ²⁹ / ₃₂ "	³¹ / ₃₂ "
	(142.5 mm)	(136.2 mm)	(73.8 mm)	(24.7 mm)
Exterior	5 ¹⁹ / ₃₂ "	5 ⁵/₃₂"	3 ³ / ₃₂ "	1¹/₃ "
	(142 mm)	(130.7 mm)	(78.6 mm)	(28.6 mm)

Easy Installation

- Replaces existing door hardware with just a screwdriver
- No hard wiring needed
- Operates on a single 9V battery

Innovative Security

- BHMA certified AAA. Highest residential security, durability and finish ratings







99170-003 Satin Nickel 15

Finishes

99170-001

Satin Nickel 15

12243

02000

88



99170-002 Venetian Bronze 11P



99170-004 Matte Black 514



- Featuring SmartKey Security[™]



19701 DaVinci, Lake Forest, CA 92610 • Kwikset.com • 1-800-327-LOCK





DONNA 940 W EXPY 83 DONNA, TX 78537 (956) 464-3371 MISSION 2400 W INTERSTATE HWY 2 MISSION, TX 78572 (956) 519-1700 BROWNSVILLE 4668 RUBEN M. TORRES BLVD BROWNSVILLE, TX 78526 (956) 831-0340 LAREDO 6412 POLARIS DRIVE LAREDO, TX 78041 (956) 723-0026

CORPUS CHRISTI 6525 AYERS ST CORPUS CHRISTI, TX 78415 (361) 857-7770 HOUSTON 3485 W 12th ST HOUSTON, TX 77008 (713) 842-7102 SAN ANTONIO 2233 NW LOOP 410 SAN ANTONIO, TX 78230 (210) 905-0005

www.texaswoodsupply.com