

# Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



## PLEDGE® FURNITURE POLISH - LEMON CLEAN

Version 2.0

Print Date 08/29/2011

Revision Date 06/10/2011

MSDS Number 350000003607  
SITE\_FORM Number  
3000000000000002947.001

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### Product information

Trade name : PLEDGE® FURNITURE POLISH - LEMON CLEAN

Use of the Substance/Mixture : Furniture Polish/Cleaner  
Company : S.C. Johnson & Son, Inc.  
1525 Howe Street  
Racine WI 53403-2236

Emergency telephone number : 24 Hour Transport & Medical Emergency Phone (866) 231-5406  
24 Hour International Emergency Phone (952) 852-4647

### 2. HAZARDS IDENTIFICATION

#### Emergency Overview

Appearance / Odor : white / aerosol / pleasant

#### Immediate Concerns

: Caution  
Avoid contact with skin, eyes and clothing.  
Keep away from heat, sparks and flame.  
Contents under pressure.  
Do not puncture or incinerate.  
Do not store at temperatures above 120 Deg. F (50 Deg C), as container may burst.  
May be harmful if swallowed.

#### Potential Health Effects

Exposure routes : Eye, Skin, Inhalation, Ingestion.

Eyes : May cause:  
Mild eye irritation

Skin : No adverse effects expected when used as directed.

Inhalation : No adverse effects expected when used as directed.

Ingestion : Aspiration hazard if swallowed - can enter lungs and cause damage.

Aggravated Medical Condition : None known.

# Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



## PLEDGE® FURNITURE POLISH - LEMON CLEAN

Version 2.0

Print Date 08/29/2011

Revision Date 06/10/2011

MSDS Number 350000003607

SITE\_FORM Number

30000000000000002947.001

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous chemicals present at or above reportable levels as defined by OSHA 29 CFR 1910.1200 or the Canadian Controlled Products Regulations are listed in this table:

Chemical Name	CAS-No.	Weight percent
Naphtha, petroleum, light alkylate	64741-66-8	5.00 - 10.00
Butane	106-97-8	1.00 - 5.00
Propane	74-98-6	1.00 - 5.00
Isobutane	75-28-5	1.00 - 5.00

For additional information on product ingredients, see [www.whatsinsidescjohnson.com](http://www.whatsinsidescjohnson.com).

### 4. FIRST AID MEASURES

- Eye contact : Rinse with plenty of water. Get medical attention if irritation develops and persists.
- Skin contact : Rinse with plenty of water.
- Inhalation : Remove to fresh air. If breathing is affected, get medical attention.
- Ingestion : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

### 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Specific hazards during fire fighting : Aerosol Product - Containers may rocket or explode in heat of fire. Container may melt and leak in heat of fire.
- Further information : Fight fire from maximum distance or protected area. Cool and use caution when approaching or handling fire-exposed containers. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.
- Flash point : < -7 °C  
< 19.4 °F

# Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



## PLEDGE® FURNITURE POLISH - LEMON CLEAN

Version 2.0

Print Date 08/29/2011

Revision Date 06/10/2011

MSDS Number 350000003607

SITE\_FORM Number

3000000000000002947.001

Method: Tag Closed Cup (TCC)

Note: Propellant

Upper explosion limit : Note: no data available

NFPA Classification : NFPA Level 1 Aerosol

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Remove all sources of ignition.  
Wear personal protective equipment.

Environmental precautions : Outside of normal use, avoid release to the environment.

Methods for cleaning up : Soak up with inert absorbent material.  
If damage occurs to aerosol can:  
Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).  
Sweep up and shovel into suitable containers for disposal.  
Use only non-sparking equipment.  
Dike large spills.  
Clean residue from spill site.

### 7. HANDLING AND STORAGE

#### Handling

Advice on safe handling : Do not puncture or incinerate.  
Avoid breathing vapors, mist or gas.  
Do not spray toward face.  
Do not use in areas without adequate ventilation.  
Use only as directed.  
KEEP OUT OF REACH OF CHILDREN AND PETS.

Advice on protection against fire and explosion : Keep away from heat and sources of ignition.

#### Storage

Requirements for storage areas and containers : Do not store at temperatures above 120 Deg. F (50 Deg C), as container may burst.  
Keep in a dry, cool and well-ventilated place.

# Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



## PLEDGE® FURNITURE POLISH - LEMON CLEAN

Version 2.0

Print Date 08/29/2011

Revision Date 06/10/2011

MSDS Number 350000003607

SITE\_FORM Number

30000000000000002947.001

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non-standard units	Basis
Butane	106-97-8	-	1,000 ppm	-	ACGIH TWA
Propane	74-98-6	1,800 mg/m3	1,000 ppm	-	OSHA TWA
Propane	74-98-6	-	1,000 ppm	-	ACGIH TWA
Isobutane	75-28-5	-	1,000 ppm	-	ACGIH TWA

#### Personal protective equipment

##### Respiratory protection

Industrial setting : No personal respiratory protective equipment normally required.

Household setting : Use only with adequate ventilation.

**Hand protection** : No special requirements.

##### Eye protection

Industrial setting : No special requirements.

Household setting : Avoid contact with eyes.

**Skin and body protection** : No special requirements.

**Hygiene measures** : Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form : aerosol

Color : white

## Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



### PLEDGE® FURNITURE POLISH - LEMON CLEAN

Version 2.0

Print Date 08/29/2011

Revision Date 06/10/2011

MSDS Number 350000003607

SITE\_FORM Number

30000000000000002947.001

Odor	:	pleasant
pH	:	not applicable
Boiling point	:	no data available
Freezing point	:	no data available
Flash point	:	< -7 °C < 19.4 °F Method: Tag Closed Cup (TCC) Propellant
Evaporation rate	:	no data available
Autoignition temperature	:	no data available
Upper explosion limit	:	no data available
Vapour pressure	:	no data available
Density	:	0.917 g/cm <sup>3</sup>
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	no data available
Viscosity, dynamic	:	no data available
Volatile Organic Compounds (California Air Resource Board – CARB) Total VOC (wt. %)	:	17.1 % - does not include any applicable regulatory exemptions

#### 10. STABILITY AND REACTIVITY

Conditions to avoid	:	Heat, flames and sparks.
Materials to avoid	:	Strong oxidizing agents
Hazardous decomposition products	:	Thermal decomposition can lead to release of irritating gases and vapours.
Hazardous reactions	:	Stable under recommended storage conditions.

# Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



## PLEDGE® FURNITURE POLISH - LEMON CLEAN

Version 2.0

Print Date 08/29/2011

Revision Date 06/10/2011

MSDS Number 350000003607

SITE\_FORM Number

30000000000000002947.001

### 11. TOXICOLOGICAL INFORMATION

- Acute oral toxicity : LD50  
estimated  
> 20,000 mg/kg
- Acute inhalation toxicity : LC50  
estimated  
> 212 mg/l
- Acute dermal toxicity : no data available
- Chronic effects**
- Carcinogenicity : no data available
- Mutagenicity : no data available
- Reproductive effects : no data available
- Teratogenicity : no data available
- Sensitisation : Not known to be a sensitizer.

### 12. ECOLOGICAL INFORMATION

- Ecotoxicity effects** : no data available

### 13. DISPOSAL CONSIDERATIONS

Observe all applicable Federal, Provincial and State regulations and Local/Municipal ordinances regarding disposal.  
Consumer may discard empty container in trash, or recycle where facilities exist.

- RCRA waste class : D001 (Ignitable Waste)

# Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



## PLEDGE® FURNITURE POLISH - LEMON CLEAN

Version 2.0

Print Date 08/29/2011

Revision Date 06/10/2011

MSDS Number 350000003607  
SITE\_FORM Number  
30000000000000002947.001

### 14. TRANSPORT INFORMATION

#### Land transport

▪ **U.S. DOT and Canadian TDG Surface Transportation:**

Proper shipping name UN 1950 AEROSOLS, Flammable, 2.1  
Class: 2.1  
UN number 1950  
Packaging group: None.  
Note: Limited quantities derogation may be applicable to this product, please check transport documents.

#### Sea transport

▪ **IMDG:**

Proper shipping name UN 1950 AEROSOLS, Flammable, 2.1  
Class: 2  
UN number: 1950  
Packaging group: None.  
EmS: F-D, S-U  
Note: Limited quantities derogation may be applicable to this product, please check transport documents.

#### Air transport

▪ **ICAO/IATA:**

Proper shipping name UN 1950 AEROSOLS, Flammable, 2.1  
Class: 2.1  
UN/ID No.: UN 1950  
Packaging group: None.  
Note: SC Johnson typically does not ship products via air, therefore it has not been determined if the product container meets current IATA/ICAO package criteria. Refer to IATA/ICAO Dangerous Goods Regulations for detailed instructions when shipping this item by air.

### 15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Notification status : All ingredients of this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).

California Prop. 65 : This product is not subject to the reporting requirements under California's Proposition 65.

# Material Safety Data Sheet

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



## PLEDGE® FURNITURE POLISH - LEMON CLEAN

Version 2.0

Print Date 08/29/2011

Revision Date 06/10/2011

MSDS Number 350000003607

SITE\_FORM Number

30000000000000002947.001

: This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

### 16. OTHER INFORMATION

#### HMIS Ratings

Health	0
Flammability	4
Reactivity	0

#### NFPA Ratings

Health	0
Fire	4
Reactivity	0
Special	

#### Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by:	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)
--------------	--