AVAILABLE TO ORDER AT J2 FARM SUPPLY **CONTACT JEN FOR DEATILS**

780-581-9029





WWW.J2FARMSUPPLY.CA SMOKY LAKE, AB 780-581-9029

2021

Price list

| | Item# | Description | Unit UPC | иом | MSRP |
|--|---------|---|-----------------|-----|----------------|
| | | <u>I Series Energizers</u> | | | |
| Med dood | G379514 | ENERGIZER M10000i -The world's most powerful Energizer. Combining the brute force power of 100 stored joules with the fence monitoring capabilities of the i Series system | 6 44493 37951 1 | EA | \$ 3,604.99 |
| MAGOO | G308514 | ENERGIZER M5800i - Provides maximum stock control with adaptive technology which allows the unit to adjust to changing fence conditions. | 6 44493 30851 1 | EA | \$ 2,265.99 |
| MEDICON TO SERVICE STATE OF THE SERVICE STATE OF TH | G315514 | ENERGIZER MBS2800i - This dual purpose energizer means you have the option of powering as a 110v plug-in directly out of the box, or as a battery/solar (solar panel sold separately) | 6 44493 30650 0 | EA | \$ 1,359.99 |
| 1500 N231460 | G315504 | ENERGIZER MBS1800i - The MBS1800i is a dual purpose energizer which means you have the option of powering as a 110v plug-in directly out of the box, or as a battery/solar (solar panel sold separately). | 6 44493 30450 6 | EA | \$ 1,132.99 |
| | | Mains Energizers | | | |
| MEGO | G324514 | ENERGIZER M1500 | 6 44493 32451 1 | EA | \$ 720.99 |
| M1100 | G324504 | ENERGIZER M1100 | 6 44493 32450 4 | EA | \$ 597.99 |
| MSOÖ | G323524 | ENERGIZER M800 | 6 44493 32352 1 | EA | \$ 432.99 |
| M560 | G323514 | ENERGIZER M560 | 6 44493 32351 4 | EA | \$ 329.99 |
| M300 | G323504 | ENERGIZER M360 | 6 44493 32350 7 | EA | \$ 257.99 |
| MIGG | G330444 | ENERGIZER M160 | 6 44493 33044 4 | EA | \$ 205.99 |
| M120 | G330434 | ENERGIZER M120 | 6 44493 33043 7 | EA | \$ 175.99 |
| MGÖ | G383414 | ENERGIZER M60 | 6 44493 38341 9 | EA | \$ 123.99 |

| | Item# | Description | Unit UPC | UOM | MSRP |
|-----|---------|---|-----------------|-----|----------------|
| M3Ö | G331434 | ENERGIZER M30 | 6 44493 33143 4 | EA | \$ 92.99 |
| Miô | G331424 | ENERGIZER M10 | 6 44493 33142 7 | EA | \$ 72.99 |
| | | Battery Energizers | | | |
| | G36311 | ENERGIZER B10 - Small energizer uses 6 'D' Cell batteries. Not included | 6 44493 36311 4 | EA | \$ 175.99 |
| | G388404 | ENERGIZER B60 - Gallagher recommends that you use a 12-volt, deep cycle battery with this energizer. | 6 44493 38840 7 | EA | \$ 252.99 |
| | | Multi Powered Energizers | | | |
| | G388414 | ENERGIZER MB150 - Dual power fence energizer can be plugged in or used with a 12v battery. 110 V Adapter not included | 6 44493 38841 4 | EA | \$ 293.99 |
| | G389414 | ENERGIZER MBS200 - Multi purpose fence energizer can be plugged in, used with a 12v battery and/or solar panel. 110v and Battery cables included | 6 44493 38941 1 | EA | \$ 355.99 |
| | G390404 | ENERGIZER MBS400 - Multi purpose fence energizer can be plugged in, used with a 12v battery and/or solar panel. 110v and Battery cables included | 6 44493 39040 0 | EA | \$ 520.99 |
| | G390414 | ENERGIZER MBS800 - Multi purpose fence energizer can be plugged in, used with a 12v battery and/or solar panel. 110v and Battery cables included | 6 44493 39041 7 | EA | \$ 674.99 |
| | | Solar Energizers | | | |
| | G361404 | ENERGIZER S400 - Includes 2- 12 v Batteries | 6 44493 36140 0 | EA | \$ 1,441.99 |
| | G360404 | ENERGIZER S200 - Includes 1-12v battery | 6 44493 36040 3 | EA | \$ 1,029.99 |
| | G346404 | ENERGIZER S100 - Two operating modes ensure optimum battery management and animal control specific to fencing requirements. Wildlife and livestock includes 1 -12 v battery | 6 44493 34640 7 | EA | \$ 617.99 |
| | G345404 | ENERGIZER S40 - Two operating modes ensure optimum battery management and animal control specific to fencing requirements. Wildlife and livestock includes 1-6 v battery | 6 44493 34540 0 | EA | \$ 409.99 |

| | Item# | Description | Unit UPC | UOM | MSRP |
|--|----------|--|-----------------|-----|----------------|
| | G341424 | ENERGIZER S20 - includes 1- 6v battery | 6 44493 34142 6 | EA | \$ 339.99 |
| au au | G341414 | ENERGIZER S16 - Includes 1- 6v battery | 6 44493 34141 9 | EA | \$ 289.99 |
| | G341404 | ENERGIZER S10 Includes 1-6v battery. | 6 44493 34140 2 | EA | \$ 205.99 |
| | | Energizer Batteries | | | |
| Chil | 2M1946 | 12 V BATTERY - Used with \$200 and \$400 Energizers. Each unit takes 2 batteries | | EA | \$ 123.99 |
| Section and the section of the secti | A738 | 12 VOLT 7 AMP BATTERY - Used with a \$100 Energizer | 6 56489 06612 1 | EA | \$ 51.49 |
| Supposed Association than printing the printing of the printin | APC12100 | 12 VOLT 7 AMP BATTERY - Used with old \$50 Energizer | 6 56489 10994 1 | EA | \$ 96.99 |
| 240 S | APC1250 | 12 VOLT 5 AMP BATTERY - Used with old S20 Energizer | 6 56489 18628 7 | EA | \$ 68.99 |
| STANDARD COMMENTS OF THE STANDARD COMMENTS OF | A670 | 6 VOLT 7 AMP BATTERY - Used with S15 - S17 - S22 Energizers | 6 56489 06535 3 | EA | \$ 44.99 |
| Power Patrol | A905 | 6 VOLT 4 AMP BATTERY - Use with S10 - S16 - S20v2 Energizers | 6 56489 06526 1 | EA | \$ 19.99 |
| Nast or man | A0959 | 6 VOLT 7AMP BATTERY - Use with S40 Energizer | 6 56489 06554 4 | EA | \$ 45.99 |
| | | <u>Solar Panels</u> | | | |
| | G49521 | 20 Watt Solar Panel with Bracket - use with the MBS Energizer range. Mounting bracket, regulator and cables included Flexible tilt positions allow full sun exposure. | 6 44493 49521 1 | EA | \$ 494.99 |
| | G49541 | 40 Watt Solar Panel with Bracket -use with the MBS Energizer range. Mounting bracket, regulator and cables included Flexible tilt positions allow full sun exposure | 6 44493 49541 9 | EA | \$ 665.99 |
| | G49582 | 80 Watt Solar Panel with Bracket - use with the MBS Energizer range. Mounting bracket, regulator and cables included Flexible tilt positions allow full sun exposure | 6 44493 49582 2 | EA | \$ 1,040.99 |

| | Item# | Description | Unit UPC | UOM | MSRP |
|-------|---------|--|-----------------|-----|----------------|
| | G49602 | 130 Watt Solar Panel with Bracket - use with the MBS Energizer range. Mounting bracket, regulator and cables included Flexible tilt positions allow full sun exposure | 6 44493 49602 7 | EA | \$ 1,257.99 |
| | | Energizer Accessories | | | |
| | G40123 | <u>Power Adaptor</u> - Replacement 110V AC Power adapter for MB and MBS electric fence charger models - MB150, MBS200, MBS400, and MBS800 | 6 44493 40123 6 | EA | \$ 20.99 |
| | G58210 | MB ISERIES BATTERY BACK UP CHARGER - The Gallagher Battery Back-up Charger is a simple accessory compatible with MB iSeries energizers and the MB/MBS range of energizers. Connect between the mains power supply and the Energizer and connect to your 12V battery as a back-up power source | 9 414701 582108 | EA | \$ 139.99 |
| No. | G51000 | i SERIES FENCE MONITOR - Monitor up to 6 separate remote pastures on one energizer. | 6 44493 51000 6 | EA | \$ 366.99 |
| _ | G57900 | <u>i SERIES ALARM</u> - The iSeries alarm component integrates seamlessly with the Gallagher iSeries fence chargers. | 6 44493 57900 3 | EA | \$ 499.99 |
| | G56902 | <u>i SERIES ALARM SIREN</u> - Highly audible siren to be used with the i Series Electric Fence Alarm System. | 9 414701 056913 | EA | \$ 109.99 |
| | G56901 | <u>i SERIES ALARM BLUE STROBE</u> - Easy to see, flashing blue strobe light to be used with the iSeries Electric Fence Alarm System (sold separately). Designed for outdoor use - both durable and rainproof. Comes with mounting screws and 32' cable | 9 414701 056920 | EA | \$ 189.99 |
| S S | G56700 | <u>WiFi Gateway</u> - The Gallagher WiFi Gateway is compatible with all iSeries Energizers and provides the ability to manage your iSeries Energizer via the Gallagher Ag Devices App. Simply connect your i Series Energizer to a WiFi Gateway, sync the Ag Devices App and data will be sent straight to your pocket. Download the App from App Store or Google Play. | 6 44493 56700 0 | EA | \$ 219.99 |
| | G59300 | LEADSET - Lead Set for the following Energizers: S10, S16, S17, S20, S22, B700 and B1600 | 6 44493 00493 2 | EA | \$ 38.19 |
| | | Remotes / Testers | | | |
| | G50700 | <u>i SERIES REMOTE</u> - The remote/fault finder pinpoints a fence fault and enables you to turn off your i Series energizer during repair and on again once the repair is complete. | 6 44493 50700 6 | EA | \$ 351.99 |
| (25°) | G50905 | FENCE VOLT / CURRENT METER & FAULT FINDER - The Fault Finder measures voltage, current and shows the direction of current flow. | 6 44493 50905 5 | EA | \$ 205.99 |
| 106. | G503014 | DIGITAL VOLT METER - Quickly and easily obtain a digital reading of your fence voltage. Displays fence voltage from 10kV to 12kV | 6 44493 07503 1 | EA | \$ 97.99 |

| | Item# | Description | Unit UPC | иом | MSRP |
|------|---------|--|------------------|-------|--------------|
| | G501004 | NEON FENCE LIGHT TESTER | 6 44493 01501 3 | EA | \$ 73.99 |
| | G51100 | <u>LIVE FENCE INDICATOR</u> - Place permanently on your fence line and simply look for the flash (flashes with each pulse of the Energizer) when you pass by. No batteries required. | 6 44493 51100 3 | EA | \$ 48.49 |
| | | Grounding Equipment | 0 11100 01100 0 | | |
| | A351 | GROUND ROD 6' - 1/2 inch diameter Galvanized ground rod ideal for hard ground conditions. | 6 44012 00059 9 | EA | \$ 16.99 |
| | A351A | GROUND ROD 3' T-HANDLE - 1/2 inch diameter Galvanized ground rod ideal for hard ground conditions. | 6 44012 00063 6 | EA | \$ 28.99 |
| | A363HD | GALVANIZED GROUND ROD CLAMP - Package of 3 heavy duty galvanized ground rod clamp. For 1/2 inch rods. | 6 44012 00129 9 | ЗРК | \$ 15.49 |
| | G87800 | MINI GROUND STAKE - Handy galvanized steel ground stake for small portable Energizers. | 9 414701 061801 | EA | \$ 17.49 |
| | T87901 | GALVANIZED GROUND ROD KIT Comes with 3 Kiwitah Ground rods and 3 ground clamps | 8 79311 00019 7 | EA | \$ 138.99 |
| | G87900 | <u>GALVANIZED EARTH STAKE</u> - 2.1m galvanized stake creates large ground contact for good earthing. | 9 414701 006192 | EA | \$ 31.99 |
| C C | G87601 | <u>GALVANIZED GROUND CLAMP</u> - Heavy duty galvanized clamp for securing cable to ground stakes. | 9 414701 036267 | 3 PAC | \$ 40.99 |
| 4c 6 | G87600 | <u>GALVANIZED GROUND CLAMP</u> - Heavy duty galvanized clamp for securing cable to ground stakes. | 9 414701 876009 | EA | \$ 16.49 |
| | | <u>Strainers / Tighteners / Tools</u> | | | |
| | G618034 | INSULATED WIRE STRAINER KIT - Includes - insulator, strainer and steel rope. Simply slide over the post | 6 44493 61803 0 | 20 EA | \$ 12.99 |
| | G61814 | HIGH STRAIN INSULATOR KIT - Simplest option for end strain insulation; | 6 44493 61814 6 | 25 EA | \$ 5.69 |
| | G79504 | WIRE STRAINER - Ratchet style wire strainer | 6 44493 79504 5 | 25 EA | \$ 5.79 |
| 10 | G74313 | <u>INSULATED END STRAINER WITH JOINT CLAMP</u> - An end strainer that insulates, strains and connects . | 8 44493 774313 B | 20 EA | \$ 9.49 |
| No. | G69530 | <u>STRAINER HANDLE SPRING RATCHET</u> - Fits most common brands of permanent electric fence wire strainers. | 6 44012 00020 9 | EA | \$ 32.99 |

| | Item# | Description | Unit UPC | иом | MSRP |
|-------------------|---------|---|-----------------|--------|--------------|
| | G64304 | IN-LINE WIRE TIGHTENER - Ideal for straining old fences and for tensioning trellising wires. The tightener fits over the wire for mid-fencing straining, | 6 44493 64304 9 | 25 EA | \$ 6.49 |
| | G64302 | 5 PACK IN-LINE WIRE TIGHTENER - Ideal for straining old fences and for tensioning trellising wires. The tightener fits over the wire for mid-fencing straining, | 6 44493 64302 5 | PK | \$ 33.99 |
| | G645004 | <u>INLINE WIRE TIGHTENER TOOL</u> - A professional tool for use with permanent wire tighteners for electric fence. | 6 44493 00645 5 | EA | \$ 182.99 |
| - | G644004 | IN-LINE WIRE TIGHTENER HANDLE - The economical tool for use with permanent electric fencing wire tighteners. | 6 44493 00644 8 | EA | \$ 36.99 |
| | | Joiners and Tensioners | | | |
| · III | G65203 | <u>1 1/2" TAPE JOINER</u> - Tidy, secure mechanical and electric connection for 1 1/2" horse tape fences. | 6 44493 10652 0 | 10 PK | \$ 62.99 |
| | AXLT8 | XL & POLY WIRE TENSIONER - Designed to use with PolyWire and Poly Tape. | 6 44012 00016 2 | EA | \$ 4.29 |
| Kellellellellelle | T61003 | <u>Vine-line</u> Wire Connector for splicing 12.5 ga Power Wire or HT wire | 8 79311 00005 0 | 10 PK | \$ 29.99 |
| | | Insulated Tubing | | | |
| | G614134 | INSULATED TUBE (23" STRIPS) - WHITE - An economical alternative for poly braid. | 6 44493 61413 1 | 10 PK | \$ 28.49 |
| | | Corner & End - Plastic and Porcelain Insulators | <u>5</u> | | |
| È | G688 | <u>CORNER LAG INSULATOR - BLACK</u> - Corner Lag Insulator is mounted to a lag screw bent into the shape of an L. | 6 44012 00081 0 | 5 PK | \$ 15.99 |
| | G67702 | <u>STRAIN INSULATOR - BLACK</u> - Economical end strain insulation for fences with little stock pressure or semi-permanent fence. | 6 44493 77024 0 | 5 PK | \$ 5.69 |
| | G67704 | <u>STRAIN INSULATOR - BLACK</u> -Economical end strain insulation for fences with little stock pressure or semi-permanent fence. | 9 414701 067704 | 25 PAC | \$ 22.49 |
| | G67812 | STRAIN INSULATOR - WHITE - Strongest, long term end strain insulation for high tensile permanent electric fencing. | 6 44493 67812 6 | 5 PK | \$ 15.99 |
| | G67814 | STRAIN INSULATOR - WHITE - Strongest, long term end strain insulation for high tensile permanent electric fencing. | 9 414701 067803 | 25 PAC | \$ 67.99 |
| | G67012 | WOOD POST CORNER STRAIN TAPE INSULATOR - Designed specifically for 40mm, Poly or Turbo, equine electric tape fencing. | 9 414701 206707 | 5 PAC | \$ 41.49 |

| | Item# | Description | Unit UPC | иом | MSRP |
|-----|---------|---|-----------------|--------|--------------|
| | G67090 | METAL PLATE FOR WOOD POST CORNER STRAIN TAPE INSULATOR - Designed to secure 40mm (1½") Polytape and Turbo Tape at fence ends with Corner-End Strain Insulator. | 6 44493 10670 4 | 10 PAC | \$ 33.98 |
| | | Wood Post Insulators | | | |
| | G676044 | WOOD POST WIDE JAW CLAW INSULATOR - BLACK - Specifically designed for Gallagher Turbo Braid, Equine Fence, and Rope. | 6 44493 76044 9 | 25 PK | \$ 30.49 |
| | G67614 | WOOD POSTWIDE JAW CLAW INSULATOR - WHITE - Specifically designed for GallagherTurbo Braid, Equine Fence, and Rope. | 6 44493 76144 6 | 25 PK | \$ 30.49 |
| | G66604 | WOOD POST SCREW-IN RING INSULATOR BLACK - | 6 44493 66604 8 | 25 PK | \$ 19.99 |
| | G67304 | WOOD POST CLAW INSULATOR - BLACK 25 pk - The most popular choice for permanent electric fencing using wood posts. | 6 44493 00673 8 | 25 PK | \$ 15.99 |
| | G67305 | WOOD POST CLAW INSULATOR - BLACK 100 pk The most popular choice for permanent electric fencing using wood posts. | 9 414701 186733 | 100 PK | \$ 53.99 |
| | G67398 | WOOD POST CLAW INSULATOR - BLACK 500 pk - The most popular choice for permanent electric fencing using wood posts. | 9 414701 673981 | 500 PK | \$ 216.99 |
| | G68704 | <u>WOOD POST PINLOCK INSULATOR - BLACK</u> - For wood post electric fences that need to be temporarily lowered for vehicle or stock access such as on laneways, beside drains and around silage pits. | 6 44493 25687 4 | 25 PK | \$ 25.49 |
| u | G687144 | WOOD POST PINLOCK INSULATOR - WHITE - For wood post electric fences that need to be temporarily lowered for vehicle or stock access such as on laneways, beside drains and around silage pits. | 6 44493 26687 3 | 25 PK | \$ 25.49 |
| | G66910 | WOOD POST HEAVY DUTY TAPE INSULATOR - Designed specifically for 40mm (1½") equine electric tape fencing. | 9 414701 266695 | 25 PK | \$ 58.99 |
| | | Wood Post Offset Insulators | | | |
| 500 | G617134 | WOOD POST PINLOCK 5" OFFSET INSULATOR WHITE - The pinlock allows for easy fence construction and wire removal. The wide jaw accommodates Equine Fence and braid products. | 6 44493 61713 2 | 20 PK | \$ 22.49 |
| | G66203 | <u>DRIVE IN OFFSET BRACKET</u> - Offsets are used in offset or retrofit electric fencing to protect existing conventional fencing or extend the life of new fences. | 9 414701 662039 | 10 PK | \$ 48.49 |
| | | Steel Post Insulators | | | |

| | Item# | Description | Unit UPC | UOM | MSRP |
|---|---------|---|-----------------|-------|-------------|
| | G654134 | T POST TAPE INSULATOR - 1.5", WHITE - This insulator easily clips onto steel t-posts to hold tape secure. UV stable and designed for long life. Fits all T-Post from 1 1/4" to 1 1/2". | 6 44493 65413 7 | 20 PK | \$ 17.99 |
| | G682134 | T POST WIDE JAW PINLOCK INSULATOR - WHITE - Heavy-duty insulator for all T-Posts. Unique snap on design that fits securely and requires no tools to install! The wide jaw accommodates equine fence and braid products. | 6 44493 68213 0 | 20 PK | \$ 19.49 |
| | G68513 | T POST TOPPER INSULATOR - WHITE - Heavy Duty T-Post Topper Insulator. Top accommodates 3/8" wire. The front accommodates 1 1/2" tape and 3/8" wire. | 6 44493 68513 1 | 10 PK | \$ 21.69 |
| | G68604 | <u>STEEL POST PINLOCK INSULATOR</u> - Designed for steel posts, the best choice for permanent electric fencing using T posts | 9 414701 256863 | 25 PK | \$ 27.49 |
| | G66314 | EQUI PINLOCK STEEL POST INSULATOR - WHITE - Designed for steel posts, the best choice for permanent equine electric fencing using T posts. | 6 44493 66314 6 | 25 PK | \$ 27.49 |
| | | <u>T-Post Offset Insulators</u> | | | |
| | G650134 | <u>T POST PINLOCK OFFSET 5", WHITE</u> - Extra locking tab enables offset to fit all T-Posts from 1 1/4" to 1 1/2". The wide jaw accommodates Equine Wire and braid products. | 6 44493 65013 9 | 20 PK | \$ 22.49 |
| | | <u>Universal Post Insulators</u> | | | |
| | G681034 | MULTI-POST WIDE JAW PINLOCK INSULATOR - BLACK - Multi-Post Insulators are a snap on plastic insulator designed for t-posts, but can be nailed to wooden posts or screwed to vinyl posts. | 6 44493 81034 2 | 20 PK | \$ 17.49 |
| | | <u>Universal Post Offset Insulators</u> | | | |
| | G694034 | MULTI-POST PINLOCK OFFSET INSULATOR BLACK - World's first multi-post pinlock offset insulator. This multi-post insulator is able to be attached to both sides of a T-Post or nailed to a wooden post or strapped to a pipe. | 6 44493 69403 4 | 20 PK | \$ 21.49 |
| | | Ring Top and Rod Post Insulators | | | |
| | G65514 | ROD POST SCREW-ON CLAW 1/4" TO 5/8" WHITE - This claw insulator is Ideal for use in temporary electric fencing with round posts from 1/4"" to 5/8"" diameter. Can slide over Pigtail post. | 6 44493 00655 | 25 PK | \$ 16.49 |
| | G65604 | Rod Post Screw-on claw 3/16" to 3/8" Black - Fits a Gallagher Ring Top Post! Ideal for use in temporary electric fencing with fiberglass rods, Ring Top Posts and standards 3/16"-3/8". | 6 44493 65604 9 | 25 PK | \$ 23.19 |
| | | Ring Top Offset Insulators | | | |
| | G75112 | OFFSET RING TOP SIDEFIX WHT 6 3/4" - For wood posts on existing fences SELL IN CASES OF 50 EACH | 6 44493 75112 6 | 5 PK | \$ 15.29 |
| O | G75122 | OFFSET RING TOP SIDEFIX WHT 15 3/4" For wood posts on existing fences SELL IN CASES OF 50 EACH | 6 44493 75122 5 | 5 PK | \$ 18.49 |
| | | <u>Standard Insulators</u> | | | |

| | Item# | Description | Unit UPC | UOM | MSRP |
|----|---------|--|-----------------|-------|-------------|
| | G73104 | Std T-post Claw /Black | 6 44493 73104 3 | 25 PK | \$ 7.49 |
| | G73204 | Std T-post Claw 5" offset/Black | 6 44493 73204 0 | 25 PK | \$ 11.79 |
| | G73303 | Std Strain Insulator | 6 44493 73303 0 | 10 PK | \$ 4.79 |
| | G73503 | Std Donut Insulator | 6 44493 73503 4 | 10 PK | \$ 7.49 |
| | G73404 | Std Rod Post Screw on Insulator | 6 44493 73404 4 | 25 PK | \$ 8.99 |
| | G73604 | Std Wood Post Nail-on Claw Insulator | 6 44493 73604 8 | 25 PK | \$ 6.99 |
| Q | G66704 | Std Wood Post Screw-In ring Insulator | 6 44493 66704 5 | 25 PK | \$ 11.79 |
| | | 12" Offsets | | | |
| | G659054 | WIRE MOUNT PINLOCK WIRE OFFSET - 12", BLACK - Mounts to the wires on your existing conventional fence. | 6 44493 50659 7 | EA | \$ 4.39 |
| KE | G665044 | PINLOCK REPLACEMENT FOR G659054 BLACK | 6 44493 25665 2 | 25 PK | \$ 29.99 |
| | G662054 | Wood PINLOCK WIRE OFFSET - 12", BLACK - Nail on 12 inch offset with pinlock insulator | 6 44493 00662 2 | EA | \$ 2.29 |
| | | Fiberglass Posts and Tools | | | |
| | AFRP48 | Fiberglass 48" X 1" (+/- 1/8") Post - Holes every 2" | 6 44012 00124 4 | EA | \$ 12.79 |
| 1 | AFRP60 | Fiberglass 60" X 1" (+/- 1/8") Post - Holes every 2" | 6 44012 00125 1 | EA | \$ 14.99 |
| 1 | AFRP66 | Fiberglass 66" X 1" (+/- 1/8") Post - Holes every 2" | 6 44012 00126 8 | EA | \$ 15.99 |
| 1 | AFRP72 | Fiberglass 72" X 1" (+/- 1/8")Post - Holes every 2" | 6 44012 00127 5 | EA | \$ 16.99 |

| | Item# | Description | Unit UPC | иом | | MSRP | | |
|-------------------------------|---------|---|-----------------|--------|----|--------|--|--|
| | G704004 | SHORT STEEL POST CLIPS - Made of galvanized, mild steel. Holds wire on the post. For use with AFRP48,AFRP60,AFRP66,AFRP72 | 6 44493 99704 3 | 100 PK | \$ | 21.69 | | |
| .50 | A635 | <u>FIBERGLASS ROD POSTS- WHITE</u> - Made of highly visible white fiberglass. Ideal for backyard garden. 3/8" x 48". 20 per bundle. | 6 44012 00041 4 | EA | \$ | 4.09 | | |
| CE | A636 | FIBERGLASS POST CLIPS - Used this clip to quickly secure wire to a 3/8" fiberglass post. A636 | 6 44012 00108 4 | 20 PK | \$ | 13.69 | | |
| | G81710 | FIBERGLASS POSTS - 59 inches long 10mm diameter. | 9 414701 817019 | EA | \$ | 6.39 | | |
| | G83003 | FIBERGLASS POST CLIPS - 10mm. Slides onto G81710 fibreglass posts | 9 414701 830032 | 10 PAC | \$ | 7.49 | | |
| Insulated Line Post and Tools | | | | | | | | |
| | G74213 | 47" INSULATED LINE POST - A tailor-made, fully insulated line post for low cost, low maintenance permanent electric fencing for sheep, cattle and horses. | 6 44493 74213 1 | 10 PK | \$ | 144.99 | | |
| | G74223 | 55 1/2" INSULATED LINE POST - A tailor-made, fully insulated line post for low cost, low maintenance permanent electric fencing for sheep, cattle and horses. | 6 44493 74223 0 | 10 PK | \$ | 159.99 | | |
| | G74434 | INSULATED LINE POST WIRE CLIP INSULATOR - "A super strong, 'snap-on' clip with 352 lbs holding force, for use with the Gallagher Insulated Line Post. | 6 44493 74434 0 | 20 PK | \$ | 7.79 | | |
| | G74703 | INSULATED LINE POST TAPE CLIP INSULATOR - 1 1/2 Tape Clip is designed specifically for Equine Electric Tape to be securely attached to a Gallagher Insulated Line Post. | 6 44493 74703 7 | 20 Pk | \$ | 25.99 | | |
| | G52501 | INSULATED LINE POST DRIVER - Designed specifically to drive the Insulated Line Post into the ground. | 6 44493 52501 7 | EA | \$ | 69.99 | | |
| | G53002 | INSULATED LINE POST SLEEVE - Prevents flex when driving Gallagher Insulated Line Posts into hard ground. | 6 44493 53002 8 | EA | \$ | 5.69 | | |
| | G52701 | Insulated Line Post Lifter Attachment - Safely pull out the Gallagher Insulated Line Post or Pilot from the ground. Attachment only. T-post puller is not included. | 6 44493 52701 1 | EA | \$ | 18.49 | | |
| | G54301 | INSULATED LINE POST PRESSURE PLATE - Prevents the Insulated Line Post sinking on hills due to fence tension on abrupt rises. | 6 44493 54301 1 | EA | \$ | 14.49 | | |
| | | | | | | | | |

Joint Clamps & Split Bolt Connectors

| | Item# | Description | Unit UPC | иом | MSRP |
|-----------|---------|--|-----------------|-------|-------------|
| | G60303 | JOINT CLAMP "L" SHAPE - Clamps multiple high tensile wires together for excellent electrical connection. | 6 44493 60303 6 | 10 PK | \$ 16.49 |
| | G60315 | JOINT CLAMP - Essential for good electrical connections to maintain maximum conductivity. | 9 414701 603155 | 25 PK | \$ 54.99 |
| | G603934 | JOINT CLAMP "L" SHAPE WING NUT - Clamps multiple wires together for excellent electrical connection. | 6 44493 03934 7 | 10 PK | \$ 14.89 |
| | G603534 | JOINT CLAMP HEXAGONAL SHAPE - Clamps multiple high tensile wires together for excellent electrical connection | 6 44493 60353 1 | 10 PK | \$ 14.89 |
| | | <u>Gate Handles</u> | | | |
| (8-8) | G639304 | HD GATE HANDLE ORANGE | 6 44493 00639 4 | EA | \$ 11.99 |
| (Barrier | G689404 | HANDLE ECONO GREEN | 6 44493 68940 5 | EA | \$ 6.89 |
| | G691104 | HANDLE GATE SMALL WHITE . | 6 44493 69110 1 | EA | \$ 3.49 |
| | G69703 | RUBBER GRIP GATE HANDLE WIRE/ROPE - Tension spring | 6 44493 69703 5 | EA | \$ 8.29 |
| | G69603 | RUBBER GRIP GATE HANDLE TAPE - Tension Spring | 6 44493 69603 8 | EA | \$ 8.29 |
| | G73730 | INSULATED PORTABLE HANDLE - Works with portable wire | 6 44493 73733 5 | EA | \$ 3.09 |
| | G73830 | <u>DUAL PURPOSE HANDLE</u> - Dual Purpose Handle provides the flexibility to liven the fence from either the reel or handle end. | 6 44493 73833 2 | EA | \$ 5.69 |
| | | <u>Gate Kits</u> | | | |
| | G64010 | <u>ELECTRIC HIGH VISIBILITY SPRING GATE</u> - Pre-assembled high visibility spring gate suited for up to 16.5' wide gateways. | 6 44493 01640 9 | EA | \$ 50.49 |

| | Item# | Description | Unit UPC | UOM | MSRP |
|-----------|--------|--|-----------------|-------|--------------|
| | G64050 | <u>ELECTRIC BUNGY GATE</u> - Pre-assembled gate - 10 -20' bungee cord | 6 44493 64050 5 | EA | \$ 44.29 |
| | G64051 | ELECTRIC BUNGY GATE - Pre-assembled gate - 18 -36' bungee cord | 9 414701 640518 | EA | \$ 54.69 |
| | G71804 | 4 MULTI- STRAND GATE - | 6 44493 71804 4 | EA | \$ 113.99 |
| , | G71802 | MULTI STRAND ELECTRIC 2 STRAND TAPE GATE | 6 444937 180208 | EA | \$ 91.99 |
| | G89106 | Bungy Cord 50m Roll - A reflective, high visibility shock cord that can be stretched to twice its size. | 9 414701 891064 | Roll | \$ 177.99 |
| 61 | G89111 | BUNGY CORD CRIMP - Crimp connector for securing bungy cord to a pinlock insulator or gate handle. | 9 414701 891118 | 10 PK | \$ 60.99 |
| | | 3 Way Gate Anchors | | | |
| | G64610 | GATE ANCHOR (WHITE) - White insulator screws directly into wooden gate post, not in the gate opening. Designed for good electrical connections with rope, braid, tape or spring gates. | 9 414701 106465 | 5 PK | \$ 40.99 |
| | G64912 | WOOD POST 3-WAY GATE ANCHOR - Super strong live anchor for up to three gates coming to a junction. | 9 414701 649122 | 5 PK | \$ 42.59 |
| | | <u>Gate Latch</u> | | | |
| Soll Soll | F0202U | STD. LATCH, 14" CHAIN & 2 STAPLES - Are your hands always full? This convenient, one-handed gate latch is a useful tool when you only have one hand to spare - even wearing gloves! Non-electric | 6 44493 01202 9 | EA | \$ 20.99 |
| | | <u>Drive Thru Gates and Hardware</u> | | | |
| | G71100 | Gate Hardware for one gateway | 6 44493 71100 7 | EA | \$ 201.99 |
| - | G71116 | DRIVE THRU ELECTRIC GATE 4.88M(16FT) 2- 8ft sections | 6 44493 71116 8 | EA | \$ 212.99 |
| | | Ring Top and Treadin Posts | | | |
| | G72413 | <u>DOUBLE FOOT TREADIN</u> - Sturdy and durable plastic post is 39" in length with 9 numbered lugs designed for virtually all animal types. | 6 44493 72410 6 | 40 EA | \$ 3.59 |

| | Item# | Description | Unit UPC | иом | MSRP |
|---|-----------|--|------------------------------|-------|--------------|
| | G64219 | STANDARD PIGTAIL TREADIN POST - Gallagher's standard pigtail is ideal for soft ground. | 6 44493 64219 6 | 50 EA | \$ 5.09 |
| - | G72315 | RING TOP POST | 6 44493 72310 9 | 50 EA | \$ 5.99 |
| - | G74815 | HD MULTI WIRE RING TOP POST 850 mm 33 in - Heavy Duty, Multi Wire Ring Top Post is 34.5" tall. The preformed notches allow multiple customized wire heights and the ring top head enables single wire use. | 6 44493 74815 7 | EA | \$ 8.79 |
| - | G74915 | POST RING TOP HD 850mm 7MM or 33 inches | 6 44493 74915 4 | EA | \$ 7.19 |
| | G63800 | <u>TUMBLEWHEEL</u> - For 1 wire managed grazing. Add a reel to each end and space wheels at 70ft. Just tumble to move. Use Trubo wire only. | | EA | \$ 128.99 |
| D | G75013 | MULTI WIRE RING TOP POST INSULATOR WHITE - These multi-wire insulators are snap on nylon clips that are easy to install on Heavy Duty Multi Wire Ring Top Posts. | 6 44493 75013 6 | 30 PK | \$ 18.19 |
| | G57110 | POST MOUNT - Install the S10 or S16 Energizer on a Gallagher Ring Top Post using this Post Mount. | 6 44493 57110 6 | EA | \$ 5.99 |
| | | Spinning Jenny | | | |
| | A304 | WIRE PAYOUT SPINNER - Adjustable break keeps wire from over-winding. Handles 4,000' and 2,640' spool of hi-tensile wire or 1,000' of EquiFence. | 6 44012 00017 9 | EA | \$ 241.99 |
| | A305 | SPINNING JENNY - Accommodates up to a 100lb roll of wire | | EA | \$ 81.99 |
| | A307 | CONVERSION KIT to make A309 fit the Wooden spools | 6"" 44012 " 00030 " " 8 | EA | \$ 21.49 |
| | | <u>Aluminum Wire</u> | S III 22 04 0 11 000 00 11 2 | | |
| | AXL17250 | <u>17 GAUGE 250'</u> | 6 44012 00001 8 | EA | \$ 16.49 |
| | AXL171320 | 17 GAUGE 1/4 MILE | 6 44012 00002 5 | EA | \$ 45.39 |
| | AXL141320 | <u>14 GAUGE 1/4 MILE</u> | 6 44012 00003 2 | EA | \$ 109.99 |
| | AXL142640 | <u>14 GAUGE 1/2 MILE</u> | 6 44012 00004 9 | EA | \$ 205.99 |
| | AXL121320 | 12 1/2 GAUGE 1/4 MILE | 6 44012 00005 6 | EA | \$ 149.99 |
| | AXL124000 | 12 1/2 GAUGE 4000' - Ideal for long leadout with very high powered Energizers.3 x more conductive than HT wire Wire Cutters | 6 44012 00006 3 | EA | \$ 284.99 |
| | G52200 | FENCING PLIERS & WIRE CUTTER - Specifically designed for cutting, stripping and bending Hi Tensile wire. | 6 44402 20522 | EA | \$ 136.99 |
| | | Insulated Cable | 9 | | |

| | Item# | Description | Unit UPC | иом | MSRP |
|--|---------|---|-----------------------|-----|--------------|
| m en | G609024 | DOUBLE INSULATED CABLE 16 GAUGE -165 ft roll | 6 44493 02609 5 | EA | \$ 67.99 |
| III in | G627014 | DOUBLE INSULATED HARD CABLE 12.5 GAUGE - 65' roll. | 6 44493 08627 3 | EA | \$ 45.99 |
| ill da | G627034 | DOUBLE INSULATED HARD CABLE 12.5 GAUGE -330 ft roll | 6 44493 07627 4 | EA | \$ 207.99 |
| III in | G62702 | DOUBLE INSULATED HARD CABLE 12.5 GAUGE 164 ft roll | 9 414701 026275 | EA | \$ 111.99 |
| | G62793 | HIGH CONDUCTIVE CABLE - 330' Aluminum coated 12.5 ga insulated wire for large energizers | 6 44493 62793 3 | EA | \$ 227.99 |
| | G62794 | HIGH CONDUCTIVE CABLE - 656 'Aluminum coated 12.5 ga | 9 414701 627946 | EA | \$ 432.99 |
| • | G62796 | insulated wire for large enrgizers HIGH CONDUCTIVE CABLE - 1312' Aluminum coated 12.5 | 9 " 414701 " 627946 " | EA | \$ 853.99 |
| | | ga insulated wire for large energizers Polywire | 9 414701 627960 | | |
| Character Register | G62004 | <u>POLY WIRE WHITE</u> 200M, 656' (1/16") - Reliable, cost effective wire for controlling animals behind shorter portable electric fences. | 44493 01621 8 | EA | \$ 43.29 |
| FRI | G620300 | POLY WIRE COMBO ROLL 400 + 100M, 1320' + 300' FREE WHITE (1/16", 1.5MM) - for controlling animals behind shorter portable electric fences. | (6 44012 00089 6 | EA | \$ 79.99 |
| | | <u>Turbo Wire</u> | | | |
| Tigori I | G62089 | TURBO WIRE WHITE 2624' (3/32") 800M (2.5MM). 9 mixed metal strands, Gallagher's Turbo Wire has 40Xs more conductivity than Poly Wire and is best suited for distances beyond 1/4 mile. | 6 44012 00011 7 | EA | \$ 262.99 |
| FREE | G620564 | TURBO WIRE WHITE 1312' + 300' FREE (3/32") 400M + 100M (2.5MM) - 9 mixed metal strands, Turbo Wire has 40Xs more conductivity than Poly Wire and is best suited for distances beyond 1/4 mile | 6 44493 02620 0 | EA | \$ 154.99 |
| | G620664 | TURBO WIRE 1312' ORANGE (3/32") 400M (2.5MM) - 9 mixed metal strands, Turbo Wire has 40Xs more conductivity than Poly Wire and is best suited for distances beyond 1/4 mile | 6 44493 62066 8 | EA | \$ 148.99 |
| Control of the Contro | G62054 | TURBO WIRE 656' WHITE (3/32") 200M (2.5MM) - 9 mixed metal strands, Turbo Wire has 40X more conductivity than Poly Wire and is best suited for distances beyond 1/4 mile. | | EA | \$ 85.49 |
| | | <u>Poly Tape</u> | | | |
| Barbara A | G62314 | <u>POLY TAPE ORANGE</u> 656' (1/2", 12.5MM) High visibility orange tape for portable electric fencing. Provides reliable animal control on shorter fence lines. | 6 44493 00623 3 | EA | \$ 57.99 |
| Electric American Control of the Con | G62304 | <u>POLY TAPE WHITE</u> 656' (1/2", 12.5MM) - High visibility white tape for portable electric fencing. Provides reliable animal control on shorter fence lines. | 6 44493 02623 1 | EA | \$ 56.99 |
| | | <u>Turbo Tape</u> | | | |
| Charles A | G62354 | TURBO TAPE WHITE 656' (1/2", 12.5MM) - High visibility tape with turbo conductivity for portable electric fences, | 6 44493 07623 6 | EA | \$ 90.99 |
| September 1 | G62356 | TURBO TAPE WHITE 1312' (1/2", 12.5MM) - High visibility tape with turbo conductivity for portable electric fences, | 6 44493 08623 5 | EA | \$ 164.99 |
| | G624544 | TURBO TAPE WHITE 656' (1 1/2") 200M (38MM) - High visibility tape with turbo conductivity for superior, long life portable fencing and semi-permanent horse fences. | 6 44493 01624 9 | EA | \$ 251.99 |

| | Item# | Description | Unit UPC | иом | N | VISRP | | | |
|--|---------|--|-----------------|------|----|--------------|--|--|--|
| | | <u>Turbo Braid</u> | | | | | | | |
| FREE | G62148 | TURBO BRAID BLUE 1312' + 328' FREE 400M +100M FREE 7/64 " 9 mixed metal, braided strands of highly conductive materials, Gallagher's Turbo Braid has 48Xs more conductivity than other regular Poly Braids. TURBO EQUINE BRAID WHITE 656', 200M (3/16", 5MM) | 6 44493 62148 1 | EA | \$ | 169.99 | | | |
| ACCIONAL TO THE PROPERTY OF TH | G62174 | - 9 mixed metal, braided strands of highly conductive materials, Gallagher's Turbo Braid has 48Xs more conductivity than other regular Poly Braids. TURBO EQUINE BRAID WHITE 1312' 400M (3/16", 5MM | 6 44493 06210 9 | EA | \$ | 159.99 | | | |
| 1-900 SEAD C | G62176 |) -9 mixed metal, braided strands of highly conductive materials, Gallagher's Turbo Braid has 48Xs more conductivity than other regular Poly Braids. | 6 44493 06211 6 | EA | \$ | 278.99 | | | |
| | | <u>Hi Tensile & Equine Fence Wire</u> | | | | | | | |
| POWER PLUS HI-TONSIE VI- | A303 | HI TENSILE WIRE, 1/2 MILE SPOOL FOB - 12.5 ga Hi Tensile wire, Class III galvanized for longer life. 2,640' per coil | 6 44012 00067 4 | EA | \$ | 195.99 | | | |
| | T90102 | HI TENSILE WIRE, 2,000' COIL FOB - Power Wire, easy handling, Class 3 galvanized, 2.5mm (12.5 ga) High Tensile, 2000 ft/rol | 8 79311 90102 9 | EA | \$ | 149.99 | | | |
| | G912064 | EQUINE FENCE, WHT 1000' - The safe, effective and highly visible electric fence solution for horses. Large diameter smooth coating minimizes risk of injury to animal. Comes in 1000ft roll. | 6 44493 12064 9 | EA | \$ | 344.99 | | | |
| Netting Netting | | | | | | | | | |
| | A201000 | ELECTRONET W/STRUTS (35"X164') - 9 horizontal wires (8 conductive); is 35" tall installed, and has large white plastic vertical struts every 12".,Includes netting, 14 double spike posts, carry handle, warning sign and repair kitThis | 6 44012 00090 2 | EA | \$ | 221.99 | | | |
| | A207015 | POULTRY NETTING 165' - Keeps animals in and predators out - 11 conductive horizontal wires with vertical strings spaced every 3 ". Includes 164' net contains 14 double spike posts; carry handle, warning sign and repair kit | 6 44012 00095 7 | EA | \$ | 329.99 | | | |
| | A207020 | POULTRY NETTING 82' 9 PACK - Keeps animals in and predators out - 11 conductive horizontal wires with vertical strings spaced every 3 ". Includes 82' net, 7 double spike posts, carry handle, warning sign and repair kit | 6 44012 00131 2 | 9 PK | \$ | 1,619.91 | | | |
| | A207021 | POULTRY NETTING 82' - Keeps animals in and predators out - 11 conductive horizontal wires with vertical strings spaced every 3 ". Includes 82' net, 7 double spike posts, carry handle, warning sign and repair kit | 6 44012 00132 9 | EA | \$ | 179.99 | | | |
| | | Reels and Reel Stand | | | | | | | |
| | G63150 | GEARED LARGE REEL - Large geared reel with 2:1 gear ratio. 200m of Turbo Equine Braid, 400M Blue Braid, 800M Turbo wire | 6 44493 01631 7 | EA | \$ | 158.99 | | | |
| | G61156 | <u>Prewound Geared Reel WHITE</u> -2.7 -1 ratio, 400M white turbo wire, insulgrip included. Transport lock. | 6 44493 61156 7 | EA | \$ | 228.99 | | | |
| | G611604 | <u>Prewound Geared Reel ORANGE</u> - 2.7 -1 ratio, 400M Orange turbo wire, insulgrip included. Transport lock | 6 44493 11604 8 | EA | \$ | 231.99 | | | |
| | G61150 | GEARED REEL - 2.7 -1 ratio, insulgrip included. Transport lock | 6 44493 06113 3 | EA | \$ | 133.99 | | | |

| | Item# | Description | Unit UPC | UOM | MSRP |
|-----------------------|---------|---|-----------------|-------|--------------|
| 61 | G61100 | STANDARD REEL -Non Geared 1-1 ratio. | 6 44493 06111 | EA | \$ 96.99 |
| | G616014 | ECONOMY REEL PREWOUND WITH POLYWIRE - 1-1 ratio Prewound with 500m White Poly Wire. | 6 44493 01616 4 | EA | \$ 136.99 |
| | G61600 | ECONOMY REEL - 1-1 ratio | 6 44493 04616 1 | EA | \$ 56.99 |
| And the second second | G63300 | <u>REEL STAND</u> - Rust resistant, steel tread-in post for holding multiple reels for strip grazing and temporary fencing. | 6 44493 00633 2 | EA | \$ 75.99 |
| W | G63400 | SINGLR REEL CONNECTOR - Electric Fence Jumper Lead with HD Clamps | 9 414701 016344 | EA | \$ 16.49 |
| ME | G63450 | <u>MULTI REEL LEAD CONNECTOR</u> - Connect up to three reels of portable fence to a permanent electric fence. | 9 414701 006345 | | \$ 43.49 |
| | | All in One Fence Kits | | | |
| - | G70000 | SMART FENCE 2 This 4-wire portable fence reaches 100M or 328' in length and 36.5" in height. May be attached to permanent fence or to another Smart Fence system. Easy to carry and store. Fence energizer and ground rod are not included. | 6 44493 70000 1 | EA | \$ 411.99 |
| | A600 | GARDEN AND BACKYARD PROTECTION KIT - Do-it-yourself electric fence that protects up to 50' x 50' area with three adjustable wires. This kit contains 8 posts, 40 clips, 1 ground rod, a B10 Battery Energizer and 656' of polywire to cover up to 200 ft of garden and lawn area. | 6 44012 00115 2 | EA | \$ 193.99 |
| | | <u>Lightning Protection</u> | | | |
| | G64800 | <u>LIGHTNING DIVERTER</u> - Gallagher recommends all permanent Energizers be fitted with a lightning diverter to help protect from lightning damage. | 6 44493 06480 6 | EA | \$ 51.49 |
| | | <u>Cut-Off Switches</u> | | | |
| | G60731 | <u>CUT-OFF SWITCH ORANGE</u> - Sealed and water ressistant. | 6 44493 60731 7 | EA | \$ 31.99 |
| | G610 | <u>CUT-OFF SWITCH KNIFE</u> - An alternative to a cut out switch. Simply turn power off or on to a selected area. | 6 44012 00077 3 | EA | \$ 20.49 |
| | | Tension Springs | | | |
| | A290 | <u>HD TENSION SPRING</u> - Tension spring offsets the expansion and shrinkage of wire caused by temperature fluctuations and keeps fence wire evenly tensioned during summer and winter. | 6 44012 00021 6 | 10 EA | \$ 16.49 |
| | | Miscellaneous Tools | | | |
| | G60400 | <u>FLOODGATE CONTROLLER CONTROLLER</u> Gallagher's powered flood gate is automatically switched off when waters rise, preventing the whole fence being shorted out. | 6 44493 00604 2 | EA | \$ 54.58 |
| | G56110 | <u>Energy Limiter -</u> Improves safety by reducing fence power in public areas | 9 414701 561103 | | \$ 54.89 |
| | G523004 | 3 HOLE WIRE TWISTER - Ideal for installing clips on posts and droppers. Allows you to twist high tensile wire. | 6 44493 00523 6 | EA | \$ 15.99 |
| | G71300 | DRILL CHUCK FOR SCREW IN RING INSULATORS - Fitted to a power drill, this drill bit quickly installs Screw in Ring Insulators into wood posts. | 6 44493 71300 1 | EA | \$ 12.79 |
| ELECTRIC FENCE | G602304 | <u>CLIP-ON WARNING SIGN</u> - A highly visible yellow sign that warns that a fence is electrified. Easily clips onto fence wire | 8 79311 00023 4 | EA | \$ 5.29 |
| | | Scale Packages | | | |

| | Item# | Description | Unit UPC | UOM | MSRP |
|--------------------|--------|---|-----------------|----------|----------------|
| | G01021 | WEIGHSCALE W110 & LOADBARS - Entry level digital weigh system for livestock. Pack includes weigh scale indicator, mounting bracket and loadbars. 3300 lb Capactiy | 6 44493 01021 6 | EA | \$ 1,441.99 |
| | | Scale Indicators | | | |
| 245 _u | G02601 | TW-1 WEIGH SCALE AND DATA COLLECTOR - Built-in Bluetooth and Wi-fi; Set alerts with animal notes. Calculation of average daily gain and display of live weight gain since the previous sessions. Designed for use with load bars (sold separately) to create a livestock scale system | 6 44493 02601 9 | EA | \$ 2,313.99 |
| 358 ₁₈ | G02603 | TW-3 WEIGH SCALE AND DATA COLLECTOR - Built-in Bluetooth and Wi-fi; Set alerts with animal notes; Ability to record up to 3 treatments on the spot. Calculation of average daily gain and display of live weight gain since the previous sessions. Designed for use with load bars (sold separately) to create a livestock scale system. | 6 44493 02603 3 | EA | \$ 3,079.99 |
| 145 S ₂ | G02606 | TWR-5 WEIGH SCALE AND DATA COLLECTOR - Built-in Bluetooth and Wi-fi; Set alerts with animal notes; Ability to record up to 9 treatments on the spot. Calculation of average daily gain and display of live weight gain since the previous sessions. Internal reader (Reader Antennas sold seperatly.) Designed for use with load bars (sold separately) to create a livestock scale system. | 6 44493 02606 4 | EA | \$ 4,943.99 |
| | | <u>Loadbars</u> | | | |
| | G06000 | ALLEYWAY LOADBARS 23" LONG, 4,400 LB CAPACITY | 6 44493 06000 6 | SET OF 2 | \$ 2,059.99 |
| | G06300 | HEAVY DUTY MANUAL SQUEEZE CHUTE LOADBARS 39" LONG, 7,700 LB CAPACITY | 6 44493 06304 5 | SET OF 2 | \$ 3,347.49 |
| | G05420 | HEAVY DUTY LOADCELL FEET 4 LOADCELLS & FEET - These feet have a weighing capacity of 11,000 lbs. A tough, stainless steel set of four loadcells mounted in custom designed stainless steel carriers. Comes with an extra replacement load cell foot. | 6 44493 05420 3 | SET OF 4 | \$ 3,913.99 |
| | G05501 | HANGING SUSPENSION LOAD CELLS - For Suspension weighing. 500Kg, 1100 lb | 9 414701 055015 | EA | \$ 749.99 |
| | | <u>Platforms</u> | | | |
| | G05900 | ALUMINIUM PLATFORM - 24.5" W X 86.5" L - A lightweight, high strength cattle platform designed to fit standard 4,400 lbs Gallagher loadbars. | 6 44012 00094 0 | EA | \$ 854.99 |
| | | Hand Held Readers | | | |
| - 5 | G03302 | HR4 HAND HELD PORTABLE READER - More than just an EID tag reader, the HR4 also records animal data such as breed, sex, condition score and pregnancy status, and shows history, enabling immediate stock management decisions. | 6 44493 03302 4 | EA | \$ 2,204.99 |
| -3 | G03303 | HR5 HAND HELD PORTABLE READER - The HR5 is an incredibly powerful portable data collection and editing device enabling users to record, edit and customize data any time, any place. | 6 44493 03303 1 | EA | \$ 3,038.99 |
| | | Readers and Antennas | | | |
| <u></u> , | G03111 | <u>CONTROLLER BR SERIES READER</u> - Easy to use, extremely reliable, fixed hands-free EID tag data collection. | 6 44493 03111 2 | EA | \$ 3,039.99 |

| | Item# | Description | Unit UPC | UOM | MSRP |
|----------|---------|--|-----------------|-----|----------------|
| | G031424 | <u>LARGE ANTENNA</u> - Longer panel, suitable for dairy and any other walk past identification applications. | 6 44493 31424 6 | EA | \$ 1,199.99 |
| | G03113 | <u>CONTROLLER R SERIES READER</u> - Entry level Reader Controller for fixed location, EID Tag Reading | 6 44493 03113 6 | EA | \$ 1,750.99 |
| ऴ | G03121 | SMALL ANTENNA - Shorter panel for constrained weighing of sheep or cattle in a chute or handler. | 6 44493 03121 | EA | \$ 759.99 |
| | | Horse Stall Waterers | | | |
| | A1100GR | Equi Fount - Corner Mount ; HEAT - Optional 22 watt heater | | EA | \$ 409.99 |
| | A1200GR | Equi Fount - Wall Mount; HEAT - Optional 22 watt heater | | EA | \$ 409.99 |
| | | <u>Lil Spring</u> | | | |
| | A2701 | Goat Waterer - 100 head sheep/goats; HEAT - 500 watt submersible heater included | | EA | \$ 780.99 |
| | A2801 | <u>Lil Spring</u> - 30 head beef or horses; HEAT - 500 watt submersible heater | | EA | \$ 739.52 |
| | A2901 | <u>Double Sided Lil Spring</u> - 60 head beef or horses; HEAT - 500 watt submersible heater | | EA | \$ 861.06 |
| 2 | A3001 | Lil Spring 30 head beef; 30 head horses; 50 head sheep; HEAT - 500 watt submersible heater | | EA | \$ 760.12 |
| | A3101DS | Double Side Lil Spring - 100 head beef / 50 head dairy HEAT - 500 watt submersible heater | | EA | \$ 1,027.92 |
| | A3201 | 4' Lil Spring -150 head beef / 75 head dairy; HEAT - 500 watt submersible heater | | EA | \$ 1,264.82 |
| | A3501 | <u>Lil Spring</u> -225 head beef / 110 head dairy; HEAT - 500 watt submersible heater | | EA | \$ 1,565.40 |
| | | Mira-Fount Energy Free | | | |
| | A3320 | Dairy Waterer - 2 Hole | Special Order | EA | \$ 1,946.99 |
| | A3330 | 1 Hole MiraFount - 50 head beef / 25 head dairy | | EA | \$ 993.94 |
| | A3345 | 1 Hole MiraFount - 75 head beef / 30 head dairy | | EA | \$ 1,246.29 |

| Item# | Description | Unit UPC | UOM | MSRP |
|----------|--|---------------|-----|----------------|
| A3354-S | <u>4 Hole Removable</u> - 200 head beef / 90 head dairy | | EA | \$ 1,895.19 |
| A3370-S | 6 Hole Removable - 250 head beef / 120 head dairy; 200 cow/calf units | | EA | \$ 2,206.25 |
| A3390 | 2 Hole Removable - 150 head beef / 60 head dairy | | EA | \$ 1,463.62 |
| A3410 | 2 Lid Hog MiraFount -100 head market hogs / 50 head sows | Special Order | EA | \$ 879.61 |
| A3410-4 | 4 Lid Hog MiraFount - 200 head market hogs / 100 head sows | Special Order | EA | \$ 1,119.60 |
| A3465 | 2 Hole MiraFount - 100 head beef / 40 head dairy | | EA | \$ 1,215.39 |
| | E-Fount | | | |
| A3330E | 1 Hole E-Fount - 50 head beef / 25 head dairy HEAT ELEMENT - 75 watts | | EA | \$ 1,241.14 |
| A3340E | 4 Hole Sheep E-Fount - 100 head sheep HEAT ELEMENT - 75 watts | | EA | \$ 1,241.14 |
| A3345E | 1 Hole MiraFount - 75 head beef / 30 head cattle HEAT ELEMENT - 75 watts | | EA | \$ 1,493.49 |
| A3354-SE | 4 Hole Removable E Fount - 200 head beef / 90 head dairy HEATING ELEMENT - Two 75 watt heaters | | EA | \$ 2,070.29 |
| A3390E | 2 Hole E-Fount - 150 head beef / 60 head dairy HEAT ELEMENT - 75 watts | | EA | \$ 1,708.76 |
| A3410E | 2 Lid Hog E-Fount - 100 market hogs / 50 sows; HEAT ELEMENT - 75 watts | Special Order | EA | \$ 1,119.60 |

| | Item# | loc | Description | Unit UPC | иом | MSRP |
|--------|----------|-----|---|---------------|-----|----------------|
| | A3410-4E | | 4 Lid Hog E-Fount - 200 market hogs / 100 sows HEAT ELEMENT - 75 watts | Special Order | EA | \$ 1,364.74 |
| F | A3465E | | 2 Hole E-Fount - 100 head beef / 40 head dairy; HEAT ELEMENT - 75 watts | | EA | \$ 1,462.59 |
| | | | Big Spring | | | |
| THE | A6000 | | Big Spring -250 head beef / 110 head dairy; HEAT - 500 watt heater (optional) (110 or 220 volt) | | EA | \$ 1,946.69 |
| | A6100 | | <u>Big Spring II</u> -110 head dairy HEAT - 500 watt heater (optional) (110 or 220 volt) | | EA | \$ 1,771.59 |
| | A6200 | | Big Spring 7' - 100 head dairy / 200 head beef; HEAT - 500 watt heater (optional) (110 or 220 volt) | | EA | \$ 1,532.63 |
| 1 | A6300 | | Big Spring 12' - 150 head dairy / 300 head beef HEAT 500 watt heater (optional)(110 or 220 volt) | Special Order | EA | \$ 2,101.19 |
| , , , | A6400 | | Big Spring 10' - 125 head dairy / 250 head beef HEAT - 500 watt heater (optional)(110 or 220 volt) | | EA | \$ 1,823.09 |
| | A6500 | | Big Spring 14' - 175 head dairy / 350 head beef HEAT - 500 watt heater (optional)(110 or 220 volt) | Special Order | EA | \$ 3,079.69 |
| | | | Pet Waterers | | | |
| source | A1000 | | <u>Lil Fount Pet Waterer</u> - e 5 gallon insulated reservoir with every fill. | | EA | \$ 163.76 |
| | | | <u>Heat Tubes</u> | | | |
| | A834 | | 14" X 30" Heat Tube - For installation below the Tank going down below the frost line. Use regional code guidelines for winter frost. | | EA | \$ 144.19 |
| | A834-5 | | <u>Heat Tube - Equi Fount</u> - Insulated extension tube allows water line to enter from below without freezing. Rubber plug can be removed for access to water shut off valve. | | EA | \$ 155.52 |
| | | | Heaters and Kits | | | |
| | A250 | | Heater for A1000 - 250W 110V Heater with Plug | | EA | \$ 113.29 |
| | A276 | | A1100 /A1200 Heater | | EA | \$ 100.93 |
| | A160 | | HEATER KIT 250 W 110V | | EA | \$ 131.83 |
| | A161 | | HEATER KIT 250 W 220V | | EA | \$ 167.20 |
| | A543 | | HEATER ONLY 250W 110V | | EA | \$ 94.75 |

| Item# | loc | Description | Unit UPC | UOM | MSRP |
|-----------|-----|---------------------------------------|----------|-----|--------------|
| A543/220 | | HEATER ONLY 250W 220V | | EA | \$ 127.12 |
| A162 | | Heater Kit 500W 110V | | EA | \$ 152.43 |
| A163 | | HEATER KIT 500W 220V | | EA | \$ 131.83 |
| A543-5 | | Heater ONLY 500W 110V | | EA | \$ 117.41 |
| A543-5/22 | | Heater ONLY 500W 220V | | EA | \$ 149.77 |
| A919-5 | | 5' 110v Heat Cable with Plug | | EA | \$ 41.19 |
| A919-5/22 | | 5' 220V Heat Cable with Plug | | EA | \$ 53.33 |
| A919-8 | | 8' 110v Heat Cable with Plug | | EA | \$ 46.65 |
| A919-8/22 | | 8' 220V Heat Cable with Plug | | EA | \$ 61.45 |
| 906400 | | Miraco Accessories | | | |
| A517 | | Valve Parts Kit | | EA | \$ 65.39 |
| A144 | | 36" Shut Off Rod | | EA | \$ 39.27 |
| A399-5 | | Sop And Waste Vavle Kit | | EA | \$ 269.13 |
| A640 | | Canadian Conversion Kit | | EA | \$ 56.26 |
| A948 | | Female Coupling with Gasket | | EA | \$ 31.86 |
| A156 | | 2' Hook Up Hose w/Fittings | | EA | \$ 33.98 |
| A158 | | 2' Hook Up Hose w/Shutoff Valve | | EA | \$ 42.01 |
| A449 | | 9" Drinker Ball (White Plug) | | EA | \$ 48.34 |
| A571 | | 10" Drinker Ball (Blue Plug) | | EA | \$ 40.57 |
| A643 | | 10 3/4" Drinker Ball (Black Plug) | | EA | \$ 51.46 |
| A471 | | 11 3/4" Drinker Ball (Old A3370 Ball) | | EA | \$ 56.67 |
| A521 | | 3/16" ORIFICE - HP VALVE | | EA | \$ 36.04 |
| A519 | | Super High Pressure Valve | | EA | \$ 34.08 |
| A336 | | 3/8" ORIFICE - LP VALVE BLACK | | EA | \$ 36.04 |
| A682 | | 1/2IN ORIFICE - GRAVITY WHITE | | EA | \$ 36.04 |
| A677 | | Plunger | | EA | \$ 5.65 |
| A680 | | Plunger Seat | | EA | \$ 1.12 |
| A678 | | Upper Arm | | EA | \$ 5.65 |
| A679 | | Lower Arm | | EA | \$ 5.65 |
| A681 | | Lock Pin | | EA | \$ 2.67 |
| A507 | | Valve Cap | | EA | \$ 4.83 |
| A508 | | Bottom Base | | EA | \$ 5.14 |
| A509 | | Low Pressure Orfice | | EA | \$ 3.80 |
| A510 | | Top Base | | EA | \$ 5.55 |
| A511 | | Lock Pin | | EA | \$ 2.56 |
| A512 | | Plunger Seat | | EA | \$ 0.77 |
| A513 | | Plunger | | EA | \$ 5.65 |
| A514 | | Base Screws | | EA | \$ 0.77 |
| A515 | | Upper Arm | | EA | \$ 5.65 |
| A516 | | Lower Arm | | EA | \$ 5.65 |
| A583 | | High Pressue Orfice | | EA | \$ 3.80 |
| A342M | | Nylon Ratchet | | EA | \$ 6.07 |
| A343 | | 1/4in Thumb Screw | | EA | \$ 4.21 |
| A345 | | 4x4 Bob Float | | EA | \$ 27.28 |
| A424 | | 3500 Float Arm | | EA | \$ 12.77 |
| A673 | | Special ABS T for Valve Assy | | EA | \$ 29.63 |

| Item# | Description | Unit UPC | UOM | MSRP |
|----------|---|-------------------|-----|--------------|
| A339 | 3/4in Male & Female St. L | | EA | \$ 7.82 |
| A322 | 2in Rubber Drain Plug | | EA | \$ 13.38 |
| A442 | Drain Plug with Bolt | | EA | \$ 25.02 |
| A983 | 2.7" Expansion Bolt | | EA | \$ 28.83 |
| A672 | Custom Barb Fitting | | EA | \$ 12.04 |
| A400 | 3/4in Stainless Steel Clamp | | EA | \$ 4.52 |
| A396 | 3/4in. Male and Barb Fitting | | EA | \$ 6.17 |
| A177 | 2900 Valve Assembly | | EA | \$ 92.36 |
| A185 | 1/2# x 5/8# GASKET MATERIAL | | EA | \$ 1.84 |
| A284 | 1/4IN X 1 1/4IN S.S. BOLT | | EA | \$ 3.49 |
| A957 | FEMALE THREADED COUPLING | | EA | \$ 9.26 |
| A444 | 28 29 30 31 & 3200 FLT ARM | | EA | \$ 6.79 |
| A260 | 6100 10IN FLOAT ARM | | EA | \$ 20.28 |
| A136 | 3/4IN 90 ELL FPT | | EA | \$ 6.27 |
| A425 | 3000 3100 3200 3310-4 FLT ASSY | | EA | \$ 36.45 |
| A586 | 3310-S 70 60-10 FLOAT ARM | | EA | \$ 12.92 |
| A546 | INSP PLUG RUBBER GKT/PER FOOT | | EA | \$ 1.48 |
| A409 | 4IN MALE ADAPTER | | EA | \$ 37.92 |
| A419 | 3/4IN FEM ADPT/W GASKET | | EA | \$ 25.72 |
| A423 | INSIDE FILL ASSEMBLY | | EA | \$ 44.74 |
| A440 | 3330 3354 3465 VALVE ASSY | | EA | \$ 55.23 |
| A292 | 1/4IN X 1/2IN HH BOLT | | EA | \$ 2.38 |
| A887 | E FOUNT THERMOSTAT | | EA | \$ 119.58 |
| A888 | E FOUNT HEAT ELEMENT | | EA | \$ 92.59 |
| | Watts by Gallagher | | | |
| | Couplers | | | |
| TAQ3039 | Quick Coupler Valve 3/4", attaches to paddock water | | EA | \$ 41.99 |
| TAQ3139 | system, for fast, easy moving of stock troughs Coupler Insert 3/4", attaches to stock trough and plugs into Quick Coupler Valve | 8 79311 00012 8 | EA | \$ 22.99 |
| ARSC134 | REDUCING SRAIGHT COUPLING: 1" x 3/4" Pipe | 8 79311 00013 1 5 | 5 | \$ 6.99 |
| ASC34 | Straight Coupling: 3/4" x 3/4" Pipe | | 10 | \$ 5.99 |
| ASC1 | Straight Coupling: 1" x 1" Pipe | 0 98268 14991 3 | 5 | \$ 6.99 |
| AQLCF34 | Quick Lock Female Coupling 3/4 in | | 10 | \$ 12.49 |
| AQLCF1 | Quick Lock Female Coupling 1 in | | 10 | \$ 12.99 |
| AQLCF114 | Quick Lock Female Coupling 1 1/4 in | 0 98268 15213 5 | 10 | \$ 13.99 |
| AQLCF112 | Quick Lock Female Coupling 1 1/2 in | | 10 | \$ 16.99 |
| AQLCM34 | Quick Lock Male Coupling 3/4 in | 0 98268 17758 9 | 10 | \$ 12.49 |
| AQLCM1 | Quick Lock Male Coupling 1 in | 0 98268 15207 4 | 10 | \$ 12.99 |
| AQLCM114 | Quick Lock Male Coupling 1 1/4 in | 0 98288 15209 8 | 10 | \$ 13.99 |
| AQLCM112 | Quick Lock Male Coupling 1 1/2 in | 0 2020 10213 4 | 10 | \$ 16.99 |
| | <u>Adapters</u> | | | |
| AMA34 | Male Adapter 3/4" x 3/4" Male NPT Thread | 0 98268 15014 8 | 10 | \$ 5.79 |
| AMA1 | Male Adapter 1/2" x 1" Male NPT Thread | 0 98268 15015 5 | 5 | \$ 6.49 |
| AFA34 | Female Adapter: 3/4" x 3/4" Female NPT | 0 98268 15019 3 | 10 | \$ 5.99 |
| AFA1 | Female Adapter: 1" Pipe x 1" Female NPT | 0 98268 15020 9 | 5 | \$ 6.29 |

| | Item# | Description | Unit UPC | иом | | MSRP |
|------------|---------|--|-----------------|------|----|-------|
| | | <u>Unions</u> | | | | |
| | AFU34 | Female Union: 3/4"x 3/4" Female NPT | 0 95268 14973 9 | 10 | \$ | 18.99 |
| | AFU1 | Female Union: 1" x 1" Female NPT | 0 98268 15191 6 | 10 | \$ | 19.99 |
| | AFU114 | Female Union: 1 1/4" x 1 1/4" Female NPT | 0 98268 15192 3 | 5 | \$ | 20.99 |
| | APU34 | Pipe Union: 3/4" Pipe x 3/4" Male NPT | 0 98268 14972 2 | 5 | \$ | 18.99 |
| | APU1 | Pipe Union: 1" Pipe x 1" Male NPT Thread | 0 98268 15186 5 | 5 | \$ | 19.99 |
| | APU114 | Pipe Union: 1 1/4" Pipe x1 1/4" Male NPT | 0 98268 16188 3 | 5 | \$ | 20.99 |
| | | <u>Tees</u> | | | | |
| - | AT34 | Tee: 3/4" x 3/4" x 3/4" Pipe | 0 98268 15022 3 | 10 | \$ | 8.29 |
| - | AT1 | Tee: 1" x 1" x 1" Pipe | 0 98268 15029 2 | 5 | \$ | 9.49 |
| - | AT114 | Tee: 1 1/4" x 1 1/4" x 1 1/4" Pipe | o 98268 15030 8 | 5 | \$ | 15.99 |
| - | ART134 | Reducing Tee: 1" x 1" x 3/4" Pipe | 0 98268 15040 7 | 5 | \$ | 8.99 |
| | AFT34 | Female Tee 3/4"x3/4"x 3/4" Female NPT | 0 98268 15052 0 | 10 | \$ | 9.99 |
| | AFT1 | Female Tee 1"x 1"x 1" Female NPT | 0 98268 15062 9 | 5 | \$ | 9.99 |
| - | ARFT134 | Female Reducing Tee 1"x1"x3/4" FemaleNPT | | 5 | \$ | 9.99 |
| | | <u>Elbows</u> | | | | |
| | AE34 | Elbow: 3/4"Pipe x 3/4" Pipe | 0 98268 15067 4 | 10 | \$ | 6.99 |
| -3 | AE1 | Elbow: 1"Pipe x 1" Pipe | 0 98268 15069 8 | 5 | \$ | 8.29 |
| - | AME34 | Male Elbow: 3/4" x 3/4" Male NPT | 0 98268 15080 3 | 10 | \$ | 6.59 |
| | AME1 | Male Elbow: 1" x 1" Male NPT | 0 98268 16097 1 | 5 | \$ | 7.29 |
| | AFE34 | Female Elbow: 3/4" x 3/4" Female NPT | 0 98268 15101 5 | 10 | \$ | 7.29 |
| - | AFE1 | Female Elbow: 1" x 1" Female NPT | 0 98268 15117 6 | 5 | \$ | 8.29 |
| | ARFE134 | Reducing Female Elbow 1"x3/4" Female NPT | 0 80200 15102 | 10 | \$ | 7.89 |
| | | Foot and Check Valves | | | | |
| | | 1" NPT ANKA Foot Valve - Plunger style and full flow. | | | | |
| The same | AFV1 | Unlike traditional poppet-style valves, ANKA valves are spring loaded, plunger style, non-return valves. Providing an upward | | EA | \$ | 21.50 |
| | | of more than 60% more flow, can be installed at any angle and | 0 98268 15199 2 | | · | |
| U | | open with just 1/2 psi. 1 1/4" NPT ANKA Foot Valve - Plunger style and full flow. | | | | |
| | | Unlike traditional poppet-style valves, ANKA valves are spring | | | | |
| The second | AFV114 | loaded, plunger style, non-return valves. Providing an upward | 0 98268 15200 5 | EA | \$ | 23.50 |
| | | of more than 60% more flow, can be installed at any angle and open with just 1/2 psi. | 0 96266 13200 3 | | | |
| - | | 1 1/2" NPT ANKA Foot Valve - Plunger style and full flow. | | | | |
| | | Unlike traditional poppet-style valves, ANKA valves are spring | | | | |
| | AFV112 | loaded, plunger style, non-return valves. Providing an upward of more than 60% more flow, can be installed at any angle and | 0 98268 15201 2 | EA | \$ | 33.50 |
| | | open with just 1/2 psi. | | | | |
| | | 2 1/2" NPT ANKA Foot Valve - Plunger style and full | | | | |
| | | flow. Unlike traditional poppet-style valves, ANKA valves are | | | | |
| | ACV1 | spring loaded, plunger style, non-return valves. Providing an upward of more than 60% more flow, can be installed at any | | EA | \$ | 20.50 |
| | | angle and open with just 1/2 psi, ANKA valves are high | 0 98268 15203 6 | | | |
| | | performance, high quality and durable. 3 1/2" NPT ANKA Foot Valve - Plunger style and full | | | | |
| | | flow. Unlike traditional poppet-style valves, ANKA valves are | | | | |
| | ACV114 | spring loaded, plunger style, non-return valves. Providing an | | EA | \$ | 22.50 |
| 1 | | upward of more than 60% more flow, can be installed at any | 0 98268 15204 | _, . | 7 | |
| | | angle and open with just 1/2 psi, ANKA valves are high performance, high quality and durable. | 0 90200 13204 3 | | | |
| | | | | | | |

| | Item# | Description | Unit UPC | иом | | MSRP |
|-----|--------------|---|-------------------|-----|----|-------|
| | ACV112 | 4 1/2" NPT ANKA Foot Valve - Plunger style and full flow. Unlike traditional poppet-style valves, ANKA valves are spring loaded, plunger style, non-return valves. Providing an upward of more than 60% more flow, can be installed at any angle and open with just 1/2 psi, ANKA valves are high performance, high quality and durable. | 0 98268 14980 7 | EA | \$ | 32.50 |
| | | Trigger Guns | | | | |
| T | AHNT20 | 3/4" Trigger Gun - Industrial grade glass fiber reinforced nylon and nitrile rubber making them durable and reliable. Practical features like a quick on off action, adjustable spray pattern, adaptable 3/4" hose connection and a protective and non-marketing outer rubber ring | 0 98268 14981 4 | EA | \$ | 25.99 |
| | AHNT20HW | 3/4" Hot Water Trigger Gun - Industrial grade glass fiber reinforced nylon and viton seals (hot water trigger) making them durable and reliable. Practical features like a quick on off action, adjustable spray pattern, adaptable 3/4" hose connection and a protective and non-marketing outer rubber ring. The Hot Water Trigger Spray Gun is recommended for temperatures above 180°F (82°C). At that temperature, a heat-safe connection such as ANKA Male Coupling must be used. | 0 98268 15224 1 1 | EA | \$ | 27.99 |
| | ATNSK | Trigger Gun Service Kit | 0 98268 14989 0 | EA | \$ | 7.99 |
| | ATNSK-H | Trigger Gun (Hot Water) Service Kit | 0 98268 15249 4 | EA | \$ | 10.99 |
| | | Wash Down Nozzle | | | | |
| | AHNS25-25 | 1" Wash Down Hose Nozzle w/ 1" Hose Tail - Protective outer rubber ring with high flow rates. Durable, quick action on/off, adjustable spray pattern. Serviceable unit made from non-corrodible high-quality materials | 0 98268 15226 5 | EA | \$ | 32.99 |
| | AHNS32-32 | 1.25" Wash Down Nozzle w/ 1.25" HoseTail - Protective outer rubber ring with high flow rates. Durable, quick action on/off, adjustable spray pattern. Serviceable unit made from non- corrodible high-quality materials | 0 98268 15227 2 | EA | \$ | 34.99 |
| 130 | AHN40-40 | 1.5" Wash Down Nozzle w/ 1.5" Hose Tail - Protective outer rubber ring with high flow rates. Durable, quick action on/off, adjustable spray pattern. Serviceable unit made from non-corrodible high-quality materials | 0 98268 15229 6 | EA | \$ | 57.99 |
| | ANRKS-Small0 | 1" and 1.25" Wash Down Nozzle Service Kit | 0 98268 15246 3 | EA | \$ | 5.99 |
| | ANRKL-Large | 1.5" Large Wash Down Nozzle Service Kit | | EA | \$ | 6.99 |
| | | <u>Trough Valve</u> | 0" 98268 14986 9 | | | |
| | AXF1-3/4 | 3/4" & 1" Xtraflo Trough Valve & Float - The Xtraflo valve is a compact, armless, diaphragm valve will full flow and fast fill performance. Designed for large and medium troughs with high demand. Made from uv stabilized, fibre glass reinforced nylon. Compact diaphragm valve - full on/off Full flow, fast fill average output of 80gpm @ 60psi Armless valve | 0 98268 16070 3 | EA | \$ | 70.00 |
| | AXF11/4 | 1 1/4" Xtraflo Trough Valve & Float - The Xtraflo valve is a compact, armless, diaphragm valve will full flow and fast fill performance. Designed for large and medium troughs with high demand. Made from uv stabilized, fibre glass reinforced nylon. Compact diaphragm valve - full on/off Full flow, fast fill average output of 80gpm @ 60psi Armless valve | 0 98268 16073 4 | EA | \$ | 75.00 |

| | Item# | Description | Unit UPC | иом | ı | MSRP |
|--|----------|--|-----------------|-----|----|--------|
| Top Entry Version As the provides back Claw prevention | AXFTEK | Xtraflo Top Entry Kit - Top Entry Xtraflo designed for compact top entry installation. Same features, operation and flow as the armless Xtraflo valve. BOTTOM | 0 98268 16074 | EA | \$ | 81.00 |
| 10 | AP3/4-1 | 3/4" Acetyl Trough Valve w Cord - This full-flow valve is designed to handle large volumes of water to quickly fill large troughs. It can be serviced in place, without the use of tools. With fewer features, it is an economical alternative to the Xcess valve. Ultra high flow rate 97gpm @175psi Made from UV stabilized and non corrosive materials Easily serviced plunger removable without disconnecting valve or arm | 0 98268 16095 6 | EA | \$ | 45.00 |
| | A220P3/4 | 220 Plastic Trough Valve 3/4" - Valve is a acetyl, plunger activated valve for medium sized troughs ideally those with confined inlet compartments for connection to a hose or silencer tube. Working pressure 0 - 200 psi Removable seat for lower pressures (tool included) Barbed outlet for cistern application Long tail - no tank fitting required | 0 98268 16106 9 | EA | \$ | 37.00 |
| | A220P1 | 220 Plastic Trough Valve 1" - Valve is a acetyl, plunger activated valve for medium sized troughs ideally those with confined inlet compartments for connection to a hose or silencer tube. Working pressure 0 - 200 psi Removable seat for lower pressures (tool included) Barbed outlet for cistern application Long tail - no tank fitting required | 0 98268 16107 6 | EA | \$ | 40.00 |
| | ASS3/4 | 3/4" Space Saver Trough Valve w/ Float - Compact Acetyl valve designed for small individual troughs and drinkers. Noncorrosive materials — ideal for hydroponic applications. Noncorrosive materials - ideal for Hydroponic applications Float can be rotated to fit in small spaces Plunger Activated Provided with long tail and back nut; no tank fitting required. Working pressure 0-120psi | 0 98268 16109 0 | EA | \$ | 44.61 |
| | AXS3/4-1 | Xcess 3/4" & 1" - Xcess valve is designed for fast filling of large troughs. The unique camlock compatible allows for convenient water supply connection for other jobs on the farm. Easily serviced while in place and functioning without tools makes Xcess easy to maintain and reliable. Plunger Style valve High flow fast fill valve - average 80gpm @ 70psi Camlock compatible adapter Easily Serviced - while in line and no tools Long and short tail versions Shut off pin UV Stabilized and corrosion resistant Working pressure 0-175psi | 0 98268 16080 2 | | \$ | 65.00 |
| | ARKXF | Repair Kit - Xtraflo | 0 98268 16157 1 | EA | \$ | 37.99 |
| | | <u>Tank / Reservoir Valves</u> | | | | |
| | ABA11/4 | 1 1/4" BIGBOY Dual Level Reservoir Valve - Designed as variable level, diaphragm activated and full flow valve, the Big AL is used in large pump fed water tanks or reservoirs, main or storage tanks or as a control valve back up in Rain Water Harvesting. | 0 98268 16020 8 | EA | \$ | 255.00 |
| | ABA11/2 | <u>1 1/2" BIGBOY Dual Level Reservoir Valve</u> - Designed as variable level, diaphragm activated and full flow valve, the Big AL is used in large pump fed water tanks or reservoirs, main or storage tanks or as a control valve back up in Rain Water Harvesting. | 0 98268 16024 6 | EA | \$ | 275.00 |
| | APB1 | PumpBuddy 1" - Designed as a diaphragm activated, variable level, full flow valve, the Pump Buddy is used in pump fed water tanks or reservoirs, main or storage tanks or as a control valve back up in Rain Water Harvesting. | 98268 16061 1 | EA | \$ | 165.00 |

| | Item# | Description Description | Unit UPC | иом | | MSRP |
|---|------------------|--|-----------------|-----|----------|----------------|
| | APB3/4 | <u>PumpBuddy 3/4"</u> - Designed as a diaphragm activated, variable level, full flow valve, the Pump Buddy is used in pump fed water tanks or reservoirs, main or storage tanks or as a control valve back up in Rain Water Harvesting. | 0 98268 16051 2 | EA | \$ | 145.00 |
| • | | RainAid Tank Valve | | | | |
| | ARA3/4 | Rainaid Valve 3/4" - Designed to be connected to the main water supply on a rainwater collection tank to provide a backup supply of water in the event demand exceeds rain supply. Adjustable water levels save electricity increases pump life Full flow diaphragm activated valve Long tail (no tank fitting required) | 0 98268 16112 0 | EA | \$ | 115.00 |
| | | Miscellanous Watts Parts | | | | |
| • | AFLT150B | 6" Black Ball Float | 0 98268 16126 7 | EA | \$ | 16.99 |
| | FVSOCK | Foot Valve Filter Sock | | EA | \$ | 13.99 |
| | TSi Parts | | | | | |
| | 2M1832 | Memory Stick | | | \$ | 77.22 |
| | 2M1827 | Power Supply | | | \$ | 77.22 |
| | 2K0721 | 110V Cable for Power Supply | | | \$ | 10.60 |
| | 8A0043 | Battery Leads | | | \$ | 26.51 |
| | G01916 | Mounting Bracket | | | \$ | 77.22 |
| | 4G0543 | Red Alligator Clip for battery wiresets | | | \$ | 7.73 |
| | 2M1833 | Wristband Memory Stick | | | \$ | 77.22 |
| | 4G0542 | Black Alligator Clip for battery wiresets | | | \$ | 7.73 |
| | 4G1667 | Latch for plastic carry case | | | \$ | 1.90 |
| | = | les Parts 210, 810 | | | ۲ | 47.00 |
| | 2M1695 2K1635 | Power Supply Serial Cable | | | \$ | 47.99 |
| | 2M1546 | USB-Serial Converter | | | \$ \$ | 16.96 52.49 |
| | 4G2209 | Mounting Bracket | | | ۶ \$ | 44.12 |
| | T8A1173 | Battery Leads | | | \$ | 44.12 |
| | 4G0543 | Red Alligator Clip for battery wiresets | | | \$ | 7.73 |
| | 4G0542 | Black Alligator Clip for battery wiresets | | | \$ | 7.73 |
| | G03202 | Bluetooth USB Dongle (while Supplies Last) | | | \$ | 199.99 |
| | G03203 | Bluetooth for RS232 Adaptor | | | \$ | 209.99 |
| | G05100 | 6m Extension Kit for Heavy Duty Loadbars | | | \$ | 219.99 |
| | G05600 | 4m panel Reader Extension Kit | | | \$ | 360.99 |
| | W110 Indi | icator & Loadbars | | | | |
| | G01030 | W110 Battery Kit | | | \$ | 51.81 |
| | G01031 | Back Enclosure | | | \$ | 86.37 |
| | G01032 | Front Enclosure | | | \$ | 116.06 |
| | G01033 | Module & LCD | | | \$ | 250.99 |
| | G01034 | Loadbar Kit | | | \$ | 729.99 |
| | G01035 | Loadbar Mount Block Kit | | | \$ | 170.52 |
| | | adbar Alley way | | | | |
| | 2A5401 | Loadcell Kit (2 x 750KG Loadcells & Cable & Plug) | | | \$ | 549.99 |
| | G0500 | 20' Extension for Alleyway Loadbars (1 Cable) | | | \$ | 249.99 |

| Item# | loc | Description | Unit UPC | UOM | | MSRP | |
|------------------------|----------|---|------------|-----|----|--------|--|
| TW Scales | | | | | | | |
| 2M1916 | | Power Supply 12V DC 4A | | | \$ | 48.16 | |
| 2K0721 | | 110V Power Cord | | | \$ | 10.60 | |
| 2K1677 | | Cable USB-A T USB-B 1M | | | \$ | 7.00 | |
| G02611 | | TW Bracket | | | \$ | 57.99 | |
| HR3 Parts | | | | | | | |
| 2M1609 | | Power Supply | | | \$ | 68.95 | |
| 2K1635 | | Serial Cable | | | \$ | 16.96 | |
| 2K0751 | | Black coiled cable | | | \$ | 77.44 | |
| 2K0753 | | Battery wireset | | | \$ | 9.01 | |
| 4G0543 | | Red Alligator Clip for battery wiresets | | | \$ | 7.73 | |
| 4G0542 | | Black Alligator Clip for battery wiresets | | | \$ | 7.73 | |
| 4G1667 | | Latch for plastic carry case | | | \$ | 1.90 | |
| Panel Read | er Parts | | | | | | |
| 2M1630 | | Power Supply | | | \$ | 212.17 | |
| 2K0721 | | 110V Cable for Power Supply | | | \$ | 10.60 | |
| 2K1635 | | Short serial cable | | | \$ | 16.96 | |
| 2M1690 | | Power Supply - Low Noise for R Series (must use wit | th A17504) | | \$ | 128.99 | |
| A17504 | | 110V Cable for Power Supply (must use with 2M169 | 90) | | \$ | 26.51 | |
| 2K0779 | | Long serial cable | | | \$ | 15.99 | |
| 2M1546 | | USB-Serial Converter | | | \$ | 52.49 | |
| 2K0777 | | Battery wireset | | | \$ | 38.71 | |
| 4G0543 | | Red Alligator Clip for battery wiresets | | | \$ | 7.73 | |
| 4G0542 | | Black Alligator Clip for battery wiresets | | | \$ | 7.73 | |
| A738 | | 12V Cell Battery for BR Reader | | | \$ | 51.49 | |
| G05605 | | Cable Antenna Splitter (Sheep) | | | \$ | 299.99 | |
| G05600 | | 20' Extension for Antennas | | | \$ | 360.99 | |
| G05606 | | Cable Antenna Splitter (Cattle) | | | \$ | 399.99 | |
| Energizer Repair Tools | | | | | | | |
| G503014 | | Tester DVM3 USA | | | \$ | 97.99 | |
| G50600 | | 500 ohm test load | | | \$ | 44.55 | |
| T48004 | | Torx Tamperproof Key Set | | | \$ | 20.15 | |
| M360 / M5 | 60 / M8 | 00 Energizer | | | | | |
| G323584 | | Module (M360/M560) | | | \$ | 134.86 | |
| G323574 | | Module (M800) | | | \$ | 160.44 | |
| 2C0857 | | Capacitor 20Uf (M360) | | | \$ | 43.78 | |
| 2C0858 | | Capacitor 30Uf (M560) | | | \$ | 55.37 | |
| 2C0843 | | Capacitor 40Uf (M800) | | | \$ | 56.37 | |
| 2A7086 | | Transformer | | | \$ | 99.77 | |
| 2N2114 | | Case Front | | | \$ | 29.54 | |
| 2N2115 | | Case Back | | | \$ | 33.41 | |
| 2M1389 T | 2A323 | Fuse | | | \$ | 1.90 | |
| | | Output Terminal Assembly | | | \$ | 11.31 | |
| M1100 / M | 1500 Er | nergizer | | | | | |
| G324594 | | Module (M1100) | | | \$ | 214.96 | |
| G324584 | | Module (M1500) | | | \$ | 218.58 | |
| | | | | | | | |