

## Screen for Child Anxiety Related Disorders (SCARED) CHILD Version—Page 1 of 2 (to be filled out by the CHILD)

Developed by Boris Birmaher, M.D., Suneeta Khetarpal, M.D., Marlane Cully, M.Ed., David Brent, M.D., and Sandra McKenzie, Ph.D., Western Psychiatric Institute and Clinic, University of Pittsburgh (October, 1995). E-mail: birmaherb@upmc.edu

See: Birmaher, B., Brent, D. A., Chiappetta, L., Bridge, J., Monga, S., & Baugher, M. (1999). Psychometric properties of the Screen for Child Anxiety Related Emotional Disorders (SCARED): a replication study. *Journal of the American Academy of Child and Adolescent Psychiatry*, 38(10), 1230–6.

Name: \_\_\_\_\_ Date: \_\_\_\_\_

**Directions:**

Below is a list of sentences that describe how people feel. Read each phrase and decide if it is “Not True or Hardly Ever True” or “Somewhat True or Sometimes True” or “Very True or Often True” for you. Then, for each sentence, fill in one circle that corresponds to the response that seems to describe you *for the last 3 months*.

	0 Not True or Hardly Ever True	1 Somewhat True or Sometimes True	2 Very True or Often True	
1. When I feel frightened, it is hard to breathe	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	PN
2. I get headaches when I am at school.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SH
3. I don't like to be with people I don't know well.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SC
4. I get scared if I sleep away from home.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SP
5. I worry about other people liking me.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	GD
6. When I get frightened, I feel like passing out.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	PN
7. I am nervous.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	GD
8. I follow my mother or father wherever they go.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SP
9. People tell me that I look nervous.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	PN
10. I feel nervous with people I don't know well.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SC
11. I get stomachaches at school.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SH
12. When I get frightened, I feel like I am going crazy.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	PN
13. I worry about sleeping alone.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SP
14. I worry about being as good as other kids.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	GD
15. When I get frightened, I feel like things are not real.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	PN
16. I have nightmares about something bad happening to my parents.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SP
17. I worry about going to school.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SH
18. When I get frightened, my heart beats fast.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	PN
19. I get shaky.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	PN
20. I have nightmares about something bad happening to me.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	SP

**Screen for Child Anxiety Related Disorders (SCARED)**  
**CHILD Version—Page 2 of 2 (to be filled out by the CHILD)**

	0 Not True or Hardly Ever True	1 Somewhat True or Sometimes True	2 Very True or Often True	
21. I worry about things working out for me.	○	○	○	GD
22. When I get frightened, I sweat a lot.	○	○	○	PN
23. I am a worrier.	○	○	○	GD
24. I get really frightened for no reason at all.	○	○	○	PN
25. I am afraid to be alone in the house.	○	○	○	SP
26. It is hard for me to talk with people I don't know well.	○	○	○	SC
27. When I get frightened, I feel like I am choking.	○	○	○	PN
28. People tell me that I worry too much.	○	○	○	GD
29. I don't like to be away from my family.	○	○	○	SP
30. I am afraid of having anxiety (or panic) attacks.	○	○	○	PN
31. I worry that something bad might happen to my parents.	○	○	○	SP
32. I feel shy with people I don't know well.	○	○	○	SC
33. I worry about what is going to happen in the future.	○	○	○	GD
34. When I get frightened, I feel like throwing up.	○	○	○	PN
35. I worry about how well I do things.	○	○	○	GD
36. I am scared to go to school.	○	○	○	SH
37. I worry about things that have already happened.	○	○	○	GD
38. When I get frightened, I feel dizzy.	○	○	○	PN
39. I feel nervous when I am with other children or adults and I have to do something while they watch me (for example: read aloud, speak, play a game, play a sport).	○	○	○	SC
40. I feel nervous when I am going to parties, dances, or any place where there will be people that I don't know well.	○	○	○	SC
41. I am shy.	○	○	○	SC

**SCORING:**

A total score of  $\geq 25$  may indicate the presence of an **Anxiety Disorder**. Scores higher than 30 are more specific. **TOTAL =**

A score of **7** for items 1, 6, 9, 12, 15, 18, 19, 22, 24, 27, 30, 34, 38 may indicate **Panic Disorder** or **Significant Somatic Symptoms**. **PN =**

A score of **9** for items 5, 7, 14, 21, 23, 28, 33, 35, 37 may indicate **Generalized Anxiety Disorder**. **GD =**

A score of **5** for items 4, 8, 13, 16, 20, 25, 29, 31 may indicate **Separation Anxiety SOC**. **SP =**

A score of **8** for items 3, 10, 26, 32, 39, 40, 41 may indicate **Social Anxiety Disorder**. **SC =**

A score of **3** for items 2, 11, 17, 36 may indicate **Significant School Avoidance**. **SH =**

*For children ages 8 to 11, it is recommended that the clinician explain all questions, or have the child answer the questionnaire sitting with an adult in case they have any questions.*

*The SCARED is available at no cost at [www.wpic.pitt.edu/research](http://www.wpic.pitt.edu/research) under tools and assessments, or at [www.pediatric bipolar.pitt.edu](http://www.pediatric.bipolar.pitt.edu) under instruments.*

## Center for Epidemiological Studies Depression Scale for Children (CES-DC)

Instructions: Below is a list of the ways you might have felt or acted. Please check how much you have felt this way during the past week.

DURING THE PAST WEEK	Not At All	A Little	Some	A Lot
1. I was bothered by things that usually don't bother me.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2. I did not feel like eating, I wasn't very hungry.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
3. I wasn't able to feel happy, even when my family or friends tried to help me feel better.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4. I felt like I was just as good as other kids.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
5. I felt like I couldn't pay attention to what I was doing.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
6. I felt down and unhappy.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
7. I felt like I was too tired to do things.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
8. I felt like something good was going to happen.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
9. I felt like things I did before didn't work out right.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
10. I felt scared.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
11. I didn't sleep as well as I usually sleep.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
12. I was happy.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
13. I was more quiet than normal.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
14. I felt lonely, like I didn't have any friends.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
15. I felt like kids I know were not friendly or that they didn't want to be with me.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
16. I had a good time.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
17. I felt like crying.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
18. I felt sad.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
19. I felt people didn't like me.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
20. It was hard to get started doing things.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

# VANDERBILT ADHD DIAGNOSTIC PARENT RATING SCALE

Patient Name: \_\_\_\_\_ Today's Date: \_\_\_\_\_  
 Date of Birth: \_\_\_\_\_ Age: \_\_\_\_\_  
 Grade: \_\_\_\_\_

Each rating should be considered in the context of what is appropriate for the age of your child.

Frequency Code: 0 = Never; 1 = Occasionally; 2 = Often; 3 = Very Often

1. Does not pay attention to details or makes careless mistakes, such as in homework	0	1	2	3
2. Has difficulty sustaining attention to tasks or activities	0	1	2	3
3. Does not seem to listen when spoken to directly	0	1	2	3
4. Does not follow through on instruction and fails to finish schoolwork (not due to oppositional behavior or failure to understand)	0	1	2	3
5. Has difficulty organizing tasks and activities	0	1	2	3
6. Avoids, dislikes, or is reluctant to engage in tasks that require sustained mental effort	0	1	2	3
7. Loses things necessary for tasks or activities (school assignments, pencils, or books)	0	1	2	3
8. Is easily distracted by extraneous stimuli	0	1	2	3
9. Is forgetful in daily activities	0	1	2	3
10. Fidgets with hands or feet or squirms in seat	0	1	2	3
11. Leaves seat when remaining seated is expected	0	1	2	3
12. Runs about or climbs excessively in situations when remaining seated is expected	0	1	2	3
13. Has difficulty playing or engaging in leisure activities quietly	0	1	2	3
14. Is "on the go" or often acts as if "driven by a motor"	0	1	2	3
15. Talks too much	0	1	2	3
16. Blurts out answers before questions have been completed	0	1	2	3
17. Has difficulty waiting his or her turn	0	1	2	3
18. Interrupts or intrudes on others (butts into conversations or games)	0	1	2	3
19. Argues with adults	0	1	2	3
20. Loses temper	0	1	2	3
21. Actively defies or refuses to comply with adults' requests or rules	0	1	2	3

# VANDERBILT ADHD DIAGNOSTIC PARENT RATING SCALE

Each rating should be considered in the context of what is appropriate for the age of your child.

Frequency Code: 0 = Never; 1 = Occasionally; 2 = Often; 3 = Very Often

22. Deliberately annoys people	0	1	2	3
23. Blames others for his or her mistakes or misbehaviors	0	1	2	3
24. Is touchy or easily annoyed by others	0	1	2	3
25. Is angry or resentful	0	1	2	3
26. Is spiteful and vindictive	0	1	2	3
27. Bullies, threatens, or intimidates others	0	1	2	3
28. Initiates physical fights	0	1	2	3
29. Lies to obtain goods for favors or to avoid obligations ("cons" others)	0	1	2	3
30. Is truant from school (skips school) without permission	0	1	2	3
31. Is physically cruel to people	0	1	2	3
32. Has stolen items of nontrivial value	0	1	2	3
33. Deliberately destroys others' property	0	1	2	3
34. Has used a weapon that can cause serious harm (bat, knife, brick, gun)	0	1	2	3
35. Is physically cruel to animals	0	1	2	3
36. Has deliberately set fires to cause damage	0	1	2	3
37. Has broken into someone else's home, business, or car	0	1	2	3
38. Has stayed out at night without permission	0	1	2	3
39. Has run away from home overnight	0	1	2	3
40. Has forced someone into sexual activity	0	1	2	3
41. Is fearful, anxious, or worried	0	1	2	3
42. Is afraid to try new things for fear of making mistakes	0	1	2	3
43. Feels worthless or inferior	0	1	2	3
44. Blames self for problems, feels guilty	0	1	2	3

# VANDERBILT ADHD DIAGNOSTIC PARENT RATING SCALE

Each rating should be considered in the context of what is appropriate for the age of your child.

Frequency Code: 0 = Never; 1 = Occasionally; 2 = Often; 3 = Very Often

45. Feels lonely, unwanted, or unloved; complains that “no one loves” him or her	0	1	2	3
46. Is sad, unhappy, or depressed	0	1	2	3
47. Is self-conscious or easily embarrassed	0	1	2	3

## PERFORMANCE

	Problematic		Average	Above Average	
<b>Academic Performance</b>					
1. Reading	1	2	3	4	5
2. Mathematics	1	2	3	4	5
3. Written expression	1	2	3	4	5
<b>Classroom Behavior</b>					
1. Relationships with peers	1	2	3	4	5
2. Following directions/rules	1	2	3	4	5
3. Disrupting class	1	2	3	4	5
4. Assignment completion	1	2	3	4	5
5. Organizational skills	1	2	3	4	5