

SURFACES IN JUST 60 SECONDS!

JaniSource, LLC

478 Bramblewood Hts. Marietta, OH 45750

877-MOP-HEAD Parvoscrub.com

Description

For use in: Veterinary clinics, animal life science laboratories, animal research centers, animal guarantine areas, animal breeding facilities, animal holding areas, kennels, dog/cat animal kennels, breeding and grooming establishments, pet animal quarters, zoos, pet shops, tack shops, operating rooms, washing areas, waiting rooms, examination rooms, and other animal care facilities.

This product has been designed for veterinarians and all facilities where animals are present. This broad-spectrum bactericide, virucide, fungicide is a highly effective cleaner and disinfectant.

Benefits	Areas of Use
Saves time, labor and money	Animal Life Sciences
More powerful cleaner	Veterinary Clinics
Economical use	Breeders
Reduces animal health risks	Kennels
Leaves surfaces smelling clean	Zoos
	Pet Shops
	Floors, Walls, Cates, Tables
	Saves time, labor and money More powerful cleaner Economical use Reduces animal health risks

Directions

Prior to use of this product, remove all animals and feeds from areas to be treated, animal transportation vehicles, and enclosures (coops, crates, kennels, stables). Remove all litter, droppings and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other surfaces of facilities and fixtures occupied or traversed by poultry or other animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean surfaces with soap or detergent and rinse with water. Refer to original container label for complete use directions.



0.5 oz. Parvo Scrub per 1 gal. Water



2.25 oz. Parvo Scrub per 1 gal. Water

Parvo Scrub II®

Veterinary Grade Disinfectant & Kennel Cleaner

.5 oz.	Avian Influenza A H5N1 Virus
	Avian Influenza A H9N2/Turkey/Wisconsin Virus
	Avian Reovirus
	Bovine Viral Diarrhea Virus
	Canine Distemper
	Canine Coronavirus
	Equine Arteritis Virus
	Infectious Avian Laryngotracheitis
	Infectious Bovine Rhinotracheitis Virus (IBR)
	Infectious Bronchitis Virus
	Newcastle Disease Virus
	Porcine Respiratory & Reproductive Virus (PRRSV)
	Porcine Rotavirus
	Pseudorabies Virus
	Transmissible Gastroenteritis (TGE)
	Vaccinia Virus
	Canine Adenovirus
	Canine Parainfluenza Virus
	Feline Calicivirus
	Feline Infectious Peritonitis
	Feline Leukemia Virus
	Feline Panleukopenia
	Feline Picomavirus
	Feline Rhinotrachetis
	Infectious Canine Hepatitis Virus
	Murine Parainfluenza Virus Type 1
	Rabies Virus
)Z.	Canine Parvovirus (CPV)
2.25 oz.	Minute Virus of Mice (Parvovirus)
	Porcine Parvovirus

Contact time = 10-min

Effective against Canine Parvovirus (CPV), Minute virus of Mice (Parvovirus) and Porcine Parvovirus. At 2.25 ounces per gallon of water (or equivalent to dilution). This product is found to be effective against Canine Parvovirus (CPV), Minute virus of Mice (Parvovirus) and NOTE TO PHYSICIAN: Probable Porcine Parvovirus on hard, non-porous environmental surfaces in the presence of 5% serum with a 10-minute contact time.

ACTIVE INGREDIENTS

Didecyl Dimethyl Ammonium Chloride: 10.14%

Alkyl (50% C14, 40% C12, 10% C16) Dimethyl Benzyl Ammonium Chloride 6.76%

OTHER INGREDIENTS: 83.10%

TOTAL: 100.00%

DANGER

KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and chemical-resistant gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before use.

FIRST AID

Have the product container or label with you when calling a poison control center, doctor, or going for treatment.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center, doctor or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call poison control center or doctor for treatment advice.

IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center to doctor for further treatment advice.

mucosal damage may contraindicate the use of gastric lavage.

Created by: JaniSource, LLC

478 Bramblewood Hts., Marietta, OH 45750

877-MOP-HFAD

PRODUCT SPECIFICATIONS

Color:

Clear

Odor:

Pleasant

pH (con.):

6.0 - 8.0

Base:

Quaternary ammonium chloride

Viscosity:

Water thin

Foam:

Moderate

Abrasives:

None

Solubility:

Complete with water

Dilution:

1 oz/gal (1:128)

Detergency:

Excellent

Rinsability:

Excellent

Flash Point:

None (waterbased)

Hard Water Tolerance:

400ppm

Biodegradability:

Complete

Storage/Stability:

1 year

Weight per Gallon:

8.68 lbs/gal.

Freeze / Thaw Stability:

Keep from freezing



Parvoscrub.com