

STREETLIGHTING FURNITURE – CITY BEAUTIFICATION



VOLTRONICS
SALES & MARKETING

Indoor Wall Lights



DONUT

LED WATTAGE : 10 / 20 / 30W
P.F. : >0.95
LED COLOR : 3000K / 4000K / 6000K
BODY COLOR : WHITE / BLACK / GREY
TEXTURE FINISH



CONE

LED WATTAGE : 20 / 30W
P.F. : >0.95
LED COLOR : 3000K / 4000K / 6000K
BODY COLOR : WHITE / BLACK / GREY
TEXTURE FINISH



ICE CUBES

LED WATTAGE : 2X10 / 2X15W
P.F. : >0.95
LED COLOR : 3000K / 4000K / 6000K
BODY COLOR : WHITE / BLACK / GREY
TEXTURE FINISH



SPARKLE

LED WATTAGE : 3 / 6 / 10W
P.F. : >0.95
LED COLOR : 3000K / 4000K / 6000K
RED / GREEN / BLUE / AMBER
BODY COLOR : WHITE / BLACK / GREY
TEXTURE FINISH



TOWER

FIXTURE SIZE : 200 X 100 X 500MM
LED WATTAGE : 20 / 30 / 40W
P.F. : >0.95
LED COLOR : 3000K / 4000K / 6000K
BODY COLOR : WHITE / BLACK / GREY
SILVER TEXTURE FINISH




TILE

LED WATTAGE : 10 / 20 / 30W
P.F. : >0.95
LED COLOR : 3000K / 4000K / 6000K
BODY COLOR : SLATE / BLACK / SILVER
/ GOLD TEXTURE FINISH



Indoor Wall Lights






GARDEN BOLLARDS

MATERIAL : MILD STEEL PIPE, ALUMINIUM PROFILE
PROTECTOR : CLEAR PMMA
HEIGHT : 200 / 400 / 600 / 900 MM
WATTAGE : 5 / 7 / 9 / 12W
IP PROTECTION : IP66
COLOR : WHITE / SILVER / BLACK
CCT : 3000K / 4000K



VOLTRONICS
SALES & MARKETING

Spike Lights




SPIKE

MATERIAL : ALUM. DIE CAST
LED WATTAGE : 3 / 5 / 7W
CCT : 3000K / 4000K
BODY COLOR : BLACK & GREY
LED COLOR : RGB, ANY MONO COLOR



Architectural Urban Deco Lights



KERINA

Kernia LED Pole 1x30W
Wattage 1x30W (2700 lumens)
Out Voltage 56V – 60V
Current 700mA
P.F. >0.95
Efficiency 82%
THD <30%
SPD 6KVA
LED Color 3200 K, 6500 K
Pole Specification
Bottom DIA : 140mm
Top DIA : 60mm
Available Sizes : 3M, 4M, 5M,
6M, 7M, 8M



GIRAFFE

Giraffe LED Pole 1x30W
Wattage 1x30W (2700 lumens)
Out Voltage 56V – 60V
Current 700mA
P.F. >0.95
Efficiency 82%
THD <30%
SPD 6KVA
LED Color 3200 K, 6500 K
Pole Specification
Bottom DIA : 140mm
Top DIA : 60mm
Available Sizes : 3M, 4M, 5M,
6M, 7M, 8M




CLASSIC

Classic LED Pole 1x30W
Wattage 1x30W (2700 lumens)
Out Voltage 56V – 60V
Current 700mA
P.F. >0.95
Efficiency 82%
THD <30%
SPD 6KVA
LED Color 3200 K, 6500 K
Pole Specification
Bottom DIA : 100mm
Top DIA : 60mm
Available Sizes : 3M, 4M, 5M, 6M



Decorative Poles




VIO

VIO LED Pole 1 x30W

Wattage : 1x 30W (2700 lumens)
Out Voltage : 56V – 60V
Current : 700 mA
P.F. : >0.95
Efficiency : 82%
THD : <30%
SPD : 6 KVA
LED Color : 3200 K, 6500 K

Pole Specification

Bottom DIA : 140 mm
Top DIA : 60mm
Available Sizes : 3M, 4M, 5M, 6M





ALBA

ALBA LED Pole 1 x30W

Wattage : 1x 30W (2700 lumens)
Out Voltage : 56V – 60V
Current : 700 mA
P.F. : >0.95
Efficiency : 82%
THD : <30%
SPD : 6 KVA
LED Color : 3200 K, 6500 K

Pole Specification

Bottom DIA : 140 mm
Top DIA : 60mm
Available Sizes : 3M, 4M, 5M, 6M



VOLTRONICS
SALES & MARKETING

Modular LED Wall Fittings

Wall Hat



Seekowall

Doomed



Disc Wall


Opeda



Wall Shed




Ornamental Poles



VIPER

Pole Specification


Bottom DIA : 114mm
Top DIA : 60mm
Available Sizes : 3M, 4M, 5M,
6M, 7M, 8M



DECORA

Pole Specification

Bottom DIA : 114mm
Top DIA : 60mm
Available Sizes : 3M, 4M, 5M,
6M, 7M, 8M



STEFFI

Pole Specification

Bottom DIA : 114mm
Top DIA : 60mm
Available Sizes : 3M, 4M, 5M,
6M, 7M, 8M



VOLTRONICS
SALES & MARKETING

Ornamental Poles




ROYALE

Pole Specification

Bottom DIA : 140mm

Top DIA : 60mm

Available Sizes : 3M, 4M, 5M,
6M, 7M, 8M




FLAG - 2

Pole Specification

Bottom DIA : 114mm

Top DIA : 60mm

Available Sizes : 3M, 4M, 5M,
6M, 7M, 8M



SPOON

Pole Specification

Bottom DIA : 114mm

Top DIA : 60mm

Available Sizes : 3M, 4M, 5M,
6M, 7M, 8M



VOLTRONICS
SALES & MARKETING

Pl. contact :

Ketan@voltronics.in

www.voltronics.in

Mob : 9310659016, 9999411270



VOLTRONICS
SALES & MARKETING