

Certificate of Analysis

Company: Clovis LLC
 Sample ID: TF
 Lot: 0099-001-001
 Report Date: 2/23/2023
 Date Analyzed: 2/23/2023
 Analyst: 011
 Report ID: C230216AN
 Matrix: Flower
 Date Sampled: 1/18/2023
 Date Received: 2/16/2023
 Customer ID: 22100
 Grower License #: [REDACTED]

Cannabinoid Summary

Cannabinoid Profile	LOQ (mg/g)	Concentration (mg/g)	Weight (%)
CBDVA	0.0005	<LOQ	<LOQ
CBDV	0.0012	<LOQ	<LOQ
CBDA	0.0008	0.93	0.09
CBGA	0.0008	25.49	2.55
CBG	0.0019	1.49	0.15
CBD	0.0019	<LOQ	<LOQ
THCV	0.0021	<LOQ	<LOQ
CBN	0.0013	<LOQ	<LOQ
Δ9-THC	0.0020	6.97	0.70
Δ8-THC	0.0019	<LOQ	<LOQ
THC-A	0.0034	192.02	19.20
CBC	0.0024	<LOQ	<LOQ
Total THC		175.38	17.54
Total CBD		0.81	0.08
Total Cannabinoids		226.90	22.69

17.54%	0.08%
Total THC	Total CBD
22.69%	0.7%
Total Cannabinoids	Δ9-THC
10.76%	1 : 0
Percent Moisture	THC : CBD Ratio

Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:
 Total THC = (THCA x 0.877) + Δ9-THC
 Total CBD = (CBDA x 0.877) + CBD
 Ratio of Total CBD: Total THC
 Reagent Blanks: < LOQs for all analytes


LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement.
 Δ9-THC MU = ±0.005%
 Total THC MU = ±0.007%

All other cannabinoid MU values are available upon request.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model M690 Moisture Content Readers.



This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by: Luke E. M.
 Luke Emerson Mason (Laboratory Director, Bia Diagnostics)

(802) 540-0148 laboratory@biadiagnostics.com Certificate Registration Number: CL_50_2021_002

THINK FAST