ADHIKAANSH
ACADEMY
(IITJEE NEET IX X XI XII)

RUN BY:

DEEPAK SAINI SIR

B.TECH, M.TECH (N.S.I.T. DELHI UNIVERSITY)
Ex. Faculty of
Resonance Kota, Career Point Kota
Aakash Institute Mumbai

MATHS NOTES

(CLASS 11TH)

FOR MORE FREE QUESTION BANKS AND SAMPLE PAPER WT'S UP ON : 7665186856

Chapter 16

Probability

For important terms and definitions refer NCERT text book.

Type- I

Concept : sample space

(1) NCERT text book page 386 question no. 1 (*)

(2) NCERT text book page 386 question no. 2 (*)

(3) NCERT text book page 386 question no. 3 (*)

(4) NCERT text book page 386 question no. 4 (*)

(5) NCERT text book page 386 question no. 5 (*)

(6) NCERT text book page 386 question no. 11 (*)

(7) NCERT text book page 386 question no.12 (**)

Type- II

Concept : types of events

(1) NCERT text book page 393 question no. 2 (*)

(2) NCERT text book page 393 question no. 3 (*)

(3) NCERT text book page 393 question no. 1 (*)

(4) NCERT text book page 393 question no. 4 (**)

(5) NCERT text book page 392 example 7 (**)

Type- III

Concept : Algebra of events: AUB , A∩B , A but not B etc

(1) NCERT text book page 393 question no. 6 (**)

EXTRA AND HOT QUESTIONS

(1) From a group of 2 men and 3 women 2 persons are selected . Describe the sample space of the experiment. If E is the event in which 1 man and 1 woman are selected. Then which are the cases favourable to E (Type-I*)

(2) Two dice are rolled. A is the event that the sum of the numbers shown on the two dice is 5.B is the event that at least one of the dice shows up a 3.Are the two events A and B.

(a) Mutually exclusive.

(b) Exhaustive (Type-II**)

(3) Two dice are thrown the events A , B, C are as follows

A: Getting an odd number on the first die.

B: Getting a total of 7 on the two dice.

C: Getting a total of greater than or equal to 8 on the two dice.

Describe the following events

(a) AUB

(b) A'

(c) B – C

(d) B∩C

PROBABILITY OF AN EVENT

Important concepts

$P(E) = \dfrac{no\ of\ outcomes\ favourable\ to\ E}{total\ no\ of\ outcomes}$

If A and B are two mutually exclusive events P (AUB) = P(A) + P(B)

If A and B are any two events then P (AUB) = P(A) + P(B)-- P(A∩B)

P(not A) = 1—P(A)

Type – I

Concept: Probability of an event

(1) N.C.E.R.T text book page 404 question no.3(*)
(2) N.C.E.R.T text book page 404 question no.4(**)
(3) N.C.E.R.T text book page 404 question no.8(**)
(4) N.C.E.R.T text book page 404 question no.10(**)
(5) N.C.E.R.T text book page 403 example 14(**)
(6) N.C.E.R.T text book page 400 example 10(**)

EXTRA AND HOT QUESTIONS

(7) Three identical dice are rolled . Find the probability that the same number will appear on each of them.
   Ans: 1/36 (hot)

(8) Two dice are thrown simultaneously . Find the probability of getting a total of 9.
   Ans: 1/9 (*)

(9) A bag contains 8 red ,3 white and 9 blue balls. Three balls are drawn at random from the bag. Determine the probability that none of the balls drawn is white .
   Ans: 34/57 (**)

(10) In a single throw of 3 dice. Find the probability of not getting the same number on all the dice.
   Ans: 35/36 (**)

(11) The letters of the word "SOCIETY " are placed at random in a row .What is the probability that the 3 vowels come together.
   Ans: 1/7 (**)

(12) Find the probability that in an arrangement of the letters of the word "DAUGHTER" the letter D occupies the first place.
   Ans: 1/8 (**)

(13) Find the probability that in a random arrangement of the letters of the word "INSTITUTION' the three T's are together.
   Ans: P 1/110 (**)

Type – II

P(AUB)= P(A) + P(B)   (mutually exclusive cases)

P (AUB) = P(A) + P(B)-- P(A∩B)

   (1) N.C.E.R.T page 405 question no.14(**)

 (2) N.C.E.R.T page 405 question no.15(*)

 (3) N.C.E.R.T page 405 question no.16(**)

 (4) N.C.E.R.T page 405 question no.17(**)

 (5) N.C.E.R.T page 405 question no.18(**)

 (6) N.C.E.R.T page 405 question no.19(**)

 (7) N.C.E.R.T page 405 question no.20 (**)

 (8) N.C.E.R.T page 409 misc exercise question no.3 (**)

 (9) N.C.E.R.T page 401 example 11(**)

EXTRA AND HOT QUESTIONS

(1) One card is drawn from a set of 17 cards numbered 1 to 17. Find the probability that the number is divisible by 3 or 7.
Ans: 7/17.   (*)

(2) Two dice are thrown together. What is the probability that the sum of the numbers of the two faces is neither 9 nor 11.
Ans : 5/16   (*)

(3) Two unbiased dice are thrown. Find the probability that neither a doublet nor a total of 10 will appear.
Ans: 7/9   (**)

(4) Two cards are drawn from a well shuffled pack of 52 cards without replacement .Find the probability that neither a jack nor a card of spade is drawn.
Ans: 105/221 (**)

(5) If   P(AUB)=0.6 and P(A∩B)=0.2. Find P($\bar{A}$) + P($\bar{B}$)
Ans: 1.2

(6) A and B are two mutually exclusive events if P(A) = 0.5 and P($\bar{B}$) =0.6. Find P(AUB)

Type – III

At least one, at most one cases

(1) N.C.E.R.T   page 402   examples 12 (**) {hot}
(2) N.C.E.R.T   page 407   example 15 (**)
(3) N.C.E.R.T   page 408   misc exercise question .1 (**) {hot}
(4) N.C.E.R.T   page 408   misc exercise question.2 (**)
(5) N.C.E.R.T   page 409   misc exercise question 7 (**)
(6) N.C.E.R.T   page 409   misc exercise question 9 (**)

EXTRA AND HOT QUESTIONS

(1) Three coins are tossed once . Find the probability of getting
   (a) Atmost 2 heads
   (b) Atleast 2 heads
   (c) Exactly 2 tails
   (d) Atmost 2 tails
   (e) 3 heads
   (f) No heads

   Ans: (a) 7/8 (b)1/2   (c)3/8   (d)7/8   (e)1/8   (f)1/8

(2) The probability that a student will get A,B,C or D grade are 0.4,0.35,0.15and 0.1 respectively. Find the probability that she will get
   (a) B or C grade
   (b) Atmost C grade
(3) In a single throw of 2 dice write the corresponding events and the probability of getting
   (a) A total of 9
   (b) Two ones
   (c) Atleast one 6
   (d) A sum of 9 or 11
   (e) A sum of atleast 10
   (f) A sum as a prime number
      Ans: (a)1/9(b)1/36(c)11/36(d)1/6(e)1/6(f)5/12

Adhikaansh Academy
225/5, Panchsheel Colony, Apposite to Nandini Plaza ,
Garh Road Meerut. Contact no: 7665186856