

THERMA TRU[®]
DOORS | Where Home Begins.™



2022 Full-Line Catalog

Building Professionals' Entry & Patio Door Directory



Therma-Tru. Where home begins.

Choosing a Therma-Tru® door means designing an inspired entrance with the confidence that it will perform for years to come.

Whether it's Classic or Contemporary – or somewhere in between – Therma-Tru offers a wide selection to complement the architecture of a home and a homeowner's sense of style.

But it's more than beauty that makes Therma-Tru the brand builders and remodelers prefer most.* With a complete door system engineered with craftsman precision and backed by more than 60 years of industry experience, you can be confident that it will perform as exceptionally as it looks.

That's where the beauty of choosing Therma-Tru begins.

*Brand Use Studies, 2021 *Builder* and 2019 *Remodeling* magazines.

Top: Classic Craft Fir Grain, Satin Etch Glass with SDLs, Doors – CCA82360, Finish – Rustic Clay

Right Page: Fiber-Classic Mahogany Collection, Chinchilla Glass with SDLs, Door – FCM4814XJ, Finish – Raven

Table of Contents



Uncompromising
quality, inside and out.

Your favorite doors – reorganized.

Throughout the catalog you'll find doors organized by glass shape (largest to smallest), followed by glass design, and then texture.

Introduction	2–45
2022 Trends	4–9
NEW Products	10–16
Curb Appeal	17, 20–21
Door Selections	18–19, 22–23
Door System Components	24–25
Tru-Defense®	26–27
Safety & Security	28–29
Decorative & Specialty Glass	30–35
Impact-Rated Products	36–37
Patio, Storm & Vent	38–45
Hinged Patio Door Systems	40–41
Retractable Screen Doors	42–43
Impressions™ Integrated Storm & Entry Door System	44–45
Classic Craft®	46–127
Decorative & Specialty Glass	60–69
Accessories	70–71
Hinged Patio Doors	124–127
Fiber-Classic® & Smooth-Star®	128–227
Decorative & Specialty Glass	134–141
Accessories	142
Hinged Patio Doors	222–227
Steel	228–253
Profiles™	230, 233–247
Traditions	230, 248–253
Decorative & Specialty Glass	231–232
Fire Doors	254–259
Pulse®	260–273
Finish Options	274–278
PrismaGuard® Stain & Paint	274–277
Same-Day® Stain Kit	278
Door System Components	279–293
Special Quote Program	294
3'6" Width Options Chart	295
7'0" & 6'6" Height Options Charts	296–297
Product Details	298–299
Index	300–314
Trade Resources	315

CASUAL HAVEN

HOME TRENDS

Casual Haven

Modern Revival

Renewed History




Natural Light

Simplified

Serene

Gentle





Organic Textures



Calming Environment



Familiar Roots

MODERN REVIVAL

HOME TRENDS

Casual Haven

Modern Revival

Renewed History




Material Mixing

Retro

Textural

Streamlined





Warm Minimalism



Modern Nature



Fresh Eclectic

renewed HISTORY

HOME TRENDS

Casual Haven

Modern Revival

Renewed History




Heritage Architecture

Dressy

Elevated

Classic







Textured Materials



Relaxed Refinement



Elegant Comfort

NEW Mahogany-Grained Flush-Glazed Doors & Sidelites
For Classic Craft®, Artíssa, Founders & Visionary Collections





A fresh aesthetic with versatile appeal.

Whether casual, traditional or modern, new Classic Craft® Mahogany-grained 3/4-lite flush-glazed doors bring an updated look to virtually any home. Available with a variety of glass options, starting on page 82.



EnLiten™ Flush-Glazed Riders
for Construction & Installation, and Homeowners

Note: See your Therma-Tru seller or visit thermatru.com for details on available product sizes and options, limited warranties and exclusions, and Riders.

Left: Classic Craft Mahogany Grain, Homeward Glass, Door – CCM82801, Finish – Barley

Top Right: Classic Craft Mahogany Grain, Satin Etch Glass with SDLs, Door – CCM2812XE, Finish – Acorn

NEW Shaker-Style Entry Door Options for Fiber-Classic® Mahogany Collection™ & Smooth-Star®



NEW Flush-Glazed Saratoga™ Decorative Glass for Fiber-Classic® Mahogany Collection™ & Smooth-Star®

Elevate the entry with handcrafted appeal. Shaker-style Craftsman doors and sidelites are now available with flush-glazed Saratoga decorative glass.

Available in Fiber-Classic and Smooth-Star, starting on page 210.



*To confirm code requirements in your jurisdiction, always check with your local building code authority.

**Available for full-lite sidelites only.

Note: Fiber-Classic and Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, Riders, ENERGY STAR qualified products, product approvals and installation instructions. Please verify that there is a Therma-Tru product approval for the configuration before buying.

Top: Fiber-Classic Mahogany Collection, Saratoga Glass, Door – FCM6240, Sidelites – FCM6201SL, Transom – 19750T, Finish – Sweet Date
Right Page: Smooth-Star, Chord Glass with SDLs, Door – S4813XC, Sidelites – S2000XCSSL, Finish – Onyx

NEW 7'0" Shaker-Style Options for Smooth-Star®


Our assortment of popular Shaker-style looks expands to include 7'0" heights, bringing this on-trend design to more homes. The new 7'0" Craftsman Shaker-style door also features an elevated bottom rail for ADA applications.*

Available in Smooth-Star, starting on page 210.

Available Door & Sidelite



Available Glass Options



NEW Saratoga Satin Etch (XE) Chord (XC) Chinchilla (XJ)



Rainglass (XR) Granite (XN) Low-E

Additional Sidelite Glass Options



Reeded (XK)** Geometric (XG)**

Available Glass Shapes & SDL Patterns



Glass Shapes with GBG Patterns



EnLiten™ Flush-Glazed Warranty Riders

See page 33 for details on the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners.



Residential



Commercial & Multi-Resident




NEW 8'0" Smooth-Star® Flush-Glazed Doors with Elevated Bottom Rail



More natural light.

Ideal for multi-family new construction and remodeling, the popular 8'0" Smooth-Star flush-glazed full-lite door has been redesigned with an elevated bottom rail to meet ADA requirements.* Starting on page 153.



Residential



Commercial & Multi-Resident



EnLiten™ Flush-Glazed Riders
for Construction & Installation, and Homeowners



Elevated
U1: 10-1/4"
Book / Hybrid: 10-15/32"

8'0" Flush-Glazed Full-Lite Door

*For ADA compliance, door must be 3'0" wide.

Note: Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, Riders, ENERGY STAR qualified products, product approvals and installation instructions. Please verify that there is a Therma-Tru product approval for the configuration before buying.

Top: Smooth-Star, Clear Glass, Door – S8000, Finish – Onyx

NEW Retractable Screen Doors

for Therma-Tru® Door Systems



A breath of fresh air.

Discover a retractable screen solution with a discreet, hidden design – providing a seamless transition from indoors to outdoors. The Therma-Tru retractable screen door allows fresh air and natural light inside while keeping debris and insects out. Plus, it's been quality tested for compatibility with Therma-Tru entry door systems.

Available with most Therma-Tru® inswing door systems, starting on page 42.



Installation is quick and easy, taking approximately 30 minutes.*

Warranty Coverage (Excluding screen mesh.)

When purchased with a Therma-Tru door system.



Classic Craft




Fiber-Classic,
Smooth-Star,
Pulse Fiberglass



Profiles, Traditions,
Pulse Steel



When installed separately.



*Based on average DIY skills and standard door application, widths 32"-36".

Note: Recommended for inswing applications only. Therma-Tru retractable screens are designed to support natural ventilation and protection against airborne insects and other pests. Windy conditions may affect the performance of the screen. Retract the screen in windy circumstances, during inclement weather and when not needed to support immediate ventilation or prolonged periods of time when not used. Not intended to keep pets inside. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.

Top: Fiber-Classic Mahogany Collection, Clear Glass with SDLs, Door – FCM4816, Finish – Acorn, Retractable Screen – White

NEW Impressions™ Storm & Entry Door System

Therma-Tru® in Partnership with LARSON®



Purposeful design.

Explore first-to-market advanced technology in an integrated storm and entry door solution* from Therma-Tru, in partnership with LARSON. The Impressions integrated storm and entry door system is designed to outperform expectations.

Starting on page 44.

We're better together.

Therma-Tru and LARSON offer a combined 120+ years of innovation and market-leading solutions to deliver high-quality products you can trust from the #1 entry door brand** and #1 storm door company.***



*Patent pending.

**Brand Use Studies, 2021 *Builder* and 2019 *Remodeling* magazines.

***Based on market data 2020 / 2021.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, and installation instructions.

Top: Impressions Storm & Entry Door System – IM100, Finish – Black; Smooth-Star, Clear Glass with GBGs, Door – S2103, Finish – Onyx

Right Page: Classic Craft Mahogany Grain, Zaha Glass, Door – CCM82302, Sidelites – CCR81851SL, Finish – Shale

A smart investment.

Lifetime Limited Warranties

We stand behind more parts and for longer than other door companies because we make or specify everything that goes into our door system. A Therma-Tru fiberglass door system is backed by the industry's most comprehensive lifetime limited warranties.



Energy Efficiency

In any region or climate, energy efficiency is key. More than 80% of Therma-Tru door and glass options are ENERGY STAR® qualified and National Fenestration Rating Council (NFRC) certified, helping save money on energy costs.




Quality Testing

Our doors, glass and components are held to high standards. We conduct thorough testing to help ensure that our products will live up to a homeowner's toughest quality and performance expectations.



The Beauty of Choice

The architectural beauty of a Therma-Tru door is easy to see. With the look of real wood, rich panel details and intricate, handcrafted decorative glass designs, there are thousands of possibilities to suit the style of a home and express a homeowner's personal style.



Door Selections

Find choices in design, texture and material with many configurations available to find the ideal door system. More on pages 22–23.



Finish Options

Complete the desired look with stain or paint. Explore a variety of colors from PrismaGuard® premium finish and Same-Day® stain on pages 274–278.



Decorative & Specialty Glass

Complement any Therma-Tru door with a variety of glass shapes and designs. More on pages 30–35.



Door System Components

Have confidence in a door system made with genuine Therma-Tru components to meet the needs of many applications. More on pages 24–29.

Bottom: Smooth-Star, Clear Glass with SDLs, Door – S4814, Sidelites – S2000SL, Finish – Onyx

Right Page: Classic Craft Mahogany Grain, Granite Glass with SDLs, Doors – CCM8306CARXN, CCM8306CALXN, Finish – Autumn Harvest





Selecting a Door System

Therma-Tru pays close attention to regional and consumer trends to deliver choices designed to inspire. Keep these considerations in mind when choosing from our portfolio of door system products:

- What is the size of the doorway?
- What is the style of the home?
- Does the homeowner want to stain or paint the door?
- How much light or privacy is desired?

Also consider:

- Building codes specific to applications, such as house-to-garage, as well as regional weather conditions.



Make a Smart Investment



After

The importance of curb appeal.

A stylish new front entryway can help convey your personal style and highlight your home's overall architectural style and curb appeal.

“The door gives a focal point to the front of the house.”
– Homeowner, Survey Respondent




Before

*Not a guarantee of investment returns, increase in value or selling price. See 2021 Therma-Tru National Home Valuation Study surveying real estate agents about perceived remodeled home value estimates based on exterior appearance. Not based on actual home sales data. Results may vary based on region, door style and home style. Study was commissioned by Therma-Tru and conducted by the Farnsworth Group, an independent research provider.

Fresh look. Increased value.

In a recent survey, real estate agents were shown images of various homes, including some that had been modified with a new Therma-Tru door, and asked to estimate the value of the home. While results varied, the survey suggests choosing a Therma-Tru door that complements the home's architecture could **add up to 7% to the perceived value** of a remodeled home.*

That's a potential increase of up to \$21,000 on a \$300,000 home for a project that can be done in a single day.



Renovating?

Get the most for your money. A new entry door can pay for itself – and then some. A recent survey suggests homeowners who choose a stylish new Therma-Tru entry can significantly improve the curb appeal of their home, and with a door that complements their home's architecture, can increase the overall perceived value of their home.*

Selling soon?

In a recent survey, 44% of homeowners said they were more likely to purchase a home with an enhanced entry, and one in three homeowners said they were willing to pay a premium for one.*

"In my experience on both the seller and buyer side, the entry door is always key."

– Real Estate Agent, Survey Respondent



According to most real estate agents and trade professionals in a recent survey, curb appeal is one of the top three factors for home buyers.*

Door Selections

Choose from our many door selections to complement the architectural style of the home from the front entry to the back patio. The possibilities are endless from fiberglass and steel materials to wood-grained and smooth textures to stainable and paintable finishes.

The Classic Craft® Series Pages 46-127

Our premier engineered-to-last entryways showcase remarkably authentic wood grains and textures. Explore three curated collections inspired by the latest trends to bring your home design vision to life.




Artíssa Collection Casual | Relaxed | Simple



Founders Collection Traditional | Time-Honored | Decorative




Visionary Collection Modern | Confident | Minimal




Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.

Fiber-Classic® Collections Pages 128–227

The industry's first fiberglass door delivers the look and feel of real Mahogany and Oak with excellent performance and value.



Mahogany Collection™



Oak Collection™



Smooth-Star® Pages 128–227

A smooth, ready-to-paint fiberglass door that offers excellent performance and value.



Smooth-Star.



Steel Pages 228–253

Bring style and affordability together to create very attractive results with our steel doors.



Profiles™



Door & Glass



Traditions



Door



Glass

Pulse® Pages 260–273

A contemporary series of door styles and glass designs that can be combined to make a bold statement.



Fiberglass




Steel



Ari



Línea




Echo


Engineered to Work Together

Our complete door systems feature doors, glass and components engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.







1 Weatherstrip is engineered in a variety of profiles to provide the best possible fit with our door systems, helping to deliver a precise seal between the **door** and **frame**. In addition, a rot-free Therma-Tru **composite door frame*** delivers extra protection from the damaging effects of moisture.




2 Sill and bottom sweep form a tight seal against wind-driven moisture infiltration at the bottom of the door system and help channel moisture away from the home. **Sill pan** (recommended) adds an extra layer of protection to help keep moisture away from the subfloor.




3 Corner seal pads (inswing only) complete the seal between the **sill cap**, **bottom sweep** and **weatherstrip** to help block potential pathways where wind-driven moisture can infiltrate the bottom corner of the door system.




4 Hinges position the **door** to properly compress the **weatherstrip** to help form a tight, even seal against air and moisture infiltration when the door closes.



5 Multi-point locking system (recommended) engages the door and frame at three points from top to bottom for enhanced security while helping to preserve the **weatherstrip's** seal even under wind pressure.



6 Lip-lite frame (shown right) features a **compression seal** against weather on the outside of the **door** and an **adhesive seal** against weather on the outside of the **glass**. **Flush-glazed glass** (shown left) is built directly into the door without a Lip-lite frame, featuring a **high-performance adhesive weather seal** inside and out.



Composite Door Frame* featuring Tru-Guard™ Composite Technology

Therma-Tru® composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.



Tru-Defense® Warranty Rider


A Therma-Tru. door system with Tru-Defense system components is a high-performing door system backed by a lifetime limited warranty and a comprehensive Tru-Defense Warranty Rider.



Tru-Defense: The Ultimate Protection

More than beautiful doors and glass; a complete door system includes the components used to assemble it. We manufacture or specify every aspect of a complete door system. The Therma-Tru. genuine components in a Tru-Defense door system are our premium options for long-lasting durability.

Double Your Peace of Mind

When it comes to door systems, we believe that proper installation is just as important as having the best components. A Tru-Defense door system installed by a Therma-Tru Certified Door System Installer doubles your reimbursement eligibility should an issue arise.* Look for the  icon.

CERTIFIED
DOOR SYSTEM
INSTALLER

THERMA-TRU®
DOORS

*The Rider does not warrant workmanship of anyone who assembles or installs a Tru-Defense door system, including Therma-Tru Certified Door System Installers, nor any damages caused by improper handling, assembly or installation.

**Latch and deadbolt must meet Therma-Tru specifications.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.

Top: Classic Craft Canvas, Provincial Glass, Door – CCV10028, Sidelites – CCV108SL, Transom – CC420T, Finish – Chestnut

Required Components for Tru-Defense Door System

with Therma-Tru Fiberglass Door Slab & Components




Door Frame ❖

Provides a solid structure for the door slab and components.
Recommended: Therma-Tru Composite Door Frame



Corner Seal Pads ❖

(Inswing Only)
Fit securely behind the weatherstrip to help block wind-driven moisture infiltration at the bottom corner of the door system.



Composite Adjustable Sill ❖

Provides a solid stepping surface and forms a tight seal at the bottom of the door system to help channel moisture away from the home.



Weatherstrip ❖

Features a resilient design to help deliver a precise seal between the door and frame.



Bottom Sweep ❖ (Inswing Only)

A dual-bulb, dual-fin design helps maintain tight contact with adjustable sill caps and creates added barriers against moisture.



Astragal ❖ (Double Doors)

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability.



Hinges ❖

Ensure smooth operation and position the door so it creates a tight seal with the weatherstrip when closed.



Rain Guard ❖ (Outswing Only)


Creates a barrier at the top of the door to protect against moisture infiltration.

Recommended Components



Multi-Point Locking System ❖

(MPLS)
Engages the door and frame at three points from top to bottom for enhanced security and sealing.



Sill Pan ❖

Adds an extra layer of protection to help keep moisture away from the subfloor; protects flooring by catching and draining water in the event of infiltration.

Levels of Reimbursement

System Components	Reimbursement Eligibility	Reimbursement Eligibility with a Certified Installer
Latch & Deadbolt (No Sill Pan)**	\$250	\$500
Latch & Deadbolt with Sill Pan**	\$500	\$1,000
MPLS (No Sill Pan)	\$1,000	\$2,000
MPLS with Sill Pan	\$1,250	\$2,500

Baseline components required to qualify for the Tru-Defense Warranty Rider.


Fiberglass Door Systems Built for Safety & Security

Protect the home and everything in it, from family and pets to valuables and keepsakes. Therma-Tru products are designed for durability and enhanced security with pieces and parts engineered as a complete system.


Did you know?



On average, a home is burglarized in the U.S. every 45 seconds.¹



More than half of home burglaries occur during the daytime.²



How do burglars enter the home?

**34% Front Door³
22% Back Door³**



Home burglary rates are highest in the summer.⁴

Therma-Tru Composite Door Frame

More reliable and up to 50% stronger on average than standard wood door frames when withstanding a simulated forced entry attempt by kicking in the door.*

- Features full-length jambs with no finger joints for more reliable performance, and a continuous composite material that will not deteriorate over time, like wood.
- Entries with a wooden door frame are more susceptible to being kicked in as compared to a Therma-Tru composite door frame, giving burglars access to your home within seconds.
- Wood jambs typically have finger joints. These areas where two pieces of wood come together are structurally weaker when compared to a single continuous material that runs the entire length of the jamb.



Scan to see our products put to the test.



Therma-Tru Wood Jamb



Therma-Tru Composite Jamb

*Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

**Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit www.thermatru.com for details.

¹Source: FBI Uniform Crime Reporting Program, "2019 Crime in the United States."

²Source: FBI Uniform Crime Reporting Program, "2019 Crime in the United States," Table 7.

³Source: www.asecurelife.com

⁴Source: U.S. Department of Justice, Bureau of Justice Statistics, "Seasonal Patterns in Criminal Victimization Trends," June 2014.



Pendulum Impact Test

Therma-Tru Fiberglass Door Slab

Up to 30% more resistant to kick-ins than standard steel doors.**

Features durable construction that can withstand impact by absorbing and deflecting the force.**

- Built with enhanced lock blocks to help ensure proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- Will not dent or rust, nor will it warp, split, crack or rot.

Therma-Tru Glass

- Options feature double- or triple-pane construction and include two panes of tempered glass for enhanced safety and performance.

Material Myths: Think steel is stronger? Think again.

- While many people assume steel doors are the most secure against forced entry, Therma-Tru fiberglass doors are up to 30% more resistant to kick-ins than standard steel doors.**
- Standard steel doors can dent and bow, which leads more quickly to product failure. Therma-Tru fiberglass doors feature durable construction that can withstand impact by absorbing and deflecting the force.**
- Wood doors and steel doors may weaken over time with exposure to the elements.



Decorative & Specialty Glass

A Therma-Tru door system with decorative glass can create an entrance that makes a statement — one that says the homeowner has high standards for style, quality and craftsmanship.

- Our wide array of glass designs, from simple to intricate, reflect the home design trends and homeowner desires of today and tomorrow.
- Our glass designs are researched in the market to ensure they are highly rated in consumer preference.
- Numerous glass colors, textures, shapes and coming options are available to complement any door.
- All Low-E and clear glass panels are tempered or laminated to provide added safety.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on ENERGY STAR qualified products.

Bottom: Classic Craft Mahogany Grain, Borrassa Glass, Door – CCR822215, Sidelites – CCR8000XHSL




Contributes to an energy-efficient home.



Triple-Pane Construction

All triple-pane decorative, as well as privacy and textured, glass panels are enclosed between tempered glass, offering superior quality and thermal performance.





Our decorative glass is handcrafted and built with all-glass bevels for premium quality.

Find entry doors arranged by glass size, from large to small, to help you find products that meet homeowners' needs for natural light.



EnLiten™ Flush-Glazed Designs

For Classic Craft®, Fiber-Classic® & Smooth-Star® Doors & Sidelites

Simplified beauty. Resilient designs. With clean lines and seamless construction, EnLiten flush-glazed designs are perfect for today's homes. Built for long-term performance, these doors and sidelites feature the sleek looks homeowners want and the stylish around-the-home solutions they need. Look for the (🔥💧) icons.




Front Entry

See the difference.

EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



Flush-Glazed Glass with Detailed Sticking 🔥



Flush-Glazed Glass with Square Sticking 💧



Lip-Lite Frame

Maximum views.

Create an airy, open feeling in the home with larger daylight openings. EnLiten™ flush-glazed designs offer up to a 16% increase in visible glass area than conventional lite frames.



Flush-Glazed Glass



Lip-Lite Frame

*Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.

**Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Impact-rated products not available.

Top: Classic Craft Fir Grain, Satin Etch Glass with SDLs, Doors – CCA82320XE, Finish – Raven
 Right Page Top Left: Fiber-Classic Oak Collection, Low-E Glass with GBGs, Door – 2150, Finish – Raven
 Right Page Bottom Left: Smooth-Star, Internal Blinds, Doors – S2600
 Right Page Right: Fiber-Classic Mahogany Collection, Chord Glass with SDLs, Door – FCM4814XC, Sidelites – FCM2050XCSSL; Low-E Glass, Transom – 19220T, Finish – Acorn



Utility Door



Front Entry



Patio Doors

Durable by design.

Double- or triple-pane glass is built directly into the door with a high-performance dual adhesive weather seal. This delivers a clean seamless look with no lite frame or screw plugs, and reduces the potential for air and water infiltration, among other benefits.



Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.



11% More Energy Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.*



Withstands Winds Up to 167 mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).** (ASTM-E330)

Warranty riders for peace of mind.

EnLiten™ Flush-Glazed Rider for Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

EnLiten™ Flush-Glazed Rider for Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.

Convenient choices for more light.

Privacy & Textured Glass

Therma-Tru® doors and sidelites can be fitted with our beautiful privacy and textured glass. This versatile assortment aligns with personal style and homeowner desires for privacy while allowing natural light to brighten the interior.


- Category includes diverse textures for individual design expression.
- Varying opacity levels range from 7-10.
- All privacy and textured glass options are triple-pane, providing thermal efficiency.
- Triple-pane construction also allows for an easy-to-clean surface.
- Available with two Lip-lite frame options, as well as seamless flush-glazed options, in select doors.

Available in Classic Craft®, Fiber-Classic®, Smooth-Star®, Profiles™, Traditions and Pulse doors and sidelites.




Low-E Glass

Factory-coated Low-E glass delivers exceptional energy efficiency. Available in Classic Craft, Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulse. Look for the (☀️) icon.



In cold weather, Low-E glass can help reduce the loss of heat by reflecting the heat back inside the home.



In warm weather, Low-E glass reflects the sun's rays off of the glass, helping to keep the interior of the home cool.

Top: Classic Craft Fir Grain, Geometric Glass with SDLs, Doors – CCA2300XG, Finish – Raven
 Bottom: Smooth-Star, Clear Glass with Fixed Grilles, Door – S262
 Right Page Top: Smooth-Star, Internal Blinds, Door – S82600



Internal Blinds

Enjoy the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with the simplicity of a single handle.

- Protected between two panes of tempered glass for enhanced safety and performance.
- With no dangling cords, this is a kid- and pet-friendly choice.
- Blinds remain dust free, and glass is easier to clean than traditional blinds.
- Choose Low-E glass for improved energy efficiency or standard clear glass.
- EnLiten™ flush-glazed designs and Impact-rated options available.

Available in Fiber-Classic®, Smooth-Star®, Profiles™ and Traditions doors and sidelites.

Divided Lites

Enhance the beauty of any home with a variety of divided lite options for entry and patio doors. Tailor the look with different texture, profile, width and color choices. For Classic Craft, see page 68. For Fiber-Classic & Smooth-Star, see pages 140–141.


- Coordinate with the home's window patterns for a cohesive look and increased curb appeal.
- Choose from Colonial, Craftsman or Prairie styles to suit the home's architectural details.
- Available divided lite options include simulated divided lites (SDLs), grilles between glass (GBGs) and fixed grilles.
- Available glass options include elegant privacy and textured, as well as energy-efficient Low-E and clear glass.



Tough when you need it. Beautiful always.

High-Power Testing

Our Impact-rated doors pass a large missile impact test. We blast a 9 lb. 2" x 4" stud into the doors at 34 mph to prove they're the better choice for strength and stability.




Impact-Rated Products

Therma-Tru offers Impact-rated doors and glass that can be used to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.

1 Use the map as a guide to find out if you need product for WBDR or HVHZ.

Always confirm building code requirements in your area before buying.*

2 Use the icons to find available Therma-Tru® product options in this catalog.



WBDR / HVHZ Options: Look for this icon to find door and sidelite styles that can be configured for WBDR or HVHZ.


3 Verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.*

4 Make sure the product is installed in compliance with the product approval to meet building codes.

The performance of the door system depends on how it is installed. Proper installation is required to comply with building codes.

*Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed. Note: See your Therma-Tru seller or visit www.thermatru.com for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Constructed to help protect the interior of the home from flying debris and high winds associated with tropical storms and hurricanes, these products are tested to meet codes and regulations in coastal regions, including parts of Florida, Texas and the Carolinas.*



Impact Doors

Feature a built-in 24-gauge steel plate lining.

Impact Glass

Features special laminated glass construction.



Impact-Rated Internal Blinds

Features laminated glass construction and a durable, paintable aluminum lite frame with a flat profile aesthetic cover for a simple look.



Impact Lip-Lite Frame

Features durable, paintable aluminum construction. An attractive scrolled profile gives a thin, sleek appearance and a screw channel cover helps hide unsightly screws.



Other Considerations

Fire Doors
See pages 254–259.

Noise Reduction Doors
See page 218.

Elevated 10" Bottom Rail
Look for the (E) symbol.

Connect with nature, inside and out.



Top: Classic Craft Fir Grain, Low-E Glass, Doors – CCA82400, Finish – New Earth
Right Page, Top: Smooth-Star, Clear Glass, Doors – S2000, Finish – Alpine, Retractable Screen – White
Right Page, Bottom: Impressions Storm & Entry Door System – IM100, Finish – Black; Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA2380, Finish – Raven

Outdoor living made easy.

Families can connect with the outdoors through fresh air and sunlight, all from the comfort of home. Explore a variety of entry solutions designed for seamless indoor-outdoor living, including patio and storm doors, retractable screens and vented sidelites.



Hinged Patio Door Systems



Simply beautiful,
any way you see it.

Extend the beauty and quality of a Therma-Tru entrance to the back of the home with hinged patio doors. Find style and convenience that's unsurpassed from any view with options to control the level of privacy and light, complement window patterns, and let fresh air into the home.

Note: See page 299 for important product details that may help with your purchase decision.

Top: Fiber-Classic Oak Collection, Clear Glass, Doors – 8000, Finish – Driftwood
Bottom: Smooth-Star, Clear Glass, Doors – S2000

A Therma-Tru® patio door with genuine Therma-Tru components is a complete door system with doors, glass and components engineered to work together for durability and reliability through the years.

Interior view of door.



- 1 Multi-Point Locking System (Recommended)
- 2 Bottom Sweep
- 3 Sill
- 4 Hinges
- 5 Corner Seal Pads (Inswing Only)
- 6 Sill Pan (Recommended)
- 7 Frame Components
- 8 Multi-Point Locking System (Included)
- 9 Removable Screens

Vented Sidelites

Enjoy the view – and a fresh breeze, too.

- Constructed to provide ventilation without sliding screens blocking the view, vented sidelites work as small swinging doors with convenient removable screens – available in bronze and white.
- Engineered for durability and safety with wide patio mullions for strength, and multi-point locking gears and recessed strike plates for security.

Look for the (●) symbol.

Available Configurations



Single Door with Vented Sidelites (Inswing Only)




Double Doors with Vented Sidelites (Inswing Only)


Patio Transoms

Transoms can be stained or painted to match a Fiber-Classic® or Smooth-Star® door system. Available for 5'0", 5'4", 5'8" and 6'0" patio openings.

Note: Patio transoms are designed for a unit with a mullion.



19250T




19050T

Classic Craft, starting on page 124.
 Fiber-Classic, Smooth-Star, Profiles & Traditions, starting on page 222.

NEW Retractable Screen Doors

Welcome fresh air and natural light into the home while keeping debris and insects out. Therma-Tru retractable screen doors feature a discreet, hidden design that helps provide a seamless transition from indoors to out. Plus, it's been quality tested for compatibility with Therma-Tru® entry door systems.



*Adjusts quickly for 32"-36" doors. If less than 32" a hacksaw is required for one cut to each track.


**Retractable screen frame colors are complementary to PrismaGuard, but not an exact match.

Note: Recommended for inswing applications only. Therma-Tru retractable screens are designed to support natural ventilation and protection against airborne insects and other pests. Windy conditions may affect the performance of the screen. Retract the screen in windy circumstances, during inclement weather and when not needed to support immediate ventilation or prolonged periods of time when not used. Not intended to keep pets inside. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.




Available Sizes

(Available for most inswing units.)



Single Door System

Widths: 32"–36"
Heights: 6'6", 6'8", 8'0"



French Door System

Widths: 68"–73"
Heights: 6'6", 6'8", 8'0"

Available Color Options

Coordinates with exterior trim.**



White






Brown



Black

Available Configurations



See your Therma-Tru seller for details on product availability and ordering.

Warranty Coverage

All parts are covered by the Therma-Tru full-system limited warranty, excluding the screen mesh, when purchased and installed with a Therma-Tru door system.

When purchased and installed separately all parts are covered by a full-system lifetime limited warranty, excluding the screen mesh.



Classic Craft



Fiber-Classic,
Smooth-Star,
Pulse Fiberglass



Profiles, Traditions,
Pulse Steel




NEW Impressions™ Integrated Storm & Entry Door System

The first of its kind, the Impressions storm and entry door system* integrates the storm door flush into the brickmould portion of the door frame, creating a cohesive unit that provides a seamless look. With an integrated system engineered to work together, this system takes the guesswork out of ordering the right size storm door for your project and simplifies storm door installation.



- 1 Choose a **Therma-Tru® single entry door**** to create an entry that complements your home's architectural style.



- 2 The Impressions system comes standard with **composite brickmould** and an aluminum storm door panel. For added protection from rotting, choose a **composite frame featuring Tru-Guard™ composite technology**.



- 3 The storm door features a modern profile with mitered corners for a sleek, on-trend look that emphasizes the beauty of the entry door. The storm door panel fits into Therma-Tru's **flat-profile composite brickmould**.



*Patent pending.

**Compatible with with most 6'8" single entry Therma-Tru doors.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions.

The storm door is easy to install at the jobsite.

The concealed hinges featuring retractable pins **4** and the revolutionary hidden closer with Click&Hold™ technology **5** enable a quick and intuitive installation experience. The storm door panel is handed in the field, simplifying what you need to order. After the installation of the entry door, hand your storm door by installing the closer, sweep and hardware. Then, follow these three simple steps to complete the job.



6 Aluminum Storm Door Options


Available for Single Entry Sizes
Choose Low-E or clear glass.
Interchangeable screen panel included.



Low-E / Clear

IM100
3'0" x 6'8"
2'8" x 6'8"

Color Options
Features a maintenance-free finish.



White
Color matched to PrismaGuard Alpine.



Gray
Color matched to PrismaGuard Granite.





Brown
Complements most PrismaGuard stains.



Black
Color matched to PrismaGuard Onyx.

7 QuickFit™ Handlesets



CLASSIC CRAFT®



An unrivaled entry experience.


Transform the entry into a one-of-a-kind experience. One that blends artistry, craftsmanship and modern engineering. Captivate the senses with remarkably authentic wood grains, exquisite handcrafted glass and sumptuous design details found only in Classic Craft. Because homes with uncompromising style demand uncompromising entryways.

Top: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors – CCM82804, Finish – Outback
Right Page Top: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA230, Sidelites – CCA210SL, Finish – Raven
Right Page Middle: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors – CCM8303L, CCM8303R, Finish – New Earth
Right Page Bottom: Classic Craft Walnut Grain Door – CCW8906R, Low-E Direct Set Sidelite – DRS82131SL, Finish – Lynx


Curated collections inspired by style.

Classic Craft celebrates the best of design for homes with uncompromising style. Three expertly curated collections draw inspiration from the latest trends and bring your home design vision to life with unrivaled beauty, luxe craftsmanship and an attention to detail you won't find anywhere else.

Artissa Collection Casual | Relaxed | Simple

The Artissa Collection features a modern exterior with dark grey horizontal siding, white columns, and a dark front door. The interior shows a bright kitchen with a white island, grey cabinets, and a couple sitting at the island.

Founders Collection Traditional | Time-Honored | Decorative

The Founders Collection has a classic exterior with white columns and a dark wood door. The interior is a traditional living room with a grey sofa, white armchairs, and a marble coffee table.

Visionary Collection Modern | Confident | Minimal

The Visionary Collection features a modern exterior with white walls, large windows, and a dark door. The interior is a minimalist kitchen with a dark island, white cabinets, and a couple sitting at the island.

Industry-leading warranties for peace of mind.




Uniquely designed by Therma-Tru, Classic Craft complete entryway systems are backed by an industry-leading 1x transferable lifetime limited warranty from the entry door brand building professionals choose most.* This comprehensive lifetime limited warranty can be transferred one time to a new owner, should you ever sell your home.



In addition, Classic Craft entryways with our handcrafted and professionally applied PrismaGuard® premium stain or paint are backed by a transferable 10-year limited finish warranty – Therma-Tru's best. The balance of this finish warranty can transfer to a second owner.

Learn about our industry-leading warranties at thermatru.com/warranty.





Next-level engineering.

Classic Craft complete entryway systems are designed with a full suite of premium-grade components, including ball-bearing hinges, medium-reach weatherstrip, 7-shape corner seal pads and more. Each piece is engineered with craftsman precision to create an unrivaled entry experience built to perform for a lifetime.

Premium construction, inside and out.

Highlighting the best of craftsmanship and innovation, Classic Craft premium entryways boast impressive, well-designed features and remarkable construction. The inner workings of each Classic Craft door lay the foundation for exceptional strength, security, energy efficiency and long-term performance you can depend on for years to come.



Engineered for Moisture Protection

Features composite top and bottom rails and solid hardwood edges for increased moisture and rot protection all the way around the door.




Designed with Authenticity

Features construction identical to wood doors with narrow stiles and rails, and flush-glazed glass options that are more than 10% wider* to welcome more natural light into the home.




Tested to Withstand Mother Nature

Designed and rigorously tested to withstand and protect from the damaging effects of harsh weather conditions.



Therma-Tru® Door Frame

Created specifically for Thermo-Tru doors to deliver an entire entry system designed and engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.



*Comparison of Classic Craft to other standard fiberglass doors with similar styles. Visit www.thermatru.com for details.

**Comparison of R-Values of fiberglass to wood doors (both without glass).

Right Page Top: Classic Craft Walnut Grain Door – CCW8901L; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Acorn

Right Page Middle: Classic Craft Mahogany Grain, Low-E Glass, Door – CCR30020; Provincial Glass, Sidelites – CCR3408SL;

Low-E Glass, Transom – 19220T, Finish – Driftwood

Right Page Bottom: Classic Craft Canvas Door – CCV220, Low-E Glass, Sidelites – CCV100SL, Finish – Indigo



Designed for Long-Term Performance

Features fiberglass skins that are 46% thicker* for added durability and better long-term performance.



Triple-Pane Construction

Most decorative, privacy and textured glass panels are enclosed between tempered glass, offering superior quality and thermal performance.



Crafted for a True-to-Wood Appearance

Revolutionary AccuGrain technology replicates authentic natural wood textures for a look and feel that is virtually indistinguishable from real wood.



Built for Strength and Security

Constructed with a 4" wide board of engineered lumber that runs the full length of the locking side of the door for a solid natural wood feel that makes Classic Craft doors 50% stronger and 30% heavier.*



Constructed for Energy Efficiency

Built with a high-performance polyurethane foam core that is four times more energy efficient than wood.**



True-to-Wood Origins

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain® technology.

AccuGrain®
TECHNOLOGY

Fir Grain

Formerly Classic-Craft American Style

Designed to echo the grain of the largest species of American Hemlocks – the Western Hemlock tree – found in lush coastal rainforests of the Pacific Northwest.

Walnut Grain

Crafted to reflect the prized hardwood of the mighty Black Walnut trees, these doors feature a horizontal grain with natural movement accented by delicate arches and cathedrals.

Mahogany Grain

Formerly Classic-Craft Mahogany & Rustic

Derived from the finest African and Honduran Mahogany, blending rustic influences with exotic roots to build upon the rich history of one of the most renowned woods in the world.

Oak Grain




Designed to emulate the unique characteristics of Red Oak trees, embodying the look and feel of one of the most popular wood grains of all time.

Canvas

Inspired by the world's most exquisite masterpieces and designed with the architectural character of finely sanded wood.

Unique style.
Unmatched craftsmanship.





ARTÍSSA

Collection

Rooted in simple nostalgia, the Artíssa Collection pays homage to the handmade culture of the American Arts and Crafts movement. Highlighting the beauty of straight-forward design, this selection of premium Classic Craft® doors features clean lines, Shaker styling and Craftsman-inspired glass for a casual and welcoming approach to the entryway.


CASUAL

RELAXED

SIMPLE

Left Page: Classic Craft Oak Grain, Arborwatch Glass, Door – CC1423, Sidelites – CC1423SL, Transom – ABRT, Finish – Barley
 Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA230, Sidelites – CCA210SL, Finish – Raven





FOUNDERS


Collection

A revival of traditional and rustic styling, the Founders Collection honors the historic significance of classically inspired design. Taking a more decorative approach to the entryway, this selection of premium Classic Craft doors includes curved and arched details, embellished panel embossments and intricate glass designs for a noteworthy entrance with enduring style.

TRADITIONAL
TIME-HONORED
DECORATIVE

Left Page: Classic Craft Mahogany Grain, Lucerna Glass, Door – CCM82802, Finish – New Earth
Right Page: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors – CCM8306CAL, CCM8306CAR, Finish – Acorn





VISIONARY

Collection

Artfully inspired with a confident edge, the Visionary Collection pushes the envelope of design for the next generation. Focusing on a streamlined aesthetic with a modern flair, this collection of premium Classic Craft. doors reimagines the entry with sleek lines, forward-thinking designs and minimalist details for an entrance that exudes confidence with bold appeal.

MODERN

CONFIDENT

MINIMAL

Left Page: Classic Craft Fir Grain, Satin Etch Glass with SDLs, Door – CCA2310XE, Sidelite – CCA2310XESL, Finish – Flaxseed
Right Page: Classic Craft Walnut Grain Door – CCW8906R; Low-E Glass Direct Set Sidelite – DRS82131SL, Finish – Lynx



Decorative & Specialty Glass Designs




Homeward™

The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive ① clear bevels, ② seeded glass and ③ gray artique glass. An ideal complement for a Transitional home design.

Glass Shapes



Glass Privacy Rating



Black Nickel



Brushed Nickel


*Only available in Classic Craft Oak grain.

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Arborwatch®

An eclectic interpretation of the Arts and Crafts movement, Arborwatch combines **1** narrow reeded glass, **2** M seedy glass, **3** waterglass and coming in a symmetrical arrangement accented by **4** pale amber glass, **5** amber antique glass and **6** clear bevels.

Glass Shapes



Glass Privacy Rating



Note: The use of pale amber and amber antique glass varies based on glass size. Refer to the image on page 54 to see an example on a home.



Black Nickel




Brushed Nickel

Arcadia™

With its timeless petal design, Arcadia combines **1** gray baroque glass, **2** seeded glass, **3** clear curved bevels and coming for a distinctive display that evokes a simpler time.

Glass Shapes




Glass Privacy Rating



Black Nickel



Brushed Nickel



Brass*

Decorative & Specialty Glass Designs

Augustine®


Augustine's swirl leaf design adds that touch of elegance. Made of round wrought iron and 1 granite glass for the ultimate in privacy, Augustine pays homage to classic English styling.

Glass Shapes



Corresponding sidelites feature Granite glass without wrought iron.

Glass Privacy Rating



Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 314 to see an example on a home.

Borrassa®

A statement of strength and beauty, Borrassa combines linear and curved wrought iron with 1 hammered glass for the ultimate in privacy. Wrought iron decorative accents add an authentic Old World feel to this stately design.

Glass Shapes



Corresponding sidelites feature Hammered glass without wrought iron.

Glass Privacy Rating



Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 48 to see an example on a home.

*Only available in Classic Craft Oak grain.

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Provincial™

A unique diamond-based motif features **1** double waterglass, **2** clear bevels and coming surrounded by a **3** gray baroque glass border. Provincial captivates with stunning clarity.

Glass Shapes



Glass Privacy Rating



Black Nickel



Brushed Nickel




Brass*


Longford™

The traditional design of Longford integrates a hint of a Celtic knot with **1** seeded glass, **2** clear bevels, **3** granite glass and coming. A timeless design ideal for entries where modest privacy is desired.

Glass Shapes



Glass Privacy Rating



Black Nickel




Brushed Nickel

Decorative & Specialty Glass Designs

Cambridge™

Ornate and enchanting, Cambridge exhibits a traditional 19th century-inspired elegance with modest privacy using **1** glue chip glass, **2** clear curved bevels, **3** double waterglass and coming.

Glass Shapes



Glass Privacy Rating



Black Nickel



Brushed Nickel




Brass

Lucerna®

Named for the beauty of light it reflects, Lucerna glass presents an elegant, updated fleur-de-lis pattern in a spectrum of **1** curved, **2** diamond and **3** rectangular bevels surrounded by smooth, swirling **4** barn wood and heavily textured **5** diamond border glass.

Glass Shapes



Glass Privacy Rating



Black Nickel



Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Right Page: Classic Craft Mahogany Grain, Zaha Glass, Door – CCR1838, Finish – Shale

Zaha[®]

Structured right angles are offset by dynamic curves in this high-energy design. Zaha features **1** oceana and **2** seedy glass, **3** clear and **4** multifaceted bevels, and coming to create a refreshing and unexpected elegance that appeals to Contemporary home styles.

Glass Shapes



Glass Privacy Rating



Black Nickel



Brushed Nickel



Privacy & Textured Glass



Reeded (XK)

A vertical, linear textured glass that provides modest privacy and an on-trend aesthetic.

Glass Privacy Rating 1 10



Geometric (XG)

A sleek cubic texture with a unique multidimensional view and ever-changing perspectives.

Glass Privacy Rating 1 10



Satin Etch (XE)

A fine-textured pearlescent glass that delivers a pure, simple design aesthetic.

Glass Privacy Rating 1 10



Chord (XC)

A vertical flowing pattern reminiscent of waves on the water.

Glass Privacy Rating 1 10



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.



Chinchilla (XJ)

A free-flowing configuration, presenting quiet lines and curves.

Glass Privacy Rating 1  10



Rainglass (XR)

An elegantly fashioned glass, featuring ripples of cascading water.

Glass Privacy Rating 1  8 10



Granite (XN)

A coarse-grained arrangement with surface detail over the entirety of the glass.

Glass Privacy Rating 1  10




Also Available:

Low-E Glass



In cold weather, Low-E glass reflects the heat back inside to help keep your home warm.




In warm weather, Low-E glass reflects the sun's rays off of the glass to help keep your home cool.

Divided Lites

Enhance the beauty of any home with divided lites for entry and patio doors. Increase curb appeal by coordinating with window grid patterns for a cohesive look that suits the home's architectural details.


Simulated Divided Lites (SDLs)

Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. Look for the (■) icon.




(40.64 mm / 1.6 in.)
Look for the (■) icon.


4-¼" and 5-½" flat profile bars are also used on solid-panel doors as door divider bars (DDBs). Look for the (■) icon.




(107.95 mm / 4.25 in.)
Look for the (■) and (■) icons.



(139.70 mm / 5.5 in.)
Look for the (■) and (■) icons.




Note: Some door styles use a combination of 4-¼" and 5-½" divider bars. Look for the (■) and (■) icons.



(40.64 mm / 1.6 in.)
Look for the (■) icon.

Mahogany Grain



(40.64 mm / 1.6 in.)
Look for the (■) icon.


Canvas





Flush-Glazed Sticking Profiles

EnLiten™ flush-glazed designs feature a seamless look with simple profile around the glass. Look for the (🔥) and (💧) icons.



Detailed Sticking
Look for the (🔥) icon.



Square Sticking
Look for the (💧) icon.

Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.



Classic Craft. Fir Grain 4-Block Dentil Shelf



Classic Craft. Fir Grain 4-Block Dentil Shelf*



Classic Craft. Fir Grain 16-Block Dentil Shelf



Classic Craft. Canvas 4-Block Dentil Shelf



4-Block Dentil Shelf
Shown on 3'6" x 8'0" door.



4-Block Dentil Shelf
Shown on 3'0" x 8'0" door.

*Pairs with 3'6" wide doors.

Bottom: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA230, Dentil Shelf

Right Page, Left: Classic Craft Mahogany Grain Door – CCR205; Smooth-Star, Clear Glass with GBGs, Sidelites – S1170SL, Transom – 19220T; Clavos

Right Page, Right: Classic Craft Mahogany Grain Door – CCR100R, Strap Hinges, Finish – Lynx



Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes pyramid and round clavos, as well as strap hinges.



Fir Grain

Formerly Classic-Craft
American Style

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Oak Grain

Canvas

Homeward™



Mahogany*

CCR9925
3'0" x 6'8"



Mahogany

CCR9925SL
12" x 6'8"
14" x 6'8"



Oak

CC9925
3'0" x 6'8"



Oak

CC9925SL
12" x 6'8"
14" x 6'8"



Canvas

CCV9925
3'0" x 6'8"



Canvas

CCV911SL
12" x 6'8"
14" x 6'8"

Arborwatch®



Mahogany*

CCR1423
3'0" x 6'8"



Mahogany

CCR1423SL
12" x 6'8"
14" x 6'8"



Oak

CC1423
3'0" x 6'8"



Oak

CC1423SL
12" x 6'8"
14" x 6'8"



Canvas

CCV1423
3'0" x 6'8"



Canvas

CCV1423SL
12" x 6'8"
14" x 6'8"

Key

- 🔥 Flush-Glazed Glass with Detailed Sticking (FG)
- 💧 Flush-Glazed Glass with Square Sticking (FG)
- ◆ Black Nickel Caming (1D)
- ⦿ Brushed Nickel Caming (1C)
- 3 Simulated Divided Lites (SDLF3)
- 4 Simulated Divided Lites (SDLF4)
- 5 Simulated Divided Lites (SDLF5)
- E Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66–67.

- XK = Reeded
- XJ = Chinchilla
- XG = Geometric
- XR = Rainglass
- XE = Satin Etch
- XN = Granite
- XC = Chord

*Formerly Classic-Craft Rustic.

**Formerly Classic-Craft American Style.

***Not available with Reeded (XK) or Geometric (XG) glass.

Note: See page 299 for important product details that may help with your purchase decision.

Privacy & Textured



Fir**

CCA2350_***
 3'0" x 6'8"
 CCA82350_***
 3'0" x 8'0"




Fir**

CCA2360_***
 3'0" x 6'8"
 CCA82360_***
 3'0" x 8'0"




Fir**

CCA2370_***
 3'0" x 6'8"
 CCA82370_***
 3'0" x 8'0"




Fir**

CCA4900_***
 3'0" x 6'8"
 CCA84900_***
 3'0" x 8'0"



Fir**

CCA4910L_***
 3'0" x 6'8"
 CCA4910R_***
 3'0" x 6'8"



Fir**

CCA84910L_***
 3'0" x 8'0"
 CCA84910R_***
 3'0" x 8'0"



Fir**

CCA4920L_***
 3'0" x 6'8"
 CCA4920R_***
 3'0" x 6'8"



Fir**

CCA84920L_***
 3'0" x 8'0"
 CCA84920R_***
 3'0" x 8'0"



Fir**

CCA4930_***
 3'0" x 6'8"
 CCA84930_***
 3'0" x 8'0"



Fir**

CCA4940_***
 3'0" x 6'8"
 CCA84940_***
 3'0" x 8'0"



Fir**







CCA2400_SL
 12" x 6'8"
 14" x 6'8"
 CCA82400_SL
 12" x 8'0"
 14" x 8'0"

continued

Fir Grain

Formerly Classic-Craft
American Style

Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDLF3)
-  Simulated Divided Lites (SDLF4)
-  Simulated Divided Lites (SDLF5)
-  Elevated 10" Bottom Rail Options

LOW-E



Fir*

CCA2350
  
 3'0" x 6'8"

CCA82350
   
 3'0" x 8'0"



Fir*

CCA2360
  
 3'0" x 6'8"

CCA82360
   
 3'0" x 8'0"



Fir*

CCA2370
  
 3'0" x 6'8"


CCA82370
   
 3'0" x 8'0"



Fir*

CCA4900
  
 3'0" x 6'8"

CCA84900
   
 3'0" x 8'0"



Fir*

CCA4910L
  
 3'0" x 6'8"

CCA4910R
  
 3'0" x 6'8"



Fir*

CCA84910L
   
 3'0" x 8'0"

CCA84910R
   
 3'0" x 8'0"



Fir*

CCA4920L
  
 3'0" x 6'8"

CCA4920R
  
 3'0" x 6'8"

*Formerly Classic-Craft American Style.

Note: See page 299 for important product details that may help with your purchase decision.

Right Page: Classic Craft Fir Grain, Satin Etch Glass with SDLs, Door – CCA4900XE, Sidelites – CCA2400XESL



Fir*

CCA84920L	CCA84920R
🔹🔸🔹 E	🔹🔸🔹 E
3'0" x 8'0"	3'0" x 8'0"



Fir*

CCA4930	CCA84930
🔹🔸🔹 E	🔹🔸🔹 E
3'0" x 6'8"	3'0" x 8'0"



Fir*

CCA4940	CCA84940
🔹🔸🔹 E	🔹🔸🔹 E
3'0" x 6'8"	3'0" x 8'0"



Fir*

CCA2400SL	CCA82400SL
🔹🔸🔹 E	🔹🔸🔹 E
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



continued




Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic



Oak Grain



Canvas

Key

-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Flush-Glazed Glass with Square Sticking (FG)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Brass Caming (A)
-  Wrought Iron (W)

Arcadia™




Mahogany*

CCR30029**
3'0" x 6'8"



Mahogany

CCR3409SL**
 12" x 6'8"
14" x 6'8"



Oak

CC109
3'0" x 6'8"



Oak

CC2060SL
 12" x 6'8"
14" x 6'8"



Canvas

CCV10029**
3'0" x 6'8"



Canvas

CCV109SL**
 12" x 6'8"
14" x 6'8"

Augustine®



Mahogany*

CCR30027
3'0" x 6'8"




Mahogany

CCR3400XNSL
 12" x 6'8"
14" x 6'8"



Canvas

CCV10027
3'0" x 6'8"



Canvas

CCV100XNSL
 12" x 6'8"
14" x 6'8"

Borrassa®



Mahogany*

CCR1528
3'0" x 6'8"



Mahogany

CCR3400XHSL
 12" x 6'8"
14" x 6'8"

*Formerly Classic-Craft Rustic.
**Not available in brass caming.

Note: See page 299 for important product details that may help with your purchase decision.



Canvas

CCV1528
3'0" x 6'8"



Canvas

CCV100XHSL
▲
12" x 6'8"
14" x 6'8"

◆◆◆
Provincial™



Mahogany*

CCR30028**
3'0" x 6'8"



NEW

Mahogany

CCR3408SL**
▲
12" x 6'8"
14" x 6'8"



Oak

CC107
3'0" x 6'8"



Oak

CC2040SL
●
12" x 6'8"
14" x 6'8"



Canvas

CCV10028**
3'0" x 6'8"



Canvas

CCV108SL**
▲
12" x 6'8"
14" x 6'8"

◆◆◆
Longford™



Mahogany*

CCR30023
3'0" x 6'8"



NEW

Mahogany

CCR3407SL
▲
12" x 6'8"
14" x 6'8"



Canvas

CCV10023
3'0" x 6'8"



Canvas

CCV103SL
▲
12" x 6'8"
14" x 6'8"

◆◆◆
Cambridge™



Mahogany*

CCR30026
3'0" x 6'8"



NEW

Mahogany

CCR3406SL
▲
12" x 6'8"
14" x 6'8"



Oak

CC106
3'0" x 6'8"



Oak

CC2044SL
●
12" x 6'8"
14" x 6'8"



Canvas

CCV10026
3'0" x 6'8"



Canvas

CCV106SL
▲
12" x 6'8"
14" x 6'8"

continued



Fir Grain

Formerly Classic-Craft
American Style



Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic



Oak Grain



Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- Simulated Divided Lites (SDLF5)
- Simulated Divided Lites (SDLF6)
- Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66-67.

- XK = Reeded
- XC = Chord
- XG = Geometric
- XJ = Chinchilla
- XE = Satin Etch
- XR = Rainglass
- 78
- XN = Granite

Lucerna

Mahogany*	Mahogany	Oak	Oak	Canvas
CCR10022 3'0" x 6'8"	CCR3412SL ▲ 12" x 6'8" 14" x 6'8"	CC10022 3'0" x 6'8"	CC3412SL ▲ 12" x 6'8" 14" x 6'8"	CCV10022 3'0" x 6'8"

LOW-E

Canvas	Mahogany*	Mahogany	Mahogany	Oak
CCV3412SL ▲ 12" x 6'8" 14" x 6'8"	CCR30020 ★ 3'0" x 6'8"	CCR3400SL ▲★ 12" x 6'8" 14" x 6'8"	CCR2025SL ▲★FG 12" x 6'8" 14" x 6'8"	CC100 ★ 3'0" x 6'8"

Oak	Canvas	Canvas	Canvas
CC2020SL ▲★ 12" x 6'8" 14" x 6'8"	CCV10020 3'0" x 6'8"	CCV100SL ▲★ 12" x 6'8" 14" x 6'8"	CCV950SL ▲★FG 12" x 6'8" 14" x 6'8"

*Formerly Classic-Craft Rustic.
**Formerly Classic-Craft American Style.
Note: See page 299 for important product details that may help with your purchase decision.

Zaha. ♦ ♦ ♦



Mahogany*
CCR1851
3'0" x 6'8"



NEW
Mahogany
CCR1851SL
12" x 6'8"
14" x 6'8"




Canvas
CCV1851
3'0" x 6'8"




Canvas
CCV1851SL
12" x 6'8"
14" x 6'8"


Privacy & Textured



Fir**
CCA2400_ | CCA82400_
12" x 6'8" | 14" x 6'8"
3'0" x 6'8" | 3'0" x 8'0"




Fir**
CCA2300_ | CCA82300_
12" x 6'8" | 14" x 6'8"
3'0" x 6'8" | 3'0" x 8'0"




Fir**
CCA2310_ | CCA82310_
12" x 6'8" | 14" x 6'8"
3'0" x 6'8" | 3'0" x 8'0"




Fir**
CCA2320_ | CCA82320_
12" x 6'8" | 14" x 6'8"
3'0" x 6'8" | 3'0" x 8'0"




Fir**
CCA2330_ | CCA82330_
12" x 6'8" | 14" x 6'8"
3'0" x 6'8" | 3'0" x 8'0"



Fir**
CCA2340_ | CCA82340_
12" x 6'8" | 14" x 6'8"
3'0" x 6'8" | 3'0" x 8'0"



Fir**
CCA2380_ | CCA82380_
12" x 6'8" | 14" x 6'8"
3'0" x 6'8" | 3'0" x 8'0"



Fir**
CCA2400_SL | CCA82400_SL
12" x 6'8" | 14" x 6'8"
12" x 8'0" | 14" x 8'0"









Fir**
CCA2300_SL | CCA82300_SL
12" x 6'8" | 14" x 6'8"
12" x 8'0" | 14" x 8'0"

continued

Fir Grain

Formerly Classic-Craft
American Style

Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDLF3)
-  Simulated Divided Lites (SDLF4)
-  Simulated Divided Lites (SDLF5)
-  Elevated 10" Bottom Rail Options

Privacy & Textured Glass Options



Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66–67.


- XK = Reeded
- XJ = Chinchilla
- XG = Geometric
- XR = Rainglass
- XE = Satin Etch
- XN = Granite
- XC = Chord

Privacy & Textured







Fir*

CCA2310_SL	CCA82310_SL
 	 
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"




Fir*

CCA2320_SL	CCA82320_SL
 	 
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"







Fir*

CCA2330_SL	CCA82330_SL
 	 
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Fir*

CCA2340_SL	CCA82340_SL
 	 
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

LOW-E




Fir*

CCA2400	CCA82400
 	  
3'0" x 6'8"	3'0" x 8'0"



Fir*

CCA2300	CCA82300
  	   
3'0" x 6'8"	3'0" x 8'0"



Fir*

CCA2310	CCA82310
  	   
3'0" x 6'8"	3'0" x 8'0"



Fir*

CCA2320	CCA82320
  	   
3'0" x 6'8"	3'0" x 8'0"




Fir*

CCA2330	CCA82330
  	   
3'0" x 6'8"	3'0" x 8'0"

*Formerly Classic-Craft American Style.

Note: See page 299 for important product details that may help with your purchase decision.


Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs, Door – CCA2340, Sidelites – CCA2400SL, Finish – Rustic Clay, ©TheHouseDesigners.com



Fir*

CCA2340
 ▲ ★ 3
 3'0" x 6'8"

CCA82340
 ▲ ★ 3 E
 3'0" x 8'0"



Fir*

CCA2380
 ▲ ★ 5
 3'0" x 6'8"

CCA82380
 ▲ ★ 5 E
 3'0" x 8'0"



Fir*

CCA2400SL
 ▲ ★
 12" x 6'8"
 14" x 6'8"

CCA82400SL
 ▲ ★
 12" x 8'0"
 14" x 8'0"



Fir*

CCA2300SL
 ▲ ★ 4
 12" x 6'8"
 14" x 6'8"

CCA82300SL
 ▲ ★ 4
 12" x 8'0"
 14" x 8'0"



Fir*

CCA2310SL
 ▲ ★ 4
 12" x 6'8"
 14" x 6'8"

CCA82310SL
 ▲ ★ 4
 12" x 8'0"
 14" x 8'0"



Fir*

CCA2320SL
 ▲ ★ 3
 12" x 6'8"
 14" x 6'8"

CCA82320SL
 ▲ ★ 3
 12" x 8'0"
 14" x 8'0"



Fir*

CCA2330SL
 ▲ ★ 3
 12" x 6'8"
 14" x 6'8"

CCA82330SL
 ▲ ★ 3
 12" x 8'0"
 14" x 8'0"



Fir*

CCA2340SL
 ▲ ★ 3
 12" x 6'8"
 14" x 6'8"

CCA82340SL
 ▲ ★ 3
 12" x 8'0"
 14" x 8'0"






Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic



Oak Grain



Canvas

Key


- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF6)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66-67.

- XK = Reeded
- XG = Geometric
- XE = Satin Etch
- XC = Chord
- XJ = Chinchilla
- XR = Rainglass
- XN = Granite

Homeward™




NEW

NEW

Mahogany


CCM2801
3'0" x 6'8"



NEW

Mahogany


CCM82801
3'0" x 8'0"



NEW

Mahogany


CCM9923
3'0" x 6'8"



NEW

Mahogany


CCR9925SL
12" x 6'8"
14" x 6'8"



NEW


Mahogany

CCR89925SL
12" x 8'0"
14" x 8'0"




Oak

CC9922
3'0" x 6'8"




Oak

CC89922
3'0" x 8'0"




Oak

CC9925SL
12" x 6'8"
14" x 6'8"




Oak

CC89925SL
12" x 8'0"
14" x 8'0"




Canvas

CCV9922
3'0" x 6'8"




Canvas

CCV89922
3'0" x 8'0"



Canvas


CCV911SL
12" x 6'8"
14" x 6'8"



Canvas


CCV8111SL
12" x 8'0"
14" x 8'0"

Arborwatch®




Mahogany

CCM1419
3'0" x 6'8"



Mahogany


CCM81418
3'0" x 8'0"



NEW

Mahogany


CCR1423SL
12" x 6'8"
14" x 6'8"



NEW


Mahogany

CCR81423SL
12" x 8'0"
14" x 8'0"



Oak

CC1418
3'0" x 6'8"



Oak

CC81418
3'0" x 8'0"

*Not available with Geometric (XG) or Chinchilla (XJ) glass.

**Not available with Reeded (XK) glass.

***Not available with Reeded (XK) or Satin Etch (XE) glass.

Note: See page 299 for important product details that may help with your purchase decision.

82

Privacy & Textured



Oak

CC1423SL	CC81423SL
▲	▲
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Canvas

CCV1418	CCV81418
3'0" x 6'8"	3'0" x 8'0"



Canvas

CCV1423SL	CCV81423SL
▲	▲
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Mahogany

CCM2800_*	CCM82800_*
▲	▲
3'0" x 6'8"	3'0" x 8'0"



Mahogany

CCM2804_*	CCM82804_*
▲	▲
3'0" x 6'8"	3'0" x 8'0"



Mahogany

CCM2806_*	CCM82806_*
▲	▲
3'0" x 6'8"	3'0" x 8'0"



Mahogany

CCM2812_*	CCM82815_*
▲	▲
3'0" x 6'8"	3'0" x 8'0"



Mahogany

CCR3400_SL	CCR8000_SL
▲	▲
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"




Mahogany

CCR2025_SL	CCR82035_SL
▲	▲
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Oak

CC2020_SL**	CC8000_SL***
▲	▲
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Canvas

CCV05020XC	CCV05020XN
3'0" x 6'8"	



Canvas

CCV100_SL**	CCV8100_SL***
▲	▲
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Canvas

CCV950_SL**	CCV8950_SL***
▲	▲
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

LOW-E



Mahogany

CCM2800	CCM82800
▲	▲
3'0" x 6'8"	3'0" x 8'0"

continued




Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic



Oak Grain



Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (W)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF6)

LOW-E



NEW

NEW

Mahogany

CCM2804 | CCM82804

 3'0" x 6'8" | 3'0" x 8'0"



NEW

NEW

Mahogany

CCM2806 | CCM82806

 3'0" x 6'8" | 3'0" x 8'0"



NEW

NEW

Mahogany

CCM2812 | CCM82815

 3'0" x 6'8" | 3'0" x 8'0"



NEW

NEW

Mahogany

CCR3400SL | CCR8000SL

 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"



NEW

NEW

Mahogany

CCR2025SL | CCR82035SL

 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"



NEW

Oak

CC90 | CC890

 3'0" x 6'8" | 3'0" x 8'0"




NEW

Oak

CC2020SL | CC8000SL

 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"




NEW

Canvas

CCV05020 | CCV805020

 3'0" x 6'8" | 3'0" x 8'0"




NEW

Canvas

CCV950SL | CCV8950SL

 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"



NEW

Canvas

CCV100SL | CCV8100SL

 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"

*Not available in brass caming.
 Note: See page 299 for important product details that may help with your purchase decision.

Founders Collection

For transoms, see pages 122–123.

Arcadia™



Mahogany

CCM209*
3'0" x 6'8"



Mahogany

CCM894*
3'0" x 8'0"



Mahogany

CCM309*
3'0" x 6'8"



NEW

CCR3409SL*
12" x 6'8"
14" x 6'8"



NEW

CCR8009SL*
12" x 8'0"
14" x 8'0"



Mahogany

CCM3309SL*
10" x 6'8"
12" x 6'8"
14" x 6'8"



Oak

CC99
3'0" x 6'8"

CC899
3'0" x 8'0"



Oak

CC2060SL
12" x 6'8"
14" x 6'8"

CC8009SL
12" x 8'0"
14" x 8'0"



Canvas

CCV05029*
3'0" x 6'8"

CCV805029*
3'0" x 8'0"



Canvas

CCV109SL*
12" x 6'8"
14" x 6'8"

CCV8109SL*
12" x 8'0"
14" x 8'0"

Augustine®



Mahogany

CCM1485
3'0" x 6'8"



Mahogany

CCM805027
3'0" x 8'0"



Mahogany

CCM1495
3'0" x 6'8"



NEW

Mahogany

CCR3400XNSL
12" x 6'8"
14" x 6'8"

CCR8000XNSL
12" x 8'0"
14" x 8'0"




NEW

Canvas

CCV05027
3'0" x 6'8"

CCV805027
3'0" x 8'0"



Canvas

CCV100XNSL
12" x 6'8"
14" x 6'8"

CCV8100XNSL
12" x 8'0"
14" x 8'0"


continued



Mahogany Grain
Formerly Classic-Craft
Mahogany & Rustic



Oak Grain



Canvas

Key

-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Flush-Glazed Glass with Square Sticking (FG)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Brass Caming (1A)
-  Wrought Iron (W)

Borrassa® X



Mahogany

CCM1475
3'0" x 6'8"



Mahogany

CCM81519
3'0" x 8'0"







Mahogany

CCM1465
3'0" x 6'8"



Mahogany

CCR3400XHSL | CCR8000XHSL
 12" x 6'8" |  12" x 8'0"
 14" x 6'8" |  14" x 8'0"







Canvas

CCM1519 | CCM81519
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCM100XHSL | CCM8100XHSL
 12" x 6'8" |  12" x 8'0"
 14" x 6'8" |  14" x 8'0"

Longford™



Mahogany

CCM203
3'0" x 6'8"



Mahogany

CCM892
3'0" x 8'0"







Mahogany

CCM303
3'0" x 6'8"



Mahogany

CCR3407SL | CCR8007SL
 12" x 6'8" |  12" x 8'0"
 14" x 6'8" |  14" x 8'0"



Mahogany

CCM3303SL
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



Canvas

CCM05023 | CCM805023
3'0" x 6'8" | 3'0" x 8'0"

*Not available in brass caming.

Note: See page 299 for important product details that may help with your purchase decision.

Lucerna[®] ◆ ◆



Canvas

CCV103SL	CCV8103SL
▲ 12" x 6'8"	▲ 12" x 8'0"
14" x 6'8"	14" x 8'0"



Mahogany

CCM2802	CCM82802
▲ 3'0" x 6'8"	▲ 3'0" x 8'0"



Mahogany

CCM204
3'0" x 6'8"



Mahogany

CCM302
3'0" x 6'8"



Mahogany

CCR3412SL	CCR8102SL
▲ 12" x 6'8"	▲ 12" x 8'0"
14" x 6'8"	14" x 8'0"



Mahogany

CCM3302SL
▲ 10" x 6'8"
12" x 6'8"
14" x 6'8"



Oak

CC922	CC898
3'0" x 6'8"	3'0" x 8'0"



Oak

CC3412SL	CC8102SL
▲ 12" x 6'8"	▲ 12" x 8'0"
14" x 6'8"	14" x 8'0"



Canvas

CCV05022	CCV805022
3'0" x 6'8"	3'0" x 8'0"



Canvas

CCV3412SL	CCV8102SL
▲ 12" x 6'8"	▲ 12" x 8'0"
14" x 6'8"	14" x 8'0"

Provincial[™] ◆ ◆



Mahogany

CCR3408SL*	CCR8008SL*
▲ 12" x 6'8"	▲ 12" x 8'0"
14" x 6'8"	14" x 8'0"



Oak

CC97	CC897
3'0" x 6'8"	3'0" x 8'0"




Oak

CC2040SL	CC8007SL
▲ 12" x 6'8"	▲ 12" x 8'0"
14" x 6'8"	14" x 8'0"



Canvas

CCV05028*	CCV805028*
3'0" x 6'8"	3'0" x 8'0"



Canvas

CCV108SL*	CCV8108SL*
▲ 12" x 6'8"	▲ 12" x 8'0"
14" x 6'8"	14" x 8'0"

continued




Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic



Oak Grain



Canvas

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66-67.

XC = Chord
XN = Granite

Cambridge™



Mahogany
CCR3406SL | CCR8006SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Oak
CC96 | CC896
3'0" x 6'8" | 3'0" x 8'0"



Oak
CC2044SL | CC8006SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"



Canvas
CCV05026 | CCV805026
3'0" x 6'8" | 3'0" x 8'0"



Canvas
CCV106SL | CCV8106SL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"

Privacy & Textured



Mahogany
CCM200
3'0" x 6'8"



Mahogany
CCM300
3'0" x 6'8"

Low-E



Mahogany
CCM200
3'0" x 6'8"



Mahogany
CCM300
3'0" x 6'8"



Mahogany
CCM3300SL
10" x 6'8"
12" x 6'8"
14" x 6'8"

Note: See page 299 for important product details that may help with your purchase decision.

Right Page: Classic Craft Mahogany Grain, Zaha Glass, Door – CCM82803;
Low-E Glass Direct Set Sidelites – DRS82131SL, Finish – Lynx

Visionary Collection

For transoms, see pages 122–123.

Zaha. ♦ ♦



Mahogany
CCM2803 | **CCM82803**
 3'0" x 6'8" | 3'0" x 8'0"



Mahogany
CCM1844
 3'0" x 6'8"



Mahogany
CCM1842
 3'0" x 6'8"



Mahogany
CCR1851SL | **CCR81851SL**
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"



Mahogany
CCM1843SL
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



Canvas
CCV1843 | **CCV81843**
 3'0" x 6'8" | 3'0" x 8'0"



Canvas
CCV1851SL | **CCV81851SL**
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"



Artissa Collection

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

-  Low-E Glass (LE)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66-67.

XC = Chord
XN = Granite

Homeward™



Mahogany*

CCR9921 | CCR89921
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany*

CCR9919 | CCR89919
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany*

CCR9918 | CCR89918
3'0" x 6'8" | 3'0" x 8'0"



Mahogany*

CCR822218
3'0" x 8'0"
3'6" x 8'0"



Canvas

CCV9919 | CCV89919
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV9918 | CCV89918
3'0" x 6'8" | 3'0" x 8'0"

Arborwatch®



Mahogany*

CCR1417 | CCR81417
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany*

CCR1415 | CCR81415
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany*

CCR1414 | CCR81414
3'0" x 6'8" | 3'0" x 8'0"

*Formerly Classic-Craft Rustic.

Note: See page 299 for important product details that may help with your purchase decision.

Right Page, Left: Classic Craft Mahogany Grain, Low-E Glass, Door – CCR20520

Right Page, Right: Classic Craft Mahogany Grain, Arborwatch Glass, Door – CCR1415, Sidelites – CCR1423SL, Finish – Mulberry



Mahogany*

CCR822214
3'0" x 8'0"
3'6" x 8'0"



Canvas

CCV1415 | CCV81415
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV1414 | CCV81414
3'0" x 6'8" | 3'0" x 8'0"

Privacy & Textured



Mahogany*

CCR20520 | CCR820520
3'0" x 6'8" | 3'0" x 8'0"



Mahogany*

CCR822220
3'0" x 8'0"



Canvas

CCV20520 | CCV820520
3'0" x 6'8" | 3'0" x 8'0"

LOW-E



Mahogany*

CCR20520 | CCR820520
* 3'0" x 6'8" | * 3'0" x 8'0"
* 3'6" x 8'0"



Canvas

CCV20520 | CCV820520
* 3'0" x 6'8" | * 3'0" x 8'0"




continued



Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic



Canvas

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ✕ Wrought Iron (W)

Optional Accessories



Arcadia™ ◆ ■



Mahogany*

CCR804029
3'0" x 8'0"



Mahogany*

CCR820529
3'0" x 8'0"



Mahogany*

CCR820029
3'0" x 8'0"



Mahogany*

CCR822229
3'0" x 8'0"



Canvas

CCV820529
3'0" x 8'0"



Canvas

CCV822029
3'0" x 8'0"

Augustine® ✕



Mahogany*

CCR04027 | CCR804027
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany*

CCR20527 | CCR820527
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany*

CCR20027 | CCR820027
3'0" x 6'8" | 3'0" x 8'0"



Mahogany*

CCR822227
3'0" x 8'0"
3'6" x 8'0"

*Formerly Classic-Craft Rustic.

Note: See page 299 for important product details that may help with your purchase decision.



Mahogany*

CCR04037 | CCR804037
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany*

CCR20537 | CCR820537
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany*

CCR20037 | CCR820037
3'0" x 6'8" | 3'0" x 8'0"



Mahogany*

CCR20537A | CCR820537A
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany*

CCR20037A | CCR820037A
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV20527 | CCV820527
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV22027 | CCV822027
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV20537 | CCV820537
3'0" x 6'8" | 3'0" x 8'0"

Borrassa[®]



Mahogany*

CCR1518 | CCR81518
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany*

CCR1516 | CCR81516
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany*

CCR1515 | CCR81515
3'0" x 6'8" | 3'0" x 8'0"



Mahogany*

CCR822215
3'0" x 8'0"
3'6" x 8'0"

continued

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◇ Brass Caming (1A)
- ✕ Wrought Iron (W)

Optional Accessories



Clavos



Strap Hinge

Borrassa ✕



Mahogany*

CCR1514 3'0" x 6'8"
CCR81514 3'0" x 8'0"
3'6" x 8'0"



Mahogany*

CCR1512 3'0" x 6'8"
CCR81512 3'0" x 8'0"
3'6" x 8'0"



Mahogany*

CCR1511 3'0" x 6'8"
CCR81511 3'0" x 8'0"



Mahogany*

CCR1512A 3'0" x 6'8"
CCR81512A 3'0" x 8'0"
3'6" x 8'0"



Mahogany*

CCR1511A 3'0" x 6'8"
CCR81511A 3'0" x 8'0"



Canvas

CCV1516 3'0" x 6'8"
CCV81516 3'0" x 8'0"



Canvas

CCV1515 3'0" x 6'8"
CCV81515 3'0" x 8'0"



Canvas

CCV1512 3'0" x 6'8"
CCV81512 3'0" x 8'0"



Provincial TM ◆ ■

Mahogany*

CCR804028 3'0" x 8'0"

*Formerly Classic-Craft Rustic.

Note: See page 299 for important product details that may help with your purchase decision.



Mahogany*

CCR820528
3'0" x 8'0"



Mahogany*

CCR820028
3'0" x 8'0"



Mahogany*

CCR822228
3'0" x 8'0"



Canvas

CCV820528
3'0" x 8'0"



Canvas

CCV822028
3'0" x 8'0"

Longford™



Mahogany*

CCR04023 | CCR804023
3'0" x 6'8" | 3'0" x 8'0"



Mahogany*

CCR20523 | CCR820523
3'0" x 6'8" | 3'0" x 8'0"



Mahogany*

CCR20023 | CCR820023
3'0" x 6'8" | 3'0" x 8'0"



Mahogany*

CCR822223
3'0" x 8'0"



Canvas

CCV20523 | CCV820523
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV22023 | CCV822023
3'0" x 6'8" | 3'0" x 8'0"

Cambridge™



Mahogany*

CCR804026
3'0" x 8'0"



Mahogany*


CCR820526
3'0" x 8'0"

continued



Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic



Canvas

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◇ Brass Caming (1A)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66-67.

XC = Chord
XN = Granite

Optional Accessories



Clavos



Strap Hinge

Cambridge™



Mahogany*

CCR820026
3'0" x 8'0"



Mahogany*

CCR822226
3'0" x 8'0"



Canvas

CCV820526
3'0" x 8'0"



Canvas

CCV822026
3'0" x 8'0"

Lucerna®



Mahogany*

CCR04022 | CCR804022
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany*

CCR20522 | CCR820522
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Mahogany*

CCR20022 | CCR820022
3'0" x 6'8" | 3'0" x 8'0"



Mahogany*

CCR822222
3'0" x 8'0"
3'6" x 8'0"



Mahogany*

CCR804032
3'0" x 8'0"



Mahogany*

CCR820532
3'0" x 8'0"



Mahogany*

CCR820032
3'0" x 8'0"

*Formerly Classic-Craft Rustic.

Note: See page 299 for important product details that may help with your purchase decision.



Mahogany*

CCR820532A
3'0" x 8'0"




Mahogany*

CCR820032A
3'0" x 8'0"



Canvas

CCV20522 | CCV820522
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV22022 | CCV822022
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV820532
3'0" x 8'0"

Privacy & Textured



Mahogany*

CCR04020 | CCR804020
3'0" x 6'8" | 3'0" x 8'0"



Mahogany*

CCR20020 | CCR820020
3'0" x 6'8" | 3'0" x 8'0"



Mahogany*

CCR804030
3'0" x 8'0"



Mahogany*

CCR820530
3'0" x 8'0"



Mahogany*

CCR820030
3'0" x 8'0"




Mahogany*

CCR820530A
3'0" x 8'0"



Canvas

CCV22020 | CCV822020
3'0" x 6'8" | 3'0" x 8'0"



Canvas


CCV820530
3'0" x 8'0"

continued



Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic



Canvas

Privacy & Textured



Mahogany

CCM302L_ | CCM302R_
 3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8302L_ | CCM8302R_
 3'0" x 8'0" | 3'0" x 8'0"

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDLF6)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66–67.

- XE = Satin Etch XR = Rainglass
- XC = Chord XN = Granite

Optional Accessories



Clavos



Strap Hinge



Mahogany

CCM304L_ | CCM304R_
 3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8304L_ | CCM8304R_
 3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM303L_ | CCM303R_
 3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8303L_ | CCM8303R_
 3'0" x 8'0" | 3'0" x 8'0"

*Formerly Classic-Craft Rustic.

Note: See page 299 for important product details that may help with your purchase decision.



Mahogany

CCM301CAL_ CCM301CAR_
 ▲ 3'0" x 6'8" ▲ 3'0" x 6'8"



Mahogany

CCM8301CAL_ CCM8301CAR_
 ▲ 3'0" x 8'0" ▲ 3'0" x 8'0"



Mahogany

CCM305CAL_ CCM305CAR_
 ▲ 3'0" x 6'8" ▲ 3'0" x 6'8"



Mahogany

CCM8305CAL_ CCM8305CAR_
 ▲ 3'0" x 8'0" ▲ 3'0" x 8'0"



Mahogany

CCM306CAL_ CCM306CAR_
 ▲ 3'0" x 6'8" ▲ 3'0" x 6'8"



Mahogany

CCM8306CAL_ CCM8306CAR_
 ▲ 3'0" x 8'0" ▲ 3'0" x 8'0"

LOW-E



Mahogany*

CCR04020 CCR804020
 * 3'0" x 6'8" * 3'0" x 8'0"
 * 3'6" x 8'0"



Mahogany*

CCR20020 CCR820020
 * 3'0" x 6'8" * 3'0" x 8'0"



Mahogany*

CCR822220
 * 3'0" x 8'0"
 * 3'6" x 8'0"



Mahogany*


CCR804030
 * 3'0" x 8'0"

continued



Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic



Canvas

Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDLF6)

Optional Accessories



Clavos



Strap Hinge

LOW-E



Mahogany*

CCR820530
*
3'0" x 8'0"



Mahogany*

CCR820030
*
3'0" x 8'0"



Mahogany*

CCR820530A
*
3'0" x 8'0"



Mahogany*

CCR820030A
*
3'0" x 8'0"



Canvas

CCV22020
*
3'0" x 6'8"

CCV822020
*
3'0" x 8'0"



Canvas

CCV820530
*
3'0" x 8'0"



Mahogany

CCM302L
*
3'0" x 6'8"



CCM302R
*
3'0" x 6'8"



Mahogany

CCM8302L
*
3'0" x 8'0"

CCM8302R
*
3'0" x 8'0"



Mahogany

CCM304L
*
3'0" x 6'8"

CCM304R
*
3'0" x 6'8"

*Formerly Classic-Craft Rustic.

Note: See page 299 for important product details that may help with your purchase decision.



Mahogany

CCM8304L | CCM8304R
 ▲☀️🔒 | ▲☀️🔒
 3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM303L | CCM303R
 ▲☀️🔒 | ▲☀️🔒
 3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8303L | CCM8303R
 ▲☀️🔒 | ▲☀️🔒
 3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM301CAL | CCM301CAR
 ▲☀️ | ▲☀️
 3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8301CAL | CCM8301CAR
 ▲☀️ | ▲☀️
 3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM305CAL | CCM305CAR
 ▲☀️🔒 | ▲☀️🔒
 3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8305CAL | CCM8305CAR
 ▲☀️🔒 | ▲☀️🔒
 3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM306CAL | CCM306CAR
 ▲☀️🔒 | ▲☀️🔒
 3'0" x 6'8" | 3'0" x 6'8"



Mahogany


CCM8306CAL | CCM8306CAR
 ▲☀️🔒 | ▲☀️🔒
 3'0" x 8'0" | 3'0" x 8'0"

continued



Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic



Canvas

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

Zaha. ◆ ■



Mahogany*

CCR1841 3'0" x 6'8" | CCR81841 3'0" x 8'0"



Mahogany*

CCR1839 3'0" x 6'8" | CCR81839 3'0" x 8'0"



Mahogany*

CCR1838 3'0" x 6'8" | CCR81838 3'0" x 8'0"



Mahogany*

CCR822238 3'0" x 8'0"



Mahogany*

CCR81847 3'0" x 8'0"



Mahogany*

CCR81846 3'0" x 8'0"



Mahogany*

CCR81845 3'0" x 8'0"



Mahogany*

CCR81846A 3'0" x 8'0"



Mahogany*

CCR81845A 3'0" x 8'0"

*Formerly Classic-Craft Rustic.

Note: See page 299 for important product details that may help with your purchase decision.

Right Page: Classic Craft Canvas, Zaha Glass, Door – CCV1839; Clear Glass, Transom – 19200T



Canvas

CCV1839 | CCV81839
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV1838 | CCV81838
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV81846
3'0" x 8'0"



Artissa Collection

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Oak Grain

Canvas

Key


-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Brass Caming (1A)

Homeward™ 



Mahogany

CCM9926
3'0" x 6'8"



Oak

CC9926
3'0" x 6'8"



Canvas

CCV9926
3'0" x 6'8"

Arborwatch® 



Mahogany

CCM1424
3'0" x 6'8"



Oak

CC1424
3'0" x 6'8"



Canvas

CCV1424
3'0" x 6'8"



*Not available in brass caming.

Note: See page 299 for important product details that may help with your purchase decision.

Bottom: Classic Craft Canvas, Homeward Glass, Door – CCV9926, Sidelites – CCM911SL, Finish – Cabernet

Founders Collection

For transoms, see pages 122–123.

Arcadia™




Mahogany

CCM609*
3'0" x 6'8"



Oak

CC45
2'8" x 6'8"
3'0" x 6'8"



Oak

CC2160SL
12" x 6'8"
14" x 6'8"



Canvas

CCV06029*
3'0" x 6'8"

Provincial™



Oak

CC47
2'8" x 6'8"
3'0" x 6'8"



Oak

CC2140SL
12" x 6'8"
14" x 6'8"



Canvas

CCV06028*
3'0" x 6'8"

Longford™



Mahogany

CCM603
3'0" x 6'8"



Canvas

CCV06023
3'0" x 6'8"

Cambridge™



Oak

CC44
2'8" x 6'8"
3'0" x 6'8"



Oak

CC2144SL
12" x 6'8"
14" x 6'8"



Canvas

CCV06026
3'0" x 6'8"

continued




Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic



Oak Grain



Canvas

Key

-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Low-E Glass (LE)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66-67.


XE = Satin Etch

Lucerna




Mahogany

CCM612
3'0" x 6'8"



Oak

CC612
3'0" x 6'8"



Oak

CC2122SL
 12" x 6'8"
14" x 6'8"



Canvas

CCV06022
3'0" x 6'8"

Privacy & Textured



Mahogany

CCM600XE
3'0" x 6'8"



Oak

CC48XE
3'0" x 6'8"



Canvas

CCV06020XE
3'0" x 6'8"

Low-E



Mahogany

CCM600
 3'0" x 6'8"



Oak

CC48
 2'8" x 6'8"
3'0" x 6'8"



Oak

CC2120SL
  12" x 6'8"
14" x 6'8"



Canvas

CCV06020
 3'0" x 6'8"

Note: See page 299 for important product details that may help with your purchase decision.
Right Page: Classic Craft Mahogany Grain, Lucerna Glass, Door – CCM702, Sidelites – CCM3412SL, Finish – Mulberry

Oval Lites

Founders Collection

For transoms, see pages 122–123.

Arcadia™ ◆



Mahogany

CCM709
3'0" x 6'8"

Longford™ ◆



Mahogany

CCM703
3'0" x 6'8"

Lucerna® ◆



Mahogany

CCM702
3'0" x 6'8"

Low-E



Mahogany

CCM700
★
3'0" x 6'8"






Fir Grain

Formerly Classic-Craft
American Style

Canvas

Key

-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Flush-Glazed Glass with Square Sticking (FG)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Simulated Divided Lites (SDL)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66-67.

- XC = Chord XR = Rainglass
- XJ = Chinchilla XN = Granite

Optional Dentil Shelves

Available for all Classic Craft Craftsman Lite doors.



16-Block Dentil Shelf



4-Block Dentil Shelf




4-Block Dentil Shelf
Pairs with 3'6" wide doors.



4-Block Dentil Shelf


Homeward™



Arborwatch®



*Formerly Classic-Craft American Style.
Note: See page 299 for important product details that may help with your purchase decision.



Fir*

CCA9300
▲ ▲ 3'0" x 6'8"
CCA89300
▲ ▲ 3'0" x 8'0"



Fir*

CCA87131
▲ ▲ 3'6" x 8'0"



Fir*

CCA1423SL
▲ 12" x 6'8"
▲ 14" x 6'8"
CCA81423SL
▲ 12" x 8'0"
▲ 14" x 8'0"



Fir*

CCA9100SL
▲ 12" x 6'8"
▲ 14" x 6'8"



Canvas

CCV4100
● 3'0" x 6'8"



Canvas

CCV4300
● ▲ 3'0" x 6'8"



Canvas

CCV1423SL
● 12" x 6'8"
▲ 14" x 6'8"



Canvas

CCV4100SL
● 12" x 6'8"
▲ 14" x 6'8"

Privacy & Textured



Fir*

CCA210_▲ 3'0" x 6'8"
CCA8210_▲ 3'0" x 8'0"



Fir*

CCA87100XR
▲ 3'6" x 8'0"



Fir*

CCA220_▲ ▲ 3'0" x 6'8"
CCA8220_▲ ▲ 3'0" x 8'0"



Fir*

CCA87200XR
▲ ▲ 3'6" x 8'0"



Fir*

CCA230_▲ ▲ 3'0" x 6'8"
CCA8230_▲ ▲ 3'0" x 8'0"



Fir*

CCA87300XR
▲ 3'6" x 8'0"



Fir*

CCA240_▲ ▲ 3'0" x 6'8"
CCA8240_▲ ▲ 3'0" x 8'0"




continued

Fir Grain

Formerly Classic-Craft
American Style

Canvas

Key

-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 66-67.

- XG = Geometric
- XJ = Chinchilla
- XE = Satin Etch
- XR = Rainglass
- XC = Chord
- XN = Granite

Optional Dentil Shelves

Available for all Classic Craft Craftsman Lite doors.



16-Block Dentil Shelf



4-Block Dentil Shelf



4-Block Dentil Shelf






Pairs with 3'6" wide doors.



















4-Block Dentil Shelf

Privacy & Textured



Fir*	Fir*	Fir*
CCA87400XR	CCA260 ***	CCA8260 ***
  3'6" x 8'0"	 3'0" x 6'8"	  3'0" x 8'0"




Fir*	Fir*	Fir*	Fir*
CCA3450_SL**	CCA3560_SL**	CCA3400_SL**	CCA3500_SL**
  12" x 6'8"   14" x 6'8"	  12" x 8'0"   14" x 8'0"	 12" x 6'8"  14" x 6'8"	 12" x 8'0"  14" x 8'0"
CCA220_SL***	CCA210_SL***		
  12" x 6'8"   14" x 6'8"	 12" x 6'8"  14" x 6'8"		



Canvas	Canvas	Canvas	Canvas
CCV910 ***	CCV920 ***	CCV930 ***	CCV940 ***
 3'0" x 6'8"	  3'0" x 6'8"	  3'0" x 6'8"	  3'0" x 6'8"

*Formerly Classic-Craft American Style.
 **Not available with Satin Etch (XE) glass.
 ***Not available with Geometric (XG) or Satin Etch (XE) glass.
 Note: See page 299 for important product details that may help with your purchase decision.



LOW-E



continued

Fir Grain

Formerly Classic-Craft
American Style

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Canvas

Key

-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Simulated Divided Lites (SDL)

Optional Dentil Shelves

Available for all Classic Craft
Craftsman Lite doors.



16-Block Dentil Shelf



4-Block Dentil Shelf



4-Block Dentil Shelf

Pairs with 3'6" wide doors.



4-Block Dentil Shelf

LOW-E



Fir*

CCA210
 
3'0" x 6'8"

CCA8210
 
3'0" x 8'0"



Fir*

CCA87100
 
3'6" x 8'0"



Fir*

CCA3450SL
  
12" x 6'8"
14" x 6'8"

CCA3560SL
  
12" x 8'0"
14" x 8'0"



Fir*

CCA3400SL
 
12" x 6'8"
14" x 6'8"

CCA3500SL
 
12" x 8'0"
14" x 8'0"



Fir*

CCA220SL
  
12" x 6'8"
14" x 6'8"



Fir*

CCA210SL
 
12" x 6'8"
14" x 6'8"



Canvas

CCV920
  
3'0" x 6'8"



Canvas

CCV930
  
3'0" x 6'8"



Canvas

CCV940
  
3'0" x 6'8"



Canvas

CCV960
  
3'0" x 6'8"




Canvas

CCV910
  
3'0" x 6'8"

*Formerly Classic-Craft American Style.

Note: See page 299 for important product details that may help with your purchase decision.

Right Page: Classic Craft Mahogany Grain, Longford Glass, Door – CCM803, Finish – New Earth



Canvas
CCV950SL **CCV8950SL**
 ▲ ★ ■ ▲ ★ ■
 12" x 6'8" 12" x 8'0"
 14" x 6'8" 14" x 8'0"

Canvas
CCV100SL **CCV8100SL**
 ▲ ★ ■ ▲ ★ ■
 12" x 6'8" 12" x 8'0"
 14" x 6'8" 14" x 8'0"

Canvas
CCV9020SL
 ▲ ★ ■
 12" x 6'8"
 14" x 6'8"

Canvas
CCV9010SL
 ▲ ★ ■
 12" x 6'8"
 14" x 6'8"

Center Lites

Founders Collection



Arcadia™

Mahogany
CCM809
 3'0" x 6'8"



Mahogany
CCM3509SL
 ▲ 12" x 6'8"
 14" x 6'8"



Longford™

Mahogany
CCM803
 3'0" x 6'8"



Mahogany
CCM3503SL
 ▲ 12" x 6'8"
 14" x 6'8"



Lucerna®

Mahogany
CCM822
 3'0" x 6'8"



Mahogany
CCM3502SL
 ▲ 12" x 6'8"
 14" x 6'8"



Low-E

Mahogany
CCM800
 ★ 3'0" x 6'8"











Mahogany
CCM3500SL
 ▲ ★ 12" x 6'8"
 14" x 6'8"



Fir Grain

Formerly Classic-Craft
American Style

Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Door Divider Bars (DDBF3)
-  Door Divider Bars (DDBF4)
-  Door Divider Bars (DDBF5)
-  WBDR Options
-  Elevated 10" Bottom Rail Options



Artissa

CCA1125  	CCA81125   
3'0" x 6'8"	3'0" x 8'0"



Artissa

CCA1149  	CCA81149   
3'0" x 6'8"	3'0" x 8'0"




Artissa

CCA1127  	CCA81127   
3'0" x 6'8"	3'0" x 8'0"




Artissa

CCA4905  	CCA84905   
3'0" x 6'8"	3'0" x 8'0"



Artissa

CCA4915L  	CCA4915R  
3'0" x 6'8"	3'0" x 6'8"



Artissa

CCA84915L   	CCA84915R   
3'0" x 8'0"	3'0" x 8'0"





Artissa

CCA4925L  	CCA4925R  
3'0" x 6'8"	3'0" x 6'8"

*Formerly Classic-Craft American Style.




Note: See page 299 for important product details that may help with your purchase decision.







Walnut Grain

Key

-  Low-E Glass (LE)
-  WBDR Options
-  Elevated 10" Bottom Rail Options





Visionary

CCW1000	CCW81000
 E	 E
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"





Visionary

CCW900L	CCW8900L
	
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"





Visionary

CCW900R	CCW8900R
	
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"





Visionary

CCW901L	CCW8901L
	
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"





Visionary

CCW901R	CCW8901R
	
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"




Visionary

CCW902L	CCW8902L
	
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Note: See page 299 for important product details that may help with your purchase decision.
 Bottom: Classic Craft Walnut Grain Door – CCW902R; Low-E Glass Direct Set Sidelites – DRS82131SL,
 Transoms – 19200T, 19210T, Finish – Shale
 Right Page: Classic Craft Walnut Grain Door – CCW903, Finish – Ashburn




Visionary

CCW902R 6	CCW8902R 6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Visionary

CCW903 6	CCW8903 6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Visionary

CCW904L 6	CCW8904L 6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Visionary

CCW904R 6	CCW8904R 6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Visionary

CCW905 6 E	CCW8905 6 E
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Visionary

CCW906L 6	CCW8906L 6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Visionary

CCW906R 6	CCW8906R 6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"




Visionary

CCW907L 6	CCW8907L 6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Visionary

CCW907R 6	CCW8907R 6
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



LOW-E

Direct Set

DRS2131SL *	DRS82131SL *
12" x 6'8" (7'0")	12" x 8'0"
14" x 6'8" (7'0")	14" x 8'0"


Solid Panels

Mahogany Grain*

Mahogany Grain

Formerly Classic-Craft
Mahogany & Rustic

Oak Grain



Artissa

CCR100 | CCR8100
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 6'8" | 3'6" x 8'0"



Artissa

CCM890
6
3'0" x 8'0"



Artissa

CCR8222
6
3'0" x 8'0"
3'6" x 8'0"

Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Simulated Divided Lites (SDLF6)
-  WBDL Options
-  WBDL / HVHZ Options

Optional Accessories



Clavos



Strap Hinge



Founders

CCR100R | CCR8100R
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 6'8" | 3'6" x 8'0"



Founders

CCR040R | CCR8040R
6
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Founders

CCR8225R
6
3'0" x 8'0"
3'6" x 8'0"



Founders

CCR8005A
3'0" x 8'0"



Founders

CCR205A | CCR8205A
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Founders

CCR200A | CCR8200A
3'0" x 6'8" | 3'0" x 8'0"

*Formerly Classic-Craft Mahogany and Rustic.

Note: See page 299 for important product details that may help with your purchase decision.



Founders

CCR8225
3'0" x 8'0"
3'6" x 8'0"



Founders

CCR8005
3'0" x 8'0"



Founders

CCR040 | CCR8040
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Founders

CCR205 | CCR8205
3'0" x 6'8" | 3'0" x 8'0"
3'6" x 8'0"



Founders

CCR200 | CCR8200
3'0" x 6'8" | 3'0" x 8'0"



Founders

CCM60
3'0" x 6'8"



Founders

CCM801
3'0" x 6'8"



Founders

CCM701
3'0" x 6'8"

Hammered



Mahogany

CCR2025XHSL | CCR82035XHSL
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"

Oak Grain



Artissa

CC91
3'0" x 6'8"



Founders

CC831
3'0" x 8'0"



Founders

CC60 | CC860
2'8" x 6'8" | 3'6" x 8'0"
3'0" x 6'8"



Founders

CC40
3'6" x 6'8"

Solid Panels

Canvas

Canvas

Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Simulated Divided Lites (SDLF6)
-  WBDH / HVHZ Options

Optional Accessories



Clavos



Strap Hinge



Artissa

CCV200
 3'0" x 6'8"





Founders

CCV205 | CCV8205
 3'0" x 6'8" |  3'0" x 8'0"



Founders

CCV220 | CCV8220
 3'0" x 6'8" |  3'0" x 8'0"



Founders

CCV831
 3'0" x 8'0"



Founders

CCV060
 3'0" x 6'8"







Founders

CCV050
 3'0" x 6'8"

Hammered



Canvas

CCV950XHSL | CCV8950XHSL
 12" x 6'8" |  12" x 8'0"
 14" x 6'8" |  14" x 8'0"



Transoms

Transoms can be stained or painted to match Classic Craft door systems.

Homeward™ ◆◆



HWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



HW30T
3'0" Door Only

Arborwatch® ◆◆



ABRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



AB30T
3'0" Door Only

Arcadia™ ◆◆◆



CC060T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC620T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC600T
3'0" Door Only

Longford™ ◆◆



LFET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LFRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LF30T
3'0" Door Only

Provincial™ ◆◆◆



CC040T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC420T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC400T
3'0" Door Only

Lucerna® ◆◆



LCET
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LCRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



LC30T
3'0" Door Only

Cambridge™ ◆◆◆



CC090T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC920T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC900T
3'0" Door Only

Zaha® ◆◆



ZHRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Note: See page 299 for important product details that may help with your purchase decision.

Right Page: Classic Craft Canvas, Homeward Glass, Door – CCV9925, Sidelites – CCV911SL, Transom – HWRT

Low-E



Grille Sticks Applied



19020T

- ☀ 3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
- ☀ 3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19220T

- ☀ 3'0" door + (2) 12" sidelites
- ☀ 3'0" door + (2) 14" sidelites
- Continuous / Boxed Sill Systems



Grille Sticks Applied



19200T

- ☀ 3'0" Door Only



19210T

- ☀ 12" & 14"
Sidelite Only

Key

- ☀ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)



Classic Craft® Hinged Patio Doors




A premium entrance to outdoor living.

The unmatched craftsmanship of Classic Craft premium entryways extends to the patio as an uncompromising entrance to the outdoors. Select from remarkably authentic wood grains and premium smooth surfaces to create a seamless indoor-outdoor connection.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Classic Craft Mahogany Grain, Low-E Glass, Doors – CCM82800, Sidelites – CCR8000SL, Finish – Lynx

Grain & Texture Options



Glass Options



Low-E Glass




Flush-Glazed Glass

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

EnLiten™ Flush-Glazed Warranty Riders

See page 33 for details on the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners.

Available Configurations



■ = Available		Classic Craft.
Door Selections		
Material		Fiberglass
Warranty		1x Transferable Lifetime
Finish Options		Stain or Paint
Flush-Glazed Glass Selections		
Low-E Glass with and without Divided Lites 🔺	■	
Privacy & Textured Glass with and without Divided Lites 🔺	■	
Lip-Lite Glass Selections		
Low-E Glass with and without Divided Lites	■	
Privacy & Textured Glass with and without Divided Lites	■	
Available Sizes		
Heights		6'8", 8'0"
Single Widths		3'0"
Double Widths		6'0"
Triple Widths		9'0"
Retrofit Openings		
Additional Options		
Screens & Screen Accessories Available Colors: Bronze, White		2" Frame, 3" Frame
Impact-Rated Options		
Tru-Defense Eligible	■	




EnLiten™ Flush-Glazed Low-E Glass




Available Collections

- Classic Craft® Fir Grain
- Classic Craft® Mahogany Grain

Available Door Styles



Available Configurations




EnLiten™ Flush-Glazed Low-E Glass with Divided Lites




Available Collections

- Classic Craft® Mahogany Grain

Available Door Styles



Available Configurations



Note: See page 299 for important product details that may help with your purchase decision.

Right Page: Classic Craft Fir Grain, Low-E Glass, Doors – CCA82400, Finish – Acorn, Retractable Screens – White


Low-E Glass




Available Collections

- Classic Craft. Mahogany Grain
- Classic Craft. Oak Grain
- Classic Craft. Canvas

Available Door Styles



Available Configurations



Fiber-Classic® & Smooth-Star® Fiberglass Doors


Fiber-Classic® & Smooth-Star®



Great style for any home.

With many door styles in common and glass families that cross over between door collections, Fiber-Classic and Smooth-Star offers flexible options to fit virtually every entrance from front entry to patio to utility doors at an excellent value.

Top: Smooth-Star, Maple Park Glass, Doors – S86107
Bottom: Fiber-Classic Oak Collection, Internal Blinds, Door – FC678, Finish – Barley
Right Page: Fiber-Classic Mahogany Collection, Low-E Glass with SDLs, Door – FCM4813, Sidelites – FCM2000SL, Transom – 19220T, Finish – Mulberry





Fiber-Classic® Mahogany Collection™

Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.



Fiber-Classic® Oak Collection™

Fiber-Classic Oak is the door that started the fiberglass revolution and features the warm look and feel of natural Oak graining.



Smooth-Star®

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.

See the difference color can make.

Therma-Tru offers a wide variety of finish options for our doors. Explore PrismaGuard® premium finish and Same-Day® Stain color options on pages 274–278.

Glass Options

- Explore a portfolio of interchangeable decorative glass designs, and privacy and textured glass options starting on page 134.
- Invite light into the home for a more brilliant interior with 22" wide glass in a Lip-lite frame, as well as flush-glazed options with 25–27" wide glass – starting on page 152.
- Lite frames are heat and fade resistant, and suitable for use with a storm door.
- Low-E glass is available for internal blinds, divided lites and clear glass, providing exceptional energy efficiency.



Door Construction

Fiber-Classic® and Smooth-Star® doors set the standard for beauty, quality and performance at an excellent value. Explore the craftsmanship and innovation of doors designed for long-lasting energy efficiency, durability and security.



1 Weather Resistance

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

2 Security

An enhanced lock block combined with a 1- $\frac{1}{4}$ " engineered lumber lock stile increases rigidity and stability.

3 Durability

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

4 R-Values

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood*, Thermo-Tru fiberglass doors insulate against cold and heat for exceptional energy efficiency.



ENERGY STAR® Qualified
Options Available



*Comparison of fiberglass to wood doors (both without glass).



Vented Sidelites

More than a sidelite. Vented sidelites from Therma-Tru let the homeowner enjoy the added curb appeal of an elegant front entry unobstructed by a screen door. Choose from convenient specialty glass options or eye-catching decorative designs. In fact, only Therma-Tru offers vented sidelites with decorative glass. Look for the (●) icon.

- Sturdy stiles and hinges make the unit work as a small swinging door.
- Wide patio mullions provide dependable operation.
- Multi-point lock and continuous system help provide security and stability.
- Convenient removable screens – available in bronze and white – are designed for worry-free use.

Available Sizes:

Height	Width	
	12"	14"
6'6"	■	■
6'8"	■	■
8'0"		■



Available Configurations:



Single Door with Vented Sidelites (Inswing Only)



Double Doors with Vented Sidelites (Inswing Only)

Note: No Impact-rated options available for vented sidelites.

Top: Smooth-Star, Granite Glass with SDLs, Door – S2103XN, Sidelites – S2000XNSL





	Fiber-Classic® Mahogany Collection™	Fiber-Classic® Oak Collection™	Smooth-Star®
■ = Available			
● = Not Applicable			
S = Stain			
P = Paint			
Door Widths			
2'0"	■	■	■
2'4"	■	■	■
2'6"	■	■	■
2'8"	■	■	■
2'10"	■	■	■
3'0"	■	■	■
3'6"	●	●	■
Door Heights			
6'6"	●	■	■
6'8"	■	■	■
7'0"	■	■	■
8'0"	■	■	■
Glass Options			
Decorative	15	15	15
Privacy & Textured	7	7	7
Internal Blinds	■	■	■
Flush-Glazed	■	■	■
Screen Vented	●	●	■
Simulated Divided Lites	■	■	■
Grilles Between Glass	■	■	■
Low-E	■	■	■
Clear	■	■	■
Additional Options			
Finish	S / P	S / P	P
Vented Sidelites	■	■	■

Retrofit Hinged Patio Doors

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 222–227.

5'0" Patio Opening = (2) 2'4" Doors
 6'0" Patio Opening = (2) 2'10" Doors



Additional Options

-  WBDR Options: Look for this icon to find door styles that can be configured for WBDR.*
-  WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*
-  Fire-Rated Options: Available on solid-panel doors. See pages 254–259.
-  Flush-Glazed Options: Look for these icons and / or a **blue highlight** to find door styles with flush-glazed glass.

Warranties



Fiber-Classic® and Smooth-Star® products are backed by a lifetime limited warranty. See page 299 for more information.

-  Fiber-Classic® and Smooth-Star® products with flush-glazed glass are also backed by the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners. See page 33 for more information.
-  Fiber-Classic® and Smooth-Star® door systems are eligible for the Tru-Defense® Warranty Rider when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider. See page 26–27 for details.



*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.


Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for more, including details on limited warranties and exclusions, Riders, ENERGY STAR qualified products and product approvals.

Right: Smooth-Star, Clear Glass, Door – S8140

Decorative & Specialty Glass Designs

Blackstone®

Traditional English design meets **1** clear curved bevels, **2** rainglass and coming to create the distinctive styling of Blackstone. Entries get the best of both privacy and simple refinement.



Black Nickel



Brushed Nickel

Crystalline™

This time-honored design features geometric styling brought to life with **1** glue chip glass, **2** glue chip bevels, **3** clear bevels and coming. Offering modest privacy, Crystalline is a shining example of traditional decorative glass with lasting beauty.



Black Nickel



Brushed Nickel

Sedona

Art meets glass in Sedona where Arts and Crafts simplicity is designed with **1** slump glass, **2** clear bevels, **3** clear artique glass and coming.



Black Nickel



Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Salinas®

1 Oceana glass and wrought iron come together to create a cheerful entry glass design that offers the ultimate in privacy with yesterday's charm.



Wrought Iron

Maple Park®

With hints of Mission style and the American Southwest, Maple Park provides a sophisticated appearance with 1 waterglass, 2 clear bevels, 3 granite glass and coming. The curved design adds unique appeal.



Black Nickel



Brushed Nickel

Avonlea®


The dainty leaf design seemingly grows upward in this elegant glass design. Light pours through Avonlea's 1 clear baroque glass and 2 bronze waterglass surrounded by black nickel coming.



Black Nickel

Saratoga™

Saratoga evokes a certain urban sophistication while offering modest privacy with its **1** clear bevels, **2** diamond glass, **3** reeded glass and coming. The geometric pattern bridges both modern and traditional designs.




Texas Star

Beautifully crafted with **1** clear bevels, **2** curved bevels, **3** clear waterglass, **4** granite glass, **5** glue chip glass, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.



Wellesley™


Simple yet charming, Wellesley's Victorian-inspired design uses **1** clear baroque glass, **2** clear curved bevels, **3** waterglass, **4** granite glass and coming to add beauty to any entry.



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Riserva®

Riserva decorative glass features a combination of linear and curved wrought iron elements that create a simple yet graceful design. Riserva features ① oceana glass for privacy with a look that enhances a wide variety of home styles, including Mediterranean, Old World and Southwest.



1 10
Glass Privacy Rating

Wrought Iron

Concorde™

There's just something friendly about Concorde's cheery four-leaf design. ① Glue chip glass, ② clear curved bevels, ③ clear glass and coming make up its Old World charm.



1 8 10
Glass Privacy Rating

Black Nickel



Brushed Nickel



Brass

Kensington™

Kensington speaks European elegance while offering modest privacy with its ① clear bevels, ② glue chip glass, ③ granite glass and coming.



1 8 10
Glass Privacy Rating

Black Nickel



Brushed Nickel

Pembridge™


Simplistic in its design, Pembridge features a field of **1** hammered glass framed by **2** gray baroque glass and **3** multifaceted bevels. A central diamond shape adds a decorative touch.



Glass Privacy Rating

Note: The use of gray baroque glass varies based on glass size.

Black Nickel



Brushed Nickel



Brass*


Axis®

Simple and smart, Axis combines **1** narrow reeded glass in horizontal and vertical arrangements to create contrast and modest privacy. A vertical band of **2** clear glass bevels completes this linear design, ideal for Modern home styles.



Glass Privacy Rating

Black Nickel



Frosted Images®

Delicate and ornate, Frosted Images offers a high privacy rating with an elegant aesthetic achieved with the simplicity of **1** white-frosted glass.



Glass Privacy Rating



*Brass coming not available for Impact-rated products.

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Internal Blinds

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.

- ① Single-Hand Operator
- ② Privacy Bar



Screen Vented

Screen vented lites offer a built-in screen for ventilation, featuring a gliding operation and sash locking system.



Privacy & Textured Glass



Reeded




Geometric



Satin Etch



Chord



Chinchilla



Rainglass



Granite



Also Available:
Low-E & Clear Glass

Divided Lites

Simulated Divided Lites (SDLs) with Grilles Between Glass (GBGs)

Choose wood-grained or smooth-textured SDL bars layered over flat bronze GBG bars to achieve the most authentic divided lite look.

Look for the (  ) icons.




Shown with flat bronze GBGs, recommended.

Simulated Divided Lites (SDLs)

Wood-grained or smooth SDL bars are adhered to the interior and exterior panes of tempered glass. Can be stained or painted any color to complement the door and home.

Look for the ( ) icons.



*Available in Special Quote Program.
Note: See page 299 for important product details that may help with your purchase decision.
Bottom: Smooth-Star, Clear Glass with SDLs, Door – S82103, Sidelites – S8000SL

Grilles Between Glass (GBGs)

Contour or flat GBG bars are thermally sealed between two panes of tempered glass for the convenience of a smooth, easy-to-clean glass surface.

Look for the (  ) icons.






Fixed Grilles

Fixed grilles are molded as part of the lite frame on the interior and exterior panes of tempered glass. Can be stained or painted to complement the home décor.


Look for the () icon.



SDL Bar Options




GBG Bar Options



GBG Color Options




Key

-  Simulated Divided Lites (SDL)
-  Simulated Divided Lites (SDLF1)
-  Simulated Divided Lites (SDLF2)
-  Flat or Contour White Grilles Between Glass (GBGF / GBGC)
-  Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
-  Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
-  Fixed Grilles (FXG)
-  Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware.



Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal.



Fiber-Classic. 4-Block Dentil Shelf*



Smooth-Star. 4-Block Dentil Shelf*




*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Bottom: Fiber-Classic Mahogany Collection, Clear Glass with SDLs, Door – FCM4816, Dentil Shelf, Finish – Acorn
 Right Page: Fiber-Classic Oak Collection, Riserva Glass, Door – FC574, Sidelites – FC573SL, Finish – Wildflower Honey



Transoms

For transoms, see page 221.



Blackstone ♦ ❖

 Mahogany		 Mahogany		 Mahogany		 Mahogany		 Oak		 Oak	
FCM108  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM871  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM310  2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM816  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM871SL  12" x 8'0" 14" x 8'0"	FCM808SL  10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM81918SL  12" x 8'0" 14" x 8'0"	FC108  2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81918P  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC310  2'6" x 6'8" Δ (7'0") 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0")	FC816  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	
 Oak		 Oak		 Smooth		 Smooth		 Smooth		 Smooth	
FC108SL  10" x 6'8" 12" x 6'8" 14" x 6'8"	81918PSL  12" x 8'0" 14" x 8'0"	FC808SL  12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	81918SL  12" x 8'0" 14" x 8'0"	S6002  2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S85892  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S310  2'6" x 6'8" Δ 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"	S816  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S6002SL  12" x 6'8" 14" x 6'8"	S85892SL  12" x 8'0" 14" x 8'0"	S4570SL  10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S85927SL  12" x 8'0" 14" x 8'0"

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- ❖ Brushed Nickel Caming (1C)
- ▤ NEW Scrolled & Flat Advanta Lite Frame
- ▤ Flat Lite Frame
- Vented Sidelite Options
- ⚙ WBDR Options
- ⚙ WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- Δ 6'6" Height Available

Crystalline

Fiber-Classic® & Smooth-Star®

Mahogany		Mahogany		Mahogany	Mahogany		Oak		Oak	
FCM16 6	FCM8114 6	FCM668 6E	FCM814 6	FCM8114SL 6	FCM18101SL 6	FCM81800SL 6	FC16 6E	81800P 6	FC668 6E	FC814 6
2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8" (7'0")	2'8" x 8'0"	12" x 8'0"	10" x 6'8"	12" x 8'0"	2'8" x 6'8" (7'0")	2'8" x 8'0"	2'8" x 6'8" Δ (7'0")	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8" (7'0")	2'10" x 8'0"	14" x 8'0"	12" x 6'8" (7'0")	14" x 8'0"	2'10" x 6'8" (7'0")	2'10" x 8'0"	2'10" x 6'8" Δ (7'0")	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8" (7'0")	3'0" x 8'0"		14" x 6'8" (7'0")		3'0" x 6'8" (7'0")	3'0" x 8'0"	3'0" x 6'8" Δ (7'0")	3'0" x 8'0"

Oak		Oak		Smooth		Smooth		Smooth		Smooth	
FC46SL 6	81800PSL 6	18101SL 6	81800SL 6	S916 6E	S814 6	S668 6E	S815 6	S916SL 6	S814SL 6	S6130SL 6	S84586SL 6
10" x 6'8"	12" x 8'0"	12" x 6'8" Δ (7'0")	12" x 8'0"	2'8" x 6'8" (7'0")	2'8" x 8'0"	2'8" x 6'8" Δ (7'0")	2'8" x 8'0"	12" x 6'8"	12" x 8'0"	10" x 6'8"	12" x 8'0"
12" x 6'8"	14" x 8'0"	14" x 6'8" Δ (7'0")	14" x 8'0"	2'10" x 6'8" (7'0")	2'10" x 8'0"	2'10" x 6'8" Δ (7'0")	2'10" x 8'0"	14" x 6'8"	14" x 8'0"	12" x 6'8" Δ (7'0")	14" x 8'0"
14" x 6'8"				3'0" x 6'8" (7'0")	3'0" x 8'0"	3'0" x 6'8" Δ (7'0")	3'0" x 8'0"			14" x 6'8" Δ (7'0")	
						3'6" x 6'8"	3'6" x 8'0"				

Sedona

Mahogany		Mahogany		Mahogany	Mahogany		Oak		Oak	
FCM100 E	FCM872 E	FCM241 E	FCM822 E	FCM872SL E	FCM816SL E	FCM81968SL E	FC100 E	81968P E	FC241 E	FC822 E
2'8" x 6'8"	2'8" x 8'0"	2'6" x 6'8" (7'0")	2'8" x 8'0"	12" x 8'0"	10" x 6'8"	12" x 8'0"	2'6" x 6'8"	2'8" x 8'0"	2'6" x 6'8" Δ (7'0")	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"	2'8" x 6'8" (7'0")	2'10" x 8'0"	14" x 8'0"	12" x 6'8" (7'0")	14" x 8'0"	2'8" x 6'8" (7'0")	2'10" x 8'0"	2'8" x 6'8" Δ (7'0")	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"	2'10" x 6'8" (7'0")	3'0" x 8'0"		14" x 6'8" (7'0")		2'10" x 6'8" (7'0")	3'0" x 8'0"	2'10" x 6'8" Δ (7'0")	3'0" x 8'0"
		3'0" x 6'8" (7'0")					3'0" x 6'8" (7'0")		3'0" x 6'8" Δ (7'0")	

Oak	Oak	Smooth	Smooth	Smooth	Smooth		
FC100SL 10" x 6'8" 12" x 6'8" 14" x 6'8"	81968PSL 12" x 8'0" 14" x 8'0"	FC816SL 12" x 6'8" (7'0") 14" x 6'8" (7'0")	81968SL 12" x 8'0" 14" x 8'0"	S139 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S241 2'6" x 6'8" Δ 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"	S139SL 12" x 6'8" 14" x 6'8"	S604SL 10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")

Salinas x

Mahogany	Mahogany	Mahogany	Mahogany	Oak	Oak						
FCM113 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM873 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM369 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM817 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM814SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM81919SL 12" x 8'0" 14" x 8'0"	FCM873SL 12" x 8'0" 14" x 8'0"	FC113 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81919P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC369 2'6" x 6'8" Δ (7'0") 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0")	FC817 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	
Oak	Oak	Smooth	Smooth	Smooth	Smooth						
FC113SL 10" x 6'8" 12" x 6'8" 14" x 6'8"	81919PSL 12" x 8'0" 14" x 8'0"	FC814SL 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	81919SL 12" x 8'0" 14" x 8'0"	S6008 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S85893 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S369 2'6" x 6'8" Δ 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"	S817 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S6008SL 12" x 6'8" 14" x 6'8"	S85893SL 12" x 8'0" 14" x 8'0"	S6134SL 10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S85931SL 12" x 8'0" 14" x 8'0"

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- x Wrought Iron (1W)
- NEW Scrolled & Flat Advanta Lite Frame
- └ Flat Lite Frame
- Vented Sidelite Options
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- Δ 6'6" Height Available



Mahogany

FCM900

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1006

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Mahogany

FCM812SL

10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Oak

FC900

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC1006

2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")



Oak

FC900SL

10" x 6'8"
12" x 6'8"
14" x 6'8"



Oak

FC812SL

12" x 6'8" Δ (7'0")
14" x 6'8" Δ (7'0")



Smooth

S6100

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Avonlea ◆



Smooth

S1006

2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8"



Smooth

S6100SL

12" x 6'8"
14" x 6'8"



Smooth

S6131SL

10" x 6'8"
12" x 6'8" Δ (7'0")
14" x 6'8" Δ (7'0")



Mahogany

FCM758

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM1027

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Mahogany

FCM807SL

10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")



Oak

FC758

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

FC1027

2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")



Oak

FC758SL

10" x 6'8"
12" x 6'8"
14" x 6'8"



Oak

FC807SL

12" x 6'8" (7'0")
14" x 6'8" (7'0")



Smooth

S962

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S1027

2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8"



Smooth

S962SL








12" x 6'8"
14" x 6'8"









Smooth









S6127SL

10" x 6'8"
12" x 6'8" Δ (7'0")
14" x 6'8" Δ (7'0")

								
Mahogany	Mahogany	Mahogany	Mahogany	Oak	Oak	Oak		
FCM905 ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6093 ◆ ◆ ◆ ◆ ◆ ◆ 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM815SL ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM81986SL ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"	FCM893SL ◆ ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"	FC905 ◆ ◆ ◆ ◆ ◆ ◆ 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC6093 ◆ ◆ ◆ ◆ ◆ ◆ 2'6" x 6'8" △ (7'0") 2'8" x 6'8" △ (7'0") 2'10" x 6'8" △ (7'0") 3'0" x 6'8" △ (7'0")	FC905SL ◆ ◆ ◆ ◆ ◆ ◆ 10" x 6'8" 12" x 6'8" 14" x 6'8"	81986PSL ◆ ◆ ◆ ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"

							
Oak	Smooth	Smooth	Smooth	Smooth	Mahogany		
FC815SL ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 12" x 6'8" △ (7'0") 14" x 6'8" △ (7'0")	81986SL ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"	S154 ◆ ◆ ◆ ◆ ◆ ◆ 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S6093 ◆ ◆ ◆ ◆ ◆ ◆ 2'6" x 6'8" △ 2'8" x 6'8" △ (7'0") 2'10" x 6'8" △ (7'0") 3'0" x 6'8" △ (7'0") 3'6" x 6'8"	S154SL ◆ ◆ ◆ ◆ ◆ ◆ 12" x 6'8" 14" x 6'8"	S8602SL ◆ ◆ ◆ ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"	S602SL ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 10" x 6'8" 12" x 6'8" △ (7'0") 14" x 6'8" △ (7'0")	S85932SL ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 12" x 8'0" 14" x 8'0"

Texas Star ◆ ◆

							
Mahogany	Mahogany	Oak	Oak	Oak	Oak	Smooth	Smooth
FCM1029 ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM817SL ◆ ◆ ◆ ◆ ◆ ◆ 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FC142 ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC1029 ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" △ (7'0") 2'10" x 6'8" △ (7'0") 3'0" x 6'8" △ (7'0")	FC142SL ◆ ◆ ◆ ◆ ◆ ◆ 10" x 6'8" 12" x 6'8" 14" x 6'8"	FC817SL ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 12" x 6'8" △ (7'0") 14" x 6'8" △ (7'0")	S6070 ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S1029 ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ 2'8" x 6'8" △ (7'0") 2'10" x 6'8" △ (7'0") 3'0" x 6'8" △ (7'0")

Texas Star Continues on next page.

Key

- No Stile Lines
- ◆ Black Nickel Caming (1D)
- ◆ ◆ Brushed Nickel Caming (1C)
- ▲ Flat Lite Frame
- ◆ ◆ ◆ NEW Scrolled & Flat Advanta Lite Frame
- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options
- ◆ Elevated 10" Bottom Rail Options
- ▲ 6'6" Height Available

Texas Star ◆ ■ ■ Continued

Wellesley™ ◆ ■ ■ ◆

Smooth
S6070SL
12" x 6'8"
14" x 6'8"

Smooth
S6135SL
10" x 6'8"
12" x 6'8" Δ (7'0")
14" x 6'8" Δ (7'0")

Mahogany
FCM104
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany
FCM874
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany
FCM6094
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Mahogany
FCM821
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany
FCM818SL
10" x 6'8"
12" x 6'8" Δ (7'0")
14" x 6'8" Δ (7'0")

Mahogany
FCM81921SL
12" x 8'0"
14" x 8'0"

Mahogany
FCM874SL
12" x 8'0"
14" x 8'0"

Oak
FC104
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Oak
81921P
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak
FC6094
2'6" x 6'8" Δ (7'0")
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")

Oak
FC821
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak
FC104SL
10" x 6'8"
12" x 6'8"
14" x 6'8"

Oak
81921PSL
12" x 8'0"
14" x 8'0"

Oak
FC818SL
12" x 6'8" Δ (7'0")
14" x 6'8" Δ (7'0")

Oak
81921SL
12" x 8'0"
14" x 8'0"

Smooth
S155
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Smooth
S85896
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Riserva x

Smooth
S6094
2'6" x 6'8" Δ
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8"

Smooth
S821
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"
3'6" x 8'0"

Smooth
S155SL
12" x 6'8"
14" x 6'8"

Smooth
S85896SL
12" x 8'0"
14" x 8'0"

Smooth
S5870SL
10" x 6'8"
12" x 6'8" Δ (7'0")
14" x 6'8" Δ (7'0")


Smooth
S85934SL
12" x 8'0"
14" x 8'0"

Mahogany
FCM574
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany
FCM8574
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Mahogany
FCM571
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Mahogany
FCM8571
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM572SL
 10" x 6'8"
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")



Mahogany

FCM8572SL
 12" x 8'0"
 14" x 8'0"



Oak

FC574
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Oak

FC8574
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC573SL
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



Oak

FC572SL
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")

FC8572SL
 12" x 8'0"
 14" x 8'0"



Smooth

S574
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Smooth

S8574
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S573SL
 12" x 6'8"
 14" x 6'8"



Smooth

S8573SL
 12" x 8'0"
 14" x 8'0"



Mahogany

S572SL
 10" x 6'8"
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")

S8572SL
 12" x 8'0"
 14" x 8'0"



Mahogany

FCM6095
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Mahogany

FCM820
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM809SL
 10" x 6'8"
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")



Oak

FCM81928SL
 12" x 8'0"
 14" x 8'0"



Oak

FC910
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

81928P
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

FC6095
 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")



















FC820
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Concorde™

















Concorde Continues on next page.

Key















- No Stile Lines
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Flat Lite Frame
- NEW Scrolled & Flat Advanta Lite Frame
- Vented Sidelite Options
- WBDR Options
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options
- 6" Height Available


											
Oak	Oak	Smooth	Smooth	Smooth	Smooth						
FC910SL  10" x 6'8" 12" x 6'8" 14" x 6'8"	81928PSL  12" x 8'0" 14" x 8'0"	FC809SL  12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	81928SL  12" x 8'0" 14" x 8'0"	S6090  2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S85895  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6095  2'6" x 6'8" Δ 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"	S820  2'6" x 8'0" 2'8" x 8'0" 3'0" x 8'0"	S416SL  12" x 6'8" 14" x 6'8"	S85895SL  12" x 8'0" 14" x 8'0"	S4070SL  10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S85930SL  12" x 8'0" 14" x 8'0"

Kensington™ ◆ ◆

							
Mahogany	Mahogany	Mahogany	Oak	Oak	Oak	Oak	Smooth
FCM148  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM626  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM813SL  10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	FC148  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC626  2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0")	FC148SL  10" x 6'8" 12" x 6'8" 14" x 6'8"	FC813SL  12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S160  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Pembridge™ ◆ ◆ ◆

							
Smooth	Smooth	Smooth	Mahogany	Mahogany	Mahogany		
S626  2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"	S160SL  12" x 6'8" 14" x 6'8"	S6132SL  10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	FCM6550  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM86550  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6500  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM86500  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM86550SL  12" x 8'0" 14" x 8'0"



Mahogany

FCM6500SL

 10" x 6'8"
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")

FCM86500SL

 12" x 8'0"
 14" x 8'0"



Oak

FC6550

 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

FC86550

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC6500

 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")

FC86500

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC6550SL

 10" x 6'8"
 12" x 6'8"
 14" x 6'8"

FC86550SL

 12" x 8'0"
 14" x 8'0"



Oak

FC6500SL

 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")

FC86500SL

 12" x 8'0"
 14" x 8'0"



Smooth

S6550

 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

S86550

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




Smooth

S6500

 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8"

S86500

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
 3'6" x 8'0"



Smooth

S6550SL

 12" x 6'8"
 14" x 6'8"

S86550SL

 12" x 8'0"
 14" x 8'0"



Smooth

S6500SL

 10" x 6'8"
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")

S86500SL

 12" x 8'0"
 14" x 8'0"

Axis



Mahogany

FCM1652

 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM81652

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM1651

 2'4" x 6'8"
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

FCM81651

 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM1651SL

 10" x 6'8"
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")

FCM81651SL

 12" x 8'0"
 14" x 8'0"



Mahogany

FCM81652SL

 12" x 8'0"
 14" x 8'0"



Oak

FC1652

 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

FC81652

 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC1651

 2'4" x 6'8" Δ
 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")

FC81651

 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC1652SL

 10" x 6'8"
 12" x 6'8"
 14" x 6'8"

FC81652SL

 12" x 8'0"
 14" x 8'0"

Axis Continues on next page.
















Key

- No Stile Lines
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)






























- Flat Lite Frame
- NEW Scrolled & Flat Advanta Lite Frame
- Vented Sidelite Options

- WBDR Options
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options

Δ 6'6" Height Available

									
Oak	Smooth	Smooth	Smooth	Smooth					
FC1651SL  12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	FC81651SL  12" x 8'0" 14" x 8'0"	S1652  2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S81652  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S1651  2'4" x 6'8" Δ 2'6" x 6'8" Δ 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"	S81651  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S1652SL  12" x 6'8" 14" x 6'8"	S81652SL  12" x 8'0" 14" x 8'0"	S1651SL  10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S81651SL  12" x 8'0" 14" x 8'0"

EnLiten™ Flush-Glazed Privacy & Textured Glass with Divided Lites

									
Oak	Oak	Oak	Oak	Oak	Oak	Oak			
FC1205_  2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC1207_  2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	2010_  2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	2050_  2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	2050_SL  12" x 6'8" 14" x 6'8"	FC5700_  2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC85700_  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"			
									
Oak	Oak	Oak	Oak	Oak					
FC5710_  2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC85710_  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC5720_  2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC85720_  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC691_  2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC8691_  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC685L_  2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC8685L_  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC685R_  2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC8685R_  2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"


Privacy & Textured Glass Options
 Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XK = Reeded	XE = Satin Etch	XJ = Chinchilla	XN = Granite
XG = Geometric	XC = Chord	XR = Rainglass	

*Not available with Reeded (XK) or Geometric (XG) glass.
 Note: See page 299 for important product details that may help with your purchase decision.



Oak	Oak	Oak	Smooth	Smooth	Smooth	Smooth
FC5700_SL ▲ 2	FC5710_SL ▲ 2	FC5720_SL ▲ 2	S1205 ▲ 2 E	S1207 ▲ 2 E	S2010 ▲ 2 E	S2050 ▲ 2 E
12" x 6'8" 14" x 6'8"	12" x 6'8" 14" x 6'8"	12" x 6'8" 14" x 6'8"	2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲



Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S5705 ▲ 2 E	S85705 ▲ 2 E	S5715 ▲ 2 E	S85715 ▲ 2 E	S5725 ▲ 2 E	S85725 ▲ 2 E	S2010_SL ▲ 2 E
2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	10" x 6'8" ▲ 12" x 6'8" ▲ (7'0") 14" x 6'8" ▲ (7'0")
						S84886_SL ▲ 2 E
						12" x 8'0" ▲ 14" x 8'0" ▲
						S2000_SL-2C* ▲ 2 E
						10" x 6'8" ▲ 12" x 6'8" ▲ 14" x 6'8" ▲



Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S2000_SL-4C* ▲ 2 E	S5700 ▲ 2 E	S85700 ▲ 2 E	S5710 ▲ 2 E	S85710 ▲ 2 E	S5720 ▲ 2 E	S85720 ▲ 2 E
10" x 6'8" ▲ 12" x 6'8" ▲ 14" x 6'8" ▲	2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
						S691 ▲ 2 E
						2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲
						S8691 ▲ 2 E
						2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"






EnLiten Flush-Glazed Privacy & Textured Glass with Divided Lites *Continues on next page.*

Key















- No Stile Lines
- ▲ Flush-Glazed Glass with Detailed Sticking (FG)
- ◆ Black Nickel Caming (1D)
- Simulated Divided Lites (SDL)
- 1 Simulated Divided Lites (SDLF1)
- 2 Simulated Divided Lites (SDLF2)
- ▲ Flat Lite Frame
- ▲ NEW Scrolled & Flat Advanta Lite Frame
- Vented Sidelite Options
- E Elevated 10" Bottom Rail Options
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- ▲ 6'6" Height Available

EnLiten™ Flush-Glazed Privacy & Textured Glass with Divided Lites *Continued*

Fiber-Classic® & Smooth-Star®

				
Smooth	Smooth	Smooth	Smooth	Smooth
S685L_ ▲ 2 E 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S8685L_ ▲ 2 E 2'6" x 8'0" ▲ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲	S685R_ ▲ 2 E 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'10" x 6'8" ▲ 3'0" x 6'8" ▲	S8685R_ ▲ 2 E 2'6" x 8'0" ▲ 2'8" x 8'0" ▲ 2'10" x 8'0" ▲ 3'0" x 8'0" ▲	S5700_SL ▲ 2 ● 10" x 6'8" 12" x 6'8" 14" x 6'8"
			S85700_SL ▲ 2 12" x 8'0" 14" x 8'0"	S5710_SL ▲ 2 ● 10" x 6'8" 12" x 6'8" 14" x 6'8"
			S85710_SL ▲ 2 12" x 8'0" 14" x 8'0"	S5720_SL ▲ 2 ● 10" x 6'8" 12" x 6'8" 14" x 6'8"
				S85720_SL ▲ 2 12" x 8'0" 14" x 8'0"

Privacy & Textured Glass with Divided Lites

						
Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany
FCM138_ ▲ 2 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM1285_ ▲ 2 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM18_ ▲ 2 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM1284_ ▲ 2 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM12102_SL ▲ 2 ● 12" x 6'8" ▲ (7'0") 14" x 6'8" ▲ (7'0")	FCM6124_SL* ▲ 2 ● 10" x 6'8" 12" x 6'8" ▲ (7'0") 14" x 6'8" ▲ (7'0")	FCM6125_SL* ▲ 2 ● 10" x 6'8" 12" x 6'8" ▲ (7'0") 14" x 6'8" ▲ (7'0")
						
Mahogany	Oak	Oak	Oak	Oak	Oak	Oak
FCM6126_SL* ▲ 2 ● 10" x 6'8" 12" x 6'8" ▲ (7'0") 14" x 6'8" ▲ (7'0")	FC138_ ▲ 2 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	1285_ ▲ 2 E 2'8" x 6'8" ▲ (7'0") 2'10" x 6'8" ▲ (7'0") 3'0" x 6'8" ▲ (7'0")	FC18_ ▲ 2 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	1284_ ▲ 2 E 2'8" x 6'8" ▲ (7'0") 2'10" x 6'8" ▲ (7'0") 3'0" x 6'8" ▲ (7'0")	FC18_SL ▲ 2 12" x 6'8" 14" x 6'8"	12102_SL ▲ 2 ● 12" x 6'8" ▲ (7'0") 14" x 6'8" ▲ (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XK = Reeded XE = Satin Etch XJ = Chinchilla XN = Granite
XG = Geometric XC = Chord XR = Rainglass

*Not available with Reeded (XK) or Geometric (XG) glass.

Note: See page 299 for important product details that may help with your purchase decision.

Oak	Oak	Oak	Oak	Oak	Oak	Smooth	Smooth
FC06188_SL* No Stile Lines 10" x 6'8" 12" x 6'8" 14" x 6'8"	FC06184_SL* Simulated Divided Lites (SDLF2) 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	FC06189_SL* Simulated Divided Lites (SDL) 10" x 6'8" 12" x 6'8" 14" x 6'8"	FC06185_SL* Simulated Divided Lites (SDLF2) 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	FC06190_SL* Simulated Divided Lites (SDLF2) 10" x 6'8" 12" x 6'8" 14" x 6'8"	FC06186_SL* Simulated Divided Lites (SDLF2) 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S128_ Simulated Divided Lites (SDL) 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S141_ Simulated Divided Lites (SDL) 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"

Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S108_ Simulated Divided Lites (SDL) 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S6063_ Simulated Divided Lites (SDL) 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"	S308_SL Simulated Divided Lites (SDL) 12" x 6'8" 14" x 6'8"	S1170_SL Simulated Divided Lites (SDL) 10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S605_SL* Simulated Divided Lites (SDLF2) 12" x 6'8" 14" x 6'8"	S6124_SL* Simulated Divided Lites (SDLF2) 10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S606_SL* Simulated Divided Lites (SDL) 12" x 6'8" 14" x 6'8"	S6125_SL* Simulated Divided Lites (SDL) 10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")


EnLiten™ Flush-Glazed Privacy & Textured Glass

Smooth	Smooth	Oak	Oak	Oak	Smooth	Smooth	Smooth	Smooth
S607_SL* Simulated Divided Lites (SDL) 12" x 6'8" 14" x 6'8"	S6126_SL* Simulated Divided Lites (SDL) 10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	2000_ Flush-Glazed Glass with Detailed Sticking (FG) 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	8000_ Flush-Glazed Glass with Detailed Sticking (FG) 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2000_SL Flush-Glazed Glass with Detailed Sticking (FG) 12" x 6'8" 14" x 6'8"	S2000_ Flush-Glazed Glass with Detailed Sticking (FG) 2'6" x 6'8" Δ 2'8" x 6'8" Δ 2'10" x 6'8" Δ 3'0" x 6'8" Δ	S8000_ Flush-Glazed Glass with Detailed Sticking (FG) 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2000_SL Flush-Glazed Glass with Detailed Sticking (FG) 10" x 6'8" Δ 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S8000_SL Flush-Glazed Glass with Detailed Sticking (FG) 12" x 8'0" 14" x 8'0"

Key


- No Stile Lines
- Flush-Glazed Glass with Detailed Sticking (FG)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF2)
- NEW Scrolled Advanta Lite Frame
- Vented Sidelite Options
- Elevated 10" Bottom Rail Options
- 6'6" Height Available

Privacy & Textured Glass



Mahogany

FCM10_	FCM870_
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Mahogany

FCM1283_	FCM81200_
2'8" x 6'8" (7'0")	2'6" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Mahogany

FCM870_SL
12" x 8'0"
14" x 8'0"



Mahogany

FCM12101_SL	FCM81200_SL
10" x 6'8"	12" x 8'0"
12" x 6'8" (7'0")	14" x 8'0"
14" x 6'8" (7'0")	



Oak

FC10_	81200P_
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Oak

1283	81200_
2'8" x 6'8" (7'0")	2'6" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"




Oak

FC47_SL	81200P_SL
10" x 6'8"	12" x 8'0"
12" x 6'8"	14" x 8'0"
14" x 6'8"	



Oak

12101_SL	81200_SL
12" x 6'8" (7'0")	12" x 8'0"
14" x 6'8" (7'0")	14" x 8'0"



Smooth

S118_	S818_
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Smooth

S140_	S8140_
2'8" x 6'8" (7'0")	2'6" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8"	3'6" x 8'0"



Smooth

S100_SL	S8601_SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Smooth

S601_SL	S81086_SL
10" x 6'8"	12" x 8'0"
12" x 6'8" (7'0")	14" x 8'0"
14" x 6'8" (7'0")	



Smooth

S2600	S82600
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

EnLiten™ Flush-Glazed Internal Blinds



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XK = Reeded

XG = Geometric

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

Internal Blinds



Mahogany

FCM141 ★🔥🔥🔥 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8115 ★🔥🔥🔥 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--



Mahogany

FCM1286 ★🔥🔥🔥🔥 2'4" x 6'8" 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM81225 ★🔥🔥🔥 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--



Mahogany

FCM8115SL
★🔥🔥
12" x 8'0"
14" x 8'0"



Mahogany

FCM1286SL ★🔥🔥🔥🔥 10" x 6'8" 12" x 6'8" ⚡ (7'0") 14" x 6'8" ⚡ (7'0")	FCM81225SL ★🔥🔥🔥🔥 12" x 8'0" 14" x 8'0"
---	--




Oak

FC141 ★🔥🔥🔥 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81225P ★🔥🔥 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--




Oak

1286 ★🔥🔥🔥🔥 2'4" x 6'8" ⚡ 2'6" x 6'8" ⚡ (7'0") 2'8" x 6'8" ⚡ (7'0") 2'10" x 6'8" ⚡ (7'0") 3'0" x 6'8" ⚡ (7'0")	81225 ★🔥🔥🔥 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---



Oak

FC141SL ★🔥🔥 10" x 6'8" 12" x 6'8" 14" x 6'8"	81225PSL ★🔥🔥 12" x 8'0" 14" x 8'0"
---	--



Oak

1286SL ★🔥🔥🔥 12" x 6'8" ⚡ (7'0") 14" x 6'8" ⚡ (7'0")	81225SL ★🔥 12" x 8'0" 14" x 8'0"
---	--



Smooth

S130 ★🔥🔥🔥 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S829 ★🔥🔥 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---



Smooth

S6061 ★🔥🔥🔥 2'4" x 6'8" ⚡ 2'6" x 6'8" ⚡ 2'8" x 6'8" ⚡ (7'0") 2'10" x 6'8" ⚡ (7'0") 3'0" x 6'8" ⚡ (7'0") 3'6" x 6'8"	S81225 ★🔥🔥 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"
--	--



Smooth

S130SL ★🔥🔥🔥 12" x 6'8" 14" x 6'8"	S829SL ★🔥🔥 12" x 8'0" 14" x 8'0"
---	--



Smooth

S6128SL ★🔥🔥 10" x 6'8" 12" x 6'8" ⚡ (7'0") 14" x 6'8" ⚡ (7'0")	S85928SL ★🔥🔥🔥 12" x 8'0" 14" x 8'0"
---	---

EnLiten™ Flush-Glazed Clear Glass with Divided Lites



Mahogany

FCM1205SL
★🔥🔥
12" x 6'8"
14" x 6'8"



Mahogany

FCM1206SL
★🔥🔥
12" x 6'8"
14" x 6'8"



Mahogany

FCM1204SL
★🔥🔥
12" x 6'8"
14" x 6'8"



Mahogany

FCM2009SL
★🔥🔥🔥
12" x 6'8"
14" x 6'8"










Oak










FC1205
★🔥🔥🔥
2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"











EnLiten Flush-Glazed Clear Glass with Divided Lites *Continues on next page.*

Key

- 🔴 No Stile Lines
- 🔥 Flush-Glazed Glass with Detailed Sticking (FG)
- 💧 Flush-Glazed Glass with Square Sticking (FG)
- ☀️ Low-E Glass (LE)
- 🔲 Simulated Divided Lites (SDL)
- 🔲 Simulated Divided Lites (SDLF1)
- 🔻 Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- 🔻 Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- 🔻 Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- 🔻 Flat Lite Frame
- 🌈 NEW Scrolled & Flat Advanta Lite Frame
- 🌈 Vented Sidelite Options
- 🌈 WBDR Options
- 🌈 WBDR / HVHZ Options
- 🔼 Elevated 10" Bottom Rail Options
- ⚡ 6'6" Height Available

						
Oak	Oak	Oak	Oak	Oak	Oak	Oak
FC1206 ☀️ ⚡️ ⚡️ ⚡️ ⚡️ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC1207 ☀️ ⚡️ ⚡️ ⚡️ ⚡️ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	2010 ☀️ ⚡️ ⚡️ ⚡️ ⚡️ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC1204 ☀️ ⚡️ ⚡️ ⚡️ ⚡️ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	2050 ☀️ ⚡️ ⚡️ ⚡️ ⚡️ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	8000-12 ☀️ ⚡️ ⚡️ ⚡️ ⚡️ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	8000-18 ☀️ ⚡️ ⚡️ ⚡️ ⚡️ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

								
Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak
FC1205SL ☀️ ⚡️ ⚡️ ⚡️ ⚡️ 12" x 6'8" 14" x 6'8"	FC1206SL ☀️ ⚡️ ⚡️ ⚡️ ⚡️ 12" x 6'8" 14" x 6'8"	FC1204SL ☀️ ⚡️ ⚡️ ⚡️ ⚡️ 12" x 6'8" 14" x 6'8"	2050SL ☀️ ⚡️ ⚡️ ⚡️ ⚡️ 12" x 6'8" 14" x 6'8"	2009 ☀️ ⚡️ ⚡️ ⚡️ ⚡️ 2'0" x 6'8" 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	8000-9 ☀️ ⚡️ ⚡️ ⚡️ ⚡️ 2'0" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2009SL ☀️ ⚡️ ⚡️ ⚡️ ⚡️ 12" x 6'8" 14" x 6'8"	FC5700 ☀️ ⚡️ ⚡️ ⚡️ ⚡️ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC85700 ☀️ ⚡️ ⚡️ ⚡️ ⚡️ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

									
Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak
FC5710 ☀️ ⚡️ ⚡️ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC85710 ☀️ ⚡️ ⚡️ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC5720 ☀️ ⚡️ ⚡️ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC85720 ☀️ ⚡️ ⚡️ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC691 ☀️ ⚡️ ⚡️ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC8691 ☀️ ⚡️ ⚡️ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC685L ☀️ ⚡️ ⚡️ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC8685L ☀️ ⚡️ ⚡️ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC685R ☀️ ⚡️ ⚡️ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC8685R ☀️ ⚡️ ⚡️ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Smooth

S2009

- ▲▲▲▲▲▲▲▲ E
- 2'0" x 6'8" ▲
- 2'6" x 6'8" ▲
- 2'8" x 6'8" ▲
- 2'10" x 6'8" ▲
- 3'0" x 6'8" ▲

S8000-9

- ▲▲▲▲▲▲▲▲ E
- 2'0" x 8'0" ▲
- 2'6" x 8'0" ▲
- 2'8" x 8'0" ▲
- 2'10" x 8'0" ▲
- 3'0" x 8'0" ▲



Smooth

S2009SL

- ▲▲▲▲▲▲▲▲
- 10" x 6'8" ▲
- 12" x 6'8" ▲ (7'0")
- 14" x 6'8" ▲ (7'0")



Smooth

S5700

- ▲▲▲▲▲▲▲▲ E
- 2'6" x 6'8" ▲
- 2'8" x 6'8" ▲
- 2'10" x 6'8" ▲
- 3'0" x 6'8" ▲

S85700

- ▲▲▲▲▲▲▲▲ E
- 2'6" x 8'0" ▲
- 2'8" x 8'0" ▲
- 2'10" x 8'0" ▲
- 3'0" x 8'0" ▲



Smooth

S5710

- ▲▲▲▲▲▲▲▲ E
- 2'6" x 6'8" ▲
- 2'8" x 6'8" ▲
- 2'10" x 6'8" ▲
- 3'0" x 6'8" ▲

S85710

- ▲▲▲▲▲▲▲▲ E
- 2'6" x 8'0" ▲
- 2'8" x 8'0" ▲
- 2'10" x 8'0" ▲
- 3'0" x 8'0" ▲



Smooth

S5720

- ▲▲▲▲▲▲▲▲ E
- 2'6" x 6'8" ▲
- 2'8" x 6'8" ▲
- 2'10" x 6'8" ▲
- 3'0" x 6'8" ▲

S85720

- ▲▲▲▲▲▲▲▲ E
- 2'6" x 8'0" ▲
- 2'8" x 8'0" ▲
- 2'10" x 8'0" ▲
- 3'0" x 8'0" ▲



Smooth

S691

- ▲▲▲▲▲▲▲▲ E
- 2'6" x 6'8" ▲
- 2'8" x 6'8" ▲
- 2'10" x 6'8" ▲
- 3'0" x 6'8" ▲

S8691

- ▲▲▲▲▲▲▲▲ E
- 2'6" x 8'0" ▲
- 2'8" x 8'0" ▲
- 2'10" x 8'0" ▲
- 3'0" x 8'0" ▲



Smooth

S685L

- ▲▲▲▲▲▲▲▲ E
- 2'6" x 6'8" ▲
- 2'8" x 6'8" ▲
- 2'10" x 6'8" ▲
- 3'0" x 6'8" ▲

S8685L

- ▲▲▲▲▲▲▲▲ E
- 2'6" x 8'0" ▲
- 2'8" x 8'0" ▲
- 2'10" x 8'0" ▲
- 3'0" x 8'0" ▲



Smooth

S685R

- ▲▲▲▲▲▲▲▲ E
- 2'6" x 6'8" ▲
- 2'8" x 6'8" ▲
- 2'10" x 6'8" ▲
- 3'0" x 6'8" ▲

S8685R

- ▲▲▲▲▲▲▲▲ E
- 2'6" x 8'0" ▲
- 2'8" x 8'0" ▲
- 2'10" x 8'0" ▲
- 3'0" x 8'0" ▲



Smooth

S5700SL

- ▲▲▲▲▲▲▲▲
- 10" x 6'8" ▲
- 12" x 6'8" ▲
- 14" x 6'8" ▲

S85700SL

- ▲▲▲▲▲▲▲▲
- 12" x 8'0" ▲
- 14" x 8'0" ▲



Smooth

S5710SL

- ▲▲▲▲▲▲▲▲
- 10" x 6'8" ▲
- 12" x 6'8" ▲
- 14" x 6'8" ▲

S85710SL

- ▲▲▲▲▲▲▲▲
- 12" x 8'0" ▲
- 14" x 8'0" ▲



Smooth

S5720SL

- ▲▲▲▲▲▲▲▲
- 10" x 6'8" ▲
- 12" x 6'8" ▲
- 14" x 6'8" ▲

S85720SL


- ▲▲▲▲▲▲▲▲
- 12" x 8'0" ▲
- 14" x 8'0" ▲



Note: See page 299 for important product details that may help with your purchase decision.

Bottom: Smooth-Star, Clear Glass with SDLs, Doors – S85715, Finish – Alpine

Clear Glass with Divided Lites




Mahogany

FCM1209
 * ♦ † ‡ § ¶
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM1201
 ■ * ♦ † ‡ § ¶ E
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")




Mahogany

FCM1211
 * ♦ † ‡ § ¶
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM1202
 ■ * ♦ † ‡ § ¶ E
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Mahogany

FCM1212
 * ♦ † ‡ § ¶
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




Mahogany

FCM1203
 ■ * ♦ † ‡ § ¶ E
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Mahogany

FCM138
 * ♦ † ‡ § ¶ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM1285
 ■ * ♦ † ‡ § ¶ 6 E
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Mahogany

FCM1208
 * ♦ † ‡ § ¶ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM1200
 ■ * ♦ † ‡ § ¶ 6 E
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Mahogany

FCM18
 * ♦ † ‡ § ¶ 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




Mahogany

FCM1284
 ■ * ♦ † ‡ § ¶ 6 E
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Mahogany

FCM828
 * ♦ † ‡ § ¶ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM81828
 ■ * ♦ † ‡ § ¶ 6
 2'6" x 8'0" (7'0")
 2'8" x 8'0" (7'0")
 2'10" x 8'0" (7'0")
 3'0" x 8'0" (7'0")



Mahogany

FCM81208P
 * ♦ † ‡ § ¶ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM81829
 ■ * ♦ † ‡ § ¶ 6
 2'6" x 8'0" (7'0")
 2'8" x 8'0" (7'0")
 2'10" x 8'0" (7'0")
 3'0" x 8'0" (7'0")




Mahogany

FCM1201SL
 ■ * ♦ † ‡ § ¶
 10" x 6'8"
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")



Mahogany

FCM1202SL
 * ♦ † ‡ § ¶
 10" x 6'8"
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")



Mahogany

FCM1200SL
 ■ * ♦ † ‡ § ¶ 6
 10" x 6'8"
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")



Mahogany

FCM12102SL
 ■ * ♦ † ‡ § ¶ 6
 10" x 6'8"
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")



Mahogany

FCM81208PSL
 * ♦ † ‡ § ¶ 6
 12" x 8'0"
 14" x 8'0"



Mahogany

FCM81208SL
 * ♦ † ‡ § ¶ 6
 12" x 8'0"
 14" x 8'0"

Clear Glass with Divided Lites *Continues on next page.*

Key

- No Stile Lines
- ♦ Simulated Divided Lites (SDLF2)
- ◆ Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- Vented Sidelite Options
- ▲ 6'6" Height Available
- 🔥 Flush-Glazed Glass with Detailed Sticking (FG)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- ☀ Low-E Glass (LE)
- ◆ Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- 🌿 NEW Scrolled & Flat Advanta Lite Frame
- Elevated 10" Bottom Rail Options



Mahogany

FCM6124SL
 10" x 6'8"
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")



Mahogany

FCM6125SL
 10" x 6'8"
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")



Mahogany

FCM6126SL
 10" x 6'8"
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")



Mahogany

FCM198
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM1289
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Mahogany

FCM1289SL
 10" x 6'8"
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")



Oak

FC1209
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Oak

FC1201
 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")



Oak

FC1211
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Oak

FC1202
 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")




Oak

FC1212
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Oak

FC1203
 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")



Oak

FC138
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Oak

1285
 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")




Oak

FC1208
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Oak

FC1200
 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")



Oak

FC18
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Oak

1284
 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")



Oak

FC828
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

81288
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

81208P
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

81208

 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC1209SL

 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



Oak

FC1201SL

 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")



Oak

FC1211SL

 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



Oak

FC1202SL

 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")



Oak

FC1208SL

 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



Oak

FC1200SL

 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")



Oak

FC18SL

 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



Oak

12102SL

 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")



Oak

81208PSL

 12" x 8'0"
 14" x 8'0"



Oak

81208SL

 12" x 8'0"
 14" x 8'0"



Oak

FC06188SL

 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



Oak

FC06184SL

 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")



Oak

FC06189SL

 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



Oak

FC06185SL

 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")



Oak

FC06190SL

 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



Oak

FC06186SL

 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")



Oak

FC198

 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Oak

1289

 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")



Oak

FC198SL

 10" x 6'8"
 12" x 6'8"
 14" x 6'8"



Oak

FC1289SL

 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")



Smooth

S1209

 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Smooth

S1201

 2'6" x 6'8" Δ
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8"



Smooth

S1211

 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Key

No Stile Lines

Low-E Glass (LE)

Simulated Divided Lites (SDL)

Flat or Contour White Grilles Between Glass (GBGF / GBGC)

Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)

Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)

Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

NEW Scrolled & Flat Advanta Lite Frame

NEW Scrolled Advanta Lite Frame

Vented Sidelite Options

WBDL Options

WBDL / HVHZ Options

6'6" Height Available

Elevated 10" Bottom Rail Options



Smooth

S1202
 E
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8"



Smooth

S1212
 E
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Smooth

S1203
 E
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8"



Smooth

S128

 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Smooth

S141
 E
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8"



Smooth

S1208
 E
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Smooth

S1200
 E
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8"



Smooth

S108
 E
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



Smooth

S6063
 E
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8"



Smooth

S828
 E
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S81828
 E
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
 3'6" x 8'0"



Smooth

S808
 E
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S81208
 E
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
 3'6" x 8'0"



Smooth

S1209SL

 12" x 6'8"
 14" x 6'8"



Smooth

S1201SL

 10" x 6'8"
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")



Smooth

S1211SL

 12" x 6'8"
 14" x 6'8"



Smooth

S1202SL

 10" x 6'8"
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")



Smooth

S1208SL

 12" x 6'8"
 14" x 6'8"



Smooth

S1200SL

 10" x 6'8"
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")



Smooth

S308SL

 12" x 6'8"
 14" x 6'8"



Smooth

S1170SL












































 10" x 6'8"
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")










































Smooth

S808SL

 12" x 8'0"
 14" x 8'0"

















										
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth					
S81186SL      12" x 8'0" 14" x 8'0"	S605SL   12" x 6'8" 14" x 6'8"	S8605SL   12" x 8'0" 14" x 8'0"	S6124SL      10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S85924SL      12" x 8'0" 14" x 8'0"	S606SL   12" x 6'8" 14" x 6'8"	S8606SL   12" x 8'0" 14" x 8'0"	S6125SL      10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S85925SL      12" x 8'0" 14" x 8'0"	S607SL   12" x 6'8" 14" x 6'8"	S8607SL   12" x 8'0" 14" x 8'0"

					
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S6126SL      10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S85926SL      12" x 8'0" 14" x 8'0"	S198       2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S6062       2'6" x 6'8" Δ 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"	S198SL      12" x 6'8" 14" x 6'8"	S6062SL       10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")

EnLiten™ Flush-Glazed Clear Glass

				
Oak	Oak	Smooth	Smooth	
2000   2'0" x 6'8" 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	8000   2'0" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2000SL   12" x 6'8" 14" x 6'8"	S2000    2'0" x 6'8" Δ 2'6" x 6'8" Δ 2'8" x 6'8" Δ 2'10" x 6'8" Δ 3'0" x 6'8" Δ	S8000    2'0" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
S2000SL     10" x 6'8" Δ 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S8000SL   12" x 8'0" 14" x 8'0"			

Key

- | | | | | |
|--|--|---|--|--|
|  No Stile Lines |  Flat or Contour White Grilles Between Glass (GBGF / GBGC) |  Flat or Contour Black Grilles Between Glass (GBGF / GBGC) |  WBDL / HVHZ Options |  Elevated 10" Bottom Rail Options |
|  Flush-Glazed Glass with Detailed Sticking (FG) |  Flat or Contour Almond Grilles Between Glass (GBGF / GBGC) |  Fixed Grilles (FXG) |  NEW Scrolled & Flat Advanta Lite Frame |  6'6" Height Available |
|  Low-E Glass (LE) |  Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC) |  Vented Sidelite Options |  NEW Scrolled Advanta Lite Frame | |
|  Simulated Divided Lites (SDL) | |  WBDL Options | | |

Clear Glass



Mahogany

FCM10
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM870
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM1283
 2'0" x 6'8"
 2'4" x 6'8"
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

FCM81200
 2'0" x 8'0"
 2'4" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM12101SL
 10" x 6'8"
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")

FCM81200SL
 12" x 8'0"
 14" x 8'0"



Mahogany

FCM870SL
 12" x 8'0"
 14" x 8'0"



Oak

FC10
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

81200P
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

1283
 2'0" x 6'8"
 2'4" x 6'8" Δ
 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")

81200
 2'0" x 8'0"
 2'4" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC47SL
 10" x 6'8"
 12" x 6'8"
 14" x 6'8"

81200PSL
 12" x 8'0"
 14" x 8'0"



Oak

12101SL
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")

81200SL
 12" x 8'0"
 14" x 8'0"



Smooth

S118
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

S818
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S140
 2'0" x 6'8"
 2'4" x 6'8" Δ
 2'6" x 6'8" Δ
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8"

S8140
 2'0" x 8'0"
 2'4" x 8'0"
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"
 3'6" x 8'0"



Smooth

S100SL
 12" x 6'8"
 14" x 6'8"

S8601SL
 12" x 8'0"
 14" x 8'0"



Smooth

S601SL
 10" x 6'8"
 12" x 6'8" Δ (7'0")
 14" x 6'8" Δ (7'0")

S81086SL
 12" x 8'0"
 14" x 8'0"



Direct Set

DRS2131SL
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")


DRS82131SL
 12" x 8'0"
 14" x 8'0"

*Not recommended for use behind storm doors to be painted dark colors, if exposed to direct sunlight.
 Note: See page 299 for important product details that may help with your purchase decision.









Transoms





For transoms, see page 221.



Blackstone ◆ ◆

					
Mahogany	Mahogany	Oak	Oak	Oak	Smooth
FCM765 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM765SL 6 12" x 6'8" 14" x 6'8"	FCM882SL 6 12" x 8'0" 14" x 8'0"	FC770 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81952P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC765SL 6 12" x 6'8" 14" x 6'8"
				81952PSL 6 12" x 8'0" 14" x 8'0"	S975 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Crystalline ◆ ◆

					
Smooth	Smooth	Mahogany	Mahogany	Oak	Oak
S979 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S894 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM38 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S975SL 6 12" x 6'8" 14" x 6'8"	FCM38SL 6 12" x 6'8" 14" x 6'8"	FC38 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
	S894SL 6 12" x 8'0" 14" x 8'0"	FCM8105SL 6 12" x 8'0" 14" x 8'0"			FC772 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
					81953P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"





Crystalline Continues on next page.

Key






- No Stile Lines
- ☀ Low-E Glass (LE)
- 🐢 Turtle Glass
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ▤ Flat Lite Frame
- ▤ NEW Scrolled & Flat Advanta Lite Frame
- Vented Sidelite Options
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options
- ▲ 6'6" Height Available
- ▤ PVC Doorlite Frame*

Crystalline ♦ ■ Continued






Sedona ♦ ■

			
Oak	Smooth	Smooth	Smooth
FC38SL 12"x 6'8" 14"x 6'8" 6	81953PSL 12"x 8'0" 14"x 8'0" 6	S977 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 6	S981 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 6
		S888 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 6	S758SL 12"x 6'8" 14"x 6'8" 6
			S888SL 12"x 8'0" 14"x 8'0" 6

	
Mahogany	Mahogany
FCM131 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 6	FCM131SL 12"x 6'8" 14"x 6'8" 6
	FCM883SL 12"x 8'0" 14"x 8'0" 6

					
Oak	Oak	Oak	Smooth	Smooth	Smooth
FC131 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 6	FC773 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 6	81954P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 6	FC131SL 12"x 6'8" 14"x 6'8" 6	81954PSL 12"x 8'0" 14"x 8'0" 6	S95 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 6
				S887 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 6	S91SL 12"x 6'8" 14"x 6'8" 6
					S887SL 12"x 8'0" 14"x 8'0" 6

Salinas x

					
Mahogany	Mahogany	Oak	Oak	Oak	Smooth
FCM115 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 6	FCM115SL 12"x 6'8" 14"x 6'8" 6	FCM884SL 12"x 8'0" 14"x 8'0" 6	FC115 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 6	81955P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 6	FC115SL 12"x 6'8" 14"x 6'8" 6
				81955PSL 12"x 8'0" 14"x 8'0" 6	S6009 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" 6

Maple Park ◆◆



Smooth

S6010
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"


S895
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6009SL
6
12" x 6'8"
14" x 6'8"

S895SL
6
12" x 8'0"
14" x 8'0"



Mahogany

FCM902
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM902SL
6
12" x 6'8"
14" x 6'8"

FCM887SL
6
12" x 8'0"
14" x 8'0"



Oak

FC902
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC777
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81957P
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Avonlea ◆



Oak

FC902SL
6
12" x 6'8"
14" x 6'8"

81957PSL
6
12" x 8'0"
14" x 8'0"



Smooth

S6102
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6103
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85898
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6102SL
6
12" x 6'8"
14" x 6'8"

S85898SL
6
12" x 8'0"
14" x 8'0"



Mahogany

FCM764
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM764SL
6
12" x 6'8"
14" x 6'8"

FCM8104SL
6
12" x 8'0"
14" x 8'0"



Oak

FC764
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC769
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

81967P
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC764SL
6
12" x 6'8"
14" x 6'8"

81967PSL
6
12" x 8'0"
14" x 8'0"



Smooth

S976
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S980
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S85900
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"





Smooth

S976SL
6
12" x 6'8"
14" x 6'8"











S85900SL
6
12" x 8'0"
14" x 8'0"

Key











- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ✗ Wrought Iron (1W)
- ▲ NEW Scrolled & Flat Advanta Lite Frame
- 6 WBDP Options
- 6 WBDP / HVHZ Options


								
Mahogany	Mahogany	Mahogany	Oak	Oak	Oak	Oak	Oak	Smooth
FCM907 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM907SL 6 12" x 6'8" 14" x 6'8"	FCM889SL 6 12" x 8'0" 14" x 8'0"	FC907 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC776 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81956P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC907SL 6 12" x 6'8" 14" x 6'8"	81956PSL 6 12" x 8'0" 14" x 8'0"	S6092 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Texas Star ◆ ◆

									
Smooth	Smooth	Smooth	Smooth	Mahogany	Mahogany	Mahogany	Oak	Oak	Oak
S982 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S891 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6092SL 6 12" x 6'8" 14" x 6'8"	S891SL 6 12" x 8'0" 14" x 8'0"	FCM143 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM143SL 6 12" x 6'8" 14" x 6'8"	FCM8103SL 6 12" x 8'0" 14" x 8'0"	FC143 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC778 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81958P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Wellesley™ ◆ ◆ ◆

									
Oak	Oak	Smooth	Smooth	Smooth	Smooth	Smooth	Mahogany	Mahogany	Mahogany
FC143SL 6 12" x 6'8" 14" x 6'8"	81958PSL 6 12" x 8'0" 14" x 8'0"	S6071 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6072 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S85901 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6071SL 6 12" x 6'8" 14" x 6'8"	85901SL 6 12" x 8'0" 14" x 8'0"	FCM147 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM147SL 6 12" x 6'8" 14" x 6'8"	FCM885SL 6 12" x 8'0" 14" x 8'0"



Oak

FC147
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC779 | 81959P
6 | 6
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"

Oak

FC147SL | 81959PSL
6 | 6
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"

Smooth

S6091
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"


Smooth

S983 | S892
6 | 6
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"

Smooth

S6091SL | S892SL
6 | 6
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"

Riserva® x



Mahogany

FCM543
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM545SL | FCM8545SL
6 | 6
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"

Oak

FC543
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak

FC529 | FC8529
6 | 6
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"


Oak

FC545SL | FC8545SL
6 | 6
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"

Smooth

S543
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Concorde™ ◆ ◆ ◆



Smooth

S529 | S8529
6 | 6
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"

Smooth

S545SL | S8545SL
6 | 6
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"

Mahogany

FCM912
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Mahogany

FCM912SL | FCM892SL
6 | 6
12" x 6'8" | 12" x 8'0"
14" x 6'8" | 14" x 8'0"

Oak

FC912
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"





Oak

FC780 | 81960P
6 | 6
2'8" x 6'8" | 2'8" x 8'0"
2'10" x 6'8" | 2'10" x 8'0"
3'0" x 6'8" | 3'0" x 8'0"







Concorde Continues on next page.

Key

- ◆ Black Nickel Caming (1D)
- ◆ NEW Scrolled & Flat Advanta Lite Frame
- ◆ Brushed Nickel Caming (1C)
- 6 WBDP Options
- ◆ Brass Caming (1A)
- 6 WBDP / HVHZ Options
- ✗ Wrought Iron (1W)

			
Oak	Smooth	Smooth	Smooth
FC912SL 6 12" x 6'8" 14" x 6'8"	81960PSL 6 12" x 8'0" 14" x 8'0"	S912 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S97 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
		S85902 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S757SL 6 12" x 6'8" 14" x 6'8"
			S85902SL 6 12" x 8'0" 14" x 8'0"

	
Mahogany	Mahogany
FCM156 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM1442SL 6 12" x 6'8" 14" x 6'8"
	FCM8107SL 6 12" x 8'0" 14" x 8'0"

					
Oak	Oak	Oak	Smooth	Smooth	Smooth
FC156 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC20042 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81961P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC1442SL 6 12" x 6'8" 14" x 6'8"	81961PSL 6 12" x 8'0" 14" x 8'0"	S20042 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
					S902 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
				S156 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S1442SL 6 12" x 6'8" 14" x 6'8"
					S902SL 6 12" x 8'0" 14" x 8'0"







					
Mahogany	Mahogany	Oak	Oak	Oak	Smooth
FCM6582 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6580SL 6 12" x 6'8" 14" x 6'8"	FCM86580SL 6 12" x 8'0" 14" x 8'0"	FC6582 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC6580 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC86580 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
					FC86580SL 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
					FC6580SL 6 12" x 6'8" 14" x 6'8"
					FC86580SL 6 12" x 8'0" 14" x 8'0"
					S6582 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"


Note: See page 299 for important product details that may help with your purchase decision.

Right Page: Fiber-Classic Oak Collection, Axis Glass, Door – FC1646, Finish – Barley








Smooth

S6580	S86580
 2'8" x 6'8"	 2'8" x 8'0"
 2'10" x 6'8"	 2'10" x 8'0"
 3'0" x 6'8"	 3'0" x 8'0"



Smooth

S6580SL	S86580SL
 12" x 6'8"	 12" x 8'0"
 14" x 6'8"	 14" x 8'0"







Mahogany

FCM1647
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM1646SL	FCM81646SL
 12" x 6'8"	 12" x 8'0"
 14" x 6'8"	 14" x 8'0"



Oak

FC1647
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"





Oak

FC1646	FC81646
 2'8" x 6'8"	 2'8" x 8'0"
 2'10" x 6'8"	 2'10" x 8'0"
 3'0" x 6'8"	 3'0" x 8'0"






Oak

FC1646SL	FC81646SL
 12" x 6'8"	 12" x 8'0"
 14" x 6'8"	 14" x 8'0"









Smooth

S1647
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S1646	S81646
 2'8" x 6'8"	 2'8" x 8'0"
 2'10" x 6'8"	 2'10" x 8'0"
 3'0" x 6'8"	 3'0" x 8'0"









Smooth

S1646SL	S81646SL
 12" x 6'8"	 12" x 8'0"
 14" x 6'8"	 14" x 8'0"










Key






-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Brass Caming (1A)
-  NEW Scrolled & Flat Advanta Lite Frame
-  WBDR Options
-  WBDR / HVHZ Options

Frosted Images®




EnLiten™ Flush-Glazed Privacy & Textured Glass with Divided Lites







		
Mahogany	Oak	Smooth
FCM8109SL 6 12" x 8'0" 14" x 8'0"	81963PSL 6 12" x 8'0" 14" x 8'0"	S884SL 6 12" x 8'0" 14" x 8'0"

			
Smooth	Smooth	Smooth	Smooth
S2103_ S82103_ 2'6" x 6'8" 2'6" x 8'0" 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"	S2104_ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82105_ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S82106_ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

				
Smooth	Smooth	Smooth	Smooth	Smooth
S2250_ 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82107_ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2103_SL 12" x 6'8" 14" x 6'8"	S2104_SL 12" x 6'8" 14" x 6'8"	S2250_SL 12" x 6'8" 14" x 6'8"


Privacy & Textured Glass with Divided Lites

		
Mahogany	Mahogany	Mahogany
FCM82_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM92_SL 12" x 6'8" 14" x 6'8"	FCM8101_SL 12" x 8'0" 14" x 8'0"

					
Oak	Oak	Oak	Oak	Oak	Oak
FC82_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC92_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81945P_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	81946P_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC92_SL 12" x 6'8" 14" x 6'8"	81946P_SL 12" x 8'0" 14" x 8'0"

Privacy & Textured Glass Options		XK = Reeded	XE = Satin Etch	XJ = Chinchilla	XN = Granite
Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.		XG = Geometric	XC = Chord	XR = Rainglass	


*Not available with Geometric (XG) glass.
Note: See page 299 for important product details that may help with your purchase decision.



Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S82_	S92_	S881_	S822_	S82_SL	S881_SL
 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	 12" x 6'8" 14" x 6'8"	 12" x 8'0" 14" x 8'0"


EnLiten™ Flush-Glazed Privacy & Textured Glass

Privacy & Textured Glass



Smooth	Smooth	Mahogany	Mahogany	Oak	Oak
S2200_*	S82200_	FCM32_	FCM32_SL	FC32_	FC766_
 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	 12" x 6'8" 14" x 6'8"	 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Internal Blinds







Oak	Smooth	Smooth	Smooth	Mahogany	Mahogany
FC32_SL	S80_	S90_	S880_	S751_SL	S880_SL
 12" x 6'8" 14" x 6'8"	 12" x 8'0" 14" x 8'0"	 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	 12" x 6'8" 14" x 6'8"	 12" x 8'0" 14" x 8'0"












Internal Blinds *Continues on next page.*

- Key**
- Flush-Glazed Glass with Detailed Sticking (FG)
 - Low-E Glass (LE)
 - Simulated Divided Lites (SDL)
 - Simulated Divided Lites (SDLF1)
 - NEW Scrolled & Flat Advanta Lite Frame
 - NEW Scrolled Advanta Lite Frame
 - WBDR Options
 - WBDR / HVHZ Options

Internal Blinds

									
Oak	Oak	Oak	Smooth	Smooth	Smooth				
FC5425 ★ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	1964P ★ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81964P ★ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC5425SL ★ 6 12" x 6'8" 14" x 6'8"	81964PSL ★ 6 12" x 8'0" 14" x 8'0"	S5425 ★ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S682 ★ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8682 ★ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S5425SL ★ 6 12" x 6'8" 14" x 6'8"	S8682SL ★ 6 12" x 8'0" 14" x 8'0"


EnLiten™ Flush-Glazed Clear Glass with Divided Lites

					
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S2103 ★ 6 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82103 ★ 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2104 ★ 6 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82104 ★ 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2105 ★ 6 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S82105 ★ 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
					
Smooth	Smooth	Smooth	Smooth	Smooth	
S2103SL ★ 6 12" x 6'8" 14" x 6'8"	S2104SL ★ 6 12" x 6'8" 14" x 6'8"	S92SL ★ 6 12" x 6'8" 14" x 6'8"	S1401 ★ 6 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S81401 ★ 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S1401SL ★ 6 12" x 6'8" 14" x 6'8"

Clear Glass with Divided Lites

					
Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany
FCM2106 ★♦♦♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM2107 ★♦♦♦6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM2108 ★♦♦♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM82 ★♦♦♦6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM1089SL ★♦♦♦ 12" x 6'8" 14" x 6'8"	FCM8311SL ★♦♦♦ 12" x 8'0" 14" x 8'0"
				FCM2101SL ★♦♦♦6 12" x 6'8" 14" x 6'8"	FCM8313SL ★♦♦♦ 12" x 8'0" 14" x 8'0"

						
Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany
FCM92SL ★♦♦♦ 12" x 6'8" 14" x 6'8"	FCM8310SL ★♦♦♦6 12" x 8'0" 14" x 8'0"	FCM8101SL ★♦♦♦ 12" x 8'0" 14" x 8'0"	FCM81900SL ★♦♦♦ 12" x 8'0" 14" x 8'0"	FCM81947SL ★♦♦♦ 12" x 8'0" 14" x 8'0"	FCM81949SL ★♦♦♦ 12" x 8'0" 14" x 8'0"	FCM1402 ★♦♦♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
						FCM1400SL ★♦♦♦ 12" x 6'8" 14" x 6'8"
						FCM81944SL ★♦♦♦ 12" x 8'0" 14" x 8'0"

					
Oak	Oak	Oak	Oak	Oak	Oak
FC2106 ★♦♦♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC2107 ★♦♦♦6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC2108 ★♦♦♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC82 ★♦♦♦6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC1089 ★♦♦♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC8311 ★♦♦♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
					FC2101 ★♦♦♦6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
					FC8313 ★♦♦♦6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Clear Glass with Divided Lites *Continues on next page.*

Key

Flush-Glazed Glass with Detailed Sticking (FG)	Simulated Divided Lites (SDLF1)	Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)	NEW Scrolled & Flat Advanta Lite Frame	WBDR Options
Low-E Glass (LE)	Flat or Contour White Grilles Between Glass (GBGF / GBGC)	Flat or Contour Black Grilles Between Glass (GBGF / GBGC)	NEW Scrolled Advanta Lite Frame	WBDR / HVHZ Options
Simulated Divided Lites (SDL)	Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)			

Clear Glass with Divided Lites *Continued*

Fiber-Classic® & Smooth-Star®



Oak

FC2102
 * * * * *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC8316
 * * * * *
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

81945P
 * * * * *
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC92
 * * * * *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FC8310
 * * * * *
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak


81946P
 * * * * *
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC1089SL
 * * * * *
 12" x 6'8"
 14" x 6'8"

FC8311SL
 * * * * *
 12" x 8'0"
 14" x 8'0"



Oak

FC2101SL
 * * * * *
 12" x 6'8"
 14" x 6'8"

FC8313SL
 * * * * *
 12" x 8'0"
 14" x 8'0"



Oak

FC92SL
 * * * * *
 12" x 6'8"
 14" x 6'8"

FC8310SL
 * * * * *
 12" x 8'0"
 14" x 8'0"



Oak

81946PSL
 * * * * *
 12" x 8'0"
 14" x 8'0"



Oak

81900PSL
 * * * * *
 12" x 8'0"
 14" x 8'0"




Oak

81947PSL
 * * * * *
 12" x 8'0"
 14" x 8'0"



Oak

81949PSL
 * * * * *
 12" x 8'0"
 14" x 8'0"



Oak

FC1402
 * * * * *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC1400
 * * * * *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

81944P
 * * * * *
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC1400SL
 * * * * *
 12" x 6'8"
 14" x 6'8"

81944PSL
 * * * * *
 12" x 8'0"
 14" x 8'0"



Smooth

S2106
 * * * * *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S2107
 * * * * *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S2108
 * * * * *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth



S82
 * * * * *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




Smooth

S1089
 * * * * *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S8311
 * * * * *
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



EnLiten™ Flush-Glazed Clear Glass



Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)







- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)

- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)

- NEW Scrolled & Flat Advanta Lite Frame
- NEW Scrolled Advanta Lite Frame
- WBDR Options

- WBDR / HVHZ Options

Clear Glass

								
Mahogany	Mahogany	Oak	Oak	Oak	Smooth			
FCM32 ★ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM32SL ★ 6 12" x 6'8" 14" x 6'8"	FCM881SL ★ 6 12" x 8'0" 14" x 8'0"	FC32 ★ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC766 ★ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	81943P ★ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC32SL ★ 6 12" x 6'8" 14" x 6'8"	81943PSL ★ 6 12" x 8'0" 14" x 8'0"	S80 ★ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

			
Smooth	Smooth		
S90 ★ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S880 ★ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S751SL ★ 6 12" x 6'8" 14" x 6'8"	S880SL ★ 6 12" x 8'0" 14" x 8'0"



Note: See page 299 for important product details that may help with your purchase decision.


Bottom: Smooth-Star, Clear Glass with GBGs, Doors – S82103, Finish – Onyx

Right Page: Fiber-Classic Mahogany Collection, Concorde Glass, Door – FCM916, Sidelites – FCM809SL, Finish – Rustic Clay



Transoms

For transoms, see page 221.



Blackstone ♦ ❖



Mahogany
FCM110
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany
FCM164
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak
FC714
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak
FC164
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak
FC794
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth
S771
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth
S6085
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Avonlea ♦



Smooth
S997
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany
FCM785
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




Mahogany
FCM788
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak
FC785
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak
FC788
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak
FC792
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth
S988
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Avonlea Continues on next page.

Key

- Low-E Glass (LE)
- Turtle Glass
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- NEW** Scrolled & Flat Advanta Lite Frame
- WBDR Options
- WBDR / HVHZ Options

Avonlea ♦ Continued



Smooth

S991
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S995
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Wellesley ♦ ♦ ♦



Mahogany

FCM106
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM163
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC713
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC163
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC796
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Concorde ♦ ♦ ♦



Smooth

S774
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6082
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S999
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM916
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM915
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC916
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC915
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Kensington ♦ ♦ ♦



Oak

FC797
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S773
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6084
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S1000
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM151
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM789
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC709
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Pembridge ♦ ♦ ♦



Oak

FC151
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC798
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S709
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S163
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S1001
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6577
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6575
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak	Oak	Oak	Smooth	Smooth	Smooth
FC6577 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC06575 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC6576 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6577 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6575 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6576 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Frosted Images®

Mahogany	Mahogany	Oak	Oak	Oak	Smooth	Smooth	Smooth
FCM784 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM787 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC784 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC787 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC791 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S989 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6081 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S994 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Clear Glass

Mahogany	Mahogany	Oak	Oak	Oak	Smooth	Smooth	Smooth
FCM80 * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM160 * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC710 * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC160 * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC789 * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S770 * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6080 * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S992 * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"


Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)















Transoms

For transoms, see page 221.



Blackstone ♦ ♦

							
Mahogany		Mahogany		Oak		Oak	
FCM109 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM863 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6032 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6052 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM109SL 12" x 6'8" 14" x 6'8"	FCM863SL 12" x 8'0" 14" x 8'0"	FC109 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81933P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
				81975P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"		FC109SL 12" x 6'8" 14" x 6'8"	81933PSL 12" x 8'0" 14" x 8'0"

				
Smooth		Smooth		Smooth
S6000 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S81933P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6032 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S86032 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6052 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
				S972 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
				S85905 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
				S6000SL 12" x 6'8" 14" x 6'8"
				S85912SL 12" x 8'0" 14" x 8'0"


Note: See page 299 for important product details that may help with your purchase decision.

Top: Impressions Storm & Entry Door System – IM100, Finish – Brown; Fiber-Classic Oak Collection, Clear Glass with SDLs, Door – 2150, Finish – Driftwood



Mahogany

FCM45 6	FCM898 6
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Mahogany

FCM6027 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6047 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM45SL 6	FCM898SL 6
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Oak

FC45 6E	81935P 6
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Oak

81977P 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC43SL 6	81935PSL 6
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Smooth

S926 6E	S81935P 6
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Smooth

S6027 6E	S86027 6E
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Smooth

S6047 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S38 6	S85907 6
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth


S930SL 6	S85914SL 6
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

Sedona ◆ ■




Mahogany

FCM101 6	FCM864 6
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"




Mahogany

FCM6025 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6045 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




Mahogany

FCM101SL 6	FCM864SL 6
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Oak

FC101 E	81936P 6
2'6" x 6'8"	2'8" x 8'0"
2'8" x 6'8" (7'0")	2'10" x 8'0"
2'10" x 6'8" (7'0")	3'0" x 8'0"
3'0" x 6'8" (7'0")	



Oak

81978P 6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Sedona Continues on next page.







Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- 6 WBDR Options
- 6 WBDR / HVHZ Options




- E Elevated 10" Bottom Rail Options







Sedona ♦ ♦ Continued

Fiber-Classic® & Smooth-Star®







									
Oak	Smooth	Smooth	Smooth	Smooth	Smooth				
FC101SL 12"x 6'8" 14"x 6'8" 81936PSL 12"x 8'0" 14"x 8'0"	S211 E 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")	S81936P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	S6025 E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")	S86025 E 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	S6045 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	S35 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	S833 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	S294SL 12"x 6'8" 14"x 6'8"	S85915SL 12"x 8'0" 14"x 8'0"







Salinas x

					
Mahogany	Mahogany	Mahogany	Mahogany	Oak	Oak
FCM114 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" FCM865 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	FCM6031 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	FCM6051 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	FCM114SL 12"x 6'8" 14"x 6'8" FCM865SL 12"x 8'0" 14"x 8'0"	FC114 E 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")	81937P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 81980P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"







									
Oak	Smooth	Smooth	Smooth	Smooth	Smooth				
FC114SL 12"x 6'8" 14"x 6'8" 81937PSL 12"x 8'0" 14"x 8'0"	S6006 E 2'6"x 6'8" 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")	S81937P 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	S6031 E 2'8"x 6'8" (7'0") 2'10"x 6'8" (7'0") 3'0"x 6'8" (7'0")	S86031 E 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	S6051 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	S973 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	S893 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	S6006SL 12"x 6'8" 14"x 6'8"	S85916SL 12"x 8'0" 14"x 8'0"

Maple Park. ◆

					
Mahogany		Mahogany		Oak	
FCM901 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM886 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6107 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6108 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM901SL 6 12" x 6'8" 14" x 6'8"	FCM886SL 6 12" x 8'0" 14" x 8'0"
FC901 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81939P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	81982P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"			

					
Oak		Smooth		Smooth	
FC901SL 6 12" x 6'8" 14" x 6'8"	81939PSL 6 12" x 8'0" 14" x 8'0"	S6101 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S81939P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6107 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S86107 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
S6108 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6106 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S85897 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6101SL 6 12" x 6'8" 14" x 6'8"		S85918SL 6 12" x 8'0" 14" x 8'0"







Avonlea. ◆

					
Mahogany		Mahogany		Oak	
FCM761 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM896 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM968 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM966 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM761SL 6 12" x 6'8" 14" x 6'8"	FCM896SL 6 12" x 8'0" 14" x 8'0"
FC761 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81932P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	81974P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"			







Avonlea Continues on next page.







Key

- ◆ Black Nickel Caming (1D)
- ◆ WBDP Options
- ◆ Brushed Nickel Caming (1C)
- ◆ WBDP / HVHZ Options
- ◆ Wrought Iron (1W)
- ◆ Elevated 10" Bottom Rail Options








					
Oak	Smooth	Smooth	Smooth	Smooth	Smooth
FC761SL 6 12" x 6'8" 14" x 6'8"	81932PSL 6 12" x 8'0" 14" x 8'0"	S964 6 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S81932P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S968 6 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S8968 6 E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
	S966 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S970 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S85906 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S964SL 6 12" x 6'8" 14" x 6'8"	S85911SL 6 12" x 8'0" 14" x 8'0"






Saratoga™ ♦

					
Mahogany	Mahogany	Mahogany	Mahogany	Oak	Oak
FCM906 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM888 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6029 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6049 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM906SL 6 12" x 6'8" 14" x 6'8"	FCM888SL 6 12" x 8'0" 14" x 8'0"
				FC906 6 E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81938P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
					81981P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"







					
Oak	Smooth	Smooth	Smooth	Smooth	Smooth
FC906SL 6 12" x 6'8" 14" x 6'8"	81938PSL 6 12" x 8'0" 14" x 8'0"	S213 6 E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S81938P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6029 6 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S86029 6 E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
				S6049 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S41 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
				S85908 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S291SL 6 12" x 6'8" 14" x 6'8"
					S85917SL 6 12" x 8'0" 14" x 8'0"

Texas Star ◆◆

							
Mahogany	Mahogany	Mahogany	Mahogany	Oak	Oak	Oak	
FCM144 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM899 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6074 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6075 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM899SL 6 12" x 8'0" 14" x 8'0"	FC144 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81940P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	81983P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

				
Smooth	Smooth	Smooth	Smooth	Smooth
S6073 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S81940P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6074 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S86074 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6075 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
S6076 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S81983 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	85919SL 6 12" x 8'0" 14" x 8'0"		


Wellesley ◆◆◆

					
Mahogany	Mahogany	Mahogany	Mahogany	Oak	Oak
FCM105 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM866 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6030 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6050 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM105SL 6 12" x 6'8" 14" x 6'8"	FCM866SL 6 12" x 8'0" 14" x 8'0"
FC105 6E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81941P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	81984P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"			







Wellesley Continues on next page.







Key

- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆◆ Brass Caming (1A)
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

					
Oak	Smooth	Smooth	Smooth	Smooth	Smooth
FC105SL 81941PSL 6 6 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"	S214 S81941P 6E 6 2'6"x 6'8" 2'8"x 8'0" 2'8"x 6'8" (7'0") 2'10"x 8'0" 2'10"x 6'8" (7'0") 3'0"x 8'0" 3'0"x 6'8" (7'0")	S6030 S86030 6E 6E 2'8"x 6'8" (7'0") 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"	S6050 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	S42 S85909 6 6 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"	S292SL S85922SL 6 6 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"

Riserva x

					
Mahogany	Mahogany	Mahogany	Mahogany	Oak	Oak
FCM581 FCM8581 6 6 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"	FCM575 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	FCM577 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	FCM583SL FCM8583SL 6 6 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"	FC581 FC8581 6E 6 2'6"x 6'8" 2'8"x 8'0" 2'8"x 6'8" (7'0") 2'10"x 8'0" 2'10"x 6'8" (7'0") 3'0"x 8'0" 3'0"x 6'8" (7'0")	FC8579 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"


					
Oak	Smooth	Smooth	Smooth	Smooth	Smooth
FC583SL FC8583SL 6 6 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"	S581 S8581 6E 6 2'6"x 6'8" 2'8"x 8'0" 2'8"x 6'8" (7'0") 2'10"x 8'0" 2'10"x 6'8" (7'0") 3'0"x 8'0" 3'0"x 6'8" (7'0")	S575 S8575 6E 6E 2'8"x 6'8" (7'0") 2'8"x 8'0" 2'10"x 6'8" (7'0") 2'10"x 8'0" 3'0"x 6'8" (7'0") 3'0"x 8'0"	S577 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	S579 S8579 6 6 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"	S583SL S8583SL 6 6 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"



Mahogany


FCM911
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM891
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM6026
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM6046
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM911SL
 12" x 6'8"
 14" x 6'8"

FCM891SL
 12" x 8'0"
 14" x 8'0"



Oak

FC911
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

81942P
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

81985P
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC911SL
 12" x 6'8"
 14" x 6'8"

81942PSL
 12" x 8'0"
 14" x 8'0"



Smooth

S426
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

S81942P
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S6026
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

S86026
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S6046
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S37
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S837
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S430SL
 12" x 6'8"
 14" x 6'8"

S85920SL
 12" x 8'0"
 14" x 8'0"


Kensington™ ◆ ■



Mahogany

FCM149
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

FCM8149
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM6036
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM6056
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM149SL
 12" x 6'8"
 14" x 6'8"


FCM867SL
 12" x 8'0"
 14" x 8'0"



Oak

FC149
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

FC8149
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC89701
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Kensington Continues on next page.







Key

















- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)
- 6 WBDP Options
- 6 WBDP / HVHZ Options
- E Elevated 10" Bottom Rail Options





















										
Oak	Smooth	Smooth	Smooth	Smooth	Smooth					
FC149SL 6 12" x 6'8" 14" x 6'8"	FC8867SL 6 12" x 8'0" 14" x 8'0"	S161 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S8149 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6036 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S86036 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6056 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S43 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S89701 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S161SL 6 12" x 6'8" 14" x 6'8"	S867SL 6 12" x 8'0" 14" x 8'0"

Pembridge™ ◆ ◆ ◆






















								
Mahogany	Mahogany	Mahogany	Mahogany	Oak	Oak			
FCM6560 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM86560 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6565 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6568 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6565SL 6 12" x 6'8" 14" x 6'8"	FCM86560SL 6 12" x 8'0" 14" x 8'0"	FC6560 6E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC86560 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC86536 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

										
Oak	Smooth	Smooth	Smooth	Smooth	Smooth					
FC6565SL 6 12" x 6'8" 14" x 6'8"	FC86560SL 6 12" x 8'0" 14" x 8'0"	S6560 6E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S86560 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6565 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S86565 6E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6568 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S6536 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S86536 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6565SL 6 12" x 6'8" 14" x 6'8"	S86560SL 6 12" x 8'0" 14" x 8'0"

					
Mahogany		Mahogany		Oak	
FCM1654 	FCM81654 	FCM1656 	FCM1658 	FCM1656SL 	FCM81654SL 
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"
FC1654  	FC81654 	FC81653 			
2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"			






					
Oak	Smooth		Smooth	Smooth	
FC1656SL 	FC81654SL 	S1654  	S81654 	S1656  	S81656  
12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
S1658 	S1653 	S81653 	S1656SL 	S81654SL 	
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	

Frosted Images









							
Mahogany		Mahogany		Mahogany	Oak		Oak
FCM66 	FCM6023 	FCM6043 	FCM66SL 	FCM13101SL    	FC66  	FC44SL 	FC11SL  
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	12" x 6'8" 14" x 6'8"	10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	12" x 6'8" 14" x 6'8"	10" x 6'8" 12" x 6'8" 14" x 6'8"

Frosted Images *Continues on next page.*

Key

-  No Stile Lines
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Brass Caming (1A)
-  NEW Scrolled & Flat Advanta Lite Frame
-  Vented Sidelite Options
-  WBDR Options
-  WBDR / HVHZ Options
-  Elevated 10" Bottom Rail Options

Frosted Images® *Continued*

							
Oak	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
13101SL 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S206E 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S6023 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S6043 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S34 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S289ESL 6 12" x 6'8" 14" x 6'8"	S138SL 6 12" x 6'8" 14" x 6'8"	S2070SL 6 10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")

Privacy & Textured Glass with Divided Lites

						
Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Oak
FCM65_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6022_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6042_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8321_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM65_SL 12" x 6'8" 14" x 6'8"	FCM3487_SL 12" x 8'0" 14" x 8'0"	FC65_ 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
						
Oak	Oak	Oak	Oak	Smooth	Smooth	Smooth
FC8321_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC832_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC63_SL 12" x 6'8" 14" x 6'8"	FC3487_SL 12" x 8'0" 14" x 8'0"	S262_ 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S6022_ 6E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S6042_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XK = Reeded

XG = Geometric

XE = Satin Etch




XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

Privacy & Textured Glass *Continued*

		
Smooth	Smooth	Smooth
S104 ■ * 6 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S30 ■ * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S830 ■ * 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
	S210_SL ■ * 6 12" x 6'8" 14" x 6'8"	S85910_SL ■ * 6 12" x 8'0" 14" x 8'0"

Internal Blinds

		
Mahogany	Mahogany	Mahogany
FCM678 ■ * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8678 ■ * 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6035 ■ * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
	FCM6055 ■ * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	

					
Mahogany	Mahogany	Oak	Oak	Oak	Oak
FCM116 ■ * 6 E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM678SL ■ * 6 12" x 6'8" 14" x 6'8"	FCM8678SL ■ * 6 12" x 8'0" 14" x 8'0"	FC678 ■ * 6 E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC8678 ■ * 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC116 ■ * 6 E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
	FC8971 ■ * 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC678SL ■ * 6 12" x 6'8" 14" x 6'8"	FC8678SL ■ * 6 12" x 8'0" 14" x 8'0"		

					
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S132 ■ * 6 E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S8132 ■ * 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6035 ■ * 6 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S86035 ■ * 6 E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6055 ■ * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S131 ■ * 6 E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
	S971 ■ * 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8971 ■ * 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S132SL ■ * 6 12" x 6'8" 14" x 6'8"	S8132SL ■ * 6 12" x 8'0" 14" x 8'0"	

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XK = Reeded

XG = Geometric

XE = Satin Etch

XC = Chord






XJ = Chinchilla

XR = Rainglass








XN = Granite

*Features a gliding operation and sash locking system.

Note: See page 299 for important product details that may help with your purchase decision.

							
Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	Mahogany	
FCM8675SL ★♦♦♦ 12" x 8'0" 14" x 8'0"	FCM65SL ★♦♦♦ 12" x 6'8" 14" x 6'8"	FCM7125SL ★♦♦♦ 12" x 8'0" 14" x 8'0"	FCM3487SL ★♦♦♦ 12" x 8'0" 14" x 8'0"	FCM1408 ★♦♦♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8145 ★♦♦♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM1405 ★♦♦♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM1406 ★♦♦♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
	FCM1405SL ★♦♦♦ 12" x 6'8" 14" x 6'8"	FCM8145SL ★♦♦♦ 12" x 8'0" 14" x 8'0"					

						
Oak	Oak	Oak	Oak	Oak	Oak	Oak
FC8322 ★♦♦♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC8323 ★♦♦♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC8324 ★♦♦♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC65 ★♦♦♦ 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC8321 ★♦♦♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC8318 ★♦♦♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC8319 ★♦♦♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

						
Oak	Oak	Oak	Oak	Oak	Oak	Oak
FC8320 ★♦♦♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC832 ★♦♦♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC8675SL ★♦♦♦ 12" x 8'0" 14" x 8'0"	FC63SL ★♦♦♦ 12" x 6'8" 14" x 6'8"	FC7125SL ★♦♦♦ 12" x 8'0" 14" x 8'0"	FC3487SL ★♦♦♦ 12" x 8'0" 14" x 8'0"	FC8144 ★♦♦♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
					FC1408 ★♦♦♦ 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC8145 ★♦♦♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Oak
 FC1408SL | FC8145SL
 *♦♦♦♦♦ | *♦♦♦♦♦
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"

Smooth
 S8322
 *♦♦♦♦♦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Smooth
 S8326
 *♦♦♦♦♦E
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Smooth
 S8323
 *♦♦♦♦♦6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Smooth
 S8327
 *♦♦♦♦♦6E
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Smooth
 S8324
 *♦♦♦♦♦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Smooth
 S8328
 *♦♦♦♦♦E
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth
 S262
 *♦♦♦♦♦♦♦♦
 6E
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Smooth
 S6022
 *♦♦♦♦♦♦♦♦6E
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")


Smooth
 S6042
 *♦♦♦♦♦♦♦♦6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Smooth
 S8321
 *♦♦♦♦♦♦♦♦6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Smooth
 S8325
 *♦♦♦♦♦♦♦♦6E
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Smooth
 S8318
 *♦♦♦♦♦♦♦♦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Smooth
 S8319
 *♦♦♦♦♦♦♦♦6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth
 S8320
 *♦♦♦♦♦♦♦♦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Smooth
 S32
 *♦♦♦♦♦♦♦♦♦♦
 ♦6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Smooth
 S832
 *♦♦♦♦♦♦♦♦♦♦
 ♦6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Smooth
 S115
 *♦♦♦♦♦♦♦♦E
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Smooth
 S8675SL
 *♦♦♦♦♦♦♦♦
 12" x 8'0"
 14" x 8'0"

Smooth
 S263SL | S7125SL
 *♦♦♦♦♦♦♦♦♦♦ | *♦♦♦♦♦♦♦♦♦♦6
 ♦♦6 | ♦♦6
 12" x 6'8" | 12" x 8'0"
 14" x 6'8" | 14" x 8'0"

Smooth
 S3487SL
 *♦♦♦♦♦♦♦♦♦♦
 ♦♦6
 12" x 8'0"
 14" x 8'0"

Clear Glass with Divided Lites *Continues on next page.*

Key

- No Stile Lines
- ☀ Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- ♦ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ♦ Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- ♦ Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- ♦ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ♦ Fixed Grilles (FXG)
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Clear Glass with Divided Lites *Continued*



Smooth

S1408

2'6" x 6'8" E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S8145

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S1405

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81405

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

S1406

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S1407

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8144

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S1405SL

12" x 6'8"
14" x 6'8"

S8145SL

12" x 8'0"
14" x 8'0"

EnLiten™ Flush-Glazed Clear Glass



Oak

2100

2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"




Smooth

S2100

2'6" x 6'8"
2'8" x 6'8"
3'0" x 6'8"

Clear Glass



Mahogany

FCM62

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

FCM862

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany

FCM6021


2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6041

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM670

2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Mahogany

FCM62SL

12" x 6'8"
14" x 6'8"

FCM862SL

12" x 8'0"
14" x 8'0"



Oak

FC62

2'6" x 6'8" E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

81929P

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC670

2'6" x 6'8" (7'0") E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Oak

81971P

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak

FC48SL

12" x 6'8"
14" x 6'8"

81929PSL

12" x 8'0"
14" x 8'0"



Smooth

S206

2'6" x 6'8" E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S81929P

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Note: See page 299 for important product details that may help with your purchase decision.

Right Page: Smooth-Star, Clear Glass with GBGs, Door – S8326, Finish – Onyx



Smooth

S6021

☀️ ⚡️ E

2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S86021

☀️ ⚡️ E

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S6041

☀️ ⚡️

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S104

■ ⚡️ ⚡️ E

2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S105

■ ⚡️ E

2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S30

☀️ ⚡️

2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S830

☀️ ⚡️

2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S210SL

☀️ ⚡️

12" x 6'8"
14" x 6'8"

S85910SL

☀️ ⚡️

12" x 8'0"
14" x 8'0"



Key

■ No Stile Lines

🔥 Flush-Glazed Glass with Detailed Sticking (FG)

☀️ Low-E Glass (LE)

◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)

◆ Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)

◆ Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)

◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

⚡️ WBDR Options


⚡️ WBDR / HVHZ Options

E Elevated 10" Bottom Rail Options



Transoms

For transoms, see page 221.



Blackstone® ◆ ◆



Smooth

S6013
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Crystalline™ ◆ ◆



Smooth

S930
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Sedona ◆ ◆



Smooth

S294
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Salinas® x



Smooth

S6014
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Maple Park® ◆ ◆



Smooth

S6104
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Avonlea® ◆



Smooth

S985
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Saratoga™ ◆ ◆



Smooth

S291
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Wellesley™ ◆ ◆ ◆



Smooth

S292
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XK = Reeded

XG = Geometric

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

Note: See page 299 for important product details that may help with your purchase decision.

Top: Smooth-Star, Clear Glass, Door - S289, Finish - Onyx

Riserva® ✕



Smooth

S585
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Concorde™ ◆ ◆ ◆ ◆



Smooth

S430
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Kensington™ ◆ ◆ ◆ ◆



Smooth

S162
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Pembridge™ ◆ ◆ ◆ ◆



Smooth

S6572
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Axis® ◆



Smooth

S1661
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Frosted Images®



Smooth

S289E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Privacy & Textured Glass with Divided Lites



Smooth

S807_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Privacy & Textured Glass



Smooth

S289_
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Clear Glass with Divided Lites



Smooth

S807
◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S1411
◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Clear Glass



Smooth

S289
◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆ ◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"


Key

- ◆ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)
- ◆ Simulated Divided Lites (SDL)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- ◆ Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ◆ Fixed Grilles (FXG)



Transoms

For transoms, see page 221.



Blackstone® ◆◆



Mahogany

FCM760
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6111
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Crystalline™ ◆◆



Mahogany

FCM124
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6113
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Sedona ◆◆



Mahogany

FCM126
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S12
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Salinas® x



Mahogany

FCM118
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6012
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Maple Park® ◆◆



Mahogany

FCM904
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6105
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Avonlea® ◆



Mahogany

FCM800
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6121
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Note: See page 299 for important product details that may help with your purchase decision.

Top: Smooth-Star, Riserva Glass, Door – S506, Sidelites – S573SL, Finish – Cabernet

Saratoga™ ◆ ◆



Mahogany

FCM909
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S20
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Wellesley™ ◆ ◆ ◆



Mahogany

FCM125
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6117
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Riserva® X



Mahogany

FCM506
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S506
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Concorde™ ◆ ◆ ◆



Mahogany

FCM914
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S17
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Kensington™ ◆ ◆



Mahogany

FCM150
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6119
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Pembridge™ ◆ ◆ ◆



Mahogany

FCM6532
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S6532
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Clear Glass



Mahogany

FCM132
★
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S10
★
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Blackstone™ ◆ ◆



Oak

FC80943
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak

FC86243
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S9343
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S83143
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Key

- ★ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆◆ Brass Caming (1A)
- X Wrought Iron (1W)
- 6 WBDR / HVHZ Options

Crystalline™ ◆◆



Oak

FC80941
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC86241
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S9341
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S83141
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Sedona ◆◆



Oak

FC80952
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC86252
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S9352
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Salinas® ×



Smooth

S83152
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC80953
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC86253
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S9353
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S83153
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Maple Park◆◆



Oak

FC80955
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC86255
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Avonlea◆



Smooth

S9355
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S83155
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Oak

FC80956
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Oak

FC86256
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Smooth

S9356
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Smooth

S83156
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Saratoga™ ◆ ◆



Oak
FC80954
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak
FC86254
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth
S9354
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth
S83154
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Wellesley™ ◆ ◆ ◆




Oak
FC80949
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak
FC86249
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth
S9349
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Riserva ×



Smooth
S83149
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak
FC507
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak
FC549
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth
S507
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth
S549
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"


Concorde™ ◆ ◆ ◆



Oak
FC80947
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak
FC86247
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Kensington™ ◆ ◆



Smooth
S9347
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth
S83147
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Oak
FC80942
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Oak
FC86242
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Smooth
S9342
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Smooth
S83142
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Key

- ◆ Black Nickel Caming (1D)
- ◆ ◆ Brushed Nickel Caming (1C)
- ◆ ◆ ◆ Brass Caming (1A)
- × Wrought Iron (1W)

6 WBDR / HVHZ Options

Pembridge™ ◆ ◆ ◆ ◆

			
Oak	Oak	Smooth	Smooth
FC6534 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC86533 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6534 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S86533 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Axis® ◆

		
Oak	Oak	Smooth
FC1655 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC81649 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S1655 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





Frosted Images®

				
Smooth	Oak	Oak	Smooth	Smooth
S81649 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC80945 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC86245 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S9345 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S83145 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Privacy & Textured
Glass with Divided Lites

	
Oak	Oak
FC809203_ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC862203_ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Privacy & Textured Glass

					
Smooth	Smooth	Oak	Oak	Smooth	Smooth
S93203_ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S831203_ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC80920_ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC86220_ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S9320_ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S83120_ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

- | | | | |
|-----------------------|------------------------|------------------------|---------------------|
| XK = Reeded | XE = Satin Etch | XJ = Chinchilla | XN = Granite |
| XG = Geometric | XC = Chord | XR = Rainglass | |

Internal Blinds



Clear Glass with Divided Lites



Clear Glass



Key

- ★ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- Simulated Divided Lites (SDL)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- ◆ Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ◆ Fixed Grilles (FXG)
- 6 WBDR / HVHZ Options



Transoms

For transoms, see page 221.

Optional Dentil Shelves***



4-Block Dentil Shelf


Available for all Craftsman-style Fiber-Classic Mahogany Collection doors.



4-Block Dentil Shelf

Available for all Craftsman-style Smooth-Star doors.

Sedona ♦♦



Smooth

S2650*	S82650*
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Mahogany

FCM604
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S604	S8604
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"

Maple Park ♦♦



Smooth

S2630**	S82630**
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Mahogany

FCM609
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

EnLiten™ Flush-Glazed Saratoga™ ♦♦♦



Smooth

S609	S8609
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Mahogany

FCM6240
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM6201SL
12" x 6'8"
14" x 6'8"



Smooth

S6240	S86240
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Smooth

S6201SL	S86201SL
10" x 6'8"	12" x 8'0"
12" x 6'8" (7'0")	14" x 8'0"
14" x 6'8" (7'0")	



Smooth

S6240SL	S86240SL
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

XN = Granite

*Available with flat lite frame or Advanta flat lite frame only.

**Available with flat lite frame, Advanta flat lite frame or Impact-rated lite frame only.

***Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 299 for important product details that may help with your purchase decision.

Saratoga™ ◆ ◆



Mahogany

FCM602
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Smooth

S2660**
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Smooth

S82660**
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Smooth

S602
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Smooth

S8602
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Riserva® ✕



Mahogany

FCM508
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Smooth

S2670**
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Smooth

S82670**
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Pembridge™ ◆ ◆ ◆



Smooth

S508
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S8508
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Mahogany

FCM6520
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Smooth

S2640**
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S82640**
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Smooth

S6520
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S86520
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Mahogany

FCM1650
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Axis® ◆



Mahogany

FCM1650
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

EnLiten™ Flush-Glazed Privacy & Textured Glass with Divided Lites



Smooth

S2620**
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S82620**
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Smooth

S1650
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

S81650
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



Mahogany

FCM4812_
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM4813_
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Mahogany

FCM4814_
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

EnLiten Flush-Glazed Privacy & Textured Glass with Divided Lites *Continues on next page.*

Key

- 🔸 Flush-Glazed Glass with Detailed Sticking (FG)
- 🔹 Flush-Glazed Glass with Square Sticking (FG)
- ◆ Black Nickel Caming (1D)

- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)
- 🔸 Simulated Divided Lites (SDF1)







- ▭ Flat Lite Frame
- 🔸 NEW Scrolled & Flat Advanta Lite Frame
- 🔹 NEW Flat Advanta Lite Frame





- 🔸 WBDR Options
- 🔹 WBDR / HVHZ Options
- 🔹 Elevated 10" Bottom Rail Options

EnLiten™ Flush-Glazed Privacy & Textured Glass with Divided Lites *Continued*

				
Mahogany	Mahogany	Smooth	Smooth	Smooth
FCM4816_* ▲ ■ E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM2050_SL ▲ ■ ● 12" x 6'8" 14" x 6'8"	S4812_* ▲ ■ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S84812_* ▲ ■ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S4813_* ▲ ■ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
		S84813_* ▲ ■ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"		S4814_* ▲ ■ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
				S84814_* ▲ ■ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Privacy & Textured Glass with Divided Lites

					
Smooth	Smooth	Mahogany	Mahogany	Mahogany	Mahogany
S4816_* ▲ ■ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S84816_* ▲ ■ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM605_* ▲ ■ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S4812_SL* ▲ ■ 12" x 6'8" 14" x 6'8"	FCM606_* ▲ ■ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S84812_SL* ▲ ■ 12" x 8'0" 14" x 8'0"
				FCM607_* ▲ ■ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM608_* ▲ ■ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

			
Smooth	Smooth	Smooth	Smooth
S605_* ▲ ■ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8605_* ▲ ■ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S606_* ▲ ■ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8606_* ▲ ■ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
		S607_* ▲ ■ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S8607_* ▲ ■ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
			S608_* ▲ ■ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
			S8608_* ▲ ■ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XK = Reeded XE = Satin Etch XJ = Chinchilla XN = Granite
XG = Geometric XC = Chord XR = Rainglass

*Not available with Reeded (XK) or Geometric (XG) glass.

**Available with flat lite frame, Advanta flat lite frame or Impact-rated lite frame only.

Note: See page 299 for important product details that may help with your purchase decision.

EnLiten™ Flush-Glazed Privacy & Textured Glass




Mahogany

FCM4810_*
▲ E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM2000_SL
▲ ●
12" x 6'8"
14" x 6'8"



Smooth

S4810_*
▲ E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth


S84810_* S4810_SL* S84810_SL*
▲ ▲ ▲
2'8" x 8'0" 12" x 6'8" 12" x 8'0"
2'10" x 8'0" 14" x 6'8" 14" x 8'0"
3'0" x 8'0"

Privacy & Textured Glass



Mahogany

FCM601_*
▲ ●
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S2610_* S82610_*
▲ ● E ▲ ● E
2'8" x 6'8" 2'8" x 8'0"
2'10" x 6'8" 2'10" x 8'0"
3'0" x 6'8" 3'0" x 8'0"



Smooth

S601_* S8600_*
▲ ● ▲ ●
2'8" x 6'8" 2'8" x 8'0"
2'10" x 6'8" 2'10" x 8'0"
3'0" x 6'8" 3'0" x 8'0"

EnLiten™ Flush-Glazed Clear Glass with Divided Lites



Mahogany

FCM4812
▲ ● E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM4813
▲ ● E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM4814
▲ ● E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"




Mahogany

FCM4816
▲ ● E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM2050SL
▲ ● E
12" x 6'8"
14" x 6'8"



Smooth

S4812 S84812
▲ ● E ▲ ● E
2'8" x 6'8" (7'0") 2'8" x 8'0"
2'10" x 6'8" (7'0") 2'10" x 8'0"
3'0" x 6'8" (7'0") 3'0" x 8'0"




Smooth

S4813 S84813
▲ ● E ▲ ● E
2'8" x 6'8" (7'0") 2'8" x 8'0"
2'10" x 6'8" (7'0") 2'10" x 8'0"
3'0" x 6'8" (7'0") 3'0" x 8'0"



Smooth

S4814 S84814
▲ ● E ▲ ● E
2'8" x 6'8" (7'0") 2'8" x 8'0"
2'10" x 6'8" (7'0") 2'10" x 8'0"
3'0" x 6'8" (7'0") 3'0" x 8'0"



Smooth

S4816 S84816
▲ ● E ▲ ● E
2'8" x 6'8" (7'0") 2'8" x 8'0"
2'10" x 6'8" (7'0") 2'10" x 8'0"
3'0" x 6'8" (7'0") 3'0" x 8'0"



Smooth

S4812SL S84812SL
▲ ● E ▲ ● E
12" x 6'8" 12" x 8'0"
14" x 6'8" 14" x 8'0"

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)

- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDFL1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)

- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- Flat Lite Frame**
- NEW Scrolled & Flat Advanta Lite Frame

- NEW Flat Advanta Lite Frame**
- NEW Scrolled Advanta Lite Frame
- Vented Sidelite Options

- WBDR Options
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options

Clear Glass with Divided Lites



Mahogany

FCM605

☀️ 🗑️ 🗑️
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM606

☀️ 🗑️ 🗑️
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM607

☀️ 🗑️ 🗑️
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM608

☀️ 🗑️ 🗑️
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S605

☀️ 🗑️ 🗑️
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8605

☀️ 🗑️ 🗑️
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S606

☀️ 🗑️ 🗑️
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8606

☀️ 🗑️ 🗑️
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S607

☀️ 🗑️ 🗑️
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8607

☀️ 🗑️ 🗑️
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S608

☀️ 🗑️ 🗑️
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8608

☀️ 🗑️ 🗑️
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

EnLiten™ Flush-Glazed Clear Glass



Mahogany

FCM4810

🔵 ☀️ 🔴 E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM2000SL

🔴 ☀️ 🟢
12" x 6'8"
14" x 6'8"



Smooth

S4810

🔵 ☀️ 🔴 E
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

S84810

🔵 ☀️
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S4810SL

🔵 ☀️
12" x 6'8"
14" x 6'8"

S84810SL

🔵 ☀️
12" x 8'0"
14" x 8'0"

Clear Glass



Mahogany

FCM601

☀️ 🗑️ 🗑️
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S2610*

☀️ 🗑️ 🗑️ E
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S82610*

☀️ 🗑️ 🗑️
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Smooth

S601

☀️ 🗑️ 🗑️
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

S8601


☀️ 🗑️ 🗑️
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

*Available with flat lite frame, Advanta flat lite frame or Impact-rated lite frame only.
Note: See page 299 for important product details that may help with your purchase decision.



Transoms

For transoms, see page 221.



Maple Park



Mahogany

FCM736	FCM8736
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Oak

FC736	FC8736
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Smooth

S736	S8736
E 2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

Saratoga



Mahogany

FCM707	FCM8707
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Oak

FC707	FC8707
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

Wellesley



Smooth

S707	S8707
E 2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Mahogany

FCM721	FCM8721
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Oak

FC721	FC8721
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Smooth

S721	S8721
E 2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Simulated Divided Lites (SDL)

- Flat Lite Frame
- NEW Scrolled & Flat Advanta Lite Frame
- NEW Scrolled Advanta Lite Frame

- NEW Flat Advanta Lite Frame
- Vented Sidelite Options
- WBDR Options

- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options

Concorde™ ◆ ◆ ◆



Mahogany

FCM735 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8735 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--



Oak

FC735 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC8735 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---



Smooth

S735 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S8735 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--

Pembridge™ ◆ ◆ ◆



Mahogany

FCM745 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8745 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--



Oak

FC745 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC8745 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---

Clear Glass with Divided Lites



Smooth

S745 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S8745 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--



Mahogany

FCM752 ★ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8752 ★ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---




Oak

FC752 ★ ◆ ◆ ◆ ◆ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC8752 ★ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--



Smooth

S752 ★ ◆ ◆ ◆ ◆ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S8752 ★ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---



Mahogany

FCM704 ★ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8704 ★ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---

Clear Glass



Oak

FC704 ★ ◆ ◆ ◆ ◆ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC8704 ★ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--



Smooth

S704 ★ ◆ ◆ ◆ ◆ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S8704 ★ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---



Mahogany

FCM708 ★ ◆ ◆ ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM8708 ★ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---



Oak

FC708 ★ ◆ ◆ ◆ ◆ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC8708 ★ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--



Smooth

S708 ★ ◆ ◆ ◆ ◆ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S8708 ★ ◆ ◆ ◆ ◆ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---

Privacy & Textured Glass



Mahogany

FCM61 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM861 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---



Oak

FC61 * E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC861 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	--



Smooth

S296 * E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S896 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--

Clear Glass



Mahogany

FCM61 * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM861 * 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--




Oak

FC61 * E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC861 * 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
--	---



Smooth

S296 * E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S896 * 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---



Noise Reduction Doors

Therma-Tru® Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. Ideal for multi-use and urban in-fill projects located near sources of noise pollution, our Noise Reduction doors provide a Sound Transmission Class (STC) rating of 36. Our Noise Reduction lites also offer added security from forced entry with laminated glass surrounded by a standard Lip-lite frame.

Note: Also available in decorative full-lite glass option in aluminum Lip-lite frame.



Smooth

S140STC * E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S8140STC * 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	---



Smooth

S141STC * E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")



Smooth

S6063STC * E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
--

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 139.

XK = Reeded
XG = Geometric

XE = Satin Etch
XC = Chord

XJ = Chinchilla
XR = Rainglass

XN = Granite

Note: See page 299 for important product details that may help with your purchase decision.


Top: Smooth-Star, Clear Glass, Door – S296, Finish – Cypress

Right Page: Smooth-Star Door – S1100, Sidelites – S2000SL, Finish – Granite




Transoms

For transoms, see page 221.



Mahogany
FCM31
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany
FCM220
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany
FCM205
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany
FCM755
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany
FCM600
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany
FCM134
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany
FCM60
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
FCM860
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Mahogany
FCM1000
6 E
2'0" x 6'8"
2'4" x 6'8"
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
FCM81000
6
2'0" x 8'0"
2'4" x 8'0"
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak
FC31
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak
FC809
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak
FC755
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Oak
FC862
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak
FC60
6 E
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")
FC860
6
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"

Key

- No Stile Lines
- ☀ Low-E Glass (LE)
- ◆ Flat White Grilles Between Glass Only (GBGFW)
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options



Oak

1000 ■ 6E	81000 ■ 6
2'0" x 6'8"	2'0" x 8'0"
2'4" x 6'8" Δ	2'4" x 8'0"
2'6" x 6'8" Δ (7'0")	2'6" x 8'0"
2'8" x 6'8" Δ (7'0")	2'8" x 8'0"
2'10" x 6'8" Δ (7'0")	2'10" x 8'0"
3'0" x 6'8" Δ (7'0")	3'0" x 8'0"



Smooth

S93 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S220 6E	S8200 6E
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Smooth

S1100 6E	S81100 6
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S120 6E	S8120 6
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S200 6	S897 6
2'6" x 6'8"	2'8" x 8'0"
2'8" x 6'8"	2'10" x 8'0"
2'10" x 6'8"	3'0" x 8'0"
3'0" x 6'8"	



Smooth

S205 6	S8201 6
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S755 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S31 6	S831 6
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S960 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S4800 6E	S84800 6
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S600 6	S8600 6
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"




Smooth

S11 6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S210 6E	S810 6
2'6" x 6'8"	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Smooth

S100 ■ 6E	S81000 ■ 6
2'0" x 6'8" Δ	2'0" x 8'0"
2'4" x 6'8" Δ	2'4" x 8'0"
2'6" x 6'8" Δ	2'6" x 8'0"
2'8" x 6'8" Δ (7'0")	2'8" x 8'0"
2'10" x 6'8" Δ (7'0")	2'10" x 8'0"
3'0" x 6'8" Δ (7'0")	3'0" x 8'0"
3'6" x 6'8"	3'6" x 8'0"

Transoms

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Blackstone ♦ ♦



BSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only


Crystalline™ ♦ ♦



19080T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19820T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19800T
3'0" Door Only



19810T
12" & 14" Sidelite Only

Sedona ♦ ♦



19055T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



19520T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Salinas x



SART
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Maple Park ♦ ♦



FWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Avonlea ♦



AVRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Saratoga™ ♦ ♦



19750T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19740T
3'0" Door Only

Wellesley™ ♦ ♦ ♦



19730T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19720T
3'0" Door Only

Riserva® x



RSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Concorde™ ♦ ♦ ♦



CNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Kensington™ ♦ ♦



KNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Pembridge™ ♦ ♦ ♦



PBRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

Axis® ♦



AXRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems


Clear Glass




Grille Sticks Applied



19020T
*
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems




Grille Sticks Applied



19220T
*
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19200T
*
3'0" Door Only



19210T
*
12" & 14" Sidelite Only

Key

- No Stile Lines
- ★ Low-E Glass (LE)
- ♦ Black Nickel Caming (1D)
- ♦♦ Brushed Nickel Caming (1C)
- ♦♦ Brass Caming (1A)
- ✗ Wrought Iron (1W)
- 6 WBDR Options
- 6 WBDR / HVHZ Options
- ⤴ 6'6" Height Available
- Ⓜ Elevated 10" Bottom Rail Options

Hinged Patio Doors

Fiber-Classic®, Smooth-Star®, Profiles™ & Traditions

Hinged Patio Doors



Flexible options for any home.

Our Fiber-Classic, Smooth-Star, Profiles and Traditions product lines extend to the patio with a wide assortment of options that combine form and function. Explore convenient options to control natural light and privacy, complement window grid patterns and more, all backed by Therma-Tru's outstanding warranties.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Smooth-Star, Internal Blinds, Doors – S2600
Bottom: Smooth-Star, Clear Glass, Doors – S118


Door Selections



Fiber-Classic[®]
Mahogany
Collection™



Fiber-Classic[®]
Oak Collection™



Smooth-Star[®]



Profiles™ & Traditions

(Wood-grained images shown in Driftwood stain.)


Retractable Screen Doors

With a discreet, hidden design, retractable screen doors allow fresh air and natural light inside while keeping debris and insects out. Available for single and french inswing configurations. See pages 42–43 for details.

Glass Selections



Internal Blinds



Low-E / Clear

Divided Lites

For details on divided lite options, see pages 140–141.



Simulated
Divided
Lites



Grilles
Between
Glass



Fixed
Grilles

Flush-Glazed Glass

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

EnLiten™ Flush-Glazed Warranty Riders

See page 33 for details on the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners.

■ = Available	Fiber-Classic.	Smooth-Star.	Profiles.	Traditions
Door Selections				
Material	Fiberglass	Fiberglass	Steel	Steel
Warranty	Lifetime	Lifetime	10 Years	Door: 5 Years Glass: 10 Years
Finish Options	Stain or Paint	Paint	Paint	Paint
Flush-Glazed Glass Selections				
Internal Blinds ◆	■	■		
Low-E Glass with and without Divided Lites ▲	■	■		
Clear Glass with and without Divided Lites ▲	■	■		
Privacy & Textured Glass with and without Divided Lites ▲	■	■		
Lip-Lite Glass Selections				
Internal Blinds	■	■	■	■
Low-E Glass with and without Divided Lites	■	■	■	■
Clear Glass with and without Divided Lites	■	■	■	■
Privacy & Textured Glass with and without Divided Lites	■	■	■	■
Available Sizes				
Heights	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0"	6'6", 6'8", 8'0"
Single Widths	2'0"–3'0"	2'0"–3'0"	2'0"–3'0"	2'0"–3'0"
Double Widths	4'0"–6'0"	4'0"–6'0"	4'0"–6'0"	4'0"–6'0"
Triple Widths	6'0"–9'0"	6'0"–9'0"	6'0"–9'0"	6'0"–9'0"
Retrofit Openings	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"
Additional Options				
Vented Sidelites (Single / Double Widths)	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths		
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame
Impact-Rated Options	■	■	■	■
Tru-Defense Eligible	■	■		


EnLiten™ Flush-Glazed Internal Blinds




Available Collections

- Smooth-Star®

Available Door Styles



Available Configurations




Internal Blinds




Available Collections

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

Available Door Styles



Available Configurations




Colonial Style




Available Collections

- Fiber-Classic® Oak
- Smooth-Star®

Available Door Styles



Available Configurations




Prairie Style




Available Collections

- Fiber-Classic® Oak
- Smooth-Star®

Available Door Styles



Available Configurations



EnLiten™ Flush-Glazed Low-E / Clear Glass


Hinged Patio Doors




Available Collections

- Fiber-Classic. Oak
- Smooth-Star.

Available Door Styles



Available Configurations



Low-E / Clear Glass with Divided Lites

Colonial Style




Available Collections

- Fiber-Classic. Mahogany
- Fiber-Classic. Oak
- Smooth-Star.
- Profiles.
- Traditions

Available Door Styles



Available Configurations




Prairie Style




Available Collections

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

Available Door Styles



Available Configurations



Low-E / Clear Glass




Available Collections

- Fiber-Classic® Mahogany
- Fiber-Classic® Oak
- Smooth-Star®
- Profiles™
- Traditions

Available Door Styles



Available Configurations



Profiles™ Steel Doors



Versatile, affordable options.

Coupling distinctive styling with affordability, Profiles steel doors offer versatile front entry and house-to-garage options. Designed to suit multiple home styles, these doors feature triple-shadowed panel embossments for greater detail.

Top: Profiles, Sedona Glass, Door – 996HD, Sidelite – 139SL
Bottom: Profiles, Screen Vented Glass, Door – 1004HD

Traditions Steel Doors



Back to basics.

It's back to basics with Traditions. This line of steel doors combines attractive designs and value-based options to create a great, cost-conscious alternative for front entry and house-to-garage.





Top: Traditions Door – TS210
Bottom: Traditions, Satin Etch Glass, Doors – TS289XE

Profiles™ & Traditions Steel Doors

Find style at an affordable price point with options to match any home style and budget in Profiles and Traditions doors. Fire-rated options on 6'8" solid-panel doors make a perfect choice for house-to-garage.

- 1-¼" lock stiles.
- 12-½" lock blocks.
- No stile lines.
- Primed, ready-to-paint surface.

 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*

 20-Minute Fire-rated options available on 6'8" solid-panel doors. See pages 254–259.



Profiles™ Steel

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.



Traditions Steel

Features 25-gauge steel, standard embossed smooth surface. All 8'0" doors are 24-gauge steel with standard embossments.



	Profiles™	Traditions
■ = Available • = Not Applicable P = Paint		
Door Widths		
2'0"	■	■
2'4"	■	■
2'6"	■	■
2'8"	■	■
2'10"	■	■
3'0"	■	■
3'6"	■	•
Door Heights		
6'6"	■	■
6'8"	■	■
7'0"	■	•
8'0"	•	■
Glass Options		
Decorative	15	15
Privacy & Textured	7	7
Internal Blinds	■	■
Screen Vented Lites	■	■
Simulated Divided Lites	■	■
Grilles Between Glass	■	■
Fixed Grilles	■	■
Low-E	■	■
Clear	■	■
Additional Options		
Finish	P	P

Retrofit Hinged Patio Doors

Replacing common slider sizes?
 Find hinged patio door options on pages 222–227.
 5'0" Patio Opening = (2) 2'4" Doors
 6'0" Patio Opening = (2) 2'10" Doors

*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

**Decorative glass designs are shown in Profiles only.

***Brass coming not available for Impact.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs, limited warranties and exclusions, ENERGY STAR qualified products and product approvals.


Decorative & Specialty Glass Designs**



Black Nickel Brushed Nickel
Blackstone
 Glass Privacy Rating: **7**



Black Nickel Brushed Nickel
Crystalline
 Glass Privacy Rating: **7**




Black Nickel Brushed Nickel
Sedona
 Glass Privacy Rating: **7**



Wrought Iron
Salinas
 Glass Privacy Rating: **10**



Black Nickel Brushed Nickel
Maple Park
 Glass Privacy Rating: **6**




Black Nickel
Avonlea
 Glass Privacy Rating: **4**



Black Nickel Brushed Nickel
Saratoga
 Glass Privacy Rating: **7**




Black Nickel Brushed Nickel
Texas Star
 Glass Privacy Rating: **5**



Black Nickel Brass
Wellesley
 Glass Privacy Rating: **6**



Wrought Iron
Riserva
 Glass Privacy Rating: **10**




Black Nickel Brass
Concorde
 Glass Privacy Rating: **8**



Black Nickel Brushed Nickel
Kensington
 Glass Privacy Rating: **8**



Black Nickel Brass***
Pembridge
 Glass Privacy Rating: **7**



Black Nickel
Axis
 Glass Privacy Rating: **7**



Frosted Images
 Glass Privacy Rating: **8**

Also Available:
Internal Blinds
Screen Vented


Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10


Clear

Opaque

Privacy & Textured Glass




Reeded (XK)
Glass Privacy Rating: **7**




Geometric (XG)
Glass Privacy Rating: **7**



Satin Etch (XE)
Glass Privacy Rating: **10**



Chord (XC)
Glass Privacy Rating: **10**



Chinchilla (XJ)
Glass Privacy Rating: **10**



Rainglass (XR)
Glass Privacy Rating: **8**



Granite (XN)
Glass Privacy Rating: **10**

Glass Privacy Rating Scale

1 2 3 4 5 6 7 8 9 10

Clear

Opaque

Also Available:

Divided Lites
Clear Glass



Note: See page 299 for important product details that may help with your purchase decision.

Bottom: Profiles, Salinas Glass, Door – 968HD, Sidelites – 971SLHD

Blackstone®



310

2'6" x 6'8" Δ (7'0")
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8" (7'0")



310SL

10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Crystalline™



916

2'8" x 6'8" (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8" (7'0")



916SL

10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Sedona



139

2'6" x 6'8" Δ (7'0")
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8" (7'0")



139SL

10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Salinas®



369

2'6" x 6'8" Δ (7'0")
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8" (7'0")



369SL

10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Maple Park®



1006

2'8" x 6'8" (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8" (7'0")



1006SL

10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Avonlea®



1027

2'8" x 6'8" (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8" (7'0")



1027SL

10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Saratoga™



610

2'6" x 6'8" Δ (7'0")
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8" (7'0")



610SL

10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Texas Star



1029

2'8" x 6'8" (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8" (7'0")



1029SL

10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Wellesley™



620

2'6" x 6'8" Δ (7'0")
2'8" x 6'8" Δ (7'0")
2'10" x 6'8" Δ (7'0")
3'0" x 6'8" Δ (7'0")
3'6" x 6'8" (7'0")



620SL

10" x 6'8"
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Key

- ◆ Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)
- NEW Scrolled & Flat Advanta Lite Frame
- WBDR / HVHZ Options
- Δ 6'6" Height Available

Riserva ✕



571
 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")



TS572SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Concorde ◆ ◆ ◆ ◆



1028
 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")



416SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Kensington ◆ ◆ ◆ ◆



626
 2'8" x 6'8" (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")



626SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Pembridge ◆ ◆ ◆ ◆



6500HD
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")



6500SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Axis ◆



1651HD
 2'4" x 6'8" Δ
 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")



1651SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Frosted Images



138SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Privacy & Textured Glass with Divided Lites



128_
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")



108_
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")



6184_SL*
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



6185_SL*
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



6186_SL*
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



632_SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Privacy & Textured Glass



118_
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")



100_SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 232.

XK = Reeded

XG = Geometric

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

*Not available with Reeded (XK) or Geometric (XG) glass.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 299 for important product details that may help with your purchase decision.

Internal Blinds



130
 * 2'4" x 6'8" Δ (7'0")
 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")



130SL
 * 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Clear Glass with Divided Lites




1201
 * 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")



1202
 * 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")



1203
 * 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")



128
 * 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")



1200
 * 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")



108
 * 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")



1201SL
 * 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



1202SL
 * 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



1200SL
 * 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



632SL
 * 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



6184SL
 * 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



6185SL
 * 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



6186SL
 * 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Clear Glass



198
 * 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")



198SL
 * 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



118
 * 2'0" x 6'8" ▽
 2'4" x 6'8" Δ
 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")



100SL
 * 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Key

- Low-E Glass (LE)
- Turtle Glass
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- NEW Scrolled & Flat Advanta Lite Frame
- NEW Scrolled Advanta Lite Frame
- WBDR / HVHZ Options
- 6'6" Height Available
- PVC Doorlite Frame**

Blackstone.



1037HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1037SLHD
 12" x 6'8"
 14" x 6'8"

Crystalline™.




1042HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



956SLHD
 12" x 6'8"
 14" x 6'8"

Sedona



965HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



965SLHD
 12" x 6'8"
 14" x 6'8"

Salinas.



968HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



971SLHD
 12" x 6'8"
 14" x 6'8"

Maple Park.



1009HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1009SLHD
 12" x 6'8"
 14" x 6'8"

Avonlea.



1038HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1038SLHD
 12" x 6'8"
 14" x 6'8"

Saratoga™.



1039HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1039SLHD
 12" x 6'8"
 14" x 6'8"

Texas Star



1040HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1040SLHD
 12" x 6'8"
 14" x 6'8"

Wellesley™.



1041HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1041SLHD
 12" x 6'8"
 14" x 6'8"

Riserva.



544HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



546SLHD
 12" x 6'8"
 14" x 6'8"

Concorde™.



967HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



967SLHD
 12" x 6'8"
 14" x 6'8"

Kensington™.



03142HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



966SLHD
 12" x 6'8"
 14" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 232.

XK = Reeded
 XG = Geometric

XE = Satin Etch
 XC = Chord

XJ = Chinchilla
 XR = Rainglass

XN = Granite

Pembridge™



6582HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

6580SLHD
 12" x 6'8"
 14" x 6'8"

Axis





1644HD
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"


1644SLHD
 12" x 6'8"
 14" x 6'8"


Privacy & Textured Glass



961HD 
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



959HD 
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



6720HD_SL 
 12" x 6'8"
 14" x 6'8"

959HD_SL 
 12" x 6'8"
 14" x 6'8"

Internal Blinds



5425  
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

5425SL  
 12" x 6'8"
 14" x 6'8"

Clear Glass with Divided Lites



2109HD    
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

2110HD     
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"


2111HD    
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

961HD     
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

1089SLHD    
 12" x 6'8"
 14" x 6'8"

4572SLHD     
 12" x 6'8"
 14" x 6'8"

Clear Glass



6720SLHD     
 12" x 6'8"
 14" x 6'8"





1403HD    
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

1400SLHD    
 12" x 6'8"
 14" x 6'8"

959HD  
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

959SLHD  
 12" x 6'8"
 14" x 6'8"

Key

-  Low-E Glass (LE)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Brass Caming (1A)
-  Wrought Iron (1W)
-  Simulated Divided Lites (SDL)
-  Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
-  Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
-  Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
-  Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
-  WBDR / HVHZ Options

Oval Lites

Blackstone. ◆ ◆



1025HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Avonlea. ◆



1047HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Wellesley™ ◆ ◆ ◆



1022HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Concorde™ ◆ ◆ ◆



1024HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Kensington™ ◆ ◆



630HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Pembridge™ ◆ ◆ ◆



6578HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

Frosted Images. ◆



1021HD
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"


Clear Glass ◆



1020HD
★
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

1/2 Lites


Blackstone. ◆ ◆



309HD
6
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



1001HD
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1117HD
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



311SLHD
6
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Crystalline™ ◆ ◆



926HD
6
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



991HD
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1119HD
6
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



930SLHD
6
12" x 6'8" (7'0")
14" x 6'8" (7'0")

Sedona ◆ ◆



211HD 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	996HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	1114HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	294SLHD 12" x 6'8" (7'0") 14" x 6'8" (7'0")
--	--	---	--

Salinas X



374HD 6 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	1002HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	1115HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	371SLHD 6 12" x 6'8" (7'0") 14" x 6'8" (7'0")
---	--	--	---

Maple Park ◆ ◆



1007HD 6 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	1011HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	1116HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	1007SLHD 6 12" x 6'8" (7'0") 14" x 6'8" (7'0")
---	--	--	--

Avonlea ◆



1031HD 6 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	1034HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	1107HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	1031SLHD 6 12" x 6'8" (7'0") 14" x 6'8" (7'0")
---	--	--	--

Saratoga ◆ ◆



613HD 6 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	988HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	1112HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	615SLHD 6 12" x 6'8" (7'0") 14" x 6'8" (7'0")
---	---	--	---

Texas Star ◆ ◆



1032HD 6 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	1035HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	1111HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	--	--





Key

- ◆ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ◆ Brashed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- X Wrought Iron (1W)
- 6 WBDR / HVHZ Options





Wellesley™ ◆ ◆ ◆ ◆

			
623HD 6 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	989HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	1120HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	625SLHD 6 12" x 6'8" (7'0") 14" x 6'8" (7'0")



Riserva® X

			
582HD 6 2'8" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	576HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	578HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	584SLHD 6 12" x 6'8" (7'0") 14" x 6'8" (7'0")


Concorde™ ◆ ◆ ◆ ◆

			
426HD 6 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	999HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	1118HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	430SLHD 6 12" x 6'8" (7'0") 14" x 6'8" (7'0")

Kensington™ ◆ ◆ ◆ ◆

			
627HD 6 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	631HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	1113HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	628SLHD 6 12" x 6'8" (7'0") 14" x 6'8" (7'0")

Pembridge™ ◆ ◆ ◆ ◆

			
6560HD 6 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	6565HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	6568HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	6565SLHD 6 12" x 6'8" (7'0") 14" x 6'8" (7'0")

Axis◆

			
1660HD 6 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	1657HD 6 2'8" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" 3'0" x 6'8"	1659HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	1657SLHD 6 12" x 6'8" (7'0") 14" x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 232.

XK = Reeded
XG = Geometric

XE = Satin Etch
XC = Chord




XJ = Chinchilla
XR = Rainglass

XN = Granite

*Features a gliding operation and sash locking system.

Note: See page 299 for important product details that may help with your purchase decision.

Frosted Images.

			
206EHD 6 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	985HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	1110HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	289ESLHD 6 12" x 6'8" (7'0") 14" x 6'8" (7'0")

Privacy & Textured Glass with Divided Lites

		
262HD __ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	982HD __ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	1123HD __ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"









Privacy & Textured Glass

					
263SLHD __ 12" x 6'8" (7'0") 14" x 6'8" (7'0")	206HD __ 6 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	980HD __ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	1101 __HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	104 __ 6 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	210SLHD __ 6 12" x 6'8" (7'0") 14" x 6'8" (7'0")









Internal Blinds


132HD 6 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Screen Vented Lites*

							
984HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	1121HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	131 6 E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	132SLHD 6 12" x 6'8" (7'0") 14" x 6'8" (7'0")	243HD 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	1004HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	1102HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	137 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

Key

-  Low-E Glass (LE)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Brass Caming (1A)
-  Wrought Iron (1W)
-  Simulated Divided Lites (SDL)
-  WBDR / HVHZ Options
-  Elevated 10" Bottom Rail Options


Clear Glass with Divided Lites




262HD
 * * * * * 6
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



982HD
 * * * * * 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1123HD
 * * * * * 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



115HD
 * * * * * E
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



263SLHD
 * * * * * 6
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



1408HD
 * * * * *
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



1405HD
 * * * * *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1406HD
 * * * * *
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Clear Glass



1405SLHD
 * * * * *
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")




206HD
 * * * * * 6
 2'6" x 6'8"
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")




980HD
 * * * * * 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1101HD
 * * * * * 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



104
 * * * * * 6 E
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



105
 * * * * * E
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



210SLHD
 * * * * * 6
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



Note: See page 299 for important product details that may help with your purchase decision.

Bottom: Profiles, Frosted Images Glass, Door - 206EHD, Sidelite - 289ESLHD

Blackstone®



311HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Crystalline™



930HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Sedona



294HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Salinas®



371HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Maple Park®



1008HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Avonlea®



1044HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Saratoga™



615HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Wellesley™



625HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Riserva®



588HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Concorde™




430HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Kensington™



628HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Pembridge™



6572HD
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Axis®



1662HD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Frosted Images®



289EHD
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options

Privacy & Textured Glass



263HD
 ■
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



289HD
 ■
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Clear Glass with Divided Lites



263HD
 ■ ◆ ◆ ◆ ◆ ◆
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



1411HD
 ■ ◆ ◆ ◆ ◆ ◆
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Clear Glass



289HD
 ■
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Craftsman Lites

Sedona



604HD
 ■ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Maple Park.



609HD
 ■ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Saratoga™



602HD
 ■ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Riserva.



508HD
 ■ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Pembridge™



6520HD
 ■ ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Axis.



1650HD
 ■ ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Privacy & Textured Glass with Divided Lites



605HD*
 ■ ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



606HD*
 ■ ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



607HD*
 ■ ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



608HD*
 ■ ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Privacy & Textured Glass



601_HD*
 ■ ◆ ◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 232.

XK = Reeded

XG = Geometric

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

*Not available with Reeded (XK) or Geometric (XG) glass.

Note: See page 299 for important product details that may help with your purchase decision.

Clear Glass with Divided Lites



- 605HD**
◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
- 606HD**
◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
- 607HD**
◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"
- 608HD**
◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Clear Glass



- 601HD**
◆ ◆ ◆ ◆
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Minimal Lites

Maple Park.



- 736HD**
◆ ◆ ◆
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Saratoga™



- 707HD**
◆ ◆ ◆
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Wellesley™



- 721HD**
◆ ◆ ◆ ◆
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Concorde™



- 735HD**
◆ ◆ ◆ ◆
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Pembridge™



- 745HD**
◆ ◆ ◆ ◆
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Clear Glass with Divided Lites



- 752HD**
◆ ◆ ◆ ◆
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
- 704HD**
◆ ◆ ◆
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Clear Glass



- 708HD**
◆
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Crystalline™



- 1055HD**
◆
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Concorde™



- 454HD**
◆ ◆ ◆ ◆
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Key

- ◆ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)
- ⤵ WBDR / HVHZ Options
- ⤵ Simulated Divided Lites (SDL)
- ◆ Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- ◆ Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- ◆ Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- ◆ Fixed Grilles (FXG)
- ◆ ◆ ◆ ◆ ◆ ◆ **NEW** Scrolled & Flat Advanta Lite Frame
- ◆ ◆ ◆ ◆ ◆ ◆ **NEW** Scrolled Advanta Lite Frame

Clear Glass with Divided Lites



255HD
 *♦♦♦♦♦
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Clear Glass



256HD
 *
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")

Clear Glass with Divided Lites



236HD
 ♦
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



237HD
 *♦
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")
 (Scalloped Lite Frame)

Pembridge™
 ♦♦♦



6570HD
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



6570SLHD
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Axis
 ♦



1643HD
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



1643SLHD
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Privacy & Textured Glass



296HD
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



296SLHD
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Clear Glass



296HD
 *
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



296SLHD
 *
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Solid Panels



969HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



978HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



1005HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



205HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



203HD
 6
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



210HD
 6
 2'6" x 6'8" (7'0")
 2'8" x 6'8" (7'0")
 2'10" x 6'8" (7'0")
 3'0" x 6'8" (7'0")



100
 6E
 2'0" x 6'8"
 2'4" x 6'8" Δ
 2'6" x 6'8" Δ (7'0")
 2'8" x 6'8" Δ (7'0")
 2'10" x 6'8" Δ (7'0")
 3'0" x 6'8" Δ (7'0")
 3'6" x 6'8" (7'0")

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 232.

XK = Reeded
 XG = Geometric

XE = Satin Etch
 XC = Chord

XJ = Chinchilla
 XR = Rainglass

XN = Granite

*Not available with Reeded (XK) or Geometric (XG) glass.

Note: See page 299 for important product details that may help with your purchase decision.



Full Lites

Privacy & Textured

Glass with Divided Lites






TS128_
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"






TS108_
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"






6184_SL*
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")






6185_SL*
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")






6186_SL*
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")






632_SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

Privacy & Textured Glass



TS118_
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

818_
 2'6" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Privacy & Textured Glass *Continue on next page.*

Key

-  Low-E Glass (LE)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Brass Caming (1A)
-  Simulated Divided Lites (SDL)
-  Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
-  Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
-  Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
-  Fixed Grilles (FXG)
-  NEW Scrolled & Flat Advanta Lite Frame
-  NEW Scrolled Advanta Lite Frame
-  WBDR / HVHZ Options
-  6'6" Height Available
-  Elevated 10" Bottom Rail Options

Privacy & Textured Glass



100_SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

818_SL
 12" x 8'0"
 14" x 8'0"

Internal Blinds



TS130
 2'4" x 6'8"
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

829
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



130SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

829SL
 12" x 8'0"
 14" x 8'0"

Clear Glass with Divided Lites



TS1201
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



TS1202
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"




TS1203
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



TS128
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



TS1200
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



TS108
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



828
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



808
 2'6" x 8'0"
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



1201SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



1202SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



1200SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



632SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")



828SL
 12" x 8'0"
 14" x 8'0"



6184SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

86184SL
 12" x 8'0"
 14" x 8'0"



6185SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

86185SL
 12" x 8'0"
 14" x 8'0"



6186SL
 10" x 6'8"
 12" x 6'8" (7'0")
 14" x 6'8" (7'0")

86186SL
 12" x 8'0"
 14" x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 232.

XK = Reeded
 XG = Geometric

XE = Satin Etch
 XC = Chord

XJ = Chinchilla
 XR = Rainglass

XN = Granite

*Features a gliding operation and sash locking system.


**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 299 for important product details that may help with your purchase decision.


Clear Glass with Divided Lites



8322
 * ♦ ♦ ♦ ♦ ♦ ♦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



8323
 * ♦ ♦ ♦ ♦ ♦ ♦ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




8324
 * ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



TS262
 * ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ 6
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



8321
 * ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



TS115
 * ♦ ♦ ♦ ♦ ♦ ♦ E
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



TS263SL
 * ♦ ♦ ♦ ♦ ♦ ♦ 6
 ♦ ♦ ♦ ♦ ♦ ♦ ♦ ♦
 12" x 6'8"
 14" x 6'8"

Clear Glass



TS1408
 * ♦ ♦ ♦ ♦ ♦ ♦
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



8145
 * ♦ ♦ ♦ ♦ ♦ ♦
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"




TS206
 * ♦ ♦ ♦ ♦ ♦ ♦ 6
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

8206
 * ♦ ♦ ♦ ♦ ♦ ♦ 6
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"



TS104
 * ♦ ♦ ♦ ♦ ♦ ♦ E
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



TS105
 * ♦ ♦ ♦ ♦ ♦ ♦ E
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



TS210SL
 * ♦ ♦ ♦ ♦ ♦ ♦ 6
 12" x 6'8"
 14" x 6'8"



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 232.

XK = Reeded

XG = Geometric

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

Note: See page 299 for important product details that may help with your purchase decision.

Bottom: Traditions, Sedona Glass, Door – TS211, Sidelites – 139SL

Right Page: Traditions, Satin Etch Glass, Doors – TS289XE

Twin 1/2 Lites

Privacy & Textured Glass with Divided Lites



TS263_
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Privacy & Textured Glass



TS289_
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Clear Glass with Divided Lites



TS263
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



TS1411
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Clear Glass



TS289
 2'6" x 6'8"
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



Minimal Lites

Clear Glass with Divided Lites



TS752
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



TS704
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Clear Glass



TS708
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"



8708
 2'8" x 8'0"
 2'10" x 8'0"
 3'0" x 8'0"

Clear Glass with Divided Lites



TS255
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Clear Glass



TS256
 2'8" x 6'8"
 2'10" x 6'8"
 3'0" x 6'8"

Key

- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour, White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Bronze Grilles Between Glass (GBGF / GBGC)
- Flat or Contour, Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options

Clear Glass with Divided Lites



- | | | |
|---|--|--|
| TS236
◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | 8317
◆
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | TS237
◆
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"
<small>(Scalloped Lite Frame)</small> |
|---|--|--|

Privacy & Textured Glass




- | | | |
|--|---|--|
| TS296
◆
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | 896
◆
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | TS296_SL
◆
12" x 6'8"
14" x 6'8" |
|--|---|--|

Clear Glass



- | | | |
|--|---|---|
| TS296
◆
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | 896
◆
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | TS296SL
◆
12" x 6'8"
14" x 6'8" |
|--|---|---|

Solid Panels



- | | | | |
|--|--|---|---|
| TS210
6
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | 810
6
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" | TS100
6E
2'0" x 6'8"
2'4" x 6'8"
2'6" x 6'8"
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8" | 800
6E
2'0" x 8'0"
2'4" x 8'0"
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0" |
|--|--|---|---|

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 232.

XK = Reeded

XG = Geometric

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

Transoms

Transoms can be painted to match a Profiles™ or Traditions door system.

Blackstone ♦ ♦



BSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Crystalline ♦ ♦



19080T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19820T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



19800T
3'0" Door Only



19810T
12" & 14" Sidelite Only

Sedona ♦ ♦



19055T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



19520T
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Salinas X



SART
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Maple Park ♦ ♦



FWRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Avonlea ♦



AVRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Saratoga ♦ ♦



19750T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19740T
3'0" Door Only

Wellesley ♦ ♦ ♦



19730T
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only



19720T
3'0" Door Only

Riserva X



RSRT
3'0" door + (2) 12" sidelites
Continuous Sill Systems Only

Concorde ♦ ♦ ♦



CNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Kensington ♦ ♦



KNRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

Pembridge ♦ ♦ ♦



PBRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

Axis ♦



AXRT
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems

Clear Glass



Grille Sticks Applied



19020T
* 3'0" door + (2) 12" sidelites
Continuous Sill Systems Only
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19220T
* 3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Boxed Sill Systems



Grille Sticks Applied



19200T
* 3'0" Door Only



19210T
* 12" & 14" Sidelite Only

Key

- ★ Low-E Glass (LE)
- ♦ Black Nickel Caming (1D)
- ♦♦ Brushed Nickel Caming (1C)
- ♦♦♦ Brass Caming (1A)
- X Wrought Iron (1W)
- ♦ Fixed Grilles (FXG)
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

Fire Doors

Fiber-Classic®, Smooth-Star® & Steel




Intertek

Therma-Tru offers an industry-leading selection of Fire-rated doors certified to carry the Warnock Hersey Mark.

Therma-Tru® Fire-Rated Doors

From smooth to wood-grained, Therma-Tru offers products to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.* Explore a wide variety of 20-minute Fire-rated fiberglass and steel door styles.

- Fiber-Classic and Smooth-Star 20-minute Fire-rated fiberglass doors are now constructed with a polyurethane foam core that reduces overall door slab weight by 45% for easier handling and installation.**



20-Minute Fire-Rated Fiberglass Doors

- Tested to withstand a minimum of 20-minutes of fire exposure with temperatures that reach more than 1,400 degrees Fahrenheit.
- Features a 20-minute positive pressure rating.
- Certified by Intertek, Warnock Hersey for mortise lock use and features a wide lock stile to provide proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- More durable than steel, and resist dents, scratches and rust, making them ideal for high-traffic, heavy-use environments.
- Features full-length lock side blocking, as well as blocking for panic and closure applications.
- Ideal for hotels, apartments, office buildings and other applications with security locks and card readers.

Additional Options

- Solid-panel steel wood-edge doors also available with the 20-minute Fire-rated label, starting on page 258.

For California Projects

Therma-Tru Fiber-Classic and Smooth-Star 20-minute Fire-rated fiberglass doors meet or exceed building codes and regulations specific to the state of California, including:

- ✓ California Wildland Urban Interface (WUI) requirements.
- ✓ California Air Resources Board (CARB) formaldehyde regulations.
- ✓ California State Fire Marshall test CA SFM 12-7A-1.

For Florida Projects

Therma-Tru Fiber-Classic and Smooth-Star foam core 20-minute Fire-rated fiberglass doors include options to meet building codes and regulations specific to the state of Florida.

- ✓ Approved for structural use in Florida.
- ✓ Approved for Wind-Borne Debris Regions (WBDR).

*To confirm fire door requirements in your jurisdiction, always check with your local building code authority.

**Comparison of 20-minute foam core Fire-rated door to a 20-minute concrete core Fire-rated door with similar style.

Note: To see the full results of third-party Intertek, Warnock-Hersey testing, visit www.thermatru.com/performance.

Left: Fiber-Classic Mahogany Collection Door – FMF205, Finish – Driftwood

Adjusta-Fit® 2 Frame



Using the right frame is critical in any top-quality door installation, and never more so than with Fire-rated products. Therma-Tru Adjusta-Fit 2 frame technology helps ensure an optimum fit and long-lasting performance. The frames are constructed with a commercial-grade, 18-gauge base frame; galvanized steel and factory-coated paint finish; and an all-aluminum, thermally broken threshold. These features make them ideal for interior and exterior applications, including corridor openings and outside unit entries.


Therma-Tru® Adjusta-Fit® 2 frames also feature these key benefits:

- 90-Minute positive-pressure Fire-rating, third-party certified by Intertek, Warnock-Hersey.
- Standard 4-7/8" ANSI 115.1, or 2-3/4" T-lip strike prep option.
- Choice of standard, public access or no-sill options.
- Minimum 22-gauge closure with 1" of adjustability, suitable for walls from 4"-9-1/2" deep.


Additional Options

- Therma-Tru composite door frame also 20-minute Fire-rated, starting on page 280.

20-Minute Fire-Rated Wood Edge – Fiberglass



Mahogany
FMF31
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany
FMF220
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany
FMF205
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany
FMF755
2'10" x 6'8"
3'0" x 6'8"



Mahogany
FMF600
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany
FMF134
2'10" x 6'8"
3'0" x 6'8"



Mahogany
FMF60
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany
FMF860
2'8" x 8'0"
3'0" x 8'0"



Mahogany
FMF100
2'6" x 6'8"
2'8" x 6'8" (7'0")
2'10" x 6'8"
3'0" x 6'8" (7'0")



Mahogany
FMF8100
2'6" x 8'0"
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"



Oak
FCF31
2'8" x 6'8"
3'0" x 6'8"












Oak
FCF809
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"












Note: See page 299 for important product details that may help with your purchase decision.

Right Page, Left: Profiles Door – 203HD

Right Page, Right: Smooth-Star Door – SSF220



								
Oak	Oak	Oak	Oak	Oak	Oak	Smooth	Smooth	Smooth
FCF755 9 2'10" x 6'8" 3'0" x 6'8"	FCF862 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCF160 9 E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCF8160 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCF100 9 E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" 3'0" x 6'8" (7'0")	FCF8100 9 E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	SSF93 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF220 9 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	SSF8220 9 E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"







										
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
SSF1100 9 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF81100 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	SSF120 9 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF8120 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	SSF200 9 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF8200 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	SSF205 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF8205 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	SSF755 9 2'10" x 6'8" 3'0" x 6'8"	SSF31 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF831 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Key

 No Stile Lines
 WBDR Options

E Elevated 10" Bottom Rail Options

20-Minute Fire-Rated Wood Edge – Fiberglass *Continued*



					
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
SSF960 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF4800 6 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF84800 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	SSF600 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	SSF8600 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	SSF11 6 2'10" x 6'8" 3'0" x 6'8"
				SSF160 6 E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	SSF8160 6 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
					SSF100 6 E 2'0" x 6'8" 2'4" x 6'8" 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
					SSF8100 6 E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

20-Minute Fire-Rated Wood Edge – Steel

Profiles™

						
969HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	978HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	1005HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	205HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	203HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	210HD 6 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	100 6 E 2'0" x 6'8" 2'4" x 6'8" 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8"

Traditions

	
TS210 6 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	TS100 6 E 2'0" x 6'8" 2'4" x 6'8" 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Key

- No Stile Lines
- Elevated 10" Bottom Rail Options
-  WBDP Options
-  WBDP / HVHZ Options

Note: See page 299 for important product details that may help with your purchase decision.
Right Page: Smooth-Star Door – SSF120



PULSE

Modern design. Upbeat living.

Pulse®



Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement. With three distinct aesthetic approaches – Ari, Línea and Echo – the entrance becomes modern art.

*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more, including details on limited warranties and exclusions, ENERGY STAR qualified products and product approvals.

It's your decision, by design.


Pulse is geometry with energy. Designed to be fun and easy to mix and match with sleek, flush door and sidelite styles, you can create a modern entrance without missing a beat. Explore all the possible combinations at thermatru.com/pulse. Mix and match to get the style numbers needed to order. Turn the page for a glimpse of available styles and sizes.



The creativity is unlimited. Stain or paint the entrance any color.


These doors and sidelites come ready to stain or paint. So there's no limit to the creativity you can use when it comes to finishing touches.



 WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*

1 Start with a STYLE.

Combine doors and sidelites to create an entrance that fits your vision.



2 Choose a MATERIAL.

Each style is available in any of these material choices.



3 Select a GLASS.

Find an available glass design to complete the statement you want to make.

Privacy & Textured Glass


Available for all Pulse door styles.




Low-E Also Available.

Decorative Glass

Available for Línea.



Available for Ari.



Available for Echo.



- 1 Blackstone®
- 2 Crystalline™
- 3 Sedona
- 4 Salinas®
- 5 Avonlea®
- 6 Saratoga™
- 7 Riserva®
- 8 Pembridge™
- 9 Axis®

4 Then select a FRAME.

Choose the flat profile for modern appeal or scrolled profile for vintage style.



Flat Profile Lite Frame

Scrolled Profile Lite Frame

Pulse® Size Options



	Wood-Grained Fiberglass		Smooth Fiberglass		Steel	
	6'8"	8'0"	6'8"	8'0"	6'8"	8'0"
Doors	2'6" x 6'8" ◦	2'6" x 8'0" ◦	2'6" x 6'8" ◦	2'6" x 8'0" ◦	2'6" x 6'8" ◦	2'6" x 8'0" ◦
	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"
	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"
	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"
			3'6" x 6'8"	3'6" x 8'0"	3'6" x 6'8"	
Sidelites	10" x 6'8" •	12" x 8'0"	10" x 6'8" •	12" x 8'0"	10" x 6'8" •	12" x 8'0"
	12" x 6'8"	14" x 8'0"	12" x 6'8"	14" x 8'0"	12" x 6'8"	14" x 8'0"
	14" x 6'8"		14" x 6'8"		14" x 6'8"	

- Available in full-lite sidelites only.
- Available in Línea and Echo only.




Ari

Note: Product images show exterior side of door.



Línea

Note: Product images show exterior side of door.




		
Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.)	Smooth Fiberglass	Steel


It's your decision, by design.
 Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.


Note: See page 299 for important product details that may help with your purchase decision.
 Top: Pulse Ari, Axis Glass with Scrolled Lite Frame, Door – S83AX, ©TheHouseDesigners.com



S1RBL | S81RBL | S1LSN | S1SN | S1RSN | S1LSA | S81LSA | S1SA | S81SA



S1RSA | S81RSA | S1LAV | S1AV | S1RAV | S1LSG | S81LSG




S1SG | S81SG | S1RSG | S81RSG | S1LRS | S81LRS | S1RS | S81RS

Línea *Continues on next page.*

Privacy & Textured Glass Options
 Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 262.

XK = Reeded XE = Satin Etch XJ = Chinchilla XN = Granite
 XG = Geometric XC = Chord XR = Rainglass

- Key**
- ★ Low-E Glass (LE)
 - ◆ Black Nickel Caming (1D)
 - Brushed Nickel Caming (1C)
 - ◆ Brass Caming (1A)
 - ✕ Wrought Iron (1W)
 - ▲ NEW Scrolled & Flat Advanta Lite Frame
 - Ⓜ WBDR / HVHZ Options



Echo

Note: Product images show exterior side of door.





Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.)	Smooth Fiberglass	Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.



Echo *Continues on next page.*

Privacy & Textured Glass Options
 Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 262.

XK = Reeded	XE = Satin Etch	XJ = Chinchilla	XN = Granite
XG = Geometric	XC = Chord	XR = Rainglass	

Key

Low-E Glass (LE)	Brass Caming (1A)	WBDR / HVHZ Options
Black Nickel Caming (1D)	Wrought Iron (1W)	Elevated 10" Bottom Rail Options
Brushed Nickel Caming (1C)	NEW Scrolled & Flat Advanta Lite Frame	

Pulse®



S4LAX | S84LAX



S4AX | S84AX



S4RAX | S84RAX



S5LAX | S85LAX



S5AX | S85AX



S5RAX | S85RAX



S86LAX



S86AX



S86RAX



S9LAX
◆ E



S9AX
◆ E



S9RAX
◆ E



S8LAX
◆ E



S8AX
◆ E



S8RAX
◆ E

				<p>It's your decision, by design.</p> <p>Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.</p>
Wood-Grained Fiberglass: Mahogany or Oak (Shown in Driftwood stain.)	Smooth Fiberglass	Steel	Steel	

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.




S811LAX
◆ E




S811AX
◆ E




S811RAX
◆ E




S810LAX
◆ E



S810AX
◆ E




S810RAX
◆ E



S4L_ S84L_
S4LCL* S84LCL*



S4_ S84_
S4CL* S84CL*




S4R_ S84R_
S4RCL* S84RCL*




S5L_ S85L_
S5LCL* S85LCL*




S5_ S85_
S5CL* S85CL*




S5R_ S85R_
S5RCL* S85RCL*



S86L_
S86LCL*



S86_
S86CL*



S86R_
S86RCL*

Echo *Continues on next page.*

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 262.

XK = Reeded

XG = Geometric

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

Key

☀ Low-E Glass (LE)

◆ Black Nickel Caming (1D)

E Elevated 10" Bottom Rail Options



S9L_ S9LCL ✨
E



S9_ S9CL ✨
E



S9R_ S9RCL ✨
E



S8L_ S8LCL ✨
E



S8_ S8CL ✨
E



S8R_ S8RCL ✨
E




S811L_ S811LCL ✨
E



S811_ S811CL ✨
E



S811R_ S811RCL ✨
E




S810L_ S810LCL ✨
E



S810_ S810CL ✨
E



S810R_ S810RCL ✨
E



Wood-Grained Fiberglass:
Mahogany or Oak (Shown in Driftwood stain.)

Smooth
Fiberglass

Steel

It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.


Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See page 299 for important product details that may help with your purchase decision.

Top: Pulse Echo, Low-E Glass with Flat Lite Frame, Door – S85CL

Sidelites

Note: Product images show exterior side of door.



Sidelites *Continue on next page.*

Privacy & Textured Glass Options


Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 262.

XK = Reeded
XG = Geometric
XE = Satin Etch
XC = Chord
XJ = Chinchilla
XR = Rainglass
XN = Granite

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Vented Sidelite Options
- NEW Scrolled & Flat Advanta Lite Frame
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options


Pulse®



Privacy & Textured Glass Options
 Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 262.

XK = Reeded	XJ = Chinchilla
XG = Geometric	XR = Rainglass
XE = Satin Etch	XN = Granite
XC = Chord	

Key
 Low-E Glass (LE)
 Black Nickel Caming (1D)
 Vented Sidelite Options



It's your decision, by design.
 Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to thermatru.com/pulse.

Note: See page 299 for important product details that may help with your purchase decision.
 Right Page, Top: Pulse Línea, Low-E Glass with Flat Lite Frame, Door – S81RCL, Direct Set Sidelite – DRS82131SL, Finish – Chestnut
 Right Page, Bottom: Pulse Echo, Geometric Glass with Flat Lite Frame, Door – S9XG, Sidelite – S9XGSL



Finishing Options

Finishing Options



Add Curb Appeal with Color

Stain and paint can make all the difference when it comes to a home's curb appeal. Find inspiration and explore professionally applied premium stains and paints, as well as options for in-field applications.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 299 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.



Finished for Lasting Beauty

Handcrafted and professionally applied in a controlled environment, a PrismaGuard® premium finish is built to last, giving your customers confidence and peace of mind.

- Designed for optimal performance with Therma-Tru® fiberglass doors and composite door frames.
- Features enhanced durability to protect from everyday wear and tear.
- Backed by a 10-year limited finish warranty. For Classic Craft® doors, the balance of this warranty can transfer to a second owner.
- Enhances the overall beauty of the entry with a nature-inspired color palette of premium stains and paints.

10 YEAR
LIMITED
WARRANTY
TRANSFERABLE
Classic Craft

10 YEAR
LIMITED
WARRANTY



Durable
Topcoat



Professional
Application



Tested to meet tough expectations.

PrismaGuard premium finish undergoes rigorous testing with specialized equipment to help ensure it delivers a consistent high-end appearance with a low-maintenance coating that preserves the door's color for years to come.



PrismaGuard® Premium Stain

Bring the authentic look of wood to life with rich tones that add dimension and are designed to enhance the wood grains of Therma-Tru® fiberglass doors and composite door frames.

- 1 It starts with the realistic wood grains and deep embossments of a Therma-Tru® door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A wiping stain enhances the base coat while adding dimension to reflect the natural beauty of wood.
- 4 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 5 A second application of the topcoat provides added durability and optimal sheen for a high-end look.




Shown on Classic Craft Fir Grain.




Wildflower Honey




Rustic Clay



Barley



New Earth




Autumn Harvest




Redwood




Mulberry



Acorn



Driftwood




Raven

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 299 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.

PrismaGuard® Premium Paint

Add a pop of color to Therma-Tru® doors and composite door frames, and tailor the look of the entry to make a beautiful lasting impression.


- 1 It starts with the smooth or wood-grained surface of a Therma-Tru® door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 4 A second application of the topcoat provides added durability and optimal sheen for a high-end look.



Alpine




Cypress



Granite




Ruby Red



Cabernet



Indigo



Chestnut



Onyx









Order 4" x 4" samples of select PrismaGuard finish colors at store.thermatru.com.

SAME-DAY[®] STAIN

Create the authentic look of real wood in just a few simple steps.

- Achieve professional-looking results with an easy-to-use, quick-drying formula.
- Colorfast stain resists fading, bleaching and yellowing to create a beautiful finish.
- Finish colors can be applied in a variety of shades to complement multiple home styles.
- Specially formulated for Therma-Tru[®] fiberglass doors and composite door frames.

Shown on Classic Craft[®] Fir Grain.



All-Inclusive Kit

Contains everything needed to stain a Therma-Tru fiberglass double door system or a single door with two sidelites.*


Watch easy-to-follow instructions at thermatru.com/samedaystain.



5 YEAR LIMITED WARRANTY For complete details on the Same-Day Stain and topcoat limited warranty, go to thermatru.com/finishing or ask your seller for more details.

*Actual coverage may vary based on product selected, application method and desired appearance. Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 299 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the Same-Day Stain limited warranty and exclusions.

Door System Components



Engineered to work together.

A Therma-Tru® door with genuine Therma-Tru components is more than a beautiful door – it's a complete door system engineered with craftsman precision for durability and reliability through the years. And, a Therma-Tru fiberglass door system with genuine Therma-Tru components is backed by the industry's most comprehensive lifetime limited warranty.

Visit our online replacement parts page to maintain the integrity of a complete door system with genuine Therma-Tru components at thermatru.com/parts.

Composite Door Frame*


featuring Tru-Guard™ Composite Technology



TRU GUARD
COMPOSITE TECHNOLOGY

Composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.

- Delivers extra protection from the damaging effects of outside elements for peace of mind.
- Eliminates the risk of rot and wood-ingesting insects with a durable composite material that is virtually maintenance free. Rot-free door frame does not absorb moisture and resists mold, mildew and fungus.



Reinforced Mullions

Provide additional structural support and stability. All mullions are reinforced with a co-extruded **A** LVL core to provide additional structural support and stability and feature a **B** composite-capped bottom to eliminate the risk of water absorption and maintain a rot-free composite exterior.

Order composite door frame samples at store.thermatru.com.

*See your Therma-Tru seller for details on product availability.

**Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

***To confirm code requirements in your jurisdiction, always check with your local building code authority.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, and Rider. Frame-only warranty option for customers without a Therma-Tru door system.

Available Textures



Ready to finish.

Buff Grained

- Features a universal wood grain to complement a wide range of grain species.
- Stain or paint to complement the entry – no sanding or priming required.



Ready to install.
 Ready to finish.

White Smooth

- Features a matte finish similar to painted wood and includes a protective layer with UV inhibitors to help resist yellowing and fading.
- Ready to install as-is – no painting required. Or finish with stain or paint to complement the entry – no sanding or priming required.

The advantage is clear.

Performance	
Resists Moisture & Humidity – Eliminates Risk of Swelling, Warping and Splitting	
Resists Mold, Fungus & Rot – Does Not Absorb or Retain Moisture	
Resists Insects – Help Protect from Wood-Ingesting Insects	
Tested to be up to 50% stronger on average than standard wood door frames against kick-ins.**	
Impact and 20-Minute Fire Code Compliant***	
Aesthetics	
Ready to Finish – No Sanding or Priming Required	
Ready-to-Install Option – No Finishing Required – White Smooth	
Universal Grain Complements a Wide Range of Wood Species – Buff Grained	
Screw Plugs Match Frame Material and Conceal External Fasteners	
Warranty	

Therma-Tru Products & Applications	Warranty For First Homeowner	Warranty Riders Transferable 1x to Second Homeowner
Composite Door Frame + Classic Craft® Door + Components		Lifetime Transferable Full-System Rider
Composite Door Frame + Fiber-Classic®, Smooth-Star®, Pulse® Fiberglass Door + Components		10-Year Transferable Full-System Rider
Composite Door Frame Only		

Composite Door Frame Parts

See your Therma-Tru seller for a full list of available product sizes and options.

Jambs




- 4-1/8"
- 4-9/16"
- 5-1/4"
- 6-9/16"
- 7-1/4"

Mullions



- 2" Entry Narrow
- 2-1/2" Entry Wide



- 2" Patio Narrow
- 2-1/2" Patio Wide

Pre-inserted weatherstrip option available for select white smooth jambs and mullions.


Trim



2" Brickmould WM180



1-5/8" Florida Brickmould WM176



3-1/2" x 1" Flat Casing

Mull Casing



1-15/32" x 1-1/16"



1-7/32" x 7/32"
NEW SIZE 2" x 7/32"



2-15/16" x 1-1/16" *Buff grained only.*
2-15/16" x 3/8" *Buff grained only.*

Storm Door-Ready Mullion Adaptor



2" to 1-11/16"

Storm Door Adaptor



4-9/16" Base Adaptor
Face Adaptor
(Use 1-15/32" x 1-1/16" Mull Casing)




6-9/16" Base Adaptor

Screen Track Cap




1-13/32" x 9/16"

Fasteners, Setting Tool & Screw Plug Covers



Screw plugs are available on a collated strip for ease of installation and finishing.

Storm Door-Ready Mullions



4-9/16"
6-9/16"

Engineered as part of Therma-Tru's complete entry door system, our composite door frame is

more reliable and up to 50% stronger on average than standard wood door frames*

when withstanding a simulated forced entry attempt by kicking in the door.*



7/16" x 5/16" Cove Mould

Transom Sills



4-9/16"
6-9/16"

Pendulum Impact Test



Therma-Tru Wood Jamb



Therma-Tru Composite Jamb

Code-Compliant Options

Therma-Tru composite door frame delivers the durability and reliability you expect from Therma-Tru with options to meet select national and local building code requirements.**



Impact-rated to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.**



20-minute Fire-rated to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.**

*Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

**To confirm code requirements in your jurisdiction, always check with your local building code authority.

Note: See your Therma-Tru seller or visit www.thermatru.com for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof. To see full results of third-party Intertek, Warnock-Hersey testing, visit www.thermatru.com/performance.

Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door and a solid stepping surface. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru seller for a complete list of options.

Inswing Options



Composite Adjustable Sill (Premium) 

- Thick wood-grained composite cap and nosing.
- U-shaped weather seal.
- Adjustable flush screws.

Continuous length with spread mullion capability to fill 49"–75" rough openings.*



Hardwood Adjustable Sill

- Durable hardwood cap and nosing can be stained to match door and trim.
- U-shaped weather seal.
- Adjustable flush screws.



Basic Composite Adjustable Sill (Economy)

- Wood-grained composite cap and nosing.
- Adjustable screws with removable screw caps.



Basic Fixed Sill (Economy)

- Slanted cap and nosing mates with the single-bulb bottom sweep.

Outswing Options



Composite Outswing Sill (Premium) 

- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.



Aluminum Sill with Thermal Break

- All-aluminum construction.
- Integrated weatherstrip.
- Also available without thermal break.



Coastal Sill (For Coastal Regions)


- All-aluminum construction.
- Extra-high cap profile.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.

Outswing Sill Extender




Finishes: Lightwood (Premium), Darkwood (Premium)
 Sizes: 3/4", 2"
 Shown in 2".

Inswing Sill Extenders



1"
1-3/8"
2"
3-1/4"

Public Access Sill



Public Access Sill with Thermal Break**
 (For ADA Applications)

- All-aluminum construction.
- Ramp slope meets Americans with Disabilities Act (ADA) requirements.
- Also available without thermal break.

Key

 Tru-Defense Eligible

*See the Therma-Tru Architectural Details & Components manual for actual unit size specifications.

**Door systems built with public access sills have little resistance to water penetration and have a potential to leak if installed exposed to weather. We recommend these systems be installed away from weather under large soffits or overhangs.


***For full details on the Tru-Defense Warranty Rider, visit www.thermatru.com/trudefense.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 299 for important product details that may help with your purchase decision.

Sill Finishes



Mill



Bronze

Cap Colors



Lightwood (Premium)



Darkwood (Premium)



Lightwood (Economy)



Darkwood (Economy)



Hardwood

■ = Available
• = Not Applicable

	Inswing Options				Outswing Options				Public Access (Inswing / Outswing)	
	Composite Adjustable	Hardwood Adjustable	Basic Composite Adjustable	Basic Fixed	Composite Outswing	Aluminum with Thermal Break	Aluminum without Thermal Break	Coastal	Public Access (Inswing / Outswing)	Public Access (ADA)**
Sill Finishes										
Mill	■	■	■	■	■	■	■	■	■	■
Bronze	■	■	■	■	■	■	■	•	■	■
Cap Colors										
Lightwood	■	•	■	•	■	•	•	•	•	•
Darkwood	■	•	■	■	■	•	•	•	•	•
Hardwood	•	■	•	•	•	•	•	•	•	•
Sill Configurations										
Single	■	■	■	■	■	■	■	■	■	■
French	■	■	•	■	■	■	■	■	■	■
Double Patio	■	■	•	•	■	•	•	•	•	•
Triple Patio	■	•	•	•	■	•	•	•	•	•
Lineal	■	■	•	•	•	•	•	•	•	•
Sidelite Configurations										
Boxed Sidelites	■	•	•	•	•	•	•	•	•	•
Single with Sidelites	■	■	•	•	■	•	•	•	•	•
French with Sidelites	■	•	•	•	•	•	•	•	•	•
Single Vented Sidelites	■	•	•	•	•	•	•	•	•	•
French Vented Sidelites	■	•	•	•	•	•	•	•	•	•
Depths										
4-9/16"	■	•	■	■	■	■	■	■	■	■
5-3/4"	■	■	■	■	■	■	•	•	•	•
6-9/16"	•	•	•	•	•	•	•	•	•	■
7-3/4"	■	■	■	■	•	■	•	•	•	•
Substrates										
Composite Extruded	■	•	•	•	■	•	•	•	•	•
Composite Injection Molded	■	•	■	•	•	•	•	•	•	•
Treated Pine	•	■	•	■	•	■	■	■	•	•
Other Options										
Integrated Thermal Break	■	■	■	■	■	■	•	•	■	■
Screen Rail Available	■	■	•	•	■	•	•	•	•	•
Sill Extenders Available	■	■	■	•	■	•	•	•	•	•
Sill Covers Available	■	■	■	■	■	•	•	•	•	•
Tru-Defense Eligible***	■	•	•	•	■	•	•	•	•	•
With Anchor Holes	•	•	•	•	•	■	■	•	■	■
Without Anchor Holes	■	■	■	■	■	■	•	■	•	•

Note: See your Thermo-Tru seller for details on available component and finish color combinations.

Door Bottoms

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

Inswing Options




Kerf-Applied Dual-Bulb / Dual-Fin Bottom Sweep

Sills:
Composite Adjustable
Hardwood Adjustable
Basic Composite Adjustable

Colors:
Bronze
White



Non-kerf-applied option available for replacement applications. Available in bronze only.



Kerf-Applied Single-Bulb Bottom Sweep

Sills:
Basic Fixed

Colors:
Bronze



Inactive Door Bottom

Sills:
Composite Adjustable
Hardwood Adjustable

Colors:
Bronze

Outswing Options



Outswing Bottom Sweep

Sills:
Aluminum
Coastal

Color:
Bronze



Inactive Door Bottom

Sills:
Composite Outswing

Colors:
Bronze

ADA / Replacement



Bottom Sweep

Sills:
Public Access

Color:
Bronze

Sill Protection



Sill Covers (Recommended)

- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.

See page 285 for availability.

Shown over composite adjustable sill.



Sill Pan (Recommended)

- Fits between the sill and subfloor for an added layer of protection against moisture.
- Engineered with sloped channels to help collect and drain moisture away.

Corner Seal Pads (Inswing Only)

Fit securely behind weatherstrip and mate with our inswing sills to help block wind-driven moisture from pushing through the corner and up the frame. (Not required for outswing sills.)

Classic Craft. 7-Shape Pads



Colors:
Bronze
White

Sills:
Composite Adjustable
Hardwood Adjustable
Basic Composite Adjustable
Public Access

Fiber-Classic. / Smooth-Star. 7-Shape Pads



Colors:
Bronze
White

Sills:
Composite Adjustable
Hardwood Adjustable
Basic Composite Adjustable
Public Access

Basic Fixed Pads



Colors:
Bronze

Sills:
Basic Fixed

Weatherstrip

Engineered in a variety of profiles for a precise seal between the door and frame. Made of a flexible material protected by a durable jacket to resist moisture and wear.

Medium-Reach Weatherstrip



Colors:
Bronze
White

Long-Reach Weatherstrip



Colors:
Bronze
White

Rain Protection (Recommended)

Helps repel moisture away from areas exposed to wind-driven moisture infiltration, enhancing weather protection. Highly recommended for applications directly exposed to wind and rain.

Rain Deflector (Inswing)




Colors:
Bronze
White

Rain Guard (Outswing)



Colors:
Bronze
White



Rain Deflector

Bottom Sweep

Bottom of door; exterior view.



Jamb

Rain Guard

Weatherstrip

Top of door; exterior view.

Key

Tru-Defense Eligible

Hardware


Multi-Point Locking Systems (MPLS) (Recommended)

Engages the door and frame at three critical points from top to bottom for enhanced stability compared to traditional deadbolt assemblies. Features premium stainless steel construction that resists corrosion.




Grip-Style MPLS

Grip-style handlesets offer an intuitive approach to the multi-point locking system with on-trend aesthetics. A simple 90-degree twist of the thumbturn (interior) or a key (exterior) is all it takes to engage the door frame at three points with no need to lift the handleset lever. An integrated mishandling device protects the door and frame from accidental damage. Features deadbolt located above handleset.

(Highly recommended for 8'0" fiberglass doors. Active option only. Not available for door systems with an astragal. Not recommended for steel doors or Impressions integrated storm and entry door systems. Strike plate package available.)




Tongue
 Heights: | Configurations:
 6'8" | Inswing
 7'0" | Outswing
 8'0"

-  Self-lubricating locks.
-  1" premium stainless steel deadbolt.
-  Integrated mishandling device.

Key

 Tru-Defense Eligible

Side view of door.



Engages at three critical points.

Exterior view of door.



Engages at three critical points.

Side view of door.

Exterior view of door.

Lever-Style MPLS

Lever-style handlesets bring form and function together with decorative styles. A convenient upward turn of the handle is required before all three points will engage. An integrated mishandling device helps protect the door and frame from accidental damage. Features deadbolt below the handleset.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors. Strike plate packages available to meet the installation needs of various MPLS applications.)



Tongue


Heights: 6'6"
6'8"
7'0"
8'0"
Configurations: Inswing
Outswing

Shootbolt

(For door systems with an astragal.)
Heights: 6'6"
6'8"
7'0"
8'0"
Configurations: Inswing
Outswing



Vented Sidelite MPLS




Tongue


(Included in vented sidelite units.)
Heights: 6'6"
6'8"
8'0"

Handleset Options for Standard Door MPLS


Designed to complement Therma-Tru® door styles from traditional to contemporary.




Finish Options



Finish Options



Latch & Deadbolt Strike Plate



Standard vs. Adjustable Security Strike Plate

Adjustable Security Strike Plate

(Recommended for standard lock and deadbolt handlesets only.)

Finish Options:

- Brushed Nickel
- Black Nickel
- Polished Chrome
- Oil Rubbed Bronze
- Stainless Steel
- Zinc Dichomate

A genuine Therma-Tru adjustable security strike plate helps enhance the safety and security of a home, wrapping around the door jamb and fully engaging the frame of the house for added support and strength against forced entry.

- ❶ Wraps around the door jamb for added support and an exact fit.
- ❷ 2-½" screws fully engage with the frame of the house for added strength.


*To confirm code requirements in your jurisdiction, always check with your local building authority.
Note: See your Therma-Tru seller for available component options.

Hinges

Adjustable Hinge

(Recommended for Classic-Craft premium entryways.)


Allow the door to be moved horizontally and vertically in the frame, maintaining alignment and keeping the door performing beautifully.



Self-Aligning Ball-Bearing

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)


Contains locating tabs to assist in accurate alignment with specific door systems.



Classic-Craft Ball-Bearing

(Recommended for Classic-Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability.



Self-Aligning

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)

Contains locating tabs to provide accurate alignment with specific door systems. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



Classic-Craft Ball-Bearing – Staggered Hole Pattern

(Recommended for Classic-Craft premium entryways.)

Ball bearings help protect each hinge pivot for added support and stability. Staggered hole pattern helps simplify assembly process. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



Security Tab

Security tabs prevent door from being taken off hinges, providing security on outswing applications.



Spring-Loaded

UL Listed with self-closing spring mechanism that helps pull the door closed for convenience or meets code requirements that may be applicable in Fire-door applications.*



Hinge Finish Options



Bright Brass Brushed Nickel Black Nickel Polished Chrome Oil-Rubbed Bronze Stainless Steel Zinc Dichromate

Hinge Finish Options	■ = Available • = Not Applicable		Adjustable	Classic Craft Ball-Bearing	Classic Craft Ball-Bearing – Staggered Hole Pattern	Classic Craft Ball-Bearing – Staggered Hole Pattern (Non-Removable Pin)	Self-Aligning Ball-Bearing	Self-Aligning	Self-Aligning NRP (Non-Removable Pin)	Security Tab	Spring-Loaded
	Bright Brass	■	■	■	■	■	■	•	•	•	•
Brushed Nickel	■	■	■	■	■	■	■	■	■	■	
Black Nickel	■	■	■	■	■	■	•	■	•	■	
Polished Chrome	■	■	■	■	■	■	•	■	•	■	
Oil-Rubbed Bronze	■	■	■	■	■	■	■	■	•	■	
Stainless Steel	•	■	■	■	■	■	•	■	■	■	
Zinc Dichromate	•	■	■	■	■	■	■	■	■	■	

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors. Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.

Astragals

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.



Stainable Astragal

- Heights:**
6'6"
6'8"
7'0"
8'0"
- Width:**
7/8"
- Configurations:**
Inswing
Outswing
Multi-Point Lock
Double Bore
Left-Handed
Right-Handed
- Grain Options:**
Oak
Fir
- Weatherstrip:**
Bronze

Shown in Oak grain with Redwood stain.



Aluminum Astragal

- Heights:**
6'6"
6'8"
7'0"
8'0"
- Width:**
7/8"
- Configurations:**
Inswing
Outswing
Multi-Point Lock
Double Bore
Left-Handed
Right-Handed
- Finish Colors:**
Bronze
White
- Weatherstrip:**
Bronze

Coastal option also available.

Available with strike plates to receive a latch and deadbolt or multi-point locking system.

Integrated weatherstrip and corner seal pad helps form a tight seal between the astragal and active door when closed.

Spring clips to engage and disengage the shootbolts.

Durable boot engineered to work with the active bottom sweep to complete the seal across the sill.

16-1/2" locking steel slide bolt can be vertically adjusted for a secure fit with the sill and frame.

Textures Available

Stainable (Shown in Rustic Clay stain.)



Oak Grain


Fir Grain

Aluminum



Bronze

White



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 299 for important product details that may help with your purchase decision.

Bottom: Classic Craft Mahogany Grain, Provincial Glass, Doors – CCR804028

Right Page, Top: Classic Craft Walnut Grain Doors – CCW902R, CCW902L, Finish – Pinecone

Right Page, Bottom Left: Classic Craft Fir Grain, Homeward Glass, Doors – CCA211, Finish – Driftwood

Right Page, Bottom Right: Fiber-Classic Oak Collection, Clear Glass with GBGs, Doors – FC8313, Finish – Barley


Key

 Tru-Defense Eligible



Special Quote Program

In addition to thousands of standard glass choices, we offer additional glass options through our Special Quote Program to help you find the right look for virtually any home.



Special Quote
GBG Color Options


Divided Lites

Match various window patterns and home styles with additional grid patterns and color options. Impact-rated options also available.




Privacy & Textured Glass

Achieve the desired look and level of privacy with additional options, including hammered glass doorlites shown above.



Axis® with Standard Black Nickel Caming



Axis® with Special Quote Brushed Nickel Caming


Caming Colors

Pair black nickel, brushed nickel or brass caming with any decorative glass design to complement home hardware and fixtures.

3'6" Width Door Style Options

Classic Craft®

8'0" Door Styles




Glass Designs

Homeward™	■		■			■	■
Augustine®	◆	◆	◆	◆	◆	◆	
Arborwatch®	■		■			■	■
Borrassa®	◆	◆	◆	◆	◆	◆	
Lucerna®	◆		◆			◆	
Rainglass							■
Low-E	◆		■			◆	■

Key

- Classic Craft® Artissa Collection™
- ◆ Classic Craft® Founders Collection™
- ▲ Classic Craft® Visionary Collection™
- * Smooth-Star®
- Profiles™ & Traditions


6'8" & 8'0" Solid-Panel Door Styles



Smooth-Star®, Profiles™, Traditions & Pulse®

6'8" & 8'0" Door Styles












All Pulse Styles








Glass Designs

Blackstone®	* ▸	*			* ▸	*											
Crystalline™	* ▸	*			* ▸	*											
Sedona	* ▸		* ▸	*	* ▸	*											
Salinas®	* ▸	*			* ▸	*											
Maple Park®	* ▸																
Avonlea®	* ▸				* ▸												
Saratoga™	* ▸		* ▸	*	* ▸	*											
Texas Star	* ▸																
Wellesley™	* ▸	*															
Riserva®	* ▸	*	* ▸	*	* ▸	*											
Concorde™	* ▸	*															
Kensington™	* ▸																
Pembridge™	* ▸	*	* ▸	*	* ▸	*	* ▸	*	* ▸	*							
Axis®	* ▸	*	* ▸	*	* ▸	*	* ▸	*	* ▸	*							
Privacy & Textured Glass	* ▸	*	* ▸	*	* ▸	*	* ▸	*	* ▸	*							
Internal Blinds	* ▸	*															
Divided Lites	* ▸	*															
Clear	* ▸	*	* ▸	*	* ▸	*	* ▸	*	* ▸	*							
Solid Panel																* ▸	*

7'0" Height Door Style Options

Glass Designs	Door Styles										
											
Blackstone.	▼▲*▷	▲*▷	*		▷						
Crystalline™	▼▲*▷	▲*▷	*		▷				▷		
Sedona	▼▲*▷	▲*▷	*		▷						
Salinas.	▼▲*▷	▲*▷	*		▷						
Maple Park.	▼▲*▷	▲*▷	*		▷			▲*▷			
Avonlea.	▼▲*▷	▲*▷	*		▷						
Saratoga™	▼▲*▷	▲*▷	*		▷		*	▲*▷			
Texas Star	▼▲*▷	▲*▷	*		▷						
Wellesley™	▼▲*▷	▲*▷	*		▷			▲*▷			
Riserva.	▼▲*▷	▲*▷	*		▷						
Concorde™	▼▲*▷	▲*▷	*		▷			▲*▷	▷		
Kensington™	▼▲*▷	▲*▷	*		▷						
Pembridge™	▼▲*▷	▲*▷	*		▷			▷		▲▷	
Axis.	▼▲*▷	▲*▷	*		▷					▲*▷	
Frosted Images.		▲*▷	*		▷						
Privacy & Textured Glass	▼▲*▷	▲*▷	*	▼▲*▷	▷		*			▲*▷	
Internal Blinds	▼▲*▷	▲*▷	*	▼▲*▷							
Screen Vented		*▷	*	*▷							
Divided Lites	▼▲*▷	▲*▷	*		▷	*▷	*	▲*▷	▷		▷
Clear	▼▲*▷	▲*▷	*	▼▲*▷	▷	*▷	*	▲*▷	▷	▲*▷	
Solid Panel											

6'6" Height Door Style Options

Glass Designs	Door Styles				
					
Blackstone.	▲*▷			▲*	
Crystalline™	▲*▷			▲*	
Sedona	▲*▷			▲*	
Salinas.	▲*▷			▲*	
Maple Park.	▲*▷			▲*	
Avonlea.	▲*▷			▲*	
Saratoga™	▲*▷			▲*	
Texas Star	▲*▷			▲*	
Wellesley™	▲*▷			▲*	
Riserva.	▲*▷			▲*	
Concorde™	▲*▷			▲*	
Kensington™	▲*▷			▲*	
Pembridge™	▲*▷			▲*	
Axis.	▲*▷			▲*	
Frosted Images.				▲*	
Privacy & Textured Glass	▲*▷	▷		▲*	
Internal Blinds	▲*▷	▷		▲*	
Screen Vented		▷			
Divided Lites	▲*▷		▷	▲*	
Clear	▲*▷	▷	▷	▲*	
Solid Panel					*▷

Key

- ▲ Classic Craft® Visionary Collection™
- ▼ Fiber-Classic® Mahogany Collection™
- ▲ Fiber-Classic® Oak Collection™
- * Smooth-Star®
- ▷ Profiles™ & Traditions

Entry & Patio Door Systems

Feature	Classic Craft.	Fiber-Classic® & Pulse. Wood-Grained	Smooth-Star® & Pulse. Smooth	Profiles™ & Pulse. Steel (6'8")	Traditions & Pulse. Steel (8'0")
Skin Material	Fiberglass	Fiberglass	Fiberglass	24-Gauge Steel	6'8": 25-Gauge Steel / 8'0": 24-Gauge Steel
Skin Texture	Fir, Walnut, Mahogany, Oak Grain; High-Detail Smooth	Mahogany, Oak Grain	High-Detail Smooth	Smooth	Smooth
Exterior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Interior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Panel – Top Rail	Composite	Composite	Composite	Wood	Wood
Panel – Bottom Rail	Composite	Composite	Composite	Composite	Composite
Lock Stile	4" Full-Length Engineered Lumber	6'8": 1-1/4" Engineered Lumber 8'0": 3-15/16" Full-Length Engineered Lumber	6'8": 1-1/4" Engineered Lumber 8'0": 3-15/16" Full-Length Engineered Lumber	1-1/4" Wood	1-1/4" Wood
Lock Block	4" Full-Length Engineered Lumber Stile	22-1/2" Wood	12-1/2" Wood	12-1/2" Wood	6'8": 12-1/2" Wood / 8'0": 22-1/2" Wood
Height Options	6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8" & 7'0"	6'8" & 8'0"
Width Options	2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"
Panel Options	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple
Sidelite Options	12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"
Glass Options	SMC Frame; Deco / Privacy & Textured / Low-E IG	Standard Frame, Advanta Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG	Standard Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG	Standard Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG	Standard Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG
Sill*	Inswing: Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Fixed Outswing: Aluminum	Inswing: Basic Fixed Outswing: Aluminum
Weatherstrip – Hinge	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach
Weatherstrip – Lock	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Weatherstrip – Head	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Multi-Point Lock	Recommended	Recommended	Recommended	–	–
Security Strike Plate	Recommended	Recommended	Recommended	Recommended	Recommended
Hinges*	Classic Craft Ball-Bearing	Self-Aligning	Self-Aligning	Self-Aligning	Self-Aligning
Frame*	Composite Door Frame	Composite Door Frame	Composite Door Frame	Rot-Resistant	Primed Pine
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame	2" Frame	2" Frame	2" Frame	2" Frame
Residential Limited Warranty	Transferable Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years / Pulse 8'0": 10 Years

For dimensional data, see your Therma-Tru seller or visit thermatru.com for a copy of the Therma-Tru Unit & Rough Opening Sizing Booklet.

Therma-Tru® Door Systems

Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load, uniform load deflection, vertical load resistance, air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance, impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards / Test Methods that may include ANSI/AAMA/NWDA 101/I.S.2, AAMA/WDMA 101/I.S.2/NAFS, AAMA/WDMA/CSA 101/I.S.2-A440, ASTM E330, ASTM E547, ASTM E283, ASTM E331, ANSI/BHMA A156.2, AAMA 1304, AAMA 920, AAMA 925, ASTM E2068, ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996, PA/TAS 201, PA/TAS 202, PA/TAS 203, HUD UM89, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 and NFRC 200. Refer to www.thermatru.com for design pressure and other performance ratings.

Doors

Recommended Door Overhang – For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhang of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhang. In this same example, the dimension is 10' so the overhang should be 10'.

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for 8'0" and double door applications.

Doorlites

Doorlites are insulated, and exposed panes are tempered or laminated. Optional wood grilles available for clear doorlites and transoms.

Inserts – All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200 degrees Fahrenheit, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty. PVC doorlite frames are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Decorative Glass & Wrought Iron – Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles, lines and waves within the glass) are normal and are part of the designs character.

Direct Set Sidelites – All Therma-Tru direct set sidelites shall utilize trim components secured and glazed in place in the door jamb.

Condensation occurs naturally in the home, caused by excessive humidity in the air. Often this harmless water vapor can be seen collecting on glass surfaces, such as doorlites. Energy-efficient glass units in Therma-Tru door systems are constructed to keep the glass as warm as possible, reducing

condensation build-up. However, there is no such thing as a condensation-free window or doorlite in high-humidity conditions.

A common attribute of true wrought iron doorlites is that a rattle sound may be heard when closing the door. This is solely a function of having real wrought iron which is heavy and has the ability to flex, moving back and forth within a narrow airspace surrounded by glass that has very little flex. This characteristic is not considered a defect or warranty issue.

NOTE: Glass privacy ratings are determined by the 1/2-lite glass size. As a result, the amount of privacy / glass transparency may be more or less than indicated by the privacy rating, based on the glass design and size of the glass that is inserted into the door, sidelite or transom.

Glass designs may differ from depiction due to the size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.

Components

Adjustable Security Strike Plate – Proprietary adjustable type, permitting in-out adjustment of door in frame, up to 3/16".

Hinges – Minimum hinge size 4" x 4" x .098".

Ball-bearing hinges are recommended for 8'0" doors, doors using heavy lites (e.g., wrought iron), all 20-Minute Fire-rated fiberglass doors, Impact-rated doors and glass, and all Classic Craft doors.

Use of the multi-point locking system is highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.

Please be aware that single door units built with public access sills have little resistance to water penetration, and double doors built with these sills have a potential to leak if installed exposed to weather. We recommend that units be installed away from weather under large soffits or overhangs.

Use of a sill pan is recommended.

Fiber-Classic and Smooth-Star dentil shelves are not recommended for placement behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Therma-Tru door surrounds must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty.

Impact-Rated Products

Impact-rated products must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Visit www.thermatru.com for product approvals and full details on WBDR- (Wind-Borne Debris Region) / HVHZ- (High Velocity Hurricane Zone) compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Fire-Rating Performance Standards

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE RATINGS.

Test conducted by Intertek, Warnock-Hersey.

Limited Warranties

Please be aware of the applicable Therma-Tru Limited Warranty which contains important restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at www.thermatru.com:

- Therma-Tru. Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass – Classic Craft, Fiber-Classic, Smooth-Star, and Pulse. Door Systems; Steel – Pulse, Profiles, and Traditions Door Systems
- Therma-Tru. Tru-Defense. Door System Rider to Fiberglass Door Systems Limited Warranty: Classic Craft, Fiber-Classic, Smooth-Star and Pulse. Fiberglass Door Systems
- EnLiten. Flush-Glazed Construction & Installation Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic, and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- EnLiten. Flush-Glazed Homeowner Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic, and Smooth-Star. Flush-Glazed Fiberglass Door Systems
- PrismaGuard. Limited Warranty Rider to Fiberglass and Steel Door Systems Limited Warranty for Residential and Multi-Resident Premises: Fiberglass – Classic Craft, Fiber-Classic, Smooth-Star, and Pulse. Door Systems; Steel – Pulse, Profiles and Traditions
- Same-Day. Stain 5-Year Limited Warranty: Same-Day. Stain and Topcoat for Use on Therma-Tru. Fiberglass Door Systems and Fypon. Stainable Polyurethane Products
- Therma-Tru. Composite Door Frame featuring Tru-Guard. Composite Technology Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic, Smooth-Star and Pulse. Fiberglass Door Systems
- Therma-Tru. Composite Door Frame featuring Tru-Guard. Composite Technology Limited Warranty Transferable Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic, Smooth-Star and Pulse. Fiberglass Door Systems

Installation, Finishing & Maintenance

Therma-Tru doors and sidelites come unfinished. Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at www.thermatru.com:

- Installation Instructions (Products that are approved for Coastal and / or high wind applications may require special installation. Always follow the installation instructions in the Product Approval for these products.)
- Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining

NOTE: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit www.thermatru.com for more details.

CCA82370.....	74	CCA84920R.....	75	CCM2806XN.....	83	CCM3309SL.....	85	CCM8303LXR.....	98	CCR20020XN.....	97
CCA82370XC.....	73	CCA84920RXC.....	73	CCM2806XR.....	83	CCM3500SL.....	113	CCM8303R.....	101	CCR20022.....	96
CCA82370XE.....	73	CCA84920RXE.....	73	CCM2812.....	84	CCM3502SL.....	113	CCM8303RXC.....	98	CCR20023.....	95
CCA82370XJ.....	73	CCA84920RXJ.....	73	CCM2812XC.....	83	CCM3503SL.....	113	CCM8303RXE.....	98	CCR20027.....	92
CCA82370XN.....	73	CCA84920RXN.....	73	CCM2812XE.....	83	CCM3509SL.....	113	CCM8303RXN.....	98	CCR20037.....	93
CCA82370XR.....	73	CCA84920RXR.....	73	CCM2812XK.....	83	CCM60.....	119	CCM8303RXR.....	98	CCR20037A.....	93
CCA82380.....	81	CCA84925L.....	115	CCM2812XN.....	83	CCM600.....	106	CCM8304L.....	101	CCR200A.....	118
CCA82380XC.....	79	CCA84925R.....	115	CCM2812XR.....	83	CCM600XE.....	106	CCM8304LXC.....	98	CCR2025SL.....	78
CCA82380XE.....	79	CCA84930.....	75	CCM300.....	88	CCM603.....	105	CCM8304LXE.....	98	CCR2025SL.....	84
CCA82380XG.....	79	CCA84930XC.....	73	CCM300XC.....	88	CCM609.....	105	CCM8304LXN.....	98	CCR2025XCSL.....	83
CCA82380XJ.....	79	CCA84930XE.....	73	CCM300XN.....	88	CCM612.....	106	CCM8304LXR.....	98	CCR2025XESL.....	83
CCA82380XK.....	79	CCA84930XJ.....	73	CCM301CAL.....	101	CCM700.....	107	CCM8304R.....	101	CCR2025XGSL.....	83
CCA82380XN.....	79	CCA84930XN.....	73	CCM301CALXC.....	99	CCM701.....	119	CCM8304RXC.....	98	CCR2025XHSL.....	119
CCA82380XR.....	79	CCA84930XR.....	73	CCM301CALXE.....	99	CCM702.....	107	CCM8304RXE.....	98	CCR2025XJSL.....	83
CCA8240.....	111	CCA84935.....	115	CCM301CALXN.....	99	CCM703.....	107	CCM8304RXN.....	98	CCR2025XKSL.....	83
CCA82400.....	80	CCA84940.....	75	CCM301CALXR.....	99	CCM709.....	107	CCM8304RXR.....	98	CCR2025XNSL.....	83
CCA82400SL.....	75	CCA84940XC.....	73	CCM301CAR.....	101	CCM800.....	113	CCM8305CAL.....	101	CCR2025XRSL.....	83
CCA82400SL.....	81	CCA84940XE.....	73	CCM301CARXC.....	99	CCM801.....	119	CCM8305CALXC.....	99	CCR205.....	119
CCA82400XC.....	79	CCA84940XJ.....	73	CCM301CARXE.....	99	CCM803.....	113	CCM8305CALXE.....	99	CCR20520.....	91
CCA82400XCXL.....	73	CCA84940XN.....	73	CCM301CARXN.....	99	CCM805027.....	85	CCM8305CALXN.....	99	CCR20520XC.....	91
CCA82400XCXL.....	79	CCA84940XR.....	73	CCM301CARXR.....	99	CCM809.....	113	CCM8305CALXR.....	99	CCR20520XN.....	91
CCA82400XE.....	79	CCA84945.....	115	CCM302.....	87	CCM81418.....	82	CCM8305CAR.....	101	CCR20522.....	96
CCA82400XESL.....	73	CCA87100.....	112	CCM302L.....	100	CCM81519.....	86	CCM8305CARXC.....	99	CCR20523.....	95
CCA82400XESL.....	79	CCA87100XR.....	109	CCM302LXC.....	98	CCM822.....	113	CCM8305CARXE.....	99	CCR20527.....	92
CCA82400XG.....	79	CCA87111.....	108	CCM302LXE.....	98	CCM82800.....	83	CCM8305CARXN.....	99	CCR20537.....	93
CCA82400XGSL.....	73	CCA87112.....	108	CCM302LXN.....	98	CCM82800XC.....	83	CCM8305CARXR.....	99	CCR20537A.....	93
CCA82400XGSL.....	79	CCA87131.....	109	CCM302LXR.....	98	CCM82800XE.....	83	CCM8306CAL.....	101	CCR205A.....	118
CCA82400XJ.....	79	CCA87132.....	108	CCM302R.....	100	CCM82800XG.....	83	CCM8306CALXC.....	99	CCR30020.....	78
CCA82400XJSL.....	73	CCA87200.....	111	CCM302RXC.....	98	CCM82800XJ.....	83	CCM8306CALXE.....	99	CCR30023.....	77
CCA82400XJSL.....	79	CCA87200XR.....	109	CCM302RXE.....	98	CCM82800XK.....	83	CCM8306CALXN.....	99	CCR30026.....	77
CCA82400XK.....	79	CCA87300.....	111	CCM302RXN.....	98	CCM82800XN.....	83	CCM8306CALXR.....	99	CCR30027.....	76
CCA82400XKSL.....	73	CCA87300XR.....	109	CCM302RXR.....	98	CCM82800XR.....	83	CCM8306CAR.....	101	CCR30028.....	77
CCA82400XKSL.....	79	CCA87400.....	111	CCM303.....	86	CCM82801.....	82	CCM8306CARXC.....	99	CCR30029.....	76
CCA82400XN.....	79	CCA87400XR.....	110	CCM303L.....	101	CCM82802.....	87	CCM8306CARXE.....	99	CCR3400SL.....	78
CCA82400XNSL.....	73	CCA87600.....	111	CCM303LXC.....	98	CCM82803.....	89	CCM8306CARXN.....	99	CCR3400SL.....	84
CCA82400XNSL.....	79	CCA87600XR.....	110	CCM303LXE.....	98	CCM82804.....	84	CCM8306CARXR.....	99	CCR3400XCSL.....	83
CCA82400XR.....	79	CCA89100.....	108	CCM303LXN.....	98	CCM82804XC.....	83	CCM890.....	118	CCR3400XESL.....	83
CCA82400XRSL.....	73	CCA89300.....	109	CCM303LXR.....	98	CCM82804XE.....	83	CCM892.....	86	CCR3400XGSL.....	83
CCA82400XRSL.....	79	CCA9100.....	108	CCM303R.....	101	CCM82804XK.....	83	CCM894.....	85	CCR3400XHSL.....	76
CCA8240XC.....	109	CCA9100SL.....	109	CCM303RXC.....	98	CCM82804XN.....	83	CCM9923.....	82	CCR3400XHSL.....	86
CCA8240XJ.....	109	CCA9300.....	109	CCM303RXE.....	98	CCM82804XR.....	83	CCM9926.....	104	CCR3400XJSL.....	83
CCA8240XN.....	109	CCM1419.....	82	CCM303RXN.....	98	CCM82806.....	84	CCR040.....	119	CCR3400XKSL.....	83
CCA8240XR.....	109	CCM1424.....	104	CCM303RXR.....	98	CCM82806XC.....	83	CCR04020.....	99	CCR3400XNSL.....	76
CCA82410SL.....	115	CCM1465.....	86	CCM304L.....	100	CCM82806XE.....	83	CCR04020XC.....	97	CCR3400XNSL.....	83
CCA82420SL.....	115	CCM1475.....	86	CCM304LXC.....	98	CCM82806XK.....	83	CCR04020XN.....	97	CCR3400XNSL.....	85
CCA8260.....	111	CCM1485.....	85	CCM304LXE.....	98	CCM82806XN.....	83	CCR04022.....	96	CCR3400XRSL.....	83
CCA8260XC.....	110	CCM1495.....	85	CCM304LXN.....	98	CCM82806XR.....	83	CCR04023.....	95	CCR3406SL.....	77
CCA8260XJ.....	110	CCM1842.....	89	CCM304LXR.....	98	CCM82815.....	84	CCR04027.....	92	CCR3406SL.....	88
CCA8260XN.....	110	CCM1843SL.....	89	CCM304R.....	100	CCM82815XC.....	83	CCR04037.....	93	CCR3407SL.....	77
CCA8260XR.....	110	CCM1844.....	89	CCM304RXC.....	98	CCM82815XE.....	83	CCR040R.....	118	CCR3407SL.....	86
CCA84900.....	74	CCM200.....	88	CCM304RXE.....	98	CCM82815XK.....	83	CCR100.....	118	CCR3408SL.....	77
CCA84900XC.....	73	CCM200XC.....	88	CCM304RXN.....	98	CCM82815XN.....	83	CCR10022.....	78	CCR3408SL.....	87
CCA84900XE.....	73	CCM200XN.....	88	CCM304RXR.....	98	CCM82815XR.....	83	CCR100R.....	118	CCR3409SL.....	76
CCA84900XJ.....	73	CCM203.....	86	CCM305CAL.....	101	CCM8301CAL.....	101	CCR1414.....	90	CCR3409SL.....	85
CCA84900XN.....	73	CCM204.....	87	CCM305CALXC.....	99	CCM8301CALXC.....	99	CCR1415.....	90	CCR3412SL.....	78
CCA84900XR.....	73	CCM209.....	85	CCM305CALXE.....	99	CCM8301CALXE.....	99	CCR1417.....	90	CCR3412SL.....	87
CCA84905.....	114	CCM2800.....	83	CCM305CALXN.....	99	CCM8301CALXN.....	99	CCR1423.....	72	CCR8000SL.....	84
CCA84910L.....	74	CCM2800XC.....	83	CCM305CALXR.....	99	CCM8301CALXR.....	99	CCR1423SL.....	72	CCR8000XCSL.....	83
CCA84910LXC.....	73	CCM2800XE.....	83	CCM305CAR.....	101	CCM8301CAR.....	101	CCR1423SL.....	82	CCR8000XESL.....	83
CCA84910LXE.....	73	CCM2800XG.....	83	CCM305CARXC.....	99	CCM8301CARXC.....	99	CCR1511.....	94	CCR8000XGSL.....	83
CCA84910LXJ.....	73	CCM2800XJ.....	83	CCM305CARXE.....	99	CCM8301CARXE.....	99	CCR1511A.....	94	CCR8000XHSL.....	86
CCA84910LXN.....	73	CCM2800XK.....	83	CCM305CARXN.....	99	CCM8301CARXN.....	99	CCR1512.....	94	CCR8000XJSL.....	83
CCA84910LXR.....	73	CCM2800XN.....	83	CCM305CARXR.....	99	CCM8301CARXR.....	99	CCR1512A.....	94	CCR8000XKSL.....	83
CCA84910R.....	74	CCM2800XR.....	83	CCM306CAL.....	101	CCM8302L.....	100	CCR1514.....	94	CCR8000XNSL.....	83
CCA84910RXC.....	73	CCM2801.....	82	CCM306CALXC.....	99	CCM8302LXC.....	98	CCR1515.....	93	CCR8000XNSL.....	85
CCA84910RXE.....	73	CCM2802.....	87	CCM306CALXE.....	99	CCM8302LXE.....	98	CCR1516.....	93	CCR8000XRSL.....	83
CCA84910RXJ.....	73	CCM2803.....	89	CCM306CALXN.....	99	CCM8302LXN.....	98	CCR1518.....	93	CCR8005.....	119
CCA84910RXN.....	73	CCM2804.....	84	CCM306CALXR.....	99	CCM8302LXR.....	98	CCR1528.....	76	CCR8005A.....	118
CCA84910RXR.....	73	CCM2804XC.....	83	CCM306CAR.....	101	CCM8302R.....	100	CCR1838.....	102	CCR8006SL.....	88
CCA84915L.....	114	CCM2804XE.....	83	CCM306CARXC.....	99	CCM8302RXC.....	98	CCR1839.....	102	CCR8007SL.....	86
CCA84915R.....	114	CCM2804XK.....	83	CCM306CARXE.....	99	CCM8302RXE.....	98	CCR1841.....	102	CCR8008SL.....	87
CCA84920L.....	75	CCM2804XN.....	83	CCM306CARXN.....	99	CCM8302RXN.....	98	CCR1851.....	79	CCR8009SL.....	85
CCA84920LXC.....	73	CCM2804XR.....	83	CCM306CARXR.....	99	CCM8302RXR.....	98	CCR1851SL.....	79	CCR8040.....	119
CCA84920LXE.....	73	CCM2806.....	84	CCM309.....	85	CCM8303L.....	101	CCR1851SL.....	89	CCR804020.....	99
CCA84920LXJ.....	73	CCM2806XC.....	83	CCM3300SL.....	88	CCM8303LXC.....	98	CCR200.....	119	CCR804020XC.....	97
CCA84920LXN.....	73	CCM2806XE.....	83	CCM3302SL.....	87	CCM8303LXE.....	98	CCR20020.....	99	CCR804020XN.....	97
CCA84920LXR.....	73	CCM2806XK.....	83	CCM3303SL.....	86	CCM8303LXN.....	98	CCR20020XC.....	97	CCR804022.....	96

CCR804023.....	95	CCR820530XN.....	97	CCV106SL.....	77	CCV81515.....	94	CCV930XN.....	110
CCR804026.....	95	CCR820532.....	96	CCV106SL.....	88	CCV81516.....	94	CCV930XR.....	110
CCR804027.....	92	CCR820532A.....	97	CCV108SL.....	77	CCV81519.....	86	CCV931.....	108
CCR804028.....	94	CCR820537.....	93	CCV108SL.....	87	CCV81838.....	103	CCV940.....	112
CCR804029.....	92	CCR820537A.....	93	CCV109SL.....	76	CCV81839.....	103	CCV940XC.....	110
CCR804030.....	99	CCR8205A.....	118	CCV109SL.....	85	CCV81843.....	89	CCV940XJ.....	110
CCR804030XC.....	97	CCR8222.....	118	CCV1414.....	91	CCV81846.....	103	CCV940XN.....	110
CCR804030XN.....	97	CCR822214.....	91	CCV1415.....	91	CCV81851SL.....	89	CCV940XR.....	110
CCR804032.....	96	CCR822215.....	93	CCV1418.....	83	CCV8205.....	120	CCV950SL.....	78
CCR804037.....	93	CCR822218.....	90	CCV1423.....	72	CCV820520.....	91	CCV950SL.....	84
CCR8040R.....	118	CCR822220.....	99	CCV1423SL.....	72	CCV820520XC.....	91	CCV950SL.....	113
CCR8100.....	118	CCR822220XC.....	91	CCV1423SL.....	83	CCV820520XN.....	91	CCV950XCSL.....	83
CCR8100R.....	118	CCR822220XN.....	91	CCV1423SL.....	109	CCV820522.....	97	CCV950XCSL.....	111
CCR8102SL.....	87	CCR822222.....	96	CCV1424.....	104	CCV820523.....	95	CCV950XESL.....	83
CCR81414.....	90	CCR822223.....	95	CCV1512.....	94	CCV820526.....	96	CCV950XESL.....	111
CCR81415.....	90	CCR822226.....	96	CCV1515.....	94	CCV820527.....	93	CCV950XGSL.....	83
CCR81417.....	90	CCR822227.....	92	CCV1516.....	94	CCV820528.....	95	CCV950XGSL.....	111
CCR81423SL.....	82	CCR822228.....	95	CCV1519.....	86	CCV820529.....	92	CCV950XHSL.....	120
CCR81511.....	94	CCR822229.....	92	CCV1528.....	77	CCV820530.....	100	CCV950XJSL.....	83
CCR81511A.....	94	CCR822238.....	102	CCV1838.....	103	CCV820530XC.....	97	CCV950XJSL.....	111
CCR81512.....	94	CCR8225.....	119	CCV1839.....	103	CCV820530XN.....	97	CCV950XNSL.....	83
CCR81512A.....	94	CCR8225R.....	118	CCV1843.....	89	CCV820532.....	97	CCV950XNSL.....	111
CCR81514.....	94	CCR89918.....	90	CCV1851.....	79	CCV820537.....	93	CCV950XRSL.....	83
CCR81515.....	93	CCR89919.....	90	CCV1851SL.....	79	CCV8220.....	120	CCV950XRSL.....	111
CCR81516.....	93	CCR89921.....	90	CCV1851SL.....	89	CCV822020.....	100	CCV960.....	112
CCR81518.....	93	CCR89925SL.....	82	CCV200.....	120	CCV822020XC.....	97	CCV960XC.....	111
CCR81838.....	102	CCR9918.....	90	CCV205.....	120	CCV822020XN.....	97	CCV960XJ.....	111
CCR81839.....	102	CCR9919.....	90	CCV20520.....	91	CCV822022.....	97	CCV960XN.....	111
CCR81841.....	102	CCR9921.....	90	CCV20520XC.....	91	CCV822022.....	95	CCV960XR.....	111
CCR81845.....	102	CCR9925.....	72	CCV20520XN.....	91	CCV822026.....	96	CCV9918.....	90
CCR81845A.....	102	CCR9925SL.....	72	CCV20522.....	97	CCV822027.....	93	CCV9919.....	90
CCR81846.....	102	CCR9925SL.....	82	CCV20523.....	95	CCV822028.....	95	CCV9922.....	82
CCR81846A.....	102	CCV050.....	120	CCV20527.....	93	CCV822029.....	92	CCV9925.....	72
CCR81847.....	102	CCV05020.....	84	CCV20537.....	93	CCV831.....	120	CCV9926.....	104
CCR81851SL.....	89	CCV05020XC.....	83	CCV220.....	120	CCV8950SL.....	84	CCW1000.....	116
CCR8200.....	119	CCV05020XN.....	83	CCV22020.....	100	CCV8950SL.....	113	CCW81000.....	116
CCR820020.....	99	CCV05022.....	87	CCV22020XC.....	97	CCV8950XCSL.....	83	CCW8900L.....	116
CCR820020XC.....	97	CCV05023.....	86	CCV22020XN.....	97	CCV8950XCSL.....	111	CCW8900R.....	116
CCR820020XN.....	97	CCV05026.....	88	CCV22022.....	97	CCV8950XGSL.....	83	CCW8901L.....	116
CCR820022.....	96	CCV05027.....	85	CCV22023.....	95	CCV8950XGSL.....	111	CCW8901R.....	116
CCR820023.....	95	CCV05028.....	87	CCV22027.....	93	CCV8950XHSL.....	120	CCW8902L.....	116
CCR820026.....	96	CCV05029.....	85	CCV3412SL.....	78	CCV8950XJSL.....	83	CCW8902R.....	117
CCR820027.....	92	CCV060.....	120	CCV3412SL.....	87	CCV8950XJSL.....	111	CCW8903.....	117
CCR820028.....	95	CCV06020.....	106	CCV4100.....	109	CCV8950XNSL.....	83	CCW8904L.....	117
CCR820029.....	92	CCV06020XE.....	106	CCV4100SL.....	109	CCV8950XNSL.....	111	CCW8904R.....	117
CCR820030.....	100	CCV06022.....	106	CCV4300.....	109	CCV8950XRSL.....	83	CCW8905.....	117
CCR820030A.....	100	CCV06023.....	105	CCV805020.....	84	CCV8950XRSL.....	111	CCW8906L.....	117
CCR820030XC.....	97	CCV06026.....	105	CCV805022.....	87	CCV89918.....	90	CCW8906R.....	117
CCR820030XN.....	97	CCV06028.....	105	CCV805023.....	86	CCV89919.....	90	CCW8907L.....	117
CCR820032.....	96	CCV06029.....	105	CCV805026.....	88	CCV89922.....	82	CCW8907R.....	117
CCR820032A.....	97	CCV10020.....	78	CCV805027.....	85	CCV89925.....	82	CCW8907R.....	116
CCR820037.....	93	CCV10022.....	78	CCV805028.....	87	CCV9010SL.....	113	CCW900L.....	116
CCR820037A.....	93	CCV10023.....	77	CCV805029.....	85	CCV9011SL.....	108	CCW900R.....	116
CCR8200A.....	118	CCV10026.....	77	CCV8100SL.....	84	CCV9020SL.....	113	CCW901L.....	116
CCR82035SL.....	84	CCV10027.....	76	CCV8100SL.....	113	CCV910.....	112	CCW901R.....	116
CCR82035XCSL.....	83	CCV10028.....	77	CCV8100XCSL.....	83	CCV910XC.....	110	CCW902L.....	116
CCR82035XESL.....	83	CCV10029.....	76	CCV8100XCSL.....	111	CCV910XCSL.....	111	CCW902R.....	117
CCR82035XGSL.....	83	CCV100SL.....	78	CCV8100XCSL.....	111	CCV910XJ.....	110	CCW903.....	117
CCR82035XHSL.....	119	CCV100SL.....	84	CCV8100XGSL.....	83	CCV910XJSL.....	111	CCW904L.....	117
CCR82035XJSL.....	83	CCV100SL.....	113	CCV8100XGSL.....	111	CCV910XN.....	110	CCW904R.....	117
CCR82035XKSL.....	83	CCV100XCSL.....	83	CCV8100XHSL.....	86	CCV910XNSL.....	111	CCW905.....	117
CCR82035XNSL.....	83	CCV100XCSL.....	111	CCV8100XJSL.....	83	CCV910XR.....	110	CCW906L.....	117
CCR82035XRSL.....	83	CCV100XESL.....	83	CCV8100XJSL.....	111	CCV910XRSL.....	111	CCW906R.....	117
CCR8205.....	119	CCV100XESL.....	111	CCV8100XNSL.....	83	CCV911.....	108	CCW907L.....	117
CCR820520.....	91	CCV100XGSL.....	83	CCV8100XNSL.....	85	CCV911SL.....	72	CCW907R.....	117
CCR820520XC.....	91	CCV100XGSL.....	111	CCV8100XNSL.....	111	CCV911SL.....	82	DRS2131SL.....	117
CCR820520XN.....	91	CCV100XHSL.....	77	CCV8100XRSL.....	83	CCV911SL.....	108	DRS2131SL.....	117
CCR820522.....	96	CCV100XHSL.....	86	CCV8100XRSL.....	111	CCV920.....	112	HW30T.....	122
CCR820523.....	95	CCV100XJSL.....	83	CCV8102SL.....	87	CCV920XC.....	110	HWRT.....	122
CCR820526.....	95	CCV100XJSL.....	111	CCV8103SL.....	87	CCV920XC.....	111	LC30T.....	122
CCR820527.....	92	CCV100XNSL.....	76	CCV8106SL.....	88	CCV920XJ.....	110	LCET.....	122
CCR820528.....	95	CCV100XNSL.....	83	CCV8108SL.....	87	CCV920XJSL.....	111	LCRT.....	122
CCR820529.....	92	CCV100XNSL.....	85	CCV8109SL.....	85	CCV920XNSL.....	110	LF30T.....	122
CCR820530.....	100	CCV100XNSL.....	111	CCV8111SL.....	82	CCV920XNSL.....	111	LFET.....	122
CCR820530A.....	100	CCV100XRSL.....	83	CCV81414.....	91	CCV920XR.....	110	LFRT.....	122
CCR820530AXC.....	97	CCV100XRSL.....	111	CCV81415.....	91	CCV920XRSL.....	111	ZHRT.....	122
CCR820530AXN.....	97	CCV103SL.....	77	CCV81418.....	83	CCV930.....	112		
CCR820530XC.....	97	CCV103SL.....	87	CCV81423SL.....	83	CCV930XC.....	110		
				CCV81512.....	94	CCV930XJ.....	110		

Fiber-Classic® & Smooth-Star®

1000.....	220	2000XESL.....	155	81208PSL.....	163	81945PXE.....	174	CNRT.....	221	FC1212.....	162
1283.....	166	2000XG.....	155	81208SL.....	163	81945PXG.....	174	DRS2131SL.....	166	FC1289SL.....	163
1284.....	162	2000XGSL.....	155	81225P.....	157	81945PXJ.....	174	DRS82131SL.....	166	FC131.....	168
1285.....	162	2000XJ.....	155	81225PSL.....	157	81945PKK.....	174	FC10.....	166	FC131SL.....	168
1286.....	157	2000XJSL.....	155	81225SL.....	157	81945PXN.....	174	FC100.....	144	FC1350.....	197
1289.....	163	2000XK.....	155	81800P.....	144	81945PXR.....	174	FC1006.....	146	FC138.....	162
2000.....	165	2000XKSL.....	155	81800PSL.....	144	81946P.....	178	FC100SL.....	145	FC138XC.....	154
2009.....	158	2000XN.....	155	81800SL.....	144	81946PSL.....	178	FC101.....	185	FC138XE.....	154
2010.....	158	2000XNSL.....	155	81900PSL.....	178	81946PXC.....	174	FC101SL.....	186	FC138XG.....	154
2050.....	158	2000XR.....	155	81918P.....	143	81946PXCSSL.....	174	FC1027.....	146	FC138XJ.....	154
2100.....	200	2000XRSL.....	155	81918PSL.....	143	81946PXE.....	174	FC1029.....	147	FC138XK.....	154
2150.....	197	2009SL.....	158	81918SL.....	143	81946PXEESL.....	174	FC104.....	148	FC138XN.....	154
8000.....	165	2010XC.....	152	81919P.....	145	81946PXG.....	174	FC104SL.....	148	FC138XR.....	154
81000.....	220	2010XE.....	152	81919PSL.....	145	81946PXGSL.....	174	FC104XC.....	195	FC1400.....	178
81200.....	166	2010XG.....	152	81919SL.....	145	81946PXJ.....	174	FC104XE.....	195	FC1400SL.....	178
81208.....	163	2010XJ.....	152	81921P.....	148	81946PXJSL.....	174	FC104XG.....	195	FC1402.....	178
81225.....	157	2010XK.....	152	81921PSL.....	148	81946PKK.....	174	FC104XJ.....	195	FC1404.....	209
81828.....	162	2010XN.....	152	81921SL.....	148	81946PKKSL.....	174	FC104XK.....	195	FC1408.....	198
12101SL.....	166	2010XNSL.....	152	81928P.....	149	81946PXN.....	174	FC104XN.....	195	FC1408SL.....	199
12101XCSL.....	156	2010XR.....	152	81928PSL.....	150	81946PXNNSL.....	174	FC104XR.....	195	FC1409.....	197
12101XESL.....	156	2050SL.....	158	81928SL.....	150	81946PXR.....	174	FC105.....	189	FC141.....	157
12101XGSL.....	156	2050XC.....	152	81929P.....	200	81946PXRSL.....	174	FC105SL.....	190	FC141SL.....	157
12101XJSL.....	156	2050XCSSL.....	152	81929PSL.....	200	81947PSL.....	178	FC108.....	143	FC142.....	147
12101XKSL.....	156	2050XE.....	152	81929PXC.....	195	81949PSL.....	178	FC1089.....	177	FC142SL.....	147
12101XNSL.....	156	2050XESL.....	152	81929PXCSSL.....	195	81952P.....	167	FC1089SL.....	178	FC143.....	170
12101XRSL.....	156	2050XG.....	152	81929PXE.....	195	81952PSL.....	167	FC108SL.....	143	FC143SL.....	170
12102SL.....	163	2050XGSL.....	152	81929PXESL.....	195	81953P.....	167	FC109.....	184	FC144.....	189
12102XCSSL.....	154	2050XJ.....	152	81929PXG.....	195	81953PSL.....	168	FC109SL.....	184	FC1442SL.....	172
12102XESL.....	154	2050XJSL.....	152	81929PXGSL.....	195	81954P.....	168	FC10XC.....	156	FC147.....	171
12102XGSL.....	154	2050XK.....	152	81929PXJ.....	195	81954PSL.....	168	FC10XE.....	156	FC147SL.....	171
12102XJSL.....	154	2050XKSL.....	152	81929PXJSL.....	195	81955P.....	168	FC10XG.....	156	FC148.....	150
12102XKSL.....	154	2050XN.....	152	81929PXK.....	195	81955PSL.....	168	FC10XJ.....	156	FC148SL.....	150
12102XNSL.....	154	2050XNSL.....	152	81929PXKSL.....	195	81956P.....	170	FC10XK.....	156	FC149.....	191
12102XRSL.....	154	2050XR.....	152	81929PXN.....	195	81956PSL.....	170	FC10XN.....	156	FC149SL.....	192
1283XC.....	156	2050XRSL.....	152	81929PXNSL.....	195	81957P.....	169	FC10XR.....	156	FC151.....	182
1283XE.....	156	8000-12.....	158	81929PXR.....	195	81957PSL.....	169	FC113.....	145	FC156.....	172
1283XG.....	156	8000-18.....	158	81929PXRSL.....	195	81958P.....	170	FC113SL.....	145	FC16.....	144
1283XJ.....	156	8000-9.....	158	81932P.....	187	81958PSL.....	170	FC114.....	186	FC160.....	183
1283XK.....	156	8000XC.....	155	81932PSL.....	188	81959P.....	171	FC114SL.....	186	FC163.....	182
1283XN.....	156	8000XE.....	155	81933P.....	184	81959PSL.....	171	FC115.....	168	FC164.....	181
1283XR.....	156	8000XG.....	155	81933PSL.....	184	81960P.....	171	FC115SL.....	168	FC1645.....	217
1284XC.....	154	8000XJ.....	155	81935P.....	185	81960PSL.....	172	FC116.....	196	FC1646.....	173
1284XE.....	154	8000XK.....	155	81935PSL.....	185	81961P.....	172	FC11SL.....	193	FC1646SL.....	173
1284XG.....	154	8000XN.....	155	81936P.....	185	81961PSL.....	172	FC1200.....	162	FC1647.....	173
1284XJ.....	154	8000XR.....	155	81936PSL.....	186	81963PSL.....	174	FC1200SL.....	163	FC1651.....	151
1284XK.....	154	81200P.....	166	81937P.....	186	81964P.....	176	FC1201.....	162	FC1651SL.....	152
1284XN.....	154	81200PSL.....	166	81937PSL.....	186	81964PSL.....	176	FC1201SL.....	163	FC1652.....	151
1284XR.....	154	81200PXC.....	156	81938P.....	188	81967P.....	169	FC1202.....	162	FC1652SL.....	151
1285XC.....	154	81200PXCSSL.....	156	81938PSL.....	188	81967PSL.....	169	FC1202SL.....	163	FC1654.....	193
1285XE.....	154	81200PXE.....	156	81939P.....	187	81968P.....	144	FC1203.....	162	FC1655.....	208
1285XG.....	154	81200PXESL.....	156	81939PSL.....	187	81968PSL.....	145	FC1204.....	158	FC1656SL.....	193
1285XJ.....	154	81200PXG.....	156	81940P.....	189	81968SL.....	145	FC1204SL.....	158	FC18.....	162
1285XK.....	154	81200PXGSL.....	156	81940PSL.....	189	81971P.....	200	FC1205.....	157	FC18SL.....	163
1285XN.....	154	81200PXJ.....	156	81941P.....	189	81971PXC.....	195	FC1205SL.....	158	FC18XC.....	154
1285XR.....	154	81200PXJSL.....	156	81941PSL.....	190	81971PXE.....	195	FC1205XC.....	152	FC18XCSSL.....	154
1286SL.....	157	81200PXK.....	156	81942P.....	191	81971PXG.....	195	FC1205XE.....	152	FC18XE.....	154
13101SL.....	194	81200PXKSL.....	156	81942PSL.....	191	81971PXJ.....	195	FC1205XG.....	152	FC18XESL.....	154
18101SL.....	144	81200PXN.....	156	81943P.....	180	81971PKK.....	195	FC1205XJ.....	152	FC18XG.....	154
19020T.....	221	81200PXNSL.....	156	81943PSL.....	180	81971PXN.....	195	FC1205XK.....	152	FC18XGSL.....	154
19055T.....	221	81200PXR.....	156	81943PXC.....	175	81971PXR.....	195	FC1205XN.....	152	FC18XJ.....	154
19080T.....	221	81200PXRSL.....	156	81943PXCSSL.....	175	81974P.....	187	FC1205XR.....	152	FC18XJSL.....	154
19200T.....	221	81200SL.....	166	81943PXE.....	175	81975P.....	184	FC1206.....	158	FC18XK.....	154
19210T.....	221	81200XC.....	156	81943PXEESL.....	175	81977P.....	185	FC1206SL.....	158	FC18XKSL.....	154
19220T.....	221	81200XCSSL.....	156	81943PXG.....	175	81978P.....	185	FC1207.....	158	FC18XN.....	154
19520T.....	221	81200XE.....	156	81943PXGSL.....	175	81980P.....	186	FC1207XC.....	152	FC18XNSL.....	154
1964P.....	176	81200XESL.....	156	81943PXJ.....	175	81981P.....	188	FC1207XE.....	152	FC18XR.....	154
19720T.....	221	81200XG.....	156	81943PXJSL.....	175	81982P.....	187	FC1207XG.....	152	FC18XRSL.....	154
19730T.....	221	81200XGSL.....	156	81943PXK.....	175	81983P.....	189	FC1207XJ.....	152	FC198.....	163
19740T.....	221	81200XJ.....	156	81943PXKSL.....	175	81984P.....	189	FC1207XK.....	152	FC198SL.....	163
19750T.....	221	81200XJSL.....	156	81943PXN.....	175	81985P.....	191	FC1207XN.....	152	FC20042.....	172
19800T.....	221	81200XK.....	156	81943PXNSL.....	175	81986PSL.....	147	FC1207XR.....	152	FC21.....	217
19810T.....	221	81200XKSL.....	156	81943PXR.....	175	81986SL.....	147	FC1208.....	162	FC2101.....	177
19820T.....	221	81200XN.....	156	81943PXRSL.....	175	85901SL.....	170	FC1208SL.....	163	FC2101SL.....	178
2000SL.....	165	81200XNSL.....	156	81944P.....	178	85919SL.....	189	FC1209.....	162	FC2102.....	178
2000XC.....	155	81200XR.....	156	81944PSL.....	178	AVRT.....	221	FC1209SL.....	163	FC2106.....	177
2000XCSSL.....	155	81200XRSL.....	156	81945P.....	178	AXRT.....	221	FC1211.....	162	FC2107.....	177
2000XE.....	155	81208P.....	162	81945PXC.....	174	BSRT.....	221	FC1211SL.....	163	FC2108.....	177

FC23.....	217	FC5710XCSL.....	153	FC65XE.....	194	FC788.....	181	FC8310.....	178	FC862203XK.....	208
FC241.....	144	FC5710XE.....	152	FC65XG.....	194	FC789.....	183	FC8310SL.....	178	FC862203XN.....	208
FC31.....	219	FC5710XESL.....	153	FC65XJ.....	194	FC791.....	183	FC8311.....	177	FC862203XR.....	208
FC310.....	143	FC5710XG.....	152	FC65XK.....	194	FC792.....	181	FC8311SL.....	178	FC86220XC.....	208
FC32.....	180	FC5710XGSL.....	153	FC65XN.....	194	FC794.....	181	FC8313.....	177	FC86220XE.....	208
FC32SL.....	180	FC5710XJ.....	152	FC65XR.....	194	FC796.....	182	FC8313SL.....	178	FC86220XG.....	208
FC32XC.....	175	FC5710XJSL.....	153	FC66.....	193	FC797.....	182	FC8316.....	178	FC86220XJ.....	208
FC32XCXL.....	175	FC5710XK.....	152	FC668.....	144	FC798.....	182	FC8318.....	198	FC86220XK.....	208
FC32XE.....	175	FC5710XKSL.....	153	FC670.....	200	FC803.....	217	FC8319.....	198	FC86220XN.....	208
FC32XESL.....	175	FC5710XN.....	152	FC678.....	196	FC807SL.....	146	FC832.....	198	FC86220XR.....	208
FC32XG.....	175	FC5710XNSL.....	153	FC678SL.....	196	FC808SL.....	143	FC8320.....	198	FC86241.....	206
FC32XGSL.....	175	FC5710XR.....	152	FC685L.....	158	FC809.....	219	FC8321.....	198	FC86242.....	207
FC32XJ.....	175	FC5710XRSL.....	153	FC685LXC.....	152	FC80920.....	209	FC8321XC.....	194	FC86243.....	205
FC32XJSL.....	175	FC5720.....	158	FC685LXE.....	152	FC809203.....	209	FC8321XE.....	194	FC86245.....	208
FC32XK.....	175	FC5720SL.....	159	FC685LXG.....	152	FC809203XC.....	208	FC8321XG.....	194	FC86247.....	207
FC32XKSL.....	175	FC5720XC.....	152	FC685LXJ.....	152	FC809203XE.....	208	FC8321XJ.....	194	FC86249.....	207
FC32XN.....	175	FC5720XCSL.....	153	FC685LXK.....	152	FC809203XG.....	208	FC8321XK.....	194	FC86252.....	206
FC32XNSL.....	175	FC5720XE.....	152	FC685LXN.....	152	FC809203XJ.....	208	FC8321XN.....	194	FC86253.....	206
FC32XR.....	175	FC5720XESL.....	153	FC685LXR.....	152	FC809203XK.....	208	FC8321XR.....	194	FC86254.....	207
FC32XRSL.....	175	FC5720XG.....	152	FC685R.....	158	FC809203XN.....	208	FC8322.....	198	FC86255.....	206
FC3487SL.....	198	FC5720XGSL.....	153	FC685RXC.....	152	FC809203XR.....	208	FC8323.....	198	FC86256.....	206
FC3487XCSL.....	194	FC5720XJ.....	152	FC685RXE.....	152	FC80920XC.....	208	FC8324.....	198	FC86500.....	151
FC3487XESL.....	194	FC5720XJSL.....	153	FC685RXG.....	152	FC80920XE.....	208	FC832XC.....	194	FC86500SL.....	151
FC3487XGSL.....	194	FC5720XK.....	152	FC685RXJ.....	152	FC80920XG.....	208	FC832XE.....	194	FC86533.....	208
FC3487XJSL.....	194	FC5720XKSL.....	153	FC685RXK.....	152	FC80920XJ.....	208	FC832XG.....	194	FC86536.....	192
FC3487XKSL.....	194	FC5720XN.....	152	FC685RXN.....	152	FC80920XK.....	208	FC832XJ.....	194	FC86550.....	151
FC3487XNSL.....	194	FC5720XNSL.....	153	FC685RXR.....	152	FC80920XN.....	208	FC832XK.....	194	FC86550SL.....	151
FC3487XRSL.....	194	FC5720XR.....	152	FC691.....	158	FC80920XR.....	208	FC832XN.....	194	FC86560.....	192
FC369.....	145	FC5720XRSL.....	153	FC691XC.....	152	FC80941.....	206	FC832XR.....	194	FC86560SL.....	192
FC38.....	167	FC572SL.....	149	FC691XE.....	152	FC80942.....	207	FC8529.....	171	FC86570.....	217
FC38SL.....	168	FC573SL.....	149	FC691XG.....	152	FC80943.....	205	FC8545SL.....	171	FC86580.....	172
FC43SL.....	185	FC574.....	149	FC691XJ.....	152	FC80945.....	208	FC85700.....	158	FC86580SL.....	172
FC44SL.....	193	FC581.....	190	FC691XK.....	152	FC80947.....	207	FC85700XC.....	152	FC8675SL.....	198
FC45.....	185	FC583SL.....	190	FC691XN.....	152	FC80949.....	207	FC85700XE.....	152	FC8678.....	196
FC46SL.....	144	FC60.....	219	FC691XR.....	152	FC80952.....	206	FC85700XG.....	152	FC8678SL.....	196
FC47SL.....	166	FC6093.....	147	FC704.....	216	FC80953.....	206	FC85700XJ.....	152	FC8685L.....	158
FC47XC.....	156	FC6094.....	148	FC707.....	215	FC80954.....	207	FC85700XK.....	152	FC8685LXC.....	152
FC47XESL.....	156	FC6095.....	149	FC708.....	216	FC80955.....	206	FC85700XN.....	152	FC8685LXE.....	152
FC47XGSL.....	156	FC61.....	218	FC709.....	182	FC80956.....	206	FC85700XR.....	152	FC8685LXG.....	152
FC47XJSL.....	156	FC61XC.....	218	FC710.....	183	FC80957.....	206	FC85710.....	149	FC8685LXJ.....	152
FC47XKSL.....	156	FC61XE.....	218	FC712SL.....	198	FC80958.....	206	FC85710.....	158	FC8685LXK.....	152
FC47XNSL.....	156	FC61XG.....	218	FC713.....	182	FC80959.....	206	FC85710XC.....	152	FC8685LXN.....	152
FC47XRSL.....	156	FC61XJ.....	218	FC714.....	181	FC80960.....	206	FC85710XE.....	152	FC8685LXR.....	152
FC48SL.....	200	FC61XK.....	218	FC721.....	215	FC80961.....	206	FC85710XG.....	152	FC8685R.....	158
FC48XC.....	195	FC61XN.....	218	FC735.....	216	FC80962.....	206	FC85710XJ.....	152	FC8685RXC.....	152
FC48XESL.....	195	FC61XR.....	218	FC736.....	215	FC80963.....	206	FC85710XK.....	152	FC8685RXE.....	152
FC48XGSL.....	195	FC62.....	200	FC745.....	216	FC80964.....	206	FC85710XN.....	152	FC8685RXG.....	152
FC48XJSL.....	195	FC626.....	150	FC752.....	216	FC80965.....	206	FC85710XR.....	152	FC8685RXJ.....	152
FC48XKSL.....	195	FC62XC.....	195	FC755.....	219	FC80966.....	206	FC85720.....	158	FC8685RXK.....	152
FC48XNSL.....	195	FC62XE.....	195	FC758.....	146	FC80967.....	206	FC85720XC.....	152	FC8685RXN.....	152
FC48XRSL.....	195	FC62XG.....	195	FC758SL.....	146	FC80968.....	206	FC85720XE.....	152	FC8685RXR.....	152
FC507.....	207	FC62XJ.....	195	FC761.....	187	FC80969.....	206	FC85720XG.....	152	FC8691.....	158
FC529.....	171	FC62XK.....	195	FC761SL.....	188	FC80970.....	206	FC85720XJ.....	152	FC8691XC.....	152
FC5425.....	176	FC62XN.....	195	FC764.....	169	FC80971.....	206	FC85720XK.....	152	FC8691XE.....	152
FC5425SL.....	176	FC62XR.....	195	FC764SL.....	169	FC80972.....	206	FC85720XN.....	152	FC8691XG.....	152
FC543.....	171	FC63SL.....	198	FC765.....	167	FC80973.....	206	FC85720XR.....	152	FC8691XJ.....	152
FC545SL.....	171	FC63XCSL.....	194	FC765SL.....	167	FC80974.....	206	FC8572SL.....	149	FC8691XK.....	152
FC549.....	207	FC63XESL.....	194	FC766.....	180	FC80975.....	206	FC8573SL.....	149	FC8691XN.....	152
FC5700.....	158	FC63XGSL.....	194	FC766XC.....	175	FC80976.....	206	FC8574.....	149	FC8691XR.....	152
FC5700SL.....	159	FC63XJSL.....	194	FC766XE.....	175	FC80977.....	206	FC8579.....	190	FC8704.....	216
FC5700XC.....	152	FC63XKSL.....	194	FC766XG.....	175	FC80978.....	206	FC8581.....	190	FC8707.....	215
FC5700XCXL.....	153	FC63XNSL.....	194	FC766XJ.....	175	FC80979.....	206	FC8583SL.....	190	FC8708.....	216
FC5700XE.....	152	FC63XRSL.....	194	FC766XK.....	175	FC80980.....	206	FC860.....	219	FC8721.....	215
FC5700XESL.....	153	FC65.....	198	FC766XN.....	175	FC80981.....	206	FC861.....	218	FC8735.....	216
FC5700XG.....	152	FC6500.....	151	FC766XR.....	175	FC80982.....	206	FC861XC.....	218	FC8736.....	215
FC5700XGSL.....	153	FC6500SL.....	151	FC769.....	169	FC80983.....	206	FC861XE.....	218	FC8745.....	216
FC5700XJ.....	152	FC6534.....	208	FC770.....	167	FC80984.....	206	FC861XG.....	218	FC8752.....	216
FC5700XJSL.....	153	FC6550.....	151	FC772.....	167	FC80985.....	206	FC861XJ.....	218	FC8867SL.....	192
FC5700XK.....	152	FC6550SL.....	151	FC773.....	168	FC80986.....	206	FC861XK.....	218	FC89701.....	191
FC5700XKSL.....	153	FC6560.....	192	FC775.....	168	FC80987.....	206	FC861XN.....	218	FC8971.....	196
FC5700XN.....	152	FC6565SL.....	192	FC776.....	170	FC80988.....	206	FC861XR.....	218	FC8972.....	209
FC5700XNSL.....	153	FC6570.....	217	FC777.....	169	FC80989.....	206	FC862.....	219	FC900.....	146
FC5700XR.....	152	FC6576.....	183	FC778.....	170	FC80990.....	206	FC86220.....	209	FC900SL.....	146
FC5700XRSL.....	153	FC6577.....	183	FC779.....	171	FC80991.....	206	FC862203.....	209	FC901.....	187
FC571.....	149	FC6580.....	172	FC780.....	171	FC80992.....	206	FC862203XC.....	208	FC901SL.....	187
FC5710.....	158	FC6580SL.....	172	FC784.....	183	FC80993.....	206	FC862203XE.....	208	FC902.....	169
FC5710SL.....	159	FC6582.....	172	FC785.....	181	FC80994.....	206	FC862203XG.....	208	FC902SL.....	169
FC5710XC.....	152	FC65XC.....	194	FC787.....	183	FC80995.....	206	FC862203XJ.....	208	FC905.....	147

FC905SL.....	147	FCM1206SL.....	157	FCM147SL.....	170	FCM369.....	145	FCM6030.....	189	FCM6126XCSL.....	154
FC906.....	188	FCM1208.....	161	FCM148.....	150	FCM38.....	167	FCM6031.....	186	FCM6126XESL.....	154
FC906SL.....	188	FCM1209.....	161	FCM149.....	191	FCM38SL.....	167	FCM6032.....	184	FCM6126XJSL.....	154
FC907.....	170	FCM12101SL.....	166	FCM149SL.....	191	FCM45.....	185	FCM6035.....	196	FCM6126XNSL.....	154
FC907SL.....	170	FCM12101XCSL.....	156	FCM150.....	205	FCM45SL.....	185	FCM6036.....	191	FCM6126XRSL.....	154
FC910.....	149	FCM12101XESL.....	156	FCM151.....	182	FCM4810.....	214	FCM604.....	210	FCM61XC.....	218
FC910SL.....	150	FCM12101XGSL.....	156	FCM156.....	172	FCM4810XC.....	213	FCM6041.....	200	FCM61XE.....	218
FC911.....	191	FCM12101XJSL.....	156	FCM16.....	144	FCM4810XE.....	213	FCM6041XC.....	195	FCM61XG.....	218
FC911SL.....	191	FCM12101XKSL.....	156	FCM160.....	183	FCM4810XJ.....	213	FCM6041XE.....	195	FCM61XJ.....	218
FC912.....	171	FCM12101XNSL.....	156	FCM163.....	182	FCM4810XN.....	213	FCM6041XG.....	195	FCM61XK.....	218
FC912SL.....	172	FCM12101XRSL.....	156	FCM164.....	181	FCM4810XR.....	213	FCM6041XJ.....	195	FCM61XN.....	218
FC915.....	182	FCM12102SL.....	161	FCM1645.....	217	FCM4812.....	213	FCM6041XK.....	195	FCM61XR.....	218
FC916.....	182	FCM12102XCSL.....	154	FCM1646SL.....	173	FCM4812XC.....	211	FCM6041XN.....	195	FCM62.....	200
FC917.....	217	FCM12102XESL.....	154	FCM1647.....	173	FCM4812XE.....	211	FCM6041XR.....	195	FCM6201SL.....	210
FC92.....	178	FCM12102XGSL.....	154	FCM1650.....	211	FCM4812XJ.....	211	FCM6042.....	197	FCM6240.....	210
FC925.....	209	FCM12102XJSL.....	154	FCM1651.....	151	FCM4812XN.....	211	FCM6042XC.....	194	FCM626.....	150
FC92SL.....	178	FCM12102XKSL.....	154	FCM1651SL.....	151	FCM4812XR.....	211	FCM6042XE.....	194	FCM62SL.....	200
FC92XC.....	174	FCM12102XNSL.....	154	FCM1652.....	151	FCM4813.....	213	FCM6042XG.....	194	FCM62XC.....	195
FC92XCNSL.....	174	FCM12102XRSL.....	154	FCM1654.....	193	FCM4813XC.....	211	FCM6042XJ.....	194	FCM62XCSL.....	195
FC92XE.....	174	FCM1211.....	161	FCM1656.....	193	FCM4813XE.....	211	FCM6042XK.....	194	FCM62XE.....	195
FC92XESL.....	174	FCM1212.....	161	FCM1656SL.....	193	FCM4813XJ.....	211	FCM6042XN.....	194	FCM62XESL.....	195
FC92XG.....	174	FCM124.....	204	FCM1658.....	193	FCM4813XN.....	211	FCM6042XR.....	194	FCM62XG.....	195
FC92XGSL.....	174	FCM125.....	205	FCM18.....	161	FCM4813XR.....	211	FCM6043.....	193	FCM62XGSL.....	195
FC92XJ.....	174	FCM126.....	204	FCM18101SL.....	144	FCM4814.....	213	FCM6045.....	185	FCM62XJ.....	195
FC92XJSL.....	174	FCM1283.....	166	FCM1818X.....	154	FCM4814XC.....	211	FCM6046.....	191	FCM62XJSL.....	195
FC92XK.....	174	FCM1283XC.....	156	FCM1818XE.....	154	FCM4814XE.....	211	FCM6047.....	185	FCM62XK.....	195
FC92XKSL.....	174	FCM1283XE.....	156	FCM1818XG.....	154	FCM4814XJ.....	211	FCM6049.....	188	FCM62XKSL.....	195
FC92XN.....	174	FCM1283XG.....	156	FCM1818XJ.....	154	FCM4814XN.....	211	FCM605.....	214	FCM62XN.....	195
FC92XNSL.....	174	FCM1283XJ.....	156	FCM1818XK.....	154	FCM4814XR.....	211	FCM6050.....	189	FCM62XNSL.....	195
FC92XR.....	174	FCM1283XK.....	156	FCM1818XN.....	154	FCM4816.....	213	FCM6051.....	186	FCM62XR.....	195
FC92XRSL.....	174	FCM1283XN.....	156	FCM1818XR.....	154	FCM4816XC.....	212	FCM6052.....	184	FCM62XRSL.....	195
FCM10.....	166	FCM1283XR.....	156	FCM198.....	162	FCM4816XE.....	212	FCM6055.....	196	FCM65.....	197
FCM100.....	144	FCM1284.....	161	FCM2000SL.....	214	FCM4816XJ.....	212	FCM6056.....	191	FCM6500.....	150
FCM1000.....	219	FCM1284XC.....	154	FCM2000XCSL.....	213	FCM4816XN.....	212	FCM605XC.....	212	FCM6500SL.....	151
FCM1006.....	146	FCM1284XE.....	154	FCM2000XESL.....	213	FCM4816XR.....	212	FCM605XE.....	212	FCM6520.....	211
FCM101.....	185	FCM1284XG.....	154	FCM2000XJSL.....	213	FCM506.....	205	FCM605XJ.....	212	FCM6532.....	205
FCM101SL.....	185	FCM1284XJ.....	154	FCM2000XNSL.....	213	FCM508.....	211	FCM605XN.....	212	FCM6550.....	150
FCM1027.....	146	FCM1284XK.....	154	FCM2000XRSL.....	213	FCM5425.....	175	FCM605XR.....	212	FCM6560.....	192
FCM1029.....	147	FCM1284XN.....	154	FCM2009SL.....	157	FCM5425SL.....	175	FCM606.....	214	FCM6565.....	192
FCM104.....	148	FCM1284XR.....	154	FCM205.....	219	FCM543.....	171	FCM606XC.....	212	FCM6565SL.....	192
FCM104XC.....	195	FCM1285.....	161	FCM2050SL.....	213	FCM545SL.....	171	FCM606XE.....	212	FCM6568.....	192
FCM104XE.....	195	FCM1285XC.....	154	FCM2050XCSL.....	212	FCM571.....	148	FCM606XJ.....	212	FCM6570.....	217
FCM104XG.....	195	FCM1285XE.....	154	FCM2050XESL.....	212	FCM572SL.....	149	FCM606XN.....	212	FCM6575.....	182
FCM104XJ.....	195	FCM1285XG.....	154	FCM2050XJSL.....	212	FCM574.....	148	FCM606XR.....	212	FCM6577.....	182
FCM104XK.....	195	FCM1285XJ.....	154	FCM2050XNSL.....	212	FCM575.....	190	FCM607.....	214	FCM6580SL.....	172
FCM104XN.....	195	FCM1285XK.....	154	FCM2050XRSL.....	212	FCM577.....	190	FCM6074.....	189	FCM6582.....	172
FCM104XR.....	195	FCM1285XN.....	154	FCM2101SL.....	177	FCM581.....	190	FCM6075.....	189	FCM65SL.....	198
FCM105.....	189	FCM1285XR.....	154	FCM2106.....	177	FCM583SL.....	190	FCM607XC.....	212	FCM65XC.....	194
FCM105SL.....	189	FCM1286.....	157	FCM2107.....	177	FCM60.....	219	FCM607XE.....	212	FCM65XCSL.....	194
FCM106.....	182	FCM1286SL.....	157	FCM2108.....	177	FCM600.....	219	FCM607XJ.....	212	FCM65XE.....	194
FCM108.....	143	FCM1289.....	162	FCM220.....	219	FCM601.....	214	FCM607XN.....	212	FCM65XESL.....	194
FCM1089SL.....	177	FCM1289SL.....	162	FCM241.....	144	FCM601XC.....	213	FCM607XR.....	212	FCM65XG.....	194
FCM109.....	184	FCM131.....	168	FCM31.....	219	FCM601XE.....	213	FCM608.....	214	FCM65XGSL.....	194
FCM109SL.....	184	FCM13101SL.....	193	FCM310.....	143	FCM601XJ.....	213	FCM608XC.....	212	FCM65XJ.....	194
FCM10XC.....	156	FCM131SL.....	168	FCM32.....	180	FCM601XN.....	213	FCM608XE.....	212	FCM65XJSL.....	194
FCM10XE.....	156	FCM132.....	205	FCM32SL.....	180	FCM601XR.....	213	FCM608XJ.....	212	FCM65XK.....	194
FCM10XG.....	156	FCM134.....	219	FCM32XC.....	175	FCM602.....	211	FCM608XN.....	212	FCM65XKSL.....	194
FCM10XJ.....	156	FCM138.....	161	FCM32XCSL.....	175	FCM6021.....	200	FCM608XR.....	212	FCM65XN.....	194
FCM10XK.....	156	FCM138XC.....	154	FCM32XE.....	175	FCM6021XC.....	195	FCM609.....	210	FCM65XNSL.....	194
FCM10XN.....	156	FCM138XE.....	154	FCM32XESL.....	175	FCM6021XE.....	195	FCM6093.....	147	FCM65XR.....	194
FCM10XR.....	156	FCM138XG.....	154	FCM32XG.....	175	FCM6021XG.....	195	FCM6094.....	148	FCM65XRSL.....	194
FCM110.....	181	FCM138XJ.....	154	FCM32XGSL.....	175	FCM6021XJ.....	195	FCM6095.....	149	FCM66.....	193
FCM113.....	145	FCM138XK.....	154	FCM32XJ.....	175	FCM6021XK.....	195	FCM61.....	218	FCM668.....	144
FCM114.....	186	FCM138XN.....	154	FCM32XJSL.....	175	FCM6021XN.....	195	FCM6107.....	187	FCM66SL.....	193
FCM114SL.....	186	FCM138XR.....	154	FCM32XK.....	175	FCM6021XR.....	195	FCM6108.....	187	FCM670.....	200
FCM115.....	168	FCM1400SL.....	177	FCM32XKSL.....	175	FCM6022.....	197	FCM6124SL.....	162	FCM678.....	196
FCM115SL.....	168	FCM1402.....	177	FCM32XN.....	175	FCM6022XC.....	194	FCM6124XCSL.....	154	FCM678SL.....	196
FCM116.....	196	FCM1405.....	198	FCM32XNSL.....	175	FCM6022XE.....	194	FCM6124XESL.....	154	FCM704.....	216
FCM118.....	204	FCM1405SL.....	198	FCM32XR.....	175	FCM6022XG.....	194	FCM6124XJSL.....	154	FCM707.....	215
FCM1200.....	161	FCM1406.....	198	FCM32XRSL.....	175	FCM6022XJ.....	194	FCM6124XNSL.....	154	FCM708.....	216
FCM1200SL.....	161	FCM1408.....	198	FCM3487SL.....	198	FCM6022XK.....	194	FCM6124XRSL.....	154	FCM7125SL.....	198
FCM1201.....	161	FCM141.....	157	FCM3487XCSL.....	194	FCM6022XN.....	194	FCM6125SL.....	162	FCM721.....	215
FCM1201SL.....	161	FCM142.....	147	FCM3487XESL.....	194	FCM6022XR.....	194	FCM6125XCSL.....	154	FCM735.....	216
FCM1202.....	161	FCM143.....	170	FCM3487XGSL.....	194	FCM6023.....	193	FCM6125XE.....	154	FCM736.....	215
FCM1202SL.....	161	FCM143SL.....	170	FCM3487XJSL.....	194	FCM6025.....	185	FCM6125XJSL.....	154	FCM745.....	216
FCM1203.....	161	FCM144.....	189	FCM3487XKSL.....	194	FCM6026.....	191	FCM6125XNSL.....	154	FCM752.....	216
FCM1204SL.....	157	FCM1442SL.....	172	FCM3487XNSL.....	194	FCM6027.....	185	FCM6125XRSL.....	154	FCM755.....	219
FCM1205SL.....	157	FCM147.....	170	FCM3487XRSL.....	194	FCM6029.....	188	FCM6126SL.....	162	FCM758.....	146

FCM760.....	204	FCM81828.....	161	FCM86550.....	150	FCM902.....	169	S100XKSL.....	156	S1211SL.....	164
FCM761.....	187	FCM81829.....	161	FCM86550SL.....	150	FCM902SL.....	169	S100XNSL.....	156	S1212.....	164
FCM761SL.....	187	FCM818SL.....	148	FCM86560.....	192	FCM904.....	204	S100XRSL.....	156	S128.....	164
FCM764.....	169	FCM81900SL.....	177	FCM86560SL.....	192	FCM905.....	147	S1027.....	146	S128XC.....	155
FCM764SL.....	169	FCM81918SL.....	143	FCM86570.....	217	FCM906.....	188	S1029.....	147	S128XE.....	155
FCM765.....	167	FCM81919SL.....	145	FCM86580SL.....	172	FCM906SL.....	188	S104.....	201	S128XG.....	155
FCM765SL.....	167	FCM81921SL.....	148	FCM865SL.....	186	FCM907.....	170	S104XC.....	196	S128XJ.....	155
FCM784.....	183	FCM81928SL.....	149	FCM866.....	189	FCM907SL.....	170	S104XE.....	196	S128XK.....	155
FCM785.....	181	FCM81944SL.....	177	FCM866SL.....	189	FCM909.....	205	S104XG.....	196	S128XN.....	155
FCM787.....	183	FCM81947SL.....	177	FCM8675SL.....	198	FCM910.....	149	S104XJ.....	196	S128XR.....	155
FCM788.....	181	FCM81949SL.....	177	FCM8678.....	196	FCM911.....	191	S104XK.....	196	S130.....	157
FCM789.....	182	FCM81968SL.....	144	FCM8678SL.....	196	FCM911SL.....	191	S104XN.....	196	S130SL.....	157
FCM80.....	183	FCM81986SL.....	147	FCM867SL.....	191	FCM912.....	171	S104XR.....	196	S131.....	196
FCM800.....	204	FCM82.....	177	FCM870.....	166	FCM912SL.....	171	S105.....	201	S132.....	196
FCM807SL.....	146	FCM820.....	149	FCM8704.....	216	FCM914.....	205	S108.....	164	S132SL.....	196
FCM808SL.....	143	FCM821.....	148	FCM8707.....	215	FCM915.....	182	S1089.....	178	S1350.....	197
FCM809SL.....	149	FCM822.....	144	FCM8708.....	216	FCM916.....	182	S1089SL.....	179	S137.....	197
FCM81000.....	219	FCM828.....	161	FCM870SL.....	166	FCM92SL.....	177	S108XC.....	155	S138SL.....	194
FCM8101SL.....	177	FCM82XC.....	174	FCM870XC.....	156	FCM92XCSSL.....	174	S108XE.....	155	S139.....	145
FCM8101XCSSL.....	174	FCM82XE.....	174	FCM870XCSSL.....	156	FCM92XESL.....	174	S108XG.....	155	S139SL.....	145
FCM8101XESL.....	174	FCM82XG.....	174	FCM870XE.....	156	FCM92XGSL.....	174	S108XJ.....	155	S140.....	166
FCM8101XGSL.....	174	FCM82XJ.....	174	FCM870XESL.....	156	FCM92XJSL.....	174	S108XK.....	155	S1400.....	179
FCM8101XJSL.....	174	FCM82XK.....	174	FCM870XG.....	156	FCM92XKSL.....	174	S108XN.....	155	S1400SL.....	179
FCM8101XKSL.....	174	FCM82XN.....	174	FCM870XGSL.....	156	FCM92XNSL.....	174	S108XR.....	155	S1400SL.....	176
FCM8101XNSL.....	174	FCM82XR.....	174	FCM870XJ.....	156	FCM92XRSL.....	174	S11.....	220	S1401SL.....	176
FCM8101XRSL.....	174	FCM8310SL.....	177	FCM870XJSL.....	156	FCM966.....	187	S1100.....	220	S1402.....	179
FCM8103SL.....	170	FCM8311SL.....	177	FCM870XK.....	156	FCM968.....	187	S115.....	199	S1404.....	209
FCM8104SL.....	169	FCM8313SL.....	177	FCM870XKSL.....	156	FCO6184SL.....	163	S1170SL.....	164	S1405.....	200
FCM8105SL.....	167	FCM8321.....	197	FCM870XN.....	156	FCO6184XCSSL.....	155	S1170XCSSL.....	155	S1405SL.....	200
FCM8107SL.....	172	FCM8321XC.....	194	FCM870XNSL.....	156	FCO6184XESL.....	155	S1170XESL.....	155	S1406.....	200
FCM8109SL.....	174	FCM8321XE.....	194	FCM870XR.....	156	FCO6184XJSL.....	155	S1170XGSL.....	155	S1407.....	200
FCM8110SL.....	175	FCM8321XG.....	194	FCM870XRSL.....	156	FCO6184XNSL.....	155	S1170XJSL.....	155	S1408.....	200
FCM8114.....	144	FCM8321XJ.....	194	FCM871.....	143	FCO6184XRSL.....	155	S1170XKSL.....	155	S1409.....	197
FCM8114SL.....	144	FCM8321XK.....	194	FCM871SL.....	143	FCO6185SL.....	163	S1170XNSL.....	155	S140STC.....	218
FCM8115.....	157	FCM8321XN.....	194	FCM872.....	144	FCO6185XCSSL.....	155	S1170XRSL.....	155	S140XC.....	156
FCM8115SL.....	157	FCM8321XR.....	194	FCM8721.....	215	FCO6185XESL.....	155	S118.....	166	S140XE.....	156
FCM81200.....	166	FCM8322.....	197	FCM872SL.....	144	FCO6185XJSL.....	155	S118XC.....	156	S140XG.....	156
FCM81200SL.....	166	FCM8323.....	197	FCM873.....	145	FCO6185XNSL.....	155	S118XE.....	156	S140XJ.....	156
FCM81200XC.....	156	FCM8324.....	197	FCM8735.....	216	FCO6185XRSL.....	155	S118XG.....	156	S140XK.....	156
FCM81200XCSSL.....	156	FCM8545SL.....	171	FCM8736.....	215	FCO6186SL.....	163	S118XJ.....	156	S140XN.....	156
FCM81200XE.....	156	FCM8571.....	148	FCM873SL.....	145	FCO6186XCSSL.....	155	S118XK.....	156	S140XR.....	156
FCM81200XESL.....	156	FCM8572SL.....	149	FCM874.....	148	FCO6186XESL.....	155	S118XN.....	156	S141.....	164
FCM81200XG.....	156	FCM8573SL.....	149	FCM8745.....	216	FCO6186XJSL.....	155	S118XR.....	156	S1411.....	203
FCM81200XGSL.....	156	FCM8574.....	148	FCM874SL.....	148	FCO6186XNSL.....	155	S12.....	204	S141STC.....	218
FCM81200XJ.....	156	FCM8581.....	190	FCM8752.....	216	FCO6186XRSL.....	155	S120.....	220	S141XC.....	155
FCM81200XJSL.....	156	FCM8583SL.....	190	FCM881SL.....	180	FCO6188SL.....	163	S1200.....	164	S141XE.....	155
FCM81200XK.....	156	FCM860.....	219	FCM881XCSL.....	175	FCO6188XCSSL.....	155	S1200SL.....	164	S141XG.....	155
FCM81200XKSL.....	156	FCM861.....	218	FCM881XESL.....	175	FCO6188XESL.....	155	S1201.....	163	S141XJ.....	155
FCM81200XN.....	156	FCM861XC.....	218	FCM881XGSL.....	175	FCO6188XJSL.....	155	S1201SL.....	164	S141XK.....	155
FCM81200XNSL.....	156	FCM861XE.....	218	FCM881XJSL.....	175	FCO6188XNSL.....	155	S1202.....	164	S141XN.....	155
FCM81200XR.....	156	FCM861XG.....	218	FCM881XKSL.....	175	FCO6188XRSL.....	155	S1202SL.....	164	S141XR.....	155
FCM81200XRSL.....	156	FCM861XJ.....	218	FCM881XNSL.....	175	FCO6189SL.....	163	S1203.....	164	S1442SL.....	172
FCM81208P.....	161	FCM861XK.....	218	FCM881XRSL.....	175	FCO6189XCSSL.....	155	S1204.....	159	S154.....	147
FCM81208PSL.....	161	FCM861XN.....	218	FCM882SL.....	167	FCO6189XESL.....	155	S1204SL.....	159	S154SL.....	147
FCM81208SL.....	161	FCM861XR.....	218	FCM883SL.....	168	FCO6189XJSL.....	155	S1205.....	159	S155.....	148
FCM81225.....	157	FCM862.....	200	FCM884SL.....	168	FCO6189XNSL.....	155	S1205SL.....	159	S155SL.....	148
FCM81225SL.....	157	FCM862SL.....	200	FCM885SL.....	170	FCO6189XRSL.....	155	S1205XC.....	153	S156.....	172
FCM812SL.....	146	FCM862XC.....	195	FCM886.....	187	FCO6190SL.....	163	S1205XE.....	153	S160.....	150
FCM813SL.....	150	FCM862XCSSL.....	195	FCM886SL.....	187	FCO6190XCSSL.....	155	S1205XG.....	153	S160SL.....	150
FCM814.....	144	FCM862XE.....	195	FCM887SL.....	169	FCO6190XESL.....	155	S1205XJ.....	153	S161.....	192
FCM8145.....	198	FCM862XESL.....	195	FCM888.....	188	FCO6190XJSL.....	155	S1205XK.....	153	S161SL.....	192
FCM8145SL.....	198	FCM862XG.....	195	FCM888SL.....	188	FCO6190XNSL.....	155	S1205XN.....	153	S162.....	203
FCM8149.....	191	FCM862XGSL.....	195	FCM889SL.....	170	FCO6190XRSL.....	155	S1205XR.....	153	S163.....	182
FCM814SL.....	145	FCM862XJ.....	195	FCM890.....	149	FCO6575.....	183	S1206.....	159	S1645.....	217
FCM815SL.....	147	FCM862XJSL.....	195	FCM890SL.....	149	FWRT.....	221	S1206SL.....	159	S1646.....	173
FCM816.....	143	FCM862XK.....	195	FCM891.....	191	KNRT.....	221	S1207.....	159	S1646SL.....	173
FCM81645.....	217	FCM862XKSL.....	195	FCM891SL.....	191	PBRT.....	221	S1207XC.....	153	S1647.....	173
FCM81646SL.....	173	FCM862XN.....	195	FCM892SL.....	171	RSRT.....	221	S1207XE.....	153	S1650.....	211
FCM81651.....	151	FCM862XNSL.....	195	FCM893SL.....	147	S10.....	205	S1207XG.....	153	S1651.....	152
FCM81651SL.....	151	FCM862XR.....	195	FCM896.....	187	S100.....	220	S1207XJ.....	153	S1651SL.....	152
FCM81652.....	151	FCM862XRSL.....	195	FCM896SL.....	187	S1000.....	182	S1207XK.....	153	S1652.....	152
FCM81652SL.....	151	FCM863.....	184	FCM898.....	185	S1001.....	182	S1207XN.....	153	S1652SL.....	152
FCM81654.....	193	FCM863SL.....	184	FCM898SL.....	185	S1006.....	146	S1207XR.....	153	S1653.....	193
FCM81654SL.....	193	FCM864.....	185	FCM899.....	189	S100SL.....	166	S1208.....	164	S1654.....	193
FCM816SL.....	144	FCM864SL.....	185	FCM899SL.....	189	S100XCSSL.....	156	S1208SL.....	164	S1655.....	208
FCM817.....	145	FCM865.....	186	FCM900.....	146	S100XESL.....	156	S1209.....	163	S1656.....	193
FCM817SL.....	147	FCM86500.....	150	FCM901.....	187	S100XGSL.....	156	S1209SL.....	164	S1656SL.....	193
FCM81800SL.....	144	FCM86500SL.....	151	FCM901SL.....	187	S100XJSL.....	156	S1211.....	163	S1658.....	193

S1661	203	S2103SL	176	S237	217	S32XE	195	S543	171	S574	149
S17	205	S2103XC	174	S241	145	S32XG	195	S545SL	171	S575	190
S198	165	S2103XCSSL	174	S243	197	S32XJ	195	S549	207	S577	190
S198SL	165	S2103XE	174	S255	217	S32XK	195	S5700	160	S579	190
S20	205	S2103XESL	174	S256	217	S32XN	195	S5700SL	160	S581	190
S200	220	S2103XG	174	S2600	156	S32XR	195	S5700XC	153	S583SL	190
S2000	165	S2103XGSL	174	S2610	214	S34	194	S5700XCSSL	154	S585	203
S2000SL	165	S2103XJ	174	S2610XC	213	S3487SL	199	S5700XE	153	S5870SL	148
S2000SL-2C	159	S2103XJSL	174	S2610XE	213	S3487XCSL	195	S5700XESL	154	S600	220
S2000SL-4C	159	S2103XK	174	S2610XJ	213	S3487XESL	195	S5700XG	153	S6000	184
S2000XC	155	S2103XKSL	174	S2610XN	213	S3487XGSL	195	S5700XGSL	154	S6000SL	184
S2000XCSSL	155	S2103XN	174	S2610XR	213	S3487XJSL	195	S5700XJ	153	S6002	143
S2000XCSSL-2C	153	S2103XNSL	174	S262	199	S3487XKSL	195	S5700XJSL	154	S6002SL	143
S2000XCSSL-4C	153	S2103XR	174	S2620	211	S3487XNSL	195	S5700XK	153	S6006	186
S2000XE	155	S2103XRSL	174	S262XC	194	S3487XRSL	195	S5700XKSL	154	S6006SL	186
S2000XESL	155	S2104	176	S262XE	194	S35	186	S5700XN	153	S6008	145
S2000XESL-2C	153	S2104SL	176	S262XG	194	S369	145	S5700XNSL	154	S6008SL	145
S2000XESL-4C	153	S2104XC	174	S262XJ	194	S37	191	S5700XR	153	S6009	168
S2000XG	155	S2104XCSSL	174	S262XK	194	S38	185	S5700XRSL	154	S6009SL	169
S2000XGSL	155	S2104XE	174	S262XN	194	S4070SL	150	S5705	159	S601	214
S2000XJ	155	S2104XESL	174	S262XR	194	S41	188	S5705XC	153	S6010	169
S2000XJSL	155	S2104XG	174	S2630	210	S416SL	150	S5705XE	153	S6012	204
S2000XJSL-2C	153	S2104XGSL	174	S263SL	199	S42	190	S5705XG	153	S6013	202
S2000XJSL-4C	153	S2104XJ	174	S263XCSSL	195	S426	191	S5705XJ	153	S6014	202
S2000XK	155	S2104XJSL	174	S263XESL	195	S43	192	S5705XK	153	S6015SL	166
S2000KSL	155	S2104XK	174	S263XGSL	195	S430	203	S5705XN	153	S601XC	213
S2000XN	155	S2104XKSL	174	S263XJSL	195	S430SL	191	S5705XR	153	S601XCSSL	156
S2000XNSL	155	S2104XN	174	S263XKSL	195	S454	217	S571	149	S601XE	213
S2000XNSL-2C	153	S2104XNSL	174	S263XNSL	195	S4570SL	143	S5710	160	S601XESL	156
S2000XNSL-4C	153	S2104XR	174	S263XRSL	195	S4800	220	S5710SL	160	S601XGSL	156
S2000XR	155	S2104XRSL	174	S2640	211	S4810	214	S5710XC	153	S601XJ	213
S2000XRSL	155	S2105	176	S2650	210	S4810SL	214	S5710XCSSL	154	S601XJSL	156
S2000XRSL-2C	153	S2106	178	S2660	211	S4810XC	213	S5710XE	153	S601XKSL	156
S2000XRSL-4C	153	S2107	178	S2670	211	S4810XCSSL	213	S5710XESL	154	S601XN	213
S20042	172	S2108	178	S289	203	S4810XE	213	S5710XG	153	S601XNSL	156
S2009	160	S210SL	201	S289E	203	S4810XESL	213	S5710XGSL	154	S601XR	213
S2009SL	160	S210XCSSL	196	S289ESL	194	S4810XJ	213	S5710XJ	153	S601XRSL	156
S2010	159	S210XESL	196	S289XC	203	S4810XJSL	213	S5710XJSL	154	S602	211
S2010SL	159	S210XGSL	196	S289XE	203	S4810XN	213	S5710XK	153	S6021	201
S2010XC	153	S210XJSL	196	S289XG	203	S4810XNSL	213	S5710XKSL	154	S6021XC	195
S2010XCSSL	153	S210XKSL	196	S289XJ	203	S4810XR	213	S5710XN	153	S6021XE	195
S2010XE	153	S210XNSL	196	S289XK	203	S4810XRSL	213	S5710XNSL	154	S6021XG	195
S2010XESL	153	S210XRSL	196	S289XN	203	S4812	213	S5710XR	153	S6021XJ	195
S2010XG	153	S211	186	S289XR	203	S4812SL	213	S5710XRSL	154	S6021XK	195
S2010XGSL	153	S213	188	S291	202	S4812XC	212	S5715	159	S6021XN	195
S2010XJ	153	S214	190	S291SL	188	S4812XCSSL	212	S5715XC	153	S6021XR	195
S2010XJSL	153	S2150	197	S292	202	S4812XE	212	S5715XE	153	S6022	199
S2010XK	153	S220	220	S292SL	190	S4812XESL	212	S5715XG	153	S6022XC	194
S2010XKSL	153	S2200	179	S294	202	S4812XJ	212	S5715XJ	153	S6022XE	194
S2010XN	153	S2200XC	175	S294SL	186	S4812XJSL	212	S5715XK	153	S6022XG	194
S2010XNSL	153	S2200XCSSL	175	S296	218	S4812XN	212	S5715XN	153	S6022XJ	194
S2010XR	153	S2200XE	175	S296XC	218	S4812XNSL	212	S5715XR	153	S6022XK	194
S2010XRSL	153	S2200XESL	175	S296XE	218	S4812XR	212	S5720	160	S6022XN	194
S205	220	S2200XGSL	175	S296XG	218	S4812XRSL	212	S5720SL	160	S6022XR	194
S2050	159	S2200XJ	175	S296XJ	218	S4813	213	S5720XC	153	S6023	194
S2050XC	153	S2200XJSL	175	S296XK	218	S4813XC	212	S5720XCSSL	154	S6025	186
S2050XE	153	S2200XK	175	S296XN	218	S4813XE	212	S5720XE	153	S6026	191
S2050XG	153	S2200XKSL	175	S296XR	218	S4813XJ	212	S5720XESL	154	S6027	185
S2050XJ	153	S2200XN	175	S30	201	S4813XN	212	S5720XG	153	S6029	188
S2050XK	153	S2200XNSL	175	S308SL	164	S4813XR	212	S5720XGSL	154	S602SL	147
S2050XN	153	S2200XR	175	S308XCSSL	155	S4814	213	S5720XJ	153	S6030	190
S2050XR	153	S2200XRSL	175	S308XESL	155	S4814XC	212	S5720XJSL	154	S6031	186
S206	200	S2250	176	S308XGSL	155	S4814XE	212	S5720XK	153	S6032	184
S206E	194	S2250XC	174	S308XJSL	155	S4814XJ	212	S5720XKSL	154	S6034	197
S206XC	195	S2250XCSSL	174	S308XKSL	155	S4814XN	212	S5720XN	153	S6035	196
S206XE	195	S2250XE	174	S308XNSL	155	S4814XR	212	S5720XNSL	154	S6036	192
S206XG	195	S2250XESL	174	S308XRSL	155	S4816	213	S5720XR	153	S604	210
S206XJ	195	S2250XG	174	S30XC	196	S4816XC	212	S5720XRSL	154	S6041	201
S206XK	195	S2250XGSL	174	S30XE	196	S4816XE	212	S5725	159	S6041XC	195
S206XN	195	S2250XJ	174	S30XG	196	S4816XJ	212	S5725XC	153	S6041XE	195
S206XR	195	S2250XJSL	174	S30XJ	196	S4816XN	212	S5725XE	153	S6041XG	195
S2070SL	194	S2250XK	174	S30XK	196	S4816XR	212	S5725XG	153	S6041XJ	195
S210	220	S2250XKSL	174	S30XN	196	S506	205	S5725XJ	153	S6041XK	195
S2100	200	S2250XN	174	S30XR	196	S507	207	S5725XK	153	S6041XN	195
S2101	179	S2250XNSL	174	S31	220	S508	211	S5725XN	153	S6041XR	195
S2101SL	179	S2250XR	174	S310	143	S529	171	S5725XR	153	S6042	199
S2102	179	S2250XRSL	174	S32	199	S5425	176	S572SL	149	S6042XC	194
S2103	176	S236	217	S32XC	195	S5425SL	176	S573SL	149	S6042XE	194

S6042XG	194	S6084	182	S6576	183	S807XE	203	S81929PXG	195	S82610XN	213
S6042XJ	194	S6085	181	S6577	183	S807XG	203	S81929PXJ	195	S82610XR	213
S6042XK	194	S608XC	212	S6580	173	S807XJ	203	S81929PXK	195	S82620	211
S6042XN	194	S608XE	212	S6580SL	173	S807XK	203	S81929PXN	195	S82630	210
S6042XR	194	S608XJ	212	S6582	172	S807XN	203	S81929PXR	195	S82640	211
S6043	194	S608XN	212	S668	144	S807XR	203	S81932P	188	S82650	210
S6045	186	S608XR	212	S682	176	S808	164	S81933P	184	S82660	211
S6046	191	S609	210	S685L	160	S808SL	164	S81935P	185	S82670	211
S6047	185	S6090	150	S685LXC	154	S80XC	175	S81936P	186	S828	164
S6049	188	S6091	171	S685LXE	154	S80XE	175	S81937P	186	S829	157
S604SL	145	S6091SL	171	S685LXG	154	S80XG	175	S81938P	188	S829SL	157
S605	214	S6092	170	S685LXJ	154	S80XJ	175	S81939P	187	S82SL	179
S6050	190	S6092SL	170	S685LXK	154	S80XK	175	S81940P	189	S82XC	175
S6051	186	S6093	147	S685LXN	154	S80XN	175	S81941P	190	S82XCSSL	175
S6052	184	S6094	148	S685LXR	154	S80XR	175	S81942P	191	S82XE	175
S6054	197	S6095	150	S685R	160	S810	220	S81983	189	S82XESL	175
S6055	196	S6100	146	S685RXC	154	S81000	220	S82	178	S82XG	175
S6056	192	S6100SL	146	S685RXE	154	S81086SL	166	S820	150	S82XGSL	175
S605SL	165	S6101	187	S685RXG	154	S81086CSSL	156	S8200	220	S82XJ	175
S605XC	212	S6101SL	187	S685RXJ	154	S81086XESL	156	S8201	220	S82XJSL	175
S605XCSSL	155	S6102	169	S685RXK	154	S81086XGSL	156	S8202SL	179	S82XK	175
S605XE	212	S6102SL	169	S685RXN	154	S81086XJSL	156	S8204SL	179	S82XKSL	175
S605XESL	155	S6103	169	S685RXR	154	S81086XKSL	156	S8207SL	179	S82XN	175
S605XJ	212	S6104	202	S691	160	S81086XNSL	156	S821	148	S82XNSL	175
S605XJSL	155	S6105	204	S691XC	153	S81086XRSL	156	S82103	176	S82XR	175
S605XN	212	S6106	187	S691XE	153	S81100	220	S82103XC	174	S82XRSL	175
S605XNSL	155	S6107	187	S691XG	153	S81186SL	165	S82103XE	174	S830	201
S605XR	212	S6108	187	S691XJ	153	S8120	220	S82103XG	174	S830XC	196
S605XRSL	155	S6111	204	S691XK	153	S81208	164	S82103XJ	174	S830XE	196
S606	214	S6113	204	S691XN	153	S81225	157	S82103XK	174	S830XG	196
S6061	157	S6117	205	S691XR	153	S8132	196	S82103XN	174	S830XJ	196
S6062	165	S6119	205	S704	216	S8132SL	196	S82103XR	174	S830XK	196
S6062SL	165	S6121	204	S707	215	S814	144	S82104	176	S830XN	196
S6063	164	S6123	217	S708	216	S8140	166	S82105	176	S830XR	196
S6063STC	218	S6124SL	165	S709	182	S81401	176	S82105XC	174	S831	220
S6063XC	155	S6124XCSSL	155	S7125SL	199	S81405	200	S82105XE	174	S8310	179
S6063XE	155	S6124XESL	155	S721	215	S81405STC	218	S82105XG	174	S8310SL	179
S6063XG	155	S6124XJSL	155	S735	216	S8140XC	156	S82105XJ	174	S8311	178
S6063XJ	155	S6124XNSL	155	S736	215	S8140XE	156	S82105XK	174	S8311SL	179
S6063XK	155	S6124XRSL	155	S745	216	S8140XG	156	S82105XN	174	S83120	209
S6063XN	155	S6125SL	165	S751SL	180	S8140XJ	156	S82105XR	174	S831203	209
S6063XR	155	S6125XCSSL	155	S751XCSSL	175	S8140XK	156	S82106	176	S831203XC	208
S606SL	165	S6125XESL	155	S751XESL	175	S8140XN	156	S82106XC	174	S831203XE	208
S606XC	212	S6125XJSL	155	S751XGSL	175	S8140XR	156	S82106XE	174	S831203XG	208
S606XCSSL	155	S6125XNSL	155	S751XJSL	175	S8141	209	S82106XG	174	S831203XJ	208
S606XE	212	S6125XRSL	155	S751XKSL	175	S8144	200	S82106XJ	174	S831203XK	208
S606XESL	155	S6126SL	165	S751XNSL	175	S8145	200	S82106XK	174	S831203XN	208
S606XJ	212	S6126XCSSL	155	S751XRSL	175	S8145SL	200	S82106XN	174	S831203XR	208
S606XJSL	155	S6126XESL	155	S752	216	S8149	192	S82106XR	174	S83120XC	208
S606XN	212	S6126XJSL	155	S755	220	S8145L	144	S82107	176	S83120XE	208
S606XNSL	155	S6126XNSL	155	S757SL	172	S815	144	S82107XC	174	S83120XG	208
S606XR	212	S6126XRSL	155	S758SL	168	S816	143	S82107XE	174	S83120XJ	208
S606XRSL	155	S6127SL	146	S770	183	S81645	217	S82107XG	174	S83120XK	208
S607	214	S6128SL	157	S771	181	S81646	173	S82107XJ	174	S83120XN	208
S6070	147	S6130SL	144	S773	182	S81646SL	173	S82107XK	174	S83120XR	208
S6070SL	148	S6131SL	146	S774	182	S81649	208	S82107XN	174	S8313	179
S6071	170	S6132SL	150	S80	180	S81650	211	S82107XR	174	S8313SL	179
S6071SL	170	S6134SL	145	S8000	165	S81651	152	S82200	179	S83141	206
S6072	170	S6135SL	148	S8000-12	159	S81651SL	152	S82200XC	175	S83142	207
S6073	189	S6201SL	210	S8000-18	159	S81652	152	S82200XE	175	S83143	205
S6074	189	S6240	210	S8000-9	160	S81652SL	152	S82200XG	175	S83145	208
S6075	189	S6240SL	210	S8000SL	165	S81653	193	S82200XJ	175	S83147	207
S6076	189	S626	150	S8000XC	155	S81654	193	S82200XK	175	S83149	207
S607SL	165	S6500	151	S8000XCSSL	155	S81654SL	193	S82200XN	175	S83152	206
S607XC	212	S6500SL	151	S8000XE	155	S81656	193	S82200XR	175	S83153	206
S607XCSSL	155	S6520	211	S8000XESL	155	S817	145	S82250	176	S83154	207
S607XE	212	S6532	205	S8000XG	155	S818	166	S822XC	175	S83155	206
S607XESL	155	S6534	208	S8000XGSL	155	S81828	164	S822XE	175	S83156	206
S607XJ	212	S6536	192	S8000XJ	155	S818XC	156	S822XG	175	S8316	179
S607XJSL	155	S6550	151	S8000XJSL	155	S818XE	156	S822XJ	175	S8317	217
S607XN	212	S6550SL	151	S8000XK	155	S818XG	156	S822XK	175	S8318	199
S607XNSL	155	S6560	192	S8000XKSL	155	S818XJ	156	S822XN	175	S8319	199
S607XR	212	S6565	192	S8000XN	155	S818XK	156	S822XR	175	S832	199
S607XRSL	155	S6565SL	192	S8000XNSL	155	S818XN	156	S82600	156	S8320	199
S608	214	S6568	192	S8000XR	155	S818XR	156	S82610	214	S8321	199
S6080	183	S6570	217	S8000XRSL	155	S81929P	200	S82610XC	213	S8321XC	195
S6081	183	S6572	203	S807	203	S81929PXC	195	S82610XE	213	S8321XE	195
S6082	182	S6575	183	S807XC	203	S81929PXJ	195	S82610XJ	213	S8321XG	195


S8321XJ.....	195	S85700XCSL.....	154	S85892SL.....	143	S86026.....	191	S8691XE.....	153	S902SL.....	172
S8321XK.....	195	S85700XE.....	153	S85893.....	145	S86027.....	185	S8691XG.....	153	S90SL.....	179
S8321XN.....	195	S85700XESL.....	154	S85893SL.....	145	S86029.....	188	S8691XJ.....	153	S90XC.....	175
S8321XR.....	195	S85700XG.....	153	S85895.....	150	S8602SL.....	147	S8691XK.....	153	S90XE.....	175
S8322.....	199	S85700XGSL.....	154	S85895SL.....	150	S86030.....	190	S8691XN.....	153	S90XG.....	175
S8323.....	199	S85700XJ.....	153	S85896.....	148	S86031.....	186	S8691XR.....	153	S90XJ.....	175
S8324.....	199	S85700XJSL.....	154	S85896SL.....	148	S86032.....	184	S8704.....	216	S90XK.....	175
S8325.....	199	S85700XK.....	153	S85897.....	187	S86035.....	196	S8707.....	215	S90XN.....	175
S8326.....	199	S85700XKSL.....	154	S85898.....	169	S86036.....	192	S8708.....	216	S90XR.....	175
S8327.....	199	S85700XN.....	153	S85898SL.....	169	S8604.....	210	S8721.....	215	S91.....	168
S8328.....	199	S85700XNSL.....	154	S85900.....	169	S8605.....	214	S8735.....	216	S912.....	172
S832XC.....	195	S85700XR.....	153	S85900SL.....	169	S8605SL.....	165	S8736.....	215	S916.....	144
S832XE.....	195	S85700XRSL.....	154	S85901.....	170	S8605XC.....	212	S8745.....	216	S916SL.....	144
S832XG.....	195	S85705.....	159	S85902.....	172	S8605XE.....	212	S8752.....	216	S91SL.....	168
S832XJ.....	195	S85705XC.....	153	S85902SL.....	172	S8605XJ.....	212	S880.....	180	S92.....	179
S832XK.....	195	S85705XE.....	153	S85905.....	184	S8605XN.....	212	S880SL.....	180	S925.....	209
S832XN.....	195	S85705XG.....	153	S85906.....	188	S8605XR.....	212	S880XC.....	175	S926.....	185
S832XR.....	195	S85705XJ.....	153	S85907.....	185	S8606.....	214	S880XCSL.....	175	S92SL.....	176
S833.....	186	S85705XK.....	153	S85908.....	188	S8606SL.....	165	S880XE.....	175	S92XC.....	175
S837.....	191	S85705XN.....	153	S85909.....	190	S8606XC.....	212	S880XESL.....	175	S92XE.....	175
S84586SL.....	144	S85705XR.....	153	S85910SL.....	201	S8606XE.....	212	S880XG.....	175	S92XG.....	175
S84800.....	220	S8571.....	149	S85910XCSL.....	196	S8606XJ.....	212	S880XGSL.....	175	S92XJ.....	175
S84810.....	214	S85710.....	160	S85910XESL.....	196	S8606XN.....	212	S880XJ.....	175	S92XK.....	175
S84810SL.....	214	S85710SL.....	160	S85910XGSL.....	196	S8606XR.....	212	S880XJSL.....	175	S92XN.....	175
S84810XC.....	213	S85710XC.....	153	S85910XJSL.....	196	S8607.....	214	S880XK.....	175	S92XR.....	175
S84810XCSL.....	213	S85710XCSL.....	154	S85910XKSL.....	196	S86074.....	189	S880XKSL.....	175	S93.....	220
S84810XE.....	213	S85710XE.....	153	S85910XNSL.....	196	S86075L.....	165	S880XN.....	175	S930.....	202
S84810XESL.....	213	S85710XESL.....	154	S85910XRSL.....	196	S8607XC.....	212	S880XNSL.....	175	S930SL.....	185
S84810XJ.....	213	S85710XG.....	153	S85911SL.....	188	S8607XE.....	212	S880XR.....	175	S9320.....	209
S84810XJSL.....	213	S85710XGSL.....	154	S85912SL.....	184	S8607XJ.....	212	S880XRSL.....	175	S93203.....	209
S84810XN.....	213	S85710XJ.....	153	S85914SL.....	185	S8607XN.....	212	S881.....	179	S93203XC.....	208
S84810XNSL.....	213	S85710XJSL.....	154	S85915SL.....	186	S8607XR.....	212	S881SL.....	179	S93203XE.....	208
S84810XR.....	213	S85710XK.....	153	S85916SL.....	186	S8608.....	214	S881XC.....	175	S93203XG.....	208
S84810XRSL.....	213	S85710XKSL.....	154	S85917SL.....	188	S8608XC.....	212	S881XCSL.....	175	S93203XJ.....	208
S84812.....	213	S85710XN.....	153	S85918SL.....	187	S8608XE.....	212	S881XE.....	175	S93203XK.....	208
S84812SL.....	213	S85710XNSL.....	154	S85920SL.....	191	S8608XJ.....	212	S881XESL.....	175	S93203XN.....	208
S84812XC.....	212	S85710XR.....	153	S85922SL.....	190	S8608XN.....	212	S881XG.....	175	S93203XR.....	208
S84812XCSL.....	212	S85710XRSL.....	154	S85924SL.....	165	S8608XR.....	212	S881XGSL.....	175	S9320XC.....	208
S84812XE.....	212	S85715.....	159	S85925SL.....	165	S8609.....	210	S881XJ.....	175	S9320XE.....	208
S84812XESL.....	212	S85715XC.....	153	S85926SL.....	165	S86107.....	187	S881XJSL.....	175	S9320XG.....	208
S84812XJ.....	212	S85715XE.....	153	S85927SL.....	143	S86201SL.....	210	S881XK.....	175	S9320XJ.....	208
S84812XJSL.....	212	S85715XG.....	153	S85928SL.....	157	S86240.....	210	S881XKSL.....	175	S9320XK.....	208
S84812XN.....	212	S85715XJ.....	153	S85930SL.....	150	S86240SL.....	210	S881XN.....	175	S9320XN.....	208
S84812XNSL.....	212	S85715XK.....	153	S85931SL.....	145	S86500.....	151	S881XNSL.....	175	S9320XR.....	208
S84812XR.....	212	S85715XN.....	153	S85932SL.....	147	S86500SL.....	151	S881XR.....	175	S9341.....	206
S84812XRSL.....	212	S85715XR.....	153	S85934SL.....	148	S86520.....	211	S881XRSL.....	175	S9342.....	207
S84813.....	213	S85720.....	160	S8600.....	220	S86533.....	208	S882.....	179	S9343.....	205
S84813XC.....	212	S85720SL.....	160	S8600XC.....	213	S86536.....	192	S884SL.....	174	S9345.....	208
S84813XE.....	212	S85720XC.....	153	S8600XE.....	213	S86550.....	151	S887.....	168	S9347.....	207
S84813XJ.....	212	S85720XCSL.....	154	S8600XJ.....	213	S86550SL.....	151	S887SL.....	168	S9349.....	207
S84813XN.....	212	S85720XE.....	153	S8600XN.....	213	S86560.....	192	S888.....	168	S9352.....	206
S84813XR.....	212	S85720XESL.....	154	S8600XR.....	213	S86560SL.....	192	S888SL.....	168	S9353.....	206
S84814.....	213	S85720XG.....	153	S8601.....	214	S86565.....	192	S891.....	170	S9354.....	207
S84814XC.....	212	S85720XGSL.....	154	S8601SL.....	166	S86570.....	217	S891SL.....	170	S9355.....	206
S84814XE.....	212	S85720XJ.....	153	S8601XCSL.....	156	S86580.....	173	S892.....	171	S9356.....	206
S84814XJ.....	212	S85720XJSL.....	154	S8601XESL.....	156	S86580SL.....	173	S892SL.....	171	S95.....	168
S84814XN.....	212	S85720XK.....	153	S8601XGSL.....	156	S8675SL.....	199	S893.....	186	S960.....	220
S84814XR.....	212	S85720XKSL.....	154	S8601XJSL.....	156	S867SL.....	192	S894.....	167	S962.....	146
S84816.....	213	S85720XN.....	153	S8601XKSL.....	156	S8682.....	176	S894SL.....	167	S962SL.....	146
S84816XC.....	212	S85720XNSL.....	154	S8601XNSL.....	156	S8682SL.....	176	S895.....	169	S964.....	188
S84816XE.....	212	S85720XR.....	153	S8601XRSL.....	156	S8685L.....	160	S895SL.....	169	S964SL.....	188
S84816XJ.....	212	S85720XRSL.....	154	S8602.....	211	S8685LXC.....	154	S896.....	218	S966.....	188
S84816XN.....	212	S85725.....	159	S86021.....	201	S8685LXE.....	154	S8968.....	188	S968.....	188
S84816XR.....	212	S85725XC.....	153	S86021XC.....	195	S8685LXG.....	154	S896XC.....	218	S97.....	172
S84886SL.....	159	S85725XE.....	153	S86021XE.....	195	S8685LXJ.....	154	S896XE.....	218	S970.....	188
S84886XCSL.....	153	S85725XG.....	153	S86021XG.....	195	S8685LXK.....	154	S896XG.....	218	S971.....	196
S84886XESL.....	153	S85725XJ.....	153	S86021XJ.....	195	S8685LXN.....	154	S896XJ.....	218	S972.....	184
S84886XGSL.....	153	S85725XK.....	153	S86021XK.....	195	S8685LXR.....	154	S896XK.....	218	S973.....	186
S84886XJSL.....	153	S85725XN.....	153	S86021XN.....	195	S8685R.....	160	S896XN.....	218	S975.....	167
S84886XKSL.....	153	S85725XR.....	153	S86021XR.....	195	S8685RXC.....	154	S896XR.....	218	S975SL.....	167
S84886XNSL.....	153	S8572SL.....	149	S86022XC.....	195	S8685RXE.....	154	S897.....	220	S976.....	169
S84886XRSL.....	153	S8573SL.....	149	S86022XE.....	195	S8685RXG.....	154	S89701.....	192	S976SL.....	169
S8508.....	211	S8574.....	149	S86022XG.....	195	S8685RXJ.....	154	S8971.....	196	S977.....	168
S8529.....	171	S8575.....	190	S86022XJ.....	195	S8685RXK.....	154	S8972.....	209	S979.....	167
S8545SL.....	171	S8579.....	190	S86022XK.....	195	S8685RXN.....	154	S898.....	179	S980.....	169
S85700.....	160	S8581.....	190	S86022XN.....	195	S8685RXR.....	154	S898SL.....	179	S981.....	168
S85700SL.....	160	S8583SL.....	190	S86022XR.....	195	S8691.....	160	S90.....	180	S982.....	170
S85700XC.....	153	S85892.....	143	S86025.....	186	S8691XC.....	153	S902.....	172	S983.....	171

Steel

S985	202	100	246	1025HD	238	1201SL	235	237HD	246	584SLHD	240
S988	181	104	242	1027SL	233	1201SL	248	243HD	241	588HD	243
S989	183	105	242	1029SL	233	1202SL	235	255HD	246	601HD	245
S991	182	108	235	1031HD	239	1202SL	248	256HD	246	601XCHD	244
S992	183	118	235	1031SLHD	239	128XC	234	262HD	242	601XEHD	244
S994	183	128	235	1032HD	239	128XE	234	262HDXC	241	601XJHD	244
S995	182	130	235	1034HD	239	128XG	234	262HDXE	241	601XNHD	244
S997	181	131	241	1035HD	239	128XJ	234	262HDXG	241	601XRHD	244
S999	182	137	241	1037HD	236	128XK	234	262HDXJ	241	602HD	244
SART	221	139	233	1037SLHD	236	128XN	234	262HDXK	241	604HD	244
		198	235	1038HD	236	128XR	234	262HDXN	241	605HD	245
		310	233	1038SLHD	236	130SL	235	262HDXR	241	605HDXC	244
		369	233	1039HD	236	130SL	248	263HD	244	605HDXE	244
		571	234	1039SLHD	236	132HD	241	263HDXC	244	605HDXJ	244
		610	233	1040HD	236	132SLHD	241	263HDXE	244	605HDXN	244
		620	233	1040SLHD	236	138SL	234	263HDXG	244	605HDXR	244
		626	234	1041HD	236	139SL	233	263HDXJ	244	606HD	245
		800	252	1041SLHD	236	1400SLHD	237	263HDXK	244	606HDXC	244
		808	248	1042HD	236	1403HD	237	263HDXN	244	606HDXE	244
		810	252	1044HD	243	1405HD	242	263HDXR	244	606HDXJ	244
		818	249	1047HD	238	1405SLHD	242	263SLHD	242	606HDXN	244
		828	248	104XC	241	1406HD	242	263SLHDXC	241	606HDXR	244
		829	248	104XE	241	1408HD	242	263SLHDXE	241	607HD	245
		896	252	104XG	241	1411HD	244	263SLHDXG	241	607HDXC	244
		916	233	104XJ	241	1643HD	246	263SLHDXJ	241	607HDXE	244
		1006	233	104XK	241	1643SLHD	246	263SLHDXK	241	607HDXJ	244
		1027	233	104XN	241	1644HD	237	263SLHDXN	241	607HDXN	244
		1028	234	104XR	241	1644SLHD	237	263SLHDXR	241	607HDXR	244
		1029	233	1055HD	245	1650HD	244	289EHD	243	608HD	245
		1200	235	1089SLHD	237	1651HD	234	289ESLHD	241	608HDXC	244
		1201	235	108XC	234	1651SL	234	289HD	244	608HDXE	244
		1202	235	108XE	234	1657HD	240	289HDXC	244	608HDXJ	244
		1203	235	108XG	234	1657SLHD	240	289HDXE	244	608HDXN	244
		5425	237	108XJ	234	1659HD	240	289HDXG	244	608HDXR	244
		8132	249	108XK	234	1660HD	240	289HDXJ	244	609HD	244
		8145	250	108XN	234	1662HD	243	289HDXK	244	610SL	233
		8206	250	108XR	234	19020T	253	289HDXN	244	613HD	239
		8317	252	1101HD	242	19055T	253	289HDXR	244	615HD	243
		8321	250	1101XCHD	241	19080T	253	294HD	243	615SLHD	239
		8322	250	1101XEHD	241	19200T	253	294SLHD	239	6184SL	235
		8323	250	1101XGHD	241	19210T	253	296HD	246	6184SL	248
		8324	250	1101XJHD	241	19220T	253	296HDXC	246	6184XCSL	234
		8704	251	1101XKHD	241	19520T	253	296HDXE	246	6184XCSSL	247
		8708	251	1101XNHD	241	19720T	253	296HDXG	246	6184XCSSL	234
		8752	251	1101XRHD	241	19730T	253	296HDXJ	246	6184XESL	247
		03142HD	236	1102HD	241	19740T	253	296HDXK	246	6184XJSL	234
		1001HD	238	1107HD	239	19750T	253	296HDXN	246	6184XJSL	247
		1002HD	239	1110HD	241	19800T	253	296HDXR	246	6184XNSL	234
		1004HD	241	1111HD	239	19810T	253	296SLHD	246	6184XNSL	247
		1005HD	246	1112HD	239	19820T	253	296SLHDXC	246	6184XRSL	234
		1006SL	233	1113HD	240	198SL	235	296SLHDXE	246	6184XRSL	247
		1007HD	239	1114HD	239	198SL	249	296SLHDXG	246	6185SL	235
		1007SLHD	239	1115HD	239	203HD	246	296SLHDXJ	246	6185SL	248
		1008HD	243	1116HD	239	205HD	246	296SLHDXK	246	6185XCSSL	234
		1009HD	236	1117HD	238	206EHD	241	296SLHDXN	246	6185XCSSL	247
		1009SLHD	236	1118HD	240	206HD	242	296SLHDXR	246	6185XESL	234
		100SL	235	1119HD	238	206HDXC	241	309HD	238	6185XESL	247
		100SL	249	1120HD	240	206HDXE	241	310SL	233	6185XJSL	234
		100XCSL	234	1121HD	241	206HDXG	241	311HD	243	6185XJSL	247
		100XCSL	248	1123HD	242	206HDXJ	241	311SLHD	238	6185XNSL	234
		100XESL	234	1123HDXC	241	206HDXK	241	369SL	233	6185XNSL	247
		100XESL	248	1123HDXE	241	206HDXN	241	371HD	243	6185XRSL	234
		100XGSL	234	1123HDXG	241	206HDXR	241	371SLHD	239	6185XRSL	247
		100XGSL	248	1123HDXJ	241	2109HD	237	374HD	239	6186SL	235
		100XJSL	234	1123HDXK	241	210HD	246	416SL	234	6186SL	248
		100XJSL	248	1123HDXN	241	210SLHD	242	426HD	240	6186XCSSL	234
		100XKSL	234	1123HDXR	241	210SLHDXC	241	430HD	243	6186XCSSL	247
		100XKSL	248	115HD	242	210SLHDXE	241	430SLHD	240	6186XESL	234
		100XNSL	234	118XC	234	210SLHDXG	241	454HD	245	6186XESL	247
		100XNSL	248	118XE	234	210SLHDXJ	241	4572SLHD	237	6186XJSL	234
		100XRSL	234	118XG	234	210SLHDXK	241	508HD	244	6186XJSL	247
		100XRSL	248	118XJ	234	210SLHDXN	241	5425SL	237	6186XNSL	234
		1011HD	239	118XK	234	210SLHDXR	241	544HD	236	6186XNSL	247
		1020HD	238	118XN	234	2110HD	237	546SLHD	236	6186XRSL	234
		1021HD	238	118XR	234	2111HD	237	576HD	240	6186XRSL	247
		1022HD	238	1200SL	235	211HD	239	578HD	240	620SL	233
		1024HD	238	1200SL	248	236HD	246	582HD	240	623HD	240

625HD.....	243	8321XC.....	249	999HD.....	240	TS237.....	252	100.....	258	DRS2131SL.....	271
625SLHD.....	240	8321XE.....	249	AVRT.....	253	TS243.....	249	1005HD.....	258	DRS82131SL.....	271
626SL.....	234	8321XG.....	249	AXRT.....	253	TS255.....	251	203HD.....	258	S10AXSL.....	272
627HD.....	240	8321XJ.....	249	BSRT.....	253	TS256.....	251	205HD.....	258	S10CLSL.....	272
628HD.....	243	8321XK.....	249	CNRT.....	253	TS262.....	250	210HD.....	258	S10PBSL.....	271
628SLHD.....	240	8321XN.....	249	FWRT.....	253	TS262XC.....	249	969HD.....	258	S10XCSSL.....	272
630HD.....	238	8321XR.....	249	KNRT.....	253	TS262XE.....	249	978HD.....	258	S10XESL.....	272
631HD.....	240	86184SL.....	248	PBRT.....	253	TS262XG.....	249	FCF100.....	257	S10XGSL.....	272
632SL.....	235	86185SL.....	248	RSRT.....	253	TS262XJ.....	249	FCF160.....	257	S10XJSL.....	272
632SL.....	248	86186SL.....	248	SART.....	253	TS262XK.....	249	FCF31.....	256	S10XKSL.....	272
632XCSSL.....	234	896XC.....	252	TS100.....	252	TS262XN.....	249	FCF755.....	257	S10XNSL.....	272
632XCSSL.....	247	896XE.....	252	TS104.....	250	TS262XR.....	249	FCF809.....	256	S10XRSL.....	272
632XESL.....	234	896XG.....	252	TS104XC.....	249	TS263.....	251	FCF8100.....	257	S1651SL.....	271
632XESL.....	247	896XJ.....	252	TS104XE.....	249	TS263SL.....	250	FCF8160.....	257	S1AV.....	265
632XGSL.....	234	896XK.....	252	TS104XG.....	249	TS263XC.....	251	FCF862.....	257	S1AX.....	266
632XGSL.....	247	896XN.....	252	TS104XJ.....	249	TS263XCSL.....	249	FMF100.....	256	S1BL.....	264
632XJSL.....	234	896XR.....	252	TS104XK.....	249	TS263XE.....	251	FMF134.....	256	S1BS.....	264
632XJSL.....	247	916SL.....	233	TS104XN.....	249	TS263XESL.....	249	FMF205.....	256	S1CL.....	266
632XKSL.....	234	926HD.....	238	TS104XR.....	249	TS263XG.....	251	FMF220.....	256	S1LAV.....	265
632XKSL.....	247	930HD.....	243	TS105.....	250	TS263XGSL.....	249	FMF31.....	256	S1LAX.....	266
632XNSL.....	234	930SLHD.....	238	TS108.....	248	TS263XJ.....	251	FMF60.....	256	S1LBL.....	264
632XNSL.....	247	956SLHD.....	236	TS108XC.....	247	TS263XJSL.....	249	FMF600.....	256	S1LBS.....	264
632XRSL.....	234	959HD.....	237	TS108XE.....	247	TS263XK.....	251	FMF755.....	256	S1LCL.....	266
632XRSL.....	247	959HDXC.....	237	TS108XG.....	247	TS263XKSL.....	249	FMF8100.....	256	S1LPS.....	266
6500HD.....	234	959HDXCSL.....	237	TS108XJ.....	247	TS263XN.....	251	FMF860.....	256	S1LRS.....	265
6500SL.....	234	959HDXE.....	237	TS108XK.....	247	TS263XNSL.....	249	SSF100.....	258	S1LSA.....	265
6520HD.....	244	959HDXESL.....	237	TS108XN.....	247	TS263XR.....	251	SSF11.....	258	S1LSG.....	265
6560HD.....	240	959HDXG.....	237	TS108XR.....	247	TS263XRSL.....	249	SSF1100.....	257	S1LSN.....	265
6565HD.....	240	959HDXGSL.....	237	TS115.....	250	TS289.....	251	SSF120.....	257	S1LXC.....	266
6565SLHD.....	240	959HDXJ.....	237	TS118.....	249	TS289XC.....	251	SSF160.....	258	S1LXE.....	266
6568HD.....	240	959HDXJSL.....	237	TS118XC.....	247	TS289XE.....	251	SSF200.....	257	S1LXG.....	266
6570HD.....	246	959HDXK.....	237	TS118XE.....	247	TS289XG.....	251	SSF205.....	257	S1LXJ.....	266
6570SLHD.....	246	959HDXKSL.....	237	TS118XG.....	247	TS289XJ.....	251	SSF220.....	257	S1LXK.....	266
6572HD.....	243	959HDXN.....	237	TS118XJ.....	247	TS289XK.....	251	SSF31.....	257	S1LXN.....	266
6578HD.....	238	959HDXNSL.....	237	TS118XK.....	247	TS289XN.....	251	SSF4800.....	258	S1LXR.....	266
6580SLHD.....	237	959HDXR.....	237	TS118XN.....	247	TS289XR.....	251	SSF600.....	258	S1PB.....	266
6582HD.....	237	959HDXRSL.....	237	TS118XR.....	247	TS296.....	252	SSF755.....	257	S1RAV.....	265
6720HDXCSL.....	237	959SLHD.....	237	TS1200.....	248	TS296SL.....	252	SSF8100.....	258	S1RAX.....	266
6720HDXESL.....	237	961HD.....	237	TS1201.....	248	TS296XC.....	252	SSF81100.....	257	S1RBL.....	265
6720HDXGSL.....	237	961HDXC.....	237	TS1202.....	248	TS296XCSL.....	252	SSF8120.....	257	S1RBS.....	264
6720HDXJSL.....	237	961HDXE.....	237	TS1203.....	248	TS296XE.....	252	SSF8160.....	258	S1RCL.....	266
6720HDXKSL.....	237	961HDXG.....	237	TS128.....	248	TS296KESL.....	252	SSF8200.....	257	S1RPB.....	266
6720HDXNSL.....	237	961HDXJ.....	237	TS128XC.....	247	TS296XG.....	252	SSF8205.....	257	S1RRS.....	266
6720HDXRSL.....	237	961HDXK.....	237	TS128XE.....	247	TS296XGSL.....	252	SSF8220.....	257	S1RS.....	265
6720SLHD.....	237	961HDXN.....	237	TS128XG.....	247	TS296XJ.....	252	SSF831.....	257	S1RSA.....	265
704HD.....	245	961HDXR.....	237	TS128XJ.....	247	TS296XJSL.....	252	SSF84800.....	258	S1RSG.....	265
707HD.....	245	965HD.....	236	TS128XK.....	247	TS296XK.....	252	SSF8600.....	258	S1RSN.....	265
708HD.....	245	965SLHD.....	236	TS128XN.....	247	TS296XKSL.....	252	SSF93.....	257	S1RXC.....	266
721HD.....	245	966SLHD.....	236	TS128XR.....	247	TS296XN.....	252	SSF960.....	258	S1RXE.....	266
735HD.....	245	967HD.....	236	TS130.....	248	TS296XNSL.....	252	TS100.....	258	S1RXG.....	266
736HD.....	245	967SLHD.....	236	TS131.....	249	TS296XR.....	252	TS210.....	258	S1RXJ.....	266
745HD.....	245	968HD.....	236	TS132.....	249	TS296XRSL.....	252			S1RXK.....	266
752HD.....	245	969HD.....	246	TS132SL.....	249	TS572SL.....	234			S1RXN.....	266
818SL.....	249	971SLHD.....	236	TS137.....	249	TS704.....	251			S1RXR.....	266
818XC.....	247	978HD.....	246	TS1405SL.....	250	TS708.....	251			S1SA.....	265
818XCSSL.....	248	980HD.....	242	TS1408.....	250	TS752.....	251			S1SG.....	265
818XE.....	247	980HDXC.....	241	TS1411.....	251					S1SN.....	265
818XESL.....	248	980HDXE.....	241	TS198.....	249					S1XC.....	266
818XG.....	247	980HDXG.....	241	TS206.....	250					S1XE.....	266
818XGSL.....	248	980HDXJ.....	241	TS206XC.....	249					S1XG.....	266
818XJ.....	247	980HDXK.....	241	TS206XE.....	249					S1XJ.....	266
818XJSL.....	248	980HDXN.....	241	TS206XG.....	249					S1XK.....	266
818XK.....	247	980HDXR.....	241	TS206XJ.....	249					S1XN.....	266
818XKSL.....	248	982HD.....	242	TS206XK.....	249					S1XR.....	266
818XN.....	247	982HDXC.....	241	TS206XN.....	249					S2AX.....	264
818XNSL.....	248	982HDXE.....	241	TS206XR.....	249					S2CL.....	264
818XR.....	247	982HDXG.....	241	TS210.....	252					S2PB.....	264
818XRSL.....	248	982HDXJ.....	241	TS210SL.....	250					S2RS.....	264
8206XC.....	249	982HDXK.....	241	TS210XCSL.....	249					S2SG.....	264
8206XE.....	249	982HDXN.....	241	TS210XESL.....	249					S2SN.....	264
8206XG.....	249	982HDXR.....	241	TS210XGSL.....	249					S2XC.....	264
8206XJ.....	249	984HD.....	241	TS210XJSL.....	249					S2XE.....	264
8206XK.....	249	985HD.....	241	TS210XKSL.....	249					S2XG.....	264
8206XN.....	249	988HD.....	239	TS210XNSL.....	249					S2XJ.....	264
8206XR.....	249	989HD.....	240	TS210XRSL.....	249					S2XK.....	264
828SL.....	248	991HD.....	238	TS236.....	252					S2XN.....	264
829SL.....	248	996HD.....	239								

S2XR	264	S5XK	269	S811LXG	270	S83AX	264	S85RXC	269	S8RBPB	267
S4570SL	271	S5XKSL	272	S811LXJ	270	S83CL	264	S85RXE	269	S8RXC	270
S4AX	268	S5XN	269	S811LXK	270	S83PB	264	S85RXG	269	S8RXE	270
S4AXSL	272	S5XNSL	272	S811LXN	270	S83RS	264	S85RXJ	269	S8RXG	270
S4CL	269	S5XR	269	S811LXR	270	S83SG	264	S85RXK	269	S8RXJ	270
S4CLSL	272	S5XRSL	272	S811PB	267	S83SN	264	S85RXN	269	S8RXK	270
S4LAX	268	S601SL	271	S811PBSL	271	S83XC	264	S85RXR	269	S8RXN	270
S4LCL	269	S601XCSSL	271	S811RAX	269	S83XE	264	S85XC	269	S8RXR	270
S4LPB	266	S601XESL	271	S811RCL	270	S83XG	264	S85XCSSL	272	S8XC	270
S4LXC	269	S601XGSL	271	S811RPB	267	S83XJ	264	S85XE	269	S8XE	270
S4LXE	269	S601XJSL	271	S811RXC	270	S83XK	264	S85XESL	272	S8XG	270
S4LXG	269	S601XKSL	271	S811RXE	270	S83XN	264	S85XG	269	S8XJ	270
S4LXJ	269	S601XNSL	271	S811RXG	270	S83XR	264	S85XGSL	272	S8XK	270
S4LXK	269	S601XRSL	271	S811RXJ	270	S84586SL	271	S85XJ	269	S8XN	270
S4LXN	269	S602SL	271	S811RXK	270	S84AX	268	S85XJSL	272	S8XR	270
S4LXR	269	S604SL	271	S811RXN	270	S84AXSL	272	S85XK	269	S9AX	268
S4PB	266	S6127SL	271	S811RXL	270	S84CL	269	S85XKSL	272	S9AXSL	272
S4PBSL	271	S6130SL	271	S811XC	270	S84CLSL	272	S85XN	269	S9ACL	270
S4RAX	268	S6134SL	271	S811XCSSL	272	S84LAX	268	S85XNSL	272	S9CLSL	272
S4RCL	269	S6500SL	271	S811XE	270	S84LCL	269	S85XR	269	S9LAX	268
S4RPB	266	S81086SL	271	S811XESL	272	S84LPB	266	S85XRSL	272	S9LCL	270
S4RXC	269	S81086XCSSL	271	S811XG	270	S84LXC	269	S86500SL	271	S9LPB	267
S4RXE	269	S81086XESL	271	S811XGSL	272	S84LXE	269	S86AX	268	S9LXC	270
S4RXG	269	S81086XGSL	271	S811XJ	270	S84LXG	269	S86AXSL	271	S9LXE	270
S4RXJ	269	S81086XJSL	271	S811XJSL	272	S84LXJ	269	S86CL	269	S9LXG	270
S4RXK	269	S81086XKSL	271	S811XK	270	S84LXK	269	S86CLSL	272	S9LXJ	270
S4RXN	269	S81086XNSL	271	S811XKSL	272	S84LXN	269	S86LAX	268	S9LXK	270
S4RXL	269	S81086XRSL	271	S811XN	270	S84LXR	269	S86LCL	269	S9LXN	270
S4XC	269	S810AX	269	S811XNSL	272	S84PB	266	S86LPB	267	S9LXR	270
S4XCSSL	272	S810AXSL	272	S811XR	270	S84PBSL	271	S86LXC	269	S9PB	267
S4XE	269	S810CL	270	S811XRSL	272	S84RAX	268	S86LXE	269	S9PBBSL	271
S4XESL	272	S810CSSL	272	S81651SL	271	S84RCL	269	S86LXG	269	S9RAX	268
S4XG	269	S810LAX	269	S81AX	266	S84RBPB	266	S86LXJ	269	S9RCL	270
S4XGSL	272	S810LCL	270	S81BL	264	S84RXC	269	S86LXK	269	S9RPB	267
S4XJ	269	S810LPB	267	S81BS	264	S84RXE	269	S86LXN	269	S9RXC	270
S4XJSL	272	S810LXC	270	S81CL	266	S84RXG	269	S86LXR	269	S9RXC	270
S4XK	269	S810LXE	270	S81LAX	266	S84RXJ	269	S86PB	267	S9RXE	270
S4XKSL	272	S810LXG	270	S81LBL	264	S84RXK	269	S86PBSL	271	S9RXJ	270
S4XN	269	S810LXJ	270	S81LBS	264	S84RXN	269	S86RAX	268	S9RXK	270
S4XNSL	272	S810LXK	270	S81LCL	266	S84RXR	269	S86RCL	269	S9RXN	270
S4XR	269	S810LXN	270	S81LPB	266	S84XC	269	S86RPB	267	S9RXR	270
S4XRSL	272	S810LXR	270	S81LRS	265	S84XCSSL	272	S86RXC	269	S9XC	270
S572SL	271	S810PB	267	S81LSA	265	S84XE	269	S86RXE	269	S9XCSSL	272
S5AX	268	S810PBSL	271	S81LSG	265	S84XESL	272	S86RXG	269	S9XE	270
S5AXSL	272	S810RAX	269	S81LXC	266	S84XG	269	S86RXJ	269	S9XESL	272
S5CL	269	S810RCL	270	S81LXE	266	S84XGSL	272	S86RXK	269	S9XG	270
S5CLSL	272	S810RPB	267	S81LXG	266	S84XJ	269	S86RXN	269	S9XGSL	272
S5LAX	268	S810RXC	270	S81LXJ	266	S84XJSL	272	S86RXR	269	S9XJ	270
S5LCL	269	S810RXE	270	S81LXK	266	S84XK	269	S86XC	269	S9XJSL	272
S5LPB	266	S810RXG	270	S81LXN	266	S84XKSL	272	S86XCSSL	272	S9XK	270
S5LXC	269	S810RXJ	270	S81LXR	266	S84XN	269	S86XE	269	S9XKSL	272
S5LXE	269	S810RXK	270	S81PB	266	S84XNSL	272	S86XESL	272	S9XN	270
S5LXG	269	S810RXN	270	S81RAX	266	S84XR	269	S86XG	269	S9XNSL	272
S5LXJ	269	S810RXL	270	S81RBL	265	S84XRSL	272	S86XGSL	272	S9XR	270
S5LXK	269	S810XC	270	S81RBS	264	S8572SL	271	S86XJ	269	S9XRSL	272
S5LXN	269	S810XCSSL	272	S81RCL	266	S85927SL	271	S86XJSL	272		
S5LXR	269	S810XE	270	S81RPB	266	S85931SL	271	S86XK	269		
S5PB	267	S810XESL	272	S81RRS	266	S85932SL	271	S86XKSL	272		
S5PBBSL	271	S810XG	270	S81RS	265	S85AX	268	S86XN	269		
S5RAX	268	S810XGSL	272	S81RSA	265	S85AXSL	272	S86XNSL	272		
S5RCL	269	S810XJ	270	S81RSG	265	S85CL	269	S86XR	269		
S5RPB	267	S810XJSL	272	S81RXC	266	S85CLSL	272	S86XRSL	272		
S5RXC	269	S810XK	270	S81RXE	266	S85LAX	268	S8AX	268		
S5RXE	269	S810XKSL	272	S81RXG	266	S85LCL	269	S8CL	270		
S5RXG	269	S810XN	270	S81RXJ	266	S85LPB	266	S8LAX	268		
S5RXJ	269	S810XNSL	272	S81RXK	266	S85LXC	269	S8LCL	270		
S5RXK	269	S810XR	270	S81RXN	266	S85LXE	269	S8LPB	267		
S5RXN	269	S810XRSL	272	S81RXL	266	S85LXG	269	S8LXC	270		
S5RXR	269	S811AX	269	S81SA	265	S85LXJ	269	S8LXE	270		
S5XC	269	S811AXSL	272	S81SG	265	S85LXK	269	S8LXG	270		
S5XCSSL	272	S811CL	270	S81XC	266	S85LXN	269	S8LXJ	270		
S5XE	269	S811CLSL	272	S81XE	266	S85LXR	269	S8LXK	270		
S5XESL	272	S811LAX	269	S81XG	266	S85PB	267	S8LXN	270		
S5XG	269	S811LCL	270	S81XJ	266	S85PBBSL	271	S8LXR	270		
S5XGSL	272	S811LPB	267	S81XK	266	S85RAX	268	S8PB	267		
S5XJ	269	S811LXC	270	S81XN	266	S85RCL	269	S8RAX	268		
S5XJSL	272	S811LXE	270	S81XR	266	S85RPB	267	S8RCL	270		



Top: Pulse Linea, Geometric Glass with Flat Lite Frame, Doors – FCM81RXG, FCM81LXG
Bottom: Pulse Ari, Pembridge Glass with Flat Lite Frame, Door – S83PB



314 Top Left: Classic Craft Mahogany Grain, Augustine Glass, Door – CCR20527; Granite Glass, Sidelite – CCR3400XNSL, Finish – Driftwood
Bottom: Smooth-Star, Clear Glass with GBGs, Door – S1211, Sidelites – S1211SL, Finish – Granite

Tools of the Trade

Check out these helpful resources for dealers, builders and remodelers.

Architectural Home Styles Guide

Get inspired to choose entry doors by design with our interactive guide to popular home styles at thermatru.com/inspiration.



Education Center

Learn from the experts in fiberglass doors and test your door IQ on a variety of topics at thermatru.com/learning.



Certified Door System Installation Program

Build your knowledge, skills and confidence with comprehensive door system installer training from Therma-Tru – the expert in fiberglass door systems – and OSI® – the expert in construction sealants. Get started today at thermatru.com/installer.



Digital Vault

Explore the Digital Vault to find logos, images, literature and more to help you promote the Therma-Tru products you offer. Create an account today at thermatru.widencollective.com/login.



Trade Professionals Online

Find everything from selling tools and training materials to technical information at thermatru.com/professionals.





THERMA-TRU®
DOORS

Where Home Begins™

thermatru.com

1-800-THERMA-TRU (843-7628)

1750 Indian Wood Circle

Maumee, OH 43537



#thermatru

Cover: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors – CCM82804, Finish – Driftwood
Top: Classic Craft Fir Grain, Low-E Glass, Doors – CCA82400, Finish – Acorn, Retractable Screens – White

©2022 Therma-Tru Corp. All rights reserved. THERMA-TRU and the Therma-Tru Logo are trademarks of Therma-Tru Corp. Registered trademarks are registered in the U.S. and may be registered internationally.

©2022 Larson Manufacturing Company. All rights reserved. LARSON, QUICKFIT and CLICK&HOLD are trademarks of Larson Manufacturing Company.

Therma-Tru Corp. and Larson Manufacturing Company are part of Fortune Brands Home & Security, Inc. – an industry-leading home and security products company. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency.

Part #MAFL2022 HESB / JAN 2022