



SIMPLE. PROFESSIONAL. RELIABLE



Professional, High Quality, Cost Effective Landscape Lighting Fixtures



SIMPLE. PROFESSIONAL. RELIABLE

LELEVELLE DOME PATHLIGHT

YYZ-416 (Black)

YYZ-705 (Brown)



FEATURES

The Lelevelle Dome Pathlight is perfect for bringing light to walkways to provide safety at night. It can also be used in flowerbeds to bring out color at night and enhance the beauty of the landscape.



- Fixture Material: Powder Coated Aluminium
- Finish Available: Brown or Black
- Input Voltage: 12V
- IP Rating: IP65
- Wire Lead: 36" of #18/2 Direct Burial Wire
- Lamp Type: G4 Bi-Pin (Not Included)
- Certification: Ce, ETL, UL
- Warranty: 4 Year Warranty
- Dome Width: 8" (200mm)
- Dome Height: 2" (50mm)
- Overall Height: 21" (525mm)
- Stake: ABS Ground Stake Included



SIMPLE. PROFESSIONAL. RELIABLE

LELEVELLE ACCENT LIGHT

YVR-604 (Black)

YVR-778 (Brown)



FEATURES

The Lelevelle accent is our most versatile fixture. It can be used to illuminate any size tree, bring texture to rock walls, or can be used as a down light to provide security or highlight architectural home features. This fixture is a staple for all lighting projects.

- Fixture Material: Powder Coated Aluminium
- Finish Available: Brown or Black
- Input Voltage: 12V
- IP Rating: IP65
- Wire Lead: 36" of #18/2 Direct Burial Wire
- Lamp Type: MR16 (Not Included)
- Certification: Ce, ETL, UL
- Double O-Ring Seal
- Warranty: 4 Year Warranty
- Accent Length: 8" (200mm)
- Accent Diameter: 2.35" (59mm)
- Stake: ABS Ground Stake Included



www.lelevelle.com



SIMPLE. PROFESSIONAL. RELIABLE

LELEVELLE BRASS FIXTURES



DOMESTIC PATH - YYZ-905

The Lelevelle brass dome pathlight is ideal for use in coastal climates or any landscape that is looking for a high quality, robust fixture with a smooth polished look. You can feel the quality of this fixture when you hold onto it.

- Fixture Material: Cast Brass
- Finish Available: Bronze
- Input Voltage: 12V
- IP Rating: IP65
- Lens: Heat Resistant Glass
- Wire Lead: 36" of #18/2 Direct Burial Wire
- Lamp Type: G4 Bi-Pin (Not Included)
- Certification: Ce, ETL, UL
- Warranty: 4 Year Warranty
- Fixture Hat Diameter: 8" (200mm)
- Fixture Height: 18" (450mm)



ACCENT - YLW-250

The Lelevelle brass accent is the perfect compliment to the brass dome pathlight. This fixture offers a more robust build compared to our powder coated accents. This accent light uses our same MR16 LED bulbs, not included.

- Fixture Material: Cast Brass
- Finish Available: Bronze
- Input Voltage: 12V
- IP Rating: IP65
- Lens: Heat Resistant Glass
- Wire Lead: 36" of #18/2 Direct Burial Wire
- Lamp Type: MR16 (Not Included)
- Certification: Ce, ETL, UL
- Warranty: 4 Year Warranty
- Fixture Diameter: 2.5" (62.5mm)
- Fixture Length: 7.13" (179mm)



SIMPLE. PROFESSIONAL. RELIABLE

LELEVELLE WELL LIGHT

YQR-306



FEATURES

The Lelevelle well light is ideal for uplighting in conditions where an accent light cannot be used. The well light can be installed in grass, flowerbeds or patios to illuminate trees, shrubs, walls, and architectural details. This fixture comes with a ABS sleeve for concrete installations.



- Fixture Material: Cast Brass
- Finish Available: Bronze
- Input Voltage: 12V
- IP Rating: IP65
- Lens: Heat Resistant Glass
- Wire Lead: 36" of #18/2 Direct Burial Wire
- Lamp Type: MR16 (Not Included)
- Certification: Ce, ETL, UL
- Warranty: 4 Year Warranty
- Fixture Diameter: 3.75" (94mm)
- Fixture Depth: 4.25" (106mm)

www.lelevelle.com



SIMPLE. PROFESSIONAL. RELIABLE

LELEVELLE HARDSCAPE/STRIP LIGHT

YYC-403



FEATURES

The Lelevelle hardscape light comes with a removable bracket for installation in retaining walls or railings on decks. Also included is an optional front mounting bracket where a cap stone isn't used and the fixture needs to be mounted from the front.

- Fixture Material: Powder Coated Aluminium
- Finish Available: Brown/Gray
- Input Voltage: 12V
- IP Rating: IP65
- Wattage: 1.5 Watts
- Wire Lead: 10' of #18/2 Direct Burial Wire
- Lamp Type: Integrated 4 LED Diodes -2700K
- Certification: Ce, ETL, UL
- Warranty: 4 Year Warranty
- Bracket: Aluminium (Removable)
- Fixture Length: 7" (175mm)



www.lelevelle.com



SIMPLE. PROFESSIONAL. RELIABLE

LELEVELLE DECK LIGHT

YUL-514



FEATURES

The Lelevelle Mini Deck Light is our most compact fixture. Constructed out of stainless steel and rated to IP67 it is a great low cost choice for any deck, walkway or patio. Small in size it is easy to install (less than 1" in diameter) but shines bright into the night.



- Fixture Material: Stainless Steel
- Input Voltage: 12V
- IP Rating: IP67
- Output Lumen: 95LMN
- Wattage: 1 Watt
- Integrated CREE LED - 2700K
- Certification: Ce
- Warranty: 4 Year Warranty
- Rated 30,000 Hours
- Fixture Diameter: 15/16" (23mm)
- Fixture Length: 1 - 7/8" (48mm)



SIMPLE. PROFESSIONAL. RELIABLE

LELEVELLE DECK LIGHT


YOB-418



FEATURES

The Lelevelle medium deck light is the perfect fixture for all stair and deck lighting applications. Compact in size and flush mount it's easy to install while the side clips hold the fixture in place. The honeycomb pre-installed lens reduces the amount of glare seen from the light output.

- Fixture Material: Stainless Steel or Black
- Honeycomb Lens for Anti-Glare
- Input Voltage: 12V
- Output Lumen: 95lm
- IP Rating: IP67
- Wattage: 1 Watt
- Lamp Type: Integrated CREE - 2700K
- Certification: Ce
- Warranty: 4 Year Warranty
- Rated for 30,000 Hours
- Fixture Diameter - 1- 5/16" (33mm)
- Fixture Length: 2.25" (57mm)



www.lelevelle.com



SIMPLE. PROFESSIONAL. RELIABLE

LELEVELLE RIGHT ANGLE PATH

YOW-613



FEATURES

The Lelevelle Right Angle Pathlight is a perfect companion for the new contemporary style of landscape design. The integrated LED offers a smooth dispersment of light to perfectly illuminate any walkway, pathway or flowerbed.



- Fixture Material: Powder Coated Aluminium
- Finish Available: Black
- Input Voltage: 12V
- IP Rating: IP65
- Ground Stake: Included
- Wire Lead: 36" of #18/2 Direct Burial Wire
- Lamp Type: Integrated LED - 1x 5Watt
- Certification: Ce, ETL, UL
- Warranty: 4 Year Warranty
- Fixture Top Depth: 3.2" (80mm)
- Fixture Top Width: 4.2" (105mm)
- Fixture Height: 24" (600mm)



SIMPLE. PROFESSIONAL. RELIABLE

LELEVELLE CONTEMPORARY BOLLARD

YXE-306



FEATURES

The Lelevelle Bollard Pathlight is another great option for a contemporary fixture to match a more modern landscape design. The LED's are located on all three sides of the fixture to provide a smooth dispersment of light on all sides.

- Fixture Material: Powder Coated Aluminium
- Finish Available: Black
- Input Voltage: 12V
- IP Rating: IP65
- Color Temperature: 2700K
- Wire Lead: 36" of #18/2 Direct Burial Wire
- Lamp Type: Integrated LED - 3 x 1 Watt
- Certification: Ce, ETL, UL
- Warranty: 4 Year Warranty
- Fixture Diameter: 3.68" (92mm)
- Fixture Height: 24" (600mm)



www.lelevelle.com



SIMPLE. PROFESSIONAL. RELIABLE

LELEVELLE UP/DOWN WALL LIGHT

YYJ-250



FEATURES

The Lelevelle up/down wall light is ideally used in pergolas, or on fence posts, but can also be mounted on the wall to create the perfect ambience. The addition of this fixture accentuates the architectural highlights of such structures and brings them to life at night.



- Fixture Material: Powder Coated Aluminium
- Finish Available: Black
- Input Voltage: 12V
- IP Rating: IP65
- Color Temperature: 2700K
- Wire Lead: 6' of #18/2 Direct Burial Wire
- Lamp Type: Integrated LED - 2 x 3 Watt
- Certification: Ce, ETL, UL
- Warranty: 4 Year Warranty
- Fixture Diameter: 2.4" (60mm)
- Fixture Length: 5.2" (130mm)



SIMPLE. PROFESSIONAL. RELIABLE

LELEVELLE DOWN WALL LIGHT

YYJ-778



FEATURES

The Lelevelle Down Light is a wall mount light that can be mounted on fence posts, pergolas and any other surface that you require a single directional spread of light. Ideal for grazing technique or accenting wooden structures.

- Fixture Material: Powder Coated Aluminium
- Finish Available: Black
- Input Voltage: 12V
- IP Rating: IP65
- Color Temperature: 2700K
- Wire Lead: 6' of #18/2 Direct Burial Wire
- Lamp Type: Integrated LED - 1 x 3 Watt
- Certification: Ce, ETL, UL
- Warranty: 4 Year Warranty
- Fixture Depth: 2.4" (60mm)
- Fixture Length: 4.28" (107mm)



www.lelevelle.com



SIMPLE. PROFESSIONAL. RELIABLE

LELEVELLE LED LAMPS



G4 Bi-Pin - 3.5Watt

FEATURES

- Fully Siliconed Lamp
- Base: G4 Bi-Pin
- Input Voltage: 12V
- IP Rating: IP65
- Wattage: 3.5Watts
- Color Temperatures: 2700k or 3000k
- Lumen Output: 250 Lumens
- Certification: Ce, ETL, UL
- Warranty: 3 Year Warranty

USE WITH FIXTURES

- Dome Pathlight -YYZ-705
- Dome Pathlight -YYZ-416
- Dome Pathlight - YYZ-905



MR16- 5 Watt

FEATURES

- Full Aluminium Body
- Base: MR16
- Input Voltage: 12V
- IP Rating: IP65
- Wattage: 5 Watts
- Color Temperatures: 2700k or 3000k
- Lumen Output: 390 Lumens
- Certification: Ce, ETL, UL
- Warranty: 3 Year Warranty

USE WITH FIXTURES

- Accent Light - YVR-604
- Accent Light - YYR-778
- Well Light - YQR-306



SIMPLE. PROFESSIONAL. RELIABLE

LELEVELLE TRANSFORMERS



ECONOMY SERIES

FEATURES

The Lelevelle Economy Series Transformer is the ideal choice for a low cost option when needing a transformer to power the system. Available in 60watt and 150watt options both include a built in photocell and timer.

- Input Voltage: 120V
- Output Voltage: 12V
- Wattage: 60Watts/150Watts
- Power Cord Length: 6'
- Dimensions(LxWxH): 6.8" x 3.6"x 3.6"
- Timer Function: Auto/4H/6H/8H
- Built in Photocell: Yes
- Built in Fuse/Circuit Breaker: Yes
- Certification: Ce, ETL, UL
- Warranty: 3 Year Warranty



PROFESSIONAL SERIES

FEATURES

The Lelevelle Professional Series Transformer is the preferred transformer for use on most lighting projects. The ability to add in a separate timer and photocell allow full control of the system with multiple start times and seasonal adjustments. The multi-tap output voltage, provides the ability to get the exact voltage required at each light for optimized fixture longevity.

- Input Voltage: 120V
- Output Voltage: 12V/13V/14V/15V Multi
- Wattage: 150Watts / 300 Watts
- Power Cord Length: 6'
- Dimensions(LxWxH): 10.5" x 5.63"x 5"
- Timer Function: Sold Separately
- Photocell: Sold Separately
- Built in Circuit Breaker Switch: Yes
- Construction: 304 Stainless Steel
- Lockable Latch
- Certification: Ce, ETL, UL
- Warranty: 10 Year Warranty

www.lelevelle.com



SIMPLE. PROFESSIONAL. RELIABLE

LELEVELLE ACCESSORIES

TIMER



- Mechanical Style Timer
- Up to 48 on/off Settings
- Manual Override
- No Pins to Loose

PHOTOCELL



- Plug in Photocell
- Compatible with Any Brand

GROUND STAKE



- 9" Length
- ABS Construction
- Slotted Design for Wire
- 1/2" FPT Threads

12-2 WIRE



- Available in 100' and 250' Rolls
- 12 Gauge

14-2 WIRE



- Available in 100' and 250' Rolls
- 14 Gauge

WIRE CONNECTORS



- Rated to 600V
- Suitable for 8-20 Gauge Wire
- ETL Listed
- Available in 20 Pieces & 100 Pieces



SIMPLE. PROFESSIONAL. RELIABLE

WWW.LELEVELLE.COM

Toll Free: (877) 331-8448

Email: info@lelevelle.com