


REFLECTED CEILING PLAN - BUILDING C
1/8" = 1'-0"



LEGEND

NEW 12" x 12" ACOUSTICAL CEILING TILE ATTACHED DIRECTLY TO NEW 5/8" GYPSUM BOARD CEILING.



EXISTING CEILING TO REMAIN. PROTECT IN PLACE.

NEW WALL. SEE WALL TYPE DESIGNATIONS FOR MORE INFORMATION. EXISTING 2' x 4' SURFACE-MOUNTED LIGHT FIXTURE TO REMAIN.

EXISTING 1' x 4' SURFACE-MOUNTED LIGHT FIXTURE TO REMAIN.

NOT USED.

NOE VARAGOTICASY AMINIDONN GYP.BD. CEILINGS FOR HEAT DETECTOR. SEE ELECTRICAL DWGS AND 10/A651




- 1. CONTRACTOR SHALL PAINT ALL EXTERIOR SURFACES OF BUILDINGS "A", "B", AND "C", INCLUDING ALL MATERIALS AND ITEMS ATTACHED TO THE BUILDINGS, WHETHER OR NOT NOTED WITHIN THE DRAWINGS. SEE SHEET GOO3, 10-FINISH NOTES.
- PATCH AS REQUIRED AND REFINISH ALL CEILING SURFACES TO MATCH EXISTING OR NEW ADJACENT SURFACES AND FINISHES, UNLESS OTHERWISE SPECIFIED BY ARCHITECT.
- 3. PROTECT AND SAFEGUARD FROM DAMAGE ALL EXISTING CONSTRUCTION, MATERIALS, EQUIPMENT, AND FINISHES TO REMAIN.
- 4. EXISTING LIGHT FIXTURES TO REMAIN, TYPICAL. EXISTING FIXTURES MAY BE REMOVED, STORED, AND REINSTALLED AS REQUIRED.

IDENTIFICATION STAMP DIV. OF THE STATE ARCHITECT APP. 03-119485 INC: REVIEWED FOR SS 🗸 FLS 🗸 ACS 🗸 DATE: 8/14/2019

155 S. Fair Oaks, 2nd Floor, Pasadena California 91105

t 626.666.6906 f 626.666.3940 www.cannondesign.com



COPYRIGHT 2018 No part of the contents of this document may be reproduced or transmitted in any form or by any means without the written permission of



CORDOBA CORPORATION SAN FRANCISCO • LOS ANGELES • SANTA ANA • SAN DIEGO

- 10 NEW CLERESTORY WINDOW AND FRAME. SEE WINDOW SCHEDULE.
- 21 NOT USED.

LIGHTING NOTE:

- 23 NEW MECHANICAL DIFFUSERS, TYPICAL. SEE MECHANICAL DRAWINGS FOR MORE INFORMATION.
- 24 EXISTING LIGHT FIXTURE TO REMAIN, TYPICAL. SEE NOTE 4, THIS SHEET.
- NEW 36"x12" EXHAUST AIR LOUVER. SEE MECHANICAL DRAWINGS FOR MORE INFORMATION

- 22 NEW GYPSUM BOARD CEILING SYSTEM.

EXISTING LIGHT FIXTURES TO REMAIN, TYPICAL. REINSTALLED AT SAME LOCATION.

KEY PLAN

CLEAN DIFFUSER; REPLACE LAMP. PROTECT IN PLACE (E) CIRCUITRY &

RECONNECT TO RESULT IN A COMPLETE WORKING FIXTURE.

KEYNOTES

- 20 NEW GLUE-ON TILE CEILING SYSTEM. SEE SPECIFICATIONS.

ATION

PROGRAM

PROJECT NUMBER:


ISSUE/REVISION:

8/21/2018 30% - SCHEMATIC DESIGN

11/15/2018 100% CD - DSA SUBMITTAL

REFLECTED CEILING PLAN BUILDING C

AC201



LEGEND

FROSTED GLASS

DIV. OF THE STATE ARCHITECT APP. 03-119485 INC: REVIEWED FOR SS 🗸 FLS 🗸 ACS 🗸 DATE: 8/14/2019

> 155 S. Fair Oaks, 2nd Floor, Pasadena California 91105 t 626.666.6906 f 626.666.3940 www.cannondesign.com

COPYRIGHT 2018 No part of the contents of this document may be reproduced or transmitted in any form or by any means without the written permission of CANNONDESIGN.

SHEET NOTES

- 1. CONTRACTOR SHALL PAINT ALL EXTERIOR SURFACES OF BUILDINGS "A", "B", AND "C", INCLUDING ALL MATERIALS AND ITEMS ATTACHED TO THE BUILDINGS, WHETHER OR NOT NOTED WITHIN THE DRAWINGS. SEE SHEET G003,
- PATCH AS REQUIRED AND REFINISH ALL WALL AND CEILING SURFACES TO MATCH EXISTING OR NEW ADJACENT SURFACES AND FINISHES, UNLESS OTHERWISE SPECIFIED BY ARCHITECT.
- 8. ALL EXISTING ELECTRICAL SWITCHES AND OUTLETS SHALL BE RELOCATED AND REWIRED, AS REQUIRED, TO MEET ADA REQUIREMENTS. PATCH EXISTING WALL AND CEILING SURFACES AND REFINISH TO MATCH ADJACENT EXISTING OR NEW FINISH WHERE REQUIRED.
- 4. PROTECT AND SAFEGUARD FROM DAMAGE ALL EXISTING CONSTRUCTION, MATERIALS, EQUIPMENT, AND FINISHES TO REMAIN.



KEYNOTES

- 2 EXISTING DOOR TO REMAIN. REPAIR / REPAINT DOOR, FRAME, AND TRIM. SEE FINISH SCHEDULE.
- 3 EXISTING ROOF CANOPY TO REMAIN. REPAIR / REPAINT. SEE FINISH SCHEDULE.
- 4 INFILL THE REMOVED WINDOW AREA WITH DRYWALL PER DETAILS ON A661.
- 10 NEW WINDOW AND FRAME. SEE WINDOW SCHEDULE.
- 11 NEW DOOR AND FRAME. SEE DOOR SCHEDULE.
- NEW PAINT TO EXTERIOR STUCCO WALL. PATCH AND REPAIR WALL SURFACE AS REQUIRED. SEE SPECIFICATIONS.
- 16 NEW GUARDRAIL / HANDRAIL. SEE DETAILS AND SPECIFICATIONS.

- FINISH TO MATCH THE EXISTING WALL.

- RE-STENCIL BLDG ID LETTERING (MARKING) AT LOCATIONS NOTED ON ELEVATIONS. MARKINGS SHALL BE 12" HIGH IN "ARIAL" FONT. PAINT COLOR T.B.D.
- 15 NEW CONCRETE RAMP / STAIR.

KEY PLAN

PROJECT NUMBER:

OAK 633 Sout

ATION

OUND

S


ISSUE/REVISION:


8/21/2018 30% - SCHEMATIC DESIGN 10/10/2018 50% CD SUBMITTAL


11/15/2018 100% CD - DSA SUBMITTAL

EXTERIOR ELEVATIONS BUILDING C

AC301







DIV. OF THE STATE ARCHITEC APP. 03-119485 INC: REVIEWED FOR SS I DIFLS I HEST ACS I DATE: 8/14/2019

> 155 S. Fair Oaks, 2nd Floor, Pasadena California 91105 t 626.666.6906 f 626.666.3940

> > www.cannondesign.com


COPYRIGHT 2018 No part of the contents of this document may be reproduced or transmitted in any form or by any means without the written permission of CANNONDESIGN.



PROJECT NUMBER:

ISSUE/REVISION:

BUILDING SECTIONS



DIV. OF THE STATE ARCHITECT APP. 03-119485 INC: REVIEWED FOR SS 🗸 FLS 🗸 ACS 🗸 DATE: 8/14/2019

155 S. Fair Oaks, 2nd Floor, Pasadena California 91105 t 626.666.6906


f 626.666.3940 www.cannondesign.com


COPYRIGHT 2018 No part of the contents of this document may be reproduced or transmitted in any form or by any means without the written permission of CANNONDESIGN.



CORDOBA CORPORATION SAN FRANCISCO • LOS ANGELES • SANTA ANA • SAN DIEGO

WALL SECTIONS





DIV. OF THE STATE ARCHITEC APP. 03-119485 INC: REVIEWED FOR SS 🗸 FLS 🗸 ACS 🗸

155 S. Fair Oaks, 2nd Floor, Pasadena California 91105

t 626.666.6906 f 626.666.3940 www.cannondesign.com

COPYRIGHT 2018 No part of the contents of this or transmitted in any form or by any means without the written permission of CANNONDESIGN.



A501

PLANS




155 S. Fair Oaks, 2nd Floor, Pasadena California 91105


> COPYRIGHT 2018 No part of the contents of this document may be reproduced or transmitted in any form or by any means without the




RESTROOM



No part of the contents of this





IDENTIFICATION STAMP
DIV. OF THE STATE ARCHITECT
APP. 03-119485 INC:
REVIEWED FOR
SS FLS ACS DATE: 8/14/2019

DATE: 8/14/2019


155 S. Fair Oaks, 2nd Floor,
Pasadena California 91105
t 626.666.6906

Tasadena California 911
t 626.666.6906
f 626.666.3940
www.cannondesign.com



COPYRIGHT 2018

No part of the contents of this document may be reproduced or transmitted in any form or by any means without the written permission of CANNONDESIGN.



SOUND MITIGATION PROGRAM

OAK STREET ELEMENTARY SCHOOL

633 South Oak Street Inglewood, CA 90301

10292
A# 03-119485

DRAWN:


CHECKED:

ISSUE/REVISION:

8/21/2018
10/10/2018
11/15/2018
11/15/2018
100% CD - DSA SUBMITTAL

05/23/2019 DSA APPROVAL


ROOF DETAILS




IDENTIFICATION STAMP DIV. OF THE STATE ARCHITEC APP. 03-119485 INC: REVIEWED FOR SS I DIFLS I HEST ACS I DATE: 8/14/2019

155 S. Fair Oaks, 2nd Floor,

Pasadena California 91105 t 626.666.6906 f 626.666.3940 www.cannondesign.com



COPYRIGHT 2018 No part of the contents of this document may be reproduced or transmitted in any form or by any means without the written permission of CANNONDESIGN.



OAK

DISTRICT

UNIFIED

PROJECT NUMBER: A# 03-119485


CHECKED: ISSUE/REVISION: 8/21/2018 30% - SCHEMATIC DESIGN 10/10/2018 50% CD SUBMITTAL

11/15/2018 100% CD - DSA SUBMITTAL

CEILING DETAILS

NTS

NTS



DIV. OF THE STATE ARCHITEC APP. 03-119485 INC: SS I FLS I ACS I

155 S. Fair Oaks, 2nd Floor Pasadena California 91105

t 626.666.6906 f 626.666.3940 www.cannondesign.com

COPYRIGHT 2018 No part of the contents of this document may be reproduced or transmitted in any form or by any means without the written permission of

CORDOBA CORPORATION

8/21/2018 30% - SCHEMATIC DESIGN 11/15/2018 100% CD - DSA SUBMITTAL


PARTITION TYPES

											CHEDULE							
DOOR NUMBER	ROOM NAME	TYPE	WIDTH	DOOR HEIGHT	MATERIAL	FINISH	TYPF	MATERIAL		AME HEAD	JAMB	SILL	FIRE RATING	STC RATING	CLOSER	PANIC HARDWARE	HARDWARE SET	COMMENTS
BUILDING A			VVIDIII	IILIOIII	WATERIAL	1 1141011	111 =	WAILNAL	1 1141011	IILAD	JANIB	JOILL	1011110					
A1A A1B	ENTRY A1 ENTRY A1	Α	6'-0" 3'-6"	7"-0" 7"-0"	HM	PT-1 PT-1	2	HM	PT-1 PT-1	3/A601	2/A601	1/A601	20 MIN.	40	Y	Y	582	NEW DOOR AND FRAME EXISTING DOOR TO REMAIN
A2A	ENTRY A2	- D	7'-9"	7"-0"	HM	PT-1	2	HM	PT-1	3/A601	2/A601	1/A601	20 MIN.	40	- Y	Y	582	NEW DOOR AND FRAME
A3A A5A	ENTRY A3 CORRIDOR A5	D A	7'-9" 6'-0"	7"-0" 7"-0"	HM HM	PT-1 PT-1	2	HM HM	PT-1 PT-1	3/A601 3/A601	2/A601 2/A601	1/A601 1/A601	20 MIN. 20 MIN.	40	Y	- Y	582 382R.3	NEW DOOR AND FRAME NEW DOOR AND FRAME
A6A A9A	CORRIDOR A6 CLASSROOM A9	A C	6'-0" 3'-0"	7"-0" 7"-0"	HM HM	PT-1 PT-1	1	HM HM	PT-1 PT-1	3/A601 3/A601	2/A601 2/A601	1/A601 1/A601	20 MIN. 20 MIN.	40	Y	-	382R.3 142.1	NEW DOOR AND FRAME NEW DOOR AND FRAME
A9B A10A	CLASSROOM A9 CLASSROOM A10	C	3'-0" 3'-0"	7"-0" 7"-0"	HM HM	PT-1 PT-1	1 1	HM HM	PT-1 PT-1	3/A601 3/A601	2/A601 2/A601	1/A601 1/A601	20 MIN. 20 MIN.	40	Y	-	142.1 142.1	NEW DOOR AND FRAME NEW DOOR AND FRAME
A10B A11A	CLASSROOM A10 CLASSROOM A11	C -	3'-0" 3'-0"	7"-0" 7"-0"	HM HM	PT-1 PT-1	1 -	HM HM	PT-1 PT-1	3/A601 -	2/A601 -	1/A601 -	20 MIN. -	40	Y -	-	142.1	NEW DOOR AND FRAME EXISTING DOOR TO REMAIN
A11B A11C	CLASSROOM A11 CLASSROOM A11 - CLOSET	-	3'-0" 3'-0"	7"-0" 7"-0"	HM HM	PT-1 PT-1	-	HM HM	PT-1 PT-1	-	-	-		-	-	-	-	EXISTING DOOR TO REMAIN EXISTING DOOR TO REMAIN
A12A	COMPUTER CLASSROOM A12 COMPUTER CLASSROOM A12	C -	3'-0" 3'-0"	7"-0"	HM	PT-1 PT-1	1 -	HM	PT-1	3/A601	2/A601	1/A601	20 MIN.	40	Y -	-	482.1	NEW DOOR AND FRAME EXISTING DOOR TO REMAIN
A13A A13B	LIBRARY A13 LIBRARY A13	С	3'-0" 3'-0"	7"-0"	HM	PT-1 PT-1	1	HM	PT-1	3/A601	2/A601	1/A601	20 MIN.	40	Y	-	482.1	NEW DOOR AND FRAME EXISTING DOOR TO REMAIN
A14A	CLASSROOM A14 CLASSROOM A14	-	3'-0"	7"-0" 7"-0"	HM	PT-1 PT-1	-	HM	PT-1 PT-1	-	-	-	-	-	-	-	-	EXISTING DOOR TO REMAIN EXISTING DOOR TO REMAIN EXISTING DOOR TO REMAIN
A14B A14C	CLASSROOM A14 - CLOSET	-	3'-0" 3'-0"	7"-0"	HM	PT-1	-	HM	PT-1	-	-	-	-	-	-	-	-	EXISTING DOOR TO REMAIN
A15A A15B	CLASSROOM A15 CLASSROOM A15	-	3'-0" 3'-0"	7"-0" 7"-0"	HM HM	PT-1 PT-1	-	HM HM	PT-1 PT-1	3/A601 -	2/A601 -	1/A601 -	20 MIN.	40	- Y	- -	442.1	EXISTING DOOR TO REMAIN EXISTING DOOR TO REMAIN
A15C A16A	CLASSROOM A15 - CLOSET CLASSROOM A16	-	3'-0" 3'-0"	7"-0" 7"-0"	HM HM	PT-1 PT-1	-	HM HM	PT-1 PT-1	-	-	-	-	-	-		-	EXISTING DOOR TO REMAIN EXISTING DOOR TO REMAIN
A16B A16C	CLASSROOM A16 CLASSROOM A16 - CLOSET	-	3'-0" 3'-0"	7"-0" 7"-0"	HM HM	PT-1 PT-1	-	HM HM	PT-1 PT-1	-	-	-		-	-	-	-	EXISTING DOOR TO REMAIN EXISTING DOOR TO REMAIN
A17A A17B	CLASSROOM A17 CLASSROOM A17	C	3'-0" 3'-0"	7"-0" 7"-0"	HM HM	PT-1 PT-1	1 1	HM HM	PT-1 PT-1	3/A601 3/A601	2/A601 2/A601	1/A601 1/A601	20 MIN. 20 MIN.	40 40	Y		142.1 142.1	NEW DOOR AND FRAME NEW DOOR AND FRAME
A18A A18B	CLASSROOM A18 CLASSROOM A18	C	3'-0" 3'-0"	7"-0"	HM	PT-1	1	HM	PT-1	3/A601 3/A601	2/A601 2/A601	1/A601 1/A601	20 MIN. 20 MIN.	40	Y	-	142.1 142.1	NEW DOOR AND FRAME NEW DOOR AND FRAME
A19A	WORKROOM A19	C	3'-0"	7"-0"	HM	PT-1	1	HM	PT-1	3/A601	2/A601	1/A601	20 MIN.	-	Y	-	142	NEW DOOR AND FRAME
A20A A21A	BOYS A20 CUSTODIAN A21	-	3'-0" 3'-0"	7"-0" 7"-0"	HM	PT-1 PT-1	-	HM	PT-1 PT-1	3/A601 -	2/A601 -	1/A601 -	20 MIN.	-	- Y	-	-	NEW DOOR AND FRAME EXISTING DOOR TO REMAIN
A22A A23A	COUNSELOR A22 FACULTY LOUNGE A23	- C	3'-0" 3'-0"	7"-0" 7"-0"	HM HM	PT-1 PT-1	- 1	HM HM	PT-1 PT-1	- 3/A601	2/A601	- 1/A601	- 20 MIN.	40	- Y	-	- 442.1	EXISTING DOOR TO REMAIN NEW DOOR AND FRAME
	FACULTY LOUNGE A23 CONSOLIDATED OFFICE A24	-	3'-0" 3'-0"	7"-0" 7"-0"	HM HM	PT-1 PT-1	-	HM HM	PT-1 PT-1	-	-	-	-	-	-	-	-	EXISTING DOOR TO REMAIN EXISTING DOOR TO REMAIN
A24B C A25A	CONSOL. OFFICE A24 - CLOSET WOMENS A25	-	3'-0" 3'-0"	7"-0" 7"-0"	HM HM	PT-1 PT-1	-	HM HM	PT-1 PT-1	-					-	-	-	EXISTING DOOR TO REMAIN EXISTING DOOR TO REMAIN
A26A A27A	MENS A26 MAIL ROOM A27	-	3'-0" 3'-0"	7"-0" 7"-0"	HM HM	PT-1 PT-1	-	HM	PT-1 PT-1	-	-	-	-	-	-	-	-	EXISTING DOOR TO REMAIN EXISTING DOOR TO REMAIN
NOT USED A28A	VICE PRINCIPAL A28		3'-0"	7"-0"	HM	PT-1	_	HM	PT-1	_	_	_			_	_	_	NOT USED EXISTING DOOR TO REMAIN
A29A	PRINCIPAL A29	-	3'-0"	7"-0"	HM	PT-1 PT-1	-	HM	PT-1 PT-1	-	-	-	-	-	-	-	-	EXISTING DOOR TO REMAIN EXISTING DOOR TO REMAIN EXISTING DOOR TO REMAIN
A29B OT USED	PRINCIPAL A29	-	3'-0"				-	HM		-	-	-	-	-	-	-	-	NOT USED
A30B A32A	SUPPLIES WORKROOM A30 NURSE A32	-	3'-0" 3'-0"	7"-0" 7"-0"	HM HM	PT-1 PT-1	-	HM HM	PT-1 PT-1	-	-	-	-	-	-	- -	-	EXISTING DOOR TO REMAIN EXISTING DOOR TO REMAIN
A33A A34A	TOILET A33 SUPPLY A34	C.1 -	3'-0" 3'-0"	7"-0" 7"-0"	HM HM	PT-1 PT-1	1 -	HM HM	PT-1 PT-1	3/A601 -	2/A601 -	1/A601 -	20 MIN.	-	- Y	-	113	NEW DOOR AND FRAME EXISTING DOOR TO REMAIN
A35A A35B	OFFICE A35 OFFICE A35	-	3'-0" 3'-0"	7"-0" 7"-0"	HM HM	PT-1 PT-1	-	HM HM	PT-1 PT-1	-	-	-			-	-	-	EXISTING DOOR TO REMAIN EXISTING DOOR TO REMAIN
A36A A37A	STORAGE A36 GIRLS A37	C	3'-0" 3'-0"	7"-0" 7"-0"	HM HM	PT-1 PT-1	1	HM HM	PT-1 PT-1	3/A601 3/A601	2/A601 2/A601	1/A601 1/A601	20 MIN. 20 MIN.		-	-	142 113	NEW DOOR AND FRAME NEW DOOR AND FRAME
UILDING B B1A	ENTRY B1	A	6'-0"	7"-0"	HM	PT-1	2	l HM	PT-1	3/A601	2/A601	1/A601	20 MIN.	40			582	NEW DOOR AND FRAME
B2A B2B	ENTRY B2 ENTRY B2	A	6'-0" 3'-6"	7"-0"	HM	PT-1 PT-1	2	HM	PT-1	3/A601	2/A601	1/A601	20 MIN.	40	Y -	Y -	582	NEW DOOR AND FRAME EXISTING DOOR TO REMAIN
B3A B4A	CORRIDOR B3 KINDERGARTEN B4	В	6'-0" 3'-0"	7"-0"	HM	PT-1 PT-1	2	HM	PT-1	3/A601 3/A601	2/A601 2/A601	1/A601 1/A601	20 MIN. 20 MIN.	40	Y	Y	582 442.1	NEW DOOR AND FRAME NEW DOOR AND FRAME
B4B	KINDERGARTEN B4	-	3'-0"	7"-0"	HM	PT-1	-	HM	PT-1	-	-	-	-	-	-	-	-	EXISTING DOOR TO REMAIN
	KINDERGARTEN B4 - TOILET KINDERGARTEN B4 - STORAGE	-	3'-0" 3'-0"	7"-0" 7"-0"	HM HM	PT-1 PT-1	-	HM HM	PT-1 PT-1	-	-	-	-	-	-	-	-	EXISTING DOOR TO REMAIN EXISTING DOOR TO REMAIN
B5A B5B	CLASSROOM B5 CLASSROOM B5	- C	3'-0" 3'-0"	7"-0" 7"-0"	HM HM	PT-1 PT-1	1 -	HM HM	PT-1 PT-1	3/A601 -	2/A601 -	1/A601 -	20 MIN.	40	- Y	-	442.1	NEW DOOR AND FRAME EXISTING DOOR TO REMAIN
B5C B6A	CLASSROOM B5 CLASSROOM B6	-	3'-0" 3'-0"	7"-0" 7"-0"	HM HM	PT-1 PT-1	-	HM HM	PT-1 PT-1	-	-	-	-	-	-	-	-	EXISTING DOOR TO REMAIN EXISTING DOOR TO REMAIN
B6B B7A	CLASSROOM B6 CLASSROOM B7	-	3'-0" 3'-0"	7"-0" 7"-0"	HM HM	PT-1 PT-1	-	HM HM	PT-1 PT-1	-	-	-		-	-	-	-	EXISTING DOOR TO REMAIN EXISTING DOOR TO REMAIN
B7B B8A	CLASSROOM B7 CLASSROOM B8	-	3'-0" 3'-0"	7"-0"	HM	PT-1	-	HM	PT-1	-	-	-	-	-	-	-	-	EXISTING DOOR TO REMAIN EXISTING DOOR TO REMAIN
B8B B9A	CLASSROOM B8 CLASSROOM B9	-	3'-0" 3'-0"	7'-0" 7"-0"	HM	PT-1 PT-1	-	HM	PT-1 PT-1	-	-	-	-	-	-	-	-	EXISTING DOOR TO REMAIN EXISTING DOOR TO REMAIN EXISTING DOOR TO REMAIN
B9B	CLASSROOM B9	- -	3'-0"	7"-0"	HM	PT-1	-	HM	PT-1			-	- - -	-	- -	-	-	EXISTING DOOR TO REMAIN
B10A B10B	CLASSROOM B10 CLASSROOM B10	B -	6'-0" 3'-0"	7"-0" 7"-0"	HM HM	PT-1 PT-1	-	HM HM	PT-1 PT-1	3/A601 -	2/A601 -	1/A601 -	20 MIN.	40	- -	-	543.1	NEW DOOR AND FRAME EXISTING DOOR TO REMAIN
B11A B11B	CLASSROOM B11 CLASSROOM B11	B -	6'-0" 3'-0"	7"-0" 7"-0"	HM HM	PT-1 PT-1	2	HM HM	PT-1 PT-1	3/A601 -	2/A601 -	1/A601 -	20 MIN.	40	Y -	-	543.1 -	NEW DOOR AND FRAME EXISTING DOOR TO REMAIN
IOT USED B12B	CLASSROOM B12	-	3'-0"	7"-0"	HM	PT-1	-	HM	PT-1	-	-	-	-	-	-	-	-	NOT USED EXISTING DOOR TO REMAIN
B12C	CLASSROOM B12 - TOILET CLASSROOM B12 - STORAGE	-	3'-0" 3'-0"	7"-0" 7"-0"	HM HM	PT-1 PT-1		HM HM	PT-1 PT-1		-	-			-	-	-	EXISTING DOOR TO REMAIN EXISTING DOOR TO REMAIN
B13A B14A	BOYS B13 GIRLS B14		3'-0" 3'-0"	7"-0" 7"-0"	HM	PT-1 PT-1	-	HM	PT-1 PT-1	-	-	- -	-	-	-	-	-	EXISTING DOOR TO REMAIN EXISTING DOOR TO REMAIN EXISTING DOOR TO REMAIN
B15A	STAFF B15 CUSTODIAN B16	-	3'-0"	7 -0 7"-0" 7"-0"	HM	PT-1 PT-1	-	HM	PT-1 PT-1 PT-1	-	-	-	-	-	-	-	-	EXISTING DOOR TO REMAIN EXISTING DOOR TO REMAIN EXISTING DOOR TO REMAIN
B16A B17A	TOILET B17	-	3'-0" 3'-0"	7"-0"	HM HM	PT-1	-	HM HM	PT-1	-	-	-	-	-	-	-	-	EXISTING DOOR TO REMAIN
B17B B18A	TOILET B17 STORAGE B18	-	3'-0" 3'-0"	7"-0" 7"-0"	HM HM	PT-1 PT-1	-	HM HM	PT-1 PT-1		-	-		-	-	-	-	EXISTING DOOR TO REMAIN EXISTING DOOR TO REMAIN
JILDING C																		
C1A C1B	MULTI-USE C1 MULTI-USE C1	A C	3'-0" 3'-0"	7"-0" 7"-0"	HM HM	PT-1 PT-1	1 1	HM HM	PT-1 PT-1	3/A601 3/A601	2/A601 2/A601	1/A601 1/A601	20 MIN. 20 MIN.	40 40	Y	Y -	582 482.1	NEW DOOR AND FRAME NEW DOOR AND FRAME
C1C C1D	MULTI-USE C1 MULTI-USE C1 - HALL	C -	3'-0" 3'-0"	7"-0"	HM HM	PT-1 PT-1	1 -	HM HM	PT-1	3/A601	2/A601	1/A601	20 MIN.	40	Y -	-	482.1	NEW DOOR AND FRAME EXISTING DOOR TO REMAIN
C1E C1F	MULTI-USE C1 - KITCHEN MULTI-USE C1 - STORAGE	-	3'-0"	7'-0" 7"-0"	HM	PT-1 PT-1	-	HM	PT-1 PT-1	-	-	-	-	-	-	-	-	EXISTING DOOR TO REMAIN
C2A	MECHANICAL C2	-	3'-0" 3'-0"	7"-0"	HM	PT-1	-	HM HM	PT-1	-	-	-	-	-	-	-	-	EXISTING DOOR TO REMAIN EXISTING DOOR TO REMAIN
C3A C4A	STORAGE C3 HALL C4	-	3'-0" 3'-0"	7"-0" 7"-0"	HM HM	PT-1 PT-1	-	HM HM	PT-1 PT-1	-	-	-	-	-	-	-	-	EXISTING DOOR TO REMAIN EXISTING DOOR TO REMAIN
C5A C6A	BOYS C5 GIRLS C6	C C	3'-0" 3'-0"	7"-0" 7"-0"	HM HM	PT-1 PT-1	1 1	HM HM	PT-1 PT-1	3/A601 3/A601	2/A601 2/A601	1/A601 1/A601	20 MIN. 20 MIN.	40 40	Y		446 445	NEW DOOR AND FRAME NEW DOOR AND FRAME
C7A C8A	KITCHEN C7 CUSTODIAN C8	C -	3'-0" 3'-0"	7"-0" 7"-0"	HM HM	PT-1 PT-1	1 -	HM HM	PT-1 PT-1	3/A601 -	2/A601	1/A601	20 MIN.	40	Y -	-	442.1	NEW DOOR AND FRAME EXISTING DOOR TO REMAIN
C9A C10A	REMOVED REMOVED																	REMOVED FROM PROJECT REMOVED FROM PROJECT
C11A	TOILET C11	С	3'-0"	7"-0"	HM	PT-1	1	HM	PT-1	3/A601	2/A601	1/A601	20 MIN.	-	Y	-	113	NEW DOOR AND FRAME
I							a.			i e				i	1	i i	1	

PROVIDE ROOM ID SIGN FOR EVERY DOOR LISTED ON DOOR SCHEDULE (ABOVE) PER DETAILS 22 & 23 ON G123

- 1. EXIT DOORS SHALL BE OPENABLE FROM THE INSIDE WITHOUT THE USE OF A KEY OR
- ANY SPECIAL KNOWLEDGE OR EFFORT PER CBC 1008.1.9 2. WIDTH AND HEIGHT OF NEW DOORS SHALL COMPLY WITH CBC 1008.1.1
- 3. PROVIDE PANIC HARDWARE FOR EXIT DOORS AND GATES WITHIN THE SCOPE OF WORK SERVING ASSEMBLY ROOMS/AREAS, PER CBC 1008.1.10
- 4. EXTERIOR EXIT DOORS WITHIN THE SCOPE OF WORK SHALL BE ACCESSIBLE AS PER CBC 11B-404.2
- 5. ALL EXTERIOR DOORS FOR CLASSROOM AND WORKING AREA SHALL HAVE MINIMUM STC RATING OF 40.

DOOR SCHEDULE NOT TO SCALE



A701

DOOR TYPES / FRAME TYPES

1/4" = 1'-0"

DATE: 8/14/2019 155 S. Fair Oaks, 2nd Floor, Pasadena California 91105 t 626.666.6906 f 626.666.3940

DIV. OF THE STATE ARCHITECT APP. 03-119485 INC: REVIEWED FOR SS 🗹 FLS 🗸 ACS 🗸

www.cannondesign.com

COPYRIGHT 2018 No part of the contents of this document may be reproduced or transmitted in any form or by any means without the written permission of CANNONDESIGN.



PROG

MITIGATION

SOUND

OAK 633 Sout PROJECT NUMBER:

CHECKED: ISSUE/REVISION:

8/21/2018 30% - SCHEMATIC DESIGN 10/10/2018 50% CD SUBMITTAL 11/15/2018 100% CD - DSA SUBMITTAL 05/23/2019 DSA APPROVAL


DOOR TYPES DOOR SCHEDULE

								WINDOW SCHEDULE	
TVDE	COUNT	GLAZING	FRA	ME		DETAILS		COMMENTS	
TYPE	COONT	COONT	TYPE	MATERIAL	FINISH	HEAD	JAMB	SILL	COMMENTS
	•	•			•				
W1	-	GL-1	ALUM.	AL-1	15/A601	14/A601	13/A601	-	
W2	-	GL-1	ALUM.	AL-1	15/A601	14/A601	13/A601	-	
W3	-	GL-1	ALUM.	AL-1	15/A601	14/A601	13/A601	-	
W4	-	GL-1	ALUM.	AL-1	15/A601	14/A601	13/A601	-	
W5	-	GL-1	ALUM.	AL-1	15/A601	14/A601	13/A601	-	
W6	-	GL-1	ALUM.	AL-1	15/A601	14/A601	13/A601	-	
W7	-	GL-1	ALUM.	AL-1	15/A601	14/A601	13/A601	-	
W8	-	GL-1	ALUM.	AL-1	15/A601	14/A601	13/A601	-	
W9	-	GL-1	ALUM.	AL-1	15/A601	14/A601	13/A601	-	
W10	=	GL-1	ALUM.	AL-1	15/A601	14/A601	13/A601	-	
W11	-	GL-1	ALUM.	AL-1	15/A601	14/A601	13/A601	-	
W12	-	GL-1	ALUM.	AL-1	15/A601	14/A601	13/A601	-	
W13	-	GL-1	ALUM.	AL-1	15/A601	14/A601	13/A601	-	
W14	-	GL-1	ALUM.	AL-1	15/A601	14/A601	13/A601	-	
W15	-	GL-1	ALUM.	AL-1	15/A601	14/A601	13/A601	-	
W16	-	GL-1	ALUM.	AL-1	15/A601	14/A601	13/A601	-	
W17	-	GL-1	ALUM.	AL-1	15/A601	14/A601	13/A601	-	

GLASS TYPE 'GL-1' SHALL BE 1-1/8" INSULATED VISION GLASS THICKNESS (1/4" GRAY OR FROSTED - 0.50" AIR SPACE [MILL FINISH SPACER] - 3/8" LAMINATED GLASS (THE LAMINATED GLASS UTILIZES A .03" INTERLAYER). FROSTED PANEL LOCATIONS SHALL BE ONLY AS NOTED ON BUILDING ELEVATION SHEETS AA301, AA302, AB301 AND AC301. STC 40 SHALL BE REQUIRED AS INDICATED ON THE WINDOW SCHEDULE.

GENERAL NOTES

- 1. GLAZING IN FIXED PANELS LARGER THAN 9 SQUARE FEET SHALL HAVE A MINIMUM CATEGORY CLASSIFICATION OF II PER CBC TABLE 2406.1.
- 2. GLAZED OPENINGS WITHIN 40 INCHES OF A DOOR LOCK, WHEN THE DOOR IS IN THE CLOSED POSITION, SHALL BE FULLY TEMPERED GLASS OR APPROVED BURGLARY RESISTANT MATERIAL, OR SHALL BE PROTECTED BY METAL BARS, SCREENS, OR GRILLS HAVING A MINIMUM OPENING OF TWO INCHES. THE PROVISIONS OF THIS SECTION SHALL NOT APPLY TO VIEW PORTS OR WINDOWS WHICH DO NOT EXCEED 2 INCHES IN THEIR GREATEST DIMENSION.
- ALL GLASS WITHIN 18 INCHES OF A FLOOR OR WALKING SURFACE, MEASURED VERTICALLY, SHALL BE TEMPERED.
- 4. ① INDICATES TEMPERED GLASS.
- 5. ALL WINDOWS ARE REPLACING THE EXISTING WINDOWS. CONTRACTOR TO FIELD-VERIFY THE OPENING DIMENSIONS.



器

APP. 03-119485 INC:

REVIEWED FOR

SS ACS

155 S. Fair Oaks, 2nd Floor, Pasadena California 91105

www.cannondesign.com

COPYRIGHT 2018

document may be reproduced

or transmitted in any form or by any means without the


written permission of CANNONDESIGN.


No part of the contents of this

t 626.666.6906 f 626.666.3940

WINDOW SCHEDULE NOT TO SCALE







WINDOW TYPES1/4" = 1'-0"

OAK STREET ELEMENTARY SCHOOL 633 South Oak Street Inglewood, CA 90301
A PROJECT FOR:

OJECT NUMBER: 10292 A# 03-119485

DRAWN:

CHECKED:

ISSUE/REVISION:

SSUE/REVISION:

/21/2018 30% - SCHEMATIC DES

0/10/2018 50% CD SUBMITTAL

1/15/2018 100% CD - DSA SUBMIT

5/2018 100% CD - DSA SUBMITTAL
3/2019 DSA APPROVAL

WINDOW TYPES
WINDOW SCHEDULE

A751

1

CON	STRUC	TION	MA	ΓERIA	\L					FI	NISH	MATI	ERIAL	
	ROOM						WA	LLS					CEILING	
ROOM NAME	NUMBER	FLOOR	WALLS	CEILING	COMMENTS	N	E	S	W	FLOOR	BASE	CEILING	HEIGHT	COMMENTS
ENTRY	A1	(E)	(E)	ACT		PT-1	PT-1	PT-1	PT-1	(E)	(E)	ACT	SEE PLANS	
ENTRY	A2	(E)	(E)	(E)	EXISTING CEILING TO REMAIN	PT-1	PT-1	PT-1	PT-1	(E)	(E)	(E)	SEE PLANS	EXISTING CEILING TO REMAIN
ENTRY	А3	(E)	(E)	(E)	EXISTING CEILING TO REMAIN	PT-1	PT-1	PT-1	PT-1	(E)	(E)	(E)	SEE PLANS	EXISTING CEILING TO REMAIN
CORRIDOR	A4	(E)	(E)	AGC		PT-1	PT-1	PT-1	PT-1	(E)	(E)	AGC	SEE PLANS	
CORRIDOR	A 5	(E)	(E)	AGC		PT-1	PT-1	PT-1	PT-1	(E)	(E)	AGC	SEE PLANS	
CORRIDOR	A6	(E)	(E)	AGC		PT-1	PT-1	PT-1	PT-1	(E)	(E)	AGC	SEE PLANS	
CORRIDOR	A7	(E)	(E)	GB		PT-1	PT-1	PT-1	PT-1	(E)	(E)	GB	SEE PLANS	
CORRIDOR	A8	(E)	(E)	GB		PT-1	PT-1	PT-1	PT-1	(E)	(E)	GB	SEE PLANS	
CLASSROOM	А9	(E)	(E)	AGC		PT-1	PT-1	PT-1	PT-1	(E)	(E)	AGC	SEE PLANS	
CLASSROOM	A10	(E)	(E)	AGC		PT-1	PT-1	PT-1	PT-1	(E)	(E)	AGC	SEE PLANS	
CLASSROOM	A11	(E)	(E)	AGC		PT-1	PT-1	PT-1	PT-1	(E)	(E)	AGC	SEE PLANS	
CLASSROOM / COMPUTER ROOM	A12	(E)	(E)	AGC		PT-1	PT-1	PT-1	PT-1	(E)	(E)	AGC	SEE PLANS	
LYBRARY	A13	(E)	(E)	AGC		PT-1	PT-1	PT-1	PT-1	(E)	(E)	AGC	SEE PLANS	
CLASSROOM	A14	(E)	(E)	AGC		PT-1	PT-1	PT-1	PT-1	(E)	(E)	AGC	SEE PLANS	
CLASSROOM	A15	(E)	(E)	AGC		PT-1	PT-1	PT-1	PT-1	(E)	(E)	AGC	SEE PLANS	
CLASSROOM	A16	(E)	(E)	AGC		PT-1	PT-1	PT-1	PT-1	(E)	(E)	AGC	SEE PLANS	
CLASSROOM	A17	(E)	(E)	AGC		PT-1	PT-1	PT-1	PT-1	(E)	(E)	AGC	SEE PLANS	
CLASSROOM	A18	(E)	(E)	AGC		PT-1	PT-1	PT-1	PT-1	(E)	(E)	AGC	SEE PLANS	
WORKROOM	A19	(E)	(E)	GB		PT-1	PT-1	PT-1	PT-1	(E)	(E)	GB	SEE PLANS	
BOYS RESTROOM	A20	СТ	(E)	GB		CT-2/ PT-2	CT-2/ PT-2	CT-2/ PT-2	CT-2/ PT-2	CT-1	B-1	GB	SEE PLANS	
CUSTODIAN	A21	(E)	(E)	GB		PT-1	PT-1	PT-1	PT-1	VCT	RB-1	GB	SEE PLANS	
COUNSELOR	A22	(E)	(E)	ACT		PT-1	PT-1	PT-1	PT-1	VCT	RB-1	ACT	SEE PLANS	
FACULTY LOUNGE	A23	(E)	(E)	ACT		PT-1	PT-1	PT-1	PT-1	(E)	(E)	ACT	SEE PLANS	
CONSOLIDATED OFFICE	A24	(E)	(E)	ACT		PT-1	PT-1	PT-1	PT-1	(E)	(E)	ACT	SEE PLANS	
WOMEN'S RESTROOM	A25	СТ	(E)	GB		CT-2/ PT-2	CT-2/ PT-2	CT-2/ PT-2	CT-2/ PT-2	CT-1	B-1	GB	SEE PLANS	
MENS RESTROOM	A26	СТ	(E)	GB		CT-2/ PT-2	CT-2/ PT-2	CT-2/ PT-2	CT-2/ PT-2	CT-1	B-1	GB	SEE PLANS	
MAILROOM	A27	(E)	(E)	ACT		PT-1	PT-1	PT-1	PT-1	(E)	(E)	ACT	SEE PLANS	
VICE PRINCIPAL	A28	(E)	(E)	ACT		PT-1	PT-1	PT-1	PT-1	(E)	(E)	ACT	SEE PLANS	
PRINCIPAL	A29	(E)	(E)	ACT		PT-1	PT-1	PT-1	PT-1	(E)	(E)	ACT	SEE PLANS	
SUPPLIES WORKROOM	A30	(E)	(E)	ACT		PT-1	PT-1	PT-1	PT-1	(E)	(E)	ACT	SEE PLANS	
OFFICE	A31	(E)	(E)	ACT		PT-1	PT-1	PT-1	PT-1	(E)	(E)	ACT	SEE PLANS	
NURSE	A32	(E)	(E)	ACT		PT-1	PT-1	PT-1	PT-1	(E)	(E)	ACT	SEE PLANS	
TOILET	A33	СТ	(E)	GB		CT-2/ PT-2	CT-2/ PT-2	CT-2/ PT-2	CT-2/ PT-2	CT-1	B-1	GB	SEE PLANS	
SUPPLY	A34	(E)	(E)	GB		PT-1		PT-1	PT-1	(E)	(E)	GB	SEE PLANS	
OFFICE	A35	(E)	(E)	GB		PT-1	PT-1	PT-1	PT-1	(E)	(E)	GB	SEE PLANS	
STORAGE	A36	(E)	(E)	GB		PT-1	PT-1	PT-1	PT-1	(E)	(E)	GB	SEE PLANS	
GIRLS RESTROOM	A37	СТ	(E)	GB		CT-2/ PT-2	CT-2/	CT-2/	CT-2/	CT-1	B-1	GB	SEE PLANS	

				MA	ATERIAL CODE	FI21				
FLOO	FLOORS		S	ВА	SE	CEIL	ING	DOORS/CABINETRY/COUNTER TOPS		
СТ	CERAMIC/PORCELAIN TILE	СВ	NOT USED	B1	RUBBER BASE	ACT	ACOUTIC CEILING TILE	PL	NOT USED	
VCT	VINYL COMPOSITION TILE	GB	GYPSUM BOARD			AGC	ACOUSTICAL GLUE-ON CEILING ATTACHED TO GB	ss	NOT USED	
		СТ	CERAMIC/PORCELAIN TILE			GB	GYPSUM BOARD			
		PT	PAINT							

	СО	NSTRUC	CTION	MATE	RIAL		FINISH MATERIAL											
	D001/ 1141/F	ROOM	El 00D	W.1.1.6	05111110	0014451170	WALLS			FLOO DASE		05111110	CEILING	0.014451170				
	ROOM NAME	NUMBER	FLOOR	WALLS	CEILING	COMMENTS N	Е	S	W	R	BASE	CEILING	HEIGHT	COMMENTS	2			
	ENTRY	B1	(E)	(E)	AGC	PT-1	PT-1	PT-1	PT-1	(E)	(E)	AGC	SEE PLANS					
	ENTRY	B2	(E)	(E)	AGC	PT-1	PT-1	PT-1	PT-1	(E)	(E)	AGC	SEE PLANS					
	CORRIDOR	B3	(E)	(E)	AGC	PT-1	PT-1	PT-1	PT-1	(E)	(E)	AGC	SEE PLANS					
	KINDERGARDEN	B4	(E)	(E)	AGC	PT-1	PT-1	PT-1	PT-1	(E)	(E)	AGC	SEE PLANS					
	CLASSROOM	B5	(E)	(E)	AGC	PT-1	PT-1	PT-1	PT-1	(E)	(E)	AGC	SEE PLANS					
\Box	CLASSROOM	B6	(E)	(E)	AGC	PT-1	PT-1	PT-1	PT-1	(E)	(E)	AGC	SEE PLANS					
6	CLASSROOM	B7	(E)	(E)	AGC	PT-1	PT-1	PT-1	PT-1	(E)	(E)	AGC	SEE PLANS					
JILDING	CLASSROOM	B8	(E)	(E)	AGC	PT-1	PT-1	PT-1	PT-1	(E)	(E)	AGC	SEE PLANS		_			
	CLASSROOM	B9	(E)	(E)	AGC	PT-1	PT-1	PT-1	PT-1	(E)	(E)	AGC	SEE PLANS					
	CLASSROOM	B10	(E)	(E)	AGC	PT-1	PT-1	PT-1	PT-1	(E)	(E)	AGC	SEE PLANS					
$\overline{\mathbb{D}}$	CLASSROOM	B11	(E)	(E)	AGC	PT-1	PT-1	PT-1	PT-1	(E)	(E)	AGC	SEE PLANS					
	CLASSROOM	B12	(E)	(E)	AGC	PT-1	PT-1	PT-1	PT-1	(E)	(E)	AGC	SEE PLANS					
	BOYS RESTRROM	B13	СТ	(E)	GB	CT-2/ PT-2	CT-2/ PT-2	CT-2/ PT-2	CT-2/P T-2	CT-1	B-1	GB	SEE PLANS					
	GIRLS RESTROOM	B14	СТ	(E)	GB	CT-2/ PT-2	CT-2/ PT-2	CT-2/ PT-2	CT-2/P T-2	CT-1	B-1	GB	SEE PLANS					
	STAFF	B15	СТ	(E)	GB	CT-2/ PT-2	CT-2/ PT-2	CT-2/ PT-2	CT-2/P T-2	CT-1	B-1	GB	SEE PLANS					
	CUSTODIAN	B16	СТ	(E)	GB	CT-2/ PT-2		CT-2/ PT-2	CT-2/P T-2	CT-1	B-1	GB	SEE PLANS					
	TOILET	B17	(E)	(E)	GB	PT-1	PT-1	PT-1	PT-1	CT-1	(E)	GB	SEE PLANS					
	STORAGE	B18	(E)	(E)	GB	PT-1	PT-1	PT-1	PT-1	VCT	RB-1	GB	SEE PLANS					
	STORAGE	B19	(E)	(E)	GB	PT-1	PT-1	PT-1	PT-1	VCT	RB-1	GB	SEE PLANS					
	STORAGE	B20	(E)	(E)	GB	PT-1	PT-1	PT-1	PT-1	VCT	RB-1	GB	SEE PLANS					

MATERIAL AND FINISH SCHEDULE - BUILDING C

CONSTRUCTION	MATERIAL
--------------	----------

	DOOM NAME	ROOM	FLOOD	WALLS	CELLING	COMMENTS		WA	LLS		FLO	DACE	CELLING	CEILING	COMMENTS
	ROOM NAME	NUMBER	FLOOR	WALLS	CEILING		N	E	S	W	OR	BASE	CEILING	HEIGHT	COMMENTS
	MULTI-USE	C1	(E)	(E)	AGC		PT-1	PT-1	PT-1	PT-1	LVT	RB-1	AGC	SEE PLANS	
	MECHANICAL	C2	(E)	(E)	GB		PT-1	PT-1	PT-1	PT-1	(E)	(E)	GB	SEE PLANS	
	STORAGE	C3	(E)	(E)	GB		PT-1	PT-1	PT-1	PT-1	(E)	(E)	GB	SEE PLANS	
DING	HALL	C4	(E)	(E)	GB		PT-1	PT-1	PT-1	PT-1	VCT	RB	GB	SEE PLANS	
	BOYS RESTROOM	C5	СТ	(E)	GB		CT-2/ PT-2	CT-2/ PT-2	CT-2/ PT-2	CT-2/ PT-2	CT-1	B-1	GB	SEE PLANS	
	GIRLS RESTROOM	C6	СТ	(E)	GB		CT-2/ PT-2	CT-2/ PT-2	CT-2/ PT-2	CT-2/ PT-2	CT-1	B-1	GB	SEE PLANS	
	KITCHEN	C7	(E)	(E)	GB		PT-1	PT-1	PT-1	PT-1	(E)	(E)	GB	SEE PLANS	
	CUSTODIAN	C8	(E)	(E)	GB		PT-1	PT-1	PT-1	PT-1	VCT	RB-1	GB	SEE PLANS	
	STORAGE	С9	(E)	(E)	GB		PT-1	PT-1	PT-1	PT-1	(E)	(E)	GB	SEE PLANS	
	VESTIBULE	C10	(E)	(E)	GB		PT-1	PT-1	PT-1	PT-1	(E)	(E)	GB	SEE PLANS	
	TOILET	C11	(E)	(E)	GB		PT-1	PT-1	PT-1	PT-1	VCT	RB-1	GB	SEE PLANS	

MATERIAL AND FINISH LIST

<u>FLOORS</u>

CT-1 (FLOOR TILE)

VCT (VINYL COMP. TILE) ARMSTRONG PREMIUM EXCELON RAFFIA, COLOR: CHARCOAL DUST #55802

RB-1 (RUBBER BASE) JOHNSONITE TIGHT-LOCK WALL BASE, COLOR: MEDIUM GRAY #28

RT-1 (RUBBER TILE) NORAMENT SATURA FLOORING 40"X40" FIELD COLOR: GRUS 5102

RT-2 (RUBBER TILE) NORAMENT SATURA FLOORING 40"X40" BORDER COLOR: VULPECULA 5106

<u>WALLS</u>

NOTE: FINISH TO BE LEVEL 4 THROUGHOUT

PT-1 DUNN EDWARDS 2 COATS MIN.

PT-2 DUNN EDWARDS SEMI-GLOSS, 2 COATS MIN.

CT-2 (WALL TILE)

B-1 JOHNSONITE MILLWORK REVEAL PROFILE RUBBER BASE

<u>CEILING</u>

ACT-1 2'X4' ARMSTRONG

FINISH NOTES

PROVIDE REDUCER STRIP WHERE DIFFERENCE IN MATERIALS OCCURS, UNLESS SPECIFIED OTHERWISE. BEVEL ALL CORNER EDGES ABOVE FINISH FLOOR.

UNDERSIDE OF SOFFITS AND BULKHEADS TO BE PAINTED TO MATCH ADJACENT WALL FINISH, U.N.O.

WHERE DIFFERENT MATERIALS MEET AT DOORS, SEAM SHALL

OCCUR CENTERED DIRECTLY UNDER THE DOOR IN CLOSED

CEMENTITIOUS BOARD TO BE USED ON ALL WALLS TO RECEIVE TILE. WATER RESISTANT GYP. BOARD TO BE USED ON ALL OTHER WALLS IN WET LOCATIONS. PROVIDE SKIM COAT ON PORTION OF CEMENTITIOUS BOARD EXTENDING ABOVE TILE WAINSCOT.

NOTES

CAL GREEN - ENVIRONMENTAL QUALITY

1. FINISHES SHALL COMPLY WITH THE FOLLOWING:

A. ADHESIVES, SEALANTS AND CAULKS, PAINTS AND COATINGS, AND AEROSOL PAINTS AND COATINGS SHALL MEET OR EXCEED THE STANDARDS OUTLINED IN SECTIONS 5.504.4.1, 5.504.4.3 AND 5.504.4.3.1 RESPECTIVELY. VERIFICATION OF COMPLIANCE WITH THESE SECTIONS MUST BE PROVIDED AT THE TIME OF INSPECTION.

B. ALL CARPET INSTALLED IN THE BUILDING INTERIOR SHALL MEET THE TESTING AND PRODUCT REQUIREMENTS OF ONE OF THE

FOLLOWING: I. CARPET AND RUG INSTITUTE'S GREEN LABEL PLUS PROGRAM OR II. CALIFORNIA DEPARTMENT OF PUBLIC HEALTH STANDARD PRACTICE FOR THE TESTING OF VOCS (SPECIFICATION 01350) OR

III. NSF/ANSI 140 AT THE GOLD LEVEL OR IV. SCIENTIFIC CERTIFICATIONS SYSTEMS SUSTAINABLE CHOICE V. VOC EMISSION LIMITS DEFINED IN THE CHPS HIGH PERFORMANCE PRODUCTS DATABASE

C. ALL CARPET CUSHION INSTALLED IN THE BUILDING INTERIOR SHALL MEET THE REQUIREMENTS OF THE CARPET AND RUG INSTITUTE GREEN LABEL PROGRAM. CARPET ADHESIVES SHALL NOT EXCEED A VOC LIMIT OF 50 g/L.

D. COMPOSITE WOOD PRODUCTS (HARDWOOD PLYWOOD, PARTICLE BOARDS, AND MDF COMPOSITE WOOD) INSTALLED ON THE INTERIOR OR EXTERIOR OF THE BUILDING SHALL MEET OR EXCEED THE STANDARDS OUTLINES IN TABLE

E. MINIMUM OF 80% OF FLOOR AREA RECEIVING RESILIENT FLOORING SHALL COMPLY WITH ONE OR MORE OF THE FOLLOWING:

I. VOC EMISSOIN LIMITS DEFINED IN THE CHPS HIGH PERFORMANCE PRODUCTS DATABASE OR II. PRODUCTS COMPLIANT WITH CHPS CRITERIA CERTIFIED UNDER THE

GREENGUARD CHILDREN & SCHOOLS PROGRAM OR III. CERTIFICATION UNDER THE RFCI FLOORSCORE PROGRAM OR IV. MEET THE CALIFORNIA DEPARTMENT OF PUBLIC HEALTH STANDARD METHOD FOR THE TESTING OF VOC EMISSIONS (SPECIFICATION 01350).

IDENTIFICATION STAMP DIV. OF THE STATE ARCHITECT APP. 03-119485 INC: REVIEWED FOR SS 🗹 FLS 🗸 ACS 🗸 DATE: 8/14/2019

155 S. Fair Oaks, 2nd Floor, Pasadena California 91105

> t 626.666.6906 f 626.666.3940

www.cannondesign.com

COPYRIGHT 2018 No part of the contents of this document may be reproduced or transmitted in any form or by any means without the written permission of CANNONDESIGN.



OAK 633 Sout

PROJECT NUMBER:

CHECKED:

OUND

ISSUE/REVISION: 8/21/2018 30% - SCHEMATIC DESIGN

10/10/2018 50% CD SUBMITTAL 11/15/2018 100% CD - DSA SUBMITTAL 05/23/2019 DSA APPROVAL

MATERIAL AND

FINISH SCHEDULE



