




# BUILD YOUR DECK in FIVE EASY STEPS





decking: Transcend in Spiced Rum & Vintage Lantern railing: Transcend in Vintage Lantern & Classic White with round aluminum balusters in Charcoal Black



### YOUR DECKING CHECKLIST

Extending your home's vision has never been more doable. In just five steps, go from having a bad case of deck envy to being 100% deck ready.

1

### DETERMINE MATERIALS, SIZE & SHAPE

The what and the how of building the deck of your dreams. Plan accordingly.

2

### CONSIDER THE SUBSTRUCTURE

Find out why our steel framing system results in long-lasting stability and support.

3

### CHOOSE YOUR DECKING

Vibrant colors, four grain patterns and three decking collections—Trex Transcend®, Enhance® and Select®—make the decision-making fun.

4

### CHOOSE YOUR RAILING

The signifier of great taste. Pick a pre-styled combo, or mix-and-match Trex® Signature™,

Transcend or Select rails, posts and balusters.



### ADD THE EXTRAS

Complete your outdoor area with furniture, lighting, storage and shade.

STEP 1

## Materials, SIZE & shape

Every deck starts with a great plan. Once you know how you want to use your deck, you'll be able to determine the best materials, size and shape.

Ask yourself these questions to see where you stand.



Do you have the time to maintain a wood deck?



Will you use an existing substructure or build a new one?



Do you expect your deck to retain its vibrancy, year after year?



Do you envision a curved or angular deck?



5

Will there be more than one level?



Will there be multiple exits and entrances?



Do you want room for a grill or dining area?




How will you light your deck?
















You could build your deck with any number of materials.

But why would you, when Trex decking and railing

consistently outdeck wood and the wannabes?

### - TREX WILL -



Beautifully withstand years of sun, sleet & snow HIGH-PERFORMANCE TECHNOLOGY



Clean easily
with soap & water
LOW-MAINTENANCE
PROPRIETARY SHELL



Make good on its promises
25-YEAR LIMITED
RESIDENTIAL
AND FADE & STAIN
WARRANTIES



Let forestfuls of trees
grow and grow
MADE OF 95%
RECYCLED MATERIALS

### - TREX WON'T -



Rot, warp or splinter UNLIKE WOOD



Fade or stain
UNLIKE WOOD



Need seasonal painting, sealing or staining
UNLIKE WOOD




Become food for termites UNLIKE WOOD

••• Read why Trex outdecks PVC & early-gen composite, too, at **trex.com/compare** 

### Trex Deck Designs


When planning your outdoor space, it's important to make sure your deck has exactly that—space.

••• Download our most popular layouts and materials lists at trex.com/plans




### **Rectangle Deck**

- » Offers room for outdoor eating and grilling
- » Works well with smaller homes, rooftops or side yards
- » Standard shape in five sizes makes for a versatile, multi-use space




### **Overlook Deck**

- » Provides distinct spaces so you can get the most from your deck
- » Works well with smaller to mid-sized homes with gardens or extended views
- » Multi-side add-on makes for a cozy sitting or dining area



### Beveled-Edge Deck

- » Allows for large sitting area or several smaller spaces
- » Works well with smaller to mid-sized homes of contemporary design
- » Rounded corners open the view and decor possibilities



### **Custom Deck**

Contact a local **TrexPro**° for a custom approach.

Find one at trex.com/findapro


### Consider the SUBSTRUCTURE


### Think about it:

if you're going to build
 a long-lasting deck,
don't you want its support
 to last just as long?

Trex Elevations®, our system of durable, triple-coated steel beams, joists and tracks, creates the strongest, straightest and greenest structures down below. Unlike interior-grade steel competitors, Trex Elevations® is designed specifically for the outdoors.

### Designed for exterior use





### Trex Elevations®:

The only deck frame
that can stand up

TO THE ELEMENTS

Wood substructures split, warp and shift, leading to an uneven surface in the deck boards above. The dimensionally stable steel of Trex Elevations® stays in place, giving you consistently stronger, straighter, safer and smarter decking than what wood can offer.

### STRONGER 🕇

Triple-coated steel offers consistency, durability and reliability that treated wood can't

### STRAIGHTER 😸

Precision engineering ensures surfaces remain flat over time

### SAFER 😆

Rot- and termite-proof steel is chemical-free and lasts much longer than wood

### SMARTER 😸

......

Contains a minimum of 25% recycled steel and is a 100% renewable resource

••• Want to see how it's done?
Watch an install video at trex.com/elevations

12

## CHOOSE your DECKING

Visions of a new deck rarely manifest in black and white. Which is why we start with color and move outward. Each of ours has its own personality, and one is sure to be truer to your home's style than any other. It's time to honor what you see, when you close your eyes and imagine what's possible.



MAKE IT LAST with proprietary shell technology



KEEP IT EFFORTLESS with soap-and-water cleaning



CREATE LUXURIOUS LOOKS with authentic color & grain patterns



MAP IT OUT
with our Deck Starter tool
at trex.com/getstarted



### PICK YOUR PALETTE

### Greys









# Winchester Grey

### Browns





















### Reds







### UNCOVER YOUR COLLECTION



BEST

**Trex** Transcend®

Outdecks all the rest.

### BETTER

### **Trex** Enhance

Simple, straightforward, struggle-free.





GOOD

TrexSelect®

The builder's *standard*.



### TREX TRANSCEND®

----- DECKING -----

UNPARALLELED, TRUE-TO-NATURE VIBRANCY,

PAIRED WITH AN UNMISTAKABLE GRAIN

OUTPERFORMS, OUTLASTS,
OUTDECKS ALL OTHERS.

Imagine the look of rainforest wood. Now imagine a composite alternative that outperforms the hardiest variety, without having felled a single tree. Timeless and tough, Transcend is where high performance and perennial beauty intersect.



### AVAILABLE COLORS:

PREMIUM TROPICALS











CLASSIC EARTH TONES














### SUPERIOR DURABILITY & DESIGN, WITHOUT COMPROMISE.

Enhance offers all the charm and none of the trouble of real wood, featuring a high-definition grain pattern and range of colors.

### AVAILABLE COLORS:









### HIGH STYLE, LOW MAINTENANCE.

Durable and inviting, Trex Select® brings legendary luxury to your home more affordably than ever—without ever sacrificing performance.

#### AVAILABLE COLORS:












••• More details at trex.com/colors



## SAILING

## CHOOSE your RAILING

When people look at your deck, they'll see the railing before anything else.

Which is why a picture-perfect deck means selecting railing that signifies your style—whether you're a modern minimalist or traditional to the core.



### SHOW OFF YOUR SURROUNDINGS

with sleek, sturdy rails that frame your deck and the view beyond it



### PAIR AS YOU PLEASE

with modular balusters, caps and posts in a variety of colors and finishes



### INNOVATE WITHOUT WASTE OR WORRY

with recycled materials backed by a 25-Year Limited Residential Warranty




## Trex Signature Signature

The incomparable style and strength of aluminum.



Quick-and-easy customization.







The timeless choice.

### TREX® SIGNATURE™

RAILING

EFFORTLESS STYLE, EXCEPTIONAL STRENGTH

### EQUAL PARTS FASHION AND FUNCTION.

Available in a curated range of elegant neutrals and backed with the durability only aluminum offers, Trex<sup>®</sup> Signature<sup>™</sup> is a testament to the refined beauty of negative space. Imagine sleek metal balusters that fade into your surroundings, and curved sweeps that mimic the graceful stretch of garden below.

### BRIGHT IDEAS

Our wedge lights (at left) cast a glow on nooks formerly overlooked.

### A HORIZONTAL SHIFT

Spare, sturdy and thoroughly modern, our all-new Rod Rail is made of powder-coated aluminum, bringing sleek commercial design to the backyard.

#### AVAILABLE RAIL COLORS:








### AVAILABLE ROD COLOR:







### FLYING COLORS THAT MIX, MATCH AND MELD.

When you want the freedom to mix and match balusters, rails and posts, you want Trex Transcend. As strong and sturdy as its namesake decking, Transcend puts every railing possibility within reach.





### SIMPLY SOUND, UTTERLY TIMELESS.

Why overthink what works? Trex Select® railing is high-performance composite railing that adds a crisp, safe and effective edge to any deck.

#### AVAILABLE COLORS:





### A SHORTCUT TO STYLE

### Decking & Railing Duos

Choosing railing that complements your decking has never been easier. Every Trex decking color comes with three pre-designed railings that go with it, along with a complete materials list and an alphanumeric code that makes ordering easy.

Take a look at the three options we curated for Spiced Rum decking.

To see our railing duos for every color, visit trex.com/duos

# SPICED



Coordinate It





Contrast It Change It Up

### COORDINATE IT:

Classic White rails with Spiced Rum cocktail rail, Classic White posts & Classic White composite balusters





### CONTRAST IT:

Charcoal Black aluminum rails,
Vintage Lantern posts & Charcoal Black
square aluminum balusters


### CHANGE IT UP:

Vintage Lantern rails, Classic White posts & Charcoal Black round aluminum balusters



# custom route

If you prefer a truly customized look for your deck, we've made it easy with an abundance of options for color, shape and building materials.



#### Posts

Vertical poles that can be outfitted with caps and skirts.



#### Rails

Top and bottom rails designed to keep railing straight and beautiful.



#### **Balusters**

Vertical balusters that maintain space and safety.



### Cocktail Rail (Optional)

Deck board on universal top or Trex® Signature™ rail to create a flat surface.



AVAILABLE IN ALL TREX DECKING COLORS

### ADD the EXTRAS

Before you really, truly luxuriate in your new deck, you're going to need a few add-ons. Think seats, storage, lighting and shade. The good news is that our extras are just as durable and design-minded as our decking and railing.
















PLANTERS



### Trex Outdoor Lighting

Easy to install and integrate into your decking, railing and surrounding landscape.

### Trex Outdoor Kitchens

Easily accessible storage that doesn't take up extra space and can be customized to your needs.

### **Trex**\*Pergola\*\*

A shaded oasis for your deck.

### **Trex** Outdoor Furniture

Stylish seating and dining collections built to last, conveniently available online at **trex.com** 

### Trex Cornhole

Give your backyard the competitive edge with this fun addition.

### **Trex** \*Spiral Stairs \*\*

A spatially efficient and customizable curve.

### **Trex** Fascia

Gives a clean, polished look to stairs and sides of your deck.

### **Trex**\*LatticeWorks\*\*

Durable screens lend a finished look and hidden storage to raised decks.

### Trex®RainEscape®

Enjoy more indoor living space, outdoors.

### Built-in Seating & Planters

Everything you've come to expect with Trex boards, in an entirely new configuration.







### JUST IMAGINE WHAT PROPER LIGHTING COULD BRING TO THE PARTY.

With the right light, an outdoor space goes from invisible to inviting. That's why Trex has expanded our soft white lighting to cover the whole landscape—from post cap lights and recessed deck lights to stair risers, spotlights and more.



### AVAILABLE NOW AT TREX.COM/LIGHTING

Order Trex Landscape Lighting or find a dealer near you on our website.



### DECK LIGHTING

Illumination that seamlessly integrates into rails, risers, treads and posts for easy, elegant wayfinding.

#### LANDSCAPE LIGHTING

Cast a soft, customizable glow on pathways and shrubs with CREE® LED well lights, path lights and spotlights.

With Trex Fascia, your outdoor space stands out, side on. Engineered to last and retain its rich color just as long as your deck surface, our fascia and risers bring wonderful depth and dimension to your design.

### GIVE YOUR DECK AN EDGE.

Try white fascia for a crisp, universal finish.

••• More edging ideas at trex.com/fascia





### ABOVE AND BEYOND.

Trex Pergola keeps outdoor living from feeling so...outdoors. Add a customizable pergola to your sun-soaked space and get a shady, sturdy retreat that's virtually upkeep-free.

### COOLER BY A MILE.

Add a ShadeTree® Canopy System for a customizable pop of color and smart sun protection. Retractable canopies available in AirFlow Mesh or Sunbrella® outdoor fabric at **trexpergola.com** 






### HIDE AND CHIC.

Mix the comforts of your indoor space with the natural beauty of your outdoor space. With Trex Outdoor Kitchens, add undeniable style and utility to your yard with cabinetry and storage that's easily matched to your deck and customized for your needs.

### STORE, SEAR AND CHILL.

Imagine hidden ice drawers flanking your grill. Or sliding bins for your kids' baseball gear. More ways to quiet the clutter at trex.com/storage

Trex® Pergola™ products are manufactured and sold by Home & Leisure, Inc., d/b/a/ Structureworks Fabrication, under a Trademark License Agreement with Trex Company, Inc. 25-Year Limited Residential Warranty and 10-Year Limited Commercial Warranty provided by the manufacturer. Sunbrella® is a registered trademark of Glen Raven, Inc. ShadeTree® Canopy is a registered trademark of Shade Tree Inc.



at trexspiralstairs.com



keeps rain, spills and snow melt from dripping through the decking boards above, creating a dry room below.

### CONVENIENT & CLEVER.

Trough system whisks water out through its own gutters—no leaks, no sitting puddles, no worries.

••• Find a retailer at **trexrainescape.com** 





### DEEP-SEATED BEAUTY.

It's luxury, squared: comfortable, durable, sustainable furniture in a variety of styles and colors that coordinate with our decking and railing. Each piece features an ergonomic design superbly crafted with a splinter-free finish for smooth, elegant ease.

### WELL ROOTED.

Trex—in partnership with *Trees for the Future*—plants a tree with each piece of furniture ordered.

••• Learn more at trexfurniture.com



# TREX<sup>®</sup> CORNHOLE<sup>™</sup>


### PLAY FOR KEEPS.

Regulation-sized and surfaced, our durable cornhole set comes with eight resin-filled bags that withstand the elements, too.

••• Learn more at trex.com/cornhole







# TREX<sup>®</sup> LATTICEWORKS<sup>™</sup>

### ADDED COVERAGE FOR CURB APPEAL.

Choose from a range of decorative and durable patterns to add privacy, utility and dimension deckside.

••• Learn more at trex.com/lattice

Trex® Cornhole™ is manufactured and sold by IPG Global Marketing under a Trademark License Agreement with Trex Company, Inc.

A 1-year Limited Warranty is provided by the manufacturer for the boards, and a 30-day Limited Warranty provided by the manufacturer for the bags.

Trex<sup>®</sup> LatticeWorks™ is manufactured and sold by Rhea Products, Inc. d/b/a Acurio Latticeworks under a Trademark License Agreement with Trex Company, Inc. A 12-Year Limited Warranty is provided by the manufacturer.

## **EVERY** WHICH REASON...

### TO GO ONLINE



YOUR BUDGET?

COST CALCULATOR

at trex.com/costs

Crunch some deck numbers

**DECK SAMPLES** 

Order your faves (and theirs) at trex.com/shop

A COLOR FOR HIM. A COLOR FOR HER.

> **DECK PLANS** Download one of our blueprints Design & price your deck at trex.com/plans

HERE WE ARE.

**DECK STARTER** 

LAY THE

at trex.com/getstarted

GROUNDWORK.

Y00-H00!

### TREX LOCATOR

Find nearby retailers at trex.com/locations

### **DECK-SPIRATION**

Get inspired by visiting trex.com, or follow us on Facebook, Houzz, **Instagram & Pinterest** 







TOX ETEVACIONS			
COMPONENT		DESCRIPTION	ITEM NUMBER
FRAMING COMPONENTS			
Track Actual dimensions: 1.25 in x 8.25 in x 12 ft / 16 ft / 20 ft (31 mm x 209 mm x 365 cm / 487 cm / 609 cm)		1.25 in x 8.25 in x 12 ft—Track 1.25 in x 8.25 in x 16 ft—Track 1.25 in x 8.25 in x 20 ft—Track	CG0Q0812ET60 CG0Q0816ET60 CG0Q0820ET60
Beam  Actual dimensions:  2.125 in x 8.25 in x 12 ft / 16 ft / 20 ft (53 mm x 209 mm x 365 cm / 487 cm / 609 cm)		2.125 in x 8.25 in x 12 ft—Beam 2.125 in x 8.25 in x 16 ft—Beam 2.125 in x 8.25 in x 20 ft—Beam	CG020812EB20 CG020816EB20 CG020820EB20
Joist  Actual dimensions:  1.625 in x 8 in x 12 ft / 16 ft / 20 ft  (41 mm x 203 mm x 365 cm / 487 cm / 609 cm)  Additional lengths are available by special order.		1.625 in x 8 in x 12 ft—Joist 1.625 in x 8 in x 16 ft—Joist 1.625 in x 8 in x 20 ft—Joist	CG020812EJ50 CG020816EJ50 CG020820EJ50
Beam End Cap Actual dimensions: 2.125 in x 8.125 in (53 mm x 206 mm)		2.125 in x 8.125 in—Beam End Cap (40/box)	ELVENDCAP40
Adjustable Mid-Span Block Actual dimensions: 4 in x 9.875 in (101 mm x 250 mm)		4 in x 9.875 in (10 sets)	ELVMIDSPANBLOCK
Adjustable Beam Block Actual dimensions: 5 in x 9.875 in (127 mm x 250 mm)		5 in x 9.875 in (10 sets)	ELVBEAMBLOCK
Deck Support Post  Actual dimensions: 3.5 in x 3.5 in x 10 ft (88 mm x 88 mm x 304 cm) 5.5 in x 5.5 in x 10 ft (139 mm x 139 mm x 304 cm)		3.5 in x 3.5 in x 10 ft—Deck Support Post 5.5 in x 5.5 in x 10 ft—Deck Support Post	www.trexdeckpost.com
Trex Elevations® Universal Connector Clip (glass-filled nylon with stainless steel screw)	A Part of the same	50 sq. ft (4.6 sq. m) box 500 sq. ft (46.5 sq. m) bucket	ELVUNIVCLIP ELVUNIVCLIPPAIL
Trex Elevations® Start Clip (stainless steel with stainless steel screw)		400 sq. ft (37.2 sq. m) bag	ELVSTARTCLIP
Trex Elevations®-Approved Spray Paint Net weight 12 oz.	THE COLUMN TO TH	Available in <b>Elevations grey</b> only.	1-800-966-7580
RAILING COMPONENTS (for use with Trex Elevations) · · · ·			•••••
Joist Mount Post with Cap & Skirt  Actual dimensions: 2.5 in x 2.5 in x 63 in (63 mm x 63 mm x 160 cm)	4//2	2.5 in x 2.5 in x 63 in	XXJMNTPOST63
Trex Elevations® Rail Post Blocking		10/box	ELVRAILPOSTBLOCK

For use with Joist Mount Signature Railing Post only.

### Trex Decking, Porch Flooring & Fascia | Beginning April 1st, 2018, all **Transcend Fire Pit** and **Tree House** deck boards and fascia will move to **non-stock** status.

PROFILE	DESC	RIPTION	ITEM NUMBER	COLORS
1" Square-Edge Board	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Transcend Transcend	XX010612TS01 XX010616TS01 XX010620TS01	HG, IM, LR, SR, TT, FP, GP, RS, TH, VL
Actual dimensions: Transcend & Enhance: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft (24 mm x 140 mm x 365 cm / 487 cm / 609 cm)	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Enhance Enhance Enhance	XX010612ES01 XX010616ES01 XX010620ES01	BD, CS, SD
Select: .82 in x 5.5 in x 12 ft / 16 ft / 20 ft (20 mm x 140 mm x 365 cm / 487 cm / 609 cm)	7/8 x 6 x 12' 7/8 x 6 x 16' 7/8 x 6 x 20'	Select Select Select	XX010612SS01 XX010616SS01 XX010620SS01	MB, PG, SD, WG, WB
1" Grooved-Edge Board	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Transcend Transcend Transcend	XX010612TG01 XX010616TG01 XX010620TG01	HG, IM, LR, SR, TT, FP, GP, RS, TH, VL
Actual dimensions: Transcend & Enhance: .94 in x 5.5 in x 12 ft / 16 ft / 20 ft (24 mm x 140 mm x 365 cm / 487 cm / 609 cm)	1 x 6 x 12' 1 x 6 x 16' 1 x 6 x 20'	Enhance Enhance Enhance	XX010612EG01 XX010616EG01 XX010620EG01	BD, CS, SD
Select: .82 in x 5.5 in x 12 ft / 16 ft / 20 ft (20 mm x 140 mm x 365 cm / 487 cm / 609 cm)	7/8 x 6 x 12' 7/8 x 6 x 16' 7/8 x 6 x 20'	Select Select Select	XX010612SG01 XX010616SG01 XX010620SG01	MB, PG, SD, WG, WB
1" Grooved Porch Floor Board  Actual dimensions: 94 in x 4.5 in x 12 ft / 16 ft (24 mm x 114 mm x 365 cm / 487 cm)  Can also be used for decking applications.	1 x 4.5 x 12' 1 x 4.5 x 16'	Transcend Porch Transcend Porch	XX010512TP01 XX010516TP01	GP, SR
1" x 8" Fascia  Actual dimensions:  Transcend, Enhance, Select, Universal White: .56 in x 7.25 in x 12 ft (14 mm x 184 mm x 365 cm)	1 x 8 x 12' 1 x 8 x 12' 1 x 8 x 12' 1 x 8 x 12' 1 x 8 x 12'	Transcend Enhance Select Universal White	XX010812TS01 XX010812ES01 XX010812SS01 WW010812ES01	HG, IM, LR, SR, TT, FP, GP, RS, TH, VL BD, CS, SD MB, PG, SD, WG, WB WOOD GRAIN WHITE
1" x 12" Fascia  Actual dimensions:  Transcend, Enhance, Select, Universal White: .56 in x 11.375 in x 12 ft (14 mm x 288 mm x 365 cm)	1 x 12 x 12' 1 x 12 x 12' 1 x 12 x 12' 1 x 12 x 12'	Transcend Enhance Select Universal White	XX011212TS01 XX011212ES01 XX011212SS01 WW011212ES01	HG, IM, LR, SR, TT, FP, GP, RS, TH, VL BD, CS, SD MB, PG, SD, WG, WB WOOD GRAIN WHITE
2" Square-Edge Board  Actual dimensions: Transcend 2x4: 1.3 in x 3.4 in x 16 ft	2 x 4 x 16' 2 x 6 x 12' 2 x 6 x 16'	Transcend Transcend Transcend	XX020416TS01 XX020612TS01 XX020616TS01	HG, IM, LR, SR, TT
(33 mm x 86 mm x 487 cm)  Transcend & Select 2x6: 1.3 in x 5.5 in x 12 ft / 16 ft / 20 ft (33 mm x 140 mm x 365 cm / 487 cm / 609 cm)	2 x 6 x 20' 2 x 6 x 12' 2 x 6 x 16' 2 x 6 x 20'	Transcend Select Select Select	XX020620TS01 XX020612SS01 XX020616SS01 XX020620SS01	MB, PG, SD, WB
HG Havana Gold SR Spiced  XX = COLOR PREFIX: IM Island Mist TT Tiki Tor  LR Lava Rock FP Fire Pit	rch RS Rope Swin	ng MB Made		ester Grey CS Clam Shell
TREX HIDEAWAY® HIDDEN FASTENING SYSTEM		DESCRIPT	ION	ITEM NUMBER
Connector Clip (stainless steel)	50 sq. ft (4.6 s 500 sq. ft (46	sq. m) box i.5 sq. m) bucket		CONNECTCLIP CLIPPAIL

TREX HIDEAWAY® HIDDEN FASTENING SYSTEM	DESCRIPTION	ITEM NUMBER
Connector Clip (stainless steel)	50 sq. ft (4.6 sq. m) box 500 sq. ft (46.5 sq. m) bucket	CONNECTCLIP CLIPPAIL
Gun Pail	500 sq. ft (46.5 sq. m) bucket with collated pneumatic screws	GUNCLIP
Universal Starter Clip	400 sq. ft (37 sq. m) bag	UNIVSTARTCLIP
Universal Fastener (glass-filled nylon)	50 sq. ft (4.6 sq. m) box 500 sq. ft (46.5 sq. m) bucket	UNIVCONCLIP DA00002
Router Bit	Router Bit	ROUTBIT

46 XX = COLOR PREFIX:

XXFMNTELEV

Trex Elevations® Fascia Mount Kit

(for use with Elevations steel framing)



### Trex Post Sleeves, Caps & Skirts

O These components can be used as steps 1 & 2 for all Trex railing lines.

STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
<u>(1)</u>	Post Sleeve	$4" \times 4" \times 39"$ Post Sleeve [4.45 in x 4.45 in x 40 in (113 mm x 113 mm x 101 cm) external dimensions] $4" \times 4" \times 108"$ Post Sleeve [4.45 in x 4.45 in x 108 in (113 mm x 113 mm x 274 cm) external dimensions]	XX040439APS XX0404108APS
	d 6x6 post sleeve fits over a 4x4 ated post or equivalent post mount.	6" x 6" x 39" Post Sleeve [5.5 in x 5.5 in x 39 in (139 mm x 139 mm x 990 mm) external dimensions] 6" x 6" x 108" Post Sleeve [5.5 in x 5.5 in x 108 in (139 mm x 139 mm x 274 cm) external dimensions]	WT060639APS WT0606108APS
2a) Also available	Post Sleeve Cap  e with LED lighting. See page 52.	Flat 4" x 4" Post Sleeve Cap Pyramid 4" x 4" Post Sleeve Cap [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions]  Flat 6" x 6" Post Sleeve Cap Pyramid 6" x 6" Post Sleeve Cap [5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]	PXXSQCAP4X4 PXXPYCAP4X4 PWTSQCAP6X6 PWTPYCAP6X6
<b>2</b> b	Post Sleeve Skirt	4" x 4" Post Sleeve Skirt [4.55 in x 4.55 in (115 mm x 115 mm) internal dimensions] 6" x 6" Post Sleeve Skirt [5.55 in x 5.55 in (140 mm x 140 mm) internal dimensions]	PXXSKIRT4X4 PWTSKIRT6X6
ACCESSORY	Surface Mount Post (for use with 4 x 4 composite post sleeve)	Aluminum Surface Mount Post for 36" (914 mm) Rail Height (1/box)  Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)  Aluminum Surface Mount Post for 42" (1066 mm) Rail Height (1/box)  Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)  Surface Mount Post Hardware—Wood (10 kits/box)	ALPOSTMOUNT36  ALPOSTMOUNT42  ALPOSTHWDECK
ACCESSORY	Joist Mount Post (for use with 4x4 composite post sleeve)	Aluminum Joist Mount Post for use with all Trex railing heights (1/box) Actual external dimensions of insert: 3.75 in x 3.75 in x 7 in (95 mm x 95 mm x 177 mm)	CPJMNTPOST63
ACCESSORY	Foot Block	Adjustable Foot Blocks	XXFTBLKPC
48 XX = C	OLOR PREFIX: WT Classic White FP Fire Pi BK Charcoal Black GP Gravel		

### Trex® Signature™ Aluminum Railing

• Choose either aluminum posts or composite post sleeves, caps and skirts for steps 1 & 2. Pair with a rail & baluster kit (step 3).

STEP	COMPONENT		DESCRIPTION	ITEM NUMBER
1+2	Aluminum Post with Cap & Skirt Aluminum Crossover Post Signature aluminum posts fulfill steps 1 & 2. If using Trex post sleeves, refer to page 48.  Aluminum posts can only be used with the Signature line.  IRC Surface Mount Hardware  Aluminum Joist Mount Post with Cap & Skirt	[2.5 in: 2.5" x [2.5 in: 2.5" x [2.5 in: 2.5" x [2.5 in: Alum For use Conc:	2.2.5" x 37" Post—Horizontal (IRC Compliant) x 2.5 in x 37 in (63 mm x 63 mm x 939 mm) actual dimensions] x 2.5" x 43" Post—Horizontal (IRC Compliant) x 2.5 in x 43 in (63 mm x 63 mm x 109 cm) actual dimensions] x 2.5" x 53" Post—Stair (IRC Compliant) x 2.5 in x 53 in (63 mm x 63 mm x 134 cm) actual dimensions] x 2.5" x 36" Crossover Post—Horizontal (IRC Compliant) x 2.5 in x 36 in (63 mm x 63 mm x 914 mm) actual dimensions] x 2.5" x 42" Crossover Post—Horizontal (IRC Compliant) x 2.5 in x 42 in (63 mm x 63 mm x 106 cm) actual dimensions] inum Mounting Plate & Hardware with all Trex 2.5" Surface Mount Aluminum Posts rete Post Mount Kit	XXAL252537RCAP  XXAL252543RCAP  XXAL252553RCAP  XXAL252536RCCP  XXAL252542RCCP  ALPOSTHWDECK  ALPOSTHWCONC  XXJMNTPOST63
	Trex <sup>®</sup> Signature <sup>™</sup> Fascia Mount Kit (for use with wood framing)	For us	se with Joist Mount Signature Railing Post only.	XXFMNTWOOD
STEP	DESCRIPTION	ITEM NUMB	ER DESCRIPTION	ITEM NUMBER
3	6' x 36" Rail Kit w. Square Balusters—Horizontal 6' x 36" Rail Kit w. Square Balusters—Stair 8' x 36" Rail Kit w. Square Balusters—Horizontal 8' x 36" Rail Kit w. Square Balusters—Stair 6' x 42" Rail Kit w. Square Balusters—Horizontal 6' x 42" Rail Kit w. Square Balusters—Stair 8' x 42" Rail Kit w. Square Balusters—Horizontal 8' x 42" Rail Kit w. Square Balusters—Horizontal 8' x 42" Rail Kit w. Square Balusters—Horizontal 6' x 36" Rail Kit w. Round Balusters—Horizontal 6' x 36" Rail Kit w. Round Balusters—Horizontal 8' x 36" Rail Kit w. Round Balusters—Horizontal 8' x 36" Rail Kit w. Round Balusters—Horizontal 6' x 42" Rail Kit w. Round Balusters—Horizontal 6' x 42" Rail Kit w. Round Balusters—Horizontal 8' x 42" Rail Kit w. Round Balusters—Horizontal 8' x 42" Rail Kit w. Round Balusters—Stair 6' x 36" Assembled Panel (Square)—Horizontal* 8' x 36" Assembled Panel (Square)—Horizontal* 8' x 42" Assembled Panel (Square)—Horizontal*	XXASO636HRIP XXASO636SRIP XXASO836SRIP XXASO642HRIP XXASO642SRIP XXASO842SRIP XXASO842SRIP XXARO636SRIP XXARO636SRIP XXARO836SRIP XXARO642HRIP XXARO642HRIP XXARO842SRIP XXARO842SRIP XXARO842HRIP XXARO842SRIP BKASO636HRIP BKASO636HRIP BKASO642HRIP BKASO842HRIP	6' x 36" Black Frame & Platinum Rod Railing—Stair 8' x 36" Black Frame & Platinum Rod Railing—Horizontal 8' x 36" Black Frame & Platinum Rod Railing—Horizontal 6' x 42" Black Frame & Platinum Rod Railing—Horizontal 6' x 42" Black Frame & Platinum Rod Railing—Stair 8' x 42" Black Frame & Platinum Rod Railing—Horizontal 8' x 42" Black Frame & Platinum Rod Railing—Horizontal 8' x 42" Black Frame & Platinum Rod Railing—Horizontal 6' x 36" Bronze Frame & Platinum Rod Railing—Horizontal 6' x 36" Bronze Frame & Platinum Rod Railing—Horizontal 8' x 36" Bronze Frame & Platinum Rod Railing—Horizontal 6' x 42" Bronze Frame & Platinum Rod Railing—Horizontal 6' x 42" Bronze Frame & Platinum Rod Railing—Horizontal 8' x 42" Bronze Frame & Platinum Rod Railing—Horizontal 8' x 42" Bronze Frame & Platinum Rod Railing—Stair 8' x 42" Bronze Frame & Platinum Rod Railing—Horizontal 8' x 42" Bronze Frame & Black Rod Railing—Horizontal 8' x 36" Black Frame & Black Rod Railing—Horizontal 8' x 36" Black Frame & Black Rod Railing—Stair 8' x 36" Black Frame & Black Rod Railing—Horizontal	BZPLROD0636SRK BZPLROD0836HRK BZPLROD0836SRK BZPLROD0642HRK BZPLROD0642SRK
ACCESSORY	Trex® Signature™ Accessories  Trex® Signature™ Bracket Templates  HZ Bracket Template  (36" and 42") - Composite Sleeve  HZ Bracket Template  (36" and 42") - 2.5" Aluminum Post	SIGTEMP4X4SI SIGTEMPIRCPO	Fixed Bracket—Stair (4/pack) Swivel Bracket—Horizontal (2/pack-1 top. 1 bottom)	XXCTBKTAL10PK XXFHBKTAL XXFSBKTAL XXSWHBKTAL XXSWSBKTAL XX25FHCBKTAL XX25RCSWSCBKTA XXCPDSWBKTAL XXALFTBLK XXTOUCHUPPEN

XX = COLOR PREFIX: BK Charcoal Black BZ Bronze WT Classic White Aluminum railing has a textured finish.

### Trex Transcend® Railing

• Transcend is either a 3-step or 5-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2), then choose a rail & baluster kit (step 3). OR choose each component individually for a custom design (steps 4 & 5)

	-		
STEP	COMPONENT	DESCRIPTION	ITEM NUMBER
<b>3</b> a	Top & Bottom Rails In this step, two rails (1 top, 1 bottom) must be selected.	6' Crown Top Rail 8' Crown Top Rail	XXCROWNTR06 XXCROWNTR08
		6' Universal Top/Bottom Rail 8' Universal Top/Bottom Rail	XXUNIVTBR06 XXUNIVTBR08
3b		[6' Rail: 67.5 in (171 cm) actual length; 8' Rail: 91.5 in (232 cm) actual length]	
	Crown Universal		
	Balusters	Square Balusters for 36" Rail Height (16/pack) [1.418 in x 1.418 in x 30.375 in (36 mm x 36 mm x 771 mm) actual dimensions]	XX020230SBK
	See chart below for number of balusters needed to complete each railing section.	Square Balusters for 42" Rail Height (16/pack) [1.418 in x 1.418 in x 36.375 in (36 mm x 36 mm x 923 mm) actual dimensions]	XX020236SBK
		Round Aluminum Balusters for 36" Rail Height (20/pack) [.75 in x 30.25 in (19 mm x 768 mm) actual dimensions]	XXTA30RBK
BALUSTER TYPE		Round Aluminum Balusters for 42" Rail Height (20/pack) [.75 in x 36.25 in (19 mm x 920 mm) actual dimensions]	XXTA36RBK
Square (Horizont	tal application) 13 18	Square Aluminum Balusters for 36" Rail Height (20/pack) [.75 in x 30.25 in (19 mm x 768 mm) actual dimensions]	XXTA30SBK
Aluminum (Horizo	ontal application) 15 20	Square Aluminum Balusters for 42" Rail Height (20/pack) [.75 in x 36.25 in (19 mm x 920 mm) actual dimensions]	XXTA36SBK
	ters are available in Charcoal Black, d Bronze only (BK, WT, BZ).		
5	Accessory Infill Kit  » 2 Baluster Spacers  » Adjustable Foot Block	6' Accessory Infill Kit for Square Balusters—Horizontal 6' Accessory Infill Kit for Square Balusters—Stair 8' Accessory Infill Kit for Square Balusters—Horizontal 8' Accessory Infill Kit for Square Balusters—Stair	XXSQHIK06 XXSQSIK06 XXSQHIK08 XXSQSIK08
	» Mounting Hardware	6' Accessory Infill Kit for Round Aluminum Balusters—Horizontal 6' Accessory Infill Kit for Round Aluminum Balusters—Stair 8' Accessory Infill Kit for Round Aluminum Balusters—Horizontal 8' Accessory Infill Kit for Round Aluminum Balusters—Stair	XXRDHIKO6 XXRDSIKO6 XXRDHIKO8 XXRDSIKO8
	[6' Rail: 67.5 in (171 cm) actual length;	6' Accessory Infill Kit for Square Aluminum Balusters—Horizontal 6' Accessory Infill Kit for Square Aluminum Balusters—Stair 8' Accessory Infill Kit for Square Aluminum Balusters—Horizontal 8' Accessory Infill Kit for Square Aluminum Balusters—Stair	XXASBHIK06 XXASBSIK06 XXASBHIK08 XXASBSIK08
	8' Rail: 91.5 in (232 cm) actual length]	6' Glass Panel Accessory Kit [Glass panel mounting hardware; glass panel not included]	XXGLIK06
ACCESSORY	Trex Transcend® Accessories	Mounting Hardware for Cut Rails—Horizontal Mounting Hardware for Cut Rails—Stair Transcend RSB Bracket Pack—Horizontal (24/box)	XXHZACCYKIT XXSTACCYKIT TSHBRACKET
	All accessories include a quantity of 12 per box unless otherwise noted.	Transcend RSB Bracket Pack—Holizoffia (24/150x)  Transcend RSB Bracket Pack—Stair (24/150x)  O Degree Rail Gasket Pack—Horizontal  O Degree Rail Gasket Pack—Stair  22.5 Degree Gasket Pack  45 Degree Birdsmouth Gasket Pack (for 4 x 4)  45 Degree Gasket Pack (for 6 x 6)	TSSBRACKET TSSBRACKET XX00HGASK XX00SGASK XX22HGASK XX45RSBADAPK WT45HGASK

#### • Or simply choose a rail & baluster kit in Classic White (3-step).



### Rail & Baluster Kit

- » Crown Top Rail
- » Universal Bottom Rail
- » Square Balusters
- » Baluster Spacers
- » Adjustable Foot Block
- » Mounting Hardware

Available in Classic White only.



6' x 36" Rail & Baluster Kit—Horizontal 6' x 36" Rail & Baluster Kit - Stair

8' x 36" Rail & Baluster Kit—Horizontal

8' x 36" Rail & Baluster Kit - Stair

[Actual dimensions: 6' Rail: 67.5 in x 36 in (171 cm x 914 mm); 8' Rail: 91.5 in x 36 in (232 cm x 914 mm)]

### Trex Select® Railing

• Trex Select® is a 3-step process. Choose Trex post sleeves, caps and skirts (steps 1 & 2) and a rail & baluster kit (step 3).

DESCRIPTION



### Classic White Rail & Aluminum Baluster Kit

- » Top Rail
- » Bottom Rail
- » Round Aluminum Balusters
- » Adjustable Foot Block
- » Hardware Pack

Available in Classic White with Charcoal Black Aluminum Balusters only



6' x 42" Rail & Aluminum Baluster Kit—Horizontal 8' x 42" Rail & Aluminum Baluster Kit—Horizontal 8' x 42" Rail & Aluminum Baluster Kit-Stair

[Actual dimensions: 6' Rail: 67.5 in x 36 in / 42 in (171 cm x 914 mm / 106 cm); 8' Rail: 91.5 in x 36 in / 42 in (232 cm x 914 mm / 106 cm);

WTRD0636HSELK WTRD0636SSELK

WTRD0836HSELK WTRD0836SSELK

WTRD0642HSELK WTRD0842HSELK WTRD0842SSELK

ACCESSORY

Trex Select® Accessories

Trex Select® 8' Aluminum Rail Stiffener

Mounting Hardware for Cut Rails—Horizontal (10 kits/box) Mounting Hardware for Cut Rails—Stair (10 kits/box)

**BKENHZBKT BKENSTBKT** 

**SELALRAILSTIFFENER** 

### Trex Aluminum Gates

#### COMPONENT **DESCRIPTION**

Gate Rail Kit

Available in all Aluminum colors.

Hardware Pack

36" Rail Height, Square Balusters, Adjustable up to 48" wide opening 36" Rail Height, Round Balusters, Adjustable up to 48" wide opening 42" Rail Height, Square Balusters, Adjustable up to 48" wide opening 42" Rail Height, Round Balusters, Adjustable up to 48" wide opening [Actual height 36" Rail: 36 in (914 mm); 42" Rail: 42 in (106 cm) Actual width is 47.5 in (120 cm) but can be cut to fit any width.]

XX36SQADJGATE XX36RDADJGATE XX42SQADJGATE XX42RDADJGATE

2 Adjustable Self-Closing Hinges Hardware for attachment to wood post with composite sleeve or aluminum posts


**BKGATEHW** 



### Trex Aluminum ADA Compliant Handrail

All Trex ADA handrail components are made of powder-coated aluminum.

COMPONENT	ITEM NUMBER
Corner Mount	XXALADAICORNER
Post Return ("Candy Cane")	XXALADA180CCANE
5 Degree Elbow	XXALADA05ELB
31 Degree Elbow	XXALADA31ELB
34 Degree Elbow	XXALADA34ELB
36 Degree Elbow	XXALADA36ELB
90 Degree Elbow	XXALADA90ELB
Collar	XXALADACLR
Rail End Cap	XXALADACAP
90 Degree Wall Return	XXALADA90WR
Wall Mount	XXALADAWMNT
4 in (101 mm) Internal Connector	XXALINTCONN
1.375 in x 8 ft (34 mm x 243 cm) Hand Rail	XXALADARAIL8



FP Fire Pit VL Vintage Lantern XX = COLOR PREFIX: XX = COLOR PREFIX: BK Charcoal Black BZ Bronze WT Classic White Aluminum railing has a textured finish. **GP** Gravel Path **TH Tree House** 

WT0636HRK

WT0636SRK

WT0836HRK

WT0836SRK

#### LIGHTING & DESCRIPTION

Rounded Path Light Stepped Path Light

Well Light

LANDSCAPE LIGHTING

Multifunction Light



#### DECK LIGHTING

### Pyramid or Flat Post Cap Light

- » 4" x 4" LED Post Cap Light [4.55 in x 4.55 in (115 mm x 115 mm) actual internal dimensions] Use with Trex 4 in Composite Railing Posts
- » 5.5 ft (1.67 m) Male LightHub® Lead

### Aluminum Post Cap Light

- » 2.5" x 2.5" LED Aluminum Post Cap Light [2.6 in x 2.6 in (66 mm x 66 mm) actual internal dimensions] Use with Trex 2.5 in Aluminum Railing Posts
- » 5.5 ft (1.67 m) Male LightHub Lead

### Deck Rail Light

- » LED Deck Rail Light [2.75 in (69 mm) OD]
- » 5.5 ft (1.67 m) Male LightHub Lead

### Wedge Deck Rail Light

- » LED Wedge Deck Rail Light [1.875 in wide x 3 in high (47 mm x 76 mm) actual dimensions] Compatible with all Trex Railing Posts
- » 5.5 ft (1.67 m) Male LightHub Lead

#### **LED Riser Lights**

- » 4 LED Riser Lights Г1.25 in (31 mm) ОD1
- » 5.5 ft (1.67 m) Male LightHub Lead

### Recessed Deck Lights

- » 4 LED Recessed Lights [1 in (25 mm) OD]
- » 5.5 ft (1.67 m) Male LightHub Lead

#### Transformer with Timer

- » Output Voltage: 12VDC
- » Output Power: 100W or 30W
- » Output Current: 8.3A or 2.5A
- » Photo-Activated Timer
- » 20 ft (6.09 m) LightHub Wire Extension Cable


#### Multi-zone Transformer Adapter

» Single Channel with Remote

### 1 in (25 mm) Forstner Bit—Pack of 6

### LightHub Accessories

- » 3-Way Splitter » 6-Way Splitter
- » 5 ft (1.52 m) Wire Extension Cable
- » 10 ft (3.04 m) Wire Extension Cable
- » 20 ft (6.09 m) Wire Extension Cable
- » 40 ft (12.19 m) Wire Extension Cable
- » 60 ft (18.28 m) Wire Extension Cable » Female to Female Adapter







BKRDPATH2PK, BZRDPATH2PK

BKSPATH2PK. BZSPATH2PK

BKWELL, BZWELL BKMULTI. BZMULTI

BKSPOT, BZSPOT

\*Includes: 36v Step-up Transformer & Female to Female Adapte

#### PYRAMID CAPS

BKPYLEDCAP4X4C WTPYLEDCAP4X4C FPPYLEDCAP4X4C THPYLEDCAP4X4C VLPYLEDCAP4X4C GPPYLEDCAP4X4C RSPYLEDCAP4X4C

FLAT CAPS BKSQLEDCAP4X4C WTSOLEDCAP4X4C FPSOLEDCAP4X4C THSQLEDCAP4X4C VLSQLEDCAP4X4C GPSQLEDCAP4X4C RSSOLEDCAP4X4C

TEXTURED CHARCOAL BLACK: BKALCAPLED25 TEXTURED BRONZE: BZALCAPLED25 TEXTURED WHITE: WTAI CAPI FD25

TEXTURED CHARCOAL BLACK: BKLAMPLEDC TEXTURED BRONZE: BZLAMPLEDC TEXTURED CLASSIC WHITE: WTLAMPLEDC

TEXTURED CHARCOAL BLACK: BKALPOSTLAMPLED TEXTURED BRONZE: BZALPOSTLAMPLED TEXTURED CLASSIC WHITE: WTALPOSTLAMPLED

TEXTURED CHARCOAL BLACK: BKRISERLED4PKC TEXTURED BRONZE: BZRISERLED4PKC TEXTURED CLASSIC WHITE: WTRISERLED4PKC

RECESSLED4PKC

### 8.3A, 100W: 83DLTRANSFORMER 2.5A, 30W: 25DLTRANSFORMER



DLDIMMER

DLBIT6PK





### TREX® LIMITED WARRANTY

Trex Company, Inc. (hereinafter "Trex") warrants to the original purchaser ("Purchaser") that, for the period of time set forth in the following sentence, under normal use and service conditions, Trex® products shall be free from material defects in workmanship and materials, and shall not split, splinter, rot or suffer structural damage from termites or fungal decay. The term of such warranty shall be twenty-five (25) years from the date of original purchase for a residential application, and ten (10) years from the date of original purchase for a commercial application. If a defect occurs within the warranty period, Purchaser shall notify Trex in writing and, upon confirmation by an authorized Trex representative of the defect, Trex's sole responsibility shall be, at its option, to either replace the defective item or refund the portion of the purchase price paid by Purchaser for such defective item (not including the cost of its initial installation).

Notwithstanding the foregoing, (a), the term of the warranty for the LED lights and housing for Trex<sup>®</sup> DeckLighting<sup>™</sup> shall be seven (7) years, the term of the warranty for the LED lights and housing for Trex<sup>®</sup> LandscapeLighting™ shall be five (5) years, and the term of the warranty for the dimmer, timer and transformer for both shall be three (3) years, in each case provided that a Trex transformer is used (with no warranty on any components if a Trex transformer is not used), and any other parts or accessories shall not be warranted; (b) with respect to hardware for the Trex Surroundings® gate (gate frame, hinges and screws), the term of the warranty shall be five (5) years, (c) with respect to Trex Decorative Balusters, the term of the warranty covering the paint coating shall be ten (10) years, and shall be prorated in the following manner: 100% replacement for the first five (5) years; and 50% replacement for the next five (5) years, and (d) this warranty shall not apply to Trex Elevations® steel deck framing, Trex® Signature™/Reveal® aluminum railing and TrexTrim™ (which each have separate warranties).

For purposes of this warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW. THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE TREX PRODUCTS OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.

With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Trex products were originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Trex products were originally installed.

To make a claim under this limited warranty. Purchaser, or the transferee. shall send to Trex, within the warranty period referred to above, a description of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc. **Customer Relations** 160 Exeter Drive Winchester, VA 22603-8605

Trex does not warrant against and is not responsible for any condition attributable to: (1) improper installation of Trex products and/or failure to abide by Trex's installation guidelines, including but not limited to improper gapping; (2) use of Trex products beyond normal use and service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which Trex products are installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.), environmental condition (such as air pollution, mold, mildew, etc.), staining from foreign substances (such as dirt, grease, oil, etc.), or normal weathering (defined as exposure to sunlight, weather and atmosphere which will cause any colored surface to gradually fade, chalk, or accumulate dirt or stains); (5) variations or changes in color of Trex products: (6) improper handling, storage, abuse or neglect of Trex products by Purchaser, the transferee or third parties; or (7) ordinary wear

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Trex products other than as contained in this warranty. This warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO DEFECTIVE PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2018 Trex Company, Inc.



## TREX TRANSCEND®, TREX ENHANCE®, TREX SELECT® AND TREX® UNIVERSAL FASCIA LIMITED FADE & STAIN WARRANTY

For the term set forth below, Trex Company, Inc. (hereinafter "Trex") warrants to the original end-user purchaser (the "Purchaser") that Trex Transcend® decking, porch or fascia, Trex Enhance® decking or fascia, Trex Select® decking or fascia or Trex® Universal Fascia, as the case may be (the "Product") will perform, under normal use and service conditions, as follows:

**Term of Warranty:** The term of this warranty shall begin on the date of original purchase, and shall end (1) twenty-five (25) years thereafter for a residential application of the Product, and (2) ten (10) years thereafter for a commercial application of the Product.

Residential/Commercial Application: For purposes of this warranty, a "residential application" shall refer to an installation of the Product on an individual residence, and a "commercial application" shall refer to any installation of the Product other than on an individual residence.

**Fade Resistance:** The Product shall not fade in color from light and weathering exposure as measured by color change of more than 5 Delta E (CIE) units.

The Product is designed to resist fading. No material is fade proof when exposed to years of UV exposure and the elements. The Product is designed to resist fading, and will not in any event fade by more than 5 Delta E (CIE) units.

Stain Resistance: The Product shall be resistant to permanent staining resulting from spills of food and beverage items including ketchup, mustard, salad oils, tea, wine, coffee, fruit punch, barbecue sauce, grease, sodas and other food and beverage related items that would typically be present on a residential deck, or mold and mildew naturally occurring in the environment, provided that such substances are removed from the Product with soap and water or mild household cleaners within one (1) week of exposure of the food or beverage to the surface or first appearance of the mold and mildew.

Notwithstanding the foregoing, Trex does not warrant that the Product is stain-proof, and does not warrant stain resistance resulting from spilled or otherwise applied food and beverage substances which are not properly cleaned as provided above within one (1) week of exposure. In addition materials not covered in the stain resistant warranty include abrasive compounds of acidic or basic pH, paints or stains, strong solvents, metallic rust or other abnormal deck use items, and non-food and non-beverage substances, including but not limited to, biocides, fungicides, plant food, or bactericides. Mold and mildew can settle and grow on any outdoor surface, including this Product, You should periodically clean your deck to remove dirt and pollen that can feed mold and mildew. This warranty does not cover mold and mildew which is not properly cleaned as provided above within one (1) week of first appearance.

**Standard Trex Company Limited Warranty:** This warranty is in addition to the standard Trex Company Limited Warranty that applies to all Trex products.

**Transferability:** With respect to a residential application, this warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Trex products were originally installed. With respect to a commercial application, this warranty is freely transferable to subsequent buyers of the property upon which the Trex products were originally installed.

#### **EXCLUSIONS FROM WARRANTY COVERAGE:**

**Exposure to Heat:** Direct or indirect contact with extreme heat sources (over 275 degrees) may cause fading and may damage the surface of the Product, and any effects of such exposure are expressly excluded from coverage under this warranty.

**Surface Damage:** Never use metal shovels or sharp-edged tools to remove snow and ice on the surface of the Product. If the surface of the Product is damaged or punctured, this warranty will be voided.

Paint or Other Materials Applied to the Product: If paint or other coating materials are applied to the Product, this warranty will be voided.

Railing: This warranty does not cover Trex Transcend®, Trex Enhance® or Trex Select® railing components.

Other Exclusions: This warranty shall not cover any condition attributable to: (1) improper installation of the Product and/or failure to abide by Trex's installation guidelines, including but not limited to improper gapping; (2) use of the Product beyond normal use or service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which the Product is installed; (4) any act of God (such as flooding, hurricane, earthquake, lightning, etc.); (5) improper handling, storage, abuse or neglect of the Product by Purchaser, the transferee or third parties; (6) any fading or staining not on the walking surface of the Product (i.e., the underside or the ends of the Product); or (7) ordinary wear and tear.

#### Procedure for Making a Claim under this Warranty

In order to make a claim under this warranty, Purchaser must do the following:

1. If the Purchaser is making a claim relating to the warranty on stain resistance, Purchaser must do as follows:

(a) Purchaser must try to clean the affected area of the deck by using the cleaning procedures described above within one (1) week of exposure of the food or beverage to the Product or first appearance of the mold and mildew.

(b) If the affected area remains reasonably unsatisfactory after Purchaser has tried these cleaning procedures, then Purchaser must have the affected area of the deck professionally cleaned at Purchaser's expense.

(c) If the affected area remains reasonably unsatisfactory after the professional cleaning, Purchaser may make a claim under this warranty, provided that such claim is made within thirty (30) days after the professional cleaning.

2. To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description and photographs of the affected area of the Product, proof of purchase, and if the claim relates to the warranty on stain resistance, proof of compliance with paragraph 1. above, to the following address:

Trex Company, Inc. Customer Relations 160 Exeter Drive Winchester, VA 22603-8605

3. Upon confirmation by an authorized Trex representative of a valid claim hereunder, Trex's sole responsibility shall be, at its option, to either replace the affected item or refund the portion of the purchase price paid by Purchaser for such affected item (not including the cost of its initial installation).

Replacement material will be provided that is as close as possible in color, design and quality as the replaced material, but Trex does not guarantee an exact match as colors and design may change.

4. If a valid warranty claim hereunder is made during years eleven (11) through twenty-five (25) after the original purchase for a residential application, recovery will be prorated. If Trex is providing replacement materials, it may elect to replace the percentage listed below of boards otherwise meeting the requirements for a claim, or if it is refunding the purchase price, it may elect to refund the percentage listed below of the purchase price of boards otherwise meeting the requirements for a claim.

YEAR OF WARRANTY CLAIM	PERCENTAGE RECOVERY
11	80%
12	80%
13	80%
14	60%
15	60%
16	60%
17	40%
18	40%
19	40%
20	20%
21	20%
22	20%
23	10%
24	10%
25	10%

5. TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF AFFECTED PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.

No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Trex products other than as contained in this warranty. This warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE, AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2017 Trex Company, Inc.



Trex Company, Inc. (hereinafter "Trex") warrants to the original purchaser ("Purchaser") that, under normal use and service conditions, Trex® Signature™/Reveal® Railing (the "Product") shall, for a period of twenty-five (25) years from the date of original purchase, be free from material defects in workmanship and materials. If a defect occurs within the warranty period, Purchaser shall notify Trex in writing and, upon confirmation by an authorized Trex representative of the defect, Trex's sole responsibility shall be, at its option, to either replace the defective Product or refund the portion of the purchase price paid by Purchaser for such defective Product (not including the cost of its initial installation).

With respect to installations where the atmosphere is influenced by a body of salt water (or other contaminant conditions), failure to adhere to the cleaning guidelines available at www.trex.com will void this warranty with respect to any condition resulting from such failure.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, THIS WARRANTY SHALL NOT COVER AND TREX SHALL NOT BE RESPONSIBLE FOR COSTS AND EXPENSES INCURRED WITH RESPECT TO THE REMOVAL OF DEFECTIVE PRODUCT OR THE INSTALLATION OF REPLACEMENT MATERIALS, INCLUDING BUT NOT LIMITED TO LABOR AND FREIGHT.

This warranty may be transferred one (1) time, within the five (5) year period beginning from the date of original purchase by the Purchaser, to a subsequent buyer of the property upon which the Product was originally installed.

To make a claim under this limited warranty, Purchaser, or the transferee, shall send to Trex, within the warranty period referred to above, a description of the claimed defect and proof of purchase, to the following address:

Trex Company, Inc.
Customer Relations
160 Exeter Drive
Winchester VA 22603-8605

Trex does not warrant against and is not responsible for any condition attributable to: (1) improper installation of the Product; (2) use of the Product beyond normal use and service conditions, or in an application not recommended by Trex's guidelines and local building codes; (3) movement, distortion, collapse or settling of the ground or the supporting structure on which the Product is installed; (4) damages attributable to fire, violent storms, earthquake or other Acts of God, accidents, vandalism, or other casualties, impact of objects, or exposure to atmospheric pollutants or conditions other than natural weather processes, (5) improper handling, storage, abuse or neglect of the Product by Purchaser, the transferee or third parties; or (6) ordinary wear and tear.


No person or entity is authorized by Trex to make and Trex shall not be bound by any statement or representation as to the quality or performance of Trex products other than as contained in this warranty. This warranty may not be altered or amended except in a written instrument signed by Trex and Purchaser.

TO THE FULLEST EXTENT PERMITTED UNDER THE LAW, UNDER NO CIRCUMSTANCES WILL TREX BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, WHETHER SUCH DAMAGES ARE SOUGHT IN CONTRACT, IN TORT (INCLUDING BUT NOT LIMITED TO NEGLIGENCE AND STRICT LIABILITY) OR OTHERWISE, AND TREX'S LIABILITY FOR NON-PERSONAL INJURY CLAIMS WITH RESPECT TO DEFECTIVE PRODUCTS SHALL IN NO EVENT EXCEED THE REPLACEMENT OF SUCH PRODUCTS OR REFUND OF THE PURCHASE PRICE. AS DESCRIBED ABOVE.

Some States or Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from State to State or Province to Province.

Copyright © 2018 Trex Company, Inc.

4 affected item (not including the cost of its initial installation).

















Visit **trex.com** or call **1-800-BUY-TREX** 

© 2018 Trex Company, Inc. All rights reserved. Trex<sup>®</sup>, the Trex logo, Trex Transcend<sup>®</sup>, Trex Enhance<sup>®</sup>, Trex Select<sup>®</sup>, Trex<sup>®</sup> Signature<sup>®</sup>, TrexPro<sup>®</sup>, Trex Elevations<sup>®</sup>, Trex Reveal<sup>®</sup>, Trex<sup>®</sup> Outdoor Lighting<sup>®</sup>, Trex<sup>®</sup> Outdoor Kitchens<sup>®</sup>, Trex<sup>®</sup> Pergola<sup>®</sup>, Trex<sup>®</sup> Outdoor Furniture<sup>®</sup>, Trex<sup>®</sup> Cornhole<sup>®</sup>, Trex Spiral Stairs<sup>®</sup>, Trex<sup>®</sup> Fascia, Trex<sup>®</sup> LatticeWorks<sup>®</sup>, Trex Hideaway<sup>®</sup> and Trex LightHub<sup>®</sup> are either federally registered trademarks, trademarks or trade dress of Trex Company, Inc., Winchester, Virginia or its licensees.

0118 XALTBRO2018