

# We are committed to building the

## **All-Steel Construction**

Impact resistant all-steel construction ensures added durability and protection while providing a long and dependable service life in toughest environments. - STRENGTH

### **Premium Powder Coated Finish**

Featuring a specifically designed long lasting powder coat finish for harsh environments. - RELIABILITY

## **Caged & Sealed Roller Bearings**

Caged and Sealed Roller bearings provides smooth, controlled operation of the gears and shafts. This ensures maintenance-free lubrication and increased efficiency. - STRENGTH

# Forged Identity Markings

We are one of the only manufacturers to have our manufacturing identifying marks and production date codes, plus the hook's rated capacity, embedded on the sides of the hook during the drop forge operation. Traceability is a key component of being an ISO-certified manufacturer of hoists. - SAFETY

#### Heavy Duty Cast Steel Safety Latch

This new Heavy-Duty cast-steel safety latch design bulks up the base of the latch where the torque and side load stresses are greatest, this is where ordinary stamped latches fail and will bend out of compliance. The latch also has a bolt-and-lock nut connection which simplifies changing latches in the field.

- STRENGTH - SAFETY - RELIABILITY

## **Hook Strength Pads**

Small Raised Pads - At the base and tip of each hook are permanent measuring points to check the hook's throat opening for signs of "stretching"-an indication that the hoist has been overloaded and that the hook should be replaced. - STRENGTH

#### 360-Degree Hook Rotation

The 360-Degree swivel hook design allows the operator to work in confined spaces with quick and easy positioning of the hoist in any directions. - RELIABILITY

# Weston-Style Brake System

Weston-Style load brake system has a Chrome Plated twin ratchet pawl brake design to reduce rusting. Fusing one brake disc to each side of the pawl allows the load to be divided between two disc and helps eliminates premature brake-disc failure. — RELIABILITY

