
Best Practices

Take the indoors out and expand living space with Inside Out® Underdecking's patented panels. Inside Out creates a finished look to the underside of the deck. No more visual clutter from exposed nails and dirty deck boards overhead.

Inside Out Underdecking channels the water down from the upper deck and away from the home, keeping the area below the deck dry and enjoyable for outdoor living. The specially designed panels and deep water brackets have been tested and approved to handle over 15" of water an hour.

INSIDE OUT® UNDERDECKING

Inside Out® Underdecking in 948 Medium Teak [MT]

Blurring the line between outside and inside.


Take the indoors out and expand living space with Inside Out® Underdecking's panels. Inside Out creates a finished look to the underside of the deck. No more visual clutter from exposed nails and dirty deck boards overhead.

Inside Out Underdecking channels the water down from the upper deck and away from the home, keeping the area below the deck dry and enjoyable for outdoor living. The specially designed panels and deep water brackets have been tested and approved to handle over 15" of water an hour.



From Left to Right:
 Row 1: 518 Black [BLK], 502 Brown [B], 604 Wineberry [WBER], 805 Pewter [P805]
 Row 2: 807 Clay [C], 177 Sandy Beige [SB177], 827 Champagne [CAB], 280 White [W]
 Row 3: 946 Dark Mahogany [DM], 943 Karri [K], 948 Medium Teak [MT]
 Row 4: 947 Light Cherry [LC], 949 Rock Maple [RM]

Inside Out® Panels



10, 12, 14 and 16 ft lengths

LENGTH	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
10 ft	UDC10	Aluminum 0.024"	Q800 TuffTech	12 pc/ctn 34 lb/ctn 20 carton 10 pallet	SOLID COLORS 518 Black [BLK] 502 Brown [B] 827 Champagne [CAB] 807 Clay [C] 805 Pewter [P805] 177 Sandy Beige [SB177] 280 White [W] 604 Wineberry [WBER]
	UDC4PC10	Aluminum 0.024"	Q800 TuffTech	4 pc/ctn 12 lb/ctn 20 carton 10 pallet	
12 ft	UDC12	Aluminum 0.024"	Q800 TuffTech	12 pc/ctn 41 lb/ctn 20 carton 8 pallet	WOODGRAIN COLORS 946 Dark Mahogany [DM] 943 Karri [K] 947 Light Cherry [LC] 948 Medium Teak [MT] 949 Rock Maple [RM]
	UDC4PC12	Aluminum 0.024"	Q800 TuffTech	4 pc/ctn 14 lb/ctn 20 carton 8 pallet	
14 ft	UDC14	Aluminum 0.024"	Q800 TuffTech	12 pc/ctn 48 lb/ctn 20 carton 6 pallet	
	UDC4PC14	Aluminum 0.024"	Q800 TuffTech	4 pc/ctn 16 lb/ctn 20 carton 6 pallet	
16 ft	UDC16	Aluminum 0.024"	Q800 TuffTech	12 pc/ctn 55 lb/ctn 20 carton 6 pallet	
	UDC4PC16	Aluminum 0.024"	Q800 TuffTech	4 pc/ctn 19 lb/ctn 20 carton 6 pallet	

Inside Out® Accessories

DESCRIPTION	SKU	METAL/ THICKNESS	FINISH	LENGTH & SHIPPING	COLOR AVAILABILITY
Panel Carrier	SYMCARRIER20	Aluminum 0.024"	Q800 TuffTech	12 ft length 20 pc/ctn 47 lb/ctn 30 carton 8 pallet	Black
	SYMCARRIER4PC	Aluminum 0.024"	Q800 TuffTech	12 ft length 4 pc/ctn 10 lb/ctn 30 carton 8 pallet	Black
Perimeter G-Channel	UDC4PCGC	Aluminum 0.024"	Q800 TuffTech	10 ft length 4 pc/ctn 10 lb/ctn 35 carton 10 pallet	SOLID COLORS 518 Black [BLK] 502 Brown [B] 827 Champagne [CAB] 807 Clay [C] 805 Pewter [P805] 177 Sandy Beige [SB177] 280 White [W] 604 Wineberry [WBER]
Side Cap	UDC4PCSC	Aluminum 0.024"	Q800 TuffTech	10 ft length 4 pc/ctn 12 lb/ctn 35 carton 10 pallet	WOODGRAIN COLORS 946 Dark Mahogany [DM] 943 Karri [K] 947 Light Cherry [LC] 948 Medium Teak [MT] 949 Rock Maple [RM]
Boxed Gutter Kit	GKIT	Aluminum 0.019"	Q800 TuffTech	12 lb/ctn	518 Black [BLK] 502 Brown [B] 827 Champagne [CAB] 807 Clay [C] 805 Pewter [P805] 177 Sandy Beige [SB177] 280 White [W] 604 Wineberry [WBER]
				<p>Kit Contents:</p> <ul style="list-style-type: none"> (2) 12 ft Gutter (1) 2" x 3" Down Pipe (2) 5" Left and Right End Caps (2) Pipe Bands (1) 2" x 3" "A" Style Elbow (1) 2" x 3" "B" Style Elbow (1) Slip Joint Connector (6) Hidden Hanger (1) 2" x 3" Outlet (25) 0.5" Zip Screws (1) Touch-Up Paint 	

TruWrap Window Flashing	WF4X100			4" x 100 ft 1 roll 6 lb/roll 30 carton	NA

Carrier Screws	UDSCREW			1 lb box 2.5" screws	NA

Note: Longer screws may be needed for extended length decks.

**1. Inside Out® Panel**

Center panels, solid color or wood print. Needs to have a graded slope of 1/8" per foot for water to flow into gutter.

2. Panel Carrier

Use to hold and set the angle of the panels. Place every 3 feet. If going down or across the deck joists, 10 screws per carrier are needed. Screw into each joist if going across them.

3. Perimeter G-Channel

Use along the house.

4. Side Cap

Use on the sides of the deck to allow system to hang.

5. Boxed Gutter Kit

Channels water from underdeck down and away from home. Gutter must be installed before panels.

TruWrap Window Flashing

Directs water over flashing.

Carrier Screws

Grommets screws used to hang the panel carrier.