



MIZE

WIRE PRODUCTS

Automotive, Electrical and Industrial Products

Your Connection Source Worldwide Since 1936

Welcome to

MIZE WIRE

25

Cool Seal Butt
Connectors



25

Heat Shrink Step
Down Butt Connectors



26

Weather Pack
Terminals




26

Weather Pack Crimper



26

Weather Pack
Removal Tool




45


JCASE Low
Profile Fuses



45

Low Profile Mini Fuses





ONE SIZE **DOESN'T** FIT ALL

Custom Cables And Harness Assemblies from Mize Wire

Save time and money with a custom harness from Mize Wire Products. Protected from abrasion and the elements by a durable, flexible jacket produced on our state-of-the-art braiding machine, you can count on your harness to do its job when you need it most.



Contact Us for Quotes (800) 835-1016

Minimum quantities may be required



MIZE WIRE
P R O D U C T S

LET OUR TWENTY YEARS OF EXPERIENCE WORK FOR YOU.

VPSales@MizeAndCompany.com | Mizeandcompany.com

BH700 Specifications, Booster Handles, Booster Cables, Quick Start Cables & Accessories

Vinyl, Nylon, Large Gauge Lugs, V & Q Consumer Packages, Consumer Packaged Assortments, Empty Storage Boxes (Plastic or Metal), Terminal Specifications, Part # Identification, Uninsulated, Brazed Barrel Lugs, Copper Lugs, Insulated Lugs, Fully Insulated, Snap & Flanged Spades, Nylon Terminals, Heat Shrink Terminals

Wire Nuts, Terminal Pliers, T-Taps & Quick Splicers, Vinyl Step-Down Butt Connectors, Heat Shrink Connectors, Cool-Seal Butt Connectors, Weather Packs

Jiffy Spools & Assortments, General Purpose (GPT), Speaker Wire, Welding Cable, Trailer Cable, Parallel Wire, Battery Cable, Trailer Connectors & Adapters, Flat Molded Trailer Connectors

Flex Loom, Loom Clamps, Frame Clips, Nylon Cable Ties, Tape, Shrink Tubing, Extension Cords & Droplights, Spark Plug Wire & Accessories, Blade & Glass Fuses, Fuse Assortments

Lead Crimp Terminals & Crimpers, Battery Terminals, Battery Bolts & Nuts, Quick Disconnect, Felt Washers, 4-2 ga. Pre-made Battery Cables, Braided Ground Straps, Copper Crimp Lugs, Special Made Battery Cables

1/4-28, 1/4" P.T., 1/8" P.T., Drive-In, Grease Fitting Tools, Grease Gun Couplers, Metric Fittings, Grease Gun Hoses, Grease Fitting Assortments, Grease Fitting Cross Reference

Trailer Lights and Accessories

Terms of Sale

2% 10 Days, Net 30 days. Service Charge of 1 ½ % per month on any portion thereof any past due amounts. C.O.D. and Credit Card Orders are not eligible for cash discounts.

New Accounts

Open accounts must submit a signed credit application along with sales tax # and federal I.D. number. Orders: Minimum order of \$50.00, small order fee will be added on to orders under minimum. Please specify Part # to insure proper handling of your order.

Backorders

Minimum \$25.00 per line item (part #). Line items less than \$25.00 will be cancelled and must be reordered.

Return Merchandise

All returns must have an RGA# to be accepted. All freight charges are to be prepaid back to factory. No returns will be accepted after one year from purchase date for any reason. A 15% restocking fee will be charged on all returns after 30 days from purchase date. **No returns on closeout items.**

Damage Claims

Must be reported within 5 days after receipt of merchandise. **Shipment travels at buyer's risk unless ordered to be insured.**

Warranty Policy

We warrant each item we manufacture against defects in material and workmanship under normal and intended use. Our obligation under this warranty shall be limited to the replacement of product to the original purchaser. This warranty does not apply to damage in transit or alterations to product. **Materials sold other than first grade are sold without warranty. We reserve the right to make changes in design without notice or obligation.** Pictures in this catalog are intended for general description only.

600 Amp Booster Handles

- 600 amp rating
 - Non-slip vinyl insulation
 - 0.055 (18 ga.) plated steel construction
 - Serrated jaw design, safely and securely clamps both sides
 - Extra heavy-duty tension spring
- Lug accommodates up to 2 ga wire



Part No. BH600-J-X

Replacement Lugs/Screws
Pkg. of 10

Part No. BH700 Series

Chrome Plated

Part No.	Description	Qty/Pkg.
BH700-10	1 Red (with Lug)	pkg/1
BH700-50	1 Black (with Lug)	pkg/1
BH700NL-10	Red (no Lug/Screw)	pkg/100
BH700NL-50	Black (no Lug/Screw)	pkg/100
BH700A	50 Red / 50 Black	pkg/100

Part No.	Description	Qty/Pkg.
BH700-S	1 Red & 1 Blk	pkg/2
BH700-X	5 Red & 5 Blk	pkg/10
BH700A-10	Red (with Lug)	pkg/100
BH700A-50	Black (with Lug)	pkg/100

Mize Wire premium booster cable handles clamp safely and securely to both top mount and side mount battery posts. Patented jaw and extra strong spring provide a powerful bite. Configuration is a registered US trademark. They never let go. They are the best handles on the market today.



Part No. BH700-X

Booster Handles
Pkg. of 10 or Pkg. of 2



Part No. BH800-S

Booster Handles
Pkg. of 2

Professional Booster Cables

Mize Wire twin lead professional booster cables are made of tanglefree, fine stranded copper wire. The 4 and 2 gauge are flexible to -76°F, and the 6 gauge is flexible to -22°F. Sets are equipped with Mize Wire patented BH700 (600 amp) handles or BH400 (400 amp) handles. Available in an attractive box or travel bag.



Part No.	Wire Gauge	Length	Application	O.D.	Handle	Amp
TL612	6 ga	12 ft	General Duty	.360	BH400	400
TL615	6 ga	15 ft		.360	BH400	400

Part No. Pkg		Wire Gauge	Length	Application	O.D.	Handle	Amp.
Bagged	Boxed						
WTL412-S	WTL412	4 Gauge Sets	12 ft	Heavy Duty	.423	BH700	600
WTL416-S	WTL416		16 ft		.423	BH700	600
WTL420-S	WTL420		20 ft		.423	BH700	600
WTL425-S	WTL425		25 ft		.423	BH700	600

Part No. Pkg		Wire Gauge	Length	Application	O.D.	Handle	Amp.
Bagged	Boxed						
WTL212-S	WTL212	2 Gauge Sets	12 ft	Extra Heavy Duty	.450	BH700	600
WTL216-S	WTL216		16 ft		.450	BH700	600
WTL220-S	WTL220		20 ft		.450	BH700	600
WTL225-S	WTL225		25 ft		.450	BH700	600



- General-duty delivers cranking power to start compact cars, automobiles and pickup trucks
- Heavy-duty delivers cranking power to start auto and small agricultural equipment
- Extra heavy-duty delivers cranking power to start heavy agricultural and industrial equipment



Part No. MBB

Booster Bag - May be purchased separately

50 Amp Battery Clips

Part No.	Description	Amp.	Qty/Pkg.
BH50-S	Battery Clip 1 Red & 1 Black	50	pkg/2
BH50-X	Battery Clip 5 Red & 5 Black	50	pkg/10
BH50A-10	Battery Clip 100 Red	50	pkg/100
BH50A-50	Battery Clip 100 Black	50	pkg/100



Booster Handles

- Fits top and side-mount batteries
- Fully insulated non-slip PVC coating
- 400 amp rating
- Lug accommodates up to 2-gauge wire


Part No.	Description	Qty/Pkg.
BH400-S	1 Red & 1 Black	pkg/2
BH400-X	5 Red & 5 Black	pkg/10
BH400A-10	Red	pkg/100
BH400A-50	Black	pkg/100



Booster Cable Selection

Cranking Power		
2 ga	95%	Cranking Power
4 ga	80%	Cranking Power
6 ga	60%	Cranking Power
8 ga	40%	Cranking Power
10 ga	20%	Cranking Power

Don't Be Caught Short



Quick Start Plugs

Part No.	Description
BHP4-20-S	4 ga/2 complete plugs (blue)
BHP2-20-S	2 ga/2 complete plugs (blue)
BHP4-99-S	4 ga/2 complete plugs (gray)
BHP2-99-S	2 ga/2 complete plugs (gray)

Each plug is made of impact resistant polycarbonates which will withstand high & low temperatures.
(Blue and gray do not interchange.)

Instructions: Simply turn one quick start plug upside down to match positive to positive and negative to negative.



Available in gray or blue

Part No.	Description
WTLP-416	4 gauge/16 ft with Quick Plug
WTLP-420	4 gauge/20 ft with Quick Plug
WTLP-220	2 gauge/20 ft with Quick Plug
WTLP-225	2 gauge/25 ft with Quick Plug

"WTLP" series cables come boxed with a gray quick start plug on one end of the assembly and 600 amp booster handles on the other end.



Part No.	Description
STMH4	4 gauge/4 ft long Universal Harness Kit
STMH2	2 gauge/4 ft long Universal Harness Kit

**Part No. TK180**180 Piece
Assortment Kit*

This assortment contains the most popular ring, spade and butt connector terminals in blue and yellow.

**Part No. TK175**175 Piece
Assortment Kit*

This assortment contains 175 pieces of the most popular terminals. An excellent kit for the do-it-yourselfer. Contains 16 different sizes and gauges for almost any application. Comes in a transparent box for easy identification.

**Part No. TK69**69 Piece
Assortment Kit*

This mini pack contains 69 pieces of the most popular terminals. Packaged in a transparent box for easy identification. Handy "pocket" size.

*NOTE: Parts may vary on kits.
Call for complete description.

Ring Chart

	Screw Size	Fraction Size	Decimal Size	Eyelet ID
	4-32	7/64"	.112	.120
	6-32	9/64"	.138	.147
	8-32	5/32"	.164	.172
	10-32	3/16"	.190	.201
		1/4"	.250	.265
		5/16"	.312	.328
		3/8"	.375	.397
		1/2"	.500	.515

Vinyl Terminal Assortment Kits



Part No. TK360

360 Piece
Assortment Kit*

This assortment contains 360 pieces of the most popular terminals. 18 different sizes and gauges. Comes in a transparent box for easy identification. This assortment is excellent for either the do-it-yourselfer or everyday user.



Part No. TK150

150 Piece
Assortment Kit*

This assortment contains 150 pieces. This kit includes vinyl, nylon, shrink and shrink solder butt connectors.

* NOTE: Parts may vary on kits.
Call for complete description.



Part No. TK220

220 Piece
Assortment Kit*
With Plier

This mid-size assortment includes 220 pieces of the most popular terminals. The kit contains 12 different sizes and gauges. Plier included in a poly compartment box.



Part No. TK430

430 Piece
Assortment Kit*
With Plier



TK430 kit contains 430 insulated terminals in a steel box with quality plier.


Part No. TK820

820 Piece
Assortment Kit*
With Plier

TK820 kit contains 820 insulated terminals in a steel box with quality plier.


Vinyl Insulated Terminals

Ring Size	Butt Conn.	4-32	6-32	8-32	10-32	1/4"	5/16"	3/8"
Wire Gauge 22-16								
Pkg/100-P/N	IBCR	FERR4	FERR6	FERR8	FERR10	FERR14	FERR516	FERR38
Pkg/1000-P/N	IBCR-K	FERR4-K	FERR6-K	FERR8-K	FERR10-K	FERR14-K	FERR516-K	FERR38-K
Pkg/14-P/N	IBCR-Q	FERR4-Q	FERR6-Q	FERR8-Q	FERR10-Q	FERR14-Q	FERR516-Q	FERR38-Q



Ring Size	Butt Conn.	4-32	6-32	8-32	10-32	1/4"	5/16"	3/8"
Wire Gauge 16-14								
Pkg/100-P/N	IBCB	FERB4	FERB6	FERB8	FERB10	FERB14	FERB516	FERB38
Pkg/1000-P/N	IBCB-K	FERB4-K	FERB6-K	FERB8-K	FERB10-K	FERB14-K	FERB516-K	FERB38-K
Pkg/14-P/N	IBCB-Q	FERB4-Q	FERB6-Q	FERB8-Q	FERB10-Q	FERB14-Q	FERB516-Q	FERB38-Q



Ring Size	Butt Conn.	6-32	8-32	10-32	1/4"	5/16"	3/8"	1/2"
Wire Gauge 12-10								
Pkg/100-P/N	IBCY	FERY6	FERY8	FERY10	FERY14	FERY516	FERY38	FERY12
Pkg/1000-P/N	IBCY-K	FERY6-K	FERY8-K	FERY10-K	FERY14-K	FERY516-K	FERY38-K	FERY12-K
Pkg/14-P/N	IBCY-Q	FERY6-Q	FERY8-Q	FERY10-Q	FERY14-Q	FERY516-Q	FERY38-Q	FERY12-Q


Vinyl Terminals




22-16 ga Hook Size 10-32		16-14 ga Hook Size 10-32		12-10 ga Hook Size 10-32	
					
Pkg/100 Part No.	IHR10	Pkg/100 Part No.	IHB10	Pkg/100 Part No.	IHY10
Pkg/1000 Part No.	IHR10-K	Pkg/1000 Part No.	IHB10-K	Pkg/1000 Part No.	IHY10-K
Pkg/14 Part No.	IHR10-Q	Pkg/14 Part No.	IHB10-Q	Pkg/14 Part No.	IHY10-Q




Spade Style Terminals




Spade Size	6-32	8-32	10-32
Wire Gauge 22-16			
Pkg/100 – Part No.	FESR6	FESR8	FESR10
Pkg/1000 – Part No.	FESR6-K	FESR8-K	FESR10-K
Pkg/14 – Part No.	FESR6-Q	FESR8-Q	FESR10-Q

Spade Size	6-32	8-32	10-32
Wire Gauge 16-14			
Pkg/100 – Part No.	FESB6	FESB8	FESB10
Pkg/1000 – Part No.	FESB6-K	FESB8-K	FESB10-K
Pkg/14 – Part No.	FESB6-Q	FESB8-Q	FESB10-Q


Spade Size	6-32	8-32	10-32
Wire Gauge 12-10			
Pkg/100 – Part No.	FESY6	FESY8	FESY10
Pkg/1000 – Part No.	FESY6-K	FESY8-K	FESY10-K
Pkg/14 – Part No.	FESY6-Q	FESY8-Q	FESY10-Q

Snap Spade Size	6-32	8-32	10-32
Wire Gauge 22-16			
Pkg/100 – Part No.	ISSR6	ISSR8	ISSR10
Pkg/1000 – Part No.	ISSR6-K	ISSR8-K	ISSR10-K


Snap Spade Size	6-32	8-32	10-32
Wire Gauge 16-14			
Pkg/100 – Part No.	ISSB6	ISSB8	ISSB10
Pkg/1000 – Part No.	ISSB6-K	ISSB8-K	ISSB10-K

Snap Spade Size	6-32	8-32	10-32
Wire Gauge 12-10			
Pkg/100 – Part No.	ISSY6	ISSY8	ISSY10
Pkg/1000 – Part No.	ISSY6-K	ISSY8-K	ISSY10-K

Female and Male Push-On Terminals


22-16 ga .250 Width			16-14 ga .250 Width			12-10 ga .250 Width		
								
Pkg/100 Part No.	FEMR	FEFR	Pkg/100 Part No.	FEMB	FEFB	Pkg/100 Part No.	FEMY	FEFY
Pkg/1000 Part No.	FEMR-K	FEFR-K	Pkg/1000 Part No.	FEMB-K	FEFB-K	Pkg/1000 Part No.	FEMY-K	FEFY-K
Pkg/14 Part No.	FEMR-Q	FEFR-Q	Pkg/14 Part No.	FEMB-Q	FEFB-Q	Pkg/14 Part No.	FEMY-Q	FEFY-Q

Female Quick Disconnects




16-14 ga .205 Width Female		12-10 ga .375 Width Female		22-16 ga .110 Width Female		16-14 ga .110 Width Female	
							
Pkg/100 Part No.	IFB.205	Pkg/100 Part No.	IFY.375	Pkg/100 Part No.	IFR.110	Pkg/100 Part No.	IFB.110
Pkg/1000 Part No.	IFB.205-K	Pkg/1000 Part No.	IFY.375-K	Pkg/1000 Part No.	IFR.110-K	Pkg/1000 Part No.	IFB.110-K
Pkg/14 Part No.	IFB.205-Q	Pkg/14 Part No.	IFY.375-Q	Pkg/14 Part No.	IFR.110-Q	Pkg/14 Part No.	IFB.110-Q




Piggy Backs





Male and Female Push-On

22-16 ga Female .250		16-14 ga Female .250		22-16 ga Male (IMR) / Female (IFR).187		16-14 ga Male (IMB) / Female (IFB).187	
							
Pkg/100 Part No.	PBFR	Pkg/100 Part No.	PBFB	Pkg/100 Part No.	IMR.187 IFR.187	Pkg/100 Part No.	IMB.187 IFB.187
Pkg/1000 Part No.	PBFR-K	Pkg/1000 Part No.	PBFB-K	Pkg/1000 Part No.	IMR.187-K IFR.187-K	Pkg/1000 Part No.	IMB.187-K IFB.187-K
Pkg/14 Part No.	PBFR-Q	Pkg/14 Part No.	PBFB-Q	Pkg/14 Part No.	IMR.187-Q IFR.187-Q	Pkg/14 Part No.	IMB.187-Q IFB.187-Q


Flanged Spade Terminals


Spade Size	6-32	8-32	10-32	Side View
Wire Gauge 22-16				
Pkg/100 – Part No.	IFSR6	IFSR8	IFSR10	
Pkg/1000 – Part No.	IFSR6-K	IFSR8-K	IFSR10-K	

Spade Size	6-32	8-32	10-32	Side View
Wire Gauge 16-14				
Pkg/100 – Part No.	IFSB6	IFSB8	IFSB10	
Pkg/1000 – Part No.	IFSB6-K	IFSB8-K	IFSB10-K	

Spade Size	6-32	8-32	10-32	Side View
Wire Gauge 12-10				
Pkg/100 – Part No.	IFSY6	IFSY8	IFSY10	
Pkg/1000 – Part No.	IFSY6-K	IFSY8-K	IFSY10-K	

Female and Male Bullets

22-16 ga / .157 Male Bullet (IBR) Female Bullet (FIBR)		
		
Pkg/100 Part No.	IBR	FIBR
Pkg/1000 Part No.	IBR-K	FIBR-K
Pkg/14 Part No.	IBR-Q	FIBR-Q





16-14 ga / .157 Male Bullet (FEBB) Female Bullet (FIBB)		
		
Pkg/100 Part No.	FEBB	FIBB
Pkg/1000 Part No.	FEBB-K	FIBB-K
Pkg/14 Part No.	FEBB-Q	FIBB-Q


16-14 ga / .195 Male Bullet (IBB .195) Female Bullet (FIBB .195)		
		
Pkg/100 Part No.	IBB.195	FIBB.195
Pkg/1000 Part No.	IBB.195-K	FIBB.195-K
Pkg/14 Part No.	IBB.195-Q	FIBB.195-Q

2 Way Receptacles

.157 – Nylon 2 Way Receptacle	
	
Pkg/100 – Part No.	ITWLC
Pkg/1000 – Part No.	ITWLC-K
Pkg/7 – Part No.	ITWLC-Q

Nylon Insulated Terminals







Ring Size	Butt Conn.	Butt Conn.	4-32	6-32	8-32	10-32	1/4"	5/16"	3/8"
Wire Gauge 22-16									
Pkg/100-P/N	NBCR	NBCR-ST	NRR4	NRR6	NRR8	NRR10	NRR14	NRR516	NRR38
Pkg/1000-P/N	NBCR-K	NBCR-ST-K	NRR4-K	NRR6-K	NRR8-K	NRR10-K	NRR14-K	NRR516-K	NRR38-K
Pkg/7-P/N	NBCR-Q	NBCR-ST-Q	NRR4-Q	NRR6-Q	NRR8-Q	NRR10-Q	NRR14-Q	NRR516-Q	NRR38-Q





Ring Size	Butt Conn.	Butt Conn.	4-32	6-32	8-32	10-32	1/4"	5/16"	3/8"
Wire Gauge 16-14									
Pkg/100-P/N	NBCB	NBCB-ST	NRB4	NRB6	NRB8	NRR10	NRB14	NRB516	NRB38
Pkg/1000-P/N	NBCB-K	NBCB-ST-K	NRB4-K	NRB6-K	NRB8-K	NRR10-K	NRB14-K	NRB516-K	NRB38-K
Pkg/7-P/N	NBCB-Q	NBCB-ST-Q	NRB4-Q	NRB6-Q	NRB8-Q	NRR10-Q	NRB14-Q	NRB516-Q	NRB38-Q

Ring Size	Butt Conn.	Butt Conn.	6-32	8-32	10-32	1/4"	5/16"	3/8"	1/2"
Wire Gauge 12-10									
Pkg/100-P/N	NBCY	NBCY-ST	NRV6	NRV8	NRV10	NRV14	NRV516	NRV38	NRV12
Pkg/1000-P/N	NBCY-K	NBCY-ST-K	NRV6-K	NRV8-K	NRV10-K	NRV14-K	NRV516-K	NRV38-K	NRV12-K
Pkg/7-P/N	NBCY-Q	NBCY-ST-Q	NRV6-Q	NRV8-Q	NRV10-Q	NRV14-Q	NRV516-Q	NRV38-Q	NRV12-Q



	22-16 Gauge		16-14 Gauge		12-10 Gauge	
Female and Male Push-On Terminals (0.250)						
Pkg/100-P/N	NFR	NMR	NFB	NMB	NFY	NMY
Pkg/1000-P/N	NFR-K	NMR-K	NFB-K	NMB-K	NFY-K	NMY-K
Pkg/7-P/N	NFR-Q	NMR-Q	NFB-Q	NMB-Q	NFY-Q	NMY-Q


Nylon Fully Insulated Female and Male

Female and Male Push-On Terminals (0.250)	22-16 Gauge		16-14 Gauge		12-10 Gauge	
						
Pkg/100-P/N	FIMR	FIFR	FIMB	FIFB	FIMY	FIFY
Pkg/1000-P/N	FIMR-K	FIFR-K	FIMB-K	FIFB-K	FIMY-K	FIFY-K
Pkg/7-P/N	FIMR-Q	FIFR-Q	FIMB-Q	FIFB-Q	FIMY-Q	FIFY-Q




Female and Male Push-On Terminals (0.250)	22-16 Gauge		16-14 Gauge		Female Flag 22-16 Gauge	Female Flag 16-14 Gauge
						
Pkg/100-P/N	FIMR-FLAT	FIFR-FLAT	FIMB-FLAT	FIFB-FLAT	FIFFR	FIFFB
Pkg/1000-P/N	FIMR-FLAT-K	FIFR-FLAT-K	FIMB-FLAT-K	FIFB-FLAT-K	FIFFR-K	FIFFB-K
Pkg/7-P/N	FIMR-FLAT-Q	FIFR-FLAT-Q	FIMB-FLAT-Q	FIFB-FLAT-Q	FIFFR-Q	FIFFB-Q

Nylon Female and Male Bullets

22-16 ga / .157 Male Bullet (NBR) Female Bullet (NFIBR)		
		
Pkg/100 – Part No.	NBR	NFIBR
Pkg/1000 – Part No.	NBR-K	NFIBR-K
Pkg/7 – Part No.	NBR-Q	NFIBR-Q

16-14 ga / .157 Male Bullet (NBB) Female Bullet (NFIBB)		
		
Pkg/100 – Part No.	NBB	NFIBB
Pkg/1000 – Part No.	NBB-K	NFIBB-K
Pkg/7 – Part No.	NBB-Q	NFIBB-Q

Nylon Spade Style Terminals

Spade Size	6-32	8-32	10-32
Wire Gauge 22-16			
Pkg/100 – Part No.	NSR6	NSR8	NSR10
Pkg/1000 – Part No.	NSR6-K	NSR8-K	NSR10-K
Pkg/7 – Part No.	NSR6-Q	NSR8-Q	NSR10-Q

Spade Size	6-32	8-32	10-32
Wire Gauge 16-14			
Pkg/100 – Part No.	NSB6	NSB8	NSB10
Pkg/1000 – Part No.	NSB6-K	NSB8-K	NSB10-K
Pkg/7 – Part No.	NSB6-Q	NSB8-Q	NSB10-Q

Spade Size	6-32	8-32	10-32
Wire Gauge 12-10			
Pkg/100 – Part No.	NSY6	NSY8	NSY10
Pkg/1000 – Part No.	NSY6-K	NSY8-K	NSY10-K
Pkg/7 – Part No.	NSY6-Q	NSY8-Q	NSY10-Q

Nylon Terminal Assortments



This Nylon Assortment Kit contains 130 pieces of our most popular nylon terminals. An excellent kit for the do-it-yourselfer. Contains 12 different sizes and gauges for almost any application. Comes in an impact resistant transparent box. Nylon insulation resists cracking when being crimped. Nylon terminals withstand extreme temperatures to provide trouble-free service.

Part No.TK130N

130 Piece
Assortment Kit*

This Nylon Terminal Kit contains 360 pieces of our most popular nylon terminals in 19 different sizes and gauges. Comes in a transparent impact resistant box. This kit is an excellent assortment for both the do-it-yourselfer and the professional.

Part No.TK360N

360 Piece
Assortment Kit*



This Nylon Terminal Kit contains 430 pieces of our most popular nylon terminals in different sizes & gauges. Nylon insulation resists cracking when being crimped. Nylon Terminals withstand extreme temperatures to provide trouble-free service. The assortment comes in a steel box.

Part No.TK430N

430 Piece
Assortment Kit*



*NOTE: Parts may vary on kits. Call for complete description.

Automotive, Electrical and Industrial Products

Uninsulated Terminals

Ring Size	Butt Conn.	4-32	6-32	8-32	10-32	1/4"	5/16"	3/8"
Wire Gauge 22-16								
Pkg/100 Part No.	UBCR	URR4	URR6	URR8	URR10	URR14	URR516	URR38
Pkg/1000 Part No.	UBCR-K	URR4-K	URR6-K	URR8-K	URR10-K	URR14-K	URR516-K	URR38-K

Ring Size	Butt Conn.	4-32	6-32	8-32	10-32	1/4"	5/16"	3/8"
Wire Gauge 16-14								
Pkg/100 Part No.	UBCB	URB4	URB6	URB8	URB10	URB14	URB516	URB38
Pkg/1000 Part No.	UBCB-K	URB4-K	URB6-K	URB8-K	URB10-K	URB14-K	URB516-K	URB38-K

Ring Size	Butt Conn.	6-32	8-32	10-32	1/4"	5/16"	3/8"	1/2"
Wire Gauge 12-10								
Pkg/100 Part No.	UBCY	URY6	URY8	URY10	URY14	URY516	URY38	URY12
Pkg/1000 Part No.	UBCY-K	URY6-K	URY8-K	URY10-K	URY14-K	URY516-K	URY38-K	URY12-K

Uninsulated Terminal Assortment Kit

This terminal kit contains 450 uninsulated terminals. These are our most popular uninsulated terminals. There are 21 sizes and gauges for almost any application. Comes in a transparent impact resistant box.




Part No. TKU450



450 Piece
Assortment Kit*




*NOTE: Parts may vary on kits. Call for complete description.





Uninsulated Terminals

Spade Size	6-32	8-32	10-32	Female (.250)	Male (.250)
Wire Gauge 22-16					
Pkg/100 – Part No.	USR6	USR8	USR10	UFR	UMR
Pkg/1000 – Part No.	USR6-K	USR8-K	USR10-K	UFR-K	UMR-K

Spade Size	6-32	8-32	10-32	Female (.250)	Male (.250)
Wire Gauge 14-16					
Pkg/100 – Part No.	USB6	USB8	USB10	UFB	UMB
Pkg/1000 – Part No.	USB6-K	USB8-K	USB10-K	UFB-K	UMB-K

Spade Size	6-32	8-32	10-32	Female (.250)	Male (.250)
Wire Gauge 12-10					
Pkg/100 – Part No.	USY6	USY8	USY10	UFY	UMY
Pkg/1000 – Part No.	USY6-K	USY8-K	USY10-K	UFY-K	UMY-K

Heat Shrink Butt Connectors with Solder

	Wire Gauge 22-16	Wire Gauge 16-14	Wire Gauge 12-10
			
Pkg/25-P/N	SSBR	SSBB	SSBY
Pkg/100-P/N	SSBRA	SSBBA	SSBYA
Pkg/1000-P/N	SSBR-K	SSBB-K	SSBY-K
Pkg/2-P/N	SSBR-Q	SSBB-Q	SSBY-Q

Heat Shrink Assortment Kits

These terminals are insulated with heat shrink tubing. After applying heat, a weather resistant seal is formed, resistant to moisture and extreme temperatures.

*NOTE: Parts may vary on kits. Call for complete description.



Part No. TKHS95

95 Piece
Assortment Kit*





Part No. TKHS33

33 Piece
Assortment Kit*



Part No. TKHS320

320 Piece
Assortment Kit*

Wire Gauge 16-14	
Flag Female (.250)	
	
Pkg/100 – Part No.	UFF
Pkg/1000 – Part No.	UFF-K
Male Bullet (.157)	
	
Pkg/100 – Part No.	UBB
Pkg/1000 – Part No.	UBB-K
(.250)	
	
Pkg/100 – Part No.	U2M1F
Pkg/1000 – Part No.	U2M1F-K

Heat Shrink Terminals

	Butt	6-32	8-32	10-32	1/4"	5/16"	3/8"	6-32	8-32	10-32	.250	.250
Wire Gauge 22-16												
Pkg/25	SBCR	SRR6	SRR8	SRR10	SRR14	SRR516	SRR38	SSR6	SSR8	SSR10	SMR.250	SFR.250
Pkg/100	SBCRA	SRR6A	SRR8A	SRR10A	SRR14A	SRR516A	SRR38A	SSR6A	SSR8A	SSR10A	SMR.250A	SFR.250A
Pkg/1000	SBCR-K	SRR6-K	SRR8-K	SRR10-K	SRR14-K	SRR516-K	SRR38-K	SSR6-K	SSR8-K	SSR10-K	SMR.250-K	SFR.250-K
Pkg/3	SBCR-Q	SRR6-Q	SRR8-Q	SRR10-Q	SRR14-Q	SRR516-Q	SRR38-Q	SSR6-Q	SSR8-Q	SSR10-Q	SMR.250-Q	SFR.250-Q

	Butt	6-32	8-32	10-32	1/4"	5/16"	3/8"	6-32	8-32	10-32	.250	.250
Wire Gauge 16-14												
Pkg/25	SBCB	SRB6	SRB8	SRB10	SRB14	SRB516	SRB38	SSB6	SSB8	SSB10	SMB.250	SFB.250
Pkg/100	SBCBA	SRB6A	SRB8A	SRB10A	SRB14A	SRB516A	SRB38A	SSB6A	SSB8A	SSB10A	SMB.250A	SFB.250A
Pkg/1000	SBCB-K	SRB6-K	SRB8-K	SRB10-K	SRB14-K	SRB516-K	SRB38-K	SSB6-K	SSB8-K	SSB10-K	SMB.250-K	SFB.250-K
Pkg/3	SBCB-Q	SRB6-Q	SRB8-Q	SRB10-Q	SRB14-Q	SRB516-Q	SRB38-Q	SSB6-Q	SSB8-Q	SSB10-Q	SMB.250-Q	SFB.250-Q







	Butt	6-32	8-32	10-32	1/4"	5/16"	3/8"	6-32	8-32	10-32	.250	.250
Wire Gauge 12-10												
Pkg/25	SBCY	SRY6	SRY8	SRY10	SRY14	SRY516	SRY38	SSY6	SSY8	SSY10	SMY.250	SFY.250
Pkg/100	SBCYA	SRY6A	SRY8A	SRY10A	SRY14A	SRY516A	SRY38A	SSY6A	SSY8A	SSY10A	SMY.250A	SFY.250A
Pkg/1000	SBCY-K	SRY6-K	SRY8-K	SRY10-K	SRY14-K	SRY516-K	SRY38-K	SSY6-K	SSY8-K	SSY10-K	SMY.250-K	SFY.250-K
Pkg/3	SBCY-Q	SRY6-Q	SRY8-Q	SRY10-Q	SRY14-Q	SRY516-Q	SRY38-Q	SSY6-Q	SSY8-Q	SSY10-Q	SMY.250-Q	SFY.250-Q







Fully Insulated M/F Heat Shrink Push-On







Heat Shrink Bullets

22-16 Gauge (.250)			16-14 Gauge (.250)			12-10 Gauge (.250)			16-14 Gauge (.157)		
Pkg/25	SFIMR	SFIFR	Pkg/25	SFIMB	SFIFB	Pkg/25	SFIMY	SFIFY	Pkg/25	SBB	SFIBB
Pkg/100	SFIMRA	SFIFRA	Pkg/100	SFIMBA	SFIFBA	Pkg/100	SFIMYA	SFIFYA	Pkg/100	SBB A	SFIBBA
Pkg/1000	SFIMR-K	SFIFR-K	Pkg/1000	SFIMB-K	SFIFB-K	Pkg/1000	SFIMY-K	SFIFY-K	Pkg/1000	SBB-K	SFIBB-K
Pkg/3	SFIMR-Q	SFIFR-Q	Pkg/3	SFIMB-Q	SFIFB-Q	Pkg/3	SFIMY-Q	SFIFY-Q	Pkg/3	SBB-Q	SFIBB-Q







Tubular Copper Lugs







Ring Size	1 Gauge		1/0 Gauge		2/0 Gauge	
	3/8"	1/2"	3/8"	1/2"	3/8"	1/2"
1,1/0 &2/0 Gauge						
Pkg/10 – P/N	CL138-X	CL112-X	CL1038-X	CL1012-X	CL2038-X	CL2012-X
Pkg/100 – P/N	CL138A	CL112A	CL1038A	CL1012A	CL2038A	CL2012A
Pkg/1000 – P/N	CL138-K	CL112-K	CL1038-K	CL1012-K	CL2038-K	CL2012-K






Ring Size	4 Gauge				2 Gauge		
	1/4"	5/16"	3/8"	1/2"	5/16"	3/8"	1/2"
4 & 2 Gauge							
Pkg/10 – P/N	CL414-X	CL4516-X	CL438-X	CL412-X	CL2516-X	CL238-X	CL212-X
Pkg/100 – P/N	CL414A	CL4516A	CL438A	CL412A	CL2516A	CL238A	CL212A
Pkg/1000 – P/N	CL414-K	CL4516-K	CL438-K	CL412-K	CL2516-K	CL238-K	CL212-K

Ring Size	8 Gauge			6 Gauge			
	10-32	5/16"	3/8"	10-32	1/4"	5/16"	3/8"
8 & 6 Gauge							
Pkg/10 – P/N	CL810-X	CL8516-X	CL838-X	CL610-X	CL614-X	CL6516-X	CL638-X
Pkg/100 – P/N	CL810A	CL8516A	CL838A	CL610A	CL614A	CL6516A	CL638A
Pkg/1000 – P/N	CL810-K	CL8516-K	CL838-K	CL610-K	CL614-K	CL6516-K	CL638-K


Insulated Lugs




Ring Size	10-32	1/4"	5/16"	3/8"	1/2"	Butt Connector
8 Gauge Tin Plated Copper						
Pkg/10 – P/N	L810R-X	L814R-X	L8516R-X	L838R-X	L812R-X	L8BCR-X
Pkg/100 – P/N	L810RA	L814RA	L8516RA	L838RA	L812RA	L8BCRA
Pkg/1000 – P/N	L810R-K	L814R-K	L8516R-K	L838R-K	L812R-K	L8BCR-K




Ring Size	10-32	1/4"	5/16"	3/8"	1/2"	Butt Connector
6 Gauge Tin Plated Copper						
Pkg/10 – P/N	L610B-X	L614B-X	L6516B-X	L638B-X	L612B-X	L6BCB-X
Pkg/100 – P/N	L610BA	L614BA	L6516BA	L638BA	L612BA	L6BCBA
Pkg/1000 – P/N	L610B-K	L614B-K	L6516B-K	L638B-K	L612B-K	L6BCB-K

Ring Size	1/4"	5/16"	3/8"	1/2"	Butt Connector
4 Gauge Tin Plated Copper					
Pkg/10 – P/N	L414Y-X	L4516Y-X	L438Y-X	L412Y-X	L4BCY-X
Pkg/100 – P/N	L414YA	L4516YA	L438YA	L412YA	L4BCYA
Pkg/1000 – P/N	L414Y-K	L4516Y-K	L438Y-K	L412Y-K	L4BCY-K


Brazed Barrel Tin Plated Copper Lugs





Ring Size	10-32	1/4"	5/16"	3/8"	1/2"	Butt Connector
8 Gauge						
Pkg/10 – P/N	L810-X	L814-X	L8516-X	L838-X	L812-X	L8BC-X
Pkg/100 – P/N	L810A	L814A	L8516A	L838A	L812A	L8BCA
Pkg/1000 – P/N	L810-K	L814-K	L8516-K	L838-K	L812-K	L8BC-K

Ring Size	10-32	1/4"	5/16"	3/8"	1/2"	Butt Connector
6 Gauge						
Pkg/10 – P/N	L610-X	L614-X	L6516-X	L638-X	L612-X	L6BC-X
Pkg/100 – P/N	L610A	L614A	L6516A	L638A	L612A	L6BCA
Pkg/1000 – P/N	L610-K	L614-K	L6516-K	L638-K	L612-K	L6BC-K

Ring Size	10-32	1/4"	5/16"	3/8"	1/2"	Butt Connector
4 Gauge						
Pkg/10 – P/N	L410-X	L414-X	L4516-X	L438-X	L412-X	L4BC-X
Pkg/100 – P/N	L410A	L414A	L4516A	L438A	L412A	L4BCA
Pkg/1000 – P/N	L410-K	L414-K	L4516-K	L438-K	L412-K	L4BC-K

Braze Barrel Tin Plated Copper Lugs

Ring Size	1/4"	5/16"	3/8"	1/2"
2 Gauge Tin Plated Copper Stock				
Pkg/10 – P/N	L214-X	L2516-X	L238-X	L212-X
Pkg/100 – P/N	L214A	L2516A	L238A	L212A
Pkg/1000 – P/N	L214-K	L2516-K	L238-K	L212-K

Ring Size	3/8"	1/2"	Ring Size	3/8"	1/2"
1/0 Gauge Tin Plated Copper Stock			2/0 Gauge Tin Plated Copper Stock		
Pkg/10 – P/N	L1038-X	L1012-X	Pkg/10 – P/N	L2038-X	L2012-X
Pkg/100 – P/N	L1038A	L1012A	Pkg/100 – P/N	L2038A	L2012A
Pkg/1000 – P/N	L1038-K	L1012-K	Pkg/1000 – P/N	L2038-K	L2012-K

Copper Lug Kit

This copper solder lug assortment is a combination of our 6 gauge to 2/0 gauge lugs. Comes in our transparent impact resistant box.

Part No. LKC100

100 Piece
Assortment Kit*



Tin Plated Copper Lug Kit

Braze Barrel copper lugs are tin plated. Kit contains our most popular sizes and gauges ranging from 8 gauge to 2/0 gauge. Comes in a transparent impact resistant box.

Part No. LKL100

100 Piece
Assortment Kit*



Insulated Copper Lug Kit

This insulated copper lug assortment contains our most popular sizes and gauges. This kit contains 100 of our ring terminals and butt connectors to fit 8 gauge, 6 gauge and 4 gauge wire. Comes in our transparent impact resistant box.




Part No. LKI100




100 Piece
Assortment Kit*



*NOTE: Parts may vary on kits. Call for complete description.

Closed End Connectors

Gauge	22-16	16-14	12-10
Soft Closed End Connectors			
Pkg/100 – Part No.	CECR	CECB	CECY
Pkg/1000 – Part No.	CECR-K	CECB-K	CECY-K
Pkg/14 – Part No.	CECR-Q	CECB-Q	CECY-Q

Wire Range Min Wire Range Max	1x20 ga + 1x22 ga 2x16 ga	1x18 ga + 1x20 ga 3x16 ga	3x22 ga + 1x18 ga 3x16 ga	1x14 ga + 1x18 ga 2x14 ga or 3x16 ga	1x12 ga + 2x18 ga 3x10 ga
Hard Closed End Connectors					
Pkg/100 – Part No.	WNHG	WNHB	WNHO	WNHY	WNHR
Pkg/1000 – Part No.	WNHG-K	WNHB-K	WNHO-K	WNHY-K	WNHR-K
Pkg/14 – Part No.	WNHG-Q	WNHB-Q	WNHO-Q	WNHY-Q	WNHR-Q

Hard Wire Nuts Assortments

This kit contains an assortment of hard wire nuts, 110 pieces total, handling wire gauges ranging from 22 gauge through 10 gauge that will handle two conductors on larger gauges and three conductors on smaller gauges.

This kit contains an assortment of hard wire nuts, 370 pieces total, handling wire gauges ranging from 22 gauge through 10 gauge.



Part No. WNA110

110 Piece
Assortment Kit*



Part No. WNA370


370 Piece
Assortment Kit*

*NOTE: Parts may vary on kits.
Call for complete description.

Quick Splicers


Qty/Pkg.	Part No.
pkg/100	QSRI
pkg/1000	QSRI-K
pkg/7	QSRI-Q

18-22 Ga. Closed Port




Qty/Pkg.	Part No.
pkg/100	QSBI
pkg/1000	QSBI-K
pkg/7	QSBI-Q

18-14 Ga. Closed Port




Qty/Pkg.	Part No.
pkg/100	QSWI
pkg/1000	QSWI-K
pkg/7	QSWI-Q

18-14 Ga. Open Port



Qty/Pkg.	Part No.
pkg/100	QSYI
pkg/1000	QSYI-K
pkg/3	QSYI-Q

12-10 Ga. Closed Port



Part No. TKQS42

42 Piece
Assortment Kit*

Self-Stripping Pigtail

Qty/Pkg.	Part No.
pkg/25	WSSP
pkg/1000	WSSP-K


UL-CSA Listed waterproof
pigtail used for any low voltage place
where moisture is present. 22-14 ga.
w/ silicone water proof gel.




*NOTE: Parts may vary on kits. Call for complete description.

In-Line T-Taps


Qty/Pkg.	Part No.	Gauge
pkg/100	FTTR	22-16
pkg/1000	FTTR-K	22-16
pkg/100	FTTB	18-14
pkg/1000	FTTB-K	18-14
pkg/100	FTTY	12-10
pkg/1000	FTTY-K	12-10



22-16 Ga.



10-12 Ga.



18-14 Ga.

Vinyl Step-Down Butt Connectors



Qty/Pkg.	Part No.	Insulation Color	Gauge
pkg/100	SDBB	Blue with Red Stripe	16-14 to 22-18
pkg/1000	SDBBA	Blue with Red Stripe	16-14 to 22-18
pkg/100	SDBR	Red with Yellow Stripe	8 to 12-10
pkg/1000	SDBRA	Red with Yellow Stripe	8 to 12-10
pkg/100	SDBY	Yellow with Blue Stripe	12-10 to 16-14
pkg/1000	SDBYA	Yellow with Blue Stripe	12-10 to 16-14

Step-Down Butt Connectors are used to join a pair of conductors to a third, all the same size or two conductors of different sizes. The smaller end is banded with the color code of the smaller or single conductor for easy installation.

Cool-Seal Butt Connectors

Cool-Seal Butt Connectors install within a fraction of the time it takes to install heat shrink terminals. The Cool-Seal adhesive molds around the wires to form a moisture-tight, secure electrical connection.



Qty/Pkg.	Part No.	Gauge
pkg/25	CSBB	16-14 GA
pkg/100	CSBBA	16-14 GA
pkg/1000	CSBB-K	16-14 GA
pkg/25	CSBR	22-18 GA
pkg/100	CSBRA	22-18 GA
pkg/1000	CSBR-K	22-18 GA
pkg/25	CSBY	12-10 GA
pkg/100	CSBYA	12-10 GA
pkg/1000	CSBY-K	12-10 GA

Heat Shrink Step-Down Butt Connectors




Qty/Pkg.	Part No.	Insulation Color	Gauge
pkg/100	SDBB	Blue with Red Stripe	16-14 to 22-18
pkg/1000	SDBBA	Blue with Red Stripe	16-14 to 22-18
pkg/100	SDBR	Red with Yellow Stripe	8 to 12-10
pkg/1000	SDBRA	Red with Yellow Stripe	8 to 12-10
pkg/100	SDBY	Yellow with Blue Stripe	12-10 to 16-14
pkg/1000	SDBYA	Yellow with Blue Stripe	12-10 to 16-14

Heat Shrink Butt Connectors crimp & heat shrink with adhesive. Color coded stripes denotes wire gauge.

Weather Pack Shrouds

Qty/Pkg.	Part No.	Description
pkg/10	WPHS1-X	1 Connector Shroud
pkg/10	WPHS2-X	2 Connector Shroud
pkg/10	WPHS3-X	3 Connector Shroud
pkg/10	WPHS4-X	4 Connector Shroud
pkg/10	WPHS6-X	6 Connector Shroud

Weather Pack Towers

Qty/Pkg.	Part No.	Description
pkg/10	WPHT1-X	1 Connector Tower
pkg/10	WPHT2-X	2 Connector Tower
pkg/10	WPHT3-X	3 Connector Tower
pkg/10	WPHT4-X	4 Connector Tower
pkg/10	WPHT6-X	6 Connector Tower

Weather Pack Terminals

FEMALE



MALE



Qty/Pkg.	Part No.	Description
pkg/10	WPTFB-X	Female 14-16ga Terminal
pkg/10	WPTMB-X	Male 14-16ga Terminal

Weather Pack Removal Tool

Qty/Pkg.	Part No.
pkg/1	WPRT


Weather Pack Crimper

Qty/Pkg.	Part No.
pkg/1	WPCT

**Weather Pack Seal / Cavity Plug**

Qty/Pkg.	Part No.	Description
pkg/10	WPS-X	Grey Seal
pkg/10	WPCP-X	Cavity Plug


Terminal Pliers



Part No. TP200

Economy Grade Import

The Mize Wire crimping tool is able to crimp 26-10 gauge insulated terminals and 22-10 gauge non-insulated. The scissor action strips stranded 26-10 AWG and solid 18-8 AWG wire. The TP400 has two wire cutting stations and is able to cut 6-32, 8-32, 10-24, and 10-32 machine screws. It is also able to crimp 7-8mm ignitions terminals. (Not intended for continuous industrial use.)



Part No. TP400

Made In USA

Wire Stripper



This hand-held unit will strip wire 22 through 8 gauge without nicking or damaging strands. Adjustable stop provides correct strip length regardless of wire gauge.

Part No. WSC100

Wire Stripper

Wire Crimper

This Ratchet construction crimper assures a complete crimp cycle every time. Crimps insulated 22-18 gauge, 16-14 gauge and 12-10 gauge electrical terminals, with 3 color coded terminal slots.

Part No. TP1000


Ratchet Action
Terminal Crimper



Bulk Welding Cable

Part No. Black	Ft.	Ga.	Stranding	O.D.	Std/ Pkg	Wt. M
WC6-50	25 ft	6 ga	259/.0100	.32	coil	113
WC6A-50	100 ft				spool	
WC6X-50	250 ft				spool	
WC4-50	25 ft	4 ga	364/.010	.348	coil	147
WC4A-50	100 ft				spool	
WC4X-50	250 ft				spool	
WC2-50	25 ft	2 ga	624/.0100	.420	coil	236
WC2A-50	100 ft				spool	
WC2X-50	250 ft				spool	
WC1-50	25 ft	1 ga	780/.0100	.503	coil	313
WC1A-50	100 ft				spool	
WC1X-50	250 ft				spool	
WC0-50	25 ft	1/0 ga	988/.0100	.533	coil	378
WC0A-50	100 ft				spool	
WC0X-50	250 ft				spool	
WC00-50	25 ft	2/0 ga	1235/.0100	.586	coil	463
WC00A-50	100 ft				spool	
WC00X-50	250 ft				spool	


Mize Wire Welding Cable is among the finest welding cables on the market today. It is designed to stay flexible at temperatures of -50°C, yet performs in the hottest climates. This fact, along with the 600 volt insulation, which has good abrasion and oil resistance, makes our welding cable a fine candidate for all welding cable applications.



Bulk Battery Cable

Part No. Black	Part No. Red	Ft.	Ga.	Stranding	O.D.	Ins. Wall	Temp Rate	Std/ Pkg	Wt. M
BC6-50	BC6-10	25 ft	6 ga	49x 22.5	.330	.060	105°C 221°F	coil	137
BC6A-50	BC6A-10	100 ft						spool	
BC6X-50	BC6X-10	250 ft						spool	
BC4-50	BC4-10	25 ft	4 ga	70x 22.5	.380	.065	105°C 221°F	coil	168
BC4A-50	BC4A-10	100 ft						spool	
BC4X-50	BC4X-10	250 ft						spool	
BC2-50	BC2-10	25 ft	2 ga	7x 19/23	.450	.065	105°C 221°F	coil	258
BC2A-50	BC2A-10	100 ft						spool	
BC2X-50	BC2X-10	250 ft						spool	
BC1-50	BC1-10	25 ft	1 ga	7x 19/22	.490	.065	105°C 221°F	coil	322
BC1A-50	BC1A-10	100 ft						spool	
BC1X-50	BC1X-10	250 ft						spool	
BC0-50	BC0-10	25 ft	1/0 ga	7x 19/21	.550	.065	105°C 221°F	coil	431
BC0A-50	BC0A-10	100 ft						spool	
BC0X-50	BC0X-10	250 ft						spool	
BC00-50	BC00-10	25 ft	2/0 ga	7x 19/20	.605	.065	105°C 221°F	coil	497
BC00A-50	BC00A-10	100 ft						spool	
BC00X-50	BC00X-10	250 ft						spool	

Mize Wire Battery Cable is flexible stranded copper with an insulated PVC jacket, 60 volt maximum, conforms to SAEJ1127 specifications. ROHS Compliant.



Spooled G.P.T. Primary Wire



Quality: Manufactured with the highest quality standard copper wire with a tough PVC jacket.

Performance: Conforms to J1128 automotive specifications. 80°C and 60 volt insulation.

Selection: 6 wire gauge sizes in 10 different colors. Available in a variety of spooled quantities.

Ga.	Conductor Stranding	Insulator Thickness	Diameter O.D.	Wt./M
18 ga	16/30 ga	.023	.095	7 lbs
16 ga	19/29 ga	.023	.102	10 lbs
14 ga	19/27 ga	.023	.117	16 lbs
12 ga	19/25 ga	.026	.142	24 lbs
10 ga	19/23 ga	.031	.174	38 lbs
8 ga	19/21 ga	.037	.215	61 lbs

Gauge	Spool Length	Red Part No.	Blue Part No.	Green Part No.	Yellow Part No.	Black Part No.	Brown Part No.	Purple Part No.	Orange Part No.	Gray Part No.
18	100	GP118A-10	GP118A-20	GP118A-30	GP118A-40	GP118A-50	GP118A-60	GP118A-80	GP118A-90	GP118A-99
	500	GP118X-10	GP118X-20	GP118X-30	GP118X-40	GP118X-50	GP118X-60	GP118X-80	GP118X-90	GP118X-99
	1000	GP118M-10	GP118M-20	GP118M-30	GP118M-40	GP118M-50	GP118M-60	GP118M-80	GP118M-90	GP118M-99
	11000	GP118W-10	GP118W-20	GP118W-30	GP118W-40	GP118W-50	GP118W-60	GP118W-80	GP118W-90	GP118W-99
16	100	GP116A-10	GP116A-20	GP116A-30	GP116A-40	GP116A-50	GP116A-60	GP116A-80	GP116A-90	GP116A-99
	500	GP116X-10	GP116X-20	GP116X-30	GP116X-40	GP116X-50	GP116X-60	GP116X-80	GP116X-90	GP116X-99
	1000	GP116M-10	GP116M-20	GP116M-30	GP116M-40	GP116M-50	GP116M-60	GP116M-80	GP116M-90	GP116M-99
	9000	GP116W-10	GP116W-20	GP116W-30	GP116W-40	GP116W-50	GP116W-60	GP116W-80	GP116W-90	GP116W-99
14	100	GP114A-10	GP114A-20	GP114A-30	GP114A-40	GP114A-50	GP114A-60	GP114A-80	GP114A-90	GP114A-99
	500	GP114X-10	GP114X-20	GP114X-30	GP114X-40	GP114X-50	GP114X-60	GP114X-80	GP114X-90	GP114X-99
	1000	GP114M-10	GP114M-20	GP114M-30	GP114M-40	GP114M-50	GP114M-60	GP114M-80	GP114M-90	GP114M-99
	6000	GP114W-10	GP114W-20	GP114W-30	GP114W-40	GP114W-50	GP114W-60	GP114W-80	GP114W-90	GP114W-99
12	100	GP112A-10	GP112A-20	GP112A-30	GP112A-40	GP112A-50	GP112A-60	GP112A-80	GP112A-90	
	500	GP112X-10	GP112X-20	GP112X-30	GP112X-40	GP112X-50	GP112X-60	GP112X-80	GP112X-90	
	1000	GP112M-10	GP112M-20	GP112M-30	GP112M-40	GP112M-50	GP112M-60	GP112M-80	GP112M-90	
	4500	GP112W-10	GP112W-20	GP112W-30	GP112W-40	GP112W-50	GP112W-60	GP112W-80	GP112W-90	
10	100	GP110A-10	GP110A-20	GP110A-30	GP110A-40	GP110A-50	GP110A-60			
	500	GP110X-10	GP110X-20	GP110X-30	GP110X-40	GP110X-50	GP110X-60			
	1000	GP110M-10	GP110M-20	GP110M-30	GP110M-40	GP110M-50	GP110M-60			
	3500	GP110W-10	GP110W-20	GP110W-30	GP110W-40	GP110W-50	GP110W-60			
8	100	GP108A-10				GP108A-50				
	500	GP108X-10				GP108X-50				
	2500	GP108W-10				GP108W-50				

Spooled Parallel Primary Wire

Part No.	Length	Ga.	Stranding	Diameter	Wt./M
216A	100 ft	2-16	19/29	.102	26
216X	500 ft	2-16	19/29	.102	26
316A	100 ft	3-16	19/29	.102	39
316X	500 ft	3-16	19/29	.102	39
416A	100 ft	4-16	19/29	.102	52
416X	500 ft	4-16	19/29	.102	52
214A	100 ft	2-14	19/27	.117	65
214X	500 ft	2-14	19/27	.117	65
414A	100 ft	4-14	19/27	.117	83
414X	500 ft	4-14	19/27	.117	83



Mize Wire Parallel Primary Wire is two, three or four primary wires bonded together for ease in handling. Mize wire is color coded for identification. The wires are easily separated.

Standard Colors

2 Wire: Red and Black

3 Wire: Green, Yellow and Brown

4 Wire: Green, Yellow, White and Brown

Duplex Parallel Primary Wire

Part No.	Length	Ga.	Stranding	Wt./M
B216A	100 ft	2-16	19x 29	45 lbs
B216	250 ft			
B216W	1500 ft			
B214A	100 ft	2-14	19x 27	60 lbs
B214	250 ft			
B214W	1500 ft			
B212A	100 ft	2-12	19/25	80 lbs
B212	250 ft			
B212W	1500 ft			

Duplex parallel primary wire is made with one black and one white insulated primary wire, laid parallel and covered with a high-quality PVC jacket.



Twin Lead Professional Booster Wire



Mize 4 and 2 gauge twin lead professional booster wire has welding cable stranding, flexible T.P.E. jacket. Designed to stay flexible to -76°F, yet performs in the hottest climates. The 6 gauge has a P.V.C. jacket and is flexible to -22°F.

Part No.	Length	Ga.	O.D.	Description	Wt./M
TL6	25 ft	6	.360	General Duty	230
TL6A	100 ft	6	.360	General Duty	230
TL6W	1000 ft	6	.360	General Duty	230
TL4	25 ft	4	.423	Heavy Duty	298
TL4A	100 ft	4	.423	Heavy Duty	298
TL4W	1000 ft	4	.423	Heavy Duty	298
TL2	25 ft	2	.450	Extra Heavy Duty	420
TL2A	100 ft	2	.450	Extra Heavy Duty	420
TL2W	1000 ft	2	.450	Extra Heavy Duty	420

Mize Wire G.P.T. Jiffy Spools

Mize Wire Jiffy Spools are G.P.T. primary wire on graduated length spools. Each spool sells for the same price.



Gauge	Spool Length	Red Part No.	Blue Part No.	Green Part No.	Yellow Part No.	Black Part No.	Brown Part No.	White Part No.	Purple Part No.	Orange Part No.	Gray Part No.
18	45 ft.	118J-10	118J-20	118J-30	118J-40	118J-50	118J-60	118J-70	118J-80	118J-90	118J-99
16	35 ft.	116J-10	116J-20	116J-30	116J-40	116J-50	116J-60	116J-70	116J-80	116J-90	116J-99
14	25 ft.	114J-10	114J-20	114J-30	114J-40	114J-50	114J-60	114J-70	114J-80	114J-90	114J-99
12	15 ft.	112J-10	112J-20	112J-30	112J-40	112J-50	112J-60	112J-70	112J-80	112J-90	
10	10 ft.	110J-10	110J-20	110J-30	110J-40	110J-50	110J-60	110J-70			

Jiffy Spool Assortments

Mize Wire Jiffy Spool Assortments are sold by the box.

Part No.	Ga.	Qty/Pkg	Description
JS12	Assorted	12 spools	Assorted Colors and Gauges
118J-12	18	12 spools	Assorted Colors / 45 ft per spool
116J-12	16	12 spools	Assorted Colors / 35 ft per spool
114J-12	14	12 spools	Assorted Colors / 25 ft per spool
112J-12	12	12 spools	Assorted Colors / 15 ft per spool
110J-12	10	12 spools	Assorted Colors / 10 ft per spool



Jiffy Spool Rack Assortments



Mize Wire Jiffy Spool Rack consists of 36 assorted jiffy spools in 5 gauges all in assorted colors. It also has one metal rack and one header card. Rack can sit on counter or be hung.

Part No. JS36

Trailer Cable


Mize Wire Round Trailer Cable is constructed of insulated multiple conductors, twisted and jacketed (PVC) to conform to SAE specifications and is rated from -40°C to 80°C.

ABS=anti lock brake systems

Part No.	Length	Conductors	Ga.	Stranding	O.D.	Std/ Pkg		Wt. /W
C414P	25 ft	4 Conductor	14	19x27	.41	coil	4 conductor yellow, red, green and brown	160 lbs
C414PA	100 ft					coil		
C414PX	500 ft					spool		
C614P	25 ft	6 Conductor	14	19x27	.50	coil	6 conductor blue, black, brown, red, green and yellow	220 lbs
C614PA	100 ft					coil		
C614PX	500 ft					spool		
C712P	25 ft	7 Conductor	6-12 1-10	19x25 19x23	.600	coil	7 conductor, 10 ga white, 12 ga brown, blue, green, red, yellow and black	350 lbs
C712PA	100 ft					coil		
C712PX	500 ft					spool		
C714P	25 ft	7 Conductor	14	19x27	.500	coil	7 conductor red, white, brown, green yellow, blue and black	350 lbs
C714PA	100 ft					coil		
C714PX	500 ft					spool		

Flat Molded Trailer Connections

Mize Wire Flat Molded Trailer Connectors are made with 18 gauge wire. Color coded in accordance with S.A.E. specs. Can be used for automotive, marine or truck.



Part No.	Qty/Pkg.	Description	Length	Gauge
FMT2-S	pkg/1	2 wire male & female	12"	18
FMT2-X	pkg/10	2 wire male & female	12"	18
FMT3-S	pkg/1	3 wire male & female	12"	18
FMT3-X	pkg/10	3 wire male & female	12"	18
FMT4-S	pkg/1	4 wire male & female	12"	18
FMT4-X	pkg/10	4 wire male & female	12"	18
FMT4M-S	pkg/1	4 wire male only	12"	18
FMT4M-X	pkg/10	4 wire male only	12"	18
FMT448M-S	pkg/1	4 wire male only	48"	18
FMT448M-X	pkg/10	4 wire male only	48"	18
FMT448F-S	pkg/1	4 wire female only	48"	18
FMT448F-X	pkg/10	4 wire female only	48"	18
FMT448-S	pkg/1	4 wire male & female	48"	18
FMT448-X	pkg/10	4 wire male & female	48"	18

Steel Frame Clips



Part No.	Qty/Pkg.
FC316-X	pkg/10
FC316	pkg/100
FC316-K	pkg/1000

Part No.	Qty/Pkg.
FC14-X	pkg/10
FC14	pkg/100
FC14-K	pkg/1000

Part No.	Qty/Pkg.
FC38-X	pkg/10
FC38	pkg/100
FC38-K	pkg/1000

Flat Molded 4-Wire Harness Kit

Mize Wire Flat Connector Kit for 6, 12 and 24 volt application. Molded rubber flat 4-way connector with 25 ft. of wire, 4 conductor lead wires color coded, 4 quick splicers and 4 butt connectors.

Part No. HK25-S
Pkg. of 1



Trailer Breakaway Switch

This trailer breakaway switch is designed for 6-24 V. Comes with 4 ft. 16 ga. copper wire. PVC coated steel cable. For all trailers with electric brakes.

Part No.	Qty/Pkg.
MZ-1TBS-S	pkg/1
MZ-1TBS-X	pkg/10
MZ-1TBS-MC	pkg/100

Dust Covers for 4-Way Connectors

Part No.	Qty/Pkg.
FMT4-DC-X	pkg/10



4-Contact Trailer Connectors (Metal)

Mize Wire 4-Contact Trailer Connectors are all die cast construction, brass contacts with a molded interior. Made for 6, 12 or 24-volt applications. 3" hole center for mounting, interchanges with most popular brands.

Part No.	Qty/Pkg.	Description
TC4F-S	pkg/1	4-contact female (car end)
TC4F-X	pkg/10	4-contact female (car end)



6-Contact Trailer Connectors (Metal)

Mize Wire 6-Contact Trailer Connectors are all die cast, with spring loaded self-locking cover. Brass contacts with a molded interior. Made for 6, 12 or 24 volt-applications, 3" hole center for mounting. Interchanges with most popular brands.


Part No.	Qty/Pkg.	Description
TC6C-S	pkg/1	6-contact unit male & female
TC6C-X	pkg/10	6-contact unit male & female
TC6M-S	pkg/1	6-contact male (trailer end)
TC6M-X	pkg/10	6-contact male (trailer end)
TC6F-S	pkg/1	6-contact female (truck end)
TC6F-X	pkg/10	6-contact female (truck end)



7-Contact Trailer Connectors (Metal)

Mize Wire 7-contact connector. Heavy duty die cast plug and socket. Interchanges with 7 contact connectors with round brass contacts. Spring loaded face plate locks in place and keeps out elements when not in use. Mounting holes 2-5/16" on center. Male connector comes with cable guard.

Part No.	Qty/Pkg.	Description
TC7C-S	pkg/1	7-contact unit male & female
TC7C-X	pkg/10	7-contact unit male & female
TC7M-S	pkg/1	7-contact male (trailer end)
TC7M-X	pkg/10	7-contact male (trailer end)
TC7F-S	pkg/1	7-contact female (truck end)
TC7F-X	pkg/10	7-contact fe male (truck end)



7-Contact Blade RV Style Connectors (Metal)

Mize Wire 7-Contact Trailer Connectors are all drawn steel, with spring loaded self-locking cover. Brass contacts with a molded interior. Made for 6, 12 or 24-volt applications, 3" hole center for mounting. Interchanges with most popular brands.

Part No.	Qty/Pkg.	Description
TC7RV-S	pkg/1	7-contact unit male & female
TC7RV-X	pkg/10	7-contact unit male & female
TC7RVM-S	pkg/1	7-contact male (trailer end)
TC7RVM-X	pkg/10	7-contact male (trailer end)
TC7RVF-S	pkg/1	7-contact female (truck end)
TC7RVF-X	pkg/10	7-contact fe male (truck end)



Trailer Connector Adapters

All adapters are made of high impact and cold resistant material. This design allows for quick and simple adapting between most standard round and flat trailer connectors. Consult owners manual for correct adapter for your vehicle.

Part No.	Qty/Pkg.	Description
TC6-4-S	pkg/1	6 pin to 4-flat adapter (converts 6 round pin connector "truck side" to accept a flat connector "FMT4/trailer side")
TC6-4-X	pkg/10	



Part No.	Qty/Pkg.	Description
TC7RV-6AUX-S	pkg/1	7 blade to 6 round pin adapter (converts 7 blade connector "truck side" to accept a 6 pin connector "TC6M/trailer side") Auxiliary Pin in Center.
TC7RV-6AUX-X	pkg/10	
TC7RV-6BRK-S	pkg/1	7 blade to 6 round pin adapter (converts 7 blade connector "truck side" to accept a 6 pin connector "TC6M/trailer side") Brake Pin in Center.
TC7RV-6BRK-X	pkg/10	

Part No.	Qty/Pkg.	Description
TC7RVDC-4-S	pkg/1	7 blade style to 4-flat adapter (converts 7 blade connector "truck side" to accept a 4-flat connector "FMT4/trailer side")
TC7RVDC-4-X	pkg/10	



Part No.	Qty/Pkg.	Description
TC7RV-5-S	pkg/1	7 male blade to 5 way female flat.
TC7RV-5-X	pkg/10	

Part No.	Qty/Pkg.	Description
TC7RVPF-S	pkg/1	Mize Wire 7 blade trailer connector is made of high impact and cold resistant material. This makes it a very durable connector. Brass contacts with molded interior. Made for 6, 12 and 24 volt applications. Interchanges with popular brands.
TC7RVPF-X	pkg/10	
TC7RVPM-S	pkg/1	
TC7RVPM-X	pkg/10	
TC7RVP-S	pkg/1	7 blade unit male/female for each
TC7RCP-X	pkg/10	7 blade unit male/female for each



Nylon Trailer Connectors



Part No.	Qty/Pkg.	Description
TC7PC-S	pkg/1	7 pin trailer connector set
TC7PC-X	pkg/10	7 pin trailer connector sets
TC7PF-S	pkg/1	7 pin trailer female connector
TC7PF-X	pkg/10	7 pin trailer female connectors
TC7PM-S	pkg/1	7 pin trailer male connector
TC7PM-X	pkg/10	7 pin trailer male connectors

Part No.	Qty/Pkg.	Description
TC6PC-S	pkg/1	6 pin trailer connector set
TC6PC-X	pkg/10	6 pin trailer connector sets
TC6PF-S	pkg/1	6 pin trailer female connector
TC6PF-X	pkg/10	6 pin trailer female connectors
TC6PM-S	pkg/1	6 pin trailer male connector
TC6PM-X	pkg/10	6 pin trailer male connectors



Flex-Guard Split Loom

Flex-Guard Split Loom is black, durable polyethylene material split lengthwise. Split loom holds groups of wires in position and gives the wire excellent protection against abrasion and crushing. Remains tightly closed even when bent or twisted. Highly resistant to temperatures up to 185°F/85°C. Bulk quantities also available.



Part No.	I.D.	Length In Feet	Package Type
FGL14-S	1/4"	9	Bagged
FGL14	1/4"	25	Coil
FGL14A	1/4"	100	Coil
FGL14M	1/4"	4,000	Box
FGL14W	1/4"	25,000	Gaylord
FGL38-S	3/8"	8	Bagged
FGL38	3/8"	25	Coil
FGL38A	3/8"	100	Coil
FGL38M	3/8"	2,000	Box
FGL38W	3/8"	11,000	Gaylord
FGL12-S	1/2"	6	Bagged
FGL12	1/2"	25	Coil
FGL12A	1/2"	100	Coil
FGL12M	1/2"	1,300	Box
FGL12W	1/2"	8,000	Gaylord
FGL58-S	5/8"	5	Bagged
FGL58	5/8"	25	Coil
FGL58A	5/8"	100	Coil
FGL58M	5/8"	1,000	Box
FGL58W	5/8"	6,000	Gaylord
FGL34-S	3/4"	4	Bagged
FGL34	3/4"	25	Coil
FGL34A	3/4"	100	Coil
FGL34M	3/4"	700	Box
FGL34W	3/4"	4,000	Gaylord
FGL1-S	1"	2	Bagged
FGL1	1"	25	Coil
FGL1A	1"	100	Coil
FGL1M	1"	500	Box
FGL1W	1"	3,000	Gaylord



Flame Retardant Split Loom

This is a high-impact flame retardant copolymer polypropylene loom. Max. temp rating 172°F (78°C). Black with blue stripe. Gaylord quantities available. Call for information.

Part No.	I.D.	Length In Feet	Package Type
PFGL14	1/4"	25	Coil
PFGL14A	1/4"	100	Coil
PFGL14M	1/4"	2,500	Box
PFGL38	3/8"	25	Coil
PFGL38A	3/8"	100	Coil
PFGL38M	3/8"	1,500	Box
PFGL12	1/2"	25	Coil
PFGL12A	1/2"	100	Coil
PFGL12M	1/2"	900	Box
PFGL58	5/8"	25	Coil
PFGL58A	5/8"	100	Coil
PFGL58M	5/8"	600	Box
PFGL34	3/4"	25	Coil
PFGL34A	3/4"	100	Coil
PFGL34M	3/4"	500	Box
PFGL1	1"	25	Coil
PFGL1A	1"	100	Coil
PFGL1M	1"	250	Box

Black Single Wall Polyolefin Shrink



Part No.	Qty.	Ga.	Description	I.O.
STP18PC	100 pcs.	20-16	3/4" pcs	1/8"
STP18B	25 ft.	20-16	Spoiled	1/8"
STP18A	100 ft.	20-16	Spoiled	1/8"
STP316PC	100 pcs.	16-14	3/4" pcs	3/16"
STP316B	25 ft.	16-14	Spoiled	3/16"
STP316A	100 ft.	16-14	Spoiled	3/16"
STP14PC	100 pcs.	12-10	3/4" pcs	1/4"
STP14B	25 ft.	12-10	Spoiled	1/4"
STP14A	100 ft.	12-10	Spoiled	1/4"
STP38PC	100 pcs.	8-6	3/4" pcs	3/8"
STP38B	25 ft.	8-6	Spoiled	3/8"
STP38A	100 ft.	8-6	Spoiled	3/8"
STP12PC	100 pcs.	4-2	2" pieces	1/2"
STP12B	25 ft.	4-2	Spoiled	1/2"
STP12A	100 ft.	4-2	Spoiled	1/2"
STP34PC	100 pcs.	1-1/0	2" pieces	3/4"
STP34B	25 ft.	1-1/0	Spoiled	3/4"
STP34A	100 ft.	1-1/0	Spoiled	3/4"
STP1PC	100 pcs.	2/0-3/0	2" pieces	1"
STP1B	25 ft.	2/0-3/0	Spoiled	1"
STP1A	100 ft.	2/0-3/0	Spoiled	1"



UL LISTED



This is a highly flexible and flame retardant polyolefin heat-shrinkable tubing. The shrink ratio is 3:1.

Black Single Wall Polyolefin Shrink

Part No.	Description	Qty/Pkg
STP18-S	6"pcs.-1/8"	8 pcs.
STP316-S	6"pcs.-3/16"	7 pcs.
STP14-S	6"pcs.-1/4"	7 pcs.
STP38-S	6"pcs.-3/8"	5 pcs.
STP12-S	6"pcs.-1/2"	4 pcs.
STP34-S	6"pcs.-3/4"	3 pcs.
STP1-S	6"pcs.-1"	2 pcs.



Bagged with header for displaying.

Polyolefin Shrink Tubing Assortment Kits

This assortment contains 38 pcs., 6" pieces of our most popular sizes of shrink tubing in our transparent impact resistant box.



Part No. STPK38

38 Piece Assortment
Kit in Poly
Compartment Box

This assortment contains 110 pcs. 3/4" or 2" long pieces of our most popular sizes of polyolefin shrink tubing in our transparent impact resistant box.



Part No. STPKPC110

110 Piece Assortment
Kit in Poly
Compartment Box

Automotive, Electrical and Industrial Products

Polyolefin Crosslinked Dual Wall Heat Shrink Tubing w/ Adhesive

Part No.	I.D.	Ga.	Qty/Pkg
STPOD18-S	1/8"	20-16	pkg/8
STPOD316-S	3/16"	16-14	pkg/8
STPOD14-S	1/4"	12-10	pkg/6
STPOD38-S	3/8"	8-6	pkg/4
STPOD12-S	1/2"	4-2	pkg/4
STPOD34-S	3/4"	1-2/0	pkg/2
STPOD1-S	1"	2/0-3/0	pkg/2



6" Pieces - 1/2 red & 1/2 black
bagged with header for displaying.



2-Foot Pieces

Part No. Red	Part No. Black	I.D.	Ga.	Qty/Pkg
STPOD18-2-10	STPOD18-2-50	1/8"	20-16	2 foot pc
STPOD316-2-10	STPOD316-2-50	3/16"	16-14	2 foot pc
STPOD14-2-10	STPOD14-2-50	1/4"	12-10	2 foot pc
STPOD38-2-10	STPOD38-2-50	3/8"	8-6	2 foot pc
STPOD12-2-10	STPOD12-2-50	1/2"	4-2	2 foot pc
STPOD34-2-10	STPOD34-2-50	3/4"	1-2/0	2 foot pc
STPOD1-2-10	STPOD1-2-50	1"	2/0-3/0	2 foot pc

Polyolefin Dual Wall Heat Shrink Tubing w/ Adhesive Assortment Kit

Crosslinked polyolefin heat shrinkable tubing with an internal meltable sealant. When heated above 120°C the tubing will shrink to approximately 33% of its original diameter. As it shrinks the internal sealant melts and provides a moisture-proof seal for wires, splices, breakouts and components. This tubing is especially of value for applications needing a moisture barrier in high humidity and corrosive environments.

This assortment contains 24 pieces 6" in length of our most popular sizes of dual wall heat shrink with adhesive, in our transparent impact resistant box.




Part No. STKPOD-24

24 Piece
Assortment Kit in Poly
Compartment Box



Part No. ACK77

77 Piece Assortment
Kit in Poly Compartment Box



Metal Loom Clamps

Plated steel with soft PVC cushion, 0.265 mounting hole. 1/2" metal width.

Part No.	I.D.	Qty/Pkg
AC2	1/8"	pkg/100
AC2-X	1/8"	pkg/10
AC4	1/4"	pkg/100
AC4-X	1/4"	pkg/10
AC6	3/8"	pkg/100
AC6-X	3/8"	pkg/10
AC8	1/2"	pkg/100
AC8-X	1/2"	pkg/10
AC10	5/8"	pkg/100
AC10-X	5/8"	pkg/10
AC12	3/4"	pkg/100
AC12-X	3/4"	pkg/10
AC14	7/8"	pkg/100
AC14-X	7/8"	pkg/10
AC16	1"	pkg/100
AC16-X	1"	pkg/10
AC18	1 1/8"	pkg/100
AC18-X	1 1/8"	pkg/10
AC20	1 1/4"	pkg/100
AC20-X	1 1/4"	pkg/10
AC22	1 3/8"	pkg/100
AC22-X	1 3/8"	pkg/10
AC24	1 1/2"	pkg/100
AC24-X	1 1/2"	pkg/10
AC28	1 3/4"	pkg/100
AC28-X	1 3/4"	pkg/10

Nylon Cable Ties (Natural and Black)



Part No. 100 Pcs.	Part No. 1000 Pcs.	Overall Length	Thickness	Width	Max. Bundle	Tensile Strength	Color
NT4	NT4-K	3.937"	.0397"	.09843	.8661"	18lb	Natural
NT4-50	NT4-50-K	3.937"	.0397"	.09843	.8661"	18lb	Black (UV)
NT5	NT5-K	5.63"	.0472"	.1417	1.3"	40lb	Natural
NT5-50	NT5-50-K	5.63"	.0472"	.1417	1.3"	40lb	Black (UV)
NT8N	NT8N-K	7.992"	.0472"	.1417	2.047"	40lb	Natural
NT8N-50	NT8N-50-K	7.992"	.0472"	.1417	2.047"	40lb	Black (UV)
NT7	NT7-K	7.48"	.057"	.1811	1.811"	50lb	Natural
NT7-50	NT7-50-K	8"	.050"	.19	2.00"	50lb	Black (UV)
NT11	NT11-K	11.81"	.058"	.1811	3.15"	50lb	Natural
NT11-50	NT11-50-K	11.81"	.050"	.19	3.00"	50lb	Black (UV)
NT14	NT14-K	14.49"	.061"	.1811	4.016"	50lb	Natural
NT14-50	NT14-50-K	14.8"	.05"	.19	4.00"	50lb	Black (UV)

Heavy Duty Nylon Cable Ties (Natural and Black)

Part No. 100 Pcs.	Overall Length	Thickness	Width	Max. Bundle	Tensile Strength	Color
NT14W	14.96"	.0669"	.2992"	4.134"	120lb	Natural
NT14W-50	15"	.08"	.30"	4.00"	120lb	Black (UV)
NT21W	21.65"	.077"	.3543"	6.102"	175lb	Natural
NT24W-50	25.2"	.08"	.35"	7"	175lb	Black (UV)
NT30W	30.55"	.078"	.3543"	8.976"	175lb	Natural
NT30W-50	30"	.08"	.35"	9.4"	175lb	Black (UV)

Mize Wire Cable Ties feature a smooth edge and low insertion force. Our locking mechanism gives you a firm hold for your harnessing requirements. We offer a full line of standard, heavy-duty and mounting head cable ties, available in natural, weather resistant (UV) ultraviolet black, and 4 other colors.

Heavy Duty Ties Not Available in Colors.



Retail Packaged Nylon Cable Ties



Size	Natural No.	Black (U.V.) No.	Qty / Pkg	Type
4"	NT4	NT4-50	100	Standard
5"	NT5	NT5-50	100	Standard
7"	NT7-X	NT7-50-X	10	Standard
8"	NT8N-X	NT8N-50-X	10	Standard
11"	NT11-X	NT11-50-X	10	Standard
14"	NT14-X	NT14-50-X	10	Standard
14" W	NT14W-X	NT14W-50-X	10	Heavy Duty
21" W	NT21W-X	NT21W-50-X	10	Heavy Duty
30" W	NT30W-X	NT30W-50-X	10	Heavy Duty

Nylon Cable Tie Assortment Packs

Assortments contain our most popular lengths. Available in color, natural and black (U.V.).



Part No. NTA100
100 pieces / Colored

Part No. NTA100-50
100 pieces / Black

Part No. NTA100-70
100 pieces / Natural

Nylon Cable Tie Assortment Canister

Mize Wire Canister contains 1000 of our best selling nylon ties in a very attractive plastic canister.



Part No. NTAC1000

Contents:

100 pc. - NT4 (Natural)
100 pc. - NT4-50 (Black)
100 pc. - NT4-10 (Red)
100 pc. - NT4-20 (Blue)
100 pc. - NT4-30 (Green)
100 pc. - NT4-40 (Yellow)
100 pc. - NT4-50 (Black)
250 pc. - NT7 (Natural)
50 pc. - NT11 (Natural)

Nylon Cable Ties



100 Count Poly Bag

Length	Qty/ Pkg.	Red Part No.	Blue Part No.	Green Part No.	Yellow Part No.	Black (UV) Part No.	Natural Part No.
4"	100	NT4-10	NT4-20	NT4-30	NT4-40	NT4-50	NT4
5"	100	N/A	N/A	N/A	N/A	NT5-50	NT5
7"	100	NT7-10	NT7-20	NT7-30	NT7-40	NT7-50	NT7
8"	100	NT8N-10	NT7-20	NT8N-30	NT8N-40	NT8N-50	NT8N
11"	100	NT11-10	NT11-20	NT11-30	NT11-40	NT11-50	NT11
14"	100	NT14-10	NT14-20	NT14-30	NT14-40	NT14-50	NT14

Ring Cable Ties



Part No. 100 Pcs.	Overall Length	Thickness	Width	Max. Bundle	Tensile Strength	Color
NT7R	8.00"	.05"	.19"	2"	50lb	Natural
NT7R-50	8.00"	.05"	.19"	2"	50lb	Black (UV)
NT14R	15"	.05"	.19"	4"	50lb	Natural
NT14R-50	15"	.05"	.19"	4"	50lb	Black (UV)

Nylon Tie gun

For widths .086 through .189

Fits standard ties only. Adjustable tension control up to 50 lbs. Cuts nylon tie when desired tension is achieved. Economical pocket sized.




Part No. NTG1
Nylon Tie Gun

Tie Down Mounts

Our tie down mounts have a 4-way entry 1" square with adhesive backing and #10 screw hole.

Part No. TDM-50
Black (UV)
pkg/qty 100

Part No. TDM
Natural
pkg/qty 100



Professional-Grade All Weather PVC Electrical Tape

Our professional-grade electrical tape is a premium all-weather tape. It is conformable for cold weather applications from 8°F (-18°C) and continuous temperatures up to 220°F (105°C). It easily conforms to irregular surfaces for moisture tight electrical protection.

Part No. PGPT60

Professional Grade PVC
Electrical Insulation
Tape –Black only




U.L. Listed Electrical Tape

A quality imported electrical tape made of soft polyvinyl, 7 mils thick. It has a dielectric strength of 8,000 volts per thickness.

This soft, flexible tape readily conforms to the contour of wire or loom with 100% elongation and has excellent adhesive qualities in all weather. Labeled and cellophane wrapped. Rated up to 600 volts and maximum temperature 176°F (80°C). Assorted colors.



Qty / Pkg	Qty / Case
1 pkg / 10 rolls	25 pkgs / 250 rolls



Red Part No.	Blue Part No.	Green Part No.	Yellow Part No.	Black (UV) Part No.	Brown Part No.	Natural Part No.	Orange Part No.	Gray Part No.
PT60-10	PT60-20	PT60-30	PT60-40	PT60	PT60-60	PT60-70	PT60-90	PT60-99

Cloth Duct Tape

This adhesive duct tape adheres firmly to paper, wood or any clean surface. Made in the U.S.A., silver color, self sticking cloth tape. Industrial grade. Rolls are 2" wide, 60 yards long.

Part No.	Qty / Pkg	Qty. / Case
DTA60	1 roll	24 rolls / case



Thread Sealing Tape

Lubricates and seals any threaded application. Rolls are 1/2" wide, 520" inches long.

Part No.	Qty / Pkg	Qty. / Case
TF520	1 pkg / 10 rolls	10 pkgs / 100 rolls



Tape Gun

Part No.	Qty / Pkg
D2T	pkg / 1




Clear Carton Sealing Tape

General purpose box sealing, clear polypropylene. Available in 110 yd, 2" wide rolls.

Part No.	Qty / Pkg	Qty. / Case
CT2110	1 roll	36 rolls / case



ATC Standard Blade Fuses

**Part No. ATCF40**

Assorted Fuses:
Standard Blade-
40 Piece

Part No.	Amp.	Color	Qty / Pkg
ATC3	3	Purple	pkg/5
ATC3A	3	Purple	pkg/100
ATC4	4	Pink	pkg/5
ATC4A	4	Pink	pkg/100
ATC5	5	Tan	pkg/5
ATC5A	5	Tan	pkg/100
ATC7.5	7.5	Brown	pkg/5
ATC7.5A	7.5	Brown	pkg/100
ATC10	10	Red	pkg/5
ATC10A	10	Red	pkg/100
ATC15	15	Blue	pkg/5
ATC15A	15	Blue	pkg/100
ATC20	20	Yellow	pkg/5
ATC20A	20	Yellow	pkg/100
ATC25	25	Clear	pkg/5
ATC25A	25	Clear	pkg/100
ATC30	30	Green	pkg/5
ATC30A	30	Green	pkg/100
ATC40	40	Orange	pkg/5
ATC40A	40	Orange	pkg/100

ATC Minimize Blade Fuses

**Part No. ATCMF40**

Mini Blade Fuse
Assortment – 40 Piece

Part No.	Amp.	Color	Qty / Pkg
ATCM2	2	Gray	pkg/5
ATCM2A	2	Gray	pkg/100
ATCM3	3	Purple	pkg/5
ATCM3A	3	Purple	pkg/100
ATCM4	4	Pink	pkg/5
ATCM4A	4	Pink	pkg/100
ATCM5	5	Tan	pkg/5
ATCM5A	5	Tan	pkg/100
ATCM7.5	7.5	Brown	pkg/5
ATCM7.5A	7.5	Brown	pkg/100
ATCM10	10	Red	pkg/5
ATCM10A	10	Red	pkg/100
ATCM15	15	Blue	pkg/5
ATCM15A	15	Blue	pkg/100
ATCM20	20	Yellow	pkg/5
ATCM20A	20	Yellow	pkg/100
ATCM25	25	Clear	pkg/5
ATCM25A	25	Clear	pkg/100
ATMC30	30	Green	pkg/5
ATCM30A	30	Green	pkg/100

ATC Maximize Blade Fuses



Part No.	Amps.	Color	Qty/Pkg
ATCMAX20	20	Yellow	pkg/1
ATCMAX30	30	Green	pkg/1
ATCMAX40	40	Orange	pkg/1
ATCMAX50	50	Red	pkg/1
ATCMAX60	60	Blue	pkg/1

ATC Standard Blade Fuse Kit

**Part No. ATCF100**

Standard Blade Fuse
Assortment w/ Puller
100 Piece

ATC Min/
Standard/Max
Fuse Kit

Part No. ATCF300


Assorted Fuses:
Glass, Mini, Maxi and
Standard – 300 Piece

ATC Maximize
Blade Fuse Kit

Part No. ATCMAXF10

Maxi Blade Fuse
Assortment – 10 Piece

AGC Style Glass Fuse



Part No.	Amp.	Qty / Pkg
AGC5	5	pkg/5
AGC5A	5	pkg/100
AGC6	6	pkg/5
AGC6A	6	pkg/100
AGC7.5	7.5	pkg/5
AGC7.5A	7.5	pkg/100
AGC10	10	pkg/5
AGC10A	10	pkg/100
AGC15	15	pkg/5
AGC15A	15	pkg/100
AGC20	20	pkg/5
AGC20A	20	pkg/100
AGC25	25	pkg/5
AGC25A	25	pkg/100
AGC30	30	pkg/5
AGC30A	30	pkg/100


Part No. AGCF120

AGC Fuse Assortment
w/ Puller – 120 Piece


Part No. AGCF60

AGC Fuse Assortment-
60 Piece

**DON'T SEE WHAT
YOU NEED?
Contact us at
(800) 835-1016 Today!**

Fuse Taps


Part No. MBFT

Fits Miniature Blade
Fuse – 100 Pieces


Part No. BFT

Fits Standard Blade
Fuse – 100 Pieces


Part No. FT

Fits Standard Glass
Fuse – 100 Pieces

Fuse Puller

Pulls and installs both blade-type and glass tube fuses. Durable, single piece design. A must for all car owners.



Part No.	Description	Qty / Pkg
FPI-S	Fuse Puller	pkg/1
FPI-X	Fuse Puller	pkg/10

FMX Fuses



Part No.	Amp.	Color	Qty / Pkg
FMX20	20	Blue	pkg/5
FMX20-W	20	Blue	pkg/100
FMX30	30	Pink	pkg/5
FMX30-W	30	Pink	pkg/100
FMX40	40	Green	pkg/5
FMX40-W	40	Green	pkg/100
FMX50	50	Red	pkg/5
FMX50-W	50	Red	pkg/100
FMX60	60	Yellow	pkg/5
FMX60-W	60	Yellow	pkg/100

JCASE Low Profile Fuse

-40°F to 257°F temp rating, 32 volts.



Part No.	Amps.	Color	Qty / Pkg
JCASE20LP-V	20	Blue	pkg/5
JCASE30LP-V	30	Pink	pkg/5
JCASE40LP-V	40	Green	pkg/5
JCASE50LP-V	50	Red	pkg/5
JCASE60LP-V	60	Yellow	pkg/5


ATC Style Breakers



Part No.	Amp.	Qty / Pkg
ATC10ACB	10	pkg/2
ATC10ACBA	10	pkg/100
ATC15ACB	15	pkg/2
ATC15ACBA	15	pkg/100
ATC20ACB	20	pkg/2
ATC20ACBA	20	pkg/100
ATC25ACB	25	pkg/2
ATC25ACBA	25	pkg/100
ATC30ACB	30	pkg/2
ATC30ACBA	30	pkg/100

Low Profile Mini Fuse

Low profile mini fuse rated up to 58 volts and temp ratings of -40°C to 125°C.



Part No.	Amps.	Color	Qty / Pkg
ATMLP5	5	Orange	pkg/5
ATMLP7.5	7.5	Brown	pkg/5
ATMLP10	10	Red	pkg/5
ATMLP15	15	Blue	pkg/5
ATMLP20	20	Yellow	pkg/5
ATMLP25	25	White	pkg/5
ATMLP30	30	Green	pkg/5

Standard Blade Fuse Holder



Part No.	Description	Qty / Pkg
ATCSTDFH-X	12 gauge wire	pkg/10

Maximize Blade Fuse Holder



Part No.	Description	Qty / Pkg
ATCMAXFH	8 gauge wire	pkg/1

Minimize Blade Fuse Holder



Part No.	Description	Qty / Pkg
ATCMINFH-X	14 gauge wire	pkg/10

Water Resistant Blade Holder



Part No.	Description	Qty / Pkg
ILFHATO-X	12 gauge wire; fits standard blade fuses	pkg/10
ILFHMINATO-X	Mini blade fuses	PKG/10

AGC In-Line Fuse Holder

Includes 30-amp fuse
with 12 ga. wire



Part No.	Description	Qty / Pkg
ILFH30-X	AGC Fuse Holder	pkg/10

Fuse Holders




Part No. ATCMAXBSFH
Maxi Mount Style Holder, 8 ga. – 1 ea.



Part No. ATCMINSBFH-X
Mini Stackable Holder, 14 ga. – pkg/10



Part No. ATCMINLPFH-X
Mini Low Profile Holder, 12 ga. – pkg/10



Part No. ATCSTDSBFH-X
Stackable Holder, 12 ga. – pkg/10

Replacement Bayonet Base Light Bulbs

Part No.	Description	Qty / Pkg
MZ-TL57-X	12V TL57 Bayonet Light Bulb	pkg/10
MZ-TL67-X	12V TL67 Bayonet Light Bulb	pkg/10
MZ-TL89-X	12V TL89 Bayonet Light Bulb	pkg/10
MZ-TL1003-X	12V TL1003 Bayonet Light Bulb	pkg/10
MZ-TL1004-X	12V TL1004 Bayonet Light Bulb	pkg/10
MZ-TL1073-X	12V TL1073 Bayonet Light Bulb	pkg/10
MZ-TL1893-X	12V TL1893 Bayonet Light Bulb	pkg/10
MZ-TL1895-X	12V TL1895 Bayonet Light Bulb	pkg/10



Replacement Wedge Base Light Bulbs



Part No.	Description	Qty/Pkg
MZ-TL168-X	12V Wedge Base Light Bulb	pkg/10
MZ-TL194-X	12V Wedge Base Light Bulb	pkg/10



Trailer Lightbulb

Part No.	Qty/Pkg
MZ-1156-X	pkg/10
MZ-1157-X	pkg/10

Incandescent Droplights

U.L. Listed molded plugs with grounded outlets, 3-conductor droplights with head receptical, steel cage. Bulb not included.

Part No.	Ga.	Wire Type	Length	Amp.	Qty / Pkg
316DL25	16	SJT	25 ft	13	pkg/1
316DL50	16	SJT	50 ft	13	pkg/1



3 Conductor Extension Cords


U.L. Listed - Meets OSHA specs. Molded plugs built to take rugged punishment. Resists oil and abrasion.

Part No.	Ga.	Wire Type	Length	Amp.	Qty / Pkg
314EC25	14/3	SJT	25 ft	13-15	pkg/1
314EC50	14/3	SJT	50 ft	13-15	pkg/1
312EC25	12/3	SJT	25 ft	15-20	pkg/1
312EC50	12/3	SJT	50 ft	15-20	pkg/1
312EC100	12/3	SJT	100 ft	15-20	pkg/1




Plastic Storage Boxes

Mize Wire Storage Boxes are ideal for quality products which benefit by visible display. Polypropylene has long been the choice for literally hundreds of storage applications such as: automotive items, bolts & nuts, washers, office supplies and sportsman accessories. These boxes are transparent for easy identification.



Part No. BX06

6 Compartments



Part No. BX12

12 Compartments


Metal Storage Boxes

These metal storage boxes are manufactured of prime cold-rolled steel and finished in baked enamel, resistant to rust and acid. Compartments are of high-impact plastic inserts. The inserts have rounded scoops, making it easy to remove small parts. BX21 also has a handle with a pull-down latch to prevent spillage of items inside.




Part No. BX21

21 Compartments
13 5/8" x 9 7/8" x 2 1/8"




Part No. BX06 LARGE

6 Compartments



Part No. BX18

18 Compartments



Part No. BX13

13 Compartments

Silicone Spark Plug Wire Sets

Silicone sets are high-temp ignition sets made with a silicone jacket over a wire conductor.

Fully Assembled Custom Made Sets

Part No.	Motor	Engine Size	Description	Qty / Pkg
PM413	Chrysler	413	Standard	1 set / pkg
PM454	Chevrolet	454	Standard	1 set / pkg
PM454 EI	Chevrolet	454	Electronic Ignition	1 set / pkg
PM460 EI	Ford	460	Electronic Ignition	1 set / pkg
PM460	Ford	460	Standard	1 set / pkg
PM446	International	446	Standard	1 set / pkg
PM605	International	605	Standard	1 set / pkg



Ignition Terminals



Part No.	Cylinders	Qty / Pkg
PM4S	4	1 set / pkg
PM6S	6	1 set / pkg
PM8S	8	1 set / pkg

Part No.	Description	Qty / Pkg
SP9DT	Round Distributor Terminal	pkg/100
SP2ST	Straight Spark Plug Terminal	pkg/100
SP3AT	Angle Spark Plug Terminal	pkg/100

Ignition Terminal Covers



Silicone Spark Plug Wire

100 ft. spools



Part No.	Description	Wt / C ft
7MMS	Silicone Jacket / wire-conductor	4.6 lbs.

Part No.	Description	Qty / Pkg
SP7DNR-X	Distributor Nipple Cover	pkg/10
SP7DNR	Distributor Nipple Cover	pkg/100
SP5CNR-X	Coil Nipple Cover	pkg/10
SP5CNR	Coil Nipple Cover	pkg/100
SP8S-X	Straight Spark Plug Cover	pkg/10
SP8S	Straight Spark Plug Cover	pkg/100
SP11AS-X	Angle Spark Plug Cover	pkg/10
SP11AS	Angle Spark Plug Cover	pkg/100

Quick Disconnect Battery Terminal

Simply twist the convenient knob and cut off power to your starter.


Part No.	Description	Qty / Pkg
BQD-S	Quick Disconnect	1pc/pkg
BQD-X	Quick Disconnect	10pc/pkg



Optional fused jumper wire rated at 5 amps supplies power to your vehicle computer, clock, radio, etc. Fits top mount batteries only. **Fused jumper wire must be purchased separately.**

Part No.	Description	Qty / Pkg
BQDILFH5	Power supply for BQD	1pc/pkg

Battery Bolts



BBN112S



SMBL



SMBL-SPR



SMB



SMB-OEM



BBN38-X

Part No.	Description	Qty / Pkg
BBN112S-X	1-1/2: Lx5/16" Shoulder Nut	pkg/10
BBN112S	1-1/2: Lx5/16" Shoulder Nut	pkg/100
SMBL-X	Sidemount Bolt 3/8" x 1" Long	pkg/10
SMBL-SPR-X	Spacer Only – No bolt	pkg/10
SMB-X	Sidemount Bolt 3/8" x 7/16"	pkg/10
SMB	Sidemount Bolt 3/8" x 7/16"	pkg/100
SMB-OEM-X	Sidemount Bolt 3/8" x 5/16" Hex	pkg/10
SMB-OEM	Sidemount Bolt 3/8" x 5/16" Hex	pkg/100
BBN38-X	3/8" Female cap nut	pkg/10

Male and Female Charging Posts

Positive and Negative
Male ThreadUniversal
Female Thread

Part No.	Description	Qty / Pkg
BTCP-S	Male Post 1 Neg/1 Pos	2pcs/pkg
BTCP-N-X	Male Negative Post	10pcs/box
BTCP-P-X	Male Positive Post	10pcs/box

Part No.	Description	Qty / Pkg
FTCP-S	Female Post	2pcs/pkg
FTCP-X	Female Post	10pcs/box

Top Mount Battery Cable Assemblies

Mize Wire battery cables have pressure-cast eyelets made of corrosion resistant, special pressure cast alloy. The castings form the copper strands and terminals into a solid mass, providing a perfect electrical bond. All battery cables have a 3/8" eyelet.

Bulk Part No.	Packaged Part No.	Ga.	Length
X410	X410-S	4 ga	10"
X415	X415-S	4 ga	15"
X420	X420-S	4 ga	20"
X425	X425-S	4 ga	25"
X432	X432-S	4 ga	32"
X438	X438-S	4 ga	38"
X443	X443-S	4 ga	43"
X448	X448-S	4 ga	48"
X456	X456-S	4 ga	56"
X465	X465-S	4 ga	65"
X472	X472-S	4 ga	72"

Bulk Part No.	Packaged Part No.	Ga.	Length
X210	X210-S	2 ga	10"
X215	X215-S	2 ga	15"
X220	X220-S	2 ga	20"
X223	X223-S	2 ga	23"
X232	X232-S	2 ga	32"
X238	X238-S	2 ga	38"
X243	X243-S	2 ga	43"
X248	X248-S	2 ga	48"
X253	X253-S	2 ga	53"
X258	X258-S	2 ga	58"
X272	X272-S	2 ga	72"



Switch to Starter Cables and Golf Cart Cable Assemblies

Bulk Part No.	Packaged Part No.	Description	Eyelet	Ga.	Length
SS0008-50		Starter Cable - Black	3/8"	2/0	8"
SS0009-50		Starter Cable - Black	3/8"	2/0	9"
SS0012-50		Starter Cable - Black	3/8"	2/0	12"
SS0024-50		Starter Cable - Black	1/2"	2/0	24"
SS410	SS410-S	Switch to Starter/Auto	3/8"	4 ga	10"
SS420	SS420-S	Switch to Starter/Auto	3/8"	4 ga	20"
SS424	SS424-S	Switch to Starter/Auto	3/8"	4 ga	24"
SS432	SS432-S	Switch to Starter/Auto	3/8"	4 ga	32"
SS440	SS440-S	Switch to Starter/Auto	3/8"	4 ga	40"
SS449	SS449-S	Switch to Starter/Auto	3/8"	4 ga	49"
SS608	SS608-S	Golf Cart Cable	5/16"	6 ga	8"
SS610	SS610-S	Golf Cart Cable	5/16"	6 ga	10"
SS612	SS612-S	Golf Cart Cable	5/16"	6 ga	12"
SS614	SS614-S	Golf Cart Cable	5/16"	6 ga	14"
SS618	SS618-S	Golf Cart Cable	5/16"	6 ga	18"
SS624	SS624-S	Golf Cart Cable	5/16"	6 ga	24"



Boots



**ADDITIONAL BOOTS
AVAILABLE!**

**Contact Us at
(800) 835-1016 Today!**

Pkg	Description	Qty / Pkg
Pkg 10	WBBC1020TP-10-X	1/0 & 2/0 GA Top Post Boot Red
Pkg 10	WBBC1020TP-50-X	1/0 & 2/0 GA Top Post Boot Black
Pkg 10	WBBC12R-10-MOD-X	1 & 2 GA Ring Red Boot
Pkg 10	WBBC12R-50-MOD-X	1 & 2 GA Ring Black Boot
Pkg 10	WBBC4TP-10-X	4 ga Red Boot
Pkg 10	WBBC4TP-50-X	4 ga Black Boot
Pkg 10	WBBC64RSB-10-X	6ga Ring Red Boot
Pkg 10	WBBC6RLT-10-X	6ga Ring Red Boot Left Post

Automotive, Electrical and Industrial Products

Diesel Truck Dual Battery Cables



Part No.	Qty / Pkg	Description	Length
X00108	pkg/1	Fits Ford Diesel Trucks, Prior to 1992 Reference to Ford #WC8870 2/0 battery cable	108"
X00105	pkg/1	Fits Ford Diesel Pickup with dual battery from 1992-1994. Reference to Ford #WC8987 2/0 battery cable	105"
X00109	pkg/1	Fits Ford Diesel Pickup with dual battery, power-stroke models from 1995-1997. Reference to #WC9316 2/0 battery cable.	109"
X00120	pkg/1	Fits Ford Diesel Pickup universal 2/0 battery cable. from 1987 to 2002	120"
X-062	pkg/1	Fits Dodge Diesel cable 1/0 ga. (Mid90's)	62"

Battery Cable Assortment

Mize Wire battery cable assortments are a combination of the most popular lengths in 4 gauge and 2 gauge wire with cast alloy eyelets and lead terminals. Also has 4 gauge side mount battery cables. Assortment comes with a metal rack.

Part No.	Description
ABC4	4 ga battery cables Contain 2 ea. of the following items: X410; X415; X420; X425; X432; X438
ABC2	2ga. battery cables Contains 2 ea. of the following items: X210; X215; X220; X223; X232; X238

Battery Terminal Felt Washers

Protect against corrosion. Install between battery and battery terminals. Pretreated at factory and sealed in a jar.



Part No. BTFW
50 Red / 50 Black

Part No. BTFW-S
1 Red / 1 Black



Part No. BTFS
50 Red / 50 Black

Part No. BTFS-S
1 Red / 1 Black

Bonding Straps



Braided bonding straps

Part No.	Description
BBS408	4 ga x 8"
BBS412	4 ga x 12"

Heavy Duty Copper Lugs

Part No.	Description
HDCL1038-X	1/0 ga. 3/8" Hole (Black)
HDCL2038-X	2/0 ga. 3/8" Hole (Orange)
HDCL438-X	4 ga. 3/8" Hole (Gray)
HDCLU2138-X	1-2 ga. Universal 3/8" Hole (Pink)
HDCL1012-X	1/0 ga 1/2" Hole (Black)
HDCL2012-X	2/0 ga 1/2" Hole (Orange)

Standard Package (X)-10 pcs.

Use Suffix (K)-1000 pcs.



Bench Style Lug Crimper



Lift lever to raise plunger, insert lug, then release & hit with hammer.

Heavy Duty Splice Connectors



Both the heavy-duty copper lugs and splice connectors are made from 99.9% copper. Heavier wall thickness and wider pads for greater heat shrink when soldered. Electro-tin corrosion resistance, longer barrels for double crimping when necessary, color coded to identify correct gauge.

Part No.	Description
HDCLB4-X	4 ga. Butt Connector (Gray)
HDCLBU21-X	1-2 ga. Universal Butt (Pink)
HDCLB20-X	2/0 ga. Butt Connector (Orange)

Standard Package (X)-10 pcs.

Use Suffix (K)-1000 pcs.

Part No. BSLC

Crimps battery lugs 8 gauge - 3/0, 4/0 gauge

Compact Wire Cutter



Copper Crimpable Battery Terminals

Part No.	Description
CCBTS21P-X	2-1 ga. positive straight (Pink)
CCBTS10P-X	1/0 ga. positive straight (Black)
CCBTS20P-X	2/0 ga. positive straight (Orange)
CCBTS21N-X	2-1 ga. negative straight (Pink)
CCBTS10N-X	1/0 ga. negative straight (Black)
CCBTS20N-X	2/0 ga. negative straight (Orange)
CCBTS4U-X	4 ga. straight universal (Gray)
CCBTS6U-X	6 ga. straight universal (Blue)



Straight Style / Standard Package 10 pcs



Flag Style / Standard Package 10 pcs



Left and Right Handed Style Std. Pkg. 10 pcs.

Part No. BCC9

Cuts up to 2/0 gauge wire

Hand Held Crimper




Part No. BCLC


Hex Crimping Tool Crimps lugs 6 gauge - 4/0 gauge. Take to the job site.

Lead Battery Terminals

Cars and
Pickup Trucks
4-2 gauge wire



Heavy Duty Trucks
1-4/0 gauge wire



Part No.	Description	Std/Pkg	Qty / Pkg
BT444	Universal	Card/10	10 cards


Part No.	Description	Std/Pkg	Qty / Pkg
T444	Universal	Card/10	10 cards

Embedded Nut

- Removable plate for easy assembly
- Fits all top-mount batteries
- Holds cable or strap
- Universal; fits positive or negative posts




Part No.	Description	Qty / Pkg
BTSM	Side Mount	card/8
4 gauge - 2 gauge wire		



Part No.	Description	Qty / Pkg
BTST	Side Mount Adapter	pkg/10
5 Negative / 5 Positive		

Marine Battery Terminals

Part No.	Description	Qty/Pkg
BTMT	5 Positive & 5 Negative	pkg/10
5/16" Stud & 3/8" Stud		



Standard Grease Fitting Assortment Kit

Transparent box for easy visibility.
Contains the most popular grease fittings both in straights and angles.

Standard Kit # ZA100 (Shown)
100 Grease Fittings Assorted
as Follows

Part No.	Description	Qty.
Z400	1/4-28 Str	50 ea
Z800	1/8" PT Str	25 ea
Z445	1/4-28 45°	5 ea
Z490	1/4-28 90°	5 ea
Z845	1/8" PT 45°	5 ea
Z400-34	1/4"-28 3/4" Long	5 ea
Z890	1/8" PT 90°	5 ea



Part No. ZA100
Standard Assortment
Kit – 100 pieces

Metric Grease Fitting Assortment Kit

Transparent box for easy visibility.
Contains the most popular metric grease fittings in both straight and angles.

Metric Kit # ZAM100 (Shown)
100 Metric Fittings Assorted
as Follows

Part No.	Description	Qty.
ZMS6	6 mm Str	40 ea
ZMS8	8 mm Str	5 ea
ZMS10	10 mm Str	5 ea
ZM906	6 mm 90°	20 ea
ZM908	8 mm 90°	5 ea
ZM9010	10 mm 90°	5 ea
ZM456	6 mm 45°	10 ea
ZM458	8 mm 45°	5 ea
ZM4510	10 mm 45°	5 ea




Part No. ZAM100
Metric Assortment
Kit – 100 pieces

Deluxe Grease Fitting Assortment Kit

Deluxe Kit No. ZA365

365 Grease Fittings Assorted
as Follows

Part No.	Qty.
GG701BC	6 ea
Z14	26 ea
Z316	26 ea
Z38	26 ea
Z400	50 ea
Z400-34	26 ea
Z490	26 ea
Z800	25 ea
Z845	10 ea
Z865	10 ea
Z890	10 ea
Z900	10 ea
ZMS6	26 ea
ZMS8	26 ea
ZMS10	26 ea



Part No. ZA365

Assortment Kit
365 pieces

Standard and Metric Grease Fitting Assortment Kits

Both these assortments come in a transparent box for easy visibility. They also contain the most popular straight and angles in either standard or metric grease fittings in a pocket-sized box.



Part No. ZA35

Standard Assortment
Kit – 35 pieces



Part No. ZAM27


Metric Assortment
Kit – 27 pieces

1/4-28 Taper Thread with Ball Check

1/4-28 Straight

Part No. Z400-V	Part No. Z400A	Part No. Z400-K
5 pieces	100 pieces	1000 pieces


Weight 1000 pcs. 5.7 lbs.



1/4-28 Straight 11/16" Long

Part No. Z400-34-V	Part No. Z400-34A	Part No. Z400-34-K
5 pieces	100 pieces	1000 pieces


Weight 1000 pcs. 7.5 lbs.



1/4-28 Straight 15/16" Long

Part No. Z400-1-V	Part No. Z400-1A	Part No. Z400-1-K
5 pieces	100 pieces	1000 pieces


Weight 1000 pcs. 9.5 lbs.



1/4-28 45°

Part No. Z445-V	Part No. Z445A	Part No. Z445-K
5 pieces	100 pieces	1000 pieces


Weight 1000 pcs. 17 lbs.



1/4-28 65°

Part No. Z465-V	Part No. Z465A	Part No. Z465-K
5 pieces	100 pieces	1000 pieces


Weight 1000 pcs. 17 lbs.



1/4-28 90°

Part No. Z490-V	Part No. Z490A	Part No. Z490-K
5 pieces	100 pieces	1000 pieces

Weight 1000 pcs. 17 lbs.




1/8" Pipe Thread Grease Fittings with Ball Check

1/8" P.T. Straight

Part No. Z800-V	Part No. Z800A	Part No. Z800-K
5 pieces	100 pieces	1000 pieces


Weight 1000 pcs. 12 lbs.



1/8" P.T. Straight 1 1/4" Long

Part No. Z800-1-V	Part No. Z800-1A	Part No. Z800-1-K
5 pieces	100 pieces	1000 pieces


Weight 1000 pcs. 31 lbs.



1/8" P.T. 30°

Part No. Z-830-V	Part No. Z830A	Part No. Z830-K
5 pieces	100 pieces	1000 pieces


Weight 1000 pcs. 21 lbs.



1/8" P.T. 45°

Part No. Z845-V	Part No. Z845A	Part No. Z845-K
5 pieces	100 pieces	1000 pieces


Weight 1000 pcs. 20.3 lbs.



1/8" P.T. 65°

Part No. Z865-V	Part No. Z865A	Part No. Z865-K
5 pieces	100 pieces	1000 pieces


Weight 1000 pcs. 21.7 lbs.



1/8" P.T. 90°

Part No. Z890-V	Part No. Z890A	Part No. Z890-K
5 pieces	100 pieces	1000 pieces

Weight 1000 pcs. 29.8 lbs.




Drive-In Grease Fittings with Ball Check

1/8" Drive-In

Part No. Z316-V	Part No. Z316A	Part No. Z316-K
5 pieces	100 pieces	1000 pieces


Weight 1000 pcs. 5.3 lbs.



1/4" Drive-In

Part No. Z14-V	Part No. Z14A	Part No. Z14-K
5 pieces	100 pieces	1000 pieces


Weight 1000 pcs. 7.3 lbs.



5/16" Drive-In

Part No. Z516-V	Part No. Z516A	Part No. Z516-K
5 pieces	100 pieces	1000 pieces


Weight 1000 pcs. 9.5 lbs.



3/8" Drive-In

Part No. Z38-V	Part No. Z38A	Part No. Z38-K
5 pieces	100 pieces	1000 pieces

Weight 1000 pcs. 11 lbs.



Rubber Grease Gun Whip Hose

Part No.	Qty / Pkg	Length
WH12-S	pkg/1 bag	12"
WH12-X	pkg/10	12"
WH18-S	pkg/1 bag	18"
WH18-X	pkg/10	18"
WH24-S	pkg/1 bag	24"
WH24-X	pkg/10	24"
WH36-S	pkg/1 bag	36"
WH36-X	pkg/10	36"




10,000 PSI burst
pressure rubber
hose 1/8" NPT

Warning: For use
with hand-operated
grease gun only


4-Jaw Grease Gun Coupler with Ball Check

Provides quick, positive, leakproof
connection with grease fittings.

Part No.	Description	Qty / Pkg
GG701BC-S	Coupler 1/8" NPT	pkg/1
GG701BC-X	Coupler 1/8" NPT	pkg/10




6mm x 1mm Taper Metric Grease Fittings with Ball Check



6mm Straight

Part No. ZMS6-V
5 pieces
Part No. ZMS6A
100 pieces
Part No. ZMS6-K
1000 pieces


Weight 1000 pcs. 15 lbs.



6mm 45°

Part No. ZM456-V
5 pieces
Part No. ZM456A
100 pieces
Part No. ZM456-K
1000 pieces

Weight 1000 pcs. 15 lbs.




6mm 90°

Part No. ZM906-V
5 pieces
Part No. ZM906A
100 pieces
Part No. ZM906-K
1000 pieces

Weight 1000 pcs. 15 lbs.


8mm x 1mm Taper Metric Grease Fittings with Ball Check



8mm Straight

Part No. ZMS8-V
5 pieces
Part No. ZMS8A
100 pieces
Part No. ZMS8-K
1000 pieces


Weight 1000 pcs. 10 lbs.



8mm 45°

Part No. ZM458-V
5 pieces
Part No. ZM458A
100 pieces
Part No. ZM458-K
1000 pieces

Weight 1000 pcs. 15 lbs.




8mm 90°

Part No. ZM908-V
5 pieces
Part No. ZM908A
100 pieces
Part No. ZM908-K
1000 pieces

Weight 1000 pcs. 15 lbs.


10mm x 1mm Taper Metric Grease Fittings with Ball Check



10mm Straight

Part No. ZMS10-V
5 pieces
Part No. ZMS10A
100 pieces
Part No. ZMS10-K
1000 pieces


Weight 1000 pcs. 14 lbs.



10mm 45°

Part No. ZM4510-V
5 pieces
Part No. ZM4510A
100 pieces
Part No. ZM4510-K
1000 pieces

Weight 1000 pcs. 20 lbs.




10mm 90°

Part No. ZM9010-V
5 pieces
Part No. ZM9010A
100 pieces
Part No. ZM9010-K
1000 pieces

Weight 1000 pcs. 20 lbs.

1/4" P.T. Thread Grease w/ Ball Drill Size Selection




1/4" P.T. Straight

Part No. Z900-V
5 pieces
Part No. Z900A
100 pieces
Part No. Z900-K
1000 pieces

Part No.	Tap Drill Selection for Standard Thread Fittings
1/4" - 28	#3 (For Soft Metal; Use #5)
5/16" - 32	9/32" (For Soft Metal; Use #J)
1/8" Pipe	11/32" (For Soft Metal; Use #R)
1/4" Pipe	7/16"


Decimal Equivalent Chart



1/4" P.T. 45°

Part No. Z945-V
5 pieces
Part No. Z945A
100 pieces
Part No. Z945-K
1000 pieces

Fraction	Decimal	Fraction	Decimal
1/64	.01563	33/64	.51563
1/32	.03125	17/32	.53125
3/64	.04687	35/64	.54688
1/16	.0625	9/16	.56250
5/64	.07813	37/64	.57813
1/32	.09375	19/32	.59375
7/64	.10937	39/64	.60938
1/8	.125	5/8	.625
9/64	.14063	41/64	.64063
5/32	.15625	21/32	.65625
11/64	.17188	43/64	.67188
3/16	.1875	11/16	.6875
13/64	.20313	45/64	.70313
7/32	.21875	23/32	.71875
15/64	.23438	47/64	.73438
1/4	.25	3/4	.750
17/64	.26563	49/64	.76563
9/32	.28125	25/32	.78125
19/64	.29688	51/64	.79688
5/16	.3125	13/16	.8125
21/64	.32813	53/64	.82813
11/32	.34375	27/32	.84375
23/64	.35938	55/64	.85938
3/8	.375	7/8	.875
25/64	.39063	57/64	.89063
13/32	.40625	29/32	.90625
27/64	.42188	59/64	.92188
7/16	.4375	15/16	.9375
29/64	.45313	61/64	.95313
15/32	.46875	31/32	.96875
11/64	.48438	63/64	.97438
1/2	.50	1	1.0000



1/4" P.T. 65°

Part No. Z965-V
5 pieces
Part No. Z965A
100 pieces
Part No. Z965-K
1000 pieces

Milton Style Air Quick Couplers “M” Style

Couplers interchange with the following numbers: American/Champ #9-871; Lincoln #5878; Tru-Flate #13-201; Schrader #5142C; Camel #61-572; Napa #90-669; Amflo #C20-AU; ACME #939A

Part No.	Description	Qty.
S715	Coupler Body Only 1/4" p.t.	pkg/1
S755	Push Type Coupler Body Only	pkg/1
S727	Male 1/4" p.t. Pin	pkg/2
S728	Female 1/4" p.t. Pin	pkg/2



S727



S728

S755
S715

Aro Style Air Quick Couplers “A” Style

Couplers interchange with the following numbers: Aro #210; American/Champ #9-865; Lincoln #862; Tru-Flate #13-334; Schrader #3526; Camel #61-518; Napa #90-644; Amflo #C38; ACME #918B

Part No.	Description	Qty.
S775	Coupler Body Only 1/4" p.t.	pkg/1
S777	Male 1/4" p.t. Pin	pkg/2
S778	Female 1/4" p.t. Pin	pkg/2



S777



S778



S775

Tru-Flate Style Air Quick Couplers “T” Style

Couplers interchange with the following numbers: Aro #TFCF22-00; American/Champ #9-8625; Lincoln #5871; Tru-Flate #13-134; Schrader #3504; Camel #61-523; Napa #90-699; Amflo #C2; ACME #925B

Part No.	Description	Qty.
S785	Coupler Body Only 1/4" p.t.	pkg/1
S783	Male 1/4" p.t. Pin	pkg/2
S784	Female 1/4" p.t. Pin	pkg/2



S785



S783



S784

Lincoln Style Air Quick Couplers “A” Style

Couplers interchange with the following numbers: Aro #TFCF22-00; American/Champ #9-8625; Lincoln #5871; Tru-Flate #13-134; Schrader #3504; Camel #61-523; Napa #90-699; Amflo #C2; ACME #925B

Part No.	Description	Qty.
S790	Coupler Body Only 1/4" p.t.	pkg/1
S791	Male 1/4" p.t. Pin	pkg/2
S792	Female 1/4" p.t. Pin	pkg/2



S790



S791



S792

Tru-Flate Style Air Quick Couplers

Part No.	Description	Qty.
S1815	Coupler Body Only 1/2"p.t.	pkg/1
S1817	Male 1/2" p.t. Pin	pkg/1
S1818	Female 1/2" p.t. Pin	pkg/1



S1817



S1818



S1815

Air Chucks



S693



S698



S699

Part No.	Description	Qty.
S693	Chuck For Inner Duals	pkg/1
S698	Safety Grip Air Chuck	pkg/1
S699	Standard-Air Chuck	pkg/1

Tire Gauges

Part No.	Description	Qty.
S927	Truck Tire Gauge 20-120 lbs	pkg/1
S928	Auto/Tractor Tire Gauge 5-45 lbs	pkg/1
S976	Large Truck Tire Gauge 10-120 lbs	pkg/1



S927




S928



S976

Air Blow Guns

Part No.	Description	Qty.
S153	Full Flow Rubber Tip Blo-Gun	pkg/1



5/16" Wide Miniature Hose Clamps

Hose clamp features: 201 stainless steel band, carbon screw & housing, worm drive. Small enough to install in very tight places, yet strong enough to give a tight, lasting seal that will not shake loose. Band is made of corrosion resistant stainless steel. The 1/4" hex head and housing are carbon steel. Made in U.S.A.

Part No.	Fits Hose I.D.	Clamp Diameter		Qty/Pkg
		Min	Max	
M4SB	3/16" - 5/16"	7/32"	5/8"	pkg/10
M6SB	1/4" - 5/8"	5/16"	7/8"	pkg/10



1/2" Wide Standard Hose Clamps

These hose clamps are superior in strength and will out-clamp them all. Consider these features: 1/2" wide band; rounded edges to protect the hose; extra strong, four-point construction. Bands are made of corrosion resistant stainless steel. The 5/16" hex head and housing are carbon steel. Made in U.S.A.

Part No.	Fits Hose I.D.	Clamp Diameter		Qty/Pkg
		Min	Max	
K6SB	1/4" - 3/8"	3/8"	7/8"	pkg/10
K8SB	5/16" - 1/2"	7/16"	1"	pkg/10
K10SB	3/8" - 5/8"	9/16"	1 1/16"	pkg/10
K12SB	5/8" - 3/4"	9/16"	1 1/4"	pkg/10
K16SB	3/4" - 1"	11/16"	1 1/2"	pkg/10
K20SB	1" - 1 1/4"	3/4"	1 3/4"	pkg/10
K24SB	1 1/4" - 1 1/2"	1 1/16"	2"	pkg/10
K28SB	1 1/4" - 1 3/4"	1 1/16"	2 1/4"	pkg/10
K32SB	1 1/2" - 2"	1 9/16"	2 1/2"	pkg/10
K36SB	1 3/4" - 2 1/4"	1 13/16"	2 3/4"	pkg/10



Larger hose clamps are available in case quantities. Only by special order.

Part No. CA210-NR Kit contains the following:	
M4SB	50 Pieces
M6SB	50 Pieces
K10SB	30 Pieces
K12SB	20 Pieces
K20SB	20 Pieces
K28SB	20 Pieces
K32SB	20 Pieces


No rack included.

O-Rings

O-Rings are made of 70 Durometer Nitrile rubber and are available in assortment kits.

Part No.	Width	I.D.	O.D.
R006	1/16"	1/8"	1/4"
R007	1/16"	5/32"	9/32"
R008	1/16"	3/16"	5/16"
R009	1/16"	7/32"	11/32"
R010	1/16"	1/4"	3/8"
R011	1/16"	5/16"	7/16"
R012	1/16"	3/8"	1/2"

Part No.	Width	I.D.	O.D.
R210	1/8"	3/4"	1"
R211	1/8"	13/16"	1 ¹ / ₁₆ "
R212	1/8"	7/8"	1 ¹ / ₈ "
R213	1/8"	15/16"	1 ³ / ₁₆ "
R214	1/8"	1"	1 ¹ / ₄ "
R215	1/8"	1 ¹ / ₁₆ "	1 ⁵ / ₁₆ "
R216	1/8"	1 ¹ / ₈ "	1 ³ / ₈ "



Part No.	Width	I.D.	O.D.
R110	3/32"	3/8"	9/16"
R111	3/32"	7/16"	5/8"
R112	3/32"	1/2"	11/16"
R113	3/32"	9/16"	3/4"
R114	3/32"	5/8"	13/16"
R115	3/32"	11/16"	7/8"
R116	3/32"	3/4"	15/16"

All O-Rings come 50 per pkg.

O-Ring Assortment Kits



Part No. RK225

Standard Assortment Kit – 225 pieces
18 sizes from R006 through R213,
in clear plastic case.



Part No. RKM419

Metric Assortment Kit –
419 pieces
32 sizes from 3 I.D.
through 50 I.D.,
in yellow plastic case.



Part No. RK407

Standard Assortment
Kit – 407 pieces
32 sizes from R006
through R226,
in red plastic case.


Turn, Tail and Stop Lights

Universal light features backup window and license illuminator. 1/4" diameter threaded studs are set in a 2" triangular pattern. Lead wires included.

Part No.	Qty/Pkg	Lens Color
MZ-445-S	pkg/1 (Display)	Red/White
MZ-445-X	pkg/10 (Bulk)	Red/White
MZ-445-MC	case/50	Red/White



Part No. MZ-445
Turn, Tail, Stop and Backup Bolt-on




Universal light has 2 1/4" threaded studs set on 2" centers. Lead wires included.

Part No.	Qty/Pkg	Lens Color
MZ-440-S	pkg/1 (Display)	Red
MZ-440-X	pkg/10 (Bulk)	Red
MZ-440-MC	case/50	Red



Part No. MZ-440
Turn, Tail and Stop Bolt-on




Universal light has 2 1/4" threaded studs set on 2" centers. Includes license illuminator. Lead wires included.

Part No.	Qty/Pkg	Lens Color
MZ-440L-S	pkg/1 (Display)	Red
MZ-440L-X	pkg/10 (Bulk)	Red
MZ-440L-MC	case/50	Red




Part No. MZ-440L
Turn, Tail, Stop, License Illuminator Bolt-on



Universal light has 2 1/4" threaded studs set on 2" centers. Features license illuminator. Lead wires included.

Part No.	Qty/Pkg	Lens Color
MZ-428-S	pkg/1 (Display)	Red
MZ-428-X	pkg/10 (Bulk)	Red
MZ-428-MC	case/100	Red



Part No. MZ-428
Turn, Tail, Stop, License Illuminator Bolt-on

LED Stop, Turn and Tail Light

2" x 6" oval, 6-diode LED stop, turn and tail light.

Part No.	Qty / Pkg	Lens Color
MZ-420R-3-S	pkg/1	Red
MZ-420R-3-X	pkg/10	Red




Turn and Tail Lights / Miscellaneous Lights

Part No.	Qty/Pkg	Lens Color
MZ-146R-S	pkg/1 (Display)	Red
MZ-146R-X	pkg/10 (Bulk)	Red
MZ-146R-MC	case/200	Red
MZ-146A-S	pkg/1 (Display)	Amber
MZ-146A-X	pkg/10 (Bulk)	Amber
MZ-146A-MC	case/200	Amber





Part No. MZ-146
Marker and Clearance
Grommet Mount

2" sealed light.
Installation requires
a MZ-142-49 pigtail
and a MZ-146-18
grommet.



Part No.	Qty/Pkg	Lens Color
MZ-143R-S	pkg/1 (Display)	Red
MZ-143R-X	pkg/10 (Bulk)	Red
MZ-143R-MC	case/200	Red
MZ-143A-S	pkg/1 (Display)	Amber
MZ-143A-X	pkg/10 (Bulk)	Amber
MZ-143A-MC	case/200	Amber


2 1/2" sealed light. Installation
requires #MZ-142-49 pigtail
and either #MZ-143-18 or
a MZ-142-18 grommet.



Part No. MZ-143
Marker and Clearance
Grommet Mount




4" x 2" oblong light.
Has snap-on lens, with
2 replaceable bulbs.



Part No. MZ-135
Marker and Clearance
Grommet Mount

Part No.	Qty/Pkg	Lens Color
MZ-135R-S	pkg/1 (Display)	Red
MZ-135R-X	pkg/10 (Bulk)	Red
MZ-135R-MC	case/200	Red
MZ-135A-S	pkg/1 (Display)	Amber
MZ-135A-X	pkg/10 (Bulk)	Amber
MZ-135A-MC	case/200	Amber




Part No. MZ-415
Back Up
Grommet Mount

Sealed white (backup) light. Install using grommet
#MZ-426-18 and pigtail #MZ-431-49.

Part No.	Qty/Pkg	Lens Color
MZ-415-S	pkg/1 (Display)	White
MZ-415-X	pkg/10 (Bulk)	White
MZ-415-MC	case/100	White

Snap-in license light. Fits into 1 1/4" diameter hole. Chromed, white half lens.

Part No.	Qty/Pkg	Lens Color
MZ-438-S	pkg/1 (Display)	White
MZ-438-X	pkg/10 (Bulk)	White
MZ-438-MC	case/200	White



Part No. MZ-438
Bumper Tag Light

Miscellaneous Lights

Part No.	Qty/Pkg	Lens Color
MZ-063-S	pkg/1 (Display)	Amber
MZ-063-X	pkg/10 (Bulk)	Amber
MZ-063-MC	case/100	Amber


15" x 1.5" Amber, 3 Light Bar



Part No. MZ-063
3 Light Bar

6" sealed, oval back-up light. Requires Grommet #MZ-421-18 and Pigtail #MZ-421-49.

Part No.	Qty/Pkg	Lens Color
MZ-416-S	pkg/1 (Display)	Clear
MZ-416-X	pkg/10 (Bulk)	Clear
MZ-416-MC	case/100	Clear



Part No. MZ-416
Oval Back Up Light
Clear

6" Sealed, oval turn signal light. Requires Grommet #MZ-421-18 and Pigtail #MZ-421-49.



Part No. MZ-421
Oval Turn Signal Light
Red

Part No.	Qty/Pkg	Lens Color
MZ-421R-S	pkg/1 (Display)	Red
MZ-421R-X	pkg/10 (Bulk)	Red
MZ-421R-MC	case/100	Red

3 13/16" amber front clearance light and a red rear clearance light. Requires mounting bracket #MZ-154-11.

Part No.	Qty/Pkg	Lens Color
MZ-154A-R-S	pkg/1 (Display)	Amber/Red
MZ-154A-R-X	pkg/10 (Bulk)	Amber/Red
MZ-154A-R-MC	case/100	Amber/Red

Part No. MZ-154A-R
Fender Mount
Clearance Light
Half Amber / Half Red



Part No.	Qty/Pkg	Lens Color
MZ-154-11K-S	pkg/1 (Display)	Black
MZ-154-11K-X	pkg/10 (Bulk)	Black
MZ-154-11K-MC	case/100	Black

Part No. MZ-154-11-K
Mounting Bracket

Mounting bracket for light #MZ-154A-R



Chrome License Light

Part No. MZ-435N
Chrome License Light



Part No.	Qty/Pkg	Lens Color
MZ-435N-S	pkg/1 (Display)	Clear
MZ-435N-X	pkg/10 (Bulk)	Clear
MZ-435N-MC	case/200	Clear


Light Grommets

Black oblong PVC Grommet will mount 2" x 6" tail lights. **Application:** use with light #MZ-416 and #MZ-421




Part No.	Qty/Pkg
MZ-421-18-S	pkg/1 (Display)
MZ-421-18-X	pkg/10 (Bulk)
MZ-421-18-MC	case/100

Black PVC Grommet mounts 4" round tail lights. **Application:** use with light #MZ-415




Part No.	Qty/Pkg
MZ-426-18-S	pkg/1 (Display)
MZ-426-18-X	pkg/10 (Bulk)
MZ-426-18-MC	case/100

Round black PVC grommet provides a flush mount for 2" marker lights. **Application:** use with light #MZ-146



Part No.	Qty/Pkg
MZ-146-18-S	pkg/1 (Display)
MZ-146-18-X	pkg/10 (Bulk)
MZ-146-18-MC	case/200

Black PVC round grommet provides a recessed mount for 2 1/2" marker lights. **Application:** use with light #MZ-143



Part No.	Qty/Pkg
MZ-142-18-S	pkg/1 (Display)
MZ-142-18-X	pkg/10 (Bulk)
MZ-142-18-MC	case/200

Black PVC round grommet provides a flush mount for 2 1/2" marker lights. **Application:** use with light #MZ-143



Part No.	Qty/Pkg
MZ-143-18-S	pkg/1 (Display)
MZ-143-18-X	pkg/10 (Bulk)
MZ-143-18-MC	case/200

Light Pigtails

Pigtail has 3 wires, 1 black, 1 red and 1 white with attached ring terminal.



Part No.	Qty/Pkg
MZ-431-491-S	pkg/1 (Display)
MZ-431-491-X	pkg/10 (Bulk)
MZ-431-491-MC	case/500

Pigtail has 2 wires, 1 black, 1 red and 1 white with attached ring terminal. **Application:** use with light #MZ-143 and #MZ-146



Part No.	Qty/Pkg
MZ-142-49-S	pkg/1 (Display)
MZ-142-49-X	pkg/10 (Bulk)
MZ-142-49-MC	case/500

Pigtail has 2 wires, 1 black and 1 white with attached ring terminal. **Application:** use with light #MZ-416



Part No.	Qty/Pkg
MZ-421-49-S	pkg/1 (Display)
MZ-421-49-X	pkg/10 (Bulk)
MZ-421-49-MC	case/500

Pigtail has 3 wires, 1 black, 1 red and 1 white with attached ring terminal. **Application:** use with most turn, tail and stop lights



Part No.	Qty/Pkg
MZ-421-491-S	pkg/1 (Display)
MZ-421-491-X	pkg/10 (Bulk)
MZ-421-491-MC	case/500

Pigtail has 2 wires, 1 black and 1 white with attached ring terminal. **Application:** use with light #MZ-415



Part No.	Qty/Pkg
MZ-431-49-S	pkg/1 (Display)
MZ-431-49-X	pkg/10 (Bulk)
MZ-431-49-MC	case/500

Index - Alpha Listing

Battery Bolts & Nuts

Battery Bolts & Accessories	50
Sidemount Bolts	50

Battery Cable Pre-Made

Standard Battery Cables	51
Battery Cables Assortment	52
Braided Bonding Straps	52

Battery Terminals

Booster Cables	4
Booster Handles	5

Clamps

Loom Clamps	38
Stainless Hose Clamps	64

Crimpers & Cutters

Bench Style Lug Crimper	53
Hand Held Crimpers	53
Terminal Pliers	27
Weather Pack Crimper	26

Extension Cords

Droplights & Extension Cords	47
--	----

Fuse & Fuse Accessories

Standard Blade Fuse	43-46
Minimize Blade Fuse	43-46
Maximize Blade Fuse	43-46
Fuse Holder	46
Fuse Assortments	43-44
Fuse Puller	44
Glass Fuse	44
Fuse Taps	44

Hose Accessories

Air Chucks	63
Blow Guns	63
Quick Couplers & Pins	62-63
Tire Gauges	63

Large Gauge Lugs

Brazed Barrel Lugs	21-22
Copper Lugs	19
Insulated Lugs	20
Assortment Kits	22

Lights

LED Stop, Turn, Tail	66
Replacement Light Bulbs	47
Trailer Lights	47
Grommets	69
Metal Frame Clips	33

Nylon Cable Ties

Nylon Cable Ties	39-40
Nylon Cable Ties Mounts	40
Nylon Cable Tie Gun	40

O-Rings & Accessories

Assortment Kits	65
O-Rings (Bulk)	65

Shrink Tubing & Accessories

Shrink Tubing Assortment	37-38
Shrink Tubing (Polyolefin)	37-38
Heat Shrink Dual Wall	38

Storage Boxes

Metal	48
Plastic	48

Tape

Duct Tape	42
PVC Electrical	41
Thread Sealing	42
Carton Sealing	42
Tape Dispenser	42

Terminals

Bullet Connectors	12, 14, 18
Heat Shrink Terminals	18
Nylon Insulated Terminals	13-14
Spark Plug Terminals & Covers	49
Vinyl Terminal Kits	7-8
Nylon Terminal Kits	15
Heat Shrink Terminal Kits	17
Uninsulated Terminals	16-17
Weather Pack Terminals	26

Trailer

4-way Conn. Dust Cover	33
Flat Molded Connectors	33
Metal Trailer Connectors	34
Nylon Trailer Connectors	35
Trailer Adapters	35

Wire

Battery Cable	28
Booster Cable Wire	30
G.P.T Primary Wire	29
Jacketed Parallel Wire	30
Jiffy Spools (Consumer)	31
Spark Plug Wire & Sets	49
2-3-4 Conductor Flat Wire	30
Trailer Cable 4-6-7 Conductor	32
Welding Cable	28

Wire Loom

Flame Retardant	36
Flex-Guard Loom (PVC)	36

Zerks & Accessories

Grease Fittings (Standard)	57-58
Grease Fittings (Metric)	60
Grease Fittings (Drive-In)	59
Grease Fitting Assort Kits	55-56

This image shows a full page of blank handwriting practice paper. It features 20 evenly spaced, horizontal red lines that run across the entire width of the page. The lines are thin and consistent in color, providing a guide for letter height and placement. There are no margins, text, or other markings on the paper.



MIZE AND COMPANY

is registered to the **ISO 9001:2008** standard

QUALITY POLICY

The employees at Mize & Co., Inc. are committed to:

- Meeting customer requirements
- Maintaining competitive prices
- Increasing customer satisfaction

This is achieved by all employees' participation in the continual improvement of products, services and the quality management system.

About ISO:

ISO (International Organization for Standardization) is the source of the ISO 9001 quality management standard and more than 14000 International Standards for business, government and society. ISO is a network of national standards institutes from 146 countries working in partnership with international organizations, governments, industry, business and consumer representatives.

MIZE WIRE

P R O D U C T S

This Mize catalog is designed to help guide our customers in the selection of our wire, cable and accessory products, as well as industrial hose products.

However, this catalog does not tell the entire story of Mize Wire, Inc. The manufacturing and distribution of Mize Wire, Inc. products was launched in 1936 by Robert Mize, Sr. From an extremely modest origin, Mize has rapidly expanded sales and service activities that now include the entire Continental United States, Canada, Mexico, Chile, Bermuda, Trinidad, Countries of the United Emirates, Australia, Costa Rica, Puerto Rico and many more. Our executive offices, manufacturing, production and all distribution operations are housed in our modern facilities occupying approximately 60,000 square feet of floor space. Mize Wire, Inc.'s location in "Mid-way USA" minimizes the distribution time to you...our customer.

All Mize products listed in this catalog have been accepted throughout the industry for their quality and reliability in the field. Today, Mize has over eight products patented and manufactures millions of parts per year. New ideas and designs are constantly being researched, developed and market tested to bring you products that are unmatched and unchallenged in quality, reliability and marketability in an every changing market. For merchandise that returns you the highest profits, Mize has it. As you page throughout this catalog, you will notice the Mize line includes a variety of products that have earned us recognition as a company on the move. In today's world, quality, price and service is a must and Mize is committed to give you this and much more. Customer satisfaction is guaranteed.





MIZE WIRE

P R O D U C T S

Mize Wire, Inc. | P.O. Box 516 | Kingman, KS | USA | 67068

Toll Free **Local**

P (800) 835-1016 **P** (620) 532-3191

F (800) 624-6120 **F** (800) 532-2459

Email vpsales@mizeandcompany.com

mizeandcompany.com