


THE SCALE INDICATED IS FOR 22"x34" DRAWING SHEETS;
 11"x17" SHEETS ARE HALF THE INDICATED SCALE



COLUMBIA PARK AND BALLFIELD

Columbia, South Dakota

REVISION SCHEDULE

ISSUE	DATE	DESCRIPTION

PRELIMINARY
 NOT FOR
 CONSTRUCTION


2022.04.06

COPYRIGHT © 2022 BY CONFLUENCE
 ALL RIGHTS RESERVED. THIS DRAWING IS PROVIDED AS AN
 INSTRUMENT OF SERVICE BY CONFLUENCE, AND IS INTENDED
 FOR USE ON THIS PROJECT ONLY. ANY REPRODUCTION, USE OR
 DISCLOSURE OF INFORMATION CONTAINED HEREIN WITHOUT PRIOR
 WRITTEN CONSENT OF CONFLUENCE IS STRICTLY PROHIBITED.


Existing Site

CONFLUENCE PROJECT # 21382

SP101



THE SCALE INDICATED IS FOR 22"x34" DRAWING SHEETS;
 11"x17" SHEETS ARE HALF THE INDICATED SCALE



COLUMBIA PARK AND BALLFIELD

Columbia, South Dakota

REVISION SCHEDULE

ISSUE	DATE	DESCRIPTION

**PRELIMINARY
NOT FOR
CONSTRUCTION**

2022.04.06


COPYRIGHT © 2022 BY CONFLUENCE
 ALL RIGHTS RESERVED. THIS DRAWING IS PROVIDED AS AN
 INSTRUMENT OF SERVICE BY CONFLUENCE, AND IS INTENDED
 FOR USE ON THIS PROJECT ONLY. ANY REPRODUCTION, USE OR
 DISCLOSURE OF INFORMATION CONTAINED HEREIN WITHOUT PRIOR
 WRITTEN CONSENT OF CONFLUENCE IS STRICTLY PROHIBITED.

**Overall Site
Features Plan**

CONFLUENCE PROJECT # 21382

SP201

THE SCALE INDICATED IS FOR 22"x34" DRAWING SHEETS.
 11"x17" SHEETS ARE HALF THE INDICATED SCALE.



COLUMBIA PARK AND BALLFIELD

Columbia, South Dakota

REVISION SCHEDULE

ISSUE	DATE	DESCRIPTION

PRELIMINARY
NOT FOR
CONSTRUCTION

2022.04.06

COPYRIGHT © 2022 BY CONFLUENCE. ALL RIGHTS RESERVED. THIS DRAWING IS PROVIDED AS AN INSTRUMENT OF SERVICE BY CONFLUENCE, AND IS INTENDED FOR USE ON THIS PROJECT ONLY. ANY REPRODUCTION, USE OR DISCLOSURE OF INFORMATION CONTAINED HEREIN WITHOUT PRIOR WRITTEN CONSENT OF CONFLUENCE IS STRICTLY PROHIBITED.

Enlarged
Site Features Plan

CONFLUENCE PROJECT # 21382

SP202

THE SCALE INDICATED IS FOR 22"x34" DRAWING SHEETS;
 11"x17" SHEETS ARE HALF THE INDICATED SCALE

COLUMBIA PARK AND BALLFIELD

Columbia, South Dakota

REVISION SCHEDULE

ISSUE	DATE	DESCRIPTION

PRELIMINARY
 NOT FOR
 CONSTRUCTION


2022.04.06

COPYRIGHT © 2022 BY CONFLUENCE. ALL RIGHTS RESERVED. THIS DRAWING IS PROVIDED AS AN INSTRUMENT OF SERVICE BY CONFLUENCE, AND IS INTENDED FOR USE ON THIS PROJECT ONLY. ANY REPRODUCTION, USE OR DISCLOSURE OF INFORMATION CONTAINED HEREIN WITHOUT PRIOR WRITTEN CONSENT OF CONFLUENCE IS STRICTLY PROHIBITED.

Enlarged
 Site Features Plan

CONFLUENCE PROJECT # 21382

SP203



S. BROADWAY STREET

90'-0"

PARK BOUNDARY MARKER WITH LANDSCAPE

CROSSWALK WITH BEACON (TBD)

CITY MONUMENT SIGN AND LANDSCAPE

TOWNSEND AVE. SW

DISC GOLF BASKET (OPTIONAL)

PARK SHELTER (12' x 12')

BENCH ON CONCRETE PAD - TYP.

CONCRETE SIDEWALK

LAKE BLVD. SOUTH


CHAIN LINK FENCE; 4'-0" HEIGHT, BLACK VINYL COATED
 EXISTING PROPERTY LINE

BENCH ON CONCRETE PAD - TYP.

FUTURE PARK STRUCTURE

S. JAMES STREET

SCALE: 1"=20'



THE SCALE INDICATED IS FOR 22"x34" DRAWING SHEETS;
 11"x17" SHEETS ARE HALF THE INDICATED SCALE

COLUMBIA PARK AND BALLFIELD

Columbia, South Dakota

REVISION SCHEDULE

ISSUE	DATE	DESCRIPTION

PRELIMINARY
 NOT FOR
 CONSTRUCTION



2022.04.06

COPYRIGHT © 2022 BY CONFLUENCE
 ALL RIGHTS RESERVED. THIS DRAWING IS PROVIDED AS AN
 INSTRUMENT OF SERVICE BY CONFLUENCE, AND IS INTENDED
 FOR USE ON THIS PROJECT ONLY. ANY REPRODUCTION, USE OR
 DISCLOSURE OF INFORMATION CONTAINED HEREIN WITHOUT PRIOR
 WRITTEN CONSENT OF CONFLUENCE IS STRICTLY PROHIBITED.


Enlarged
 Site Features Plan

CONFLUENCE PROJECT # 21382

SP204



THE SCALE INDICATED IS FOR 22"x34" DRAWING SHEETS.
 11"x17" SHEETS ARE HALF THE INDICATED SCALE.



COLUMBIA PARK AND BALLFIELD

Columbia, South Dakota

REVISION SCHEDULE

ISSUE	DATE	DESCRIPTION


PRELIMINARY
 NOT FOR
 CONSTRUCTION
 2022.04.06


COPYRIGHT © 2022 BY CONFLUENCE. ALL RIGHTS RESERVED. THIS DRAWING IS PROVIDED AS AN INSTRUMENT OF SERVICE BY CONFLUENCE, AND IS INTENDED FOR USE ON THIS PROJECT ONLY. ANY REPRODUCTION, USE OR DISCLOSURE OF INFORMATION CONTAINED HEREIN WITHOUT PRIOR WRITTEN CONSENT OF CONFLUENCE IS STRICTLY PROHIBITED.

Site Lighting
 Concept


CONFLUENCE PROJECT # 21382

##





SECTION: FOOTING




SECTION: MASONRY COLUMN


D3 SP501 SECTIONS: ARCHWAY COLUMN SCALE: 1/2" = 1'-0"



B1 SP501 ELEVATION: RE-CONSTRUCTED HISTORIC ARCHWAY SCALE: 3/8" = 1'-0"



B3 SP501 SECTION: HISTORIC ARCHWAY SCALE: 1/2" = 1'-0"



B4 SP501 SECTION: CITY WELCOME SIGN SCALE: 1/2" = 1'-0"



A1 SP501 IMAGE: EXISTING ARCHWAY NOT TO SCALE

GENERAL NOTES - HISTORIC ARCHWAY:

THE INTENT OF THE SALVAGE AND RECONSTRUCTION OF THE ARCHWAY IS TO CREATE AN **EXACT** REPLICA OF THE CURRENT ARCHWAY AT THE NEW LOCATION; UTILIZING ALL EXISTING BRICK AND CONCRETE FEATURES TO THE GREATEST EXTENT POSSIBLE.

DURING DISASSEMBLY OF THE ARCHWAY, THE CONTRACTOR IS TO THOROUGHLY DOCUMENT THE EXISTING CONSTRUCTION MATERIALS, METHODS, AND DIMENSIONS THROUGH PHOTOS AND SKETCHES.

ALL BRICK AND CAST CONCRETE FEATURES ARE TO BE CAREFULLY REMOVED, CLEANED, SALVAGED AND STACKED ON ORGANIZED, PALLETIZED PILES FOR RE-USE ON THE ARCHWAY RE-CONSTRUCTION.


CAREFULLY REMOVE ALL MORTAR FROM EACH BRICK AND CAST CONCRETE FEATURE PRIOR TO STACKING FOR RE-USE.

CAREFULLY CLEAN AND REPAIR CAST CONCRETE ARCHWAY, CAPS AND SILLS. PAINT AS SPECIFIED, TO MATCH A RESTORED HISTORICAL CONDITION.

REFER TO THE ATTACHED DETAILS FOR RE-CONSTRUCTION OF THE ARCHWAY. NOTE THAT SOME SPECIFIC ASSEMBLY MAY BE MODIFIED BASED ON THE INFORMATION FOUND DURING THE DISASSEMBLY.

THE FINAL RECONSTRUCTION IS TO MATCH THE EXISTING ARCHWAY EXACTLY, INCLUDING - DIMENSIONS, MATERIALS, AND MORTAR JOINT THICKNESS, COLOR AND TYPE (BEADED JOINT).

REFER TO SPECIFICATIONS FOR ADDITIONAL REQUIREMENTS FOR TYPICAL CONSTRUCTION.



A3 SP501 ELEVATION: CITY WELCOME SIGN SCALE: 3/8" = 1'-0"

THE SCALE INDICATED IS FOR 22"x34" DRAWING SHEETS; 11"x17" SHEETS ARE HALF THE INDICATED SCALE

COLUMBIA PARK AND BALLFIELD
 Columbia, South Dakota

REVISION SCHEDULE		
ISSUE	DATE	DESCRIPTION

PRELIMINARY
 NOT FOR
 CONSTRUCTION
 2022.04.06

COPYRIGHT © 2022 BY CONFLUENCE. ALL RIGHTS RESERVED. THIS DRAWING IS PROVIDED AS AN INSTRUMENT OF SERVICE BY CONFLUENCE, AND IS INTENDED FOR USE ON THIS PROJECT ONLY. ANY REPRODUCTION, USE OR DISCLOSURE OF INFORMATION CONTAINED HEREIN WITHOUT PRIOR WRITTEN CONSENT OF CONFLUENCE IS STRICTLY PROHIBITED.

Site Details

CONFLUENCE PROJECT # 21382

SP501

**COLUMBIA PARK
 AND BALLFIELD**
 Columbia, South Dakota

REVISION SCHEDULE

ISSUE	DATE	DESCRIPTION


PRELIMINARY
 NOT FOR
 CONSTRUCTION
 2022.04.06

COPYRIGHT © 2022 BY CONFLUENCE
 ALL RIGHTS RESERVED. THIS DRAWING IS PROVIDED AS AN
 INSTRUMENT OF SERVICE BY CONFLUENCE, AND IS INTENDED
 FOR USE ON THIS PROJECT ONLY. ANY REPRODUCTION, USE OR
 DISCLOSURE OF INFORMATION CONTAINED HEREIN WITHOUT PRIOR
 WRITTEN CONSENT OF CONFLUENCE IS STRICTLY PROHIBITED.


Site Details

CONFLUENCE PROJECT # 21382


SP502




C1 SP502 4'-0" CHAIN LINK FENCE SCALE: 1/2"=1'-0"




C1 SP502 SECTION: MASONRY PIER SCALE: 3/4"=1'-0"




A3 SP502 ELEVATION: PARK BOUNDARY MARKER, FENCE PIER, AND FENCE SCALE: 3/8"=1'-0"




A1 SP502 SECTION: PARK BOUNDARY MARKER SCALE: 3/4"=1'-0"



SECTION: COLUMN






SECTION: FOOTING



A3 SP502 ELEVATION: MASONRY PIER AND ORNAMENTAL METAL FENCE SCALE: 3/4"=1'-0"

SITE FURNISHINGS SCHEDULE

KEY	QTY	PRODUCT	NOTES	CONTACT
BENCH				
	7	MANUF: VICTOR STANLEY, INC. MODEL: FMBF-324	COLOR: TBD SURFACE MOUNT 6' LENGTH	Rebecca Whelan 1.800.368.2573 x 375 rebeccaw@victorstanley.com www.victorstanley.com
TRASH RECEPTACLE				
	5	MANUF: VICTOR STANLEY, INC., MODEL: EB-36SD WITH DOME LID	COLOR: TBD SURFACE MOUNT SIZE: 36 GALLON	Rebecca Whelan 1.800.368.2573 x 375 rebeccaw@victorstanley.com www.victorstanley.com
PICNIC TABLE				
	4	MANUF: BELSON OUTDOORS MODEL: PMB-8AA, PARK MASTER PICNIC TABLE	ANODIZED ALUMINUM	1.800.323.5664 sales@belson.com www.belson.com



BENCH
MANUF: VICTOR STANLEY
MODEL: FMBF-324



TRASH RECEPTACLE
MANUF: VICTOR STANLEY
MODEL: EB-36SD




PICNIC TABLE
MANUF: BELSON OUTDOORS
MODEL: PMB-8AA



- SHADE STRUCTURE**
- 4:12 ROOF PITCH
 - 24 GA. STANDING SEAM METAL ROOF
 - 2X6 PRE-FINISHED TONGUE AND GROOVE ROOF DECKING

C1
SP503 **ILLUSTRATION: PARK SHELTER**

NOT TO SCALE



A1
SP503 **ELEVATION: OUTFIELD FENCE CONCEPT (RIGHT FIELD)**

SCALE: 1/4" = 1'-0"

THE SCALE INDICATED IS FOR 22"x34" DRAWING SHEETS;
11"x17" SHEETS ARE HALF THE INDICATED SCALE

**COLUMBIA PARK
AND BALLFIELD**
Columbia, South Dakota

REVISION SCHEDULE

ISSUE	DATE	DESCRIPTION

PRELIMINARY
NOT FOR
CONSTRUCTION
2022.04.06

COPYRIGHT © 2022 BY CONFLUENCE
ALL RIGHTS RESERVED. THIS DRAWING IS PROVIDED AS AN
INSTRUMENT OF SERVICE BY CONFLUENCE, AND IS INTENDED
FOR USE ON THIS PROJECT ONLY. ANY REPRODUCTION, USE OR
DISCLOSURE OF INFORMATION CONTAINED HEREIN WITHOUT PRIOR
WRITTEN CONSENT OF CONFLUENCE IS STRICTLY PROHIBITED.

Site Details

CONFLUENCE PROJECT # 21382

SP503

THE SCALE INDICATED IS FOR 22"x34" DRAWING SHEETS.
 11"x17" SHEETS ARE HALF THE INDICATED SCALE.

**COLUMBIA PARK
 AND BALLFIELD**
 Columbia, South Dakota

REVISION SCHEDULE

ISSUE	DATE	DESCRIPTION


PRELIMINARY
 NOT FOR
 CONSTRUCTION
 2022.04.06

COPYRIGHT © 2022 BY CONFLUENCE
 ALL RIGHTS RESERVED. THIS DRAWING IS PROVIDED AS AN
 INSTRUMENT OF SERVICE BY CONFLUENCE, AND IS INTENDED
 FOR USE ON THIS PROJECT ONLY. ANY REPRODUCTION, USE OR
 DISCLOSURE OF INFORMATION CONTAINED HEREIN WITHOUT PRIOR
 WRITTEN CONSENT OF CONFLUENCE IS STRICTLY PROHIBITED.


Site Details

CONFLUENCE PROJECT # 21382


SP504



D1 SP504 **PLAYGROUND SURFACE EDGE** SCALE: 3/4" = 1'-0"



D2 SP504 **PLAYGROUND SURFACE** SCALE: 3/4" = 1'-0"



B1 SP504 **PLAN: BALLFIELD PLAYGROUND** SCALE: 1" = 10'-0"




B2 SP504 **ILLUSTRATION: BALLFIELD PLAYGROUND STRUCTURE** NOT TO SCALE

PLAYGROUND EQUIPMENT SCHEDULE


SWING SET
 MANUF: LANDSCAPE STRUCTURES
 MODEL: 5000 SERIES SWING FRAME
 10' HEIGHT WITH ADDITIONAL BAY

PLAY STRUCTURE
 MANUF: LANDSCAPE STRUCTURES
 FEATURES: DOUBLE LOOP SLIDE (64" PLATFORM)
 DOUBLE STRAIGHT SLIDE (48" PLATFORM)
 10' LONG STRAIGHT HORIZONTAL LADDER
 LOLLIPOP LADDER
 VERTICAL ASCENT
 FINGER MAZE PANEL
 MATCH 3 REACH PANEL
 PLATFORM BARRIER WITH WHEEL

CONTACT: DAKOTA PLAYGROUND
 KEN FOLLMAN
 701.476.8536
 ken@dakotaplayground.com



A1 SP504 **DETAIL: GUARDRAIL** SCALE: 1/2" = 1'-0"



A3 SP504 **PLAN: PARK PLAYGROUND** SCALE: 1" = 10'-0"

ARCHITECTURAL GENERAL NOTES

GENERAL NOTES

- PROVIDE FIRE EXTINGUISHERS AND CABINETS AS SHOWN ON THE PLAN(S).
- SEE CIVIL, STRUCTURAL, MECHANICAL, AND ELECTRICAL FOR ADDITIONAL INFORMATION AND COORDINATION.
- REFER TO SHEET **A0-1** FOR ALL ADA CODE STANDARDS.
- SQUARE FOOTAGES LISTED ARE FOR CODE REVIEW PURPOSES ONLY AND SHOULD NOT BE USED FOR ANY OTHER PURPOSES.
- COORDINATE WORK DONE BY OTHERS AS INDICATED ON THE DRAWINGS.
- CONTRACTOR TO VERIFY ALL EXISTING CONDITIONS, ELEVATIONS AND DIMENSIONS.
- ALL WORK SHALL BE IN ACCORDANCE WITH OSHA CODES AND STANDARDS. NOTHING INDICATED ON THESE DRAWINGS SHALL RELIEVE THE CONTRACTOR FROM COMPLYING WITH ANY APPROPRIATE SAFETY REGULATIONS.
- THE CONTRACTOR SHALL CONSTRUCT ALL ITEMS WITHIN THIS CONTRACT IN ACCORDANCE WITH THE STATE AND LOCAL REGULATIONS AND CODES.
- REVIEW ALL INTERIOR ELEVATION SHEETS FOR ACCESSORY AND EQUIPMENT INFORMATION. COORDINATE WITH CODE STANDARD SHEET **A0-2**.
- COORDINATE ANY EXTERIOR REQUIRED WORK WITH MECH. & ELECTRICAL.
- COORDINATE ALL CHASE SIZES AND LOCATIONS W/ MECHANICAL. PROVIDE CHASES AT ALL EXPOSED MECHANICAL & ELECTRICAL WITH ADJACENT WALL MATERIAL AS REQUIRED.
- COORDINATE ALL SHEAR WALL LOCATIONS W/ STRUCTURAL PLANS.

DOORS, HARDWARE & WINDOWS NOTES

- ALL EXTERIOR FRAMES & DOORS ARE TO BE THERMALLY BROKEN.
- CAULK ENTIRE PERIMETER OF H.M. FRAMES (BOTH SIDES).
- PAINT FRAMES TO MATCH WALL. SPLIT PAINT COLOR AT DOOR GASKET AS REQUIRED.
- PROVIDE ROOM SIGNAGE AT ALL DOORS. WHERE MOUNTED TO GLAZING, PROVIDE A BLANK BACK PLATE ON OPPOSITE SIDE OF GLAZING. SEE CODE STANDARDS FOR MOUNTING HEIGHTS AND LOCATIONS. SEE SPECIFICATIONS FOR SPECIAL SIGNAGE REQ.
- REFER TO WALL TYPES FOR WALL CONSTRUCTION ELEMENTS FOR ALL DOOR AND WINDOW DETAILS. COORDINATE ALL STRUCTURAL REQ. WITH STRUCTURAL DRAWINGS.
- WALL MOUNTED EXIT SIGNS AND FIXTURES ARE TO BE CENTERED OVER DOOR OR DOOR OPENING WHERE APPLICABLE.

CEILING NOTES

- ALL ITEMS INSTALLED IN CEILINGS, INCLUDING SPRINKLER HEADS, ARE TO BE CENTERED OR SYMMETRICALLY ARRANGED ON OR ABOUT CENTERLINES OF ROOMS AND CENTERED IN CEILING TILES.
- WALL MOUNTED EXIT SIGNS AND FIXTURES ARE TO BE CENTERED OVER DOOR OR DOOR OPENING WHERE APPLICABLE.
- REFER TO SPECIFICATIONS FOR CEILING AND FIXTURE SUSPENSION REQUIREMENTS.
- PROVIDE ACCESS DOORS AT ALL MECHANICAL UNIT LOCATIONS ABOVE SOFFIT. COORD. NUMBER REQUIRED AND LOCATIONS WITH MECHANICAL SHEETS.
- GENERAL CONTRACTOR TO PROVIDE LABOR AND MATERIALS TO FRAME AN ATTIC ACCESS IN THE SERVICE CORRIDOR ROOM 102. COORDINATE LOCATION WITH ALL TRADES.
- THE REFLECTED CEILING PLANS ARE INTENDED TO AID IN COORDINATION ONLY AND ARE NOT INTENDED TO BE COMPREHENSIVE. SEE MECHANICAL AND ELECTRICAL DRAWINGS FOR ADDITIONAL INFORMATION. WHERE CONFLICTS OCCUR, NOTIFY ARCHITECT.
- COORDINATE WITH MEP FOR LOCATION OF CEILING ACCESS PANELS.
- CENTER LIGHT FIXTURES BETWEEN WALLS AND/OR CEILING BULKHEADS UNLESS DIMENSIONED OTHERWISE.
- ALIGN CEILINGS AND SOFFITS WITH ADJACENT PARTITIONS, U.N.O.

CASEWORK NOTES

- SEE FLOOR PLAN FOR CASE WORK PLAN INFORMATION. SEE INTERIOR ELEVATIONS FOR ADDITIONAL CASEWORK INFORMATION. FIELD VERIFY ALL CASEWORK OPENINGS.
- PROVIDE COUNTERTOP SUPPORTS AT ALL OPEN SPACES AT MIN. OF 32" O.C. AND MAX. OF 48" O.C.
- COORDINATE DEVICE PENETRATIONS AT COUNTERTOPS W/ MECHANICAL & ELECTRICAL.

FINISHES NOTES

- SEE DRAWING SHEET **A2-1** FOR ROOM FINISH SCHEDULE.

FIXTURES NOTES

- CAULK PERIMETER OF ALL TUB/SHOWER UNITS, TOILETS, URINALS, SINKS & COUNTERTOPS AS REQUIRED.
- REVIEW ALL INTERIOR ELEVATION SHEETS FOR ACCESSORY AND EQUIPMENT INFORMATION.

FLOOR NOTES

- SEE MECHANICAL FOR ALL FLOOR DRAIN SIZES AND LOCATIONS U.N.O. SET FLOOR DRAINS MINIMUM 3/4" BELOW FINISHED FLOOR. PROVIDE EVEN SLOPE FROM WALL TO DRAIN W/ A MAXIMUM SLOPE OF 1/4" PER FOOT.

ROOF NOTES

- SEE CIVIL, STRUCTURAL, MECHANICAL, AND ELECTRICAL FOR ADDITIONAL INFORMATION AND COORDINATION.
- ALL THRU ROOF PENETRATION BOOTS IN ROOF SYSTEM ARE TO BE PROVIDED.
- THE AIR & MOISTURE WEATHER BARRIER IS TO BE CONTINUOUS FROM THE BASE OF THE WALLS UP TO & TYING INTO THE ROOF BARRIER SYSTEM.
- COORDINATE ROOF PENETRATIONS WITH MECHANICAL, ELECTRICAL, AND PLUMBING CONTRACTORS.
- PROVIDE ROOF CURBS FOR ALL EQUIPMENT SCHEDULED TO BE ON THE ROOF. COORDINATE SIZE AND LOCATION WITH APPLICABLE TRADES.
- DIMENSIONS AND LOCATIONS OF EQUIPMENT ON THE ROOF ARE APPROX., DO NOT SCALE THE DRAWINGS. VERIFY WITH APPLICABLE TRADES.

SITE NOTES

- SEE SITE PLAN FOR ADDITIONAL INFORMATION REGARDING CONSTRUCTION LIMITS, STAGING, LAWN IRRIGATION, SOD & LANDSCAPING.

WALL NOTES

- **ALL WALLS TO BE TYPE #4A OR 4B U.O.N.**, AND EXTENDED UP TO RAFTER BEARING UNLESS OTHERWISE NOTED ON DRAWINGS.
- ALL DIMENSIONS ARE FROM FACE TO FACE OF GWB U.N.O.
- COORDINATE ALL CHASE SIZES AND LOCATIONS W/ MECHANICAL. PROVIDE CHASES AT ALL EXPOSED MECHANICAL & ELECTRICAL WITH ADJACENT WALL MATERIAL AS REQUIRED.
- INCREASE WALL THICKNESS OF CONCRETE BLOCK WALLS AS REQUIRED TO ACCOMMODATE MECHANICAL AND ELECTRICAL DEVICES - VERIFY WITH ARCHITECT PRIOR TO WORK.

BUILDING CODE SUMMARY

APPLICABLE CODES

1. BUILDING CODE: **2018** INTERNATIONAL BUILDING CODE

BUILDING AREA

1. Park Restroom: 488 S.F.

STORIES

1. Park Restroom: 1

BUILDING SPRINKLER

1. Park Restroom: No

USE AND OCCUPANCY CLASSIFICATION (CHAPTER 3)

1. OCCUPANCY CLASSIFICATION:
 - **GROUP A-5**

TYPES OF CONSTRUCTION (CHAPTER 6)

1. TYPE II-B CONSTRUCTION

ACCESSIBILITY (CHAPTER 11)


1. ACCESSIBLE ELEMENTS HAVE BEEN INCORPORATED INTO THE DOCUMENTS

ARCHITECTURAL SYMBOLS LEGEND

VIEW NAME

1/8" = 1'-0"

REFERENCED CALLOUT




BUILDING SECTION SECTION / DRAWING SHEET

VIEW NAME

1/8" = 1'-0"

PLAN VIEW CALLOUT




WALL SECTION SECTION / DRAWING SHEET

FLOOR LEVEL

100'-0"


ELEVATION NAME AND HEIGHT



DETAIL OR PLAN CALL OUT VIEW NUMBER / DRAWING SHEET



GRID SYMBOL




KEYNOTE TAG



GRID SYMBOL

DOOR & FRAME TAG



WINDOW UNIT TAG



ROOM NAME, NUMBER, & SQUARE FOOTAGE

STOREFRONT & CURTAIN WALL TAG



ROOM NAME, NUMBER, & SQUARE FOOTAGE

ROOF TYPE TAG



ROOM NAME & SQUARE FOOTAGE

WALL TYPE TAG



ROOM NAME & SQUARE FOOTAGE

FLOOR TYPE TAG



INTERIOR ELEVATION REFERENCE DETAIL NUMBER / DRAWING SHEET

REVISION NUMBER TAG



EXTERIOR BUILDING ELEVATIONS ELEVATION / DRAWING SHEET




CENTER LINE



NORTH ARROW

ABBREVIATIONS

A	AIR CONDITION	F	FINISHED FLOOR ELEVATION	P	POUNDS PER SQUARE FOOT
AB	ANCHOR BOLT	FF	FINISHED FLOOR	PVT	PAVER TILE
ACPL	ACOUSTICAL PLASTER	FLR	FLOOR	PTB	PAVER TILE BASE
ADJ	ADJUSTABLE	FRP	FIBERGLASS REINFORCED PANEL	PWD	PLYWOOD
AFF	ABOVE FINISH FLOOR	FT	FOOT	Q	
AHU	AIR HANDLING UNIT	FTG	FOOTING	QB	QUARRY TILE BASE
ALUM	ALUMINUM	FWC	FABRIC WALL COVERING	QT	QUARRY TILE
ALT	ALTERNATE	G		R	
ANC	ANCHOR	GALV	GALVANIZED	RB	RESILIENT BASE
APC	ACOUSTICAL PANEL CEILING	GB	GRAB BAR	RD	ROOF DRAIN
B		GC	GENERAL CONTRACTOR	REF	REFRIGERATOR
BC	BOTTOM OF CURB	GLAZ	GLAZED BLOCK	RM	ROOM
BD	BOARD	GWB	GYPSON WALL BOARD	RO	ROUGH OPENING
BLDG	BUILDING	GWT	GLAZED WALL TILE	RST	RESILIENT STAIR TREAD
BLKG	BLOCKING	GTB	GLAZED WALL TILE BASE	RT	RUBBER TILE
BN	BULLNOSE	H		RVB	RUBBER VENTED BASE
B.O.	BOTTOM OF	HB	HOSE BIB	S	
BOW	BOTTOM OF WALL	HC	HANDICAPPED	SB	SPLASH BLOCK
BRG	BEARING	HLB	HORIZONTAL LOUVER BLINDS	SC-#	SPECIAL COATING (COLOR #)
BRL	BRICK LEDGE	HM	HOLLOW METAL	SCONC	SEALED CONCRETE
BURN	BURNISHED BLOCK	HPC	HIGH PERFORMANCE COATING	SECT	SECTION
C		HT	HEIGHT	SIM	SIMILAR
CG	CORNER GUARD	HVAC	HEATING, VENTING & AIR CONDITIONING	SQ	SQUARE
CJ	CONTROL JOINT	I		SS	STAINLESS STEEL
CLG	CEILING	ID	INSIDE DIAMETER	STD	STANDARD
CMU	CONCRETE MASONRY UNIT	INSL	INSULATION	STL	STEEL
COL	COLUMN	INT	INTERIOR	SV	SHEET VINYL FLOORING
COMP	COMPARTMENT	J		SYM	SYMMETRICAL
CONC	CONCRETE	JBE	JOIST BEARING ELEVATION	T	
CONSTR	CONSTRUCTION	JST	JOIST	T&G	TONGUE & GROOVE
CONT	CONTINUOUS OR CONTINUE	JT	JOINT	TB	TACKBOARD
CONTR	CONTRACTOR	L		TBD	TO BE DETERMINED
CPT	CARPET	LAM	LAMINATE	TC	TOP OF CURB
CSV	COVE SHEET VINYL BASE	LAV	LAVATORY	TERR	TERRAZZO
CT	CERAMIC TILE	M		T.O.	TOP OF
CTB	CERAMIC TILE BASE	MAX	MAXIMUM	TOC	TOP OF CONCRETE
D		MB	MARKER BOARD	TOF	TOP OF FOOTING
DBL	DOUBLE	MECH	MECHANICAL	TOM	TOP OF MASONRY
DIA	DIAMETER	MTL	METAL	TOO	TOP OF OPENING
DIM	DIMENSION	MIN	MINIMUM	TOP	TOP OF PRECAST
DEMO	DEMOLITION	MO	MASONRY OPENING	TOS	TOP OF STEEL
DET	DETAIL	MST	MOSAIC TILE	TOW	TOP OF WALL
DF	DRINKING FOUNTAIN	MTB	MOSAIC TILE BASE	TPD	TOILET PAPER DISPENSER
DR	DOOR	N		TS	TALL STORAGE
DS	DOWNSPOUT	NIC	NOT IN CONTRACT	TV	TELEVISION
DW	DISH WASHER	NO	NUMBER	TYP	TYPICAL
DWG	DRAWING	NOM	NOMINAL	U	
E		NTS	NOT TO SCALE	UNO	UNLESS NOTED OTHERWISE
EA	EACH	O		V	
EIFS	EXTERIOR INSULATION FINISH SYSTEM	OC	ON CENTER	VCT	VINYL COMPOSITION TILE
EJ	EXPANSION JOINT	OD	OUTSIDE DIAMETER	VEND	VENDING MACHINE
ELEV	ELEVATION	OH	OVERHEAD	VERT	VERTICAL
ELEC	ELECTRIC	P		VTR	VENT THRU ROOF
EQ	EQUAL	PT	PAINT	VWB	VINYL WALL BORDER
EQUIP	EQUIPMENT	PLAS	PLASTER	VWC	VINYL WALL COVERING
ES	EXPOSED STRUCTURE	PLAM	PLASTIC LAMINATE	W	
EW	EACH WAY	W/	WITH	W/O	WITHOUT
EWC	ELECTRIC WATER COOLER	WB	WOOD BASE	WC	WATER CLOSET
EXPO	EXPOSED	WD	WOOD	WH	WATER HEATER
EXIST	EXISTING	WOM	WALK OFF MAT	WT	WEIGHT
EXT	EXTERIOR	WOM	WALK OFF MAT		
FBO	FURNISHED BY OTHERS	WT	WEIGHT		
FD	FLOOR DRAIN				
FDN	FOUNDATION				
FE	FIRE EXTINGUISHER				
FEC	FIRE EXTINGUISHER CABINET				



COLUMBIA PARK AND BALLFIELD

Columbia, South Dakota

REVISION SCHEDULE

ISSUE	DATE	DESCRIPTION

PRELIMINARY NOT FOR CONSTRUCTION


2022.03.01

COPYRIGHT © 2022 BY CONFLUENCE
ALL RIGHTS RESERVED. THIS DRAWING IS PROVIDED AS AN INSTRUMENT OF SERVICE BY CONFLUENCE, AND IS INTENDED FOR USE ON THIS PROJECT ONLY. ANY REPRODUCTION, USE OR DISCLOSURE OF INFORMATION CONTAINED HEREIN WITHOUT PRIOR WRITTEN CONSENT OF CONFLUENCE IS STRICTLY PROHIBITED.

GENERAL NOTES, CODE & ORIENTATION PLAN

CONFLUENCE PROJECT # 21382

A0-0



**COLUMBIA PARK
 AND BALLFIELD**
 Columbia, South Dakota

GENERAL NOTES



- SEE MECHANICAL FOR ALL FLOOR DRAIN SIZES AND LOCATIONS U.O.N. SET FLOOR DRAINS MINIMUM 3/4" BELOW FINISHED FLOOR. PROVIDE EVEN SLOPE FROM WALL TO DRAIN W/ A MAXIMUM SLOPE OF 1/4" PER FOOT.
- PROVIDE FIRE EXTINGUISHERS AND CABINETS AS SHOWN ON THE PLANS.
- REFER TO SHEET **A0-1** FOR ADA STANDARDS.
- ALL DIMENSIONS ARE FROM FACE OF CMU TO FACE OF CMU UNLESS OTHERWISE NOTED.
- ALL WALL TYPES TO EXTEND TO DECK UNLESS OTHERWISE NOTED ON WALL TYPES.
- COORDINATE WORK DONE BY OTHERS AS INDICATED ON THE DRAWINGS.
- COORDINATE ALL CHASE SIZES AND LOCATIONS W/ MECHANICAL. PROVIDE CHASES AT ALL EXPOSED MECHANICAL & ELECTRICAL WITH ADJACENT WALL MATERIAL AS REQUIRED.
- COORDINATE ALL SHEAR WALL LOCATIONS W/ STRUCTURAL PLANS.
- THE AIR & MOISTURE WEATHER BARRIER IS TO BE CONTINUOUS FROM THE BASE OF THE WALLS UP TO & TYING INTO THE ROOF BARRIER SYSTEM.
- GENERAL CONTRACTOR TO PROVIDE AND INSTALL AOO STEEL ANGLES AND LINTELS AS NECESSARY FOR ALL WINDOW AND DOOR OPENINGS (SEE STRUCTURAL FOR ADDITIONAL COORDINATION AND INSTRUCTION).
- SIGNAGE TO BE PROVIDED AND INSTALLED BY G.C. AT EACH DOOR LOCATION AS INDICATED ON THE DRAWINGS.
- STANDING SEAM METAL ROOF CONTRACTOR MUST PROVIDE CURBS, BOOTS AND ALL FLASHING FOR ALL PENETRATIONS PER THE STANDING SEAM MANUFACTURER.

KEYNOTE SCHEDULE



7.31	ICE AND WATER SHEILD
7.34	RIDGE VENT
7.40	STANDING SEAM METAL ROOFING
7.96	FILL CMU VOIDS BLOCKS W/INSULATION TO ACHIEVE MIN. R-21
10.10	TOILET PARTITION, BASIS OF DESIGN SCRANTON HINY HIDERS
10.47	SOAP DISPENSER, BASIS OF DESIGN BOBRICK B-2111
10.49	CHANGING TABLE, BASIS OF DESIGN BOBRICK KB110-SSWM
10.61	FIRE EXTINGUISHER AND WALL CABINET
22.11	LAVATORY
22.18	MOP SINK - w/BUBBLER
22.31	PROVIDE AND INSTALL HIGH LOW WATER BUBBLER & BOTTLE FILLER (SEE M/E FOR ADD. REQ.)
26.30	ELECTRIC HAND DRYER

ROOM FINISH SCHEDULE

RM#	NAME	FLR FIN.	BASE FIN.	WALL FIN.	CLG FIN.	CLG HT.	NOTES
101	MEN	EPOXY FLOOR COATING	VIN.	P1	FRP BOARD	10'-0" +/-	
102	MECH./STOR.	SEALED CONCRETE	VIN.	P1	FRP BOARD	10'-0" +/-	
103	WOMEN	EPOXY FLOOR COATING	VIN.	P1	FRP BOARD	10'-0" +/-	




1 FIRST FLOOR CEILING PLAN
 1/4" = 1'-0"




2 ROOF PLAN
 1/4" = 1'-0"

WALL TYPE 4 (DIVISION 4 - MASONRY)



- 8" CMU BURNISHED BLOCK EXTERIOR - CMU BLOCK INTERIOR
- BLOCK SIZING 8" X 8" X 16"
- G.C. TO SEAL CMU SPLITFACED BLOCK - PAINT CMU BLOCK INTERIOR



- 8" CMU BLOCK
- BLOCK SIZING 8" X 8" X 16"
- G.C. PAINT CMU BLOCK INTERIOR

REVISION SCHEDULE

ISSUE	DATE	DESCRIPTION

PRELIMINARY
 NOT FOR
 CONSTRUCTION
 2022.03.01


COPYRIGHT © 2022 BY CONFLUENCE
 ALL RIGHTS RESERVED. THIS DRAWING IS PROVIDED AS AN INSTRUMENT OF SERVICE BY CONFLUENCE, AND IS INTENDED FOR USE ON THIS PROJECT ONLY. ANY REPRODUCTION, USE OR DISCLOSURE OF INFORMATION CONTAINED HEREIN WITHOUT PRIOR WRITTEN CONSENT OF CONFLUENCE IS STRICTLY PROHIBITED.

FLOOR PLAN, ROOF PLAN

CONFLUENCE PROJECT # 21382

A1-1

KEYNOTE SCHEDULE	
3.04	CONT. CONC. FOUNDATION WALL (SEE STRUCTURAL PLANS)
7.34	RIDGE VENT
7.40	STANDING SEAM METAL ROOFING
7.45	STANDING SEAM METAL
7.73	PRE-FINISHED METAL FASCIA
22.31	PROVIDE AND INSTALL HIGH LOW WATER BUBBLER & BOTTLE FILLER (SEE M/E FOR ADD. REQ.)



THE SCALE INDICATED IS FOR 22"x34" DRAWING SHEETS.
 11"x17" SHEETS ARE HALF THE INDICATED SCALE

**COLUMBIA PARK
 AND BALLFIELD**
 Columbia, South Dakota

REVISION SCHEDULE


ISSUE	DATE	DESCRIPTION

PRELIMINARY
 NOT FOR
 CONSTRUCTION
 2022.03.01


COPYRIGHT © 2022 BY CONFLUENCE
 ALL RIGHTS RESERVED. THIS DRAWING IS PROVIDED AS AN
 INSTRUMENT OF SERVICE BY CONFLUENCE, AND IS INTENDED
 FOR USE ON THIS PROJECT ONLY. ANY REPRODUCTION, USE OR
 DISCLOSURE OF INFORMATION CONTAINED HEREIN WITHOUT
 PRIOR WRITTEN CONSENT OF CONFLUENCE IS STRICTLY
 PROHIBITED.

EXTERIOR ELEVATIONS


CONFLUENCE PROJECT # 21382




1 NORTH ELEVATION
 1/4" = 1'-0"




2 EAST ELEVATION
 1/4" = 1'-0"



3 SOUTH ELEVATION
 1/4" = 1'-0"



4 WEST ELEVATION
 1/4" = 1'-0"



1108 S. Main St. 102
 Aberdeen, SD 57401
 Phone: 605-725-4852
 co-oparch.com

THE SCALE INDICATED IS FOR 22"x34" DRAWING SHEETS.
 11"x17" SHEETS ARE HALF THE INDICATED SCALE.

**COLUMBIA PARK
 AND BALLFIELD**
 Columbia, South Dakota

GENERAL NOTES


1. REFER TO SPECIFICATIONS FOR CEILING AND FIXTURE SUSPENSION REQUIREMENTS.
2. PROVIDE ACCESS DOORS AT MECHANICAL UNIT LOCATIONS ABOVE CEILING. COORDINATE NUMBER REQUIRED AND LOCATIONS WITH MECHANICAL SHEETS. CENTER LIGHT FIXTURES BETWEEN WALLS AND/OR CEILING BULKHEADS UNLESS OTHERWISE DIMENSIONED.
3. THE REFLECTED CEILING PLANS ARE INTENDED TO AID IN COORDINATION ONLY AND ARE NOT INTENDED TO BE COMPREHENSIVE. SEE MECHANICAL AND ELECTRICAL DRAWINGS FOR ADDITIONAL INFORMATION. NOTIFY ARCHITECT WHERE CONFLICTS OCCUR.
4. POLY VAPOR BARRIER IS SANDWICHED BETWEEN BOTTOM CHORD OF ROOF TRUSS AND FRP CEILING.
5. R-VALUE OF BLOWN INSULATION IN ATTIC SPACE IS ACHIEVED ONCE THICKNESS BLOWN IN REACHES R-49 MINIMUM.

KEYNOTE SCHEDULE


7.42	METAL SOFFIT PANELS
7.95	PROVIDE AND INSTALL VENTED SOFFIT PANELS
9.71	FRP PANELS
10.10	TOILET PARTITION, BASIS OF DESIGN SCRANTON HINY HIDERS
10.40	MIRROR w/SS TRIM, BASIS OF DESIGN BOBRICK B-165
10.43	SANITARY NAPKIN DISPOSAL, BASIS OF DESIGN BOBRICK B-254
10.44	TOILET TISSUE DISPENSER, BASIS OF DESIGN BOBRICK B-265
10.47	SOAP DISPENSER, BASIS OF DESIGN BOBRICK B-2111
10.48	GRAB BAR
22.10	WATER CLOSET
22.11	LAVATORY
22.12	URINAL

DOOR & FRAME SCHEDULE


NO.	DOOR				FRAME		ADDITIONAL NOTES	QTY	
	W	H	T	TYPE	TYPE	MAT'L			
101	3'-0"	7'-0"	0'-1 3/4"	1	HM	1	HM	KEYED LOCKSET (PUSH/PULL & KICK PLATES)	1
102	6'-0"	7'-0"	0'-1 3/4"	2	HM	2	HM	KEYED LOCKSET (PUSH/PULL & KICK PLATES)	1
103	3'-0"	7'-0"	0'-1 3/4"	1	HM	1	HM	KEYED LOCKSET W/KICK PLATE	1




① **MEN'S 101 - SOUTH**
 1/4" = 1'-0"




② **WOMEN'S 103 - EAST**
 1/4" = 1'-0"
 MEN'S 101 - EAST (REVERSE - SIM.)




③ **WOMEN'S 103 - NORTH**
 1/4" = 1'-0"




④ **FRAME 1**
 1/4" = 1'-0"




⑤ **FRAME 2**
 1/4" = 1'-0"




⑥ **DOOR TYPE 1**
 1/4" = 1'-0"



⑦ **DOOR TYPE 2**
 1/4" = 1'-0"



⑧ **NORTHWEST PERSPECTIVE**



⑨ **FIRST FLOOR CEILING PLAN**
 1/4" = 1'-0"

REVISION SCHEDULE

ISSUE	DATE	DESCRIPTION


PRELIMINARY
 NOT FOR
 CONSTRUCTION
 2022.03.01

COPYRIGHT © 2022 BY CONFLUENCE
 ALL RIGHTS RESERVED. THIS DRAWING IS PROVIDED AS AN INSTRUMENT OF SERVICE BY CONFLUENCE, AND IS INTENDED FOR USE ON THIS PROJECT ONLY. ANY REPRODUCTION, USE OR DISCLOSURE OF INFORMATION CONTAINED HEREIN WITHOUT PRIOR WRITTEN CONSENT OF CONFLUENCE IS STRICTLY PROHIBITED.

INTERIOR ELEVATIONS

CONFLUENCE PROJECT # 21382

A1-3



COLUMBIA PARK
AND BALLFIELD
Columbia, South Dakota

ARCHITECTURAL GENERAL NOTES

- GENERAL NOTES**
- PROVIDE FIRE EXTINGUISHERS AND CABINETS AS SHOWN ON THE PLAN(S).
 - SEE CIVIL, STRUCTURAL, MECHANICAL, AND ELECTRICAL FOR ADDITIONAL INFORMATION AND COORDINATION.
 - REFER TO SHEET **A0-1** FOR ALL ADA CODE STANDARDS.
 - SQUARE FOOTAGES LISTED ARE FOR CODE REVIEW PURPOSES ONLY AND SHOULD NOT BE USED FOR ANY OTHER PURPOSES.
 - COORDINATE WORK DONE BY OTHERS AS INDICATED ON THE DRAWINGS.
 - CONTRACTOR TO VERIFY ALL EXISTING CONDITIONS, ELEVATIONS AND DIMENSIONS.
 - ALL WORK SHALL BE IN ACCORDANCE WITH OSHA CODES AND STANDARDS. NOTHING INDICATED ON THESE DRAWINGS SHALL RELIEVE THE CONTRACTOR FROM COMPLYING WITH ANY APPROPRIATE SAFETY REGULATIONS.
 - THE CONTRACTOR SHALL CONSTRUCT ALL ITEMS WITHIN THIS CONTRACT IN ACCORDANCE WITH THE STATE AND LOCAL REGULATIONS AND CODES.
 - REVIEW ALL INTERIOR ELEVATION SHEETS FOR ACCESSORY AND EQUIPMENT INFORMATION. COORDINATE WITH CODE STANDARD SHEET **A0-1**.
 - COORDINATE ANY EXTERIOR REQUIRED WORK WITH MECH. & ELECTRICAL.
 - COORDINATE ALL CHASE SIZES AND LOCATIONS W/ MECHANICAL. PROVIDE CHASES AT ALL EXPOSED MECHANICAL & ELECTRICAL WITH ADJACENT WALL MATERIAL AS REQUIRED.
 - COORDINATE ALL SHEAR WALL LOCATIONS W/ STRUCTURAL PLANS.

CASEWORK NOTES

- SEE FLOOR PLAN FOR CASE WORK PLAN INFORMATION. SEE INTERIOR ELEVATIONS FOR ADDITIONAL CASEWORK INFORMATION. FIELD VERIFY ALL CASEWORK OPENINGS.
- PROVIDE COUNTERTOP SUPPORTS AT ALL OPEN SPACES AT MIN. OF 32" O.C. AND MAX. OF 48" O.C.
- COORDINATE DEVICE PENETRATIONS AT COUNTERTOPS W/ MECHANICAL & ELECTRICAL.
- PROVIDE ONE GROMMET FOR EVERY 8' OF COUNTERTOP WITHOUT CASEWORK BELOW. COORDINATE INSTALLATION LOCATION WITH OWNER.

CEILING NOTES

- ALL ITEMS INSTALLED IN CEILINGS, ARE TO BE CENTERED OR SYMMETRICALLY ARRANGED ON OR ABOUT CENTERLINES OF ROOMS AND CENTERED IN CEILING TILES.
- WALL MOUNTED EXIT SIGNS AND FIXTURES ARE TO BE CENTERED OVER DOOR OR DOOR OPENING WHERE APPLICABLE.
- REFER TO SPECIFICATIONS FOR CEILING AND FIXTURE SUSPENSION REQUIREMENTS.
- PROVIDE ACCESS DOORS AT ALL MECHANICAL UNIT LOCATIONS ABOVE SOFFIT. COORD. NUMBER REQUIRED AND LOCATIONS WITH MECHANICAL SHEETS.
- THE REFLECTED CEILING PLANS ARE INTENDED TO AID IN COORDINATION ONLY AND ARE NOT INTENDED TO BE COMPREHENSIVE. SEE MECHANICAL AND ELECTRICAL DRAWINGS FOR ADDITIONAL INFORMATION. WHERE CONFLICTS OCCUR, NOTIFY ARCHITECT.
- COORDINATE WITH MEP FOR LOCATION OF CEILING ACCESS PANELS.
- CENTER LIGHT FIXTURES BETWEEN WALLS AND/OR CEILING BULKHEADS UNLESS DIMENSIONED OTHERWISE.
- ALIGN GYPSUM BOARD CEILINGS AND SOFFITS WITH ADJACENT PARTITIONS, U.N.O.

DOORS, HARDWARE & WINDOWS NOTES

- ALL EXTERIOR FRAMES & DOORS ARE TO BE THERMALLY BROKEN.
- CAULK ENTIRE PERIMETER OF H.M. FRAMES (BOTH SIDES).
- PAINT FRAMES TO MATCH WALL. SPLIT PAINT COLOR AT DOOR GASKET AS REQUIRED.
- PROVIDE ROOM SIGNAGE AT ALL DOORS. SEE CODE STANDARDS FOR MOUNTING HEIGHTS AND LOCATIONS. SEE SPECIFICATIONS FOR SPECIAL SIGNAGE REQ.
- REFER TO WALL TYPES FOR WALL CONSTRUCTION ELEMENTS FOR ALL DOOR AND WINDOW DETAILS. COORDINATE ALL STRUCTURAL REQ. WITH STRUCTURAL DRAWINGS.
- WALL MOUNTED EXIT SIGNS AND FIXTURES ARE TO BE CENTERED OVER DOOR OR DOOR OPENING WHERE APPLICABLE.

FINISHES NOTES

- ALL CMU WALL BLOCK TO BE SEALED AS PER THE MANUFACTURER'S RECOMMENDATIONS FOR BOTH INTERIOR AND EXTERIOR BLOCK WALLS.
- ALL CONCRETE INTERIOR FLOOR SLABS TO BE TROWLED AND SEALED AS PER THE CAST IN PLACE CONCRETE MANUFACTURER'S RECOMMENDATIONS.

FLOOR NOTES

- SEE MECHANICAL FOR ALL FLOOR DRAIN SIZES AND LOCATIONS U.N.O. SET FLOOR DRAINS MINIMUM 3/4" BELOW FINISHED FLOOR. PROVIDE EVEN SLOPE FROM WALL TO DRAIN W/ A MAXIMUM SLOPE OF 1/2" PER FOOT.

ROOF NOTES

- SEE CIVIL, STRUCTURAL, MECHANICAL, AND ELECTRICAL FOR ADDITIONAL INFORMATION AND COORDINATION.
- ALL THRU ROOF PENETRATION BOOTS IN ROOF SYSTEM ARE TO BE PROVIDED.
- COORDINATE ROOF PENETRATIONS WITH MECHANICAL, ELECTRICAL, AND PLUMBING CONTRACTORS.
- DIMENSIONS AND LOCATIONS OF EQUIPMENT ON THE ROOF ARE APPROX. DO NOT SCALE THE DRAWINGS. VERIFY WITH APPLICABLE TRADES.

SITE NOTES

- SEE SITE PLAN FOR ADDITIONAL INFORMATION REGARDING CONSTRUCTION LIMITS, STAGING, LAWN IRRIGATION, SOD & LANDSCAPING.

WALL NOTES

- **ALL WALLS TO BE TYPE #1A & TYPE #1B U.N.O.**, AND EXTEND TO RAFTER BEARING HEIGHT AS INDICATED ON DRAWINGS.
- ALL DIMENSIONS ARE FROM FACE TO FACE U.N.O.
- COORDINATE ALL CHASE SIZES AND LOCATIONS W/ MECHANICAL. PROVIDE CHASES AT ALL EXPOSED MECHANICAL & ELECTRICAL WITH ADJACENT WALL MATERIAL AS REQUIRED.

FIXTURES NOTES

- CAULK PERIMETER OF ALL TUB/SHOWER UNITS, TOILETS, URINALS, SINKS & COUNTERTOPS AS REQUIRED.
- REVIEW ALL INTERIOR ELEVATION SHEETS FOR ACCESSORY AND EQUIPMENT INFORMATION.

BUILDING CODE SUMMARY

APPLICABLE CODES

- 1. BUILDING CODE: 2018 INTERNATIONAL BUILDING CODE

BUILDING AREA: 933 S.F.

NUMBER OF STORIES: 1

BUILDING SPRINKLER: NO

USE AND OCCUPANCY CLASSIFICATION (CHAPTER 3)

- 1. OCCUPANCY CLASSIFICATION:
 - **GROUP A-5**

TYPES OF CONSTRUCTION (CHAPTER 6)

TYPE II-B CONSTRUCTION

ACCESSIBILITY (CHAPTER 11)

- 1. ACCESSIBLE ELEMENTS HAVE BEEN INCORPORATED INTO THE DOCUMENTS

ABBREVIATIONS



A A/C AIR CONDITION AB ANCHOR BOLT ACPL ACOUSTICAL PLASTER ADJ ADJUSTABLE AFF ABOVE FINISH FLOOR AHU AIR HANDLING UNIT ALUM ALUMINUM ALT ALTERNATE ANC ANCHOR APC ACOUSTICAL PANEL CEILING	B BC BOTTOM OF CURB BD BOARD BLDG BUILDING BLKG BLOCKING BN BULLNOSE B.O. BOTTOM OF BOW BOTTOM OF WALL BRG BEARING BRL BRICK LEDGE BURN BURNISHED BLOCK	C CG CORNER GUARD CJ CONTROL JOINT CLG CEILING CMU CONCRETE MASONRY UNIT COL COLUMN COMP COMPARTMENT CONC CONCRETE CONSTR CONSTRUCTION CONT CONTINUOUS OR CONTINUE CONTR CONTRACTOR CPT CARPET CSV COVE SHEET VINYL BASE CT CERAMIC TILE CTB CERAMIC TILE BASE	D DBL DOUBLE DIA DIAMETER DIM DIMENSION DEMO DEMOLITION DET DETAIL DF DRINKING FOUNTAIN DR DOOR DS DOWNSPOUT DW DISH WASHER DWG DRAWING	E EA EACH EIFS EXTERIOR INSULATION FINISH SYSTEM EJ EXPANSION JOINT ELEV ELEVATION ELEC ELECTRIC EQ EQUAL EQUIP EQUIPMENT ES EXPOSED STRUCTURE EW EACH WAY EWC ELECTRIC WATER COOLER EXPO EXPOSED EXIST EXISTING EXT EXTERIOR	F FBO FURNISHED BY OTHERS FD FLOOR DRAIN FDN FOUNDATION FE FIRE EXTINGUISHER FEC FIRE EXTINGUISHER CABINET	F FFE FINISHED FLOOR ELEVATION FF FINISHED FLOOR FLR FLOOR FRP FIBERGLASS REINFORCED PANEL FT FOOT FTG FOOTING FWC FABRIC WALL COVERING	G GALV GALVANIZED GB GRAB BAR GC GENERAL CONTRACTOR GLAZ GLAZED BLOCK GWB GYPSUM WALL BOARD GWT GLAZED WALL TILE GTB GLAZED WALL TILE BASE	H HB HOSE BIB HC HANDICAPPED HLB HORIZONTAL LOUVER BLINDS HM HOLLOW METAL HPC HIGH PERFORMANCE COATING HT HEIGHT HVAC HEATING, VENTING & AIR CONDITIONING	I ID INSIDE DIAMETER INSL INSULATION INT INTERIOR	J JBE JOIST BEARING ELEVATION JST JOIST JT JOINT	L LAM LAMINATE LAV LAVATORY	M MAX MAXIMUM MB MARKER BOARD MECH MECHANICAL MTL METAL MIN MINIMUM MO MASONRY OPENING MST MOSAIC TILE MTB MOSAIC TILE BASE	N NIC NOT IN CONTRACT NO NUMBER NOM NOMINAL NTS NOT TO SCALE	O OC ON CENTER OD OUTSIDE DIAMETER OH OVERHEAD	P PT PAINT PL PLATE PLAS PLASTER PLAM PLASTIC LAMINATE	P PSF POUNDS PER SQAURE FOOT PVT PAVER TILE PTB PAVER TILE BASE PWD PLYWOOD	Q QB QUARRY TILE BASE QT QUARRY TILE	R RB RESILIENT BASE RD ROOF DRAIN REF REFRIDGERATOR RM ROOM RO ROUGH OPENING RST RESILIENT STAIR TREAD RT RUBBER TILE RVB RUBBER VENTED BASE	S SB SPLASH BLOCK SC-# SPECIAL COATING (COLOR #) SCONC SEALED CONCRETE SECT SECTION SIM SIMILAR SQ SQUARE SS STAINLESS STEEL STD STANDARD STL STEEL SV SHEET VINYL FLOORING SYM SYMETRICAL	T T&G TONGUE & GROOVE TB TACKBOARD TBD TO BE DETERMINED TC TOP OF CURB TERR TERRAZZO T.O. TOP OF TOC TOP OF CONCRETE TOF TOP OF FOOTING TOM TOP OF MASONRY TOO TOP OF OPENING TOP TOP OF PRECAST TOS TOP OF STEEL TOW TOP OF WALL TPD TOILET PAPER DISPENSER TS TALL STORAGE TV TELEVISION TYP TYPICAL	U UNO UNLESS NOTED OTHERWISE	V VCT VINYL COMPOSITION TILE VEND VENDING MACHINE VERT VERTICAL VTR VENT THRU ROOF VVB VINYL WALL BORDER VWC VINYL WALL COVERING	W W/ WITH W/O WITHOUT WB WOOD BASE WC WATER CLOSET WD WOOD WH WATER HEATER WOM WALK OFF MAT WT WEIGHT
---	--	---	--	---	--	---	--	---	---	--	--	--	---	--	---	--	---	---	--	--	--	---	--

ARCHITECTURAL SYMBOLS LEGEND

1 1/8" = 1'-0"	REFERENCED CALLOUT		BUILDING SECTION SECTION / DRAWING SHEET
1 1/8" = 1'-0"	PLAN VIEW CALLOUT		WALL SECTION SECTION / DRAWING SHEET
1 100'-0"	ELEVATION NAME AND HEIGHT		DETAIL OR PLAN CALL OUT VIEW NUMBER / DRAWING SHEET
0	GRID SYMBOL		KEYNOTE TAG
0	GRID SYMBOL		DOOR & FRAME TAG
ROOM 101 150 SF	ROOM NAME, NUMBER, & SQUARE FOOTAGE		WINDOW UNIT TAG
ROOM NAME 150 SF	ROOM NAME & SQUARE FOOTAGE		STOREFRONT & CURTAIN WALL TAG
1/A101 Ref	INTERIOR ELEVATION REFERENCE DETAIL NUMBER / DRAWING SHEET		ROOF TYPE TAG
1/A101 Ref	EXTERIOR BUILDING ELEVATIONS ELEVATION / DRAWING SHEET		WALL TYPE TAG
			FLOOR TYPE TAG
			REVISION NUMBER TAG
			CENTER LINE
			NORTH ARROW

ROOM LEGEND

- CONCESSIONS
- RESTROOM
- STORAGE/ME



REVISION SCHEDULE

ISSUE	DATE	DESCRIPTION

PRELIMINARY
NOT FOR
CONSTRUCTION


2022.03.01

COPYRIGHT © 2022 BY CONFLUENCE
ALL RIGHTS RESERVED. THIS DRAWING IS PROVIDED AS AN INSTRUMENT OF SERVICE BY CONFLUENCE, AND IS INTENDED FOR USE ON THIS PROJECT ONLY. ANY REPRODUCTION, USE OR DISCLOSURE OF INFORMATION CONTAINED HEREIN WITHOUT PRIOR WRITTEN CONSENT OF CONFLUENCE IS STRICTLY PROHIBITED.

GENERAL NOTES, CODE &
ORIENTATION PLAN

CONFLUENCE PROJECT # 21382

A02-0



1108 S. Main St. 102
 Aberdeen, SD 57401
 Phone: 605-725-4852
 co-oparch.com

THE SCALE INDICATED IS FOR 22"x34" DRAWING SHEETS.
 11"x17" SHEETS ARE HALF THE INDICATED SCALE.

**COLUMBIA PARK
 AND BALLFIELD**
 Columbia, South Dakota

REVISION SCHEDULE

ISSUE	DATE	DESCRIPTION

PRELIMINARY
 NOT FOR
 CONSTRUCTION
 2022.03.01

COPYRIGHT © 2022 BY CONFLUENCE
 ALL RIGHTS RESERVED. THIS DRAWING IS PROVIDED AS AN
 INSTRUMENT OF SERVICE BY CONFLUENCE, AND IS INTENDED
 FOR USE ON THIS PROJECT ONLY. ANY REPRODUCTION, USE OR
 DISCLOSURE OF INFORMATION CONTAINED HEREIN WITHOUT
 PRIOR WRITTEN CONSENT OF CONFLUENCE IS STRICTLY
 PROHIBITED.


CONCESSION FLOOR PLAN,
 CONCESSION ROOF PLAN

CONFLUENCE PROJECT # 21382


A2-1

KEYNOTE SCHEDULE

6.25	STAINLESS STEEL COUNTER TOP
8.30	OVERHEAD COILING DOOR
10.10	TOILET PARTITION, BASIS OF DESIGN SCRANTON HINY HIDERS
10.47	SOAP DISPENSER, BASIS OF DESIGN BOBRICK B-2111
10.49	CHANGING TABLE, BASIS OF DESIGN BOBRICK KB110-SSWM
10.91	ELECTRIC HAND DRYER
22.10	WATER CLOSET
22.11	LAVATORY
22.12	URINAL
22.30	ELECTRIC WATER COOLER




CONCESSION STAND FLOOR PLAN
 1/4" = 1'-0"




ROOF PLAN
 1/4" = 1'-0"

4/1/2022 3:08:52 PM


KEYNOTE SCHEDULE	
3.04	CONT. CONC. FOUNDATION WALL (SEE STRUCTURAL PLANS)
3.09	CHAMFER CONCRETE
4.12	CMU BURNISHED MASONRY UNIT




WEST ELEVATION
1/4" = 1'-0"




SOUTH ELEVATION
1/4" = 1'-0"



EAST ELEVATION
1/4" = 1'-0"



NORTH ELEVATION
1/4" = 1'-0"



THE SCALE INDICATED IS FOR 22"x34" DRAWING SHEETS.
11"x17" SHEETS ARE HALF THE INDICATED SCALE

**COLUMBIA PARK
AND BALLFIELD**
Columbia, South Dakota


REVISION SCHEDULE		
ISSUE	DATE	DESCRIPTION

PRELIMINARY
NOT FOR
CONSTRUCTION
2022.03.01


COPYRIGHT © 2022 BY CONFLUENCE
ALL RIGHTS RESERVED. THIS DRAWING IS PROVIDED AS AN
INSTRUMENT OF SERVICE BY CONFLUENCE, AND IS INTENDED
FOR USE ON THIS PROJECT ONLY. ANY REPRODUCTION, USE OR
DISCLOSURE OF INFORMATION CONTAINED HEREIN WITHOUT
PRIOR WRITTEN CONSENT OF CONFLUENCE IS STRICTLY
PROHIBITED.

EXTERIOR ELEVATIONS


CONFLUENCE PROJECT # 21382




MEN'S 201 - WEST
1/4" = 1'-0"




CONCESSIONS - 102 - NORTH
1/4" = 1'-0"





CONCESSIONS - 102 - EAST
1/4" = 1'-0"




CONCESSIONS - 102 - SOUTH
1/4" = 1'-0"



WOMEN'S - 104 - WEST
1/4" = 1'-0"



FIRST FLOOR PLAN - CEILING PLAN
1/8" = 1'-0"



**COLUMBIA PARK
AND BALLFIELD**
Columbia, South Dakota

REVISION SCHEDULE

ISSUE	DATE	DESCRIPTION

PRELIMINARY
NOT FOR
CONSTRUCTION
2022.03.01

COPYRIGHT © 2022 BY CONFLUENCE
ALL RIGHTS RESERVED. THIS DRAWING IS PROVIDED AS AN
INSTRUMENT OF SERVICE BY CONFLUENCE, AND IS INTENDED
FOR USE ON THIS PROJECT ONLY. ANY REPRODUCTION, USE OR
DISCLOSURE OF INFORMATION CONTAINED HEREIN WITHOUT
PRIOR WRITTEN CONSENT OF CONFLUENCE IS STRICTLY
PROHIBITED.

INTERIOR ELEVATIONS

CONFLUENCE PROJECT # 21382

A2-3