BOTANY

Botany: Section-A (Q. No. 101 to 135)

18 ATP and 12 NADPH₂

(2) 12 ATP and 16 NADPH2

(3) 18 ATP and 16 NADPH2

(4) 12 ATP and 12 NADPH₂

F1_English |

101 Which hormone promotes internode/petiole | 108 In the equation elongation in deep warf rice? GPP - R = NPP(Kinetin GPP is Gross Primary Productivity (3) 2, 4-D NPP is Net Primary Productivity 102 Movement and accumulation of ions across R here is Respiratory quotient a membrane against their concentration Respiratory loss gradient can be explained by (1) Facilitated Diffusion (3) Reproductive allocation (4) Photosynthetically active radiation (2) Passive Transport Active Transport Osmosis 109 In gene gun method used to introduce alien DNA into host cells, microparticles of 103 Large, colourful, fragrant flowers with nectar metal are used. are seen in: (1) bird pollinated plants Tungsten or gold (3) Silver (2) bat pollinated plants (3) wind pollinated plants (4) Copper insect pollinated plants The phenomenon of pleiotropism refers to 104 In tissue culture experiments, leaf mesophyll (1) presence of two alleles, each of the two cells are put in a culture medium to form callus. This phenomenon may be called as genes controlling a single trait. 1) Dedifferentiation a single gene affecting multiple (2) Development phenotypic expression. (3) Senescence (3) more than two genes affecting a single (4) Differentiation character. (4) presence of several alleles of a single 105 The historic Convention on Biological gene controlling a single crossover. Diversity, 'The Earth Summit' was held in Rif de Janeiro in the year : 111 Given below are two statements : One is 1992 (2) 1986 labelled as Assertion A and the other is (3) 2002 (4) 1985 labelled as Reason R: Assertion A: Late wood has fewer xylary 106 During the purification process for elements with narrow vessels. recombinant DNA technology, addition of Reason R: Cambium is less active in chilled ethanol precipitates out winters.) DNA (2) Histones In the light of the above statements, choose (3) Polysaccharides (4) RNA the correct answer from the options given 107 How many ATP and NADPH2 are required below: for the synthesis of one molecule of Glucose (1) Both A and R are true but R is NOT ng Calvin cycle?

17

the correct explanation of A.

Both A and R are true and R is the

| Contd...

(2) A is true but R is false.

(3) A is false but R is true.

correct explanation of A.

NCERT Reference



101	Plant Growth and Development–Page No. 250
102	Transport in plants—Page No. 178
103	Sexual Reproduction in Flowering Plants – Page No. 30
104	Plant Growth and Development–Page No. 245
105	Biodiversity and conservation—page No. 267
106	Biotechnology: Principles and Process– Page No. 201
107	Photosynthesis in higher plants—Page No. 218
108	Ecosystem – Page No.243
109	Biotechnology: Principles and Process– Page No. 201
110 mate	Principles Of Inheritence and Varitaion—Pleiotropy(supplementary erial)

111 Anatomy of flowering Plants-Page No. 96

- 112 Among eukaryotes, replication of DNA takes
- (2) Q phase
- (3) G₂ phase
- (4) M phase
- 113 Family Fabaceae differs from Solanaceae and Liliaceae. With respect to the stamens, pick out the characteristics specific to family Fabaceae but not found in Solanaceae or Liliaceae.
 - (1) Polyadelphous and epipetalous stamens
 - (2) Monoadelphous and Monothecous
 - (3) Epiphyllous and Dithecous anthers Diadelphous and Dithecous anthers
- 114 Axile placentation is observed in
 - (1) China rose, Beans and Lupin
 - Tomato, Dianthus and Pea China rose, Petunia and Lemon
 - (4) Mustard, Cucumber and Primrose
- 115 Identify the pair of heterosporous peridophytes among the following:
 - (1) Selaginella and Salvinia
 - (2) Psilotum and Salvinia
 - (3) Equisetum and Salvinia
 - (4) Lycopodium and Selaginella
- 116 The thickness of ozone in a column of air in the atmosphere is measured in terms of:
 - (1) Decibels
- (2) Decameter
- (3) Kilobase
- Dobson units
- 117 What is the function of tassels in the corn
 - To trap pollen grains
 - (2) To disperse pollen grains
 - (3) To protect seeds
 - (4) To attract insects

- 118 Given below are two statements: On labelled as Assertion A and the other labelled as Reason R:
 - Assertion A: The first stage of gameton in the life cycle of moss is protonema st Reason R : Protonema develops dire from spores produced in capsule. In the light of the above statements, cho the most appropriate answer from options given below:
 - (1) Both A and R are correct but R is N the correct explanation of A.
 - (2) A is correct but R is not correct.
 - A is not correct but R is correct. Both A and R are correct and R is correct explanation of A.
- 119 Given below are two statements: Statement I: The forces generated transpiration can lift a xylem-sized colof water over 130 meters height. Statement II : Transpiration co surfaces sometimes 10 to 15 deg evaporative cooling. In the light of the above statements, cr the most appropriate answer from options given below: (1) Both Statement I and Statement I
 - are incorrect.
 - Statement I is correct but Statement II is incorrect.
 - Statement I is incorrect but
 - Statement II is correct.
 - Both Statement I and Statement I are correct.

[Conto

- 120 Spraying of which of the follow phytohormone on juvenile conifers help: hastening the maturity period, that leads ly seed production?
 - (1) Gibberellic Acid
 - (2) Zeatin
 - (3) Abscisic Acid
 - (4) Indole-3-butyric Acid

F1_English |



- Q.112 Cell cycle and cell division—page no. 163
- Q.113 Morphology of Flowering Plants-Page No. 79
- Q.114 Morphology of Flowering Plants Placentation (Page No. 75)
- Q.115 Plant Kingdom-pteridophytes (Page No. 38)
- Q.116 Environmental Issues Page No. 282
- Q.117 Sexual Reproduction in Flowering Plants Page No. 29
- Q.118 Plant Kingdom-Page No. 36
- Q.119 Transport In Plants Page No. 188,189
- Q.120 Plant Growth and Development-Page No. 249

- 121 Frequency of recombination between gene | 126 Identify the correct statements : pairs on same chromosome as a measure of the distance between genes to map their position on chromosome, was used for the first time by
 - (1) Sutton and Boveri Alfred Sturtevant
 - (3) Henking
 - (4) Thomas Hunt Morgan
- 122 Expressed Sequence Tags (ESTs) refers to
 - (1) All genes that are expressed as proteins. (2) All genes whether expressed or
 - unexpressed.
 - (3) certain important expressed genes. All genes that are expressed as RNA.
- 123 Upon exposure to UV radiation, DNA stained with ethidium bromide will show
 - (1) Bright blue colour
 - (2) Bright yellow colour
 - Bright orange colour (4) Bright red colour
- 124 Given below are two statements: One is labelled as Assertion A and the other is labelled as Reason R:

Assertion A: ATP is used at two steps in glycolysis.

Reason R: First ATP is used in converting glucose into glucose-6-phosphate and second ATP is used in conversion of fructose-6phosphate into fructose-1-6-diphosphate. In the light of the above statements, choose the correct answer from the options given below:

- (1) Both A and R are true but R is NOT the correct explanation of A.
- (2) A is true but R is false.
- (3) A is false but R is true.
- Both A and R are true and R is the correct explanation of A.
- 125 Unequivocal proof that DNA is the genetic macrial was first proposed by

 Alfred Hershey and Martha Chase
 - (2) Avery, Macleoid and McCarthy
 - (3) Wilkins and Franklin
 - (4) Frederick Griffith

F1_English]

- - A. Detrivores perform fragmentation.
 - The humus is further degraded by some microbes during mineralization.
 - Water soluble inorganic nutrients go down into the soil and get precipitated by a process called leaching.
 - D. The detritus food chain begins with living organisms.
 - Earthworms break down detritus into smaller particles by a process called catabolism.

Choose the correct answer from the options given below:

- (1) B, C, D only (2) C, D, E only
- (3) D, E, A only (4 A, B, C only
- 127 The reaction centre in PS II has an absorption maxima at
 - (1) 700 nm
- (2) 660 nm
- (3) 780 nm
- 128 In angiosperm, the haploid, diploid and triploid structures of a fertilized embryo sac sequentially are:
 - (1) Antipodals, synergids, and primary hdosperm nucleus
 - Synergids, Zygote and Primary endosperm nucleus
 - (3) Synergids, antipodals and Polar nuclei
 - (4) Synergids, Primary endosperm nucleus and zygote
- 129 Which micronutrient is required for splitting of water molecule during photosynthesis?
 - (1) molybdenum (2) __hagnesium
 - (3) copper
- manganese
- 130 Which of the following stages of meiosis involves division of centomere?
 - (1) Metaphase II Anaphase II
 - (3) Telophase
- (4) Metaphase I

[Contd...



- 121
- 122 Molecular Basis Of Inheritence-page No. 119
- 123 Biotechnology: Principles and Process-Page No. 198
- 124 Respiration in Plants-Page No. 229
- 125 Molecular Basis Of Inheritence-page No. 102
- 126 Ecosystem-Page No. 243,244
- 127 Photosynthesis in Higher Plants Page No. 211
- 128 Sexual Reproduction in Flowering Plants-Page No. 27
- 129 Mineral Nutrition-Page No. 198
- 130 Cell cycle and cell division-page no. 169

- 131 Cellulose does not form blue colour with loding because
 - (1) is a helical molecule.
 (2) It does not contain complex helices and hence cannot hold iodine molecules.
 - (3) It breakes down when iodine reacts with
 - (4) It is a disaccharide.
- 132 Among 'The Evil Quartet', which one is considered the most important cause driving extinction of species?
 - (1) Over exploitation for economic gain
 - (2) Alien species invasions
 - (3) Co-extinctions
 - Habitat loss and fragmentation
- 133 What is the role of RNA polymerase III in the rocess of transcription in Eukaryotes? Transcription of tRNA, 5 srRNA and snRNA
 - (2) Transcription of precursor of mRNA
 - (3) Transcription of only snRNAs
 - (4) Transcription of rRNAs (28S, 18S and 5.8S)
- 134 Given below are two statements:

 Statement I: Endarch and exarch are the terms often used for describing the position of secondary xylem in the plant body.

 Statement II: Exarch condition is the most

common feature of the root system. In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement I and Statement II are false.
- (2) Statement I is correct but Statement II is false. Statement I is incorrect but Statement II is true.
- 4) Both Statement I and Statement II are true.
- 135 The process of appearance of recombination nodules occurs at which sub stage of probase I in meiosis?
 - Pachytene (2) Diplotene
 - (3) Diakinesis (4) Zygotene

'1_English |

100

Botany : Section-B (Q. No. 136 to 150)

- labelled as Assertion A and the obelabelled as Assertion A and the obelabelled as Reason R:

 Assertion A: In gymnosperms
 pollen grains are released from
 microsporangium and carried by air cure
 Reason R: Air currents carry the pograins to the mouth of the archegonia wa
 the male gametes are discharged and pol
 tube is not formed.
 In the light of the above statements, cho
 the correct answer from the options gir
- (1) Both A and R are true but R is Not the correct explanation of A.
- (2) A is true but R is false.
 (3) A is false but R is true.
- (4) Both A and R are true and R is a correct explanation of A.
- 137 Which one of the following statements NOT correct?
 - Algal blooms caused by excess organic matter in water improve wat quality and promote fisheries.
 - (2) Water hyacinth grows abundantly eutrophic water bodies and leads to imbalance in the ecosystem dynamiof the water body.
 - (3) The amount of some toxic subs of industrial waste water increa the organisms at successive trolevels.
 - (4) The micro-organisms involved i biodegradation of organic matter in sewage polluted water body consume lot of oxygen causing the death of aquatic organisms.
- 138 Which of the following combinations i required for chemiosmosis?
 - (1) membrane, proton pump, proton gradient, NADP synthase
 - (2) proton pump, electron gradient, ATP synthase
 - (3) proton pump, electron gradient, NADP synthase
 - membrane, proton pump, proton gradient, ATP synthase

20

[Contd...



- 131 Biomolecules Page No. 148
- 132 Biodiversity And Conservation-Page No. 264
- 133 Molecular Basis Of Inheritrence-Page No. 111
- 134 Anatomy of flowering Plants-Page No. 90,93
- 135 Cell Cycle and Cell Division-Page No. 168
- 136 Plant Kingdom-Page No. 39
- 137 Environmental Issues
- 138 Photosynthesis in Higher Plants Page No. 213

```
142 Match List I with List II:
      List I
                         List II

 A. M Phase

                                                     List I
                                                                         List II
                        Proteins are
                                                  A. Iron
                                                                       Synthesis of auxin
                         synthesized
     G2 Phase
                        Inactive phase
                                                  B. Zinc
                                                                    II. Component of
     Quiescent
                    III. Interval between
                                                                         nitrate reductase
      stage
                         mitosis and
                                                  C. Boron
                                                                     III. Activator of catalase
                         initiation of DNA
                                                  D. Molybdenum IV. Cell elongation and
                         replication
 D. G<sub>1</sub> Phase
                                                                        differentiation
                    IV. Equational
                                                  Choose the correct answer from the options
                        division
 Choose the correct answer from the options
                                                  given below
                                                  (1) -II, B-III, C-IV, D-I
 given below
 (1) A-IV, B-II, C-I, D-III
                                                  (A-III, B-I, C-IV, D-II
  A-IV, B-I, C-II, D-III
                                                  (3) A-II, B-IV, C-I, D-III
 (3) A-II, B-IV, C-I, D-III
                                                  (4) A-III, B-II, C-I, D-IV
 (4) A-III, B-II, C-IV, D-I
                                            143 Which of the following statements are
Match List I with List II:
                                                  correct about Klinefelter's Syndrome?
 List I
                       List II
                                                  A. This disorder was first described by
 (Interaction)
                       (Species A and B)
     Mutualism
                                                     Langdon Down (1866).
                      +(A), O(B)
-(A), O(B)
    Commensalism
                                                  B. Such an individual has overall
     Amensalism /
                     \Delta \mathbf{H}. +(A), -(B)
                                                      masculine development. However, the
    Parasitism
                       V. + (A), + (B)
                                                      feminine development is also expressed.
 Chose the correct answer from the options
                                                XC. The affected individual is short statured.
    en below
                                                 D. Physical, psychomotor and mental
  A-IV, B-I, C-II, D-III
(2) A-IV, B-III, C-I, D-II
                                                      development is retarded.
                                                     Such individuals are sterile.
 (3) A-III, B-I, C-IV, D-II
 (4) A-IV, B-II, C-I, D-III
                                                  Choose the correct answer from the options
                                                  given below:
Given below are two statements:
                                                  C and D only B and E only
Statement I: Gause's 'Competitive
                                                  A and E only (A) A and B only
Exclusion Principle' states that two closely
related species competing for the same
                                            144 Identify the correct statements :
resources cannot co-exist indefinitely and
                                                  A. Lenticels are the lens-shaped openings
competitively inferior one will be eliminated
```

21

permitting the exchange of Lises.

Bark formed early in the season is called

Bark is a technical term that refers to

all tissues exterior to vascular cambium.

Bark refers to periderm and secondary

Phellogen is single-layered in thickness.

I Contd...

Choose the correct answer from the options

given below:

A and D only

(2) A, B and D only

(3) B and C only (4) B, C and E only

139 Match List I with List II:

eventually

below

F1 English]

are false.

Statement II: In general, carnivores are

more adversely affected by competition than

In the light of the above statements, choose

the correct answer from the options given

Both Statement I and Statement II

(1) Both Statement I and Statement II

Statement I is correct but Statement II is false.

Statement I is incorrect but

Statement II is true.



- 139 Cell cycle and cell division—page no. 163,164
- 140 Organism and Population Page No. 232
- 141 Organism and Population-Page No. 235
- 142 Mineral Nutrition -- Page No. 197,198
- 143 Principles of Inheritence And Variation page No. 91
- 144 Anatomy Of Flowering Plants Page No. 96,97

- 145 How many different proteins does the | 149 Given below are two statements : One ribosome consist of?
 - (1) 60
 - (3) 20
- 146 Melonate inhibits the growth of pathogenic bacteria by inhibiting the activity of
 - (1) Amylase
 - (2) Lipase Dinitrogenase
 - Succinic dehydrogenase
- 147 Match List I with List II:
- List I List II
 - Cohesion
- More attraction in liquid phase Mutual attraction
- Adhesion
- among water molecules Water loss in
- C. Surface tension D. Guttation
- liquid phase IV. Attraction towards polar surfaces

Citrate

Electron

IV. EMP pathway

synthase Pyruvate

dehydrogenase

transport system

Choose the correct answer from the options given below:

- (1) A-IV, B-III, C-II, D-I (2) A-III, B-I, C-IV, D-II
- A-II, B-I, C-IV, D-III A-II, B-IV, C-I, D-III
- 148 Match List I with List II: List I List II
 - Oxidative decarboxylation B. Glycolysis
- C. Oxidative
- phosphorylation D. Tricarboxylic
- acid cycle Choose the correct answer from the options given below:
- (1) A-II, B-IV, C-I, D-III (2) A-III, B-I, C-II, D-IV
- A-II, B-IV, C-III, D-I (4) A-III, B-IV, C-II, D-I

F1 English

(4) B, C, D, A

labelled as Assertion A and the other labelled as Reason R:

> Assertion A: A flower is defined as modifishoot wherein the shoot apical meriste changes to floral meristem.

Reason R: Internode of the shoot ge condensed to produce different flor appendages laterally at successive node instead of leaves.

In the light of the above statements, choose the correct answer from the options give below:

- (1) Both A and R are true but R is NO the correct explanation of A.
- (2) A is true but R is false.
- (3) A is false but R is true.
- Both A and R are true and R correct explanation of A.
- 150 Main steps in the formation of Recombinar DNA are given below. Arrange these ster in a correct sequence.
 - A. Insertion of recombinant DNA into th host cell.
 - B. Cutting of DNA at specific location b restriction enzyme.
 - Isolation of desired DNA fragment.
 - Amplification of gene of interest usin

Choose the correct answer from the option given below:

| Contd.

- (L) , A, B, D
- C, B, D, A
- (3) B, D, A, C

NCERT Reference



145 Out of Ncert - The eukaryotic ribosome is the cellular translational machinery primarily responsible for protein synthesis from messenger RNAs (mRNA) and consists of four ribosomal RNA (rRNA) species and 79 ribosomal proteins (RPs).

146 Biomolecules-Page No. 158

147 Transport in Plants-page No. 188, 186

148 Respiration in Plants

149 Morphology Of flowering Plants-Page No. 71

150 Biotechnology: Principles and Process-Page No. 201(sub headings)