IRON ROCK



Architectural Guidelines

Table of Contents

Section 1 – Introduction to Iron Rock	5
Introduction	5
Purpose of the Architectural Guidelines	5
Intent	5
Interpretation	5
Enforcement	5
Maintenance	6
Submittal and Review Process	6
Construction Requiring Submittal and Review	6
Additions and Renovations	7
Submissions	8
Review Fees	9
Review Process	9
Performance of Work	9
Appeals Process	9
Complaints	10
Section 2 – Planning Considerations	11
Square Footage Requirements	11
Setbacks	11
All Lots:	11
Front – 20 feet	11
Rear – 20 feet	11
Side – 10% of front at property line	11
Section 3 – Architectural Considerations	12
Style	12
Style Restrictions	12
Proportions and Shapes/Composition	12
Originality/Repetition/Colors	12
Exterior Materials	13
Preferred Materials	13
Material Continuity	13
Chimneys	13
Eaves	13

Columns	
Floor Elevation	13
Front Entry of Home	14
Front Entry Definition	14
Covered Entry	14
Garage Entry and Doors	14
Side/Courtyard Entry	14
Garage Door Height	14
Roofing	14
Style	14
Slope	14
Gutters	14
Solar Panels and Solar Water Heaters	15
Windows	15
Materials	
Storm Shutters and Protection Devices	15
Trim	15
Doors	15
Exterior Doors	15
Screen/Storm Doors	
Exterior Lighting	16
Awnings	16
Railings	16
Street Numbering	16
Accessory Structures	17
Detached Garages	
Greenhouses	18
Section 4 –Site and Landscaping Considerations	19
Landscaping Plan Criteria	19
Trees	19
Sod and Grass Seed	19
Screening	20
Planting Bed	21
Plant Palette	22
Landscape Installation	22
Irrigation System	22

	Landscaping Maintenance	22
	Flower Gardens	23
	Produce Gardens	23
	Enhancements	23
	Driveways	25
	Driveway Width	25
	Adjacent	25
	Circle Driveways	25
	Materials	25
	Garbage Cans	26
	Air Conditioning Condensing Units (HVAC) and Generators	26
	Satellite Dishes and Antennas	26
	Underground Wiring	27
	Sporting Goods	27
	Swing Sets and Playground Equipment	27
	Basketball Hoops	27
	Tree Houses	27
	Birdhouses and Feeders	27
	Decks	27
	Outdoor Storage	27
	Hot Tubs	27
	Pools	27
	Pool Enclosures	28
	Pergolas	28
	Freestanding Fountains	28
	Temporary Structures	29
	Retaining Walls	29
	Arbors / Trellis	29
	Vehicle Parking	29
	Signage	29
S	ection 5 – Appendix	32
	Forms	32
	Fyhihit "Δ"	30

Section 1 - Introduction to Iron Rock

Introduction

Iron Rock is located along CR 97, ± one mile south of Kingsfield Road. This upscale, master planned, community offers everything from patio-sized lots to half-acre estate lots.

As a managed community these Architectural Guidelines exist to ensure that homes are constructed, and existing homes maintained to a standard that preserves the beauty of this scenic, secluded subdivision and also preserves the investment homeowners made in their property.

Purpose of the Architectural Guidelines

Intent

The intent of these Architectural Guidelines is twofold. For new home construction the guidelines create a set of standards for construction to ensure that each home is built with the highest quality and each finished home compliments the look and feel of all other homes in the subdivision. After construction has been completed, these guidelines provide homeowners with standards needed to ensure that added amenities, features, accessory structures and landscaping preserve the quality and appearance of the home and development.

Interpretation

Interpretation of conformance to the Architectural Guidelines is the duty of the Architectural Review Committee ("ARC") for the Iron Rock, or of individuals or companies specifically designated by the ARC to assist with reviews. The ARC will initially consist of one representative from the subdivision developer, and one representative from each of the two preferred builders of the subdivision – DSLD and Truland Homes ("Preferred Builders"), for a total of three (3) members.

Enforcement

Enforcement of the guidelines shall be the responsibility of the Architectural Review Committee (ARC), unless it defers to the Board of Directors of the Association. The ARC maintains the right to approve or deny any matter up for review by the ARC.

Maintenance

Homeowners are expected to keep their property maintained and in conformance with the Architectural Guidelines. The ARC shall enforce and may seek the opinion of others in determining nonconformance.

Submittal and Review Process

Construction Requiring Submittal and Review

All new houses are required to submit one electronic pdf set and one hard copy of plans and provide the necessary items for the Review Process which shall include:

Drawings Required

Site Plan

The site plan should have the following information on 8.5" x14" (min) paper:

- Property lines
- Building setback lines
- House and accessory structures
- Driveways and other site improvements
- Pools
- Fencing
- Sidewalks

Landscape Plan

The landscape plan should have the following information on 8.5" x14" (min) paper:

- Property lines
- House and accessory structures
- Driveways, walkways, and paving
- Proposed trees (see section 4).
- Plantings, including height where applicable
- Sodded areas

Floor Plans

The floor plans should have the following information on 11" x17" (min) paper:

- Dimensioned floor plans for each level
- Elevations of slabs and floors

Elevations

The elevations should have the following information:

- All elevations should be shown (minimum of 4)
- Materials drawn to scale
- Overall building height
- Chimneys, arbors and other accessories
- Electronic Elevation submittal shall include exterior colors

Exterior Details

Exterior details should contain the following information:

- Materials used
- Finish of materials

Door and Window Schedules

Door and window schedules should contain the following information:

- Manufacturer and product number
- Sizes
- Style including mullion patterns and glass patterns

Exterior Materials List

Exterior materials list should contain specifications for all exterior materials used on the project and include the Florida Building Product Approval Code # and colors.

Additions and Renovations

Additions and Renovations to houses and structures are required to submit one electronic pdf set and one hard copy of plans and provide the necessary items for the Review Process. Minor Improvements that do not require drawings may be eligible for an Accelerated Review. The ARC will conduct the Accelerated Review but may solicit the services of others. If it is unclear whether the project should be treated as an Addition and Renovation or a Minor Improvement, please contact the ARC.

Drawings Required

Site Plan

The site plan should have the following information on 8.5" x11" (min) paper:

- Property lines
- Building setback lines
- House and accessory structures
- Driveways and other site improvements
- Pools
- Fencing
- Sidewalks

Landscape Plan (must be provided no later than 30 days prior to the renovation or addition being completed)

The landscape plan should have the following information on 8.5" x11" (min) paper:

- Property lines
- House and accessory structures
- Driveways, walkways, and paving
- Trees, both existing and new (see section 4). Plans must indicate height of trees.
- Plantings, including height where applicable
- Sodded areas

Floor Plans

The floor plans should have the following information on 8.5" x11" (min) paper:

- Dimensioned floor plans for each level
- Elevations of slabs and floors

Elevations

The elevations should have the following information:

- All elevations should be shown (minimum of 4)
- Materials drawn to scale
- Overall building height
- Chimneys, arbors and other accessories
- Electronic Elevation submittal shall include exterior colors
- Slab and adjacent grade elevations

Exterior Details

Exterior details should contain the following information:

- Materials used
- Finish of materials

Door and Window Schedules

Door and window schedules should contain the following information:

- Manufacturer and product number
- Sizes
- Style including mullion patterns and glass patterns Exterior Materials List

Exterior materials list should contain specifications for all exterior materials used on the project and include the Florida Building Product Approval Code # and colors.

Submissions

Submission of plans for review should be delivered to the Architectural Review Committee at the address below:

Iron Rock Architectural Review Committee 4400 Bayou Blvd. #52A Pensacola, FL 32503 ARC@LCMFL.com (850) 407-8124

Review Fees

There shall be no review fees required for submissions to the ARC.

Preferred Builders

The Preferred builders in the subdivision shall be Truland Homes, Signature Homes, and DSLD Homes.

Review Process

All requests for new construction by private lot owners must be submitted to the Architectural Review committee for review and the committee shall grant final approval of the home plan and the proposed completion dates. All requests for remodeling and/or additions to the home must also be submitted for review and the committee shall also grant final approval of the plans and proposed completion dates. Lastly, additional amenities and landscaping needs that are covered in this document must also be submitted for review and approval. The ARC has a maximum of 30 days to review any submission. Preferred Builders shall initially submit the following items for master approval: House plans with elevations, exterior materials & colors, and landscaping packages. Subsequently, the Preferred Builders will submit a site specific plot plan for each lot depicting a site plan and the selected house plan, colors, materials, and landscaping package from the approved master plan list.

Performance of Work

Once approval for construction is granted by the ARC, the project shall begin no later than 6 months from date of approval. All work shall be completed within a 9-month period unless an extension is granted by the ARC. Homes not started within 6 months shall lose plan approval from the ARC and shall re-submit all documents and plan review fees. If an extension is required for the start of construction or completion, owner shall provide a written request to the ARC explaining the circumstances preventing compliance with this time provision.

Appeals Process

If a request made to the Architectural Review Committee is found to not conform to the Architectural Guidelines the requestor may submit a written appeal to the Committee stating why the request should be granted or an exception granted. Based on the written appeal, approval may be subsequently granted or again denied. If denied the requestor may make a second written appeal to the Board of Directors who will examine the original denial and denial of the first appeal and determine if a reasonable outcome is available or whether the existing denial should be upheld.

Complaints

In the event that an owner feels another property owner has violated or not conformed to the Architectural Guidelines, he or she shall contact The Architectural Review Committee thru the current management company in writing at the address below using the Non-Compliance Complaint Form found in Forms section of the appendix:

> Iron Rock Homeowners Association 4400 Bayou Blvd. #52A Pensacola, FL 32503 ARC@LCMFL.com

(850) 407-8124

Section 2 - Planning Considerations

Square Footage Requirements

Minimum square footages of heated and cooled living space vary by the size of lots.

Typical 55' Lot	1,500 (1,100 minimum on ground floor)
Typical 70' Lot	1,700 (1,200 minimum on ground floor)
Typical 100' Lot	2,200 (1,200 minimum on ground floor)
Typical 125' Lot	2,400 (1,800 minimum on ground floor)

Setbacks

No residential dwelling shall be constructed on any Lot or building site in the Subdivision which does not conform to the setback lines shown on the recorded Plats. However, an automatic waiver of 10% of any setback requirement on the Plats is hereby granted for unintentional violations, so long as they do not violate any county code requirements. It is the responsibility of the owner to make sure that their home conforms to the requirements for Iron Rock and the Escambia County Building Department. For each Lot located within the subdivision, the setbacks are:

All Lots:

Front – 20 feet Rear – 20 feet Side – 10% of front at property line

Section 3 – Architectural Considerations

Style

Style Restrictions

The overall style of homes in the development is not meant to be restrictive. Owners are encouraged to employ varying styles in order to make a diverse development. While no single style is mandated, it is the responsibility of the owner to have their home appropriately designed for the development. The design should both complement the neighborhood and support the theme of Iron Rock; however, the ARC reserves the right to reject the style or development plan.

The following provisions shall help determine appropriate designs. If a particular design or style is in question, the lot owner can consult with the ARC prior to having plans drawn. This may involve consulting fees payable to the ARC by the owner. (See Review Fees in Section 1)

Proportions and Shapes/Composition

The overall composition of the house and accessory structures shall be consistent. Blending of design styles is discouraged unless addressed by the ARC. All buildings are to consider proper proportions and shapes for the particular style. Irregularities throughout the design may be called into question by the ARC.

Originality/Repetition/Colors

In order to accomplish diversity within the development, the repetition of the same house design will be limited. Repeated house design are discouraged but can be used with the following provisions. Repeated designs shall demonstrate that the exterior street view elevations are articulated with different exterior detailing, window styles, roof lines, columns, site planning and landscape design where similar plans are within four (4) lots of each other linearly. Colors may be repeated if home plan and elevation are not repeated within four (4) lots linearly as per above. Same and similar house plan designs that are not different as required in this provision shall not be allowed.

Propane Tanks

Propane tanks must be screened with materials described in the "Screening" section found in Section 4 of this guideline and must be reviewed by the Architectural Review Committee.

Exterior Materials

Preferred Materials

Brick, natural stone, or approved manufactured stone Hardcoat Stucco with integral color

Painted – pressure treated wood, Cedar and similar wood accents Cement siding products such as Hardy-Board

Vinyl Siding will be discouraged as a covering for a vertical exterior wall

Material Continuity

All sides of houses shall have "Material Continuity". All sides of an individual home shall have the same siding material.

Chimneys

Chimneys shall be constructed of materials that are used elsewhere on the house exterior. Chimney screens and shrouds should be used to hide the Chimney Cap.

Faves

Vinyl Siding or other approved materials may be used on the underside of eaves, balconies, and porches.

Columns

Columns may be constructed of wood, stucco, hardie board, or similar materials. Vinyl columns will be accepted only on the rear side of the home.

Floor Elevation

Finish floor elevations of all houses on typical 55', 70', & 100' lots shall meet the approved finish floor elevations shown on the Iron Rock neighborhood grading plan on file with the Escambia County Building Department. Typical 125' lots shall be a minimum of 16" above finished grade. This will be measured at the front entry after all construction and site grading is complete.

Colors

All colors must be approved by the ARC. Color submittals are to be delivered to the ARC when the plans are submitted and indicated on the electronic elevation submittal. Colors shall be a part of the Preferred Builders' initial master approval.

Front Entry of Home

Front Entry Definition

The design of the house should incorporate a definitive front entry. It should be obvious to the public where the front entry is. The entry should help accentuate the style of the house and have more detail than surrounding areas.

Covered Entry

A covered front entry area of 30 square feet or greater is encouraged. In cases where the architectural style doesn't warrant a covered front entry, the owner may submit plans to the ARC without a covered front entry.

Garage Entry and Doors

Side/Courtyard Entry

Unless a specific exception is granted for unusual circumstances, garages will be for a minimum of two cars. Front entry garages should be avoided on typical 100' and 125' lots. Front entry garages are permitted on typical 55' and 70' lots. Detached garages may have the garage doors located on the front of the structure. Carports will not be allowed.

Garage Door Height

All garage doors shall have a minimum door height of 7'-0".

Roofing

Style

All roofs are to be designed to support the main house style. Acceptable materials are dimensional shingle, metal (concealed fasteners only), clay tile and similar materials.

Slope

The minimum pitch for roofs is 6:12.

Gutters

Gutters shall be employed in areas subject to excessive water run-off. Water drainage from roofs shall not increase the natural water flow between houses. Where gutters are employed, they shall match the style of the house and closely or identically match the trim color of the home. Preferred Builders shall have sole discretion of employment of gutters.

Solar Panels and Solar Water Heaters

When adding solar Panels or solar water heaters the homeowner must notify the Architectural Review Committee of their location prior to their installation.

Windows

Materials

- Windows shall be approved by the Florida Building Code and approved by the ARC.
- Windows shall be vinyl, wood, or clad
- Window materials shall be a part of the Preferred Builders' initial master approval.

Storm Shutters and Protection Devices

Architectural Storm Shutters, Concealed Storm Shutters, and removable shutters are acceptable forms of Storm Shutters. Removable storm shutters must be stored inside a structure on the property. Plywood and manually installed Storm Shutters will not be allowed to remain up for more than 2 weeks after a weather event.

Trim

- Window Trim shall match the style of the house.
- Window trim shall be a part of the Preferred Builders' initial master approval.

Doors

Exterior Doors

- All Exterior Doors shall match the style of the house. Door trim, transoms, and hardware shall match the house style as well. Sliding glass doors shall be of good materials and appearance.
- Exterior doors shall be a part of the Preferred Builders' initial master approval.

Screen/Storm Doors

- A request for adding storm door during construction or as an addition or renovation will require a complete description of the door materials, a photograph of the door as well as a color sample of the screen/storm door itself as well as a color sample of the entry door it will cover. Without exception, all screen/storm doors must be reviewed by the Architectural Review Committee before they are installed.
- Screen/Storm Doors shall be a part of the Preferred Builders' initial master approval.

Exterior Lighting

Exterior Lighting shall be installed as not to interfere with adjacent houses, green spaces, streets, and public spaces. Exterior Lighting should be a down-directed cut-off style with little "spray". Accent lighting directed at the house is acceptable.

Exterior holiday decorative lighting may be installed on the exterior of the residence during the following holidays:

Halloween-Lighting maybe installed during the last weekend of September and must be removed no later than the first weekend of November.

Thanksgiving and Christmas-Lighting may be installed starting in the second weekend of November and must be removed no later than the second week of January of the following year.

Non-holiday exterior lighting should be limited to the rear of the residence and shall not be installed in an obtrusive manner to any adjacent property. Lighting installed at the rear of the residence does not require a minor improvement request, however, any complaint received from an adjacent property will be reviewed by the ARC Committee and owner may be required to modify the lighting installation or remove it entirely at the owner's expense.

Awnings

Awnings may be approved provided they match the style of the house. Awnings must be kept in satisfactory condition at all times.

Railings

All railings shall match the style of the house in both material and proportion. Wooden railings/decks are acceptable on the rear side of the home. Metal railings are acceptable on the front side of the home. Railings/decks shall be a part of the Preferred Builders' initial master approval.

Street Numbering

During the home's initial construction, home builders may decide to place the street number in a discrete location on the front of the home (usually on the trim). If the prospective homeowner wishes to have street numbers of their own choosing installed in a specific location during construction, then a request to do so must be submitted and reviewed by the Architectural Review Committee. Street numbering style/color/size shall be a part of the Preferred Builders' initial master approval.

Any additional numbering on the house or elsewhere must be submitted to and reviewed by the Architectural Review Committee.

Accessory Structures

Accessory Structures including garages, storage buildings, pool houses, etc. shall be designed to fit the style of the main house and all plans and specifications must be reviewed by the Architectural Review Committee prior to any construction and/or purchase.

Detached Garages

- The garage must be of a height, width and depth necessary to accommodate at least one full size automobile and must be constructed of the same materials used in the construction of the home itself.
- The trim used on the garage must match the trim on the home.
- Gutters may be added as long as they closely or identically match the trim color.
- All garage doors shall have a minimum door height of 7'-0".and the garage door color must match the color of the garage door on the home.
- The roof of the garage must closely match the design aspects of the home itself.
- Shingles on the garage must match the shingles used on the home.
- All garages must have an electric garage door opener and electrical outlets in accordance with approved electrical standards.
- All detached garages must be built on a concrete foundation.
- Driveway extensions from the garage to the home's driveway may be added as long as the plans are submitted to and reviewed by the ARC.
- Additional amenities such as doors and/or windows may be added providing that the amenity being added is of a style and color that matches or compliments the home and has been reviewed by the ARC.
- Detached Garages are considered an Addition.
- Detached Garages must be a minimum of 5'-0" off of any rear or side property line.

Please note that when submitting a request for a detached garage the requestor must provide the following:

- A complete set of specifications, photos and/or architectural blueprints that outline the dimensions of the garage, its elevation and all setbacks.
- A description of the materials and colors being used for the garage, trim, garage door, roof and any other amenities such as entry doors and windows.
- A plat of the property containing measurements of the proposed location of the garage in relation to the home, property lines and any other nearby structures such as privacy fences that already exist.

Sheds

- The roof of the shed can be of a gable or a hip design as long as the design closely matches the design aspects of the home itself.
- The roof shingles shall match the shingles of the home.

- If exterior siding is used instead of brick, the siding and trim material must either be fiber cement (i.e. Hardieplank) or an OSB siding material (i.e. LP SmartSide/SmartTrim). Plastic or metal siding is strictly forbidden.
- If SmartSide or Hardieplank siding is used, then the exterior colors of the shed must reflect or complement the existing colors of the home. (Note: All color combinations will be submitted and reviewed by the Architectural Review Committee).
- On a larger sheds with roll up garage style doors instead of hinged doors, the doors must be painted to closely or identically match the color of the garage door of the home.
- Additional amenities can be added to the shed such as windows and shutters
 however the frames and/or shutters must be painted to closely match the existing
 colors of the home.
- Sheds over 200 square feet are considered an Addition.
- Sheds must be a minimum of 5'-0" off of any rear or side property line.
- Pre-manufactured plastic sheds are not allowed.

Please note that when submitting a request for a detached shed the requestor must provide the following:

- A complete set of specifications in regard to height, width and depth of the shed, the building materials to be used and samples depicting the color of the roof, siding and trim and setbacks.
- A photo depicting the sheds style.
- A plat of the property containing measurements of the proposed location of the shed in relation to the home, property lines and any other nearby structures such as privacy fences or detached garages.

Greenhouses

Greenhouses shall not be permitted on any lot.

Please note that when submitting a request for a greenhouse the requestor must provide the following:

- Photographs depicting the greenhouse design and style
- A description of the foundation as well as measurements of the height, width and depth of the proposed structure.
- Material specifications including the type of framing and panels that will be used as well as the color of the frame.
- A plat of the property containing measurement of the proposed location of the greenhouse in relation to the home, property lines and any other nearby structures such as a privacy fences or detached garages.

Section 4 –Site and Landscaping Considerations

Iron Rock was designed around the concept of being close to the existing natural elements. To preserve this concept, after initial construction by Preferred Builders, **no** clear-cutting will be allowed. All native trees larger than 6" in diameter and not in the building footprint shall remain unless otherwise addressed by the ARC. The only exception is that any species of Pine are allowed to be removed without ARC approval. Property owners are required to clearly mark all existing trees that will remain and notify the ARC prior to lot clearing. Covenants Section VII.23 should be strictly followed with regard to erosion control after clearing. Erosion control measures and Best Management Practices shall be adhered to throughout construction. It is the homeowner's responsibility to insure full compliance with all local, state and federal laws regarding lot clearing and preparation prior to any lot clearing activity. The complete yard shall be landscaped prior to occupancy of the residence. Preferred Builders may clear lots at their sole discretion and in accordance with the respective approved Escambia County building permit.

Landscaping Plan Criteria

Trees

In addition to the tree preservation which should result from the Lot clearing procedures discussed above, tree planting will be required as set forth below.

There shall be planted on each patio Lot two trees and on each other Lot four trees with a minimum of 4' in height, when planted, indigenous to the Northwest Florida area (plus, in the case side street Lots, one additional tree along the side street line). These are minimums.

The street trees shall be planted between 10' and 15' behind the curb of the abutting street and fairly evenly spaced. This street tree provision may be waived, in whole or in part, by the ARC upon request of an Owner whose Lot has numerous existing large (4" or greater caliper) trees in the same general area as where the street trees would be planted.

Sod and Grass Seed

Sod shall either be Saint Augustine, Centipede, Bermuda, Zoysia or such other traditional ornamental sod as might be authorized from time to time by the ARC. Bahia is prohibited.

During the initial landscaping installation, the same type of sod shall be used to sod the entire Lot, except those areas receiving other landscaping improvements. Sod shall be carried to the back of the curb of all adjacent road rights-of-way and to the edge of paved improvements (e.g., sidewalks and driveways), unless interrupted by an approved planting bed or shrubs. Preferred Builders shall only be required to place sod

on the disturbed/cleared portion of each lot. Natural/uncleared areas shall not be sodded.

Grass seed, sod or sod plugs used for minor patching shall be of the same variety as the grass used on the section of lawn requiring repair and patching of this nature does not require an Architectural Review request.

When minor patching is insufficient to repair the existing sod on the property the owner may initiate a re-sodding effort and must follow the guidelines listed below:

- An Architectural Review Request form must be submitted along with a plat
 of the property showing the area to be re-sodded and the variety of sod
 being used.
- Unless a fence exists on the property to separate the front section of the property from the rear, the property owner must submit a request to re-sod the entire lot with a variety of sod previously noted in this guideline.
- If a fence does exist on the property that completely separates the front section from the rear, the property owner may submit a request to re-sod the front or the rear section of the property or submit a request to re-sod the entire lot with a variety of sod previously noted in this guideline.
- When re-sodding, the effort must include all areas previously sodded with grass unless the request also includes a request to create a new or modify an existing landscaping area in an area where grass might or might not currently exist.
- Regardless of the variety of sod or the extent of the re-sodding effort, all
 work being requested, must be completed in a timely manner within the
 timeframe approved by the Architectural Review Committee.

Screening

Certain items such as pool pumps, trash containers, propane tanks, air conditioning condensing unit (HVAC), etc. that cannot be hidden behind a privacy fence and are visible from the street, must be screened.

Listed below are some examples of materials that may be used for screening the type of objects listed above:

- Brick If brick screening is use it must be built on a poured concrete base and the brick color must match the brick used on the home.
- Shadowbox Fence Short sections of Shadowbox fence can be used providing that the construction of the screen follows the guidelines found "Fencing" section of this document.
- Wood Panels Framed, panels constructed of solid hardwood planks can be used providing that there are no gaps between each plank or the plank and the solid wood frame. Framed, decorative lattice can also be added to the top of the panels

providing that the hardwood making up the lattice is of the same variety of wood as the planks used in main body of the screen.

- Lattice Wooden lattice screens constructed in a crisscrossed framework can be used providing that the small gap between the crossing wooden laths is significantly small enough to obscure the object from view.
- Shrubbery If shrubbery is used then the type of shrubbery may vary but it must be a minimum height of 2 feet and attain a height of 4 feet and 80% opacity within 1 year of planting.

Regardless of the type of screening materials used the height, length and depth must be sufficient to screen the item in question and all designs, materials and any stain colors must be reviewed by the Architectural Review Committee. Screen plans can be submitted on a plat map of the property or may consist of a simple drawing as long as the plan contains a description of the object to be screen, the dimensions of the screen and the distance (location) of the proposed screen from the nearest corner of the home. If the homeowner wishes to stain a Shadowbox, wood panel or lattice screen at the same time then a sample of the stain color must also accompany the request.

Berms for screening are prohibited.

Planting Bed

Planting beds, ground cover and/or shrubs in at least the front and side yards are a condition of the landscape plan. The minimum amount of planting bed and/or shrubs will be determined from reference to the minimum Lot planting requirements set forth below, with approximately two-thirds of the minimum requirements of the planting beds/shrubs to be located in the front yard and one-third in the side yards. It is to be noted that the quantities set forth below are minimum; Owners are encouraged to do more; and the ARC reserves the right to require greater quantities where circumstances warrant.

Patio Lots (55') 2 40	Trees - 4' + in height 3 gallon shrubs	
All Other Lots 4	Trees – 4'+ in height 3 gallon shrubs	

Any trees or shrubs required to be planted by reason of any of the tree and screening requirements set forth above may be credited against these minimum requirements.

For a variety of height, color and texture, substitution to the above shrub quantities may be made as follows:

3-1 gallon ground covers = 1-3 gallon shrub (but with total landscape of no more than 50% ground cover)

1-5 gallon shrub = 2-3 gallons 1-7 gallon shrub = 3-3 gallons 1-10 gallon shrub = 4-3 gallons 1-15 gallon shrub = 5-3 gallons

Plant Palette

With a view toward encouraging harmonious landscaping throughout Iron Rock, the ARC has established a recommended plant list, which accompanies as Exhibit "A". Planting materials other than those on the recommended list will be considered by the ARC as a part of the Architectural Review Process.

Landscaping packages shall be a part of the Preferred Builders' initial master approval.

Landscape Installation

Landscaping shall be planted using best practices, with appropriate soil amendments and utilizing the services of an experienced landscape contractor. Planting beds shall be liberally mulched with an approved mulching material (e.g. hardwood or colored rubber chips, pine straw or rock). At any time, any plants which do not survive shall be promptly replaced. The Owner shall schedule landscape planting to be complete prior to the occupancy of the residence. Preferred Builders will not warranty sod/landscaping/ plantings after third party customer closings.

Irrigation System

All Lots shall have a fully automatic irrigation system for irrigating at least the front and side yards with 100% coverage. The irrigation system shall be designed and operated for efficient conservation of water usage and adjusted so that the spray pattern does not excessively extend onto impervious surfaces.

Properly permitted wells for irrigation purposes shall be allowed. However, any well water which tends to stain or discolor will not be allowed. Any and all staining or discoloration which might result from any non-compliant wells before corrective action is taken (including staining or discoloration of road right-of-way curbs, sidewalks and driveways) shall be completely cleaned by the Owner responsible for same.

Landscaping Maintenance

Owners of Lots in Iron Rock shall maintain the landscaping on their Lot (and also that area between their Lot line and adjoining street curb) in a healthy, clean and attractive manner. Landscaping shall in no way detract from the appearance of the neighborhood. Landscape maintenance shall include, but not be limited to, the mowing and edging of all lawn areas; the pruning and authorized cutting of trees and shrubbery; the removal of weeds and unsightly materials from all planting beds; the maintenance and periodic restoration of mulch in planting beds and shrub areas; and the fertilizing and watering of all plant materials and lawn. All landscape maintenance shall be executed in a manner, and with such frequency, as is consistent with diligent and superior property management.

It shall also be noted that anytime a plant in a landscaping bed does not survive or is removed by the homeowner, the plant must be replaced by either the original variety of plant or a suitable replacement plant. In addition, in the case of a complete or partial landscaping redo, the number of the plants planted in each planting bed must conform to the number of plants noted in the section entitled "Planting Beds" in this guideline.

If any Lot becomes unattractive in appearance due to neglect, or plant material has been allowed to become detrimental to adjoining property Owners, the Association shall have the right to remedy the condition in question, at the expense of the Owner, all as more particularly set forth in the Declaration.

Any plantings, hedges or the like which might tend to obstruct views of pedestrian or vehicular traffic on side streets, around curbs or in crossing areas shall not be allowed.

Flower Gardens

Acceptable without review by from the ARC.

Produce Gardens

Acceptable in rear and side yards without review by the ARC. Must not be visible from the street.

Enhancements

Fountains and Statues will require a review by the ARC prior to installation.

Fencing

Materials

Wood

Wooden privacy fences, partitions and fence style screens must be pressure treated pine and shall be constructed in a shadowbox style with a minimum board thickness of ¾ inch and a 3½ inch maximum gap between slats with all fence posts facing toward the home of the requesting property owner.

Vinyl or Composite

Vinyl or composite privacy fences and partitions will be allowed providing that the fence material between the posts provides the appearance of having vertical wooden boards. Because of the nature of the materials, vinyl or composite fences may also have a solid horizontal rail along the top and bottom sections of fence that runs the distance between each post. Although no specific brands or materials are specified, Exhibit "B" of this document contains several examples of vinyl and composite fences and color samples in brownish hues that the Architectural Review Committee may approve upon request.

As described in Section 19 of the covenant, chain link fences are permitted in backyards for enclosing pet areas and dog runs providing that the enclosure is located behind the owner's privacy fence, is lower than the privacy fence and not visible from the street.

Regardless of whether the homeowner is installing a privacy fence, a partition or a fence style screen all requests must be submitted and reviewed by the Architectural Review Committee prior to construction. Privacy fencing plans should be submitted on a site development plan showing the length of each fence section, the location of the fence in relation to the property lines and the measured setback of the fence from the front corners of the home where the fence might abut that structure. If gates are being added, the plan must also include the size of each gate and the location of the gate along that section of fence. Plans for partitions should also be submitted on a site development plan showing the length and location of each partition section in relation to the property lines, the home and any structures that will be in close proximity to the partition. Screen plans can be submitted on a site development plan or consist of simple drawing as long as the plan contains a description of the object to be screened, the height, width and length of the fence style screen and the distance (location) of the screen from the nearest corner of the home.

If the homeowner wishes to have the privacy fence, partition or screen stained at the time of construction then a sample of the proposed stain color must be provided as well.

Height

The maximum height any privacy fence, partition or screen is 6'-0".

Notwithstanding the foregoing, all lots that are adjacent to the property owned in fee-simple by Gulf South Pipeline LP, its successors and assigns, identified by Escambia County Property Appraiser as parcel 35-1N-31-2101-000-001 (the "Gas Line Property"), shall have a fence exactly 8' in height (the "Eight Foot Fence") along all common borders with the aforementioned Gas Line Property. All other attributes of this Eight Foot Fence shall comply with the rules as set forth in these Guidelines. Gates or any access shall not be permitted in these sections of Eight Foot Fence. In all situations where the Eight Foot Fence adjoins a section of fence that is less than eight feet in height, there shall be a smooth transition in the height of the fence boards over a span of at least ten linear feet and no more than 15 linear feet. For clarity, the lots which are adjacent to the Gas Line Property are as follows: 25/C, 26/C, 44/C, 45/C, 46/C, 47/C, 48/C, 1/D, 2/D, 3/D, 4/D, 5/D, 6/D, 7/D, 8/D, 9/D, 1/K, 2/K, 3/K, 4/K, 5/K, 6/K, 7/K, 19/K, 20/K, 21/K, and 22/K.

Location Restrictions

Fences shall remain behind the point that is 6' behind the front wall of the house.

Notwithstanding the foregoing, lots 25/C and 26/C shall have an Eight Foot Fence as defined in the aforementioned section along the entire boundary shared with

the Gas Line Property for the purposes of restricting access from Ridge Trail Boulevard to the Gas Line Property.

Fencing Not Allowed

Chain link fences other than fence material used for pet enclosures and dog runs or where its use is specified by local ordinances, such as around retention ponds, lift stations and other utility stations.

Vinyl or composite fences of a style other than what has been previously described above and not of any color outside of the range of colors shown in Exhibit "B". The only exception is where a local ordinance requires that a different style or color vinyl or composite fence be used around retention areas and greenbelt areas.

Wooden privacy fences and partitions constructed of materials or of a style other than the shadowbox style previously described.

Any other type of fence or partition made of any other material or of any other style not previously described above.

Driveways

Driveway Width

Two car garage Driveways must be designed to avoid fire hydrants, transformers, and other site utilities. All driveways are to have a minimum width of 16'-0" feet unless site conditions necessitate a narrower driveway. Deviations from the standard 16 foot width must be approved by the ARC. Typical 55' lots with a front entry garage may be up to 22'-0".

Adjacent

Driveways shall not be located closer than 2'-0" from the property line.

Circle Driveways

Circle driveways are allowed provided they meet the other Driveway guidelines.

Materials

Suitable materials include concrete with various finishes, shell-concrete, stone, brick, concrete pavers, etc. Gravel and loose material driveways are not allowed. Painted and stained driveways must be approved by the ARC. To minimize cracking, control joints should be placed every 10'-0".

Garbage Cans

- Garbage cans shall be screened and not be visible from the street.
- Garbage Cans may be placed at the street the night before pick-up.
- Garbage Cans shall be removed from the street on the evening of the pick-up day.

Air Conditioning Condensing Units (HVAC) and Generators

Air conditioner condensing units (HVAC) and generators must be located on the side or rear of the home. If the unit is located on the side of the home, it must not visible from the street. If the unit is not hidden through the use of a privacy fence, the homeowner must follow the "Screening" guidelines found earlier in this document to screen the unit from view

Satellite Dishes and Antennas

In section 47 .C.F.R. Section 1.4000 of the FCC's rule, Telecommunications Act of 1996, the rule prohibits most restrictions that (1) unreasonably delay or prevents the installation, maintenance or use; (2) unreasonably increases the cost of installation, maintenance or use; or (3) precludes reception of an acceptable quality signal on satellite dishes that are less than 1 meter (39.37 inches) in diameter. Therefore, the following are the recommended guidelines that homeowners should follow during the dish's installation:

In most cases satellite dishes can be mounted on a short pole adjacent to where the television wiring protrudes from the side of the home. Using this method usually does not cost the homeowner any additional money or cause a delay in the dish's installation and does not result in holes being made in the roof of the home. In general, dish installs using this method generally improve the appearance if the home especially if that dish can be placed behind a preexisting privacy fence or a privacy fence that might be added at a later date.

Satellite dishes can also be mounted on the edge of the roof preferably above where the television wiring protrudes from the side of the home. This method is used most often when the satellite television installer indicates adequate television reception cannot be attained because angle needed for reception and/or an obstruction prevents the use of a pole mounted installation.

Mounting a dish on a tall pole or mast that would place the dish higher than a roof mounted dish is strongly discouraged due to the potential of lightning strikes that could cause damage to the dish, damage to the satellite receiver box or damage to the home's structure.

For more information on the FCC rule, please refer to the Article "Over-the-Air Reception Devices Rule" that can be found in the internet at https://www.fcc.gov/media/over-air-reception-devices-rule.

Unless expressly permitted by government regulation, any other type of transmitting and/or receiving antenna shall not be permitted on residential property.

Underground Wiring

All electrical wiring shall be run underground. This includes power service to the main house, detached garages, and any other area requiring power.

Sporting Goods

Swing Sets and Playground Equipment

Swing sets and playground equipment, batting cages, etc. shall be located in the rear yard and not visible from the street in front of the home.

Basketball Hoops

Permanent and temporary basketball hoops are expressly prohibited.

Tree Houses

Tree Houses shall be treated as "Accessory Structures" and their plans must be reviewed by the Architectural Review Committee prior to construction or purchase. Tree houses must not be visible from the street.

Birdhouses and Feeders

If Birdhouses or Feeders are visible from the street, their design and location must be reviewed by the Architectural Review Committee prior to their purchase and installation.

Decks

Decks and porches will require submittal under "additions and renovations" if the main house is already constructed.

Outdoor Storage

All Outdoor Storage Items shall not be visible from the street. This includes firewood storage and landscaping tools.

Pre-fabricated storage units are expressly prohibited.

Hot Tubs

Hot Tubs must be located in the rear yard and not visible from the street.

Pools

Pools should be located in the rear yard and not visible from the street. Above ground pools are not allowed.

Pool Enclosures

Pool enclosures and small, childproof fencing around pools is allowed however the homeowner must provide a description of the enclosure or fence as well as the specifications and color of the structure along with their Architectural Request. In addition, whenever possible, the homeowner should provide a photo of the enclosure or pool fence to help speed the review process. Lastly, without exception, the enclosure or fence must meet all building codes and be installed by a builder or a qualified enclosure installer and approved by the ARC.

Pergolas

Any request for a Pergola must include the following:

- A statement indicating whether the Pergola is stick built or a pergola that's manufactured and sold through a store.
- Specifications for the Pergola including height, width, length, type of materials being used as well as the color of the unit.
- A description as well as the dimensions of the base the pergola will sit on.
- Whether the design of the pergola includes a fixed roof. If so, be advised that the roof must be shingled, and the color of the shingles must match the shingles of the home.
- A plat map of the property or a drawing that shows the location of the pergola in relation to the home, property lines, setbacks and any other structures on the property such as pools, garages, etc.

Freestanding Fountains

- All requests for freestanding fountains must be reviewed by the Architectural Review Committee before installation and the requestor must provide product specifications and a color sample at the time of their ARC request is submitted.
- One freestanding fountain is permitted within the front and/or rear landscaping areas providing that the height does not exceed 48 inches measured from the developer's original grade and the fountain does not exceed 36 inches across.
- In lieu of placing the fountain within an approved landscaping area one freestanding fountain may be placed on the front porch and/or rear patio providing that the height does not exceed 48 inches measured from the finished concrete and the fountain does not exceed 36 inches across.
- Freestanding fountains placed in the front landscaping area or on the front porch
 must be a simple design without statues, figurines or other decorative objects.
 Freestanding fountains placed in a rear landscaping area or on the back deck can
 contain statues, figurines or other decorative objects as long as the fountain is not
 visible from the street.
- Regardless of the location of the fountain the color must closely blend with the base color of the dwelling or be of a color that compliments the base color of the dwelling.

- It is expected that the pumping equipment for freestanding fountains is contained within the fountain itself. However, if the pumping equipment is located outside the fountain, then the equipment must be hidden behind from view if the fountain is located in front of the home.
- All freestanding fountains must be kept clean, free of mineral deposits and free of leaves and debris at all times. If the homeowner is going to be away for a prolonged period of time so the fountain cannot be maintained, the fountain must be drained and cleaned to prevent the growth of algae and to prevent the fountain from becoming a breeding ground for insects.

Temporary Structures

Temporary structures shall be treated as "Accessory Structures" and must be reviewed by the Architectural Review Committee prior to being erected. Tents set up for cleaning or for overnight sleeping for children will not require a review from the ARC. In either case, a review will be necessary if the temporary structure is left up for more than 72 hours.

Retaining Walls

If the design of a house and lot requires a retention wall, the design and related landscaping shall be submitted to and reviewed by the ARC.

Arbors / Trellis

If the design of a house and lot includes an Arbor / Trellis, the design shall be submitted to and reviewed by the ARC.

Vehicle Parking

Article VIII, Section 5 of the covenant requires that vehicles other than cars and pickup trucks must be garaged or stored behind a privacy fence where the vehicle cannot be viewed from the street or any adjoining lots. If the vehicle's owner has, in good faith, attempted to comply with the terms of the covenant but the height is such that the vehicle cannot be 100% hidden from view, the homeowner may request a height exemption from the Architectural Review Committee. The Architectural Review Committee has the option to rescind this exemption at any time at its discretion if conditions warrant.

Signage

No sign of any kind shall be displayed to the public view on any Lot or building site in the subdivision except as follows:

1. <u>Vacant Lots</u> - No "For Sale" or other sign shall be placed on a vacant Lot. Only "Lot Identification" markers, which shall be consistent with the size and style described in the architectural guidelines, as adopted by the Architectural Review

- Committee, shall be allowed on vacant Lots. Preferred Builders shall be allowed to place signage on all lots which they own.
- 2. <u>Home Under Construction or Renovation</u> Temporary, non-illuminated, contractor and sub-contractor signs advertising company information of the specific Lot where work is occurring shall be allowed. Such signs shall not exceed five (5) square feet in total area and two (2) feet in height, limited to one such sign per street frontage. Such signs shall not remain in place more than seven (7) days following completion of construction. Such signs may not be placed on Common Area fences and shall not block or interfere with traffic visibility.
- 3. Real Estate Signs Temporary, non-illuminated real estate signs indicating the availability for sale, rent, or lease of the specific Lot on which the sign is located, and which Lot contains a home that is either constructed or under construction. Such signs shall not exceed five (5) square feet in total area and four (4) feet in height, limited to one such sign per street frontage. Such signs shall not remain in place more than seven (7) days following sale closing or rental occupancy of the Lot. Such signs may not be placed on Common Area fences. Open House Real Estate signs shall conform to the dimensions specified above, are limited in number to six (6), shall be placed only upon the Owner's Lot or within the road right-of-way portion of the Common Areas for the duration of the open house, and shall not block or interfere with traffic visibility.
- 4. Garage Sale Signs A sign advertising the existence of a garage sale for the sale of personal property and advertising the date, time and location of the garage sale with such sign having a maximum area of five (5) square feet, a maximum height of three (3) feet only. Garage sale signs may be posted for the period of time from 24 hours prior to the garage sale until 12 hours subsequent to the conclusion of the of garage sale. Such signs shall not block or interfere with traffic visibility, shall be free-standing, shall be limited in number to six (6) signs, and shall be posted only upon the Owner's Lot or within the road right-of-way portion of the Common Areas.
- 5. Special Common Area Event Signs A sign advertising the existence of a special event in the Common Area and advertising the date, time and location of the event with such sign having a maximum area of five (5) square feet, a maximum height of three (3) feet, and posted for only five days prior to the date of the special event. Such signs shall not block or interfere with traffic visibility, shall be free-standing, shall be limited in number to (6) signs and shall be posted only upon the Common Area property or within the road right-of-way portion of the Common Area.
- 6. <u>Signage Guidelines</u> Notwithstanding the forgoing, the Architectural Review Committee shall have the power and authority to adopt signage guidelines more extensive than the above requirement in order to govern the uniform appearance of signage in the subdivision. All signs will be of professional grade, kept neat in appearance and removed or replaced if torn or excessively worn.

Sidewalks

A Lot Owner, at the time of a home's construction, must construct a five (5) foot wide concrete sidewalk within the right-of-way along the front lot line at their own expense. Sidewalks on all lots shall be approximately 6' from the back of curb. Slight variations of this six-foot distance may be needed to avoid utility pedestals. Where storm drain inlets are located, the sidewalk shall abut the back of the inlet. On corner Lots the sidewalk shall be built along the side street and at the front street. All curbs must be saw cut before being removed to construct any driveway or handicap ramps and shall be repaired in a neat and workmanlike manner.

The Association will construct additional sidewalks in the Common Areas on an "as needed" basis, as determined in the reasonable discretion of the Board of Directors of the Association. The cost of the installation, maintenance, repair and replacement of such sidewalks as installed by the Association shall be a common expense to be included within the assessments.

All sidewalks shall be designed and constructed in accordance with current Florida Accessibility Codes and Statutes.

Freestanding Flagpoles

Section 720.304(2) of the Florida State Statutes governs the requirements that homeowners must follow if they wish to install a freestanding flagpole on their property. Because these requirements are state law there is no requirement to submit an Architectural Review Request if a homeowner wishes to install a flagpole on their property. The Architectural Review Committee does recommend that homeowners review the statute ahead of any purchase and installation to ensure that any flagpole being installed is in compliance with the law. For more information please visit the following website:

http://www.leg.state.fl.us/Statutes/index.cfm?App_mode=Display_Statute&URL=0700-0799/0720/Sections/0720.304.html.

Section 5 – Appendix

Forms

- New House Plan
- Addition and Renovation
- Non-Conformance Complaint Form
- Drawing Checklist
- Review Process Checklist

New House Plan Submittal Form

Date Submitted:	
Lot Number:	
Lot Address:	
Owner's Name:	
Primary Contact:	
•	
Contractor's Name	
Communication of Hamile	

Please submit this form with the required plans to:

Iron Rock Architectural Review Committee 4400 Bayou Blvd. #52A Pensacola, FL 32503 ARC@LCMFL.com (850) 407-8124

Iron Rock Homeowners Association 120 E. Main Street, Suite A Pensacola, FL 32502 (850) 429-8640

Owners Name				
Address	ddress Application Date			
Mailing address	f different			
			Cell Phone	
	Check all that apply			
Fence	Pool	Satellite Dish	Landscaping Design	Screened Room
Gutters	Shed	Sprinkler System	Driveway Change	Other
Other				
If required,	have you applied	for the proper permits from	all government agencies?	YESNO
Estimated Begin	ning Date	E	Estimated Completion Date	
	Checkli	ist for commonly re	equested improveme	nts
Privacy Fences Does the request include a site plan that shows the location of the fence, the length of each section of fence, the setback measurements of the front section of the fence from the front of the home, and the setback measurements of the fence from the side and rear property lines? Does the site plan show the width and location of any gates and the distance of the gates from the side of the home and from the nearest property line? Does the request include a description of the fence materials, the style of the fence and height that is compliant with the fence requirements described in the Architectural Guidelines? If the fence is to be stained when built, does the request contain a color sample of the fence stain that will be used? If the request is seeking a waiver to install aluminum picket fencing adjacent to a vegetative natural buffer does the request include a photo sample of the proposed section of fence and color?				
Gutters Does the request include a site plan that shows the location of the proposed gutters on the home? Does the request include a color sample of the gutters and does the color of the gutters match the color of the trim color on the home?				
Pools Does the request include a site plan that shows the size of the pool and does the plan includes measurements from the pool to home, property lines and from any adjacent structures such as a detached garage? Does the site plan include the location of the pool equipment in relation to the home? Does the site plan show the drainage direction of the pool? Does the request include a description of how the pool equipment will be shielded from view the street and/or any adjoining property? If a child pool fence will be used in place of a privacy fence does the request include a photo and complete description of the materials being used? If the pool enclosure is being added, does the request contain a sample photo of proposed structure, the materials being used and color?				

Sheds

to the home, property lines and any other nearby st Does the request include the height, width and lengt Does the request include a description of the siding Does the request include a sample photo of the she style of the roof? Does the request include paint sample of the colors colors relate to the colors of the siding and trim on the Does the request include a sample photo of the shirt how the color and style relates the color and style of Does request include a drainage plan that describes damage to adjoining property? If the dimensions of the shed exceed 200 square fee	th of the proposed shed? materials used in the construction of the shed? d that depicts the style of the shed in terms of windows, doors and the s to be used on the siding and trim and a description as to how these he home? ngles showing the color and style of the shingle and a description as to	
	location of the landscaping area and the proposed plant species? s and does the number and size of the plants meet the requirements as proved plant list found in the guidelines?	
Sprinkler System Does the request include a site plan that shows the	location of the sprinkler heads being added to the property?	
proposed change?	cation of the driveway change that also include the length and width of the driveway change to the home, property lines and any other nearby	
(Applications cannot be process	sed without all required Information above)	
notified in writing of the decision of the committee. By a for the safety, construction, operation, maintenance, accided understand that approval does not relieve me of the Variances, and/or observing all local zoning ordinances. terms and conditions as specified in the approval. All imp	elines on what is and is not permitted in Brookhaven HOA. You will be pproving this request, the association is not assuming any responsibility dent, injury or claim that may arise from the change in the property. e responsibility for obtaining any and all necessary Building Permits, If approved by the association, I agree to make the changes under the provements must be on my property or property lines. If any portion of the myself, or my contractor, I agree to be responsible for and to restore the	
Signature of Applicant Date:		
How to s	ubmit your request:	
By Mail:	By Email:	
Iron Rock Homeowners Association, Inc. c/o Liberty Community Management 4400 Bayou Blvd. #52A Pensacola, FL 32503	ARC@LCMFL.com	
To be completed by the Architectural Rev	view Committee	
Date Received:	Receive by	
Reviewed on	Owner Notified on	
Approved	Disapproved Approved with conditions	

IRON ROCK HOMEOWNERS ASSOCIATION

Non-Conformance Complaint Form

Date Submitted:	
Complainant's Conta	ct Information:
Name:	
Address:	
Phone Number:	
Email Address:	
Non-Conforming Prop	perty Information:
Lot Number (if known)	
Address:	
Complaint or description of necessary attachments).	f non-conformance (if more room is needed please add any

Please submit this form and any attachments to:

Iron Rock Architectural Review Committee 4400 Bayou Blvd. #52A Pensacola, FL 32503 ARC@LCMFL.com (850) 407-8124

Drawing Checklist

This checklist is to be used as an aid during the design process. The drawings below will be checked during the Plan Review. Submittals that do not contain the information below are subject to rejection.

- 1. Site Plan
- 2. Landscape Plan
- 3. First Floor Plan
- 4. Second Floor Plan (if applicable)
- 5. Roof Plan
- 6. Elevations (minimum of 4)
- 7. Wall Sections
- 8. Exterior Details
- 9. Door and Window Schedules
- 10. Exterior Material List
- 11. Exterior Material Sample Board
- 12. New House Plan Submittal Form

Review Process Checklist

This checklist is to be used as an aid during the review process. Each submission will be updated as the review process progresses.

- 1. Preliminary Submittal Received (not required)
- 2. Final Submittal Received
- 3. Verification of Submittal Requirements
- 4. ARC's Final Decision of home Plans
- 5. Landscaping Plan Submittal
- 6. Landscaping Plan Approval

Exhibit "A"

Plant Palette For Iron Rock

GRASSES

AZTEC
EVERGREEN GIANT LIRIOPE
FAKTAHATCHEE
FESTIVAL
LIRIOPE "BIG BLUE"
MISCANTHUS
MONDO
MUHLEY
PAMPAS
PURPLE FOUNTAIN

PALMS

SABAL PINDO SYLVESTER WASHINGTONIA WINDMILL EUROPEAN FAN NEEDLE

VINES/GROUNDCOVER

BLEEDING HEART
COLORADO CREEPER
CREEPING FIG
ENGLISH IVY
JASMINE
JUNIPER
MANDEVILLA
PURPLE PASSION VINE
SWEET POTATO VINE

PERENNIALS/ANNUALS

AFRICAN IRIS **AGAPANTHUS ASTER BACOPA BANANA TREE** BOUGAINVILLEA **BUDDLEIA** BULBINE **BUSH DAISY BUTTERFLY BUSH CALADIUM CLUMPING BAMBOO COLEUS DAYLILY DIANTHUS DIPLODENIA FERNS** GOLD MOUND DURANTA HIBISCUS **HOSTA** LANTANA MEXICAN HEATHER MEXICAN PETUNIA MILLION BELLS **PENTA PETUNIA PHILODENDRON PHLOX** SHRIMP PLANT

SOCIETY GARLIC

TORENIA VERBENA

SHRUBS

ABELIA ACUBA ANISE AZALEA BLUEBERRY BOXWOOD BRIDAL WREATH CAMELLIA **CLEYARA** CERISSA HOLLY **CROTON** CRYPTOMERIA DWARF BURFORDI HOLLY **ELEAGNUS FIREBUSH GARDENIA HYDRANGEA** KNOCKOUT ROSE LIGUSTRUM LOROPETALUM FIREPOWER NANDINA **OLEANDER** PINEAPPLE GUAVA **PITTOSPORUM PLUMBAGO POPOCARPUS SWEET TEA OLIVE VIBURNUM** WAX MYRTLE

TREES

APPLE ARBOR VITAE **BALD CYPRESS BOTTLEBRUSH CHERRY** CORKSCREW WILLOW CRAPE MYRTLE DOGWOOD ELM **HOLLY** INDIAN HAWTHORNE ITALIAN CYPRESS JAPANESE MAGNOLIA JAPANESE MAPLE JUNIPER **KUMQUAT** LEMON LIME LITTLE GEM MAGNOLIA LIVE OAK **NECTARINE PEACH PEAR PECAN** PLUM RED MAPLE RIVER BIRCH SKY PENCIL HOLLY **TOPIARIES** WEEPING YAUPON

Exhibit "B"

Vinyl/Composite Fencing Permitted Colors

Listed below are color samples that should be used as a guide when purchasing vinyl or composite fencing materials. The colors shown range from a light brown to a dark brown hue and any color within this range of colors would be acceptable to the Architectural Review Committee. Please note that different monitors and/or printers may render a slightly different hue to the color samples shown below and final approval of the fence color will depend on the color sample submitted with the fence request.

