

MERCHANT SALES SUPPORT:

☎ 0113 240 2424

✉ everbuild.sales@uk.sika.com

TECHNICAL SUPPORT:

☎ 0113 200 9417

✉ everbuild.technicalservices@uk.sika.com

Everbuild – A Sika® Company
Site 41, Knowsthorpe Way,
Cross Green Industrial Estate,
Leeds LS9 0SW

☎ 0113 240 3456

✉ everbuild.info@uk.sika.com

🌐 everbuild.co.uk

Sika® Ireland Limited
Sika® House
Ballymun Industrial Estate,
Dublin D11 DA2V

☎ +353 (0) 1862 0709

✉ info@sika.ie

🌐 irl.sika.com

THE COMPLETE PRODUCT GUIDE



BUILDING TRUST



CONTENTS




SEALANTS

Professional	6
Fire Protection	14
DIY	15
Sika Sealants	17
Guns & Tools	18
Specifier	21
Sika Specialist Sealants	26



ADHESIVES

Hybrid Sealants & Adhesives	30
Grab	34
Plasterboard	39
Wood	40
Flooring	42
Contact	45
Superglues & activators	46
Craft	48
Specialist Adhesives	51



LANDSCAPING

Jointing Compounds	54
Sealing & Protecting	56
Surface Cleaners & Treatments	58



WOOD CARE & TREATMENT

Treatments & Preservatives	66
Stains & Varnishes	70



ROOFING

Roof Repair	74
Flashing	77
Bitumen	78



EXPANDING FOAMS

Professional & DIY	82
Foam Ancillaries	84
Fire Rated Foam	85



FILLERS & DECORATING SUNDRIES

Surface protectors	88
Decorating Fillers	90
Wood Fillers	94
Dust sheets & Tarpaulins	96
Decorating Sundries	98



TAPES

Building Tapes	102
Repair Tapes	105
Masking Tapes	106
Safety Tapes	107
Packaging Tapes	107
Double sided Tapes	108
Plasterboard Tapes	108



CLEANERS

Wipes	112
Glazing Cleaners	114
Cleaners & Lubricants	115



PLUMBING & HEATING SUPPLIES

Central Heating Treatments	118
Sealers & Compounds	121
Fire & Stove Sundries	123
Fire, Stove & Flue Cements & Mortars	124




BUILDING SUPPLIES

Waterproofing	128
Building Admixtures	134
Self Levelling Compounds	142
Floor Paints & Line Markers	146
Wall Finishing	147
Concrete & Brick Repair	148
Priming	154
PVA & SBR Bonding	155
Chemical Anchors	158
Putties	160
Pointing	161



TILING

Wet Room System	164
Tile Adhesives	166
Grouts	170



RENDERING

Mineral Renders	173
-----------------	-----

INTRODUCTION



Sika Everbuild are proud to be the UK’s leading sealant, adhesive and building chemicals brand and pride ourselves on our expertise when it comes to our core product ranges.

Sika Limited, the UK subsidiary of the worldwide Sika group, was established in 1927 and are focused on developing and producing high quality products and systems for the construction and industrial markets across its four sites, located in the UK.

Specialists in construction chemicals. Sika Ltd offers access to a comprehensive portfolio of problem-solving products for a variety of applications including waterproofing, roofing, concrete repair, flooring and more.

The Everbuild brand has been renowned within the trade for over 25 years and since 2013 has been a part of Sika, helping to bring the same revolutionary product technology used across major building projects to the merchant market.

Not only do Sika Everbuild customers have access to this outstanding product technology, but our merchant partners can also access the full suite of Sika products within each market, ensuring their trade customers can carry out all aspects of a project with products from one brand they know they can trust.



ACCESS TO TRAINING VIA OUR EXPERIENCED TEAM AND ONLINE KNOWLEDGE CENTRE PORTAL.



98% OF ORDERS DELIVERED ON TIME AND IN FULL





DIRECT ACCESS TO THE ENTIRE SIK A PRODUCT PORTFOLIO



UNRIVALLED PRODUCT AND TECHNICAL SUPPORT



OVER 85% OF PRODUCTS MANUFACTURED IN THE UK



SEALANTS

Professional	6
Fire Protection	14
DIY	15
Sika Sealants	17
Guns & Tools	18
Specifier	21
Sika Specialist Sealants	26

Trusted products are tried & tested by leading tradespeople on the most demanding of projects

TRUSTED

Forever White
Silicone Sealant



TRUSTED

FOREVER WHITE® CONTAINS A HIGH QUALITY ANTIMICROBIAL ADDITIVE, RIGOROUSLY TESTED IN ACCREDITED MICROBIOLOGICAL LABORATORIES TO SHOW NO MOULD GROWTH AFTER 10 YEARS*.

* Simulated ageing.

PERMANENTLY FLEXIBLE

TOOLS DOWN SMOOTHLY

PREMIUM QUALITY


STARTS WHITE - STAYS WHITE




CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FOREVERWE	295ML	WHITE	12	5029347603540
FOREVERCLEAR	295ML	CLEAR	12	5029347603953
FOREVERIV	295ML	IVORY	12	5029347606404
FOREVERCY	295ML	GREY	12	5029347615376

A superior silicone sealant that's waterproof, flexible and antibacterial – designed to be used around the home.

Forever White is a superior silicone sealant that is permanently waterproof, flexible and ideal for sealing: shower bases and cubicles, wetrooms, around baths, sinks and basins. It is also ideal for use in kitchens and utility rooms and for sealing around window and door frames. Contains Mould Shield which actively protects the sealant against the growth of bacteria, mildew and black mould.




Caulk Once
Acrylic Caulk



SLUMPING IS OFTEN FOUND WITH INFERIOR CAULKS



CAULK ONCE IS QUICK AND EASY TO APPLY



CAULK ONCE TOOLS DOWN SMOOTHLY FOR A PERFECT FINISH

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
CLKONCEWE3	295ML	WHITE	12	5029347612955
CLKONCEWE4	380ML	WHITE	12	5029347612962

A premium quality acrylic caulk – fast-drying, permanently flexible and tailor-made for a range of jobs.

Caulk Once – the best caulk you will ever use – is a premium quality acrylic caulk that has been formulated to outperform all other conventional decorating caulks and fillers. Caulk Once has been manufactured using an advanced high quality polymer to offer superior adhesion, low shrink as well as tooling down smoothly.



TRUSTED

APPLY ONCE - JOB DONE

NO SLUMP

EASY SMOOTH



EVERFLEX®

Our huge range is ready for anything you throw at it.



WATCH THE VIDEO:
everbuild.co.uk/resources-and-support/product-overview-videos/here-comes-everflex/



Premium 145 Butyl Rubber Sealant

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
145GY	300ML	GREY	12	5029347610357

A semi-setting jointing compound. Typically used for roofing, glazing, metal containers and sectional building applications. It forms a skin in approximately 24 hours but remains permanently plastic underneath. The sealant accommodates joint movements of +/- 5% and is overpaintable. Provides an effective weatherproof seal in a variety of exterior and interior applications.



Brick / Stone / Concrete / Timber



Premium 175 Universal Acrylic Sealant

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
175BN	300ML	BROWN	25	5029347601218
175WE	300ML	WHITE	25	5029347000066
175C4WE	380ML	WHITE	12	5029347615031

A high quality acrylic sealant that provides a long lasting, permanently flexible seal in a wide variety of applications. Adheres to virtually all substrates. Ideal for internal and external sealing around timber and metal window and door frames. Also for internal sealing around PVCu window, door frames, baths and basins, sealing cracks and gaps in brickwork, stone and concrete, and as an adhesive for bonding polystyrene coving and tiles.




Timber / Plaster / Brick / PVCu / Concrete / Stone



Contract 115 GP Building Mastic

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
MASBN	285ML	BROWN	25	5029347601386
MASGY	285ML	GREY	25	5029347601393
MASNL	285ML	STONE	25	5029347601409
MASWE	285ML	WHITE	25	5029347000141

A traditional oil based pointing mastic that provides an effective weatherproof seal. Typically used to seal composite sectional panels and low movement vertical building joints. This high solids formulation means excellent gap filling properties. It's semidrying too, so it remains permanently elastic beneath the surface skin.




Brick / Stone / Concrete / Timber

Contract 125 One Hour Caulk

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
125C3	300ML	WHITE	25	5029347000042
125BN	300ML	BROWN	25	5029347601195
125MAG	300ML	MAGNOLIA	25	5029347601201
125C4	380ML	WHITE	12	5029347000059
OHCC425	380ML	WHITE	25	5029347000059

A fast drying flexible decorators filler and sealant that remains permanently flexible. Can be overpainted with most paint types or covered over with wallpaper - no sanding down required. Ideal for sealing and filling cracks and gaps prior to decorating, and for use around skirting boards, ceiling cornices, window and door frames, stair treads and risings and fixtures adjoining walls. Can be used to fill damaged plaster.




Timber / Plaster / Brick / Concrete

Premium+ 195 Siliconised Acrylic Sealant

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
195WE	300ML	WHITE	25	5029347609535

A high quality sealant that remains highly flexible and can be used on a wide variety of sealing applications both internally and externally. 195 Acrylic has improved adhesion characteristics when compared to conventional acrylic sealants.




Timber / Plaster / Brick / PVCu / Concrete / Stone



LMA 200 Contractors Silicone

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
200BK	295ML	BLACK	25	5029347601492
200BN	295ML	BROWN	25	5029347601485
200TR	295ML	TRANS	25	5029347601478
200WE	295ML	WHITE	25	5029347601461

A cost effective acetoxycure sealant that adheres to most smooth and nonporous materials. Contains an anti-fungal compound to prevent mould growth to the sealant in areas of high humidity. Ideal for aluminium sealing, sealing around baths, showers, basins and other sanitary ware, as an adhesive for fixing PVCu trims, cladding and panels, sealing around worktops and laminates, pointing and door frames, for aluminium gutter sealing and for general draughtproofing.




Glass / Timber / Aluminium / Ceramics / Laminates



Contract 225
Industrial & Glazing Silicone

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
225BK	295ML	BLACK	25	5029347601225
225STEEL	295ML	STEEL	25	5029347602482
225TR	295ML	TRANS	25	5029347601249
225WE	295ML	WHITE	25	5029347000011

A mid modulus acetoxy cure silicone sealant that adheres to most smooth and non-porous substrates. Typically used for single glazing, draught-proofing and general industrial use. Quick curing, with low dirt pick up, it remains permanently flexible and provides a waterproof seal. Temperature resistant. Contains a powerful anti-fungal compound to prevent mould growth to the sealant.




Glass / Timber / Aluminium / Ceramics / Laminates

Premium 335
Construction Silicone

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
335BK	295ML	BLACK	25	5029347601256
335BN	295ML	BROWN	25	5029347601263
335GY	295ML	GREY	25	5029347601287
335NEWBZ	295ML	BRONZE	25	5029347601270
335TOF	295ML	TOFFEE	25	5029347601294
335TR	295ML	TRANS	25	5029347601300
335WE	295ML	WHITE	25	5029347000028

A low modulus reactive cure silicone sealant specially formulated as a cost-effective PVCu sealant, which also adheres to many common building substrates. It remains permanently flexible, forming a weather tight rubber-like seal. Contains anti-fungal compound to prevent mould growth to the sealant.




PVCu / Brick / Aluminium / Plastics / Glass

Premium+ 565
Clean Room Silicone

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
565WE	295ML	WHITE	25	5029347612399

An advanced neutral curing hygienic sealant that contains Mould Shield®, a powerful anti-bacterial compound, and is food contact approved. Prevents the growth of most common moulds. Offers outstanding adhesion to most substrates including plastics, ceramics and metal. Virtually odourless in application with a slow skinning time. Ideal for long joint runs in larger applications. Remains permanently flexible with a movement capability of +/- 25%. **Approved for food contact to 21CFR177.2600 by IANESCO (France) and meets ISO 11600 F 25LM.**




Metal / Ceramics / Glass / Most Plastics

Contract 700T
LMN Silicone

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
700TBN	300ML	BROWN	25	5029347615123
700TNEWBZ	300ML	BRONZE	25	5029347615130
700TCA	300ML	CARAMEL	25	5029347615147
700TNEWMH	300ML	MAHOGANY	25	5029347615154
700TTR	300ML	TRANS	25	5029347600631
700TWE	300ML	WHITE	25	5029347615116
700TBK	300ML	BLACK	25	5029347615161
FP700TTR	600ML	TRANS	12	NO BARCODE
FP700TWE6	600ML	WHITE	12	NO BARCODE

A fast, neutral cure, low modulus sealant specially formulated for the PVCu and roofline industry. For perimeter pointing window and door frames, sealing plastic roofline areas, general weather sealing, and also sanitary applications. White and translucent also available in a foil pack.




Timber / Brick / Stone / PVCu / Concrete / Metal

Premium+ 450
Builders Silicone

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
450BF	300ML	BUFF	25	5029347601317
450BK	300ML	BLACK	25	5029347601324
450BN	300ML	BROWN	25	5029347601331
450GY	300ML	GREY	25	5029347601348
450OAK	300ML	OAK	25	5029347603502
450TR	300ML	TRANS	25	5029347601355
450WE	300ML	WHITE	25	5029347000035

A premium quality low modulus non-corrosive neutral cure silicone sealant that adheres to virtually all substrates, both porous and non-porous. Typically used for construction expansion joints and perimeter pointing of all types of door and window frames. Low dirt pick up - which is particularly important in PVCu work. **Conforms to ISO 11600 Class: F 25LM and G 25LM.**




Timber / Brick / Stone / PVCu / Concrete / Metal

Premium+ 500
Bath & Sanitary Silicone

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
500GREY	295ML	GREY	12	5029347603373
500IV	295ML	IVORY	25	5029347601362
500SAND	295ML	STONE	12	5029347603380
500TR	295ML	TRANS	25	5029347601379
500WE	295ML	WHITE	25	5029347000127

A premium quality mid modulus acetoxy cure silicone sealant that contains a high level of powerful anti-fungal compound to protect the sealant. Typically used in areas of high humidity, such as bathrooms and kitchens. Permanently flexible, waterproof seal. Will not discolour on ageing even in humid/damp conditions.




Ceramics / Acrylic / Laminates / Aluminium / Glass

Contract AC50
Acoustic Sealant & Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
AC50900	900ML	WHITE	9	5029347600112
AC50C4	380ML	WHITE	12	5029347600358

A high strength, permanently flexible sealant and adhesive specifically formulated for sealing and bonding plasterboard and other kraft lined insulation boards. Typically used for walls, ceilings and dry lining applications. Water based, solvent free formula, easy to use and clean up and adheres to just about all building substrates.



Timber / Plaster / Brick / Stone / Concrete

Check out our full range
of guns, tools and
nozzles for cartridge
and foil packs

See pages 18-20 within
the Sealants section



Silicone Eater


MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SILEAT	100ML	-	12	5029347115005

A revolutionary chemical that breaks up and removes all types of silicone sealant. Harmless to most surrounding surfaces and can be used to remove sealant from baths, kitchen worktops, basins, showers, doors and window frames.

Aqua Mate
Aquarium Sealant

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
AQUATR	295ML	TRANS	12	5029347120009

An acetoxycure 100% silicone sealant and adhesive designed specifically for aquarium manufacture. 100% fish safe formula. The waterproof seal will withstand continuous water immersion over a long period of time once cured. Fast cure (tack free in one hour), gives extremely high early strengths. **Meets the requirements of ISO 11600 G20LM**



Glass / PVCu / Aluminium

Heat Mate
Heat Resistant Sealant

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
HEAT	295ML	RED	12	5029347113001
HTSBK	295ML	BLACK	12	5029347615307

A high modulus permanently flexible 100% silicone which is temperature resistant up to 300°C. Ideal for sealing industrial and high performance gaskets, oven doors etc. Cures quickly to reduce dirt pick up. Remains permanently flexible, forming a water tight rubber-like seal. Excellent adhesion to most non-porous surfaces.

Lead Mate
Sealant

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
LEAD	295ML	GREY	25	5029347007355

Specially formulated as an alternative to mortaring lead flashing and sheet into brick, stone and concrete, providing a fully waterproof joint. Cleaner and easier to apply than conventional mortar, and a great time-saver. Excellent weathering characteristics, permanently flexible and accommodates thermal movement in lead. Tack free in 1 hour. Temperature resistant to 150°C.




Lead / Brick / Concrete / Stone / Timber

Weather Mate
Gap Filler & Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
WEACL	295ML	CLEAR	25	5029347601454
WEAWE	295ML	WHITE	25	5029347000073
WEABK	295ML	BLACK	25	5029347601447

Based on an advanced isocrylic formula that provides the ultimate in technology for adhesion to many surfaces. It can be applied in wet weather, to wet surfaces, even under water. Resistant to all weather extremes, remains permanently flexible and can be overpainted with most paints and wood stains when cured, although overpainting is not essential.




Metal / Timber / Galvanised Steel / Bitumen

Galva Mate
Duct Sealant

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
GALVAM	295ML	GREY	25	5029347000707

A high performance solvent free adhesive and sealant specifically designed for sealing high velocity duct work in heating and ventilation systems. Very strong adhesion to galvanised and stainless steel surfaces, excellent slump resistance, permanently flexible and resistant to mildew and mould growth.



Galvanised Steel / Stainless Steel

Visit everbuild.co.uk/Product-Finder to find the right product for the job

Fire Mate Intumescent Acrylic Sealant

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FIRE	295ML	WHITE	25	5029347000134
FIREMATEGY	295ML	GREY	25	5029347613648
FIREMATEBN	295ML	BROWN	25	5029347613631

An intumescent acrylic sealant that swells when exposed to temperatures in excess of 125°C to prevent the passage of fire and smoke. Has a fire rating of up to 4 hours in certain joint configurations. **Fire rated to EN1366-4. Acoustic rated to ISO 140-3. Tested for air permeability to EN13141-1. Tested to EN1366-3.**




Brick / Concrete / Stone / Timber / Plasterboard

Contract AC95 Intumescent Sealant & Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
AC95900	900ML	WHITE	9	5029347602413

An intumescent acrylic sealant and adhesive specifically formulated for fire rated sealing and bonding applications on plasterboard and other kraft lined insulation boards. Provides up to 4 hours fire resistance. **Tested to EN1366-4. Acoustic rated to ISO 140-3. Tested for air permeability to EN13141-1 Ventilation for buildings. Performance testing of components/products for residential ventilation. Tested to EN13963, Type 4A.**



Timber / Plaster / Brick / Stone / Concrete

Pyro Mate Fire Rated Silicone

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
PRYWE	295ML	WHITE	12	5029347608941

A neutral cure elastic silicone sealant which conforms to EN1366-4 for fire protection and has a fire rating of up to 4 hours in certain joint configurations. Acoustic rated to ISO 140-3. Tested for air permeability to EN13141-1 Ventilation for buildings. Performance testing of components/products for residential ventilation. **Conforms to ISO 11600 class: F25LM and EN15651 to ISO 9047, 8339 and 10563.**



Timber / Brick / Stone / Glass / Concrete / Metal

Firespan Intumescent Putty Pads

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FSPANGL	SINGLE	RED	20	NO BARCODE
FSPANDBL	DOUBLE	RED	20	NO BARCODE

Designed to be used on the inside or outside of electrical socket boxes to maintain fire and smoke barrier where service holes are cut into dry lining and all types of fire rated boarding. Tested to EN1366-3 to provide up to 2 hours fire protection, and also maintain acoustic integrity of the drylining system. High tack adhesion, pliable and mouldable, self bonding.

Single Socket Pad Size: 4MM thick x 170MM x 170MM.
Double Socket Pad Size: 4MM thick x 230MM x 170MM.

Acoustic rated to BS EN ISO 140-3. Tested for air permeability to EN13141-1 Ventilation for buildings. Performance testing of components/products for residential ventilation.




General Purpose Silicone

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
EASIGPCL	80ML	CLEAR	12	5029347606060
EASIGPWE	80ML	WHITE	12	5029347606022

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
GPSBK	280ML	BLACK	25	5029347600938
GPSBN	280ML	BROWN	25	5029347200008
GPSGY	280ML	GREY	25	5029347608965
GPSTR	280ML	CLEAR	25	5029347100001
GPSWE	280ML	WHITE	25	5029347000004
12GPSBK	280ML	BLACK	12	5029347600938
12GPSBN	280ML	BROWN	12	5029347200008
12GPSGY	280ML	GREY	12	5029347608965
12GPSTR	280ML	CLEAR	12	5029347100001
12GPSWE	280ML	WHITE	12	5029347000004

A mid modulus silicone sealant that adheres to most smooth and non-porous materials. Contains an anti-fungal compound to be mould resistant in areas of high humidity. Forms a permanently flexible rubber seal. Available in both cartridges and squeeze tubes.




Glass / Ceramics / Timber / Aluminium / Laminates

Bath & Kitchen Sealant

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
EASIBATH	200ML	WHITE	12	5029347000547

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
BATH	290ML	WHITE	12	5029347000554

A high quality, acrylic based sealant that provides an effective, yet economical seal that is easy to use. With added anti-fungal compound. Perfect for use in bathrooms and kitchens. Available in both cartridge and squeeze tube form.



Acrylic / Ceramics / Laminates / Timber / Plaster

Flexible Decorators Filler

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
EASIFLEX	200ML	WHITE	12	5029347601041

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FLEX	290ML	WHITE	12	5029347000554

A fast drying, acrylic based filler and sealant that remains permanently flexible. Can be overpainted with most paint types or covered over with wallpaper. No sanding down required. Available in both cartridge and squeeze tube form.




Glass / Ceramics / Timber / Metal / Laminates

Showerproof
Bathroom Silicone

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SHOWWE	280ML	WHITE	12	5029347609610
SHOWTR	280ML	CLEAR	12	5029347609627

A mid modulus sanitary & shower silicone sealant that adheres to most smooth and non-porous materials. Contains a powerful anti-fungal compound to be mould resistant in areas of high humidity. Forms a permanently flexible rubber seal.




Glass / Ceramics / Timber / Aluminium / Laminates

Timber & Laminate
Sealant

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
TIMBBCH	290ML	BEECH	6	5029347600143
TIMBMAH	290ML	MAHOGANY	6	5029347600150
TIMBOAK	290ML	OAK	6	5029347600136
TIMBPINE	290ML	PINE	6	5029347600129

A polymer rich, permanently flexible sealant and gap filler designed for sealing around laminate flooring, fitted furniture and kitchen worktops. Formulated using high clarity lightfast colour pigments.



Timber / Laminates / MFC / MDF

Roof & Gutter
Sealant

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
ROOF	295ML	BLACK	12	5029347000172

A premium quality butyl based sealant and adhesive that provides instant, permanent weather-proofing to a wide variety of roofing applications. Adheres to most common roofing materials such as bitumen, asphalt, felt, metals and wood.




Felt / Slates / Tiles / Wood / Bitumen / Gutters

External Frame
Sealant

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
EXTBN	290ML	BROWN	12	5029347000585
EXTGY	290ML	GREY	12	5029347000592
EXTST	290ML	STONE	12	5029347000608
EXTWE	290ML	WHITE	12	5029347000530

A high quality acrylic based sealant that provides a long lasting, permanently flexible seal that can be overpainted when cured.




Timber / Plaster / Brick / Stone / Concrete

Sika® Sanisil
Sanitary Silicone

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKSANISILCL	300ML	CLEAR	12	3240240006050
SKSANISILWE	300ML	WHITE	12	3240240006043

A high quality, acetox curing, sanitary silicone containing a powerful anti-fungal compound for resistance to fungus and mildew. Sika® Sanisil is the ideal choice for sealing around baths, showers, sinks, kitchens and areas subject to high humidity levels. It can also be used for cap sealing to metal, timber, PVCu window frames.

Sikaseal® Multi Purpose
General Purpose Silicone


CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKSEALMPTR	300ML	TRANSLUCENT	12	5055492701961
SKSEALMPWE	300ML	WHITE	12	5055492701947

A versatile acetox curing silicone sealant, suitable for a variety of household applications. Contains an anti-fungal compound to prevent mould growth in the sealant when used in areas of high humidity. Adheres to smooth and non-porous substrates and forms a permanently flexible seal.

Sika® Plastix-22A
Premium LMN Silicone

CODE	SIZE	COLOUR	MERCHANT INFO	
			BOX QTY	BARCODE
SKPLAS22AANTH	300ML	ANTHRACITE	12	5055492701480
SKPLAS22ABK	300ML	BLACK	12	5055492701503
SKPLAS22ACHGN	300ML	CHARTWELL GREEN	12	5055492701541
SKPLAS22ACML	300ML	CARAMEL	12	5055492701527
SKPLAS22ATK	300ML	TEAK	12	5055492701466
SKPLAS22ATR	300ML	TRANSLUCENT	12	5055492701442
SKPLAS22AWE	300ML	BRILLIANT WHITE	12	5055492701428
SKPLAS22AIOA	300ML	IRISH OAK	12	5055492701800
SKPLAS22ACRM	300ML	CREAM	12	5055492701794

A premium grade, low-modulus, neutral curing silicone sealant that is ideal for glazing and roofline applications, along with other construction and industrial uses. This product's low dirt pick up makes it ideal for use with PVCu and plastics. Certified for facade, glazing, cold climate and sanitary applications.



Power Pro

Sealant Gun

CODE	SIZE	MERCHANT INFORMATION	
		BOX QTY	BARCODE
SGNEPOWER	C4/400ML	6	5029347600945

The ultimate heavy duty sealant gun, extra pull trigger, hook end and swivel action barrel for both 310ML and 400ML cartridges. Engineered for the trade.



Professional

Sealant Gun

CODE	SIZE	MERCHANT INFORMATION	
		BOX QTY	BARCODE
SG310	C3/310ML	12	5029347602246
SG400	C4/400ML	12	5029347600952

Sturdy skeleton gun with hexagonal rod and reinforced ring and hook end.




Jumbo

Sealant Gun

CODE	SIZE	MERCHANT INFORMATION	
		BOX QTY	BARCODE
SG9	900ML	1	5029347600785

With swivel action and extra heavy duty push rod mechanism to cope with stiff acoustic sealants. For all 900ML cartridges.



Superflow

Sealant Gun

CODE	SIZE	MERCHANT INFORMATION	
		BOX QTY	BARCODE
SGSUPERF	C3/310ML	6	5029347613082

Engineered to be what we believe is the best gun ever with a rotating barrel, smooth action trigger soft grip handle and a non-drip device all wrapped up in a robust, sturdy gun that will handle the toughest of conditions.



Foil Pack

Spare Nozzles & Push Disc

CODE	SIZE	MERCHANT INFORMATION	
		BOX QTY	BARCODE
SGCOMBINOZ	-	1	5029347600815

Refill pack for foil pack applicator gun; contains 10 x nozzles and 1 x push disc.



Foil Pack

Applicator Gun

CODE	SIZE	MERCHANT INFORMATION	
		BOX QTY	BARCODE
SGCOMB16	600ML	1	5029347600808

The Foil Pack applicator gun is designed for use with foil packs, the enclosed aluminium barrel can also be used for standard cartridges.



For an environmentally friendlier choice – try the foil packed Tecnic range

See pages 24-25 within the Sealants section



Standard Nozzles

MERCHANT INFORMATION			
CODE	SIZE	BOX QTY	BARCODE
NOZSTD	-	12	5029347606237

Standard cartridge nozzles, handy replacements packed in 6's.



Seal Rite
Smooth-Out Tool

MERCHANT INFORMATION			
CODE	SIZE	BOX QTY	BARCODE
SMOOTHOUT	-	12	5029347603618

The Smooth-Out Tool is a unique tool that is ideal for smoothing out all sealants after application – it creates a perfect seal every time. Even better, you will have no edge marks and no mess! This tool is really remarkable, once used, you'll never seal again without it.



Seal Rite
Strip-Out Tool

MERCHANT INFORMATION			
CODE	SIZE	BOX QTY	BARCODE
STRIPOUT	-	12	5029347603557

The Strip-Out Tool is a unique patented tool which works on any type of sealant and is the ideal partner for use before applying silicone sealant. The Strip-Out Tool is incredibly simple and its design and shape provides a really quick way to strip all types of sealant out of any 90° angle joint.



Seal Rite
Strip-Out & Smooth-Out Twin Pack

MERCHANT INFORMATION			
CODE	SIZE	BOX QTY	BARCODE
SRSSTWIN	-	12	5029347609603

A Twin pack with Strip-Out Tool for easy sealant removal and Smooth-Out Tool to create the perfect seal. Ideal for use with Everbuild Silicone Sealants.



Silicone 825
Silicone Sealant



MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
825ANTH	380ML	ANTHRACITE	25	5029347615741
825BG	380ML	BEIGE	25	5029347615734
825BK	380ML	BLACK	25	5029347615727
825BN	380ML	BROWN	25	5029347615710
825BRICK	380ML	BRICK RED	25	5029347615703
825BUFF	380ML	BUFF	25	5029347615697
825DKANTH	380ML	DARK ANTHRACITE	25	5029347615673
825DARKGY	380ML	DARK GREY	25	5029347615680
825LMWE	380ML	LIMESTONE WHITE	25	5029347615666
825MAG	380ML	MAGNOLIA	25	5029347615659
825MIDGREY	380ML	MID GREY	25	5029347615642
825PORT	380ML	PORTLAND STONE	25	5029347615628
825WE	380ML	WHITE	25	5029347603977
FP825WE6	600ML	WHITE	12	5029347612870

Shore A Hardness	20-30
Movement Accommodation	+/-35% (ASTM C719)
Skinning Time	30-45 mins
Elastic Recovery	>80%

Silicone 825 is a low modulus, neutral curing Silicone sealant based on a filled alkoxy curing system.

Conforms to ISO 11600 class F25LM and G25LM. Used for expansion joints to stone, brick, concrete and composite panels, perimeter pointing around all types of window and door frames. Substrates: Glass, aluminium and PVC – all primerless.

TRUSTED

SUBSTRATES: GLASS,
ALUMINIUM AND PVC
- ALL PRIMERLESS.

TECHNICAL EXCELLENCE
PROFESSIONAL
PERFORMANCE



Fire Sealant 300

Intumescent Acrylic Sealant

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
300GY	380ML	GREY	25	5029347603984
300WE	380ML	WHITE	25	5029347603984
FP300GY6	600ML	GREY	12	NO BARCODE
FP300WE6	600ML	WHITE	12	NO BARCODE

Movement Accommodation	+/-12.5%
Skinning Time	10 mins
Elongation at Break	200%

An intumescent and acoustic acrylic sealant that swells when exposed to temperatures in excess of 150°C to prevent the passage of fire and smoke, with a fire rating of up to 4 hours. Typically used for sealing joints, voids and irregular holes in fire walls, partitions and other structures. For internal perimeter pointing of fire rated door and window frames. **Fire rated to EN1366-4 and EN1366-3, Acoustic rated to BS EN ISO 140-3. Tested for air permeability to EN13141-1 Ventilation for buildings. Performance testing of components – products for residential ventilation.**



Fire Sealant 400

Fire Rated Silicone Sealant

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
400BK	380ML	BLACK	25	5029347603991
400GY	380ML	GREY	25	5029347603991
400WE	380ML	WHITE	25	5029347603991

Movement Accommodation	+/-25%
Skinning Time	30 – 45 mins
Elastic Recovery	80%
Elongation at Break	350%

A neutral cure, elastic, acoustic rated silicone sealant with a fire rating of up to 4 hours. Typically used for all building and glazing joints which require a fire rating, sealing joints, voids and irregular holes in fire walls, partitions and other structures. **Fire rated to EN1366-4, Acoustic rated to BS EN ISO 140-3. Tested for air permeability to EN13141-1 Ventilation for buildings. Performance testing of components – products for residential ventilation. ISO 11600 class: F25LM.**



Silicone S50

Sanitary Silicone Sealant

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
S50JAS	310ML	JASMINE	25	5029347604844
S50MAN	310ML	MANHATTAN GREY	25	5029347604844
S50TR	310ML	TRANS	25	5029347604844
S50WE	310ML	WHITE	25	5029347604844

Movement Accommodation	+/-20%
Skinning Time	15 mins @20°C
Cure Time	3-4MM per 24hrs
Service Temp	-40 to +150°C

A mid modulus, acetoxycuring silicone sealant that contains a powerful anti-fungal compound to prevent mould and fungal growth to the sealant in areas of high humidity. Gives improved adhesion and flexibility when compared to standard sanitary grades. **Tested to ISO 11600 F/ G20LM and EN15651.**



Joint Backer Rod

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
BACK10	1150MT	GREY	1	NO BARCODE
BACK12	750MT	GREY	1	NO BARCODE
BACK15	550MT	GREY	1	NO BARCODE
BACK19	350MT	GREY	1	NO BARCODE
BACK25	200MT	GREY	1	NO BARCODE
BACK31	160MT	GREY	1	NO BARCODE

Everbuild Tecnic Joint Backer Rod is a non absorbent compressible grey closed cell polyethylene foam backing material. It is inserted into a joint to control sealant depth and create a backstop to allow proper sealant applications.



Silicone 950

LMN Sealant

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
950NEWWE	380ML	WHITE	25	5029347604134

Shore A Hardness	~30
Movement Accommodation	+/-25%
Skinning Time	30-45mins
Elastic Recovery	>80%

A low modulus alkoxy sealant which is suitable for use on most building and construction joints. Silicone 950 adheres to most smooth porous and non-porous materials including PVCu, aluminium, painted surfaces, stone, brick, concrete, steel, brass, lead, polycarbonate etc.



Anti Pick 109

Pick Resistant Sealant

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
ANTIP109GY	295ML	GREY	25	5029347610210
ANTIP109SL	295ML	SOFT LINEN	25	5029347610210
ANTIP109WE	295ML	WHITE	25	5029347610210

Shore A Hardness	~50
Tensile Strength (ISO 8339)	> 1N/mm² at 60% elongation
Curing Time at 23°C and 50% RH	2mm / 24hr

A very high modulus, one part, chemically curing sealant. Specifically designed for providing a hand pick resistant seal accommodating small movement for areas where a normal sealant is not hard enough.



Hybriflex 25LM
Low Modulus Sealant

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
HYB25LMWE	380ML	WHITE	25	5029347612054

Shore A Hardness	20-30
Skin Formation at 23°C and 50% RH	20-45 mins

A one part low modulus building sealant based on hybrid polymer technology. For perimeter pointing of uPVC, window/door frames, for expansion joints, weather sealing applications, parapet and roofline sealing, weatherproofing sealing, construction and dilation joints. Overpaintable. **Tested to ISO11600 class: F25LM.**

**Hybriflex 40**
Hybrid Polymer Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
HYB40GY	295ML	GREY	12	5029347613334

Shore A Hardness	50 +/-5
Skinning Time	10-40 mins
Cure Time	2mm/24 hr
Elastic Recovery	>60%

A high modulus, one-component hybrid based adhesive which adheres strongly to most substrates. Provides excellent resistance to most common chemicals and solvents and can be overpainted when cured.

**Hybriflex 55**
Hybrid Polymer Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FPHYB55BK	600ML	BLACK	12	NO BARCODE
FPHYB55WE	600ML	WHITE	12	NO BARCODE

Shore A Hardness	55-60
Skinning Time	30-45 mins
Elastic Recovery	>75%
Tensile Strength	1.5N/mm ²

A high strength, permanently elastic, neutral cure hybrid polymer based adhesive. Isocyanate, silicone and halogen free, overpaintable with most paints, excellent adhesion to most construction substrate, resistant to most chemicals.

**Hybriflex 480**
Hybrid Polymer Building Sealant

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
HYB480GY	380ML	GREY	25	5029347606107
HYB480WE	380ML	WHITE	25	5029347606107

Shore A Hardness	35-45
Skinning Time	+/- 25%
Elastic Recovery	20-35 mins
Tensile Strength	>70%

A one part general purpose building sealant based on hybrid polymer technology. Ideal for perimeter pointing of uPVC and all window/door frames, expansion joints, weatherproof sealing etc. which need to be painted over afterwards. **Conforms to ISO 11600 Class: F25HM.**

**Hybriflex SMP**
Flooring Sealant

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FPHYBSMPGY	600ML	GREY	12	NO BARCODE

Shore A Hardness	30-40
Movement Accommodation	+/-20%
Elongation at Break (ISO 8339)	>250%
Service Temperatures	-40°C to +90°C

Formulated to provide a high shore A sealant combined with a low viscosity to enable high speed application into floor joints. Suitable for sealing saw cut and pre-formed expansion joints on both internal and external floor joints, provides exceptional abrasion resistance.

**Puraflex 25**
Low Modulus PU

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
INDPU25BK	300ML	BLACK	12	5029347613174
INDPU25BN	300ML	BROWN	12	5029347613181
INDPU25BU	300ML	BUFF	12	5029347613198
INDPU25GY	300ML	GREY	12	5029347613204
INDPU25WE	300ML	WHITE	12	5029347613211
FPINDPU25BK6	600ML	BLACK	20	NO BARCODE
FPINDPU25GY6	600ML	GREY	20	NO BARCODE
FPINDPU25WE6	600ML	WHITE	20	NO BARCODE

Shore A Hardness	20
Movement Accommodation	+100/-50% (ASTM C719)
Skinning Time	70 mins

A one part low modulus building sealant based on polyurethane technology. It is suitable for most construction expansion and dilation joints and adheres to most building surfaces such as concrete, ceramics, wood, metal, uPVC etc. **Conforms ISO11600 F25LM and is CE marked to EN15651-1: 2012 Type F EXT-INT CC.**

**Hybriflex FR**
Fire Rated Hybrid Polymer

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FPHYBFRGY	600ML	GREY	12	NO BARCODE

Shore A Hardness	40+/-5
Movement Accommodation	+/-25%
Skin Formation at 23°C and 50% RH	20-55 mins
Elongation at Break (ISO 8339)	>200%

A one part, chemically curing solvent free sealant and adhesive. Specifically designed multi-purpose floor/wall sealant for all concrete saw cuts and cladding applications and/or slab expansion joints, where fire resistance is required. **Fire rated up to 4 hours in certain joint configurations (when tested to EN1366 Part 4 2006 - Warrington Fire Certificate 195854/A October 2010).**

**Puraflex 40**
High Modulus PU

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
INDPU40BK	300ML	BLACK	12	5029347613143
INDPU40GY	300ML	GREY	12	5029347613150
INDPU40WE	300ML	WHITE	12	5029347613167
FPINDPU40BK6	600ML	BLACK	20	NO BARCODE
FPINDPU40GY6	600ML	GREY	20	NO BARCODE
FPINDPU40WE6	600ML	WHITE	20	NO BARCODE

Shore A Hardness	30-40
Skinning Time	~50 mins
Cure Time	3.5mm/24 hr
Elastic Recovery	>75%

A high modulus, one-component PU sealant and adhesive which adheres strongly to most substrates. Provides excellent mechanical resistance (Shore A 30-40), resistance to most common chemicals and can be overpainted when cured.



Sikaflex® PRO-3 Purform Polyurethane Sealant

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FPSKPRO3PBK6	600ML	BLACK	20	7612895756448
FPSKPRO3PGY6	600ML	GREY	20	7612895755496
FPSKPRO3PWE6	600ML	WHITE	20	7612895758466


Containing new Purform technology for a futureproof polyurethane formula, Sikaflex PRO 3 Purform is a one-part, moisture curing, elastic joint sealant with superior mechanical properties combined with excellent weather and chemical resistance. Ideal for use in floor joint sealing. Ultra-low monomer and VOC content and certified for use in food contact areas.



SikaHyflex®-250 Polyurethane Sealant

CODE	SIZE	COLOUR	MERCHANT INFO	
			BOX QTY	BARCODE
FPSKHY250FCBGY	600ML	BASALT GREY	20	7612894991093
FPSKHY250FCCGY	600ML	CONCRETE GREY	20	7612894945478
FPSKHY250FCDCGY	600ML	DARK GREY	20	7612894946819
FPSKHY250FCIV	600ML	IVORY	20	7612894991079
FPSKHY250FCWE	600ML	WHITE	20	7612894949094

A high performance, one-part, moisture curing, low-modulus sealant. SikaHyflex®-250 is designed to provide an elastic and waterproof seal on movement and connection joints in commercial building envelopes. This product possesses excellent weathering and ageing resistance along with good adhesion to many substrates.



Sikaflex® PRO-3 Self Levelling Polyurethane Floor Sealant

CODE	SIZE	COLOUR	MERCHANT INFO	
			BOX QTY	BARCODE
FPSKFLEXP3SLCGY	600ML	CONCRETE GREY	20	7612894826821

A one-component, moisture curing, self-levelling, elastic joint sealant which is based on polyurethane. Sikaflex® PRO-3 Self-Levelling is designed for horizontal applications in movement and connection joints in floors, pedestrian and traffic areas, as well as warehouses and production areas. This product is certified for use in food contact areas.



Sikaflex® Tank N Polyurethane Sealant

CODE	SIZE	COLOUR	MERCHANT INFO	
			BOX QTY	BARCODE
FPSKFLEXTKGY6	600ML	CONCRETE GREY	20	7612894633962

A one-component, moisture curing, elastic joint sealant based on polyurethane. Sikaflex® Tank N is designed for use in areas for the storage, handling and filling of water polluting liquids.



Sikaflex® Floor Polyurethane Sealant

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FPSKFLEXFL6	600ML	GREY	20	7612894830590

A one-component, moisture curing, elastic joint sealant with high mechanical resistance. Sikaflex® Floor is designed for connection joints in floors, joints for crack control in industrial floors and floor joints between pre-cast concrete elements.



Sikasil® Pool Silicone Sealant

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKSILPOOLGY	300ML	GREY	12	7612894590906
SKSILPOOLWE	300ML	WHITE	12	7612894609400


A one-component, neutral curing silicone sealant for joints located in and around swimming pools and areas under permanent water immersion.



Sikaflex® Construction+ Polyurethane Sealant

CODE	SIZE	COLOUR	MERCHANT INFO	
			BOX QTY	BARCODE
FPSKFLEXCONCGY	600ML	CONCRETE GREY	20	7612894961690

A one-component, moisture curing, flexible joint sealant. Sikaflex® Construction+ is designed for movement and connection joints in concrete and masonry facades.



Sika® Primer 3N

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKPRIME3N1	1LTR	TRANSPARENT (SLIGHTLY YELLOW)	1	7612894543216

A one-component, solvent based primer and adhesion promoter; designed for use on porous substrates and metals. Evaporates quickly.



ADHESIVES

Trusted products are tried & tested by leading tradespeople on the most demanding of projects

TRUSTED

Hybrid Sealants & Adhesives	30
Grab	34
Plasterboard	39
Wood	40
Flooring	42
Contact	45
Superglues & activators	46
Craft	48
Specialist Adhesives	51

EB25
Sealant & Adhesive

NOTHING STICKS BETTER.
NOTHING SEALS BETTER.



WATCH THE VIDEO:
[EVERBUILD.CO.UK/
RESOURCES-AND-
SUPPORT/PRODUCT-
OVERVIEW-VIDEOS/EB25/](https://everbuild.co.uk/resources-and-support/product-overview-videos/eb25/)



TRUSTED

EB25 is the ultimate sealant and adhesive, using a unique polymer blend and cutting-edge technology to deliver superior flexibility and an incredible bond strength. Suitable for indoor and outdoor use, EB25 can be used on virtually any material in most weather conditions, even underwater.


It also has the benefit of being certified for use in sanitary and food preparation areas and once cured, is resistant to mould, temperature extremes, chemicals and more.

Plus it does all of this whilst meeting the toughest emissions classification EC1plus!

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
EB25ANTH	300ML	ANTHRACITE	12	5029347615598
EB25BK	300ML	BLACK	12	5029347615550
EB25CL	300ML	CRYSTAL CLEAR	12	5029347615543
EB25GY	300ML	GREY	12	5029347615567
EB25WE	300ML	WHITE	12	5029347615536

Sikaflex® EBT+

Polyurethane Adhesive, Sealant & Filler




TRUSTED

3-IN-1 ADHESIVE,
SEALANT & FILLERPERMANENTLY
FLEXIBLE AND ELASTICWATERPROOF AND
WEATHERPROOFHIGH-GRAB,
NON-SAG

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKFLEXBTWE	300ML	WHITE	12	7612894368475
SKFLEXBTCT	300ML	CLEAR	12	5055492700780
SKFLEXBTBG	300ML	BEIGE	12	7612894370546
SKFLEXBTBK	300ML	BLACK	12	7612894368437
SKFLEXBTBN	300ML	BROWN	12	7612894370560
SKFLEXBTGY	300ML	GREY	12	7612894368451

A multi-purpose, permanently- elastic, one-part, polyurethane* adhesive and sealant. Sikaflex® EBT+ bonds to all common building materials; its excellent grab and gap filling properties makes it ideal for use in a wide range of building and maintenance applications.

*Clear product is a hybrid polymer

**Stixall Extreme Power**

Sealant & Adhesive



TRUSTED

WORKS UNDERWATER

ADHERES TO VIRTUALLY
ANYTHING

HIGH GRAB STRENGTH



CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
STIXBK	290ML	BLACK	12	5029347603281
STIXBN	290ML	BROWN	12	5029347603304
STIXCLR	290ML	CRYSTAL CLEAR	12	5029347603960
STIXGY	290ML	GREY	12	5029347603298
STIXWE	290ML	WHITE	12	5029347602604
STIXNAT	290ML	NATURAL	12	5029347615291
EASISTIXCL	80ML	CRYSTAL CLEAR	12	5029347606053
EASISTIXWE	80ML	WHITE	12	5029347606015

Stixall Extreme Power is a combined adhesive and sealant, based on hybrid polymer technology, with extreme power to both bond and seal nearly everything in almost all conditions, even underwater and in the rain!

Available in both cartridges and easi-squeeze tubes.

Colours are certified as a sealant for internal use only



Metal / Glass / Brick / Timber / PVCu



Multi Stick Hybrid Polymer Adhesive



TRUSTED



EXCELLENT BOND STRENGTH



ANTI-SLIP BONDING

BONDS VIRTUALLY ANYTHING

**APPLY TO POROUS AND
NON-POROUS SURFACES
IN THE WET OR DRY!**

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKMULTISWE	350ML	WHITE	12	5055492701725

Multi Stick is a superior grab adhesive with the ability to bond virtually anything to everything in both wet and dry conditions, even underwater or in the rain.

With incredible initial grab, high bonding strength, and almost limitless applications, no tradesman should be without a tube of this next generation adhesive. Think of any bonding application and it is virtually certain Multi-Stick will handle it with ease.




Metal / Brick / Timber / Plastic / Concrete



Gun A Nail Extra Solvent Based Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SBGAN4	380ML	BEIGE	12	5029347111007

Gun A Nail Extra is a high strength, solvent based, gap filling adhesive providing extra bond strength and a quick cure in external applications. Ideal for bonding two non-porous materials together.




Brick / Stone / Concrete / Timber



Gun A Nail Standard Solvent Free Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
GANN3	290ML	WHITE	25	5029347000110

Gun A Nail Standard is a high strength, gap filling multi-purpose building adhesive based on a tackified solvent free system for use in a wide variety of building and home improvement applications. Gun A Nail Standard can be used where at least one of the substrates to be bonded is porous. Ideal for fixing skirting boards, wall panels, cladding, framework and floorboards.




Brick / Stone / Timber / Concrete



Clear Fix Crystal Clear Hybrid Polymer Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
CLEARFIX3	290ML	CLEAR	12	5029347612931

A clear hybrid polymer grab adhesive that has the ability to bond just about everything in both interior and exterior applications. With added UV stabilisers, Clear Fix is the ideal choice for applications where you may see the colour of the product. Clear Fix is a versatile product which can be used in almost every application imaginable – even when immersed under water! Even more, Clear Fix comes in a completely Clear cartridge to illustrate the clarity of the product.



Metal / Glass / Brick / Timber / PVCu



Mirror Mate Mirror Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
MIRROR	290ML	WHITE	12	5029347112004

Mirror Mate is a one component adhesive based on Hybrid Polymer technology that is specially formulated for bonding mirrors to most common surfaces. The totally neutral curing system will not attack the mirror backing. Excellent primerless adhesion to most surfaces including metals, most plastics, concrete, plaster, plasterboard, polyester, perspex, glass, wood, enamel, painted surfaces etc.



Mirrors / Metal / Plaster / Perspex / Plastic



Maximum Torque

High Strength Hybrid Polymer Grab Adhesive



TRUSTED

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
MAXTQWE	290ML	WHITE	12	5029347610814

Maximum Torque, based on next generation hybrid polymer technology is the ultimate high grab adhesive, providing a level of immediate grab strength not previously possible with cartridge packed adhesives.

The unique polymer blend gives incredible initial grab, typically double that of most grab adhesives on the market today, eliminating the need for temporary support in most applications. Maximum Torque has the ability to bond basically everything to anything in virtually all conditions.



Brick / Metal / Glass / Timber / PVCu

DOUBLE THE GRAB
STRENGTH OF
MOST ADHESIVES

CAN BE APPLIED
TO WET OR DAMP
SURFACES

INCREDIBLE
INITIAL GRAB




Griptite

Solvent Based Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
GRIPTEC3	310ML	BUFF GREEN	12	5029347611965
GRIPTEC4	350ML	BUFF GREEN	12	5029347611644

Griptite is an extra-tough, high grab construction adhesive that combines great performance with 'easyflow' gunability. This high bond strength, solvent based adhesive adheres to most common substrates and can be used on direct bond or double stick applications. With good early grab properties Griptite is suitable for a wide variety of applications including being usable in both vertical and horizontal positions.



Brick / Stone / Timber / Concrete




Instant Nails

Solvent Free Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
EASIINST	200ML	WHITE	12	5029347000578

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
INST	290ML	WHITE	12	5029347000561
25INST	290ML	WHITE	25	5029347000561

Instant Nails is a high strength, solvent free, gap filling, multi use adhesive that provides a quick grab and replaces mechanical fixings in many home improvement applications. Dries white and may be overpainted if required.



Plaster / Timber / Polystyrene / Brick / Stone / Concrete / PVCu





SikaBond®

AT Universal

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FPSKBDATUGY	600ML	GREY	20	7612894454291

A multi-purpose adhesive that is based on hybrid polymer Advanced Technology (AT); this product utilises a combination of polyurethane and modified silicone to provide an extra elastic bond. Provides good adhesion to both porous and non-porous surfaces.



Coving Adhesive & Joint Filler

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
COVE	290ML	WHITE	12	5029347600921

A high strength solvent free gap filling adhesive that provides a quick 'grab' for fixing polystyrene, plaster coving and cornices to sound porous surfaces. Dries white and is overpaintable when dry.



Plaster / Timber / Polystyrene / Brick / Stone / Concrete



Pinkgrip MS

Solvent Free Adhesive

NEW

TRUSTED

PINKGRIP MS is a hybrid polymer grab adhesive. This next generation product is designed to overcome the limitations of traditional grab adhesives, whilst maintaining the legendary grab strength of the original Pinkgrip formulation.

MULTI SURFACE

Forget the limitations of traditional solvent or water-based adhesives, PINKGRIP MS will bond almost all common building materials, porous and non-porous, indoors and out. It will even work on wet surfaces or underwater.

MAXIMUM STRENGTH

Worthy of the famous Pinkgrip name, PINKGRIP MS has an incredible grab strength.

MINIMUM SOLVENTS

The high adhesive performance of a solvent based product, without all of the harmful emissions. Amazing!

MULTI SURFACE

MAXIMUM STRENGTH

MINIMUM SOLVENTS

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
PINKGMS3	290ML	PINK	12	5029347615925



Brick / Metal / Timber / Concrete / Plastic



Pinkgrip


Solvent Based Adhesive



CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
PINKGRIP	350ML	PINK	12	5029347601690

Pinkgrip's revolutionary grabbing strength usually removes the need to pin under the workpiece to prevent slipping or slumping.

Pinkgrip will stick just about anything on a building site that needs sticking. Its amazing grabbing strength not only removes the need to pin under the workpiece to prevent slumping, but its revolutionary initial 'Direct Bond' eliminates the need for double stick methods.



Brick / Metal / Timber / Concrete / Plastic



NON-SLIP BONDING

SOLVENT BASED

NO NEED TO
'DOUBLE STICK'


FAST GRAB

Pinkgrip SF

Solvent Free Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SFREEPINK	380ML	PINK	12	5029347602420
PINKWE	380ML	WHITE	12	5029347610081

A direct bond adhesive with all the legendary grabbing performance of original Pinkgrip but in a solvent free formula. Can be used to replace mechanical fixings in a wide variety of home improvement applications. Ideal for bonding wood, brick, plaster, plasterboard, polystyrene, metals and plastics. Available in Pink and White colours.



Brick / Metal / Timber / Concrete / Plastic



Pinkgrip Dry Fix FR Plasterboard Adhesive Foam

**SIGNIFICANT TIME SAVING
OVER CONVENTIONAL DRY
WALL ADHESIVES**

**SUITABLE FOR
PLASTERING IN
JUST 1 HOUR**

**BOARDS ONLY NEED
HOLDING
FOR 1 MINUTE**

**NO MIXING,
NO MESS**




TRUSTED

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
DRYFIX7	750ML	PINK	12	5029347606282

Pinkgrip Dry Fix FR is a revolutionary type of fast curing, adhesive foam that has been specially developed for the rapid installation of Plasterboard, Insulation Boards and other sheet materials such as Roof Decking and Floorboards.

The Dual Flow system means that it can be applied using the nozzle provided or attached to the Dry Fix Applicator Gun. Pinkgrip Dry Fix FR provides significant labour saving and convenience benefits when compared to traditional dry wall adhesives. It will bond to most common building substrates; can be applied horizontally or vertically to the board, wall or battens/beams.

Dry Fix FR conforms to the requirement of EN13501-1 Class E for fire rating.



Brick / Stone / Concrete / Timber / Plasterboard

Pinkgrip Dry Fix Applicator Gun

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
DRYGUN	-	-	1	5029347606466


Pinkgrip Dry Fix Applicator Gun – for use with Pinkgrip Dry Fix Fast Cure Dry Wall Adhesive.



Smart Tack Handy Aerosol

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SMARTHANDY	500ML	BLUE	12	5029347601188

Standard aerosol for smaller jobs. Offers all benefits with lower pressure application. 500ML aerosol will cover 2.5-3.5m² of laminate when applied to both surfaces.




Laminates / Timber / Cork / Rubber / Metal

Smart Tack Bulk Tank

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SMARTBULKCL	17KG	CLEAR	1	5029347601171

For large scale use, delivers adhesive via a flexible hose to the gun. Bulk Tank will cover ca. 128m² per 17kg of laminate when applied to both surfaces.



Laminates / Timber / Cork / Rubber / Metal

Smart Tack Bulk Tank Gun

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SMARTBULKGUN	-	-	1	NO BARCODE

For use with Smart Tack bulk tank and hose.



Smart Tack Bulk Tank Hose

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SMARTBULKHOSE	-	-	1	NO BARCODE

For use with Smart Tack bulk tank and gun. Hose length: 3.66 metres.



D4

Wood Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
D41	1LTR	WHITE	12	5029347602703
D425	25LTR	WHITE	1	5029247611545

A solvent free industrial grade wood adhesive based upon hybrid resin technology. Can be used internally or externally, gives a high strength, totally waterproof, impact and temperature resistant bond. Dries clear, sets in 10 minutes. Ideal for all general woodworking and joinery uses, assembly line work, RF/HF Cure systems, wood on wood laminating, furniture assembly and household DIY use. **Conforms to EN 204. D4 Strength and WATT91.**




5 Minute Polyurethane

Wood Adhesive Gel

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
5MINPU3	310ML	TRANS	12	5029347809034

Lumberjack 5 Minute Polyurethane Wood Adhesive Gel is a thixotropic, transparent, gap filling gel which sets hard in just 5 minutes. This product gives exceptionally high bond strength and is resistant to most chemicals. It foams slightly on application to fill small gaps, which in turn increases the bond strength. Particularly suitable for equipment manufacture and production line applications where rapid handling is required. **Conforms to EN 204. D4 Strength.**



Wood / Metal / Brick / Concrete / Stone

502 All Purpose Weatherproof

Wood Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
WOODBOT125	125ML	-	12	5029347005276
WOODBOT250	250ML	-	12	5029347005238
WOOD05	500ML	-	20	5029347005207
WOOD1	1L	-	12	5029347005214
WOOD5	5L	-	4	5029347005252
WOODA25	25L	-	1	5029347052492

All Purpose Weatherproof Wood Adhesive is a high quality, resin based wood adhesive for all wood bonding. It can be used internally and externally and provides a high strength, impact resistant bond that is usually stronger than the wood itself. Ideal for all general woodworking and joinery uses, furniture assembly and household DIY use. Dries clear. Fast cure, initial set in just 10 minutes. **Conforms to the international standard EN 204 D3 and EN 14256 for resistance to static load.**



5 Minute Polyurethane

Wood Adhesive Liquid

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
5MINPU7	750GR	BROWN	6	5029347601133

Lumberjack 5 minute polyurethane wood adhesive liquid is brown in colour and is ideal for larger applications, or in the workshop where greater economy is required. Sets hard in 5 minutes. The liquid is 100% waterproof, gives exceptionally high bond strength and is resistant to most chemicals. The product foams slightly on application to fill small gaps, which increases bond strength. **Conforms to EN 204. D4 Strength.**




Wood / Metal / Brick / Concrete / Stone

30 Minute Polyurethane

Wood Adhesive Gel

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
30MINPU3	310ML	TRANS	12	5029347809010

Lumberjack 30 Minute Polyurethane Wood Adhesive Gel is a thixotropic, transparent, gap filling gel which sets hard in 30 minutes. This one part, moisture curing gel gives exceptionally high bond strength and is resistant to most chemicals. It foams slightly on application to fill small gaps, which increases bond strength. **Conforms to EN 204. D4 Strength.**



Wood / Metal / Brick / Concrete / Stone

45 Minute Polyurethane

Wood Adhesive Liquid

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
45MINPU7	750GRM	BROWN	6	5029347610258

Lumberjack 45 Minute is a one part moisture curing wood adhesive which sets hard in 45 minutes. Supplied as a liquid which is waterproof, gives exceptionally high bond strength and is resistant to most chemicals. The product foams slightly on application to fill small gaps, which increases bond strength. **Conforms to EN 204. D4 Strength.**



Wood / Metal / Brick / Concrete / Stone

30 Minute Polyurethane

Wood Adhesive Liquid

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
30MINPU7	750GR	BROWN	6	5029347809027

Lumberjack 30 Minute Polyurethane Wood Adhesive Liquid is brown in colour and ideal for larger, horizontal applications where greater economy is required. Sets hard in 30 minutes. This liquid gives exceptionally high bond strength and is resistant to most chemicals. It foams slightly on application to fill small gaps, which increases bond strength. **Conforms to EN 204. D4 Strength.**



Wood / Metal / Brick / Concrete / Stone

Our Wood Filler Range is perfect for professional preparation

See page 94 in the Fillers & Decorating Sundries section



SikaBond®-52 Wood Floor Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FPSKBD52	600ML	BEIGE	20	7612894887525


A one-component, solvent-free, fast-curing, elastic wood flooring adhesive for professional use. SikaBond®-52 Wood Floor is suitable for use on most common types of wood floors, even problematic woods such as beech, maple and bamboo using liquid batten. Suitable for use with underfloor heating when used with the Sika® AcouBond System.



SikaBond®-151 Wood Floor Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKBD15117	17KG	PARQUET BROWN	1	7612895512556

A one-part, solvent-free wood floor adhesive which is suitable for use on all types of wood flooring and most common types of floor substrates. SikaBond®-151 is a elastic adhesive that is easy to spread, whilst maintaining stable trowel peaks.



SikaBond®-54 Wood Floor Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKBD54WF6	600ML	BEIGE	20	7612894887525
SKBD5407	700ML	BEIGE	12	7612894885484
SKBD5413	13KG	BEIGE	1	7612894907285


A one-component, solvent-free and elastic wood flooring adhesive that is for professional use. SikaBond®-54 Wood Floor is a full stick down adhesive for use on both solid and engineered wood floors. This product is also suitable for use with underfloor heating systems.



SikaBond® MS Wood Floor Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKBDM5FL14	14KG	PARQUET BROWN	1	5055492700902

A high quality, trowel applied MS adhesive which is specifically designed for bonding wooden floors to all common substrates. SikaBond® MS Wood Floor utilises a formulation that is completely water free, thereby reducing the likelihood of wooden boards cupping or crowning. With an extended open time of 40 minutes, this product is ideal for larger application areas.



SikaBond® MS Wood Floor Gun Grade Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FPSKBDM5FL6	600ML	PARQUET BROWN	12	5055492700933


A high quality, Gun applied MS adhesive which is specifically designed for bonding wooden floors to all common substrates. Suitable for use with the AcouBond System.



SikaBond® 5500 S

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKBD5500S18	16KG	BEIGE	1	5055047210177

A one-part, solvent based, rigid adhesive for bonding wood block parquet and engineered boards onto porous substrates. SikaBond®-5500 S provides a high strength bond that is suitable for use with underfloor heating. This product is suitable for use with all types of wood.



SikaBond® Wood Floor Installation Kit

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKBDWOODKIT	-	-	1	5055047209805


A complete wood floor bonding kit to easily and quickly fit up to 20M² of wood flooring. This kit contains ten 600ml SikaBond® MS Wood Floor adhesive foils, one bulk gun and two reusable precut nozzles.



Sika® Silent Layer Mat

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKSILENT0312	12.5MTR	-	1	5055047210276
SKSILENT0316	16.66M	-	1	5055047210252
SKSILENT0513	13.33MTR	-	1	5055047210269


A high quality, polyethylene foam mat that is specifically designed to reduce the sound of footfall. Ideal for use in conjunction with SikaBond® MS Wood Floor gun grade or SikaBond® 52. Sika® Silent Layer Mat is pressure resistant and dimensionally stable.



Lumberjack 650 Floor Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
LJACK65014	14KG	BUFF	1	5029347603175


Lumberjack 650 is a standard setting, hybrid polymer, trowel applied adhesive, specially designed for fixing all types of wooden floors directly on to all common substrates. Lumberjack 650 is 100% active, and will not cause warpage of wood.



Lumberjack 160 Woodbond

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
LJACK16010	10LTR	BUFF	1	5029347609665

Lumberjack 160 is a high specification, trowel applied adhesive, based on resins in solvent and is specifically designed for fixing all types of wooden floors directly on to porous substrates.



Lumberjack 550 Floor Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
LJACK5503	300ML	BUFF	12	5029347603151
LJACK5506	600ML	BUFF	12	5029347603168


Lumberjack 550 is a high specification, hybrid polymer, cartridge or foil pack applied adhesive specially designed for fixing all types of wooden floors directly on to all common substrates. Lumberjack 550 is 100% active and water free, and will not cause warpage of wood.



Stick 2 Instant Contact Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
CON125	125ML	BEIGE	10	5029347006518
CON250	250ML	BEIGE	12	5029347065027
CON750	750ML	BEIGE	12	5029347065058
CONA5	5L	BEIGE	4	5029347006556

Stick 2 All Purpose Contact Adhesive is a premium grade rubber based contact adhesive suitable for use with a wide variety of materials for both professional and DIY use. The product may be used for bonding decorative laminates, all types of wood, rigid PVC, ABS, leather, cork, linoleum, rubber, stone, metals and dense fabrics.




Laminates / Timber / Cork / Rubber / Metal

Stick 2 Carpet Fix Spray Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
CARPSPRAY5	500ML	-	12	5029347603212


Sprayable medium duty glue which fixes P.U. and foam backed carpets, carpet tiles, underlay, paper felt and cork to most common substrates. Economical and time saving – quicker and easier than spreader applied adhesives. Foaming formula gives low soak into substrates.



Stick 2 Instant Spray Contact Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
CONSPRAY5	500ML	-	12	5029347060855


A sprayable glue which bonds to most common materials including wood, concrete, stone, tiles, rubber, foam, metals, rigid plastics, polyethylene, canvas fabrics, cardboard, paper and cork. Ideal for securing most carpets/floor coverings. Suitable for internal and external use. Time saving spray – easier and quicker to apply than most trowel/spreader applied adhesives. Repositionable.



Mammoth Spray Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
2SPRAY05	500ML	-	12	5029347611323

A ready to use solvent based flooring adhesive designed for fixing carpet grippers and trims, stair nosings and plastic and wooden skirting. Adheres to most common surfaces including wood, carpet, metal, stone, concrete, PVCu and much more.



Stick 2 Industrial Superglue GP

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
CYN20	20GRM	CLEAR	25	5029347900069
CYN50	50GRM	CLEAR	20	5029347602345

Medium viscosity formula fills gaps to 0.1mm. For use on perfect fit surfaces where fast set is required. Bonds nonporous surfaces eg. most plastics, metals, glass, PVCu, rubber and EPDM. Viscosity at 25°C – 100cPs. Set time 5 to 15 seconds. Packed in self merchandising display boxes.




PVCu / Plastic / Glass / Metal

Stick 2 Industrial Superglue HV

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
HV20	20GRM	CLEAR	25	5029347601072
HV50	50GRM	CLEAR	20	5029347601089

High viscosity formula for porous and non porous substrates where a slightly delayed set is required. For use on MDF, rubber, metals, PVCu and plastics. Viscosity at 25°C – 1500 cPs. Set time range 10 to 30 seconds. Packed in self merchandising display boxes.



PVCu / Plastic / Glass / Metal

Stick 2 Superglue De-bonder

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
DEBONDER	20ML	CLEAR	10	5029347601096

For de-bonding cured cyanoacrylate adhesive from most common surfaces e.g. steel, plastic, wood, glass and rubber. Can also be used on skin when applied as per instructions.



Metal

Stick 2 Thread Lock GP

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
THREADLOCK10	10GRM	BLUE	10	5029347601720

Medium strength anaerobic, allows for disassembly, thixotropic non-drip formula For nuts, bolts, screws and threads. Can be used on oil contaminated parts.



Metal

PVCu Acti-Spray Aerosol Activator

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
PVCACT	200ML	CLEAR	12	5029347602765

PVCu Acti-spray is an aerosol applied activator for use with Everbuild Industrial Superglue GP and HV, setting superglue in 10 seconds. Guaranteed not to stain PVCu. Acti-spray is ideal for use on all PVCu and plastics, and works on all common building surfaces.



PVCu / Plastic / Glass / Metal

Mitre Fast Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
MITREADH5	50GRM	CLEAR	10	5029347603434

Mitre Fast Adhesive as supplied in bonding kit.




Timber / Plastics / Metal

Mitre Fast Kit

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
MITRE1	STD	CLEAR	6	5029347601119
MITRE1IND	STD	CLEAR	24	5029347611637
MITRE2	LRGE	CLEAR	6	5029347601126

Mitre Fast Bonding Kit is a two part instant adhesive system comprising a cyanoacrylate adhesive and aerosol activator. Mitre Fast is mainly used in the furniture, timber, kitchen and plastics industries where its instant bonding properties dramatically reduce assembly times for mitre joints.




Timber / Plastics / Metal

Mitre Fast Activator

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
ACTIV2	200ML	CLEAR	12	5029347000615

Mitre Fast Activator as supplied in bonding kit.




Timber / Plastics / Metal

Stick 2 Instant Bond
Contact Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
S2CONADH	30ML	BEIGE	10	5029347601607

Stick 2 Contact Adhesive is a premium grade rubber contact adhesive suitable for internal and external use with laminate, trim, wood, rigid PVC, ABS, leather, cork and metals. Instant bond.




Laminates / Timber / Cork / Metal

Stick 2
Hard Plastic Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
S2HARD	30ML	CLEAR	10	5029347601638

Stick 2 Hard Plastic Adhesive is a strong, clear, quick drying adhesive suitable for bonding most types of hard plastic such as rigid PVC, acrylic, polycarbonate and ABS. Ideal for use on non-pressure pipework, and numerous household applications.

**Stick 2 All Purpose Superglue**
Tube & Bottle

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
S2SUP03	3GM	-	12	5029347600013

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
S2SUPBOT05	5GM	-	6	5029347605933

Stick 2 All Purpose Superglue fills gaps up to 0.1mm and bonds non-porous surfaces such as plastics, metals, PVCu, rubber, ceramics and much more. 1 minute instant bond, perfect where a fast set is required. Re-sealable cap.




PVCu / Plastic / Glass / Metal

**Stick 2 Instant Bond**
Textile Adhesive


MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
S2TEXTADH	30ML	WHITE	10	5029347605988

Stick 2 Textile Adhesive is a quick setting adhesive for bonding a variety of textiles and fabrics including cloth, canvas, fabric, leather, foam, paper, sponge, cardboard and stone. It will also bond non porous surfaces such as plastic, uPVC and metals.

**Stick 2 All Purpose**
Clear Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
S2CLEAR	30ML	-	12	5029347600013

Stick 2 All Purpose Clear Adhesive is a strong, clear, quick drying adhesive suitable for a variety of household repairs and hobbies. Will stick ceramic, porcelain, wood, card, paper, most plastics, leather, cork, linoleum, rubber, stone, glass, metals and dense fabrics. 5 minutes repositionable.

**Stick 2 Superglue**
Gel Formula

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
S2GEL3	3GM	-	12	5029347605926

Stick 2 Superglue Gel will bond most common materials. The high viscosity formula is ideal for nondrip, vertical, porous or small gap filling applications. Superglue Gel is ideal for bonding wood, plastics, metals, paper, porcelain, rubber & more.



PVCu / Plastic / Glass / Metal

Stick 2 Rapid Epoxy
Tube Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
S2RAPEXTUBE	12ML X 2	-	16	5029347605964

Stick 2 Rapid Epoxy Tube is an industrial strength, two part clear adhesive system which sets hard in just 4 minutes. Ideal for bonding most materials and once cured can be drilled, sanded and painted.




Metal / Glass / Wood / Ceramics

Stick 2
Touch Up Enamel


MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
S2ENAMEL	25ML	-	10	5029347609580

A high quality gloss enamel that provides superior rust protection and dries to a mirror like finish. It is ideal for touching up scratches and chips on enamel and lacquer damages on bathroom fixtures, kitchen appliances and ceramics. It provides excellent colour and gloss retention, even after repeated cleaning.

**Stick 2 Rapid Epoxy**
Syringe Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
S2RAPEX24	24ML	-	12	5029347601645

Stick 2 Rapid Epoxy Syringe is an industrial strength two part clear adhesive which sets hard in 10 minutes. Will bond most common materials and once cured may be drilled, sanded or painted. For industry and home.



Metal / Glass / Wood / Ceramics

LANDSCAPING

Joining Compounds	54
Sealing & Protecting	56
Surface Cleaners & Treatments	58

Trusted products are tried & tested by leading tradespeople on the most demanding of projects

TRUSTED

Sika® FastFix All Weather


Paving Jointing Compound




CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKFFIXDKBF15	15KG	DARK BUFF	1	5055492703644
SKFFIXDPGY14	14KG	DEEP GREY	1	5055492703637
SKFFIXCHRL16	15KG	CHARCOAL*	1	5055492703125
SKFFIXFLT16	15KG	FLINT*	1	5055492703118
SKFFIXSTN16	15KG	STONE*	1	5055492703101

A self-setting paving jointing compound that provides the ideal solution to perfect pointing on paving, paths and patios. Containing a unique formula, Active Resin Technology for advanced durability, Sika® FastFix All Weather is ready to use with no mixing required.

Suitable for use in all weather conditions; even in the rain. This product will not shrink or crack over time. Now available in 5 colours.



Colour swatches are a guide only and may vary.



TRUSTED

FOR USE ON JOINTS FROM JUST 20MM DEEP

EASY TO APPLY - FAST TO SET



ACTS AS A NATURAL BARRIER FOR WEED GROWTH

NO WASTE - STORE AND REUSE ONCE OPENED



WATCH THE VIDEO:
EVERBUILD.CO.UK/RESOURCES-AND-SUPPORT/HOW-TO-VIDEOS/FASTFIX-ALL-WEATHER-APPLICATION-VIDEO/


SikaCeram® FlowFix

Porcelain Paving System

SikaCeram® FlowFix is a high performance porcelain paving installation system, consisting of a bonding primer and jointing compound.

SikaCeram® FlowFix Bonding Primer is used to provide an exceptional bond between porcelain paving and the bedding mortar. Mixed solely with water, SikaCeram® FlowFix Bonding Primer is applied with a brush or roller to the rear of the paving when laying, to prevent the paving system breaking away from the mortar bed.


SikaCeram® FlowFix Jointing Compound is a controlled, emmentitious flowable jointing grout which is applied by mixing with water on site. SikaCeram® FlowFix Jointing Compound is poured over joints with ease and worked into other exposed joints by squeegee. Once dry the surplus is simply washed off. SikaCeram® FlowFix Jointing Compound is a highly workable product that is non-permeable once cured.



WATCH THE VIDEO:
EVERBUILD.CO.UK/RESOURCES-AND-SUPPORT/HOW-TO-VIDEOS/SIKACERAM-FLOWFIX-APPLICATION-VIDEO/

SikaCeram®-62 FlowFix

Bonding Primer




CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKCMPRIM20	20kg	-	1	5055492703286




SikaCeram®-621 FlowFix

Porcelain Jointing Compound



CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKCMJOINTIV	20kg	IVORY	1	5055492703279
SKCMJOINTLTGY	20kg	LIGHT GREY	1	5055492703255
SKCMJOINTDKGY	20kg	DARK GREY	1	5055492703613
SKCMJOINTBUF	20kg	BUFF	1	5055492703620

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKCM621TUBIV15	15Kg	IVORY	1	5055492703972
SKCM621TUBLTGY15	15Kg	LIGHT GREY	1	5055492703965
SKCM621TUBDKGY15	15Kg	DARK GREY	1	5055492703989
SKCM621TUBBUF15	15Kg	BUFF	1	5055492703996




Colour swatches are a guide only and may vary.

Sika® Setting Sand

Narrow Paving Joint Filler

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKSANDBF20	20KG	BUFF	1	5055492700223

A easy to use, moisture curing jointing compound for narrow joints. Sika® Setting Sand can be simply poured or swept into joints before being saturated with water. Provides perfect pointing for all types of block paving; once cured, it will not wash out, shrink or crack over time.




Sika® Water Repel +

Water Repellent & Protector

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKWATREP5	5LTR	CLEAR	4	5055047210986

Sika Water Repel+ is a solvent free water repellent and protector for concrete, brick, stone and masonry which protects against rainwater penetration without changing the aesthetic appearance of the substrate.




Sika® Patio Seal

Clear Paving Sealer

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKPAT5	5LTR	CLEAR	4	5055047206354

A low-odour, water-based, acrylic coating that is ideal for sealing and protecting patios, paths, natural stone, concrete and block paving. Sika® Patio Seal protects against the effects of water, petrol and organic growth. The product dries to a hard-wearing, water repellent film which gives a low sheen slip-resistant finish.




Sika® Water Seal

Waterproofing & Protector

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKWATSEAL5	5LTR	-	4	5055047210580

A solvent based water sealer for masonry. Protects structures against rain and damp. Upon application, Sika® Water Seal penetrates up to a depth of 5mm. This product is designed to have minimal affect on appearance or breathability of the surface it product is applied to.




Sika® Stone Protector

Water Based Protector & Sealer

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKSTONE5	5LTR	CLEAR	4	5055047210993

A water-based sealer which is suitable for all forms of porous stone. Once applied to a surface, Sika® Stone Protector resists stains without changing the aesthetic look of the surface it is applied to.




Sika® Block Paving Seal

Clear Driveway Sealer

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKBLOCKS5	5LTR	CLEAR	4	5055047206330
SKBLOCKS25	25LTR	CLEAR	1	5055047206347

A clear, low-odour resin solution that impregnates, enhances and seals block paving to improve the overall appearance by leaving a protective finish. Sika® Block Paving Seal is ideal for use on vehicle and pedestrian areas as well as new and existing drives.



Resiblock Indian Sandstone Sealer Invisible

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
RBINDINV5	5LTR	INVISIBLE	4	5036143000039

A urethane based, low-viscosity, surface sealer that provides long-term resistance against staining and algae growth for paths, patios and driveways. Resiblock Indian Sandstone Sealer Invisible lasts up to five years and can be applied in one simple coat.



Resiblock Indian Sandstone Sealer Colour Enhancer

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
RBINDENH5	5LTR	COL.ENHANCER	4	50361430000237

A urethane based, low-viscosity surface sealer and colour enhancer. Resiblock Indian Sandstone Colour Enhancer incorporates a completely unique moisture curing system to enhance Indian Sandstone or coloured concrete products.



Resiblock Superior Block Paving Sealer

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
RBORIGGL5	5LTR	GLOSS	4	50361430000015
RBORIGGL25	25LTR	GLOSS	1	50361430000022
RBORIGNAT5	5LTR	NATURAL	4	50361430000312
RBORIGNAT25	25LTR	NATURAL	1	50361430000244

A urethane based, low-viscosity, paving sealer and jointing sand stabiliser that protects the paver face from oil and water infiltration.



Resiblock Trade All Purpose Paving Sealer

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
RBTRADD5	5LTR	-	4	50361430000503
RBTRAD25	25LTR	-	1	50361430000510

A solvent free, all purpose sealer that is suitable for concrete and clay paving as well as most forms of natural stone. Resiblock Trade is ideal for binding jointing sand, sealing the surface of concrete block paving.



402 Water Seal Water Repellent

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
WAT5	5L	-	4	5029347004255
WAT25	25L	-	1	5029347004262

A high performance transparent water repellent specially formulated to prevent water penetration on all mineral substrates such as brick, stone, masonry, pebble dashed and rendering. Water Seal is water based and not harmful to the user or the environment, and it's non-flammable.



405 Path & Patio Seal Water Repellent

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
PAT5	5L	-	4	5029347000653
PAT25	25L	-	1	5029347000660

Path & Patio Seal is an acrylic coating used to seal and protect patios, paths, natural stone, concrete and block paving from the effects of water, petrol and fungal/green growth. The milky solution dries to a clear hard-wearing, water repellent film giving a low sheen slip resistant finish.



409 Block-Guard Block Paving Seal & Joint Sand Stabiliser

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
BLOCKGUARD5	5L	-	4	5029347603083
BLOCKGUARD25	25L	-	1	5029347605780

Block Guard is a block paving seal & joint sand stabiliser based on a clear solvent based acrylic coating to bind jointing sand and form a durable seal over block paving and other mineral pavers/flags. It penetrates deeply into pavers and jointing sand and then cures by solvent evaporation.



408 Super Seal High Performance Water Repellent

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
WALLSEAL5	5L	-	4	5029347606817

Super Seal is a solvent based transparent water repellent, formulated to prevent attack by water penetration on brick, stone, masonry, plaster, rendering etc. Super Seal penetrates deep into the treated area to provide effective repellency for many years. Dries clear. Can be applied by spray, brush or roller.



Sika® Mould Buster

Mould & Algae Treatment

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKMBUST5	5LTR	-	4	5055047209096

A powerful, fast acting solution which is effective on most surfaces. Sika® Mould Buster removes algae, mould and green growth without the need for scrubbing or pressure washing.



Sikagard®-112

Mortar and Brick Cleaner

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKGD112CLNS	5LTR	-	4	5055492703347

Sikagard®-112 Mortar and Brick Cleaner is a highly concentrated, fast acting acid based formula which dissolves mortar and cement stains, ingrained dirt and most paints on mineral surfaces such as brick, render and concrete.



Sika® Brick & Patio Cleaner

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKBC5	5LTR	-	4	5055047200581

A fast acting, acid based cleaning solution for brickwork, concrete and paving. Sika® Brick & Patio Cleaner contains a powerful formula that dissolves mortar and cement stains, ingrained dirt, efflorescence on mineral surfaces.



Sika® Dustproofer

Concrete Surface Hardener

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKDUST5	5LTR	-	4	5055047200611

A economic, ready to use dustproofer and concrete surface hardener for concrete floors, paths and driveways. Sika® Dustproofer is suitable for hardening and dustproofing both old and new concrete.



401

Brick & Patio Cleaner

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
BC1L	1L	-	12	5029347004118
BC5L	5L	-	4	5029347004156

Brick & Patio Cleaner is a fast acting acid based formula (9.5% strength) that dissolves mortar and cement stains and ingrained dirt and paint on most mineral surfaces such as brick, concrete, paving flags and earthenware.



404

Fungicidal Wash

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FUN1	1L	-	12	5029347004415
FUN5	5L	-	4	5029347004453

Fungicidal Wash is a powerful, fungicidal wash for the removal of lichens, fungi and algae on all mineral surfaces such as walls, paths, roofs, drives etc.



403

Concrete Hardener & Dustproofer

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
CHD5L	5L	-	4	5029347004354
CHDU25	25L	-	1	5029347004361


Concrete Hardener & Dustproofer is formulated from high quality silicate resins to both harden and dustproof new and old concrete floors for both internal and external use. It reacts chemically with the lime content of concrete to form a hard-wearing surface. **Tested to BSEN1504-2.**



406 Stabilising Solution

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
STABS5	5L	-	4	5029347601508


Stabilising Solution is a microscopically fine polymer emulsion which penetrates dusty/chalky and badly weathered surfaces to leave a stable sound base for decoration with paint, wallpaper, tiling etc. Suitable for both interior and exterior use.



407 Mortar Stain Remover

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
MORSTAIN5	5L	-	4	5029347040758
MORSTAIN25	25L	-	1	5029347040734


Mortar Stain Remover is a highly concentrated fast acting acid based formula (18% strength) which dissolves mortar and cement stains, ingrained dirt and most paints on mineral surfaces such as brick, render and concrete.



Patio Wizard Mould & Algae Treatment

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
PATWIZ1	1LTR	-	12	5029347606305
PATWIZ5	5LTR	-	4	5029347606312


Patio Wizard kills algae, green growth, mould and fungi on patios, paths, driveways and all hard surfaces. It is so easy to use, just apply and leave to dry, no need for any washing off, scrubbing or pressure washing. Supplied as a concentrate that dilutes with water at 1:10 i.e. 5L makes 50L and 1L makes 10L.



Oil Away Oil Remover

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
OIL1	1L	-	12	5029347611187


Oil-Away is a ready to use high performance cleaner for drives, paths and patios. Oil-Away is the quick and easy solution for removing oil, petrol, diesel and grease stains from driveways, garage floors and car parks. It works on most common surface types including concrete, stone, tarmac and most common paving materials. Oil-Away can also be used as a general cleaner to revive the look of pathway and patio areas.



Cemstrip Cement Stain Remover

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
CEM1	1L	-	12	5029347611019
CEM5	5L	-	4	5029347611026
CEMSPRAY1	1L	-	12	5029347611033


Everbuilt Cemstrip is a new type of cement, concrete and mortar stain remover that provides a more environmentally friendly alternative to conventional hydrochloric acid based cement removers. Cemstrip will also remove salts and efflorescence from the surface of mineral substrates and is a very effective general cleaner for removing ingrained dirt, grease and stains from paths and patios as well as being safe for use on metal surfaces such as tools and cement mixers. Cemstrip is a highly concentrated formula that can be diluted by up to 10 times with water to suit a variety of applications.



Salt Away Salt Remover

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SALT5	5L	-	4	5029347611200
SALT1	1L	-	12	5029347611194


Salt-Away removes salt and unsightly white efflorescence from bricks and concrete. It is a biodegradable formula, works on walls, paths and patios and can be poured, sprayed or brushed on.



Tarmac Restorer

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
TARR5	5LTR	BLACK	4	5029347612856

Tarmac Restorer is a high performance surface coating specially formulated to make tired old tarmac look just like new. Tarmac Restorer provides a tough, durable, low sheen finish which protects from weathering, oil and petrol spills and unsightly plant and weed growth. Tarmac restorer is easy to apply, provides long term protection, reduces further tarmac repair needs and restores the deep, black finish of your tarmac. As it is quick drying, driveways can be used after only 4 hours of the product being applied.



WOOD CARE & TREATMENT

Treatments & Preservatives
Stains & Varnishes

66
70


Trusted products are tried & tested by leading tradespeople on the most demanding of projects

TRUSTED

Sikagard® Universal 5 Star Wood Treatment

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKGDUNIS	SLTR	CLEAR	4	5055047210344


An all-in-one, deeply penetrating wood treatment and preservation solution with micro-fine active technology. Contains fungicides, algacides and permethrin to actively kill and protect against all known wood rot, decay, fungi and wood boring insects.



Sikagard® Wood Preserver

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKGDWPCL5	SLTR	CLEAR	4	5055047210436


A low-odour solution based on micro-fine active technology. Sikagard® Wood Preserver contains fungicides and algacides that are finely dispersed ensuring deep penetration and long term protection.



Sikagard® Woodworm Killer

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKGDWORM5	SLTR	CLEAR	4	5055047210368

A low-solvent, low-odour solution based on micro-fine active technology with added insecticide to penetrate deep into the wood to actively and effectively kill all life stages of wood boring insects and protect against re-infestation.



For perfect pointing
on paving, paths
and patios

See page 54



Wood Preserver

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
LJCR01	1L	CLEAR	10	5029347802011
LJCR05	5L	CLEAR	4	5029347802035
LJCR25	25L	CLEAR	1	5029347802042
LJDO05	5L	DARK OAK	4	5029347802073
LJGC05	5L	GOLDEN CHESTNUT	4	5029347802110
LJRC05	5L	RED CEDAR	4	5029347802158
LJFG05	5L	FIR GREEN	4	5029347803032

Wood Preserver is a low odour solution that effectively penetrates wood to give long lasting protection. Can be used on most interior and exterior wood and joinery and contains micro fine actives which penetrate deep into the wood. Wood Preserver is quick drying, available in light fast colours and provides an even colour distribution.



Triple Action Wood Treatment

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
LJUN01	1L	CLEAR	10	5029347801014
LJUN02	2.5L	CLEAR	6	5029347801021
LJUN05	5L	CLEAR	4	5029347801038
LJUN25	25L	CLEAR	1	5029347801045

Triple Action takes care of remedial wood treatment and preservation in one can. Deeply penetrates all wood and joinery to give lasting protection from damage caused by wet rot, dry rot, fungi and wood boring insects/larvae. Kills, protects, preserves. Micro fine actives penetrate deep into the wood.



Woodworm Killer

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
LJWORM05	5L	CLEAR	4	5029347610975

Woodworm Killer is a ready to use treatment for the eradication of all types and life stages of wood boring insects and their larvae, specifically woodworm. The added insecticide also aids to actively kill the woodworm and protect against re-infestation low odour with micro fine actives that penetrate deep into the wood.



Don't forget your patio, paths, stone and surface care treatments

See page 60



Masonry Dry Rot Treatment

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
LJROT05	5L	CLEAR	4	5029347610982

Masonry Dry Rot Treatment is a ready to use treatment for the eradication of dry rot in masonry and brickwork. The added biocide helps to protect against re-infestation. Low solvent, low odour and low VOC.



Creocote

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
CREODKBN4	4LTR	DARK BROWN	4	5029347610401
CREOLTBN4	4LTR	LIGHT BROWN	4	5029347610388

Creocote is an oil based wood treatment, effective when applied to exterior timbers such as garden sheds, fences and trellis work. The oil based properties provide excellent surface water repellence and restricts weather damage. The product improves grain definition and exhibits the characteristic odour familiar to traditional Creosote users.



Shed & Fence Mate Water Repellent Treatment

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FENCEB05	5LTR	BURNT OAK	1	5029347805036
FENCEC05	5LTR	COUNTRY OAK	1	5029347805050
FENCEB85	5LTR	EBONY BLACK	1	5029347805098
FENCEH05	5LTR	HOLLY GREEN	1	5029347805012
FENCERR5	5LTR	RUSTIC RED	1	5029347805074

Shed & Fence Mate is an easy to use, solvent free shed and fence treatment specifically designed to provide a safe alternative to creosote. Penetrates and protects wood to give a durable, water repellent finish. Uses advance colour pigmentation, carefully selected UV resistant pigments and water repellent waxes that will make the colour last up to six times longer than creosote. Designed for use on all rough sawn and garden timber including sheds, fences, gates, hutches, kennels, cold frames and trellises. Totally harmless to plants and animals. Easy to use, solvent free, water repellent, no VOC's.



Wood Stain



TRUSTED


HIGH RESISTANCE TO UV LIGHT

WEATHERPROOF PROTECTION

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
WSTAINSN002	250ML	NATURAL OAK	6	5029347612177
WSTAINSPN02	250ML	ANTIQUE PINE	6	5029347612184
WSTAINSMH02	250ML	MAHOGANY	6	5029347612191
WSTAINSWAL02	250ML	WALNUT	6	5029347612214
WSTAINSRW02	250ML	ROSEWOOD	6	5029347612221
WSTAINSDO02	250ML	DARK OAK	6	5029347612238
WSTAINSTK02	250ML	TEAK	6	5029347612207
WSTAINSN007	750ML	NATURAL OAK	6	5029347611330
WSTAINSPN07	750ML	ANTIQUE PINE	6	5029347611347
WSTAINSMH07	750ML	MAHOGANY	6	5029347611354
WSTAINSWAL07	750ML	WALNUT	6	5029347611378
WSTAINSRW07	750ML	ROSEWOOD	6	5029347611385
WSTAINSDO07	750ML	DARK OAK	6	5029347611392
WSTAINSTK07	750ML	TEAK	6	5029347611361
WSTAINSN02	2.5L	NATURAL OAK	2	5029347611408
WSTAINSPN2	2.5L	ANTIQUE PINE	2	5029347611415
WSTAINSMH2	2.5L	MAHOGANY	2	5029347611422
WSTAINSWAL2	2.5L	WALNUT	2	5029347611446
WSTAINSRW2	2.5L	ROSEWOOD	2	5029347611453
WSTAINSD02	2.5L	DARK OAK	2	5029347611460
WSTAINSTK2	2.5L	TEAK	2	5029347611439
WSTAINCLEAR07	750ML	CLEAR	6	5029347611514
WSTAINCLEAR2	2.5L	CLEAR	2	5029347611521

A professional, wood stain that enhances the natural qualities of wood, and provides long lasting protection, with a satin finish.

The weatherproof protection provided also gives a crack and peel resistant finish and excellent resistance to ultra violet light degradation. Ideal for use on smooth planed exterior and interior timber, such as doors, window frames, architectural timbers, conservatories, cladding & garden furniture etc. Under normal weathering conditions it can be expected to provide protection for up to 5 Years. Maintenance Clear Coat is a clear wood stain maintenance coat that protects and enhances without colouring or darkening.

TOUCH DRY IN 30 MINS,
OVERCOAT AFTER 4 HOURS

ANTIQUE PINE

DARK OAK

MAHOGANY

TEAK



NATURAL OAK

ROSEWOOD

WALNUT

CLEAR COAT

These swatch colours may not be a true representation, please obtain a sample from your local stockist.



Clear Varnish

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
WVARCLS02	250ML	CLEAR	6	5029347611477
WVARCLS07	750ML	CLEAR	6	5029347611484
WVARCLS2	2.5LTR	CLEAR	2	5029347612047
WVARCLG02	250ML	CLEAR	6	5029347611491
WVARCLG07	750ML	CLEAR	6	5029347611507
WVARCLG2	2.5LTR	CLEAR	2	5029347612030
WVARCLM02	250ML	CLEAR	6	5029347612979
WVARCLM07	750ML	CLEAR	6	5029347612986
WVARCLM2	2.5LTR	CLEAR	2	5029347612993


Quick Drying Clear Varnish is a professional, low solvent varnish that enhances the natural qualities of wood, and provides long lasting protection. It has been developed specifically to give an ultra hard, scratch resistant and heatproof, non-yellowing finish. It is ideal for use on interior wood such as tables, chairs, doors, skirting, furniture etc.



Floor Varnish

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FLOORVGL07	750ML	CLEAR	6	5029347612580
FLOORVGL2	2.5L	CLEAR	2	5029347612597

Everbuild Ultra Hard Floor Varnish is a clear quick drying varnish ideal for use on most common types of wooden floors including hardwood, softwood, hardboard, chipboard and composite wooden boards. Floor Varnish has been specifically developed to provide an ultra-hard scratch resistant natural finish to most interior wooden floors. Suitable for use in kitchens, bathrooms, lounge, dining areas or where heavy foot traffic would be expected. It provides superior protection for wooden floors and has a hammer hard, tough finish to protect wood against scratches and spills and is touch dry in 30 mins.



ROOFING

Roof Repair	74
Flashing	77
Bitumen	78

Trusted products are tried & tested by leading tradespeople on the most demanding of projects

TRUSTED

Evercryn One Coat Roof Repair Compound



TRUSTED

CAN BE USED IN THE WET

NO PRIMER NEEDED



ONE COAT APPLICATION


APPLY WITH A BRUSH

Evercryn is a resin based, fibre re-enforced* roof repair compound which is effective on all common roofing surfaces, giving instant roof repairs even in the wet and on wet surfaces. May also be applied in frosty conditions down to -5°C.

Evercryn is instantly waterproof when applied, there is no fear of wash off so emergency leaks can be tackled immediately as there is no need to wait for the rain to stop. Evercryn is brush applied and dries to a smooth seamless flexible membrane which resists algae and fungal growth. Because of the high level of fibre reinforcement, Evercryn will bridge small cracks and requires only a one coat brush application to give instant and total water protection, even in areas subject to ponding. Evercryn requires no primer on sound non-porous surfaces. Specifically designed for the following applications: general sealing, maintenance, repair and waterproofing of most common roofs in wet or dry conditions – for use on concrete, fibre/cement, roofing felt, mastic asphalt, existing bituminous roof coatings, rigid PVCu, corrugated iron, metals, slates, brickwork, tiles, lead, copper and zinc.

*Excludes translucent.


CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
EVCBK02	2.5KG	BLACK	6	5029347600969
EVCBK5	5KG	BLACK	4	5029347600976
EVCL01	1KG	TRANS	12	5029347612658
EVCL5	5KG	TRANS	4	5029347612665
EVCGY01	1KG	GREY	12	5029347609658
EVCGY02	2.5KG	GREY	6	5029347600709
EVCRYLSGY	5KG	GREY	4	5029347600716
EVCGY20	20KG	GREY	1	5029347600723
EVCWE5	5KG	WHITE	4	5029347600686



Evercryn Emergency Roof Repair Cartridge

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
EVCGYCART	C3	GREY	12	5029347612368
EVCLCART	C3	TRANS	12	5029347612375


Evercryn Emergency Roof Repair is an emergency repair aid for use on external roofing applications. The Evercryn formula has been gelled up to allow it to be cartridge applied while still containing the top quality fibres that you expect with Evercryn. The product is applied through a special 'duck bill' shaped nozzle ideal for emergency repairs to gaps, cracks and holes in roofs, gutters, flashing, upstands and felt. It even works in wet conditions so there is no need to wait for the rain to stop.



Leadmate Patination Oil

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
PATOIL05	500ML	-	10	5029347608927
PATOIL1	1LTR	-	10	5029347608873

Specially formulated to provide a protective coating for newly installed leadwork, that helps to prevent the white carbonate staining that affects new lead and surrounding tiles, brickwork, stonework etc. Just one coat of Patination Oil helps to provide a uniform attractive appearance to newly installed lead and helps the ageing process whilst the natural patina of the lead is being formed.



**Lead Mate Sealant
provides the
perfect finish**

See page 13 within
the Sealant section

Liquid Roof

All Weather Roofing System

**TRUSTED**
**PU WATERPROOFING LIQUID MEMBRANE
FOR FLAT AND PITCHED ROOFS**
**FAST CURING - RAIN
RESISTANT IN 10 MINUTES**

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
AQLIQRFGV7	7KG	SLATE GREY	4	5029347614164
AQLIQRFGY21	21KG	SLATE GREY	1	5029347614171
SKLASFLE120150	1M X 50M	-	1	7612894436402

An easy to use, all weather roofing system ideal for waterproofing flat or pitched roofs.

Everbuild Liquid Roof is a one-component, fast curing, polyurethane based waterproofing system for flat and pitched roofs.

Applied in two coats by brush or roller, Everbuild Liquid Roof creates a solid, seamless, waterproof membrane that remains permanently flexible, making it the ideal solution for new installations, the refurbishment of old or to overlay most common roofing substrates.

Everbuild Liquid Roof comes ready to use and is cold applied by brush or roller, using moisture in the air to cure meaning no additional catalyst is required. And what's more, it will cure in many weather conditions becoming completely rain resistant in just 10 minutes, even if a pool of water forms on top of it.

Suitable for use on a variety of substrates, Everbuild Liquid Roof is compatible with concrete, mortar, stone, fibre cement, roof tiles and metals. Not only that but it can also be applied to wood, asphalt, roofing felt and bituminous coatings with the use of full reinforcement in the form of Sikalastic Fleece-120.


**MOISTURE CURING TECHNOLOGY
- NO CATALYST REQUIRED**
**FOR NEW ROOFS AND
REFURBISHING OLD ROOFS**
**STEP ONE**


Ensure all surfaces are sound, clean and free from dust and loose friable material

**STEP TWO**

Apply the first coat of Everbuild Liquid Roof liberally at a thickness of 1mm, by brush or solvent-resistant roller.

**STEP THREE**

If required, apply Sikalastic Fleece-120 on top of the first coat whilst still wet, overlapping the edges.

**STEP FOUR**

Apply a second coat at a similar thickness to the first, immediately after laying the fleece.


For full application instructions, please refer to latest Product Data Sheet or contact the Everbuild Technical Services Department.

**Black Jack**

Flashing Tape Trade

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FLAS075	75MM	LEAD LOOK	8	5029347099015
FLAS100	100MM	LEAD LOOK	6	5029347099022
FLAS150	150MM	LEAD LOOK	4	5029347099039
FLAS225	225MM	LEAD LOOK	2	5029347099046
FLAS300	300MM	LEAD LOOK	2	5029347099053
FLAS450	450MM	LEAD LOOK	1	5029347099060

Black Jack Self adhesive flashing with natural lead-look finish. All available in 10mtr long rolls.

**Black Jack**

Flashing Tape DIY


MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FLDIY100	100MM	LEAD LOOK	6	5029347099084
FLDIY150	150MM	LEAD LOOK	4	5029347099091
FLDIY225	225MM	LEAD LOOK	2	5029347099107

Black Jack Self adhesive flashing with natural lead-look finish. All available in 3mtr long rolls.

**Sika® MultiSeal**

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKMULTI100	10MTR	GREY	3	5055492700285
SKMULTI150	10MTR	GREY	2	5055492700292
SKMULTI225	10MTR	GREY	2	5055492700308
SKMULTI300	10MTR	GREY	1	5055492700315


A self-adhesive, bituminous tape that is suitable for sealing cracks and joints in common domestic and commercial situations.



901 Black Bitumen Paint

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
90101	1LTR	BLACK	12	5029347009113
90102	2.5LTR	BLACK	6	5029347009120
90105	5LTR	BLACK	4	5029347009151
90125	25LTR	BLACK	1	5029347009137


Black Bitumen Paint is a solvent based, full bodied black bituminous paint. When dry, the product forms an odourless and taint free black film suitable for metal protection, and overcoating felt.



902 Bitumen & Flashing Primer

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
90201	1LTR	BLACK	12	5029347009212
90205	5LTR	BLACK	4	5029347009250


Bitumen and Flashing Primer is a thin black primer used to give a key prior to applying bitumen paints, roof coatings and flashing.



905 All Weather Roof Coating

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
90505	5LTR	BLACK	4	5029347009557
90525	25LTR	BLACK	1	5029347009533

A solvent based, full bodied black brushable bitumen compound with added fibres for reinforcement. It is an effective general purpose roof coating that is resistant to wash off by rain almost immediately. The product is specifically designed for general waterproofing in all roofing applications.



906 Bitumen Roofing Emulsion

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
90605	5LTR	BLACK	4	5029347009656


Bitumen Roofing Emulsion is a stable bitumen/water emulsion of medium brushing consistency which dries to a black, flexible coating. The product is specially designed for general waterproofing of roofs and provides protection against corrosion of pipes and structural steelwork.



903 Bitumen Trowel Mastic

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
90301	1LTR	BLACK	12	5029347009311
90302	2.5LTR	BLACK	6	5029347009328
90305	5LTR	BLACK	4	5029347009359


A trowel applied, black, heavily filled bituminous compound with added fibres for reinforcement. The product forms a surface skin, but the mass below remains soft to allow for moderate movement. Suitable for sealing and filling holes in mastic asphalt, roofing felt, corrugated iron, metal guttering and downpipes.



904 Roof Felt Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
90401	1LTR	BLACK	12	5029347009410
90402	2.5LTR	BLACK	6	5029347009427
90405	5LTR	BLACK	4	5029347009458
90425	25LTR	BLACK	1	5029347009434


Roof Felt Adhesive is a cold applied, oxidised bitumen based adhesive used to bond roofing felt to most surfaces. Specifically designed for bonding all types of roofing felt to metal and concrete, sealing felt laps and as a cold gridding solution for bonding mineral chippings.



907 Solar Reflective Paint

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
90705	5LTR	SILVER	4	5029347009755
90725	25LTR	SILVER	1	5029347601027

Solar Reflective Paint is a thin bituminous based aluminium protective paint of brushable consistency which dries to a silvery finish. The product is specifically designed for application over primed metal walls and roofs to reduce heat absorption.



908 D.P.M

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
90805	5LTR	BLACK	4	5029347009854
90825	25LTR	BLACK	1	5029347009830

DPM is an odourless rubber enriched bitumen emulsion which provides a highly effective sandwich damp proof membrane for floors. Acts as a waterproofer for walls, above ground structures and foundations. DPM is also suitable as an adhesive for wood block and mosaic panels, insulation boards etc.



EXPANDING FOAMS

Professional & DIY	82
Foam Ancillaries	84
Fire Rated Foam	85

Trusted products are tried & tested by leading tradespeople on the most demanding of projects


TRUSTED

Fix & Fill Expanding Foam

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
EVFF5	500ML	-	12	5029347000080
EVFF7	750ML	-	12	5029347000097

ADDITIONAL NOZZLES				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FOAMNOZZLE	-	-	1	NO BARCODE

Fix & Fill Expanding Foam is a quick setting polyurethane based foam which expands greatly on application and yields up to 50 times original can contents. Can be cut, sawn, plastered and sealed over after approximately one hour. Fills irregular gaps, fixes framework, insulates and sound deadens.




PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

Exact Gap Expanding Foam

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
EVEXACT5	500ML	-	12	5029347609405
EVEXACT7	750ML	-	12	5029347609337

Formulated to provide a more precise foam product that only expands by between 5-10% from the bead extruded on application. The controlled application significantly reduces the amount of cured excess foam that has to be cut back, reducing the danger of wet foam falling onto the floor and surrounding substrates, and the damage and staining this can cause.




PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

No Waste Expanding Foam

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
NOWASTEHH	750ML	-	12	5029347602383

ADDITIONAL NOZZLES				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
NOWNOZZ	-	-	1	NO BARCODE

Using new foam technology, No Waste Expanding Foam is the first Hand Held Foam that allows part used cans to be saved and used again and has a shelf life of 24 months, compared with 12 months for conventional foams. Its unique safety valve will not clog or leak.




PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

Professional Gun Grade Expanding Foam

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
EVGF7	750ML	-	12	5029347000103

A quick setting polyurethane based foam which expands greatly on application and yields up to 50 times original can contents. Can be cut, sawn, plastered and sealed over after approximately one hour. Fills irregular gaps, fixes framework, insulates and sound deadens.

For professional use only.



PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

Thermofoam Insulating & Acoustic Expanding Foam

TRUSTED

**ACOUSTIC RATED UP TO
64 DB TO EN ISO 717-1**

**CERTIFIED AIR PERMEABILITY:
A<0,1 M³ TO EN 12114:2000**

**TEMPERATURE RESISTANT
-40 TO +80°C (SHORT TERM
EXPOSURE TO +100°C)**


**FIRE RATED TO ISO
13501 (CLASS E)**



AIRTIGHT


ENERGY SAVING

**ADHERES TO ALL
COMMON BUILDING
MATERIALS**



MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
EVTHERM7	750ML	-	12	5029347613587

Specially formulated, highly flexible PU foam that absorbs component movement thereby giving an air tight seal to reduce heat loss and improve energy efficiency in buildings.




PVCu / Plastic / Brick / Stone
/ Concrete / Metal / Timber

Constructa-Pro Adhesive Foam

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
CONPRO07	750ML	-	12	5029347615024

A high strength adhesive foam designed for use in a multitude of building applications. Adheres well to most common building materials. Once cured, it's rot-proof, and moisture and temperature resistant from -40°C to +80°C. Suitable for a wide range of applications, e.g. as an adhesive for fixing plasterboard, insulation board, fixing skirting boards or a mortar substitute for building rough garden walls, planters etc.



Brick / Stone / Concrete / Metal / Timber

P45 Medium Duty Metal Gun

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
GFAPP35	P45	-	1	5029347603526

P45 Foam Gun gives the user more control to apply the foam precisely in hard to reach places, saving unnecessary wastage.



P65 Heavy Duty Metal Gun

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
GFAPP65	P65	-	1	5029347123000

A gun for heavy duty applications, now with unique 'Easy Clean Tip' for cleaning of the valve and gun nozzle. For use with all gun grade foams.




Now with an
EASY CLEAN TIP

Dual Purpose Foam Cleaner

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
GFSC5	500ML	-	12	5029347126001


Dual Purpose Foam Cleaner is used to remove wet/uncured foam. Attaches to Gun Foam Applicator for purging through; also includes spray nozzle for use without applicator to remove wet foam from outside of the gun and from most building substrates. The unique threaded collar fits most gun foam applicators, including the above Everbuild foam applicators guns.



Firefoam B1 Handheld

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
EVFIRE	750ML	PINK	12	5029347125004

Firefoam B1 Handheld is a quick-setting fire rated, one part polyurethane foam. It expands on application to yield up to 50 times the can contents and meets the test criteria BS476 Part 20. Fire rated up to 4 hours in certain joint configurations. Once cured, the foam can be cut, sawn or plastered over after approx one hour.




PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber



Firefoam B2 Handheld

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
B2FIREHAND	750ML	PINK	12	5029347600471

Firefoam B2 Handheld is a quick setting fire rated, one part polyurethane foam in a ready to use hand held canister. Fire resistant for up to 2 hours in certain joint configurations. It expands on application to up to 50 times the can contents and meets the requirements of the test criteria for BS476 Part 20.



PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber




Firefoam B1 Gun Grade

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
B1FIREGUN	750ML	PINK	12	5029347611729

A quick-setting fire rated, one part polyurethane foam. It expands on application to yield up to 50 times the can contents. Fire rated up to 4 hours in certain joint configurations, meets requirements of the test criteria DIN 4102 Part 1 for Construction Materials, Class B1 and BS 476 Part 20.

For professional use only.



PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber




Firefoam B2 Gun Grade

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
B2FIREGUN	750ML	PINK	12	5029347600464

Firefoam B2 Gun Grade is a quick setting fire rated, one part polyurethane foam for application by a foam applicator gun. Fire resistant for up to 2 hours in certain joint configurations. It expands on application to up to 50 times the can contents and meets the requirements of the test criteria for BS476 Part 20.

For professional use only.



PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber



FILLERS & DECORATING SUNDRIES

Surface protectors	88
Decorating Fillers	90
Wood Fillers	94
Dust sheets & Tarpaulins	96
Decorating Sundries	98

Trusted products are tried & tested by leading tradespeople on the most demanding of projects

TRUSTED




Roll & Stroll Premium Carpet Protector



CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
ROLL20	25MTR	YELLOW	6	5029347605636
ROLL75	75MTR	YELLOW	1	5029347605643

The ultimate fire-rated, self-adhesive carpet protector with the adhesive coating on the outside making light work of unwinding and applying to the area. Safer than dust sheets, Roll & Stroll is totally waterproof, won't tear and can be left for up to 4 weeks.



FIRE RATED

TOTALLY WATERPROOF - PROTECTS AGAINST SPILLAGES

WON'T TEAR OR RIP

CAN BE USED ON FLAT SURFACES AND STAIRCASES



Roll & Stroll Textured Non-Slip Carpet Protector

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
ROLLTEXT75	75MTR	YELLOW	1	5029347610265


Roll & Stroll Textured Non-Slip Carpet Protector is the ultimate self adhesive carpet protection system. With the adhesive coating on the outside, it is easy to unwind, safer than dust sheets and has a multitude of uses across all trade sectors. Totally waterproof and textured to make it non-slip.



Roll & Stroll Contract Carpet Protector

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
ROLLCON50	50MTR	CLEAR	1	5029347606206
ROLLCON100	100MTR	CLEAR	1	5029347606213


Roll & Stroll Contract Carpet Protector is the ultimate clear self adhesive carpet protection system. With the adhesive coating on the outside, it is easy to unwind, safer than dust sheets and has a multitude of uses across all trade sectors. Totally waterproof, it protects against spillage, and won't tear or rip.



Roll & Stroll Hard Surface Protector

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
ROLLHARD20	25MTR	CLEAR	6	5029347606077
ROLLHARD75	75MTR	CLEAR	1	5029347606084

Roll & Stroll Hard Surface Protector is the ultimate self adhesive floor protection, works on all hard surfaces such as timber, ceramic tiles, laminate, vinyl, metal and stone. It is also suitable for use on worktops, window sills; doors and kitchen units. With the adhesive coating on the outside it is easy to unwind, safer than dust sheets and has a multitude of uses, protects against spillage and won't tear or rip.



Glass Protector

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
ROLLGLASS25	25MTR	RED	15	5029347611248

Glass Protector is the ultimate self adhesive protector ideal to protect glass against the mess, dirt, staining, spillages and soiling that occurs during general building and decorating work. It also reduces the risk of costly scratches to glass. With the adhesive coating on the outside it is also easy to apply.



Fill Once Ready Mixed Filler



TRUSTED

MINIMAL SANDING

WON'T SHRINK

QUICK DRYING

APPLY ONCE - JOB DONE

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FILONCE03	325ML	WHITE	12	5029347602147
FILONCE06	650ML	WHITE	12	5029347602154

The best filler you will ever use – Fill Once is a revolutionary ready mixed filler ideal for filling large or small holes in one application.

Provides a smooth, fine finish that won't shrink and only requires minimal sanding. Sets hard and will support nails or screws. Apply once – job done.



Brick / Stone / Concrete / Plaster



All Purpose Ready Mixed Filler

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
RMFILL06	600GM	WHITE	12	5029347000899
RMFILL1	1KG	WHITE	12	5029347000882

All Purpose Filler is an easy to use ready mixed filler which is suitable for both interior and exterior use. Fills holes up to 9mm deep. Dries to a smooth but tough crack resistant sandable finish which may be painted, papered or stained. Designed for repairs to plaster, plasterboard, brick, render, wood, stone and most other building materials.



Fine Surface Ready Mixed Filler

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
RMFINE	600GM	WHITE	12	5029347000998

Fine Surface Filler is an easy to use ready mixed filler for filling small holes up to 4mm deep, and surface imperfections in most porous surfaces such as plaster and wood. Dries to a very smooth finish that can be painted or papered.



Deep Gap Ready Mixed Filler

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
RMDEEP1	1LTR	LIGHT GREY	6	5029347609368

Deep Gap Filler is a revolutionary filler, formulated to fill most holes and cracks; especially deep holes up to 50mm, in just one quick application. It will not shrink, sag or crack and finishes smooth, requiring little or no sanding.



Keep it simple with Caulk Once

See page 7



One Strike Ready Mixed Filler



TRUSTED

IT WON'T SLUMP
(EVEN OVERHEAD)

IT WON'T SHRINK OR CRACK


IT WON'T NEED LAYERS TO FILL

IT WON'T NEED SANDING

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
ONE025	250ML	WHITE	18	5029347300029
ONE05	450ML	WHITE	12	5029347300050
ONE1	1LTR	WHITE	6	5029347300012
ONE2	2.5LTR	WHITE	1	5029347603458
ONE55	5LTR	WHITE	1	5029347300500
ONEC3	300ML	WHITE	12	5029347609450

One Strike is a revolutionary filler, formulated using lightweight polymer bubbles that fill most holes and cracks; even deep holes.

For use in plaster, wood, brick, stone and rendering. Ideal for overhead applications as One Strike will not slump out of cracks. One Strike finishes smooth, requiring little or no sanding and is ready to paint or wallpaper over in just 30 minutes.



Brick / Stone / Concrete / Plaster




IT WON'T TAKE LONG
TO DRY (30 MIN)

IT WON'T BREAK THE BANK

All Purpose Powder Filler

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FILL450	450GM	WHITE	16	5029347600570
FILL15	1.5KG	WHITE	10	5029347600587
FILL5	5KG	WHITE	1	5029347611873


All Purpose Powder Filler for both interior and exterior use, with added PVA for extra strength. Fills holes up to 40mm deep. For repairs to plaster, brick, stone, wood, can be nailed or screwed when dry. Quick setting, non-shrink.



Fill & Skim Ready Mixed Plaster

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FILLSKIMS	5LTR	WHITE	1	5029347603229

Fill and Skim is a ready mixed lightweight plaster for both patching jobs and covering larger areas. Fill and skim is ideal for covering over old textured surfaces. Ideal for trade and DIY use.




Brick / Stone / Concrete / Plaster

All Purpose Ready Mixed Filler Easi Squeeze

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
READYINST	330GRM	WHITE	12	5029347600389

Fast drying ready mixed filler in an easy to use squeeze tube, can be used for a multitude of filling applications both internally and externally. Fills holes up to 5mm deep.



Filler Coat Thick Base Coat

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FILLCOAT5	5LTR	WHITE	1	5029347610067

Filler Coat is a thick base coat for use on imperfect surfaces prior to painting. It hides and obliterates areas that have been filled, as well as covering and preventing the reappearance of hairline cracks. Working like a roll on filler, the thick formula completely covers strong colours. Ideal for use on walls and ceilings.




Brick / Stone / Concrete / Plaster

Multi Purpose Joinery Grade Wood Filler

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
MPWOODASILT1	100ML	LIGHT STAINABLE	6	5029347603335
MPWOODLT2	250ML	LIGHT STAINABLE	6	5029347603359
MPWOODMED02	250ML	MEDIUM STAINABLE	6	5029347603366
MPWOODPINE2	250ML	PINE	6	5029347608286
MPWOODMAH2	250ML	MAHOGANY	6	5029347608323
MPWOODLTOAK2	250ML	LIGHT OAK	6	5029347608309
MPWOODDKOAK2	250ML	DARK OAK	6	5029347608316
MPWOODTEAK2	250ML	TEAK	6	5029347613921
MPWOODWE2	250ML	WHITE	6	5029347608293

Multi-Purpose Wood Filler fills nail holes, cracks, gaps and minor imperfections in wood. It is easy to sand, can be stained, varnished and painted and is solvent free.




Wood / Brick / Stone / Concrete / Plaster



2 Part High Performance Wood Filler

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
2PLITE05	500GR	LIGHT STAINABLE	6	5029347608194
2PLITE14	1.4KG	LIGHT STAINABLE	6	5029347608262
2PMAH05	500GR	MAHOGANY	6	5029347608156
2PMAH14	1.4KG	MAHOGANY	6	5029347608248
2PMED05	500GR	MEDIUM STAINABLE	6	5029347608200
2PMED14	1.4KG	MEDIUM STAINABLE	6	5029347608279
2POAK05	500GR	OAK	6	5029347608132
2POAK14	1.4KG	OAK	6	5029347608217
2PPINE05	500GR	PINE	6	5029347608170
2PPINE14	1.4KG	PINE	6	5029347608330
2PRE05	500GR	REDWOOD	6	5029347608187
2PRE14	1.4KG	REDWOOD	6	5029347608347
2PWHITE05	500GR	WHITE	6	5029347608149
2PWHITE14	1.4KG	WHITE	6	5029347608231

2 Part High Performance Wood Filler, is a fast drying, interior and exterior wood filler. The 2 Part Wood Filler is easy to mix and apply and is completely weatherproof. Once mixed, the filler sets hard to a shatterproof finish in approximately 30 mins and may be drilled, carved or planed once dry.




Wood / Brick / Stone / Concrete / Plaster



Pro-Fill High Performance Filler

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
PROFILL5	500GR	LIGHT GREY	6	5029347608781

Pro-Fill 2 Part High Performance filler, for joinery, decorating and building applications, suitable for repairing most building materials including concrete, metal, wood and GRP. Rapid cure non-tack surface that's easy to sand.



Wood / Brick / Stone / Concrete / Plaster



Wood Filler Hardener / Catalyst

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
WFCATALYST	40GRM	-	25	NO BARCODE


Spare catalyst/hardener tubes for use with all 2 part wood fillers.



Wet Rot Wood Hardener

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
WOODHARD2	250ML	-	6	5029347807016

Wet Rot Wood Hardener is a highly penetrative solution of selected resins in solvent which soaks deep into the fibres of decaying wood and dries to leave the wood hard and resistant to further moisture penetration. The resin modified wood then becomes an ideal base for repair with Everbuild 2 part wood fillers.



Time of the essence?
Use our 5 minute
Polyurethane Wood Adhesive


See page 42



Cotton Dust Sheets

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
DUST	3.7M x 2.7M (12' x 9')	-	10	5029347604127


Genuine cotton twill, protect from spills, splashes and dust. Strong hardwearing cotton resists wear from tools, stepladders and feet. Reversible, machine washable.



Laminated Cotton Dust Sheets

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
LAMDUST	3.7M x 2.7M (12' x 9')	-	10	5029347602574


Top quality cotton twill with polythene inter-laminate, stops paints and liquids passing through.



Polythene Dust Sheets

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
POLYDUST	3.7M x 2.7M (12' x 9')	CLEAR	20	5029347602253

Heavy duty, perfect for painting. Protects from paint spills, splashes, dirt and dust.




Tarpaulins

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
1TARP9	3.7M x 2.7M (12' x 9')	BLUE	25	5029347605612
1TARP18	3.7M x 5.5M (12' x 18')	BLUE	8	5029347605629

Heavy duty tarpaulin. 100% waterproof and tear proof. Reinforced eyelets and corners.


Comes in two sizes:
Standard: 12ft x 9ft – 90gm
Heavy Duty: 12ft x 18ft – 120gm



Brush Cleaner

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
BRUSHCL	500ML	-	12	5029347601812

A thin solvent based liquid which removes wet paint quickly from brushes, rollers and pads. Works on emulsion, spirit based paints, varnish and is water washable. Conditions to prolong brush/roller life.



Brush Restorer

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
BRUSHREST	500ML	-	12	5029347601829

A thin solvent based liquid which removes paint from gummed up and old hardened brushes. Works on most paint types and is water washable.



Sugar Soap Powder

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SOAPPow	430GR	-	12	5029347601911

A silicate free powder which when diluted with water effectively removes grease and grime from painted surfaces to improve adhesion and gives a better final finish. Sugar Soap Powder is also the ideal choice as a general household cleaner.



Sugar Soap Liquid & Spray

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SOAPLIQ	500ML	-	12	5029347601904
SOAPSPRAY	500ML	-	6	5029347610883


A concentrated solution which when diluted with water effectively removes grease, grime and nicotine from painted surfaces to ensure improved adhesion. Also ideal as a general household cleaner. Also available in ready to use spray.



Stain Block

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
STAINSTP	400ML	-	12	5029347602017


Stain Block is a spray applied, heavily pigmented white paint which permanently prevents existing stains from water, mould, rust, nicotine, grease, soot, crayon showing through subsequent coatings. Quick drying, overcoat in 15 mins, easy to apply.



White Spirit

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
WS7	750ML	-	12	5029347602000
WS2	2LTR	-	8	5029347601997
WS4	4LTR	-	4	5029347602215


White spirit is a solvent designed for thinning paints and varnishes, cleaning brushes and general household degreasing and cleaning.



Methylated Spirit

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
MS5	500ML	-	6	5029347605872


Mineralised Methylated Spirits is an alcohol prepared for industrial use. Suitable for use as a solvent for patent knotting, some varnishes, some spirit based paints and French polish. Can also be used as a cleaner/degreaser for paint work, glassware, for wiping resinous matter from knots prior to knotting and as a fuel.



Turps Substitute

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
TS7	750ML	-	12	5029347601942
TS2	2LTR	-	8	5029347601935

A solvent designed for cleaning paint off brushes and rollers to prolong their life and as a general household cleaner/degreasant.



Safer Spirit

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SAFERSP07	750ML	-	12	5029347611774

Safer Spirit is a revolutionary water based alternative to White Spirit. Safer Spirit can be used for many of the same applications as White Spirit. It is not only low in VOC's and has a solvent content of below 8%, but it is also virtually odourless, non-toxic, non-flammable and non-corrosive. Safer Spirit also contains a conditioning agent, leaving paint brushes soft and supple.



Wallpaper Stripper


CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
WALLSTP	500ML	-	12	5029347601980

A highly concentrated solution of surfactants designed to strip wallpaper fast. Dilute to make up to 18 litres. Water washable.

All Purpose
Wallpaper Adhesive


CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
PASTE5	5ROLL	-	25	5029347601874
PASTE10	10ROLL	-	12	5029347601850
PASTE20	30ROLL	-	10	5029347601867

A powdered adhesive which when mixed with water is suitable for hanging all common wallcoverings including sculptured, blown and textured vinyl, washable and heavy embossed. Also suitable for fixing polystyrene tiles. High tack combines with excellent adjustability. Contains a powerful fungicide.

Ready Mixed
Wallcovering Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
WALLREADY4	4.5KG	-	2	5029347601973

A ready mixed paste suitable for hanging all common papers including vinyls and heavy embossed. High tack, excellent adjustability. Contains a powerful fungicide.



Raw Linseed Oil


CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
RAWLIN	500ML	-	12	5029347601898

A traditional wood treatment for use on cricket bats, oak beams etc and as a lubricant in the French polishing industry. Nourishes and revives wood.

Overlap and Border
Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
BORD2	250GR	-	12	5029347601799
BORD5	500GR	-	12	5029347601805

A high strength, ready mixed paste suitable for all types of borders (inc. vinyl). May be used for adhering overlaps and repairs to damaged paper sections. Will stick all common papers as well as to gloss and emulsion paint. High tack excellent adjustability. Contains a powerful fungicide.



Boiled Linseed Oil

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
BOILLIN	500ML	-	12	5029347601775

A traditional wood treatment used to replace the natural sheen in aged/ tired wood. Quicker drying than raw linseed oil. May also be mixed with mastic sand to make trowel grade pointing mastic.



Teak Oil

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
TEAK	500ML	-	12	5029347601928

A traditional wood treatment used to replace the natural oils lost through ageing or weathering and brings out the natural colour of wood. Suitable for interior or exterior use on unpolished timbers.



TAPES

Trusted products are tried & tested by leading tradespeople on the most demanding of projects

TRUSTED

Building Tapes	102
Repair Tapes	105
Masking Tapes	106
Safety Tapes	107
Packaging Tapes	107
Double sided Tapes	108
Plasterboard Tapes	108

Mammoth Powerful Grip Tape

Extra Strong Double Sided Tape




CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
2POWERGRIP12	2.5MTR	CLEAR	48	5029347605896
2POWERGRIP25	2.5MTR	CLEAR	24	5029347605773
2POWERGRIP50	2.5MTR	CLEAR	12	5029347605766

Mammoth Powerful Grip Tape is a double sided tape that breaks the rules, with an incredible immediate bond strength that has to be seen to be believed. It will bond to virtually any material, indoors or outdoors including ceramics, brickwork, wood, metal, plastics and PVC.

It is moisture resistant and will not degrade with U.V light. Ideal for use in the home, industry, construction and office. Can be used in many applications to replace drilling, plugging and unsightly screws.


TRUSTED



American Duct Tape




TRUSTED



CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
USDUCTOG25	25MTR	ORANGE	12	5029347610326
USDUCTSV25	25MTR	SILVER	12	5029347613228

American Duct Tape is a remarkable tape which is not only thick, strong and 100% waterproof; it also has the most amazing adhesive quality.



Mammoth

Mega All Purpose Tape

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
2MEGBK50	50MTR	BLACK	24	5029347600549
2MEGBL50	50MTR	BLUE	24	5029347604226
2MEGRD50	50MTR	RED	24	5029347602611
2MEGSV50	50MTR	SILVER	24	5029347602628
2MEGWES0	50MTR	WHITE	24	5029347602635
2MEGYW50	50MTR	YELLOW	24	5029347604233

The ultimate all purpose duct tape, top quality cloth with aggressive natural rubber adhesive. Tough, durable and waterproof, for thousands of applications on site, in the home and industry, in the widest possible range of colours.



Mammoth

Builders PVC Tape

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
2BUILDBK50	33MTR	BLACK	24	5029347604646
2BUILDBK75	33MTR	BLACK	16	5029347604653

Strong PVC tape with versatile adhesive, ideal for jointing all PVC and polythene sheets and membranes. Perfect for contamination barrier fastening, dust sealing of sheets and many other uses in construction and industry.



Mammoth

Gaffa Tape

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
2VGAFB45	45MTR	BLACK	12	5029347611743
2VGAFSV45	45MTR	SILVER	12	5029347611736

Gaffa Tape is a strong, tough and durable utility grade cloth tape for use in repairs in construction, industry, home and garden.



Mammoth

Aluminium Tape

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
2ALUM50	45MTR	SILVER	24	5029347604509
2ALUM75	45MTR	SILVER	16	5029347604516
2ALUM100	45MTR	SILVER	12	5029347604523

Heat and light reflective aluminium foil tape, heat resistant to 180°C, flame retardant to Class 0. Excellent moisture resistance, ideal for use as a vapour barrier between foil faced insulation panels in roof and wall applications, duct sealing on all types of air conditioning and ventilation and protecting wires and pipes from heat.



Mammoth

Clear Weatherproof Tape

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
2CLEAR10	10MTR	CLEAR	36	5029347610494

Strong Weatherproof Tape with aggressive adhesive, ideal for jointing and repairing all PVC and polythene Sheets and many other uses in construction, industry and the home. Also ideal for repairing cracks in glass and acrylic without obscuring vision/light.



Silweld

Silicone Self Fusing Repair Tape

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
2SILWELD3BK	3MTR	BLACK	6	5029347611279

Silweld is the incredible silicone self fusing tape that can be used to repair almost anything from an emergency repair to a water hose or air pipe to insulating electrical wires or connections.

It creates an air tight, watertight seal in seconds without the need for any adhesive and even works underwater. Excellent electrical insulator up to 8,000 volts, withstands extreme temperatures -65°C to 260°C and even withstands pressure to 700psi. Silweld also resists petrol, oil, acids, solvents, salt water and UV rays.



Check out our

Wonder Wipes range

See page 112 – 117 in the
Cleaning Products section



Mammoth

Labelled Masking Tape

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
2MASKLAB19	50MTR	OFF WHITE	64	5029347604325
2MASKLAB25	50MTR	OFF WHITE	48	5029347604332
2MASKLAB38	50MTR	OFF WHITE	32	5029347604349
2MASKLAB50	50MTR	OFF WHITE	24	5029347604356
2MASKLAB75	50MTR	OFF WHITE	16	5029347604363

General Purpose, trade quality Masking Tape, suitable for many uses. Easily removable within 3 days. Rolls individually film wrapped and labelled with separate barcode per size.



Mammoth

Value GP Masking Tape

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
2MASKVAL19	50MTR	OFF WHITE	64	NO BARCODE
2MASKVAL25	50MTR	OFF WHITE	48	NO BARCODE
2MASKVAL38	50MTR	OFF WHITE	32	NO BARCODE
2MASKVAL50	50MTR	OFF WHITE	24	NO BARCODE
2MASKVAL75	50MTR	OFF WHITE	16	NO BARCODE

General Purpose Trade Quality Masking Tape for conventional paint masking, can be left on for up to 3 days without leaving a residue. Loose packed rolls without individual film wrap or barcode.



Mammoth

Low Tack Masking Tape

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
2LOWMASK25	25MTR	OFF WHITE	60	5029347604622
2LOWMASK50	25MTR	OFF WHITE	30	5029347604639

The Professionals choice for application to more delicate surfaces and wallpaper, where conventional Masking Tapes could damage the surface. Can be left on for up to 7 days, without a residue being left on the surface.



Mammoth

Pro Blue Masking Tape

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
2PRO25	33MTR	BLUE	48	5029347604530
2PRO50	33MTR	BLUE	40	5029347604547

Professional Long Stay Masking Tape that can be left on for up to 14 days without leaving a residue or damage to the surface.



Mammoth

PVC Hazard Tape

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
2HAZRD	33MTR	RED/WHITE	24	5029347604400
2HAZYW	33MTR	BLACK/YELLOW	24	5029347604394

A strong and durable self adhesive PVC Hazard tape for all hazard marking, ideal for marking floors, walls and overhead. Abrasion resistant, damp tolerant, can be used internally and externally.




Mammoth

Barrier Tape

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
2BARRD500	500MTR	RED/WHITE	8	5029347604424

Super strength non adhesive polythene barrier tape supplied in an individual box.



Mammoth

Retail / Labelled Packaging Tape

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
2PACKLABBN	50MTR	BROWN	36	5029347610432
2PACKLABCL	50MTR	CLEAR	36	5029347610456

Low noise, quality packaging tape, individually wrapped and labelled. Ideal for all packing applications.



Mammoth

Value Packaging Tape

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
2PACKBN	50MTR	BROWN	36	5029347604387
2PACKCL	50MTR	CLEAR	36	5029347604370

Quality Packaging Tape, available packed in towers, labelled and barcoded per tower.



Mammoth

Multi-Purpose Double Sided Tape

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
2DOUBLE25	25MTR	CLEAR	48	5029347604707
2DOUBLE50	25MTR	CLEAR	24	5029347604714
2DOUBLE05	5MTR	CLEAR	30	5029347610623

High tack multi-purpose double sided tape, ideal for securing many items to smooth surfaces, vertically and horizontally.

**Mammoth**

Carpet Fix Cloth Tape

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
2CARPT50	25MTR	CLEAR	24	5029347604738

Premium quality double sided Carpet Fix Cloth Tape is ideal for fixing all carpets to all surfaces. Easily torn by hand during application.

**Mammoth**

Heavy Duty Double Sided Tape

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
2HDDOUBLE50	5MTR	CLEAR	36	5029347610609

A premium quality, heavy duty, Double Sided Tape with a strong, thick cloth membrane and an aggressive rubber resin adhesive. Ideal for fixing floor coverings and other heavy duty applications.

**Mammoth**


Scrim Tape

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
2SCRIM48	90MTR	WHITE	24	5029347615758

A self-adhesive, flexible and easy to apply scrim tape for use over plasterboard joints prior to plastering.

**EuroScrim**

Self Adhesive Scrim Tape



TRUSTED

QUICK & EASY TO APPLY

SELF ADHESIVE -
ELIMINATES NEED FOR
PRE-PLASTERINGFLEXIBLE, WILL NOT
BUBBLE OR BLISTERFOR DRYWALL, PLASTER
WALLS & CEILINGS

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
2EURO48	90MTR	WHITE	24	5029347611750
2EURO100	90MTR	WHITE	12	5029347612627

EuroScrim is a premium quality, quick and easy to apply, self-adhesive scrim tape that is made in Europe to perform!

EuroScrim has a quality high tack adhesive and an open mesh that will not blister or bubble, creating perfect joints every time.



CLEANERS

Wipes	112
Glazing Cleaners	114
Cleaners & Lubricants	115

Trusted products are tried & tested by leading tradespeople on the most demanding of projects

TRUSTED

Wonder Wipes

Multi-Use



TRUSTED

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
WIPE80	100	-	6	5029347601522
GIANTWIPE	300	-	1	5029347604172
MONSTERW	500	-	1	5029347614379

Multi-Use Wonder Wipes are specially formulated to clean hands, tools and surfaces from wet and semi-cured paint, sealant, adhesive, bitumen, expanding foam, oil, grease and even silicone.

Useful when there is no water on site. Wonder Wipes contain a powerful anti-bacterial additive that is tested by an independent laboratory to BSEN 1276:2009.



ROBUST AND EXTRA
ABSORBENT TRIPLE LAYER
WIPE THAT TRAPS DIRT
AND ABSORBS MOISTURE

ANTIBACTERIAL ADDITIVE
TO PROVIDE PROTECTION

CONTAINS VITAMIN E
AND ALOE VERA TO
NOURISH HANDS



Wonder Wipes

Multi-Use Spray

Wonder Wipes

Heavy Duty

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
WIPEHD75	75	-	6	5029347609467

Heavy Duty Wonder Wipes are textured wipes which are specially formulated for the building, engineering and allied trades to clean ingrained dirt from hands, tools and surfaces.



MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
WIPESPRAY	1LTR	-	12	5029347613952

Multi-Use Wonder Wipes is available in a hand spray. Wonder Wipes Spray is the ideal solution for cleaning large surface areas by using the spray with Everbuild Paper Wipe Rolls or refreshing a Wipe to make it go that extra mile. Wonder Wipes Spray is also the perfect way to keep the PVC door and window frames looking good as new.



Glass Cleaner

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
GLACL	1L	-	12	5029347900014

Glass Cleaner is a powerful glass cleaning agent containing a high level of detergents and solvents for rapid drying to a smear and static free finish. May also be used on tiling, VDUs, TV screens, chrome etc.



PVCu Cream Cleaner

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
PVCC1	1L	-	12	5029347900052

PVCu Cream Cleaner is a solvent free formulation designed to remove ingrained dirt, stains and pollution from PVCu window frames without scratching. Buffs to a deep sheen.



PVCu Solvent Cleaner

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
PVCS1	1L	-	12	5029347900045

PVCu Solvent Cleaner is a solvent based product formulated to remove ingrained dirt from PVCu and most plastics. Also suitable to restore an "as new" look to old windows and plastic garden furniture. Fast drying.



Paper Glass Wipe Rolls

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
PAPCENTRE	150MTR	-	6	5029347603427
PAPRL	280MTR	-	2	5029347119003

Paper Glass Wipe Rolls are made of an extra strong, soft 2-ply paper for effective glass industrial and home cleaning.



All Purpose XT44 Maintenance Spray

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
MULTI	400ML	-	12	5029347600044

All Purpose Maintenance Spray has 100s of uses around the home, garage, workshop and in industry. Penetrates rusted parts and fastenings to assist dismantling, lubricates locks, hinges and tools. Can be used to protect metals and tools from rusting. Displaces water and can be used to assist starting wet petrol engines and damp ignition systems. Lubricates just about any moving part.



Graffiti Remover

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
GRAFF	400ML	-	12	5029347601683

Graffiti Remover is a powerful non-drip gel formula, works on vertical and horizontal surfaces to remove paint, felt tip marker pen and most other forms of casual graffiti. Water washable, effective on all substrates. Graffiti Remover is aided by its slow evaporation rate, penetrating deeply into graffiti and after a few minutes, marks are easily and safely removed by rinsing with water.



All Purpose Silicone Spray

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SILSPRAY	400ML	-	12	5029347600648

All Purpose Silicone Spray is a dry silicone lubricant and mould release agent for the easing of friction between two surfaces. Ideal for use in mould making/release industries, to ease installation of rubber and EPDM gaskets to window and door frames and has 100's of uses around the home, garage, workshop and industry. Silicone Spray will also enhance the appearance of vinyl and hard surfaces such as car dashboards etc, where the dry-bright finish will eliminate the need for polish.




Heavy Duty Citrus Hand Cleaner

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
HDHAND1	1LTR	YELLOW	12	5029347613105
HDHAND4	4.5LTR	YELLOW	4	5029347613112

PUMP FOR 4.5L HAND CLEANER				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
HDPUMP	-	-	1	-

A heavy duty hand gel cleaner. Made from biodegradable natural ingredients it removes wet/semi-cured paints, sealants, adhesives, grease, oil, bitumens etc.





PLUMBING & HEATING SUPPLIES

Central Heating Treatments	118
Sealers & Compounds	121
Fire & Stove Sundries	123
Fire, Stove & Flue Cements & Mortars	124


Trusted products are tried & tested by leading tradespeople on the most demanding of projects

TRUSTED

P24 Power Cleaner

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
P24CLEAN	500ML	-	12	5055492703774


P24 Power Cleaner is a high-strength, universal, rapid liquid cleaner for all central heating systems. It is designed to remove all debris, sludge, flux and scale from existing systems – its high-strength formulation makes it ideal for use for both new and older systems with heavier build-up.



P26 Biocide

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
P26BIOCIDE	500ML	-	12	5055492703781


P26 Biocide is a high-strength, rapid attacking biocide designed for use with all central heating and underfloor heating systems. This product contains three active biocidal ingredients that rapidly acts to eliminate and prevent further formation of fungal growth and bacteria in heating systems.



P28 Filter Fluid

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
P28FILTERFLUID	500ML	-	12	5055492703798


P28 Filter Fluid has been specifically developed to penetrate, release and lift magnetite deposits and contaminants. Debris is delivered directly to the in-line filter for fast and safe removal. Magnetite particles are over five times heavier than water and tend to settle in less turbulent areas of the system and cannot be captured by the filter.



P30 Protector

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
P30PROTECTOR	500ML	-	12	5055492703811


P30 Protector is a high performance, long lasting, easy to use inhibitor that protects domestic heating systems against internal corrosion, limescale and hydrogen gassing. This product has enhanced pH buffering capabilities to ensure the system water pH level does not drop below 8.0 or exceed 8.5 – the optimum pH range for preventing limescale and corrosion build-up.



P32 Leak Sealer

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
P32LEAKSEALER	500ML	-	12	5055492703804

P32 Leak Sealer is a rapid, internal leak sealer that is designed for central heating systems suffering from small, inaccessible leaks and weeps which may cause pressure loss. Once added to the system, the product locates the area of water loss and forms a soft barrier to seal the hole. P32 Leak Sealer is effective within 1 to 24 hours and has been tested and proven to prevent blockages or restrictions in system components.



Electrolytic Scale Inhibitor

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
ELECINHIBITOR	15MM COMPRESSION	-	10	5029347615888


Electrolytic Scale Inhibitor is a high performance, easy to use device that actively inhibits the binding of molecules that create limescale.



Magnetic Filter

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
MAGFILTER	22MM COMPRESSION	-	1	5055492703828

Magnetic Filter is a powerful, high performance in-line magnetic filter with superior magnetic and non-magnetic collection capacity. It is easy to fit, fast and easy to clean as well as being able to fit vertical and horizontal pipework.



Magnetic Scale inhibitor

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
MAGINHIBITOR	15MM COMPRESSION	-	10	5029347615895

Everbuild Magnetic Scale Inhibitor is a high performance, easy to use device that actively inhibits the binding of molecules that create limescale.



Universal Protector Test kit

TEST

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
PROTECTTESTKIT	KIT	-	10	5055492703835

Allows you to test and ensure the optimum amount of inhibitor fluid is in the system so it's effectively protecting the central heating system against build-up.



- UNIVERSAL TEST FOR UP TO 50 SYSTEMS
- SUITABLE FOR CHECKING ALL BRANDS OF INHIBITORS
- HELPS TO ENSURE INHIBITOR EFFICIENTLY PROTECTS THE SYSTEM
- COMPATIBLE WITH ALL INHIBITORS BUT IS IDEAL WHEN USED IN CONJUNCTION WITH EVERBUILD CENTRAL HEATING SYSTEM P30 PROTECTOR.



How to use:

1

Fill the test vessel to the 10ml mark with mains water. Add drops of the inhibitor reagent, counting the number of drops until the solution turns orange/red.

2

Repeat the above process again with systems water. Count the number of drops of the inhibitor reagent until the solution turns orange/red.

3

If the difference in the number of drops for step 1 and step 2 is LESS than 5, add another bottle of P30 Protector. If the difference in the number of drops is EQUAL to or MORE than 5, the system is sufficiently protected.

Plumber's Gold Sealant & Adhesive



- CAN BE APPLIED TO WET SURFACES
- WILL EVEN WORK UNDERWATER



MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
PLUMBGCL	290ML	CLEAR	12	5029347607081
PLUMBGWE	290ML	WHITE	12	5029347607074

Specially formulated for the plumbing professional, Plumbers Gold is a sealant and adhesive based on hybrid polymer technology that offers outstanding adhesion to all sanitary, bathroom, wet room, kitchen and plumbing materials.




Brick/Timber/Metal/PVCu/Glass

**P12 Plumber's
Silicone Grease**

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
P12GREASE	200GR	-	12	5055492703842

P12 Silicone Grease is a lubricant and sealant with excellent resistance to most chemicals, extreme temperatures and exceptional water resistance. It has low vapour tension up to 200 °C, enabling low residual pressure to be achieved. Everbuild P12 Silicone Grease is also chemically inert – it is non-corrosive on metals and has no plasticising effect on rubbers or plastics.

**P13 Plumber's
Putty**

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
PLUMB7	750GR	BEIGE	12	5029347600655


Plumber's Putty is a ready-mixed, waterproof, non-setting putty designed for sealing and bedding WC soil pipes, joints in sanitary wear, sinks and waste water fittings. Plumber's Putty will seal ceramics, vitreous enamels, metals and PVC. Remains permanently flexible to allow for joint movement.

**P16 Plumber's
PVC Pipe Cement**

CODE	SIZE	COLOUR	BOX QTY	BARCODE
P16PIPE	250ML	-	12	5029347607029

PVC Pipe Cement is a non-drip, thixotropic solvent based pipe cement for bonding non-pressure PVC and ABS thermoplastic pipes and conduits to themselves and each other.

Conforms to BSEN14814 and BSEN14680.



PVC/PVCu/ABS

**P18 Plumber's
Gas Leak Detector**


CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
P18GASLEAK	400ML	-	12	5010618216101

Gas Leak Detector is a specially formulated foam designed specifically to identify even the smallest positive pressure, gaseous leak. It is suitable for use with most common gases and is compatible with paintwork, metals, wood and most plastics.

**Heat Resistant
Matt Black Paint Tin**


CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
PCHEATPNT1	125ML	BLACK	12	5029347609306

Heat Resistant Paint is a protective and decorative paint which is heat stable for temperatures up to 600°C. It is suitable for use on domestic stoves, furnace chimneys, industrial ovens and exhausts. It can be used as a single coat, or two coats on bare ferrous metal surfaces.

**Heat Resistant
Matt Black Paint Aerosol**

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
PCHEATPNT4	400ML	BLACK	12	5029347609313

Heat Resistant Paint in an aerosol is a protective and decorative paint which is heat stable for temperatures up to 600°C. It is suitable for use on domestic stoves, furnace chimneys, industrial ovens and exhausts. It can be used as a single coat, or two coats on bare ferrous metal surfaces.

**P20 Plumber's
Flux Soldering Paste**


CODE	SIZE	COLOUR	BOX QTY	BARCODE
P20FLUX140	140GR	WHITE	12	5029347613068

Plumber's Flux is a soft paste which is applied to joint areas prior to soldering. It is suitable for use with most metal types. It is self cleaning and can be used with potable water.

**Heat Resistant Silicone**

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
PCHEATSIL	310ML	BLACK	12	5029347609290

Heat Resistant Silicone is a high temperature resistant, fast cure, silicone, heat stable up to 300°C, which is permanent flexibility – high modulus sealant. It is ideal for joints and assemblies in ducting, metal chimneys, industrial/domestic ovens, heating appliances. Excellent adhesion to most non-porous surfaces.



KOS Fire Cement



TRUSTED

ASBESTOS FREE

RESISTANT TO EXTREME
TEMPERATURES

AVAILABLE IN BUFF
OR BLACK

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
PCKOSFIRE05	500G	BUFF	18	5010618001110
PCKOSFIRE1	1KG	BUFF	12	5010618002117
PCKOSFIRE2	2KG	BUFF	6	5010618003114
PCKOSFIRE6	6KG	BUFF	2	5010618005118
PCKOSFIRE12	12.5KG	BUFF	1	5010618006115
PCKOSFIRE25	25KG	BUFF	1	5029347606657
PCKOSBKFIRE05	500G	BLACK	18	5029347606619
PCKOSBKFIRE1	1KG	BLACK	12	5029347606626
PCKOSBKFIRE2	2KG	BLACK	6	5029347606633
PCKOSBKFIRE12	12.5KG	BLACK	1	5029347606640

KOS Fire Cement is a ready mixed blend of thermo setting resins and inorganic fillers that cures when exposed to heat, resulting in a mortar which is resistant to temperatures up to 1250°C.

Can be used for domestic and commercial applications. Excellent adhesion to fire bricks, blockwork, stone and clayware.



KOS Fire Cement Cartridge

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
PCKOSFIREC3	300ML	BUFF	12	5010618070161
PCKOSBKFIREC3	300ML	BLACK	12	5029347606886


KOS Fire Cement is a ready mixed blend of thermo setting resins and inorganic fillers that cures when exposed to heat, resulting in a mortar which is resistant to temperatures up to 1250°C. Can be used for domestic and commercial applications. Excellent adhesion to fire bricks, blockwork, stone and clayware.



KOS Flue Cement

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
PCKOSFLUE3	300ML	-	12	5010618016169


KOS Flue Cement is a high temperature (to 1250°C) ready mixed fireproof mortar paste, designed for the safe installation/jointing of Type A1 (BSEN1857) concrete flue liners for use with domestic fires and stoves e.g. coal, wood burning or gas (including flame effect).



Flue Jointing Compound

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
PCFJC05	500GM	-	12	5010618050019
PCFJC1	1KG	-	12	5010618050217


Flue Jointing Compound is a finely dispersed asbestos free material with a stiff consistency. It will not harden completely and small movements can be accommodated without cracking. Flue Jointing Compound is nonflammable and, therefore, there is no risk of fire.



XL Fire Cement

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
PCXLFIRE05	500G	BUFF	18	5010404120056
PCXLFIRE1	1KG	BUFF	12	5010404120100
PCXLFIRE2	2KG	BUFF	6	5010404120209
PCXLFIRE5	5KG	BUFF	2	5010404012054

XL Fire Cement is a ready mixed blend of thermo setting resins and inorganic fillers that cures when exposed to heat, resulting in a mortar which is resistant to temperatures up to 1250°C. Can be used for domestic and commercial applications. Excellent adhesion to fire bricks, blockwork, stone and clayware.



BUILDING SUPPLIES

Trusted products are tried & tested by leading tradespeople on the most demanding of projects

TRUSTED

Waterproofing	128
Building Admixtures	134
Self Levelling Compounds	142
Floor Paints & Line Markers	146
Wall Finishing	147
Concrete & Brick Repair	148
Priming	154
PVA & SBR Bonding	155
Chemical Anchors	158
Putties	160
Pointing	161

Sika®-1 Waterproofer

Liquid Waterproofing Additive



TRUSTED

PROVEN TRACK RECORD
FOR OVER 100 YEARS

EXCELLENT RESISTANCE
TO BACKWATER PRESSURE

WATERPROOF RENDERS
TO RESIST MOISTURE
ABOVE GROUND

CONSUMPTION: 0.75LTR
PER 25KG CEMENT

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SK1WAT5	5LTR	YELLOW	4	5055047200024
SK1WAT25	25LTR	YELLOW	1	5055047200123

A liquid waterproofing additive for mortar and concrete.

The colloidal silicates in the additive swell and block the capillaries and pores in the applied sand/cement renders, screeds and mortar to provide an effective barrier against the transmission of liquid water.

INTERIOR AND EXTERIOR	WATERPROOF	CHLORIDE FREE	DOSAGE



Sika -1 Pre-Bagged Structural Waterproofing System


How it works

Now available with new & improved formulations and with Sika-1 Waterproofer pre-mixed into the bags, the Sika-1 Structural Waterproofing System is easier to use than ever!

The Sika -1 Pre-Bagged Structural Waterproofing System consists of a render system for use on walls and overhead surfaces, and a screed system for use on the floor.

The system mortars (pages 144-145) are pre-bagged kiln dried blends of specially graded aggregates and cements, packaged in 4 grades at the appropriate mix ratios for optimum application, performance and durability. When mixed with water they provide the multicoat components for the structural waterproofing system.

If BBA certification is required, please request the old formulations which will still be available for a limited time – see everbuild.co.uk for more details and availability.



Sika®-1 Screed 3-Coat System

Sika®-1 Render 3-Coat System



1

SIKA®-1
PRE-BAGGED
SPRITZ & BONDING
COAT MORTAR

2

SIKA®-1
PRE-BAGGED
SCREED
MORTAR



1

SIKA®-1
PRE-BAGGED
SPRITZ & BONDING
COAT MORTAR

2

SIKA®-1
PRE-BAGGED
RENDER
MORTAR

3

SIKA®-1
PRE-BAGGED
FINISHING
MORTAR

Sika®-1 Pre-bagged
Spritz & Bonding Coat Mortar

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SK1PBSPRITZ	25KG	-	1	7612895405179

New formulation; A factory proportioned, pre-bagged powder component for mixing with water. This product produces the first bonding coat of the Sika®-1 Structural Waterproofing System.

INTERIOR AND EXTERIOR

6MM

2M²

APPROX COVERAGE

WATERPROOF



Sika®-1 Pre-bagged
Render Mortar

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SK1PBREND	25KG	-	1	7612895405162

New formulation; A factory proportioned, pre-bagged powder component used with water to produce the intermediate or 'body' coat of the Sika®-1 Structural Waterproofing System.

INTERIOR AND EXTERIOR

6MM

2M²

APPROX COVERAGE

WATERPROOF



Sika®-1 Pre-bagged
Screed Mortar

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SK1PBSCREED	25KG	-	1	7612895405148

New formulation; A pre-batched, multi-purpose screed mortar. Sika®-1 Screed Mortar contains specially graded aggregates sand cement and additives to produce waterproof floor screeds that resist water pressure above ground level. For use with the Sika®-1 Structural Waterproofing System.

INTERIOR AND EXTERIOR

20MM

0.6M²

APPROX COVERAGE

WATERPROOF



Sika®-1 Pre-bagged
Finishing Mortar

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SK1PBFINISH	25KG	-	1	7612895405155

New formulation; The third layer of the Sika®-1 Structural Waterproofing System. Sika®-1 Finishing Mortar is a factory proportioned, pre-bagged powder component used with water to produce the top coat of the Sika-1 Waterproofing System.

INTERIOR AND EXTERIOR

6MM

2M²

APPROX COVERAGE

WATERPROOF



Sika®-2

Water Plug

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SK2PLUG5	5LTR	RED	4	5055047200048

A ready to use, rapid setting, leak stopping liquid which is mixed with ordinary portland cement to produce a paste for immediate leak sealing against high water pressure infiltration. Suitable to seal severe water leaks and to be applied on surfaces with running surface water.



Sika®-4a

Water Stop

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SK4A5	5LTR	CLEAR	4	5055047200109

A ready to use, quick setting, liquid which is mixed with water and ordinary portland cement to produce a paste for leak stopping .Sika®-4a Water Stop is suitable for use against high or moderate water pressure infiltrations.



Sika®-4

Rapid Setting

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SK4RAP5	5LTR	BROWN	4	5055047200086

A ready to use liquid for accelerating the set time of mortars and renders where low water pressure or slow water movement exists. Sika®-4 Rapid Setting Provides excellent resistance to backwater pressure and prevents cement wash out.



Sikalastic®-1K

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKLAS1K20	20KG	GREY	1	5055492701305

A one-component, highly flexible, cementitious, fibre-reinforced mortar for the waterproofing of concrete structures. It can be used for the outside waterproofing and protection of basement walls as well as on hydraulic structures, such as swimming pools.



SikaMur®

InjectoCream-100

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FPSKMURINJ100	600ML	-	10	7612894718317
SKMURINJCM100	300ML	-	12	7612894892604

A silane-based, waterproof cream that can be inserted into holes in mortar course of the wall to provide a Damp Proof Course (DPC) that will block future rising damp.



Sika® Damp Proofing Slurry

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKDPSLUR20	20KG	GREY	1	5055492700704
SKDPSLUR25	25KG	GREY	1	5055047201021

A high-quality, thin layer, waterproof slurry coating that contains special cements and admixtures that provides a finish that prevents dampness and water penetration. Easy to mix and apply as well as being overpaintable with vapour permeable coatings.



Febtank Super

Waterproof Coating

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FBTANKSGY	25KG	GREY	1	5029347607807
FBTANKTUBG	20KG	GREY	1	5029347609856

Febtank Super, when mixed with clean water, forms an extremely durable waterproof coating for concrete and masonry which is easily applied by a stiff hand brush, broom or spray. Ideal permanent waterproofing system for basements, cellars, pools, reservoirs and below ground level applications. Resists both negative and positive water pressure. **BBA approved. Tested to BSEN 1504-3.**



Febtank Plug

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FBWATPLUG5	5KG	-	1	5029347607814

Febtank Plug is an ultra-rapid setting, durable plugging compound designed to stop active water leaks in concrete and masonry.

Once applied, the material expands as it cures to form a permanent watertight seal with similar characteristics to concrete. Suitable for use with Febtank Super.



SikaMix® Plus

Mortar Plasticiser

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SIKAMIXP5	5LTR	-	4	5055492700483
SIKAMIXP25	25LTR	-	1	5055492700544

A general purpose, liquid mortar plasticiser for brick and blockwork mortars. SikaMix® Plus Increases the workability and improves the quality of mortars, renders and plasters. Also, improves the frost resistance of hardened mortar.

AIR ENTRAINING PLASTICISER

DOSAGE

CHLORIDE FREE

WATER REDUCING

WATER-BASED/ CLEAN UP



Sika® Rendermix

Water Resisting Plasticiser

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKREND5	5LTR	YELLOW	4	5055047200529

A water resisting plasticiser and air entraining agent for improving renders and screeds. Can also be used as an admixture for pebble dashing or roughcast finishes.

WATERPROOF

DOSAGE

AIR ENTRAINING PLASTICISER

WATER REDUCING

CHLORIDE FREE



Sika® Accelerator

Rapid Hardening Admixture

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKACC5	5LTR	CLEAR	4	5055047200550

Cold weather and rapid hardening admixture for mortars, screeds and renders. Provides frost protection in the wet mortar during the settling period even in sub-zero temperatures, as well as allowing faster finishing times in the cold weather.

WATER-BASED/ CLEAN UP

DOSAGE

CHLORIDE FREE

FROST- PROOFER



Sika® Proof

Liquid Waterproof

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKPROOF5	5LTR	WHITE	4	5055047200635

General purpose, economic waterproofing admixture for mortars and concretes. Ideal for use on swimming pools, water tanks, ponds, below ground applications and more.

DOSAGE

WATERPROOF



Sika® Release Oil

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKRELEASE5	5LTR	-	4	5055047200604

A ready to use, formwork release agent that is suitable for mould and shuttering. Sika® Release Oil is suitable for use prior to casting concrete in order to achieve a clean release after removal of formwork.

APPROX COVERAGE



Sika® Wintermix

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKWINT5	5LTR	AMBER	4	5055047200864

A chloride free admixture for concrete that is suitable for use with steel reinforcement. Sika® Wintermix allows mortars and concretes to be used in sub-zero temperatures, eliminating the need for a separate frostproof.

DOSAGE

FROST- PROOFER



SikaCim® No Crack Concrete

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKCIMNOCK	75G	-	20	5055047209027

A fibre admixture that is suitable for minimising cracking and enhancing the strength of concrete. Sika® No Crack Concrete reduces shrinkage and cracking of concrete. Ideal for use on internal floor slabs, garages or shed bases, driveways and many more.

DOSAGE



Sikamix®

Powdered Mortar Plasticiser

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKMIXPMP	250 SACHETS	-	20	5055047209041

SikaMix® Powdered Mortar Plasticiser (PMP) is a pre-measured air entraining admixture which complies to EN 934-3 and replaces or complements the use of lime in sand and cement bricklaying and rendering.



Sika® MaxMix

Waterproof

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKMAXMWAT1	1LTR	YELLOW	6	7612894695649

A highly concentrated waterproofing and air entraining admixture for sand and cement mortars, renders and screeds. Sika® MaxMix® Waterproof improves the workability of mortar/render and helps prevent shrinkage, cracking, crazing and mild frost damage.



Sika® MaxMix

Cement Colour

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKMAXCOLBK02	250ML	BLACK	8	5055047210634
SKMAXCOLBK1	1LTR	BLACK	6	7612894695823
SKMAXCOLBN02	250ML	BROWN	8	5055047210641
SKMAXCOLBN1	1LTR	BROWN	6	7612894695861
SKMAXCOLRD02	250ML	RED	8	5055047210658
SKMAXCOLRD1	1LTR	RED	6	7612894695908
SKMAXCOLYW1	1LTR	YELLOW	6	7612894695946

A concentrated, one-shot cement colourant that provides a permanent and uniform shade of colour to cement mortars, renders, concrete and pointing.



Sika® MaxMix

Frostproofer & Accelerator

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKMAXMACC1	1LTR	STRAW	6	7612894695724

A highly concentrated air entraining admixture which is designed specifically for cold weather by eliminating the requirement for a second frostproofing admix. Sika® MaxMix® Frostproofer & Accelerator reduces the setting time of sand and cement based mortars, renders, screeds etc.



Sika® MaxMix

Mortar Plasticiser

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKMAXPLAS1	1LTR	BROWN	6	7612894694888

A highly-concentrated, air entraining liquid plasticising admixture that is twenty five times the strength of conventional products. Forms extremely stable air bubbles in mortar mixes that improves the consistency and workability of mortar. Sika® MaxMix® Mortar Plasticiser helps to prevent shrinkage, cracking, crazing and mild frost damage.



Opti-Mix

Integral Waterproof

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
OPTIPROOF1	1LTR	-	12	5029347609894

Opti-Mix Integral Waterproof is a plasticiser, waterproofing agent and salt inhibitor, all in one. Waterproofs, plasticises, controlled dosage, consistent mix design, easy to use, no waste. 1 litre is equivalent to 25 litres of standard product. **Tested to EN934-3 (2009) +A1 (2012).**



Opti-Tone

Cement Colourant Black

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
OPTITONEBK1	1LTR	-	12	5029347609924

Opti-Mix Cement Colourant is a cement colourant that enables accurate colour matching and consistency between different batches of mortar. Fast colouring formulation, controlled dosage, consistent mix design, easy to use and no waste. 1 litre is equivalent to 5 litres of standard product. **Tested to EN12878.**



Opti-Mix

3-In-1 Render Additive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
OPTIREND1	1LTR	-	12	5029347609917

Opti-Mix 3-in-1 render designed specifically for use with renders, giving increased retarding properties with additional waterproofing, plasticising and salt inhibiting capability. Controlled dosage for a consistent mix in an easy to use design with zero waste. 1 litre is equivalent to 25 litres of standard product. **Tested to EN934-3 (2009) + A1 (2012).**



Opti-Mix

Mortar Plasticiser

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
OPTIMIX1	1LTR	-	12	5029347609870

The world's first 1:25 plasticiser is just Pure Admix, smells and works like the best traditional Admix. Controlled dosage, consistent mix design, easy to use, no waste. 1 litre is equivalent to 25 litres of standard product. **Tested to EN934 (2009) +A1 (2012).**



201

Mortar Admix

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
AD5L	5L	-	4	5029347002152
ADM25L	25L	-	1	5029347002169

Mortar Admix is an air entraining plasticiser that replaces lime in the mix to provide an easy to work 'butter like' consistency to the mortar and to prevent shrinkage, cracking and crazing during the setting process. **Tested to BSEN934-Part 3 (2009)+A1(2012).**



203

Accelerator & Frostproof

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
ACC5L	5L	-	4	5029347002350
ACCE25L	25L	-	1	5029347002367

Accelerator & Frostproof is a liquid additive formulated to accelerate setting and hardening times of mortar, concretes, screeds and rendering to provide frost protection during the setting period. Effective even in sub-zero temperatures. **Tested to EN934-2 (2009)+A1(2012).**



202

Integral Liquid Waterproof

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
ILW5L	5L	-	4	5029347002251
ILWA25	25L	-	1	5029347002268

Integral Liquid Waterproof is a liquid additive that provides long term water protection to mortar, concrete and rendering. Reduces water permeability and is suitable for all applications where resistance to water absorption is necessary. **Tested to EN934-3 (2009)+A1(2012).**



204

Evermix 3 In 1

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
EMIX5	5L	-	4	5029347600006
EMIX25	25L	-	1	5029347070533

Evermix 3 in 1 triple action admixture waterproofs, plasticises and retards to assist workability, reduce water penetration and allow larger areas to be covered in one application. Evermix 3 in 1 is particularly formulated for use in renders, dry dash and pebble-dashing. **Tested to EN934-3 (2009)+A1(2012).**



206

Strike Release Oil

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
STRIKE5	5L	-	4	5029347002657

Strike Release Oil is a highly effective release agent to enable concrete shuttering to be removed easily, leaving the edge of the concrete structure clean and well formed. Suitable for most types of form work, not affected by rain after application.



207

Zeromix C.F.F

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
ZER05	5L	-	4	5029347002756
ZEROM25	25L	-	1	5029347002763

Zeromix CFF is a double action frostproof and air entraining mortar admixture for use throughout the winter period. Improves workability of mortar and increases resistance to frost in both wet and hardened state. Chloride free, can be used with steel reinforced concrete structures. **Tested to EN934-3 (2009)+A1(2012).**




Visit gbr.knowledge.sika.com/ for Technical articles, eLearning platform, Webinars & White papers

Febmix Admix Air Entraining Plasticiser

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FBMIX5	5LTR	-	4	5029347607203
FBMIX25	25LTR	-	1	5029347607210
FBSWMIX5	5LTR	-	4	5029347610791
FBSWMIX25	25LTR	-	1	5029347610807

Febmix Admix is an original air entraining plasticiser that replaces lime in the mix to provide an easy to work "butter like" consistency and to prevent shrinkage, cracking and crazing during the setting process. For use in brick laying and plastering mortars. Provides a degree of frost resistance and long term resistance to freeze-thaw cycles when set. There is also a South West formula specially designed for South Wales and the West Country. **Conforms fully with the requirements of EN 934-3:(2009) +A1 (2012).**



Febmix Plus Air Entraining Plasticiser

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FBMIXPLUS5	5LTR	-	4	5029347607180
FBMIXPLUS25	25LTR	-	1	5029347607197


Febmix Plus is a liquid ultra stable synthetic air entraining mortar plasticiser designed to enhance the workability and freeze thaw resistance of brick and block laying mortars. It may be used to replace or supplement the use of lime, and is designed to maintain efficiency with variations in cement and aggregate sources. **Conforms to EN 934-3:(2009) +A1 (2012).**



Febmix DH Powder Mortar Plasticiser

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FBMIXDH	250	BROWN POWDER	1	5029347607227


Febmix DH is a powder mortar plasticiser in a hand sachet pack form for use as an alternative to lime or as a supplement to lime to aid mortar workability in both brick laying and rendering applications. Improves frost resistance and reduces efflorescence. Use 1 sachet per 25KG bag of cement. **Complies with EN934-3: 2009.**



Febproof Plus Waterproofing & Plasticiser

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FBPROOFPS5	5LTR	AMBER	4	5029347607319
FBPROOFPS25	25LTR	AMBER	1	5029347607326


Febproof Plus is a waterproofing and plasticiser that provides water protection to mortar and non-structural concrete and improves workability. Suitable for use in rendering finishes and pointing mortars. Reduces the incidence of efflorescence. **Conforms to EN 934-3:(2009) +A1 (2012).**



Rendamix Retarder & Plasticiser

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FBRENDAS	5LTR	AMBER	4	5029347607234


Feb Rendamix is a water resisting, retarding and plasticising admixture for use in sand: cement rendering mortars. The product also acts as an inhibitor for efflorescence. **Conforms to EN 934-3:(2009) for air entraining properties.**



Febspeed Accelerator & Frostproof

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FBSPEED5	5LTR	CLEAR	4	5029347607333


Febspeed is a chlorine free liquid admixture formulated to accelerate the setting time of cement based mortar, non-reinforced concrete, renders and screeds. Also provides frost protection in the wet mortar during the setting period; even in sub-zero temperature and can also be used neat with cement as a plugging aid. **Tested to the requirements of EN 934-2: 2009 +A1 (2012).**



Wintamix Accelerator & Frostproof

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FBWINTAS	5LTR	CLEAR	4	5029347607258


Feb Wintamix is a chloride free, double action liquid frostproofing and air entraining mortar admixture for use throughout the winter period, and also in sub-zero temperatures. Suitable for steel reinforced concrete, improves workability of mortar and increases resistance to frost in both wet and hardened state. **Conforms to EN943-3:2009.**



Brickclean Cleaner & Degreasing Solution

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FBBRICKCL5	5LTR	CLEAR	4	5029347607852


Feb Brickclean is a fast acting acid based cleaner and degreasing solution which dissolves mortar and cement stains, ingrained dirt and most paints on mineral surfaces such as brick, concrete, paving slabs and earthenware.



Sika® Level-01
Acrylic Primer

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKLEV01P25	25KG	WHITE	1	7612894547856


A one-part, acrylic resin polymer which is ideal for priming and sealing concrete. This product actively seals concrete surfaces, thereby preventing the substrate from absorbing water, bubbles forming in the screed as well as improving the bond between the substrate and mortar.



Sikafloor®-122 Level
Self Levelling Compound

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKLEV2025	25KG	GREY	1	5055047206316

A one-part, multi-purpose, cement based self-leveller for smoothing and levelling uneven internal rigid floors prior to applying a final wearing covering. Suitable for underfloor heating applications beneath heating systems this product is highly fluid and easy to apply.



Sikafloor®-125 Level
Latex Self Levelling Compound

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKLEV25LAT25	25KG	GREY	1	5055047206323

A one-part, latex modified smoothing and levelling compound with added polymer powder for improved flexibility and resilience. This product is suitable for smoothing and levelling rigid internal floors prior to applying final wearing coverings. Suitable for underfloor heating applications beneath heating systems.



Sikafloor®-245 Level
Deep Fill Ultra

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKLEV245DP25	25KG	GREY	1	5055492702951



A one-part, thick bed, smoothing and resurfacing compound for levelling out highly uneven floors and screeds down to the depth of 50mm in just one coat. This product is known for its extremely low shrinkage properties and is suitable for use on internal and external floors.



Sikafloor®-440 Level
Fibre Reinforced Self Levelling Compound

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKLEV440FB20	20KG	GREY	1	5055492702944



A one-part, fibre and polymer re-enforced, flexible, high strength heat resistant cement based levelling compound. Designed specifically for the embedment of underfloor heating elements and for use on timber floors. Sikafloor® 440 Level Fibre Reinforced can be left as a final wearing surface or may be overlaid with floor coverings.



Sikafloor®-131 Level
Latex Ultra

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKLEV30ULT25	25KG	GREY	1	5055047210726

A one-part, latex modified, high-strength self leveller for smoothing and levelling uneven rigid floors. Sikafloor® 131 Level Latex Ultra may be overlaid with common floor coverings or may be left as a final wearing surface. A rapid setting heavy duty product which is suitable for both internal and external floors, this product is also strong enough to withstand vehicular traffic.



720 Febflor Fibre Plus

Fibre Self Levelling Compound

NEW



TRUSTED


FOR USE ON INTERNAL UNEVEN RIGID FLOORS

SUITABLE FOR UNDERFLOOR HEATING APPLICATIONS BENEATH HEATING SYSTEMS



A fibre modified, cement based, protein free self-levelling compound used for levelling out uneven floors and screeds. Contains powdered polymer to eliminate the need for a separate latex liquid being added. Free flowing mix that sets in 4 hours and can be overlaid after 8 hours.

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SLFIBRE20	20KG	GREY	1	5029347615796



FLEXIBLE FORMULA - NO NEED TO ADD A SEPARATE LIQUID LATEX ADDITIVE


708 Febflor Universal

Self Levelling Compound

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SEL20	20KG	-	1	5029347003012

Perfect for most applications. Levelling floors prior to laying ceramic or thermoplastic tiles, lino, wood block flooring or carpet. Use on internal uneven rigid floors and underfloor heating applications beneath heating systems.

Cement based, free flowing, sets in 2-4 hours and can be overlaid after only 8 hours at 20°C. Mix with Febflor 709 to add moisture resistance, additional flexibility and durability.




710 Febflor Flexiplus

Self Levelling Compound

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SLPLUS20	20KG	-	1	5029347071028

For increased flexibility. Use to level out uneven floors where there may be a small level of movement. Self-smoothing with added latex powder for improved flexibility, resilience and adhesion. Suitable for use on internal uneven rigid floors, underfloor heating applications beneath heating systems.




709 Febflor Latex Plus

Liquid Additive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
LAT5	5L	-	4	5029347003029

To increase flexibility and durability by adding to flooring compounds and tile adhesives. Ideal for use on timber flooring substrates to allow for a limited amount of movement. Rubber based latex liquid. 5 litres mixes with a 20kg bag of 708 Febflor Universal Self Levelling Compound.



Floor Paint

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FLOORGYNEW	5L	GREY	4	5029347602826
FLOORRDNEW	5L	RED	4	5029347602833

Floor Paint is a solvent-based polyurethane formula designed to provide a clean hard wearing finish to concrete, stone and wooden floors subject to light to medium traffic. Ideal for use on garage floors, workshops, storerooms, walkways etc, Floor Paint gives enhanced durability, abrasion resistance and a good resistance to dilute acids/alkalis and oils.



CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FLOORGYNEW	5L	GREY	4	5029347602826
FLOORRDNEW	5L	RED	4	5029347602833



Surveyline
Marking Paint

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SURVEYBK	700ML	BLACK	12	5029347601591
SURVEYBLUE	700ML	BLUE	12	5029347601560
SURVEYGREEN	700ML	GREEN	12	5029347601584
SURVEYOG	700ML	ORANGE	12	5029347608415
SURVEYRED	700ML	RED	12	5029347601577
SURVEYWE	700ML	WHITE	12	5029347000943
SURVEYYELL	700ML	YELLOW	12	5029347601553

A spray applied marking paint for contractors/surveyors spot marking. Colour coded for electric, gas, water and cable company use. Semi permanent formula lasts at least 3 months after application. Survey Line is available in seven different colours: White (General Marker), Red (Electricity), Yellow (General Marker, Gas), Blue (Water), Orange (General Marking), Green (Cable Work) and Black (Covering Old Lines).



Trafficline
Marking Paint

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
TRAFFICRED	700ML	RED	12	5029347603014
TRAFFICWE	700ML	WHITE	12	5029347602987
TRAFFICYELL	700ML	YELLOW	12	5029347602994




A spray applied marking paint for permanent line marking. Heavy duty latex formulation for use over concrete, asphalt and most other surfaces. Ideal for car parks, warehouses, tennis courts, playgrounds etc. Trafficable in 1 hour at normal temperatures. Designed to be used with applicator or by hand. Available in three colours: White (General Marking), Yellow (Caution/Hazard), Red (Danger/Prohibited).



Febond Blue Grit
Plaster Bonding Agent

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FBBLUE5	5LTR	BLUE	1	5029347608910
FBBLUE10	10LTR	BLUE	1	5029347608880



		
WATER-BASED/ CLEAN UP	APPROX COVERAGE	PRIMER & SEALER

Febond Blue Grit is a high performance, plasterers grip coat bonding agent specifically designed to provide an improved key to smooth surfaces. Containing a fine aggregate, it provides a mechanical key to backgrounds such as plaster, concrete, painted surfaces, textured surfaces and ceramic tiles. One coat application, coloured blue to indicate coverage.



507 Rendagrip
Render Bonding Agent

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
RENDGP10	10L	RED	1	5029347612610

Rendagrip is an extra grip render bonding agent that contains a fine aggregate to provide an improved key before applying render on external surfaces e.g. concrete, lightweight blockwork, brick etc. The fine aggregates are suspended in a unique waterproof polymer to ensure easy application and an even spread of aggregate avoiding any weak spots in the key coat and preventing the aggregate particles coming loose during application.



		
WATER-BASED/ CLEAN UP	PRIMER & SEALER	APPROX COVERAGE

505
Plasterers Gripcoat

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
GRIPCT10	10LTR	BLUE	1	5029347611538

Plasterers Gripcoat is a high performance, plasterers grip coat bonding agent specifically designed to provide an improved key to smooth surfaces. Containing a fine aggregate, it provides a mechanical key to backgrounds such as plaster, concrete, painted surfaces, textured surfaces and ceramic tiles. One coat application, coloured blue to indicate coverage; now, with new improved colour.




		
APPROX COVERAGE	WATER-BASED/ CLEAN UP	PRIMER & SEALER

Sika MonoTop®
630 Rapid



MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKMONO630	25KG	GREY	1	7612895485065

A fast setting, read to use, cementitious repair mortar for repairing all types of structures, including horizontal and vertical repairs, hand applied repairs, floor slabs and car park decks.



TRUSTED

PRE-BAGGED FOR QUALITY,
JUST ADD WATER

HIGH EARLY STRENGTH
WITH RAPID SETTING



CAN BE OVERCOATED

NON CORROSIVE TO STEEL

CONTAINS NO CHLORIDE ADMIXTURES

SikaGrout®
111 GP

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKGROUT111	25KG	GREY	1	5055492702098


A one part, general purpose, high precision, shrinkage compensated cementitious grout. SikaGrout® 111 GP is easy to mix and apply; it is perfect for a multitude of jobs, such as filling voids, machine and base plates.



Sika MonoTop®
610

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKMONT61025	25KG	GREY	1	7612894426960


Cementitious Steel Reinforcement Primer and Bonding Bridge Sika MonoTop®-610 is a 1-component cementitious, polymer modified primer for reinforcement protection, and also a bonding bridge for MonoTop® concrete repair mortars. Used for bonding MonoTop® concrete repair mortars to existing cementitious or steel substrates and providing additional corrosion protection to reinforcement in MonoTop® concrete repair mortars, especially in areas of low concrete cover and in the presence of chlorides.



Sika MonoTop®
115 GP

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
75PSKMT115GP	25KG	GREY	1	7612895387659

Cementitious General Purpose Concrete Repair Mortar Sika MonoTop®-115 GP is a 1-component cement based polymer modified general purpose repair and reprofiling mortar, meeting the requirements of Class R3 of BS EN 1504-3. Used for repairing all types of structures not exposed to water submersion, including overhead and vertical repairs; hand applied repairs; spray applied repairs; for exterior and interior use; in place of R1 and R2 mortars.



Sika MonoTop®
614F

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
75PSKMT614F	25KG	GREY	1	7612895363448

R4 Flowable Cementitious Repair Mortar Sika MonoTop®-614F is a cement based, 1-component flowable repair mortar (High Flow), containing shrinkage compensators and high range water-reducing agents, meeting the requirements of Class R4 of BS EN 1504-3. Used for horizontal or vertical repairs; bridges; marine structures; tunnels; buildings; fire damaged structures; for exterior and interior use; in place of R1, R2 and R3 mortars.



Sika MonoTop®

615

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKMONT61525	25KG	GREY	1	7612894426977

R3 Cementitious High Build Concrete Repair Mortar Sika MonoTop®-615 is a 1-component cement based polymer modified high build repair and reprofiling mortar, meeting the requirements of Class R3 of BS EN1504-3. Used: for repairing all types of structures, including overhead and vertical repairs; hand applied repairs; spray applied repairs; for exterior and interior use; in place of R1 and R2 mortars.



Sikadur®

31 EF Normal

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKDUR31NM1	1.2KG	GREY	8	8428868015646

A two-component, solvent-free, cold cure, thixotropic epoxy adhesive that is suitable for damp and dry substrates. Sikadur® 31 EF contains a combination of epoxy resins and special fillers that make it ideal for use at temperatures between +10 °C and +30 °C. This product is also available as rapid.



Sika MonoTop®

620

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKMONT62025	25KG	GREY	1	7612894501346



Cementitious Smoothing Coat/Levelling Mortar and Pore Sealer Sika MonoTop®-620 is a 1-component cementitious polymer modified mortar, for exterior and interior use. Used: as a concrete pore sealer/levelling mortar/smoothing coat, repairing minor defects, as a thin layer render, repairing pores and honeycombed concrete.



Sikagard® 550 W Elastic


Crack Bridging & Protective Coating

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
7SPSKG550W1001	15 LTR	RAL 1001	1	7612894809237
7SPSKG550W1002	15 LTR	RAL 1002	1	7612894809220
7SPSKG550W1015	15 LTR	RAL 1015	1	7612895387826
7SPSKG550W7023	15 LTR	RAL 7023	1	7612895322650
7SPSKG550W7030	15 LTR	RAL 7030	1	7612895203720
7SPSKG550W7032	15 LTR	RAL 7032	1	N/A
7SPSKG550W7035	15 LTR	RAL 7035	1	7612895062860
7SPSKG550W7037	15 LTR	RAL 7037	1	N/A
7SPSKG550W7038	15 LTR	RAL 7038	1	7612894192360
7SPSKG550W7040	15 LTR	RAL 7040	1	7612895046648
7SPSKG550W7044	15 LTR	RAL 7044	1	7612895194356
7SPSKG550W9001	15 LTR	RAL 9001	1	7612894841824
7SPSKG550W9002	15 LTR	RAL 9002	1	7612894841794
7SPSKG550W9010	15 LTR	RAL 9010	1	N/A
7SPSKG550W9016	15 LTR	RAL 9016	1	7612895194356



Sikagard 550 W Elastic is a one component, plasto-elastic coating based on UV-curing acrylic dispersion with excellent crack-bridging properties even at temperatures below 0°C.

It has been specifically deisgned for the protection and enhancement of concrete structures (normal and lightweight concrete), especially exposed outdoor concrete surfaces with a risk of cracking. Sikagard 550 W Elastic is the perfect solution for overpainting render in the colour of your choice, gibing an exceptional protection against UV, weather and aging.



Colour swatches are a guide only and may vary.



Jetcem Rapid

Repair Cement

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
JETCEM3	3KG	GREY	4	5010618043103
JETCEM6	6KG	GREY	2	5010618044100

Ideal for rapid patching or when a fast repair job is needed. Sets in approximately 30 minutes. Sets in the cold and wet.




Jetcem Waterproof

Rapid Repair Cement

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
JETWAT3	3KG	-	4	5029347610166

Fast, strong and easy to use waterproof repair compound. Internal and external repairs to cracks and holes in structures subject to permanent water immersion. Ideal for patch repairs to tanking and water retaining structures including ponds. Suitable for use on concrete, stone and brick.



Jetcem Deep

Rapid Repair Sand & Cement

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
JETMIX2	2KG	GREY	6	5010618047101
JETMIX6	6KG	GREY	2	5010618048108

Strong and easy to use rapid setting repair compound. Internal and external repairs to gaps and cracks on walls, floors, steps and kerbstones. Repairs deep holes in concrete, stone and brick.



Jetcem Plaster

Rapid Repair

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
JETPATCH6	6KG	-	2	5029347610173

Fast, strong and easy to use repair compound for patching plaster. Internal repairs for plasterboard, brick wood and stone. With added PVA powder to increase strength and reduce cracking and shrinkage.



Febgrout Flowable

Anchoring Grout

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FBGRTFLO25	25KG	GREY	1	5055492703156

Febgrout Flowable is a structural fluid precision grout, specifically formulated to give high strength, shrinkage compensation and vibration resistance. It's suitable for grouting equipment and machinery, bearing pads, bridge bearings, rails and stanchion base plates. It can also be used to fill cavities, voids, gaps, recesses, and sealing around penetrations. Fills gaps in concrete 10mm to 150mm wide.



Febset 45 Rapid

High Strength Repair Mortar

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FBSET45	25KG	GREY	1	5029347607630

Febset 45 is a specially formulated repair mortar, based on magnesia-phosphate cement pre-mixed with selected aggregates, which gives controlled, extremely high early strengths in temperatures ranging from -20°C up to over 30°C. Trafficable after 45 minutes. High bond strength, no primers required.



Quick Mac

Instant Tarmacadam Repair Compound

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
QMAC25	25KG	BLACK	1	5029347603144
QMACCOLD	750ML	BLACK	12	5029347603489

Quick Mac is a high specification Tarmacadam repair compound designed to repair roads, drives and footpaths. May also be used for repairs around roadside ironwork. Ready to use cold lay product, maximum 6MM chip size for permanent compaction and instantly trafficable.



Pro Point

Gun Kit

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
PROPOINT	-	-	1	5029347603410

Mortar Pointing Gun Kit complete with nozzles for both mortar and tile grout and mixing paddle. Designed to apply mortar deep into joints for maximum protection and strength. Comes complete with two plastic nozzles, a metal ended nozzle and a mixing paddle packed in a high impact printed box.



EpoxySet 105

Heavy Duty Epoxy Mortar Kit

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
EPOX1054	4KG	-	1	5029347010515
EPOX10514	14KG	-	1	5029347010522

Epoxyset 105 is a three part general purpose repair mortar based on epoxy technology. Formulated to withstand chemicals, impact and abrasion and can be used to repair concrete, screeds, stone, brick and steel in even the most demanding domestic and industrial situations. Pack includes finishing solvent and gloves.



Brick / Stone / Concrete

SikaBond®

Rapid DPM

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKBDRAPDPM5	5LTR	BROWN	4	5055047210603

A solvent-free, single-part, moisture curing polyurethane primer and damp proof membrane, ideal for use on cement based substrates. SikaBond® Rapid DPM can be used for priming, consolidating and sealing in various applications. This product is particularly ideal to use on absorbent and non-absorbent subfloors, consolidating weak cement screeds and isolating old adhesive residue. Can be used as DPM on subfloors under hydrostatic pressure.



EpoxySet NF

Epoxy Adhesive & Bedding Compound

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
EPOXNF3	3KG	-	2	5029347607609
EPOXNF10	10KG	-	1	5029347607616

Epoxyset NF is a two-part epoxy resin mortar for use as an adhesive in industrial and domestic bonding and bedding applications. Ideal for bedding stone and concrete lintels, stone mullions, ceramic and stone tiles. Pack includes finishing solvent and gloves.



Brick / Stone / Concrete / Metal

Sika® Primer

MB

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKPRIMEMB5	5KG	BLUE	1	7612894379990
SKPRIMEMB10	10KG	BLUE	1	7612894354652

A low viscosity, solvent-free, two-component epoxy resin based primer and moisture barrier for wooden floors. Suitable for use in conjunction with SikaBond® elastic adhesives on critical substrates.




SikaBond®

PVA+

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SIKAPVA1	1LTR	WHITE	12	5055492700568
SIKAPVA2	2.5LTR	WHITE	6	5055492700575
SIKAPVA5	5LTR	WHITE	4	5055492700469
SIKAPVA25	25LTR	WHITE	1	5055492700520

A medium viscosity general purpose adhesive, sealer and mortar admixture. It is easy to use, has excellent adhesion and reduces surface dusting. **SikaBond® PVA + Conforms to BS5270.**



SikaBond®

Contractors PVA

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKBDCONPVA10	10KG	WHITE	1	5055492701688

A multi-purpose, economic adhesive, sealer and mortar admixture. SikaBond® Contractors PVA Adheres to most common building materials, making it ideal for priming unsound surfaces prior to plastering or painting. Also suitable for use as an adhesive, general dust sealer and cement admixture.



SikaBond®

Waterproof PVA

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKBDWATPVA5	5LTR	WHITE	4	5055047209867

A water resistant, vinyl acetate polymer, specifically formulated for exterior use as an adhesive and sealer. Suitable for brickwork, mortar render, screed and plaster. Easy to use and, unlike normal PVA, will not re-emulsify when wet.



SikaBond®

SBR+

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SIKASBR25	25LTR	WHITE	1	5055492700537
SIKASBR5	5LTR	WHITE	4	5055492700476

A one-component, water-based, general purpose bonding agent and mortar admixture. As an admixture diluted with water, it produces a gauging solution for improving adhesion, workability and water resistance of mortars and cementitious mixes. Suitable for improving resistance to abrasion, chemicals and oils.



501

PVA Bond

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
PVA05L	500ML	-	20	5029347005108
PVA1L	1L	-	12	5029347005115
PVA2	2.5L	-	6	5029347005122
PVA5L	5L	-	4	5029347005153
PVAB25L	25L	-	1	5029347005160
PVAB1000	1000KG	-	1	-

PVA Bond is a multi-purpose bonding agent, primer, sealer, cement and plaster admixture that adheres to most common building and DIY materials. **Fully conforms to BS 5270.**

P/S

PRIMER & SEALER

4M²

APPROX COVERAGE

WATER-BASED/ CLEAN UP

10-15L

DOSAGE

OVER- PAINTABLE

503

S.B.R Bond

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SBR2L	2.5L	-	6	5029347613624
SBR5L	5L	-	4	5029347005351
SBRB25	25L	-	1	5029347005368
SBRB0200	200L	-	1	-

503 S.B.R Bond is a latex based, water resistant bonding agent and admixture for use in areas subject to humidity and dampness contact. Improves water resistance of cement mixtures by forming a reinforcing polymer that increases long term durability and flexibility of the mix on renderings.

P/S

PRIMER & SEALER

WATERPROOF

NEAT

4M²

APPROX COVERAGE

WATER-BASED/ CLEAN UP

10-15L

DOSAGE

506

Contractors PVA

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
CONPVA5	5KG	-	4	5029347602680
CONPVAB25	25KG	-	1	5029347613372

Contractors PVA is a multi-purpose primer, sealer, cement and plaster admixture that adheres to most common building and DIY materials. Ideal for priming and dust sealing on flaking surfaces and as an adhesive on wood, cork etc.

P/S

PRIMER & SEALER

WATERPROOF

NEAT

4M²

APPROX COVERAGE

WATER-BASED/ CLEAN UP

10-15L

DOSAGE

P/S

PRIMER & SEALER

WATERPROOF

NEAT

4M²

APPROX COVERAGE

WATER-BASED/ CLEAN UP

10-15L

DOSAGE

P/S

PRIMER & SEALER

WATERPROOF

NEAT

4M²

APPROX COVERAGE

WATER-BASED/ CLEAN UP

10-15L

DOSAGE

Febond

PVA

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FBONDPA1	1LTR	WHITE	12	5029347607449
FBONDPA2	2.5LTR	WHITE	6	5029347607456
FBONDPA5	5LTR	WHITE	4	5029347607463
FBONDPA25	25LTR	WHITE	1	5029347607470

Febond PVA is the Original multi purpose quick drying PVA adhesive, sealer and bonding agent and cement admixture which has many applications in the building and construction markets. Ideal primer and sealer for concrete and plaster. **Conforms to the requirements of BS 5270-1:1989.**

P/S

PRIMER & SEALER

6M²

APPROX COVERAGE

OVER- PAINTABLE

WATER-BASED/ CLEAN UP

ADMIXTURE

Febond

SBR

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FBOND5BR5	5LTR	WHITE	4	5029347607357
FBOND5BR25	25LTR	WHITE	1	5029347607364

Febond SBR is a styrene-butadiene co-polymer latex specifically designed for use with cementitious mixes and as a reliable water resistant bonding agent. Ideal for concrete strengthening and repair, floor screeds and toppings, waterproofing and tanking.

WATERPROOF

NEAT

4M²

APPROX COVERAGE

P/S

PRIMER & SEALER

WATER-BASED/ CLEAN UP

ADMIXTURE

General Purpose PVA

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FBGPPVA5	5KG	WHITE	4	5029347607487

Feb General Purpose PVA is a multi purpose quick drying PVA adhesive, sealer and bonding agent and cement admixture which has many applications in the building and DIY markets. Bonds a wide variety of building materials including wood, plaster, concrete and ceramics.

P/S

PRIMER & SEALER

6M²

APPROX COVERAGE

10-15L

DOSAGE

WATER-BASED/ CLEAN UP

ADMIXTURE

Why Chemical Anchors?

Chemical Anchors, also often referred to as ‘Resin Bonded’ anchors, are being increasingly used where a critical or heavy weight loading needs fastening.

Unlike intrusive mechanical expansion anchors or plastic plugs, chemical anchors make the fixing an integral part of the substrate as the load is spread throughout the entire fixing area, removing the stress caused within the substrate when mechanical anchors or plastic plugs are “tightened” up.

This Key difference is particularly relevant on lightweight substrates, and poor and friable substrates, cracked concrete, sandstone and masonry as well for fixings close to the edge.

How are they used?


The hole is drilled to the required diameter dependent upon the threaded bar to be used, and the loading it has to take. Full tables of relevant hole diameter sizes and loading strengths can usually be found on all packs and technical data, but for example for an M8 fixing a 10mm diameter hole would normally be used in concrete.

Anchorset Green 150

Styrene Free Anchor Fixing Resin

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
ANCHGREEN150	150ML	-	12	5029347606503

Anchorset Green 150 is a styrene free anchor fixing resin packed using a twin bag system for application with a standard sealant gun. Applied in one single action, this general purpose resin will produce a strong, chemical resistant fixing. Ideal for a multitude of uses including fixing railings, satellite dishes, brackets etc. which require heavy loads.



Where are they used?

In addition to the more critical structural applications Chemical Anchors also provide a more robust fixing solution in many day to day building applications such as:


- Satellite Dishes • Railings • Heavy Pipes
- Gates • Sanitary Fixings • Wall Ties • Fire Surrounds • Lamps • Steel Structures
- Kitchen Wall Cupboards • Towel Holders

Anchorset Green 300

Styrene Free Anchor Fixing Resin

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
ANCHGREEN	300ML	-	12	5029347606046

A styrene free chemical anchor in a new easy to use twin bag system operated by a standard sealant gun, therefore easy to use by a general builder. Applied in one single action, this general purpose resin will produce a strong, chemical resistant fixing. Perfect for satellite dish mountings, gate hinges, balcony rails etc. Complete with a mixer nozzle.



Sika® Concrete Crack Repair

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKCONCFIX	250ML	-	12	5055047209980


A two-component, solvent-free, cold cure, thixotropic epoxy resin, structural adhesive and repair product. Sika® Concrete Crack Repair is ideal for use when a high strength repair to concrete is necessary. This product's non-sagging and excellent adhesion properties makes it ideal for use on horizontal, vertical and overhead repairs.



Sika® AnchorFix-1

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKANCH13	300ML	GREY	6	5055492700742

A two-component, fast curing, solvent and styrene free, polyester based chemical anchoring adhesive. Sika® AnchorFix®-1 is recommended for standard applications with low to medium loads.



Anchorset Nozzle

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
METONoz4	-	-	25	NO BARCODE

Nozzle No. 4 – Standard mixer nozzle, 215MM length for use with Anchorset 150 and 300.




Sikadur® 33

Structural Epoxy Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKDUR33	250ML	GREY	12	7612894403688

A two-component, solvent-free, cold cure, thixotropic epoxy resin, structural adhesive. Sikadur® 33 is supplied in a cartridge with an in-line mixer nozzle.



			MERCHANT INFORMATION	
CODE	SIZE	COLOR	BOX QTY	BARCODE
MPBN05	0.5KG	BROWN	12	5029347001179
MPBN1	1KG	BROWN	12	5029347001186
MPBN2	2KG	BROWN	6	5029347001193
MPN05	0.5KG	NATURAL	12	5029347001100
MPN1	1KG	NATURAL	12	5029347001117
MPN2	2KG	NATURAL	6	5029347001124
MPN5	5KG	NATURAL	1	5029347001155



			MERCHANT INFORMATION	
CODE	SIZE	COLOUR	BOX QTY	BARCODE
BUTGC2	2KG	BROWN	6	5029347001223



			MERCHANT INFORMATION	
CODE	SIZE	COLOUR	BOX QTY	BARCODE
TROWRD	3KG	RED	4	5029347600532
TROWST	3KG	STONE	4	5029347600525
TROW6RD	6KG	RED	2	5029347606787
TROW6ST	6KG	STONE	2	5029347606794



**WATER-BASED/
CLEAN UP**

**CHLORIDE
FREE**

**AIR ENTRAINING/
PLASTICISER**

**HIGH WATER &
RAIN RESISTANCE**

LIGHTER SHADES


MEDIUM SHADES

DARKER SHADES

DOSAGE



			MERCHANT INFORMATION	
CODE	SIZE	COLOUR	BOX QTY	BARCODE
LMTBK1	1L	BLACK	12	5029347002916
LMTBK5	5L	BLACK	4	5029347002954



Visit everbuild.co.uk/resources-and-support/roadshows
to find a Sika Everbuild roadshow in your area.

TILING

Wet Room System	164
Tile Adhesives	166
Grouts	170

Trusted products are tried & tested by leading tradespeople on the most demanding of projects

TRUSTED

Aquaseal

Wet Room System Kit

TRUSTED

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
AQWRSKIT	LARGE	-	1	5029347611149
AQWRSTDKIT	STD	-	1	5029347611262

The Aquaseal Wet Room System Kit gives you everything you need to waterproof both walls and floors prior to tiling showers, wet rooms, wet zones and other areas susceptible to water and excessive moisture. Ideal for use on Plasterboard, Plaster, MDF, Plywood, Cementitious Boards, Block work, Concrete and Specialist Wet Room Boards.

The Aquaseal Tanking Kit is available in two sizes; Standard – everything you need to waterproof 4.5m² and Large – everything you need to waterproof 7.5m².

Both kits come complete with:

- Waterproof Tanking Primer (1L)
- Waterproof Tanking Membrane (3LTR – Standard, 5LTR – Large)
- Waterproof Tanking Tape (10MTR)
- Waterproof Tanking Drain Mat
- Aquaseal Wet Room System instruction leaflet



1

Tanking Primer

Apply primer to surfaces that are to be waterproofed.



2

Tanking Tape & Mat

Apply self-adhesive tape across all joints, corners and pipe penetrations.

Next, apply the self-adhesive drain mat around the drain outlet.



3

Tanking Membrane

The ready-to-use membrane is applied by brush in a 2 coat system at right angles to each other.

Aquaseal

Waterproof Tanking Membrane

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
AQWRMEM5	5LTR	BLUE	1	5029347611163

Aquaseal Waterproof Tanking Membrane is the ideal product for use when waterproofing before tiling. It forms a permanently flexible watertight membrane, is non hazardous and solvent free. Aquaseal Tanking Membrane is easy to apply by brush, is quick drying and can be tiled after 12 hours.



Aquaseal

Wet Room System Tape

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
AQWRSTAPE10	10MTR	-	1	NO BARCODE

Aquaseal Waterproof Tanking Tape is a self adhesive joint and corner tape ideal for use when waterproofing showers, wet rooms and wet zones in bathrooms before tiling. A permanently flexible butyl backed fleece with cross directional stability, Waterproof Tanking Tape can be used on all board joints, corners and pipe entries. Can be tiled directly or overcoated with Aquaseal Waterproof Tanking Membrane for full wet zones and is easy to apply with a pre-cut release liner.



SikaCeram®-140

NEW

			MERCHANT INFORMATION	
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKCM140GY20	20KG	GREY	1	5055492703712

SikaCeram®-140 Rapid Set is a water-resistant tile adhesive, suitable for bonding ceramic and mosaic tiles to floor or walls in both thick and thin bed applications.

Classification C1 FT



SikaCeram®-272
Ultra Flexible Rapid Set

NEW

CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKCM272WE20	20KG	WHITE	MERCHANT INFORMATION	

SikaCeram®-272 Ultra Flexible is a rapid-setting, water resistant tile adhesive with superior flexibility, and is ideal for tiling heavy duty areas including heavily walked floors or areas under constant immersion.

Classification C2 FTE S1



SikaCeram®-240

NEW

			MERCHANT INFORMATION	
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKCM240GY20	20KG	GREY	1	5055492703729

SikaCeram®-240 Flexible Rapid Set Tile Adhesive is suitable for bonding ceramic tiles to walls or floors with a thick or thin bed application, with crack resistant properties making it ideal for applications where slight surface movement is likely.

Classification C2 FE



SikaCeram®-277
Flexible Standard Set

NEW

			MERCHANT INFORMATION	
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKCM277WE20	20KG	WHITE	1	5055492703743
SKCM277GY20	20KG	GREY	1	5055492703750

SikaCeram®-277 Flexible Standard Set is a thin bed adhesive with a long working pot-life and extended open time for applications where extensive cutting is required during application.

Classification C2 TE S1



SikaCeram®-282
Fibre Reinforced

NEW

			MERCHANT INFORMATION	
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKCM282GY20	20KG	GREY	1	505549270376

SikaCeram®-282 Fibre Reinforced is a highly flexible, lightweight, fibre reinforced tile adhesive for applications where movement is expected.

Classification C2 TE S2




701 Non Slip Showerproof

Ready Mixed Tile Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
NS02	3.75KG	OFF WHITE	1	5029347070120
NS05	7.5KG	OFF WHITE	1	5029347070137
NS10	14KG	OFF WHITE	1	5029347070144

Acrylic Non Slip Tile Adhesive is an acrylic based formula for extra slip resistance and grab. Designed for general use in bathroom and kitchen areas. May be used in domestic showers when used in conjunction with Everbuild Powdered Wall Tile Grout. **Tested to EN 12004 type D1T.**



702 Water Resistant

Ready Mixed Tile Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
RES05	7.5KG	OFF WHITE	1	5029347070250
RES10	16KG	OFF WHITE	1	5029347070205

Water Resistant Tile Adhesive is a premium grade adhesive that can be used in areas subject to prolonged/permanent wet conditions and in areas of high humidity and condensation. **Tested to EN 12004 type D2T.**



703 Fix And Grout

Ready Mixed Tile Adhesive and Grout

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FIX005	750G	WHITE	12	5029347600426
FIX01	1.5KG	WHITE	12	5029347070311
FIX02	3.75KG	WHITE	1	5029347070328
FIX05	7.5KG	WHITE	1	5029347070359

Fix & Grout Tile Adhesive is a premium grade adhesive, formulated to be used as both an adhesive and grout. Contains a fungicide to prevent mould growth and dries to a brilliant white finish. **Tested to EN 12004 type D2T.**




TileSet 700 Universal

Floor and Wall Tile Adhesive

NEW

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
TS700GY20	20KG	GREY	1	5029347615819
TS700WE20	20KG	WHITE	1	5029347615826

Everbuild 700 TileSet Universal is a standard setting tile adhesive, ideal for when an extended opening time is required. Suitable for fixing ceramic, mosaic and natural stone tiles to semi-porous surfaces.




TileSet 705 Rapid

Floor and Wall Tile Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
RAPID20	20KG	GREY	1	5029347070526

Everbuild 705 TileSet Rapid is fast setting tile adhesive, drying in just 1-2 hours making it ideal for when same day fixing, and grouting is required. Suitable for bonding ceramic tiles to floors and walls.




TileSet 711 Flexiplus S1

Floor and Wall Tile Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
RSPLUS	20KG	GREY	1	5029347071110
TS711WE20	20KG	WHITE	1	5029347615901

Everbuild 711 TileSet Flexiplus S1 is a rapid setting tile adhesive with added latex powder for improved flexibility. Can be used for ceramic, porcelain, and large format tiles.



SikaCeram® CleanGrout

Floor & Wall Tile Grout

NEW

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
UNIFLEX2WE	2.5KG	WHITE	4	5029347615918
UNIFLEX5WE	5KG	WHITE	1	5029347612283
UNIFLEX5ANTH	5KG	ANTHRACITE	1	5029347612337
UNIFLEX5IV	5KG	IVORY	1	5029347612306
UNIFLEX5GY	5KG	GREY	1	5029347612290


SikaCeram® CleanGrout is a cementitious, floor and wall tile grout for joints 1mm to 8mm in width; incorporating a high-quality, water-repellent formula which also prevents colours from fading over time.

Used: in applications where water-resistance is essential including swimming pools and tanks.

Inhibits the formation of mould and bacterial growth

Suitable for interior and exterior applications

For use on all types of tiles, mosaic, marble and natural stone



These swatch colours may not be a true representation, please obtain a sample from your local stockist.

730 Universal Flexible Hygienic



Wall & Floor Tile Grout

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
UNIFLEX2WE	2.5KG	WHITE	4	5029347615918
UNIFLEX5WE	5KG	WHITE	1	5029347612283
UNIFLEX5ANTH	5KG	ANTHRACITE	1	5029347612337
UNIFLEX5IV	5KG	IVORY	1	5029347612306
UNIFLEX5GY	5KG	GREY	1	5029347612290

Everbuild 730 Uniflex Flexible Hygienic Wall and Floor Tile Grout is a cementitious grout designed specifically for wall and floor tile applications for joints up to 15mm wide. The added powder polymer provides flexibility and water resistance to provide a durable water repellent finish.

Suitable for most common tiles including ceramic, natural stone and porcelain. 730 Uniflex Flexible Hygienic Wall and Floor Tile Grout contains Mould Shield for long lasting Anti-Fungal protection against black mould.*.

*Simulated ageing.



These swatch colours may not be a true representation, please obtain a sample from your local stockist.

Forever White
Powder Wall Tile Grout

WITH ADDED PVA TO
PROMOTE ADHESION

PREVENTS MOULD GROWTH
IN HIGH HUMIDITY AREAS

SIMPLE & EASY
TO MIX, JUST
ADD WATER

PURE WHITE
FINISH




TRUSTED

MERCHANT INFO				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FWPOWGROUT1	1.2KG	ARCTIC WHITE	8	5029347606145
FWPOWGROUT3	3KG	ARCTIC WHITE	1	5029347606367

Forever White Powder Wall Tile Grout is a cement based powdered grouting compound with added PVA to promote adhesion and water repellents to shed water.

Simply mix with water to give a pure white paste. Can be used on wall joints up to 3mm.



Forever White
Grout Reviver

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FWREVIVE	200ML	ARCTIC WHITE	12	5029347606152

Forever White Grout Reviver is the easy way to restore discoloured and dirty grout to a bright white finish.

Simply apply to grout lines using the easy to use applicator, allow to dry and remove any excess residue with a damp cloth. Depending upon size of tile, will cover approx 20m² of tiles.



**Enhance your project
with Forever White
Sealant**

See page 6 within the
Sealants section



One-Coat GPR
General Purpose Render

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FACGPRGY25	25KG	Grey	1	5055492703194

One-Coat General Purpose Render used to render over prepared masonry to provide a weather resistant, breathable rendered finish. Applied to a thickness of up to 15mm which cures to an overpaintable finish and perfect for use on brickwork, blockwork and concrete substrates. Dries to a grey surface finish that complies to W2 water capillary resistance.




WEATHER
RESISTANT

FOR INTERNAL AND
EXTERNAL USE

SUITABLE FOR
MASONRY AND
CONCRETE WALLS

TRUSTED



Visit [everbuild.co.uk/resources-and-support](https://www.everbuild.co.uk/resources-and-support) to find data sheets, literature, brochures, blogs and more.

TERMS & CONDITIONS

Standard terms and conditions of sale for goods sold by Everbuild Building Products Limited – A Sika Company

1. INTERPRETATION

In these Terms and Conditions the following expressions will have the following meanings unless inconsistent with the context:

“Bespoke Goods”

means any Goods which are made to measure, bespoke, or otherwise manufactured to a unique specification.

“Brexit”

means the United Kingdom ceasing to be a member state of the European Union.

“Buyer”

the person(s), firm or company whose order for the Goods or Services is accepted by the Company in accordance with these Terms and Conditions.

“Company”

Sika Limited (Company number:226822) whose registered office is located at Watchmead, Welwyn Garden City, Herts, AL7 1BQ.

“Confidential Information”

means all information in respect of the business of the Company including, but not limited to, know-how, prices or other matters connected with the Goods

or Services (which shall include any instructions or procedures, instruction manuals, user guides and other information which is supplied by the Company with the Goods or Services) and any other information of whatever nature which, if disclosed, will be liable to cause harm to the Company.

“Contract”

any contract between the Company and the Buyer for the sale and purchase of the Goods or Services formed in accordance with Condition 2.

“Delivery Point”

the place where delivery of the Goods is agreed to take place, as set out in the Company’s written acknowledgement of order.

“Final Inspection Certificate”

A Certificate issued for the benefit of a third party at the completion of the Services.

“Goods”

any goods which the Company supplies to the Buyer (including any of them or any part of them) under a Contract.

“Guarantee”

a guarantee or Final Inspection Certificate for or related to the Goods in a form to be provided by the Company in favour of a third party nominated by the Buyer.

“Guarantee Period”

the on-going period of protection provided to a third party as set out in a Guarantee.

“Intellectual Property Rights”

all Intellectual and industrial property rights including patents, know-how, registered trade marks, registered designs, utility models, applications for and rights to apply for any of the foregoing, unregistered design rights, unregistered trade marks, rights to prevent passing off for unfair competition and copyright, database rights, topography rights and any other rights in any invention, discovery or process, in each case in the United Kingdom and all other countries

in the world and together with all renewals and extensions

“Services”

any services which the Company performs for the Buyer under a Contract, which are ancillary to the supply of Goods.

“Service Point”

the place at which the Services are to be performed, as set out in the Company’s written acknowledgement of order.

“Specific Delivery Requirement”

any goods, which are required to be delivered by a type of vehicle specified by the Buyer.

“Terms and Conditions”

the standard terms and conditions of sale set out in this document together with any special terms agreed in writing between the Buyer and the Company.

“Trademark”

the SARNAFIL trademark registered in the United Kingdom under trademark number 1046240.

“Working Day”

any day other than Saturday or Sunday or a public or bank holiday in England.

2. FORMATION AND INCORPORATION

2.1 Subject to any variation under Condition 5, the Contract will be upon these Terms and Conditions, to the exclusion of all other terms and conditions and all previous oral or written representations including any terms or conditions which the Buyer purports to apply under any purchase order, confirmation of order or similar document, whether or not such document is referred to in the Contract.

2.2 Each order or acceptance of a quotation for Goods or Services will be deemed to be an offer by the Buyer to purchase Goods or Services upon these Terms and Conditions. The Contract is formed when the Buyer receives confirmation that the order is accepted by the Company. Such confirmation may either be given orally or in writing. No contract will come into existence until such confirmation has been given by the Company.

2.3 The Buyer must ensure that the terms of its order and

any applicable specification are complete and accurate.

2.4 Acceptance of delivery of the Goods or commencement of the performance of the Services will be deemed conclusive evidence of the Buyer’s acceptance of these Terms and Conditions.

2.5 Subject to Condition 5, the Buyer may not cancel the Contract. The Company may cancel the Contract at any time prior to delivery of the Goods or commencement of the performance of the Services.

3. DESCRIPTION OF THE GOODS AND SERVICES

3.1 The description of the Goods will be as set out in the Company’s price list. All samples, drawings, descriptive matter, specifications and advertising issued by the Company and any descriptions or illustrations contained in the Company’s catalogues or brochures are issued or published for the sole purpose of giving an approximate idea of the Goods represented by or described in them. They will not form part of the Contract and this is not a sale by sample.

3.2 The Company may make any change to the specification, design, materials or finishes of the Goods which are:

3.2.1 required to conform with any applicable safety, statutory or regulatory requirement; or

3.2.2 do not materially affect their quality

3.3 The Company will only perform Services which are ancillary to, or relating to, Goods provided under a contract.

3.4 The Services will only be performed by the Company at the Service Point.

3.5 The Company shall use all reasonable endeavours to perform the Services.

3.5.1 to the standard required for the issue of a Final Inspection Certificate;

3.5.2 promptly, but time shall not be the essence for the performance of the services

3.6 The Company shall have the right to make any changes to the Services which are necessary to comply with applicable safety, statutory or regulatory requirements, or which do not materially affect the nature or quality of the Services, and the Company shall notify the Buyer in any such event.

4. PRICE AND PAYMENT

4.1 The price for the Goods or Services will be the price set out in the Company’s published price list current at the date of delivery of Goods or performance of Services or as otherwise notified by the Company to the Buyer prior to the Contract being made. Orders for Goods valued below £2000 (before VAT) are exclusive of any costs of packaging and carriage. VAT and any other applicable sales tax or duty which will be added to the sum in question. Orders for Goods valued greater than £2000 (before VAT) and which are to be dispatched from the Company’s warehouse within the United Kingdom are inclusive of any costs of packaging and carriage within the United Kingdom but exclusive of VAT and any other applicable sales tax or duty will be added to the sum in question.

4.2 The Company may invoice the Buyer for the Goods on or at any time after dispatch, or for the Services on or at any time after performance commences and payment is due in pounds sterling by the last day of the next calendar month following the date of invoice, or upon termination of the Contract, whichever occurs first

4.3 Time for payment will be of the No payment will be deemed to have been received until the Company has received cleared funds.

4.4 All payments to be made by the Buyer under the Contract will be made in full without any set-off, restriction or condition and without any deduction for or on account of any counterclaim

4.5 If any sum payable under the Contract is not paid when due then, without prejudice to the Company’s other rights under the Contract, that sum will bear interest from the due date until payment is made in full, both before and after any judgment, at a combined rate of the Bank of England base rate from time to time and the rate provided by the Late Payment of Commercial Debts (Interest) Act 1998 as amended from time to time; and the Company will be entitled to suspend deliveries of the Goods or performance of the Services until the outstanding amount has been received.

4.6 The Company reserves the right to recoup any sum, resulting from costs incurred from legal proceedings to recover the sum payable under the contract.

4.7 Any invoice queries must be communicated to the Company within 10 (ten) Working Days of receipt of the invoice by the Buyer

5. INSTALMENTS

5.1 The Company may deliver the Goods, or perform Services, by separate instalments. Each instalment will be a separate Contract and no cancellation or termination of any one Contract relating to an instalment will entitle the Buyer to repudiate or cancel any other Contract or instalment unless otherwise notified by the Company. Each separate instalment will be invoiced and paid for in accordance with the provisions of the Contract.

6. DELIVERY OF GOODS

6.1 Delivery of the Goods within the UK mainland will be CPT Delivery Point INCOTERMS 2010 (save that carriage may be charged to the Buyer in accordance with Condition 4 and/or Condition 6.5).

6.2 Delivery of the Goods to Northern Ireland, the Scottish Isles, the Channel Islands or the Isle of Man will be made FOB Delivery Point INCOTERMS 2010.

6.3 Delivery of the Goods outside the UK will be made FAS Delivery Point INCOTERMS 2010, except that risk shall pass to the Buyer at the time that the Goods leave the Company’s

premises.

6.4 Delivery of the Goods will be accepted at any time of day. At the sole discretion of the Company, overnight deliveries or deliveries at specified times may be agreed in certain Notwithstanding condition 6.1, such deliveries shall be subject to an additional charge being raised by the Company. If the Buyer fails to take delivery, or provide any necessary documents, the Goods will be deemed to have been delivered and the Company, without prejudice to its other rights, may at its option

6.4.1 store or arrange for storage of the Goods until actual delivery or sale and charge the Buyer for all related costs and expenses (including, without limitation, storage and insurance); and/or

6.4.2 following written notice to the Buyer, sell any of the Goods at the best price reasonably obtainable in the circumstances and charge the Buyer for any shortfall below the price under the Contract.

Excessive waiting times may also be charged to the Buyer in certain circumstances.

6.5 The Company will use reasonable endeavours to deliver Goods 5 (five) Working Days after the date on which the order is confirmed by the Company, but the time of delivery will not be of the essence of a Contract. Notwithstanding condition 6.1, carriage will be charged on deliveries required within 5 (five) Working Days, or deliveries with specific time or vehicle type stipulations. If, despite those endeavours, the Company is unable for any reason to fulfil any delivery of Goods on a specified date, the Company will be deemed not to be in breach of the Contract, nor (for the avoidance of doubt) will the Company have any liability to the Buyer for direct, indirect or consequential loss (all three of which terms includes, without limitation, pure economic loss, loss of profits, loss of business, depletion of goodwill and like loss) howsoever caused (including as a result of negligence) by any delay or failure in delivery of Goods except as set out in this condition. Any delay in delivery of Goods will not entitle the Buyer to cancel the order unless and until the Buyer has given 10 (ten) Working Days’ written notice to the Company requiring the delivery of the Goods and the Company has not fulfilled the delivery of the Goods within that period. If the Buyer cancels the order in accordance with this Condition 6.5 then, save as excluded under Condition 6.6

6.5.1 the Company will refund to the Buyer any sums which the Buyer has paid to the Company in respect of the Goods which have been cancelled;

6.5.2 and the Buyer will be under no liability to make any further payments under Condition 4 in respect of the Goods that have been

6.6 Notwithstanding, the provisions of Condition 5, the Company will be under no obligation to:

6.6.1 to refund the Buyer any sums which the Buyer has paid to the Company in respect of the Bespoke Goods which have been cancelled under Condition 5; and

6.6.2 waive any outstanding further payments due by the Buyer in respect of Bespoke Goods which have been cancelled under Condition 5.

6.7 The Buyer will provide at its expense at the Delivery Point adequate and appropriate equipment and manual labour for off-loading the goods.

6.8 A £10.00 handling charge will be made in addition to the carriage charge for overnight dispatch of Goods. This service is offered as resources allow and is subject to available.

6.9 The type of vehicle used to deliver Goods and the method of packaging of the Goods for delivery will be at the discretion of the

6.10 Any change required by the Buyer to the delivery vehicle and/or the method of packaging the Goods for delivery selected by the Company will constitute a Specific Delivery Requirement. The Buyer will incur any additional costs for a Specific Delivery Requirement

6.11 The Buyer will provide a full and correct address, including postcode, for the delivery of the company.

7. RISK/TITLE IN THE GOODS

7.1 Risk of damage to or loss of the Goods will pass to the Buyer in accordance with Condition 6.

7.2 Ownership of the Goods will not pass to the Buyer until the Company has received in full (in cash or cleared funds) all sums due to it in respect of:

7.2.1 the Goods; and

7.2.2 all other sums which are or which become due to the Company from the Buyer on any account, whether for Goods or Services

7.3 Until ownership of the Goods has passed to the Buyer, the Buyer must:

7.3.1 hold the Goods on a fiduciary basis as the Company’s bailee;

7.3.2 store the Goods (at no cost to the Company) separately from all other Goods of the Buyer or any third party in such a way that they remain readily identifiable as the Company’s property;

7.3.3 not destroy, deface or obscure any identifying mark or packaging on or relating to the Goods; and

7.3.4 maintain the Goods in satisfactory condition insured on the Company’s behalf for their full price against all risks to the reasonable satisfaction of the Company, and will whenever requested by the Company produce a copy of the policy of insurance.

7.4 The Buyer may resell the Goods before ownership has passed to it solely on the following conditions:

7.4.1 any sale will be effected in the ordinary course of the Buyer’s business at full market value and the Buyer will account to the Company accordingly; and

7.4.2 any such sale will be a sale of the Company’s property on the Buyer’s own behalf and the Buyer will deal as principal

when making such a sale

7.5 The Buyer’s right to possession of the Goods will terminate immediately if any of the circumstances set out in Condition 1 occur.

7.6 The Company will be entitled to recover payment for the Goods notwithstanding that title in any of the Goods has not passed from the company.

7.7 The Buyer grants the Company, its agents and employees an irrevocable licence at any time to enter any premises where the Goods are or may be stored in order to inspect them, or, where the Buyer’s right to possession has terminated, to recover them.

7.8 Where the Company is unable to determine whether any Goods are the goods in respect of which the Buyer’s right to possession has terminated, the Buyer will be deemed to have sold all goods of the kind sold by the Company to the Buyer in the order in which they were invoiced to the Buyer.

7.9 On termination of the Contract, howsoever caused, the Company’s (but not the Buyer’s) rights contained in this Condition 7 will remain in effect.

8. LIABILITY OF COMPANY

8.1 The Company will, free of charge, within a period of 12 months from the date of delivery of Goods, or where a Guarantee has been issued, for the Guarantee Period, which are proved to the reasonable satisfaction of the Company to be missing, damaged or defective due to defects in material or design (other than a design made, furnished or specified by the Buyer), repair, or at its option provide or replace, such Goods. This obligation will not apply where

8.1.1 the Goods have been improperly altered in any way whatsoever, or have been subject to misuse or unauthorised repair;

8.1.2 the Goods have been improperly installed or connected;

8.1.3 any maintenance requirements relating to the Goods have not been complied with;

8.1.4 the Buyer has failed to notify the Company of any defect(s) or missing item(s) from the order acknowledgement within 48 hours of delivery where the defect(s) or missing item(s) should be apparent on reasonable inspection, or within 48 hours of the same coming to the knowledge of the Buyer where the defect(s) or missing item(s) is not that which should be apparent on reasonable inspection, and in any event no later than 12 months from the date of delivery;

8.1.5 where a guarantee has been issued, and has been breached by the third party beneficiary of the Guarantee within the Guarantee Period

8.2 Any Goods which have been replaced by the Company will belong to the Any repaired or replacement Goods will be liable to repair or replacement under the terms specified in Condition 8.1 for the unexpired portion of the 12 month period from the original date of delivery of the replaced Goods or where a Guarantee has been issued, for the Guarantee Period

8.3 In the event of any breach of the Company’s express obligations under Conditions 5, 8.1 and 8.2 above the remedies of the Buyer will be limited to damages.

8.4 The Company does not exclude its liability (if any) to the Buyer

8.4.1 for breach of the Company’s obligations arising under section 12 Sale of Goods Act 1979 or section 2 Supply of Goods and Services Act 1982;

8.4.2 for personal injury or death resulting from the Company’s negligence;

8.4.3 under section 2(3) Consumer Protection Act 1987;

8.4.5 for any matter which it would be illegal for the Company to exclude (or to attempt to exclude) its liability; or

8.4.6 for fraud

8.5 Except as provided in Conditions 5 and 8.1 to 8.4, the Company’s liability to the Buyer (whether in contract, tort (including negligence), breach of statutory duty, restitution or otherwise) for any injury, death, damage or direct, indirect or consequential loss (all three of which terms include, without limitation, pure economic loss, loss of profits, loss of business, depletion of goodwill and like loss) howsoever caused arising out of or in connection with:

8.5.1 any of the Goods, or the manufacture or sale or supply, or failure or delay in supply, of the Goods by the Company or on the part of the Company’s employees, agents or sub-contractors;

8.5.2 any of the Services, or their performance, or failure or delay in performance, of the Services by the Company or on the part of the Company’s employees, agents or sub-contractors

8.5.3 any breach by the Company of any of the express or implied terms of the Contract;

8.5.4 any use made or resale by the Buyer of any of the Goods, or of any product incorporating any of the Goods;

8.5.5 any use made by the Buyer of any of the Services, or of any product incorporating any of the Services; or

8.5.6 any statement made or not made, or advice given or not given, by or on behalf of the Company or otherwise under the Contract, shall be limited to the invoiced value of the Goods

8.6 Except as set out in Conditions 5 and 8.1 to 8.5, the Company hereby excludes to the fullest extent permissible in law, all conditions, warranties and stipulations, express (other than those set out in the Contract) or implied, statutory, customary or otherwise which, but for such exclusion, would or might subsist in favour of the Buyer.

8.7 Each of the Company’s employees, agents and sub-contractors may rely upon and enforce the exclusions and restrictions of liability in Conditions 5 and 8.3 to 8.6 in that person’s own name and for that person’s own benefit, as if the words “its employees, agents and sub-contractors”

followed the word Company wherever it appears in those conditions save each reference in Condition 8.5.1.

8.8 The Buyer agrees to indemnify, keep indemnified and hold harmless the Company from and against all costs (including the costs of enforcement), expenses, liabilities (including any tax liability), injuries, direct, indirect or consequential loss (all three of which terms include, without limitation, pure economic loss, loss of profits, loss of business, depletion of goodwill and like loss), damages, claims, demands, proceedings or legal costs (on a full indemnity basis) and judgments which the Company incurs or suffers as a consequence of a direct or indirect breach or negligent performance or failure or delay in performance by the Buyer of the terms of the Contract. Where a Guarantee has been issued, such indemnity shall continue until the end of the Guarantee Period.

9. GUARANTEE

9.1 Where the Company provides a Warranty additional to the guarantee in Condition 8 hereof, the Buyer may request that the Warranty be provided in favour of an interested third party nominated by the

9.2 The Warranty shall be on such terms and in such form as the Company considers appropriate.

9.3 The Warranty shall only be provided when all payments due from the Buyer have been received and if in association with a Final Inspection Certificate, when the Company has been given all reasonable opportunity to carry out a technical audit.

9.4 The Buyer acknowledges that in the event of a claim being brought against the Company under, and in accordance with the terms of a Warranty, which is solely or partially due to the installation of the Goods not having been carried out in accordance with the Company’s recommendations or with the skill and care expected of an experienced contractor, the Buyer shall indemnify the Company and shall;

9.4.1 recognise the continuing obligations of the Company and the Buyer to remedy defects in the Goods for the Guarantee Period; and

9.4.2 not seek to rely on and, if and to the extent necessary, expressly waive any entitlement to rely on the provisions of the Limitation Act 1980 in defence of such claim

10. FORCE MAJEURE

The Company will not be in breach of the Contract and / or liable to the Buyer for any failure or delay, or for the consequences of any failure or delay, in performance of the Contract if such failure or delay is due to any event or circumstance beyond the reasonable control of the Company including, without limitation, any act of God, disease, epidemic, pandemic, war, industrial dispute, protest, fire, tempest, explosion, act of terrorism, and national emergency, and the Company will be entitled to a reasonable extension of time for performing its obligations in such event or circumstance.

11. TERMINATION

11.1 The Company may by written notice terminate the Contract immediately if the Buyer

11.1.1 is in material breach of any of the terms of the Failure to pay any sums due in accordance with Condition 4.2 is a material breach of the terms of the Contract which is not capable of remedy

11.1.2 becomes bankrupt, insolvent, makes any composition with his creditors, has a receiver appointed under the Mental Health Act 1983 or dies

11.1.3 has any restraint, execution or other process levied or enforced on any of its property;

11.1.4 ceases to trade or appears in the reasonable opinion of the Company likely or is threatening to cease trade;

or

11.1.5 the equivalent of any of the above occurs to the Buyer under the jurisdiction to which the Buyer is subject

11.2 The Company may terminate the Contract in accordance with Condition 14.14

11.3 The termination of the Contract howsoever arising is without prejudice to the rights, duties and liability of either the Buyer or the Company accrued prior to termination. The conditions which expressly or impliedly have effect after termination will continue to be in force notwithstanding termination, which shall include but shall not be limited to, the Buyer’s obligations in relation to any Guarantee.

12. INTELLECTUAL PROPERTY

12.1 No right or licence is granted to the Buyer in respect of the existing Intellectual Property Rights of the Company, except the right to use, or re-sell the Goods in the Buyer’s ordinary course of business.

12.2 All Intellectual Property Rights in or arising out of or in connection with the performance of Services shall be owned by the company.

12.3 The Buyer will not without the Company’s prior consent allow the Trademark or any other trade marks of the Company or other words or marks applied to the Goods to be obliterated, obscured or omitted nor will he add any additional marks or words.

13. DISTRIBUTION

13.1 The Buyer shall not give additional or more favourable warranties than the ones given under clause 8 if it resells the Goods, and the Company shall not bear any liability whatsoever in relation thereto.

Furthermore, if the Buyer intends to resell the Goods for a non-approved Sika use or outside of the United Kingdom, then the Buyer/Reseller shall do so at its own risk and the Company shall not bear any liability whatsoever with respect to such a resale. Furthermore, the Buyer/Reseller shall indemnify and hold harmless the Company against any third party claim in relation to such a resale, including without limitation, expenses, fees and damages that could

be claimed against the Company.

14. GENERAL

14.1 Time for performance of all obligations of the Buyer is of the Time for performance of all obligations of the Company is not of the essence.

14.2 Each right or remedy of the Company under the Contract is without prejudice to any other right or remedy of the Company whether under the Contract or not

14.3 If any condition or part of the Contract is found by any court, tribunal, administrative body or authority of competent jurisdiction to be illegal, invalid or unenforceable then that provision will, to the extent required, be severed from the Contract and will be ineffective, without, as far as is possible, modifying any other provision or part of the Contract and this will not affect any other provisions of the Contract which will remain in full force and effect.

14.4 No Failure or delay by the Company to exercise any right, power or remedy will operate as a waiver of it, nor will any partial exercise preclude any further exercise of the same, or of any other right, power or remedy.

14.5 Save as set out in the Contract and Condition 1.5, these Terms and Conditions may only be varied or amended in writing and signed by a senior manager of the Company.

14.6 The Company may assign, delegate, license, hold on trust or sub-contract all or any part of its rights or obligations under the Contract.

14.7 The Contract is personal to the Buyer who may not assign, delegate, license, hold on trust or sub-contract all or any of its rights or obligations under the Contract without the Company’s prior written consent.

14.8 The Contract contains all the terms which the Company and the Buyer have agreed in relation to the Goods and/ or Services and supercedes any prior written or oral agreements, representations or understandings between the parties relating to such Goods and/ or Services. The Buyer acknowledges that it has not relied on any statement, promise or representation made or given by or on behalf of the Company which is not set out in the Contract. Nothing in this Condition 14.8 will exclude any liability which one party would otherwise have to the other party in respect of any statements made fraudulently.

14.9 Save as set out in Condition 7 the parties to the Contract do not intend that any of its terms will be enforceable by virtue of the Contracts (Rights of Third Parties) Act 1999 by any person not a party to it.

14.10 Any notice in connection with the Contract will be in writing addressed to the other party at its registered office, or principal place of business and will be delivered by hand, or first class or special delivery post or The notice will be deemed to have been duly served, if delivered by hand, when left at the proper address for service or if made by pre-paid, first class post or special delivery post, 48 hours after being posted or in the case of Airmail, 14 days after being posted.

14.11 The formation, existence, construction, performance, validity, and all aspects whatsoever of the Contract or of any term of the Contract will be governed by English law. The English courts will have exclusive jurisdiction to settle any dispute which may arise out of, or in connection with the Contract. The parties agree to submit to that jurisdiction.

Numbers		
101 Multi Purpose Putty	160	
102 Butyl Glazing Compound	160	
103 Trowel Mastic	160	
105 EpoxySet	154	
115 GP Building Mastic	8	
125 One Hour Caulk	8	
145 Butyl Rubber Sealant	9	
175 Universal Acrylic	9	
195 Siliconised Acrylic	9	
2 Part Wood Filler	94	
200 Contractors LMA Silicone	9	
201 Mortar Admix	138	
202 Integral Liquid Waterproofer	138	
203 Accelerator & Frostproof	138	
204 Evermix 3 In 1	138	
206 Strike Release Oil	139	
207 Zeromix C.F.F	139	
208 Powder Mortar Tone	161	
209 Liquid Mortar Tone	161	
225 Industrial & Glazing Silicone	10	
30 Minute PU Wood Adhesive Gel	43	
30 Minute PU Wood Adhesive Liquid	43	
335 Construction Silicone	10	
401 Brick & Patio Cleaner	61	
402 Water Seal	59	
403 Concrete Hardener & Dustproof	61	
404 Fungicidal Wash	61	
405 Path & Patio Seal	59	
406 Stabilising Solution	62	
407 Mortar Stain Remover	62	
408 Super Seal	59	
409 Block-Guard	59	
45 Minute PU Wood Adhesive Liquid	43	
450 Builders Silicone	10	
5 Minute PU Wood Adhesive Gel	42	
5 Minute PU Wood Adhesive liquid	42	
500 Bath & Sanitary Silicone	10	
501 PVA Bond	156	
502 All Purpose Weatherproof Wood Adhesive	42	
503 SBR Bond	156	
505 Plasterers Gripcoat	147	
506 Contractors PVA	156	
507 Rendagrip	147	
565 Clean Room Silicone	11	
700 TileSet Universal	169	
700T LMN Silicone	11	
701 Non-Slip Tile Adhesive	168	
702 Water Resistant Tile Adhesive	168	
703 Fix & Grout	168	
705 TileSet Rapid	169	
708 Febflor Universal	145	
709 Febflor Latex Plus	145	
710 Febflor Flexiplus	145	
711 TileSet Flexiplus	169	
720 Febflor Fibre Plus	144	
730 Universal Flexible Hygienic	171	
901 Black Bitumen Paint	78	
902 Bitumen Flashing & Primer	78	

903 Bitumen Trowel Mastic	78
904 Roof Felt Adhesive	78
905 All Weather Roof Coating	79
906 Bitumen Roofing Emulsion	79
907 Solar Reflective Paint	79
908 DPM	79

A		
AC50 Acoustic Sealant & Adhesive	11	
AC95 Intumescent	14	
All Purpose Powder Filler	93	
All Purpose Ready Mixed Filler	91	
All Purpose Ready Mixed Filler	93	
American Duct Tape	103	
Anchorset Green	158	
Anchorset Nozzle	159	
Anti Pick 109	23	
Aqua Mate	12	
Aquaseal Waterproof Tanking Membrane	163	
Aquaseal Wet Room Kit	162	
Aquaseal Wet Room Tape	163	

B		
B1 FireFoam	85	
B2 FireFoam	85	
Barrier Tape	107	
Bath & Kitchen Sealant	15	
Black Jack Flashing DIY	77	
Black Jack Flashing Trade	77	
Boiled Linseed Oil	99	
Brush Cleaner	97	
Brush Restorer	97	

C		
Carpet Fix Cloth Tape	108	
Caulk Once	7	
Cemstrip	63	
Clear Fix	35	
Clear Varnish	71	
Clear Weatherproof Tape	105	
Constructa-Pro	83	
Cotton Dust Sheets	96	
Coving Adhesive	37	
Creocote	69	

D		
D4 Wood Adhesive	42	
Damp Proofing Slurry	133	
Deep Gap Filler	91	
Dual Purpose Foam Cleaner	84	

E		
EB25	30	
Electrolytic Scale Inhibitor	119	
EpoxySet NF	154	
Euro Scrim	109	

Evercrl Emergency Roof Repair Cart	75
Evercrl One Coat	74
Exact Gap Foam	82
External Frame Sealant	16

F		
Feb Brickclean	141	
Feb General Purpose PVA	157	
Feb Rendamix	141	
Feb Wintamix	141	
Febgrout Flowable	153	
Febmix Admix	140	
Febmix DH	140	
Febmix Plus	140	
Febmix SW	140	
Febond Blue-Grit	147	
Febond PVA	157	
Febond SBR	157	
Febproof Plus	140	
FebSet 45	153	
Febspeed	141	
Febtank Plug	133	
Febtank Super	133	
Fill & Skim	93	
Fill Once	90	
Filler Coat	93	
Fine Surface Filler	91	
Fire Mate	14	
Fire Sealant 300	22	
Fire Sealant 400	22	
Firespan Intumescent Pads	14	
Fix & Fill	82	
Flexible Decorators Filler	15	
Floor Paint	146	
Floor Varnish	71	
Flue Jointing Compound	125	
Foil Pack Applicator Gun	19	
Foil Pack Spare Nozzles & Push Disc	19	
Forever White	6	
Forever White Grout	172	
Forever White Grout Reviver	172	

G		
Gaffa Tape	104	
Galva Mate	12	
General Purpose Render	173	
General Purpose Silicone	15	
Glass Cleaner	114	
Graffiti Remover	115	
Griptite	37	
Gun A Nail Extra	35	
Gun A Nail Standard	35	

H		
Hand Cleaner	115	
Heat Mate	13	
Heat Resistant Paint	123	

Heat Resistant Silicone	123
Heavy Duty Double Sided Tape	108
Heavy Duty Wonder Wipes	113
Hybriflex 25LM	24
Hybriflex 40	24
Hybriflex 480	24
Hybriflex 55	24
Hybriflex FR	25
Hybriflex SMP	25

I		
Industrial Superglue GP	48	
Industrial Superglue HV	48	
Instant Nails	37	

J		
Jetcem Plaster Rapid Repair	152	
Jetcem Rapid Repair Cement	152	
Jetcem Waterproof Rapid Repair Cement	152	
Joint Backer Rod	22	
Jumbo Sealant Gun	18	

K		
KOS Fire Cement	124	
KOS Fire Cement - Cartridge	125	
KOS Flue Cement	125	

L		
Laminated Dust Sheets	96	
Lead Mate	13	
Lead Mate Patination Oil	75	
Liquid Roof	76	
Low Tack Masking Tape	106	
Lumberjack 160 Woodbond	46	
Lumberjack 550 Floor Adhesive	46	
Lumberjack 650 Floor Adhesive	46	

M		
Magnetic Filter	119	
Magnetic Scale Inhibitor	119	
Mammoth Aluminium Tape	104	
Mammoth Builders PVC Tape	104	
Mammoth Spray Adhesive	47	
Masking Tape	106	
Masonry Dry Rot Treatment	69	
Maximum Torque	36	
Mega Tape	104	
Methylated Spirit	98	
Mirror Mate	35	
Mitre Fast Activator	49	
Mitre Fast Adhesive	49	
Mitre Fast Kit	49	
MP Wood Filler	94	
Multi Stick	34	
Multi-Purpose Double Sided Tape	108	

N		
No Waste Foam	83	

O		
Oil Away	63	
One Strike Ready Mixed Filler	92	
Opti-Mix 3-In-1 Render Additive	137	
Opti-Mix Integral Waterproof	137	
Opti-Mix Mortar Plasticiser	137	
Opti-Tone Cement Colourant Black	137	
Overlap & Border Adhesive	99	

P		
P12 Silicone Grease	122	
P13 Plumbers Putty	122	
P16 Pipe Cement	122	
P18 Gas Leak Detector	122	
P20 Flux Soldering Paste	123	
P24 Power Cleaner	118	
P26 Biocide	118	
P28 Filter Fluid	118	
P30 Protector	118	
P32 Leak Sealer	119	
P45 Medium Duty Foam Gun	84	
P65 Heavy Duty Foam Gun	84	
Packaging Tape	107	
Paper Wipe Roll	114	
Patio Wizard	62	
Pinkgrip	39	
Pinkgrip Dry Fix Applicator Gun	40	
Pinkgrip Dry Fix FR	40	
Pinkgrip MS	38	
Pinkgrip Solvent Free	39	
Plumbers Gold	121	
Polythene Dust Sheets	96	
Power Pro Sealant Gun	18	
Powerful Grip Tape	102	
Pro Blue Masking Tape	106	
Pro Point Gun Kit	153	
Professional Gun Grade Foam	83	
Professional Sealant Gun	18	
Pro-Fill	95	
Puraflex 25	25	
Puraflex 40	25	
PVC Cream Cleaner	114	
PVC Hazard Tape	107	
PVC Solvent Cleaner	114	
PVCu Acti-Spray	49	
Pyro Mate	14	

Q		
Quick Mac Instant Tarmacadam	153	

R		
Raw Linseed Oil	99	
Resiblock Indian Sandstone Sealer	58	
Resiblock Superior	58	

Resiblock Trade	58
Roll & Stroll Carpet Protector	88
Roll & Stroll Contract Carpet Protector	89
Roll & Stroll Glass Protector	89
Roll & Stroll Hard Surface Protector	89
Roll & Stroll Textured Carpet Protector	89
Roof & Gutter Sealant	16

S		
Safer Spirit	98	
Salt Away	63	
Scrim Tape	108	
Seal Rite Smooth-Out Tool	20	
Seal Rite Strip-Out / Smooth-Out Twin Pack	20	
Seal Rite Strip-Out Tool	20	
Shed & Fence Mate	69	
Showerproof Bathroom Silicone	16	
Sika Accelerator	134	
Sika Anchorfix-1	159	
Sika Block Paving Seal	57	
Sika Brick & Patio Cleaner	60	
Sika Concrete Crack Repair	159	
Sika Dustproof	60	
Sika FastFix All Weather	54	
Sika Level-01 Acrylic Primer	142	
Sika MaxMix Cement Colour	136	
Sika MaxMix Frostproof & Accelerator	136	
Sika MaxMix Mortar Plasticiser	136	
Sika MaxMix Waterproof	136	
Sika MonoTop-115 GP	149	
Sika MonoTop-610	149	
Sika MonoTop-614F	149	
Sika MonoTop-615	150	
Sika MonoTop-620	150	
Sika MonoTop-630 Rapid	148	
Sika Mould Buster	60	
Sika Multiseal	77	
Sika Patio Seal	56	
Sika Plastix 22A	17	
Sika Primer 3N	27	
Sika Primer MB	154	
Sika Proof	134	
Sika Release Oil	135	
Sika Rendermix	134	
Sika Sanisil	17	
Sika Setting Sand	56	
Sika Silent Layer Mat	45	
Sika Stone Protector	57	
Sika Water Repel+	56	
Sika Water Seal	57	
Sika Wintermix	135	
Sika-1 Finishing Mortar	131	
Sika-1 Render Mortar	130	
Sika-1 Screed Mortar	131	
Sika-1 Spritz & Bonding Coat Mortar	130	
Sika-1 Waterproof	128	
Sika-2 Water Plug	132	
Sika-4 Rapid Setting	132	

Sika-4A Water Stop	132	Stain Block	98
SikaBond AT Universal	37	Standard Nozzles	20
SikaBond Contractors PVA	155	Stick 2 All Purpose Clear Adhesive	50
SikaBond MS Foil	45	Stick 2 All Purpose Contact Adhesive	47
SikaBond MS Wood Floor	44	Stick 2 All Purpose Superglue Bottle	50
SikaBond PVA	155	Stick 2 All Purpose Superglue Tube	50
SikaBond Rapid DPM	154	Stick 2 Carpet Fix Spray Adhesive	47
SikaBond SBR+	155	Stick 2 Contact Adhesive	50
SikaBond Waterproof PVA	155	Stick 2 Hard Plastic Adhesive	50
SikaBond Wood Flooring Kit	45	Stick 2 Rapid Epoxy Syringe	51
SikaBond-151	44	Stick 2 Rapid Epoxy Tube	51
SikaBond-52	44	Stick 2 Spray Contact Adhesive	47
SikaBond-54	44	Stick 2 Superglue Gel	51
SikaBond-5500S	45	Stick 2 Textile Adhesive	50
SikaCeram CleanGrout	170	Stick 2 Touch Up Enamel	51
SikaCeram FlowFix Bonding Primer	55	Stixall Extreme Power	33
SikaCeram FlowFix Jointing Compound	55	Sugar Soap Liquid	97
SikaCeram-140 Rapid	166	Sugar Soap Powder	97
SikaCeram-240 Flexible Rapid	166	Superflow Sealant Gun	19
SikaCeram-272 Ultra Flexible	166	Superglue De-bonder	48
SikaCeram-277 Flexible Standard	167	Surveyline	146
SikaCeram-282 Fibre Reinforced	167		
SikaCim No Crack Concrete	135	T	
Sikadur-31 EF Normal	150	Tarpaulin	96
Sikadur-33	159	Teak Oil	99
Sikaflex Construction+	27	Thermofoam	82
Sikaflex EBT+	32	Threadlock GP	48
Sikaflex Floor	27	Timber & Laminate Sealant	16
Sikaflex PRO-3 Purform	26	Trafficline	146
Sikaflex PRO-3 Self Levelling	26	Triple Action Wood Treatment	68
Sikaflex Tank N	26	Turps Substitute	98
Sikafloor-122 Level	142		
Sikafloor-125 Level Latex	143	U	
Sikafloor-131 Level Latex Ultra	143	Universal Protector Test Kit	120
Sikafloor-245 Level Deep Fill Ultra	143		
Sikafloor-440 Level Fibre Reinforced	142	V	
SikaGard Universal 5 Star Wood Treatment	66	Value Masking Tape	106
SikaGard Wood Preserver	66		
Sikagard Woodworm Killer	66	W	
Sikagard-112 Mortar and Brick Cleaner	60	Wallcovering Adhesive	99
Sikagard-550 W Elastic	151	Wallpaper Adhesive	99
SikaGrout-111 GP	149	Wallpaper Stripper	98
Sikahyflex-250	26	Weather Mate	12
Sikalastic-1K	132	Wet Rot Wood Hardener	95
SikaMix Plus	134	White Spirit	98
Sikamix Powdered Mortar Plasticiser	135	Wonder Wipes	112
SikaMur InjectoCream-100	133	Wonder Wipes Spray	113
Sikaseal Multi Purpose Silicone	17	Wood Filler Hardener / Catalyst	95
Sikasil Pool	27	Wood Preserver	68
Silicone 825	21	Wood Stain	70
Silicone 950	23	Woodworm Killer	68
Silicone Eater	12		
Silicone S50	22	X	
Silicone Spray	115	XL Fire Cement	125
Silweld	105	XT44 Multi Spray	115
Smart Tack Bulk	41		
Smart Tack Bulk Gun	41		
Smart Tack Bulk Hose	41		
Smart Tack Handy	41		

Acetoxy – A product that cures by a reaction with moisture in the air, giving off an odour of Acetic Acid or vinegar. Acetoxy cure sealants shouldn't be used when they are primarily in contact with alkaline substrates such as concrete.

Acrylic – Water based sealants which cure through the loss of water into the substrate. These products are commonly used for interior finishing and can be overpainted once cured.



CE / UKCA – There are four main types of approval under the sealant CE / UKCA Mark:

1 **F** – Façade use which is split into two sub categories with FINT meaning internal use only and F EXT INT meaning the product can be used both internally and externally. F EXT INT is then split into various classifications:

P – Plastic which means the product has limited elastic recovery and behaves more like a plastic bag.

E – Elastic which means the product behaves more like an elastic band.

HM – High Modulus.

LM – Low Modulus.

2 **G** – Glazing use.

3 **S** – Sanitary use which is only approved for internal use and is split into two sub categories S and XS with the latter being the more stringently tested of the two. A number will always follow the S or XS with 1 showing the least biological growth and 3 showing the most, basically meaning S3 is the lowest classification and XS1 is the highest.

4 **PW** – Pedestrian Walkway use.

Fire Rating – The measure of a sealants ability to maintain its insulation and integrity in a joint when exposed to fire.

Hybrid Polymers / MS – This is the next generation technology combining a sealant and adhesive into one product which can be used on most porous and non-porous materials giving them an almost unlimited number of application possibilities. One major advantage these products have over other sealants is that they can be applied in the wet and even under water.

Neutral Cure – Products which cure by a system of crosslinkers that, when activated by exposure to moisture in the air release almost odourless by-products, mainly alcohols. Neutral cure sealants have very little effect on the substrate applied to i.e. non-corrosive.

Modulus – Sealants can be either high, mid or low modulus and refers to the elastic nature of the material.

Flexibility – The degree of movement a sealant can cope with when applied with a greater number meaning the sealant is more flexible.

Shore A Hardness – A number which denotes the surface hardness of a sealant once cured. The higher the number, the harder the surface.

Silicone – The most common form of sealant on the market, silicones come in a variety of grades for multiple application uses.

Polyurethanes – Combining the properties of a sealant, adhesive and filler into one product.

Oil Based Mastic – A traditional product mainly used in wooden window installations and pre-cast concrete panel sealing applications.

Treated Articles – Some products now state 'Please use treated articles responsibly' within the health and safety panel which refers to any item which contains a preservative to protect the product through its life cycle.