Cedar Waxwing Bombycilla Cedrorum



Photo Credit Rob Alvey Cedar Waxwing at GCBS 2002



Photo credit Jason Quinn Cedar Waxwing 2012

The cedar waxwing (Bombycilla cedrorum) is a member of the family Bombycillidae or waxwing family of passerine birds. It is a medium sized, mostly brown, gray, and yellow bird named for its wax-like wing tips.

Description

<u>Size and Shape</u>- The Cedar Waxwing is a medium-sized, sleek bird with a large head, short neck, and short, wide bill. Waxwings have a crest that often lies flat and droops over the back of the head. The wings are broad and pointed, like a starling's.

<u>Color Pattern</u>- Cedar Waxwings are pale brown on the head and chest fading to soft gray on the wings. The belly is pale yellow, and the tail is gray with a bright yellow tip. The face has a narrow black mask neatly outlined in white.

<u>Behavior</u>- Cedar Waxwings are social birds that you're likely to see in flocks year-round. <u>Song</u>- Cedar Waxwings have two common calls: a high-pitched, trilled *bzeee* and a sighing whistle. They call often, especially in flight.

<u>Habitat</u>- Look for Cedar Waxwings in woodlands of all kinds, and at farms, orchards, and suburban gardens where there are fruiting trees or shrubs.

Range- Cedar Waxwings are most abundant in the northeastern United States, the Great Lakes region, and southern Ontario.

<u>Diet</u>- Cedar Waxwings feed mainly on fruits year-round. In summer, they feed on fruits such as serviceberry, strawberry, mulberry,

dogwood, and raspberries. The birds' name derives from their appetite for cedar berries in winter. The shrubs and birds are both at the Garden City Bird Sanctuary.

Bird Statistics

Scientific name- Bombycilla cedrorum Family- Bombycillidae
Conservation Status- Least Concern Length- 6 to 8 inches
Wingspan- 12 inches
Weight- about an ounce

Egg Statistics

<u>Color</u>- Pale blue or blue grey
<u>Nest</u>- The female weaves twigs, grasses,
cattail down, blossoms, string, horsehair,
and similar materials into a bulky cup about
5 inches across and 3 inches high.
<u>Clutch size</u>- 2-6 eggs

Clutch size- 2-6 eggs
Number of broods- 1-2 broods
Length- 0.6-1.1 in (1.6-2.9 cm)
Width- 0.6-0.7 in (1.4-1.8 cm)
Incubation period- 11-13 days
Nestling period- 14-18 days

Additional Information

http://www.nwf.org/wildlife/wildlifelibrary/birds/cedar-waxwing.aspx http://www.birdsource.org/ibs/IBSspecies/cedwax/index.html

Thanks to Charlotte Osborn for creating this data page March 2015