

peerless-AV<sup>®</sup>

DesignerSeries<sup>™</sup>  
Wall Mounts



# DesignerSeries™ Ultra Slim Wall Mounts

If you're looking for a mount that is ultra slim, sleek, easy to install and adjust to effortlessly find the perfect viewing angle, look no further - Peerless-AV® has created it. The DesignerSeries™ wall mounts are some of the thinnest wall mounts on the market and offer the most versatile features and mounting options that benefit both the installer and end-user.



## Key Features and Benefits



Tool-Less Wall Plate Covers

Hide all hardware  
for a clean,  
finished look



Ultra-Low Profile Design

Positions display close  
to the wall for a sleek  
mounting installation



Post-Installation Leveling


±1/2" of post-installation  
leveling is included with Tilting  
and Articulating Mounts

This series of mounts has passed the approval process for Underwriters Laboratories (UL), promoting safe living and working environments by the application of safety science and hazard-based safety engineering. DesignerSeries™ mounts have been submitted to rigorous safety testing, including tests for strength and “pull out” to a minimum of four times the stated load capacity.

Peerless-AV® mounts are also RoHS compliant, which stands for the Restriction of Hazardous Substances. Through the restriction of six hazardous materials in electrical and electronic products, Peerless-AV provides a safe environment for the consumer.



Articulating Wall Mount Models come in color packaging



I-Shaped Adaptor Plate Design

Helps avoid blocking connections on back of display



Locking Tilt

Lock the display at any angle with the ratcheting handle



Integrated Cable Management

Protects, contains and conceals cables for a clean, professional installation

# DesignerSeries™

## Ultra Slim Flat Wall Mounts

The DesignerSeries™ Ultra Slim Flat Wall Mounts offer a sleek, slim design, virtually disappearing behind the ultra-thin display. These mounts provide simple and secure installation, exceptional functionality, and are able to mount a wide range of display sizes.



SUF640P		SUF650P		SUF660P		SUF641	
<b>Display Size</b> 37" to 50" Ultra-thin displays		<b>Display Size</b> 37" to 75" Ultra-thin displays		<b>Display Size</b> 40" to 80" Ultra-thin displays		<b>Display Size</b> 24" to 50" Ultra-thin displays	
<b>Max Load</b> 150lb (68kg)		<b>Max Load</b> 150lb (68kg)		<b>Max Load</b> 150lb (68kg)		<b>Max Load</b> 150lb (68kg)	
<b>Mounting Pattern</b> 450 x 402mm (17.73"W x 15.82"H)		<b>Mounting Pattern</b> 742 x 449mm (29.23"W x 17.67"H)		<b>Mounting Pattern</b> 825 x 449mm (32.48"W x 17.67"H)		<b>VESA® Pattern</b> 75 to 425mm	
<b>Distance From Wall</b> 0.33" (8mm)		<b>Distance From Wall</b> 0.33" (8mm)		<b>Distance From Wall</b> 0.33" (8mm)		<b>Distance From Wall</b> 0.19" (5mm)	
<b>Tilt</b> -		<b>Tilt</b> -		<b>Tilt</b> -		<b>Tilt</b> -	
<b>Metal Stud Accessory</b> ACC215	<b>Security Accessory</b> ACC952	<b>Metal Stud Accessory</b> ACC415	<b>Security Accessory</b> ACC952	<b>Metal Stud Accessory</b> ACC615	<b>Security Accessory</b> ACC952	<b>Security Accessory</b> ACC952	

- Ultra slim design holds the display only 0.33" (8mm) from the wall

- Lateral shift adjustment of up to 8" (203mm) (depending on the display model) for perfect display placement

- Easy three step installation process

- Ultra slim design holds displays only 0.19" (5mm) from the wall



**1. SAFETY TABS**  
Specially designed for secure support

**2. SECURE INSTALLATION**  
Industrial strength Velcro® latching system holds the display in place preventing accidental bump-off or unwanted horizontal adjustment

**3. ULTRA SLIM DESIGN**  
Holds display only 0.33" (8mm) from the wall



SUF651	SUF661
<b>Display Size</b> 37" to 50" Ultra-thin displays	<b>Display Size</b> 40" to 80" Ultra-thin displays
<b>Max Load</b> 150lb (68kg)	<b>Max Load</b> 150lb (68kg)
<b>VESA® Pattern</b> 150 to 400 and 550 to 700mm	<b>VESA® Pattern</b> 150 to 400 and 550 to 800mm
<b>Distance From Wall</b> 0.19" (5mm)	<b>Distance From Wall</b> 0.19" (5mm)
<b>Tilt</b> -	<b>Tilt</b> -
<b>Security Accessory</b> ACC952	<b>Security Accessory</b> ACC952

- Locking arm holds display in place and prevents accidental bump-offs and unwanted horizontal adjustments

- Theft resistant security screw on locking arm

## Accessories



**IB14X9(-AC)-W**  
14" x 9" In-Wall Box for Recessed Power and AV Components





**IB14X14(-AC)-W**  
14" x 14" In-Wall Box for Recessed Power and AV Components

Visit [peerless-av.com](http://peerless-av.com) for a complete line of accessories

# DesignerSeries™

## Ultra Slim Articulating Wall Mounts

The DesignerSeries™ Ultra Slim Articulating Wall Mounts are designed exclusively for ultra-thin displays. With full-motion capabilities that allow you to swivel, tilt, extend or retract the display, post installation height adjustment and One-Touch™ tilt features, viewers can effortlessly find the perfect viewing angle.




SUA740P		SUA747PU		SUA761PU	
<b>Display Size</b> 32" to 43" Ultra-thin displays less than 3" (76mm) deep		<b>Display Size</b> 32" to 50" Ultra-thin displays less than 3" (76mm) deep		<b>Display Size</b> 37" to 65" Ultra-thin displays less than 3" (76mm) deep	
<b>Max Load</b> 60lb (27kg)		<b>Max Load</b> 60lb (27kg)		<b>Max Load</b> 80lb (36kg)	
<b>VESA® Pattern</b> 200 x 100 and 200 x 200mm		<b>Mounting Pattern</b> 400 x 400mm (15.75"W x 15.75"H)		<b>Mounting Pattern</b> 600 x 400mm (23.62"W x 15.75"H)	
<b>Distance From Wall</b> 1.74"-24.74" (44-628mm)		<b>Distance From Wall</b> 1.85"-24.85" (47-631mm)		<b>Distance From Wall</b> 1.85"-24.85" (47-631mm)	
<b>Tilt   Pivot   Roll</b> +15°/-5°   ±90°   ±5°		<b>Tilt   Pivot   Roll</b> +15°/-5°   ±90°   ±5°		<b>Tilt   Pivot   Roll</b> +15°/-5°   ±90°   ±5°	
<b>Metal Stud Accessory</b> WSP756	<b>Security Accessory</b> ACC919	<b>Metal Stud Accessory</b> WSP756	<b>Security Accessory</b> ACC919	<b>Metal Stud Accessory</b> WSP756	<b>Security Accessory</b> ACC925

- Full-motion capabilities allow you to swivel, tilt, extend or retract the display for the perfect viewing angle

- Up to ±90° of side-to-side swivel

- One-Touch™ tilt mechanism allows adjustment of +15°/-5° without the use of tools

- Up to ±0.5" (13mm) of vertical adjustment for post installation leveling and height adjustment fine-tuning



SUA761PU shown

**1. ULTRA-LOW PROFILE DESIGN**


Creates an aesthetically appealing look

**2. POST-INSTALLATION HEIGHT ADJUSTMENT**

±0.5" (13mm) of vertical adjustment fine tunes positioning of display after installation

**3. INTEGRATED CABLE MANAGEMENT**

Protects, contains and conceals cables for a clean, professional installation



**SUA771PU**

**Display Size**  
42" to 90" Ultra-thin displays  
less than 3" (76mm) deep

**Max Load**  
125lb (57kg)

**Mounting Pattern**  
800 x 400mm  
(31.50"W x 15.75"H)

**Distance From Wall**  
1.85"-24.85" (47-631mm)

**Tilt | Pivot | Roll**  
+15°/-5° | ±72.5° | ±5°

**Metal Stud Accessory**  
WSP756

**Security Accessory**  
ACC925

**IM747PU**

**Display Size**  
37" to 65" Ultra-thin displays  
less than 3" (76mm) deep

**Max Load**  
Articulating Mount: 80lb (36.3kg)  
In-Wall Box: 25lb (11.3kg)

**Mounting Pattern**  
400 x 400mm  
(15.75"W x 15.75"H)

**Distance From Wall**  
1.94"-25.03" (49-636mm)

**Tilt | Pivot | Roll**  
+15°/-5° | ±90° | ±5°

**IBMP In-wall Box**  
Component Panel

- Added ±5° of roll for post-installation display leveling without the use of tools

- Internal cable management provides clean, professional installation finish

- Landscape or portrait mounting options increases display versatility

- Unique arms and tool-less wall plate covers hide fasteners for an ultra clean look

- The I-Shaped Adaptor plate's innovative design helps avoid blocking connections on back of display



For over 75 years, passion and innovation continue to drive Peerless-AV® forward.

We proudly design and manufacture the highest quality products, ranging from outdoor displays to complete kiosk solutions, digital signage mounts to wireless systems. Whether a full-scale global deployment or custom project, Peerless-AV develops meaningful relationships and delivers world-class service. In partnership with Peerless-AV, you are trusting an award-winning team of experts who will support your business every step of the way.

For more information, visit [peerless-av.com](http://peerless-av.com).

 [peerless-av.com](http://peerless-av.com)  
 800-865-2112